LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS

STATE OF CALIFORNIA
THE RESOURCES AGENCY
Department of Water Resources

BULLETIN No. [illegible]

HYDROLOGIC DATA: [illegible]

Volume [illegible]: SOUTHERN CALIFORNIA

Appendix A: [illegible]
Appendix B: [illegible]
Appendix C: [illegible]

[illegible]

[illegible]

[illegible]	[illegible]
Governor	Director
State of California	Department of Water Resources

24
66

STATE OF CALIFORNIA
The Resources Agency
Department of Water Resources

Y OF
BRARY
DAVIS
OPY 2

BULLETIN No. 130-66

HYDROLOGIC DATA: 1966

Volume V: SOUTHERN CALIFORNIA

Appendix A: CLIMATOLOGICAL DATA
Appendix B: SURFACE WATER MEASUREMENTS
Appendix C: GROUND WATER MEASUREMENTS

UNIVERSITY OF CALIFORNIA
DAVIS
AUG 15 1968
GOV'T. DOCS. - LIBRARY

APRIL 1968

RONALD REAGAN
Governor
State of California

WILLIAM R. GIANELLI
Director
Department of Water Resources

LIBRARY
UNIVERSITY OF CALIFORNIA

STATE OF CALIFORNIA
The Resources Agency
Department of Water Resources

BULLETIN No. 130-66

HYDROLOGIC DATA: 1966

Volume V: SOUTHERN CALIFORNIA

Appendix A: CLIMATOLOGICAL DATA
Appendix B: SURFACE WATER MEASUREMENTS
Appendix C: GROUND WATER MEASUREMENTS

APRIL 1968

RONALD REAGAN
Governor
State of California

WILLIAM R. GIANELLI
Director
Department of Water Resources



BULLETIN No. 130

HYDROLOGIC DATA

AREAL COVERAGE OF VOLUMES

Each Volume Contains

Appendix A: Climatological Data
Appendix B: Surface Water Measurements
Appendix C: Ground Water Measurements
Appendix D: Surface Water Quality
Appendix E: Ground Water Quality

This Volume ▨

FOREWORD

The data collection programs of the Department of Water Resources have been designed to supplement the activities of other agencies to satisfy specific needs of the State. Bulletin No. 130-66 presents useful, comprehensive, accurate, and timely hydrologic data which are prerequisites for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map to the left.

William R. Gianelli
William R. Gianelli, Director
Department of Water Resources
State of California

METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT	
Inch (in)	2.54	Centimeters
Foot (ft)	0.3048	Meter
Mile (mi)	1.609	Kilometers
Acre	0.405	Hectare
Square mile (sq. mi.)	2.590	Square kilometer
U. S. gallon (gal)	3.785	Liters
Acre-foot (acre-ft)	1,233.5	Cubic meters
U. S. gallon per minute (gpm)	0.0631	Liters per second
Cubic feet per second (cfs)	1.7	Cubic meters per minute
1 part per million (ppm)	1 milligram per liter (mg/1)	
1 part per billion (ppb)	1 microgram per liter (ug/1)	
1 part per trillion (ppt)	1 nanogram per liter (ng/1)	
1 equivalent per million (epm)	1 milliequivalent per liter (me/1)	

TABLE OF CONTENTS

Page

AREAL COVERAGE OF VOLUMES ii

FOREWORD iii

METRIC CONVERSION TABLE iv

ORGANIZATION viii

ACKNOWLEDGMENTS ix

ABSTRACT x

APPENDIXES

Appendix A: CLIMATOLOGICAL DATA 1

Introduction 3

FIGURES

Figure Number

A-1 Names and Areal Code Numbers of Hydrologic Areas, Central Coastal Drainage Province (T) 5

A-2 . . . Los Angeles Drainage Province (U) 7

A-3 . . . Lahontan Drainage Province (W). 9

A-4 . . . Colorado River Basin Drainage Province (X) . . . 11

A-5 . . . Santa Ana Drainage Province (Y) 13

A-6 . . . San Diego Drainage Province (Z) 15

A-7 Representative Precipitation Characteristics for San Luis Obispo 16

A-8 Representative Precipitation Characteristics for Los Angeles 17

A-9 Representative Precipitation Characteristics for San Diego 18

A-10 Representative Precipitation Characteristics for Barstow 19

TABLES

Table Number | | Page
A-1 Index of Climatological Stations 20

A-2 Precipitation Data 36
Central Coastal Drainage Province (T) 36
Los Angeles Drainage Province (U) 38
Lahontan Drainage Province (W) 45
Colorado River Basin Drainage Province (X) 47
Santa Ana Drainage Province (Y) 49
San Diego Drainage Province (Z) 52

Appendix B: SURFACE WATER MEASUREMENTS 53

Introduction 55

FIGURES

Figure Number

B-1 Net Diversions of Water to California from the Colorado River 64

B-2 Historical Importations of Water to Coastal Southern California 65

TABLES

Table Number

B-1 Annual Unimpaired Runoff at Selected Stations 57

B-2 Daily Mean Discharge 58
West Fork of the Mojave River Below Cedar Springs 59
East Fork of West Fork of the Mojave River Above Cedar Springs 60
West Fork of the Mojave River Above Cedar Springs . 61
Elizabeth Lake Canyon Creek Above Castaic 62
Castaic Creek Above Cordova Ranch 63

B-3 Monthly Water Content of Selected Surface Reservoirs in or Supplying Water to Southern California, October 1, 1965, to September 30, 1966 66

Page

Appendix C: GROUND WATER MEASUREMENTS 67

Introduction 69

FIGURE

Figure Number

C-1 Fluctuation of Water Level in Wells 70

TABLES

Table Number

C-1 Ground Water Levels at Wells 83
Central Coastal Drainage Province (T) 84
Los Angeles Drainage Province (U) 110
Lahontan Drainage Province (W) 307
Colorado River Basin Drainage Province (X) 323
Santa Ana Drainage Province (Y) 344
San Diego Drainage Province (Z) 436

C-2 Ground Water Replenishment in Southern California During the 1965-66 Water Year 477

ATTACHMENT

Attachment Number

1 Maps of Locations of Wells at Which Water Level Fluctuations Are Shown 479

Appendix D: SURFACE WATER QUALITY . . . . (Under separate cover)

Appendix E: GROUND WATER QUALITY . . . . (Under separate cover)

State of California
The Resources Agency
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor, State of California
WILLIAM R. GIANELLI, Director, Department of Water Resources
JOHN R. TEERINK, Deputy Director

This volume was prepared in the Southern District

James J. Doody	District Engineer
Jack J. Coe	Chief, Planning Branch

under the direction of

Richard E. Angelos	Chief, Water Supply and Utilization Section
Franklin T. Hamamura	Head, Basic Data Unit, and Program Manager

by

Charles L. McKelvey	Water Resources Technician II

assisted by

Burton E. Hewett, Jr.	Assistant Civil Engineer
Amos Roos	Assistant Civil Engineer
James M. Kelly	Water Resources Technician I

Reviewed and Coordinated by
Statewide Planning Office
Data Coordination Branch

ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies. Special mention is made of the following agencies whose cooperation is gratefully acknowledged.

City of Long Beach Water Department
City of Los Angeles Department of Water and Power
City of San Diego Water Department
Coachella Valley County Water District
Imperial Irrigation District
Los Angeles County Flood Control District
Orange County Flood Control District
Riverside County Flood Control and Water Conservation District
San Bernardino County Flood Control District
San Bernardino Valley Water Conservation District
San Luis Obispo County Flood Control and Water Conservation District
The Metropolitan Water District of Southern California
United States Army Corps of Engineers
United States Geological Survey
United States Weather Bureau
Ventura County Flood Control District

ABSTRACT

This report contains data on precipitation, surface water flow, reservoir storage, ground water levels, and ground water recharge activities in Southern California during the 1965-66 water year. Figures show location of hydrologic areas within the drainage provinces, representative precipitation characteristics, imported water, and fluctuation of water level in wells.

Appendix A

CLIMATOLOGICAL DATA

INTRODUCTION

This appendix summarizes monthly precipitation data for Southern California from July 1, 1965, through September 30, 1966 (Table A-2). Cooperators and cooperating agencies supplied data from 820 stations and the U. S. Weather Bureau supplied data from 193 stations. These stations are listed in the Index (Table A-1). Detailed daily and hourly data for some stations not published here are available in the files of the Department of Water Resources, Southern District. Representative precipitation characteristics for four stations are shown in Figures A-7 through A-10.

To ensure accuracy, stations are inspected semiannually by the U. S. Weather Bureau to see that the equipment is properly maintained and that observations generally are taken in accordance with their standards.

Each station in this appendix has been assigned an identification number. The first character denotes the drainage province. The second and third characters represent the hydrologic unit. (Figures A-1 through A-6 show the locations and code numbers of the hydrologic subdivision in each drainage province.) The remaining characters denote the alphabetical sequence of the station.

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS

(AS SHOWN ON FIGURE A–1 TO THE RIGHT)

CENTRAL COASTAL DRAINAGE PROVINCE

T–09.00	SALINAS HYDROLOGIC UNIT
T–09.H0	Paso Robles Hydrologic Subunit
T–09.I0	Pozo Hydrologic Subunit
T–10.00	SAN LUIS OBISPO HYDROLOGIC UNIT
T–10.A0	Cambria Hydrologic Subunit
T–10.A1	San Carpoforo Hydrologic Subarea
T–10.A2	Arroyo De La Cruz Hydrologic Subarea
T–10.A3	San Simeon Hydrologic Subarea
T–10.A4	Santa Rosa Hydrologic Subarea
T–10.A5	Villa Hydrologic Subarea
T–10.A6	Cayucos Hydrologic Subarea
T–10.A7	Old Hydrologic Subarea
T–10.A8	Toro Hydrologic Subarea
T–10.B0	San Luis Obispo Hydrologic Subunit
T–10.B1	Morro Hydrologic Subarea
T–10.B2	Chorro Hydrologic Subarea
T–10.B3	Los Osos Hydrologic Subarea
T–10.B4	San Luis Obispo Creek Hydrologic Subarea
T–10.B5	Point San Luis Hydrologic Subarea
T–10.B6	Pismo Hydrologic Subarea
T–10.C0	Arroyo Grande Hydrologic Subunit
T–10.C1	Arroyo Grande Hydrologic Subarea
T–10.C2	Nipomo Mesa Hydrologic Subarea
T–11.00	CARRIZO PLAIN HYDROLOGIC UNIT
T–12.00	SANTA MARIA–CUYAMA HYDROLOGIC UNIT
T–12.A0	Santa Maria Hydrologic Subunit
T–12.B0	Sisquoc Hydrologic Subunit
T–12.C0	Cuyama Valley Hydrologic Subunit
T–13.00	SAN ANTONIO HYDROLOGIC UNIT
T–14.00	SANTA YNEZ HYDROLOGIC UNIT
T–14.A0	Lompoc Hydrologic Subunit
T–14.B0	Santa Rita Hydrologic Subunit
T–14.C0	Buellton Hydrologic Subunit
T–14.D0	Santa Ynez Hydrologic Subunit
T–14.E0	Headwater Hydrologic Subunit
T–15.00	SANTA BARBARA HYDROLOGIC UNIT
T–15.A0	Arguello Hydrologic Subunit
T–15.C0	South Coast Hydrologic Subunit
T–15.C1	Goleta Hydrologic Subarea
T–15.C2	Santa Barbara Hydrologic Subarea
T–15.C3	Montecito Hydrologic Subarea
T–15.C4	Carpinteria Hydrologic Subarea

Figure A-1



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
CENTRAL COASTAL DRAINAGE PROVINCE (T)

EPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS

(AS SHOWN ON FIGURE A–2 TO THE RIGHT)

LOS ANGELES DRAINAGE PROVINCE

U–01.00	RINCON CREEK HYDROLOGIC UNIT
U–02.00	VENTURA RIVER HYDROLOGIC UNIT
U–02.A0	Lower Ventura River Hydrologic Subunit
U–02.B0	Upper Ventura River Hydrologic Subunit
U–02.C0	Ojai Hydrologic Subunit
U–02.C1	Upper Ojai Hydrologic Subarea
U–02.C2	Ojai Hydrologic Subarea
U–03.00	SANTA CLARA–CALLEGUAS HYDROLOGIC UNIT
U–03.A0	Oxnard Plain Hydrologic Subunit
U–03.A1	Oxnard Hydrologic Subarea
U–03.A2	Pleasant Valley Hydrologic Subarea
U–03.B0	Santa Paula Hydrologic Subunit
U–03.B1	Santa Paula Hydrologic Subarea
U–03.B2	Sisar Hydrologic Subarea
U–03.C0	Sespe Hydrologic Subunit
U–03.C1	Fillmore Hydrologic Subarea
U–03.C2	Sespe Hydrologic Subarea
U–03.D0	Piru Hydrologic Subunit
U–03.D1	Piru Hydrologic Subarea
U–03.D2	Upper Piru Hydrologic Subarea
U–03.D3	Hungry Valley Hydrologic Subarea
U–03.D4	Stauffer Hydrologic Subarea
U–03.E0	Upper Santa Clara River Hydrologic Subunit
U–03.E1	Eastern Hydrologic Subarea
U–03.E2	Bouquet Hydrologic Subarea
U–03.E3	Mint Canyon Hydrologic Subarea
U–03.E4	Sierra Pelona Hydrologic Subarea
U–03.E5	Acton Hydrologic Subarea
U–03.F0	Calleguas–Conejo Hydrologic Subunit
U–03.F1	West Las Posas Hydrologic Subarea
U–03.F2	East Las Posas Hydrologic Subarea
U–03.F3	Arroyo Santa Rosa Hydrologic Subarea
U–03.F4	Conejo Valley Hydrologic Subarea
U–03.F5	Tierra Rejada Valley Hydrologic Subarea
U–03.F6	Gillibrand Hydrologic Subarea
U–03.F7	Simi Valley Hydrologic Subarea
U–03.F8	Thousand Oaks Hydrologic Subarea
U–04.00	MALIBU HYDROLOGIC UNIT
U–04.A0	Topanga Hydrologic Subunit
U–04.A1	Topanga Canyon Hydrologic Subarea
U–04.A2	Tuna Canyon Hydrologic Subarea
U–04.A3	Pena Canyon Hydrologic Subarea
U–04.A4	Piedra Gorda Canyon Hydrologic Subarea
U–04.A5	Las Flores Canyon Hydrologic Subarea
U–04.A6	Carbon Canyon Hydrologic Subarea
U–04.B0	Malibu Creek Hydrologic Subunit
U–04.B1	Malibu Creek Hydrologic Subarea
U–04.B2	Las Virgenes Canyon Hydrologic Subarea
U–04.B3	Lindero Canyon Hydrologic Subarea
U–04.B4	Triunfo Canyon Hydrologic Subarea
U–04.B5	Russell Valley Hydrologic Subarea
U–04.B6	Sherwood Hydrologic Subarea
U–04.C0	Point Dume Hydrologic Subunit
U–04.C1	Corral Canyon Hydrologic Subarea
U–04.C2	Solstice Canyon Hydrologic Subarea
U–04.C3	Latigo Canyon Hydrologic Subarea
U–04.C4	Escondido Canyon Hydrologic Subarea
U–04.C5	Ramera Canyon Hydrologic Subarea
U–04.C6	Zuma Canyon Hydrologic Subarea
U–04.C7	Trancas Canyon Hydrologic Subarea
U–04.D0	Camarillo Hydrologic Subunit
U–04.D1	Encinal Canyon Hydrologic Subarea
U–04.D2	Los Alisos Canyon Hydrologic Subarea
U–04.D3	Nicholas Canyon Hydrologic Subarea
U–04.D4	Arroyo Sequit Hydrologic Subarea
U–04.D5	Little Sycamore Canyon Hydrologic Subarea
U–04.D6	Deer Canyon Hydrologic Subarea
U–04.D7	Big Sycamore Canyon Hydrologic Subarea
U–04.D8	La Jolla Valley Hydrologic Subarea
U–05.00	LOS ANGELES–SAN GABRIEL RIVER HYDROLOGIC UNIT
U–05.A0	Coastal Plain of Los Angeles County Hydrologic Subunit
U–05.A1	Palos Verdes Hydrologic Subarea
U–05.A2	West Coast Hydrologic Subarea
U–05.A3	Santa Monica Hydrologic Subarea
U–05.A4	Hollywood Hydrologic Subarea
U–05.A5	Central Hydrologic Subarea
U–05.B0	San Fernando Hydrologic Subunit
U–05.B1	San Fernando Hydrologic Subarea
U–05.B2	Sylmar Hydrologic Subarea
U–05.B3	Tujunga Hydrologic Subarea
U–05.B4	Verdugo Hydrologic Subarea
U–05.B5	Eagle Rock Hydrologic Subarea
U–05.C0	Raymond Hydrologic Subunit
U–05.C1	Pasadena Hydrologic Subarea
U–05.C2	Monk Hill Hydrologic Subarea
U–05.C3	Santa Anita Hydrologic Subarea
U–05.D0	San Gabriel Valley Hydrologic Subunit
U–05.D1	Main San Gabriel Hydrologic Subarea
U–05.D2	Lower Canyon Hydrologic Subarea
U–05.D3	Upper Canyon Hydrologic Subarea
U–05.D4	Foothill Hydrologic Subarea
U–05.E0	Spadra Hydrologic Subunit
U–05.E1	Spadra Hydrologic Subarea
U–05.E2	Pomona Hydrologic Subarea
U–05.E3	Live Oak Hydrologic Subarea
U–05.F0	Anaheim Hydrologic Subunit
U–05.F1	Anaheim Hydrologic Subarea
U–05.F2	La Habra Hydrologic Subarea
U–05.F3	Yorba Linda Hydrologic Subarea

Figure A-2



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
LOS ANGELES DRAINAGE PROVINCE (U)

PARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS

(AS SHOWN ON FIGURE A–3 TO THE RIGHT)

LAHONTAN DRAINAGE PROVINCE

W–01.00	MONO HYDROLOGIC UNIT
W–02.00	ADOBE HYDROLOGIC UNIT
W–03.00	OWENS HYDROLOGIC UNIT
W–03.A0	Long Hydrologic Subunit
W–03.B0	Upper Owens Hydrologic Subunit
W–03.C0	Lower Owens Hydrologic Subunit
W–03.D0	Centennial Hydrologic Subunit
W–04.00	FISH LAKE HYDROLOGIC UNIT
W–05.00	DEEP SPRINGS HYDROLOGIC UNIT
W–06.00	EUREKA HYDROLOGIC UNIT
W–06.A0	Marble Bath Hydrologic Subunit
W–06.B0	Eureka Hydrologic Subunit
W–07.00	SALINE HYDROLOGIC UNIT
W–07.A0	Saline Hydrologic Subunit
W–07.B0	Cameo Hydrologic Subunit
W–08.00	RACE TRACK HYDROLOGIC UNIT
W–08.A0	Race Track Hydrologic Subunit
W–08.B0	Hidden Valley Hydrologic Subunit
W–08.C0	Ulida Hydrologic Subunit
W–08.D0	Sand Flat Hydrologic Subunit
W–09.00	AMARGOSA HYDROLOGIC UNIT
W–09.A0	Death Valley Hydrologic Subunit
W–09.A1	Death Valley Hydrologic Subarea
W–09.A2	Harrisburgh Hydrologic Subarea
W–09.A3	Wingate Wash Hydrologic Subarea
W–09.B0	Valjean Hydrologic Subunit
W–09.B1	Avawatz Hydrologic Subarea
W–09.B2	Red Pass Hydrologic Subarea
W–09.B3	Valjean Hydrologic Subarea
W–09.B4	Shadow Hydrologic Subarea
W–09.C0	Furnace Creek Hydrologic Subunit
W–09.C1	Furnace Creek Hydrologic Subarea
W–09.C2	Greenwater Hydrologic Subarea
W–09.D0	Amargosa Hydrologic Subunit
W–09.D1	Calico Hydrologic Subarea
W–09.D2	Amargosa Hydrologic Subarea
W–09.D3	Chicago Hydrologic Subarea
W–09.D4	California Hydrologic Subarea
W–10.00	PAHRUMP HYDROLOGIC UNIT
W–11.00	MESQUITE HYDROLOGIC UNIT
W–12.00	IVANPAH HYDROLOGIC UNIT
W–13.00	OWLSHEAD HYDROLOGIC UNIT
W–13.A0	Lost Lake Hydrologic Subunit
W–13.B0	Owlshead Hydrologic Subunit
W–14.00	LEACH HYDROLOGIC UNIT
W–15.00	NELSON HYDROLOGIC UNIT
W–15.A0	McLean Hydrologic Subunit
W–15.B0	Nelson Hydrologic Subunit
W–16.00	BICYCLE HYDROLOGIC UNIT
W–17.00	GOLDSTONE HYDROLOGIC UNIT
W–18.00	COYOTE HYDROLOGIC UNIT
W–19.00	SUPERIOR HYDROLOGIC UNIT
W–20.00	PANAMINT HYDROLOGIC UNIT
W–20.A0	Wingate Pass Hydrologic Subunit
W–20.B0	Wild Rose Hydrologic Subunit
W–20.B1	White Sage Hydrologic Subarea
W–20.B2	Wild Rose Hydrologic Subarea
W–20.C0	Lee Flat Hydrologic Subunit
W–20.D0	Santa Rosa Flat Hydrologic Subunit
W–20.D1	Santa Rosa Flat Hydrologic Subarea
W–20.D2	Rainbow Hydrologic Subarea
W–20.D3	Silver Dollar Hydrologic Subarea
W–20.E0	Darwin Hydrologic Subunit
W–20.F0	Panamint Hydrologic Subunit
W–20.G0	Brown Hydrologic Subunit
W–20.H0	Robbers Hydrologic Subunit
W–21.00	SEARLES HYDROLOGIC UNIT
W–21.A0	Searles Hydrologic Subunit
W–21.B0	Salt Wells Hydrologic Subunit
W–21.C0	Pilot Knob Hydrologic Subunit
W–22.00	COSO HYDROLOGIC UNIT
W–22.A0	Wild Horse Hydrologic Subunit
W–22.B0	Coso Hydrologic Subunit
W–23.00	UPPER CACTUS HYDROLOGIC UNIT
W–24.00	INDIAN WELLS HYDROLOGIC UNIT
W–24.A0	Rose Hydrologic Subunit
W–24.B0	Indian Wells Hydrologic Subunit
W–25.00	FREMONT HYDROLOGIC UNIT
W–25.A0	Dove Springs Hydrologic Subunit
W–25.B0	Kelso Landis Hydrologic Subunit
W–25.C0	East Tehachapi Hydrologic Subunit
W–25.D0	Koehn Hydrologic Subunit
W–26.00	ANTELOPE HYDROLOGIC UNIT
W–26.A0	Antelope Hydrologic Subunit
W–26.A1	Chafee Hydrologic Subarea
W–26.A2	Gloster Hydrologic Subarea
W–26.A3	Willow Springs Hydrologic Subarea
W–26.A4	Neenach Hydrologic Subarea
W–26.A5	Lancaster Hydrologic Subarea
W–26.A6	North Muroc Hydrologic Subarea
W–26.A7	Buttes Hydrologic Subarea
W–26.A8	Rock Creek Hydrologic Subarea
W–27.00	CUDDEBACK HYDROLOGIC UNIT
W–28.00	MOJAVE HYDROLOGIC UNIT
W–28.A0	El Mirage Hydrologic Subunit
W–28.B0	Upper Mojave Hydrologic Subunit
W–28.C0	Middle Mojave Hydrologic Subunit
W–28.D0	Harper Hydrologic Subunit
W–28.D1	Grass Valley Hydrologic Subarea
W–28.D2	Harper Hydrologic Subarea
W–28.E0	Lower Mojave Hydrologic Subunit
W–28.F0	Troy Hydrologic Subunit
W–28.F1	Kane Wash Hydrologic Subarea
W–28.F2	Troy Hydrologic Subarea
W–28.G0	Afton Hydrologic Subunit
W–28.G1	Caves Hydrologic Subarea
W–28.G2	Cronese Hydrologic Subarea
W–28.G3	Langford Hydrologic Subarea
W–28.H0	Baker Hydrologic Subunit
W–28.H1	Silver Lake Hydrologic Subarea
W–28.H2	Soda Lake Hydrologic Subarea
W–28.I0	Kelso Hydrologic Subunit
W–29.00	BROADWELL HYDROLOGIC UNIT

Figure A-3



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
LAHONTAN DRAINAGE PROVINCE (W)

PARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS

(AS SHOWN ON FIGURE A–4 TO THE RIGHT)

COLORADO RIVER BASIN DRAINAGE PROVINCE

X–1.00	LUCERNE HYDROLOGIC UNIT
X–2.00	JOHNSON HYDROLOGIC UNIT
X–3.00	BESSEMER HYDROLOGIC UNIT
X–4.00	MEANS HYDROLOGIC UNIT
X–5.00	EMERSON HYDROLOGIC UNIT
X–6.00	LAVIC HYDROLOGIC UNIT
X–7.00	DEADMAN HYDROLOGIC UNIT
X–8.00	JOSHUA TREE HYDROLOGIC UNIT
X–8.A0	Warren Hydrologic Subunit
X–8.B0	Copper Mountain Hydrologic Subunit
X–9.00	DALE HYDROLOGIC UNIT
X–9.A0	Twentynine Palms Hydrologic Subunit
X–9.B0	Dale Hydrologic Subunit
X–10.00	BRISTOL HYDROLOGIC UNIT
X–10.A0	Bristol Hydrologic Subunit
X–10.B0	Fenner Hydrologic Subunit
X–11.00	CADIZ HYDROLOGIC UNIT
X–12.00	WARD HYDROLOGIC UNIT
X–13.00	PIUTE HYDROLOGIC UNIT
X–13.A0	Lanfair Hydrologic Subunit
X–13.B0	Piute Hydrologic Subunit
X–13.C0	Needles Hydrologic Subunit
X–14.00	CHEMEHUEVIS HYDROLOGIC UNIT
X–15.00	COLORADO HYDROLOGIC UNIT
X–15.A0	Vidal Hydrologic Subunit
X–15.B0	Big Wash Hydrologic Subunit
X–15.C0	Quien Sabe Hydrologic Subunit
X–15.D0	Palo Verde Hydrologic Subunit
X–15.E0	Arroyo Seco Hydrologic Subunit
X–16.00	RICE HYDROLOGIC UNIT
X–17.00	CHUCKWALLA HYDROLOGIC UNIT
X–17.A0	Ford Hydrologic Subunit
X–17.B0	Palen Hydrologic Subunit
X–17.C0	Pinto Hydrologic Subunit
X–17.D0	Pleasant Hydrologic Subunit
X–18.00	HAYFIELD HYDROLOGIC UNIT
X–19.00	WHITEWATER HYDROLOGIC UNIT
X–19.A0	Morongo Hydrologic Subunit
X–19.B0	Shavers Hydrologic Subunit
X–19.C0	San Gorgonio Hydrologic Subunit
X–19.C1	Beaumont Hydrologic Subarea
X–19.C2	San Gorgonio Hydrologic Subarea
X–19.D0	Coachella Hydrologic Subunit
X–19.D1	Garnet Hill Hydrologic Subarea
X–19.D2	Mission Creek Hydrologic Subarea
X–19.D3	Miracle Hill Hydrologic Subarea
X–19.D4	Sky Valley Hydrologic Subarea
X–19.D5	Fargo Canyon Hydrologic Subarea
X–19.D6	Thousand Palms Hydrologic Subarea
X–19.D7	Indio Hydrologic Subarea
X–20.00	CLARK HYDROLOGIC UNIT
X–21.00	WEST SALTON SEA HYDROLOGIC UNIT
X–22.00	ANZA–BORREGO HYDROLOGIC UNIT
X–22.A0	Borrego Hydrologic Subunit
X–22.A1	Terwilliger Hydrologic Subarea
X–22.A2	Collins Hydrologic Subarea
X–22.A3	Borrego Hydrologic Subarea
X–22.B0	Ocotillo–Lower San Felipe Hydrologic Subun
X–22.C0	Mescal Bajada Hydrologic Subunit
X–22.D0	San Felipe Hydrologic Subunit
X–22.E0	Mason Hydrologic Subunit
X–22.F0	Vallecito–Carrizo Hydrologic Subunit
X–22.F1	Carrizo Hydrologic Subarea
X–22.F2	Vallecito Hydrologic Subarea
X–22.F3	Canebrake Hydrologic Subarea
X–22.G0	Jacumba Hydrologic Subunit
X–22.G1	McCain Hydrologic Subarea
X–22.G2	Jacumba Hydrologic Subarea
X–23.00	IMPERIAL HYDROLOGIC UNIT
X–23.A0	Imperial Hydrologic Subunit
X–23.B0	Coyote Wells Hydrologic Subunit
X–24.00	DAVIES HYDROLOGIC UNIT
X–25.00	EAST SALTON SEA HYDROLOGIC UNIT
X–26.00	AMOS–OGILBY HYDROLOGIC UNIT
X–27.00	YUMA HYDROLOGIC UNIT

Figure A-4



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS COLORADO RIVER BASIN DRAINAGE PROVINCE (X)

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

AREAL DESIGNATIONS

HYDROLOGIC UNITS SUBUNITS AND SUBAREAS

(AS SHOWN ON FIGURE A-5 TO THE RIGHT)

SANTA ANA DRAINAGE PROVINCE

Y–01.00	SANTA ANA RIVER HYDROLOGIC UNIT
Y–01.A0	Lower Santa Ana River Hydrologic Subunit
Y–01.A1	East Coastal Plain Hydrologic Subarea
Y–01.A2	Santiago Hydrologic Subarea
Y–01.A3	Santa Ana Narrows Hydrologic Subarea
Y–01.B0	Middle Santa Ana River Hydrologic Subunit
Y–01.B1	Chino Hydrologic Subarea
Y–01.B2	Harrison Hydrologic Subarea
Y–01.B3	Claremont Heights Hydrologic Subarea
Y–01.B4	Cucamonga Hydrologic Subarea
Y–01.B5	Temescal Hydrologic Subarea
Y–01.B6	Arlington Hydrologic Subarea
Y–01.B7	Riverside Hydrologic Subarea
Y–01.C0	Lake Methews Hydrologic Subunit
Y–01.C1	Coldwater Hydrologic Subarea
Y–01.C2	Bedford Hydrologic Subarea
Y–01.C3	Cajalco Hydrologic Subarea
Y–01.C4	Lee Lake Hydrologic Subarea
Y–01.C5	Terra Cotta Hydrologic Subarea
Y–01.D0	Colton–Rialto Hydrologic Subunit
Y–01.D1	Upper Lytle Hydrologic Subarea
Y–01.D2	Lower Lytle Hydrologic Subarea
Y–01.D3	Upper Colton–Rialto Hydrologic Subarea
Y–01.D4	Colton–Rialto Hydrologic Subarea
Y–01.D5	Reche Hydrologic Subarea
Y–01.E0	Upper Santa Ana River Hydrologic Subunit
Y–01.E1	Cajon Hydrologic Subarea
Y–01.E2	Bunker Hill Hydrologic Subarea
Y–01.E3	Redlands Hydrologic Subarea
Y–01.E4	Mentone Hydrologic Subarea
Y–01.E5	Reservoir Hydrologic Subarea
Y–01.E6	Crafton Hydrologic Subarea
Y–01.E7	Santa Ana Canyon Hydrologic Subarea
Y–01.E8	Mill Creek Hydrologic Subarea
Y–01.E9	Sycamore Hydrologic Subarea
Y–01.F0	San Timoteo Hydrologic Subunit
Y–01.F1	Yucaipa Hydrologic Subarea
Y–01.F2	San Timoteo Hydrologic Subarea
Y–01.F3	Cherry Valley Hydrologic Subarea
Y–01.F4	Chicken Hill Hydrologic Subarea
Y–01.F5	Gateway Hydrologic Subarea
Y–01.F6	Oak Glen Hydrologic Subarea
Y–01.F7	South Mesa Hydrologic Subarea
Y–01.F8	Triple Falls Creek Hydrologic Subarea
Y–01.F9	Nobie Creek Hydrologic Subarea
Y–01.G0	San Bernardino Mountain Hydrologic Subunit
Y–01.G1	Bear Valley Hydrologic Subarea
Y–01.G2	Seven Oaks Hydrologic Subarea
Y–01.G3	Baldwin Hydrologic Subarea
Y–02.00	SAN JACINTO VALLEY HYDROLOGIC UNIT
Y–02.A0	Perris Hydrologic Subunit
Y–02.A1	Perris Valley Hydrologic Subarea
Y–02.A2	Menifee Hydrologic Subarea
Y–02.A3	Winchester Hydrologic Subarea
Y–02.A4	Lakeview Hydrologic Subarea
Y–02.A5	Hemet Hydrologic Subarea
Y–02.B0	San Jacinto Hydrologic Subunit
Y–02.B1	San Jacinto Hydrologic Subarea
Y–02.B2	Hemet Lake Hydrologic Subarea
Y–02.B3	Bautista Hydrologic Subarea
Y–02.C0	Elsinore Hydrologic Subunit
Y–02.C1	Elsinore Hydrologic Subarea
Y–02.C2	Railroad Hydrologic Subarea



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS SANTA ANA DRAINAGE PROVINCE (Y)

EPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS

(AS SHOWN ON FIGURE A–6 TO THE RIGHT)

SAN DIEGO DRAINAGE PROVINCE

Z–01.00	SAN JUAN HYDROLOGIC UNIT
Z–01.A0	Laguna Hydrologic Subunit
Z–01.A1	San Joaquin Hydrologic Subarea
Z–01.A2	Laguna Hydrologic Subarea
Z–01.A3	Aliso Hydrologic Subarea
Z–01.A4	Dana Point Hydrologic Subarea
Z–01.B0	San Juan Hydrologic Subunit
Z–01.C0	San Clemente Hydrologic Subunit
Z–01.D0	San Mateo Hydrologic Subunit
Z–01.E0	San Onofre Hydrologic Subunit
Z–01.E1	San Onofre Hydrologic Subarea
Z–01.E2	Las Pulgas Hydrologic Subarea
Z–01.E3	Stuart Hydrologic Subarea
Z–02.00	SANTA MARGARITA HYDROLOGIC UNIT
Z–02.A0	Ysidora Hydrologic Subunit
Z–02.A1	Ysidora Hydrologic Subarea
Z–02.A2	Chappo Hydrologic Subarea
Z–02.A3	Upper Ysidora Hydrologic Subarea
Z–02.B0	De Luz Hydrologic Subunit
Z–02.B1	De Luz Hydrologic Subarea
Z–02.B2	Gavilan Hydrologic Subarea
Z–02.B3	Vallecitos Hydrologic Subarea
Z–02.C0	Murrieta Hydrologic Subunit
Z–02.C1	Wildomar Hydrologic Subarea
Z–02.C2	Murrieta Hydrologic Subarea
Z–02.C3	French Hydrologic Subarea
Z–02.C4	Lower Domenigoni Hydrologic Subarea
Z–02.C5	Domenigoni Hydrologic Subarea
Z–02.C6	Diamond Hydrologic Subarea
Z–02.D0	Auld Hydrologic Subunit
Z–02.D1	Auld Hydrologic Subarea
Z–02.D2	Gertrudis Hydrologic Subarea
Z–02.D3	Lower Tucalota Hydrologic Subarea
Z–02.D4	Tucalota Hydrologic Subarea
Z–02.E0	Pechanga Hydrologic Subunit
Z–02.E1	Pauba Hydrologic Subarea
Z–02.E2	Pechanga Hydrologic Subarea
Z–02.F0	Wilson Hydrologic Subunit
Z–02.F1	Lancaster Valley Hydrologic Subarea
Z–02.F2	Lewis Hydrologic Subarea
Z–02.F3	Wilson Hydrologic Subarea
Z–02.G0	Anza Hydrologic Subunit
Z–02.G1	Lower Coahuila Hydrologic Subarea
Z–02.G2	Upper Coahuila Hydrologic Subarea
Z–02.G3	Anza Hydrologic Subarea
Z–02.G4	Burnt Hydrologic Subarea
Z–02.H0	Aguanga Hydrologic Subunit
Z–02.H1	Vail Hydrologic Subarea
Z–02.H2	Devils Hole Hydrologic Subarea
Z–02.H3	Redec Hydrologic Subarea
Z–02.H4	Aguanga Hydrologic Subarea
Z–02.I0	Oakgrove Hydrologic Subunit
Z–02.I1	Lower Culp Hydrologic Subarea
Z–02.I2	Oakgrove Hydrologic Subarea
Z–02.I3	Dodge Hydrologic Subarea
Z–02.I4	Chihuahua Hydrologic Subarea
Z–03.00	SAN LUIS REY HYDROLOGIC UNIT
Z–03.A0	Bonsall Hydrologic Subunit
Z–03.A1	Mission Hydrologic Subarea
Z–03.A2	Bonsall Hydrologic Subarea
Z–03.A3	Moosa Hydrologic Subarea
Z–03.A4	Valley Center Hydrologic Subarea
Z–03.A5	Woods Hydrologic Subarea
Z–03.A6	Rincon Hydrologic Subarea
Z–03.B0	Monserate Hydrologic Subunit
Z–03.B1	Pala Hydrologic Subarea
Z–03.B2	Pauma Hydrologic Subarea
Z–03.B3	San Luis Rey Hydrologic Subarea
Z–03.C0	Warner Hydrologic Subunit
Z–03.C1	Warner Hydrologic Subarea
Z–03.C2	Combs Hydrologic Subarea
Z–04.00	CARLSBAD HYDROLOGIC UNIT
Z–04.A0	Loma Alta Hydrologic Subunit
Z–04.B0	Vista Hydrologic Subunit
Z–04.B1	Carlsbad Hydrologic Subarea
Z–04.B2	Vista Hydrologic Subarea
Z–04.C0	Agua Hedionda Hydrologic Sununit
Z–04.C1	Agua Hedionda Hydrologic Subarea
Z–04.C2	Buena Hydrologic Subarea
Z–04.D0	Encinas Hydrologic Subunit
Z–04.E0	San Marcos Hydrologic Subunit
Z–04.E1	Batiquitos Hydrologic Subarea
Z–04.E2	San Marcos Hydrologic Subarea
Z–04.E3	Twin Oaks Hydrologic Subarea
Z–04.F0	Escondido Hydrologic Subunit
Z–04.F1	San Elijo Hydrologic Subarea
Z–04.F2	Escondido Hydrologic Subarea
Z–04.F3	Lake Wohlford Hydrologic Subarea
Z–05.00	SAN DIEGUITO HYDROLOGIC UNIT
Z–05.A0	San Dieguito Hydrologic Subunit
Z–05.A1	San Dieguito Hydrologic Subarea
Z–05.A2	La Jolla Hydrologic Subarea
Z–05.B0	Hodges Hydrologic Subunit
Z–05.B1	Hodges Hydrologic Subarea
Z–05.B2	Green Hydrologic Subarea
Z–05.B3	Felicita Hydrologic Subarea
Z–05.B4	Bear Hydrologic Subarea
Z–05.C0	San Pasqual Hydrologic Subunit
Z–05.C1	Highland Hydrologic Subarea
Z–05.C2	San Pasqual Hydrologic Subarea
Z–05.C3	Reed Hydrologic Subarea
Z–05.C4	Hidden Hydrologic Subarea
Z–05.C5	Guejito Hydrologic Subarea
Z–05.C6	Vineyard Hydrologic Subarea
Z–05.D0	Santa Maria Valley Hydrologic Subunit
Z–05.D1	Ramona Hydrologic Subarea
Z–05.D2	Lower Hatfield Hydrologic Subarea
Z–05.D3	Wash Hollow Hydrologic Subarea
Z–05.D4	Upper Hatfield Hydrologic Subarea
Z–05.D5	Ballena Hydrologic Subarea
Z–05.D6	East Santa Teresa Hydrologic Subarea
Z–05.D7	West Santa Teresa Hydrologic Subarea
Z–05.E0	Santa Ysabel Hydrologic Subunit
Z–05.E1	Boden Hydrologic Subarea
Z–05.E2	Pamo Hydrologic Subarea
Z–05.E3	Sutherland Hydrologic Subarea
Z–05.E4	Santa Ysabel Hydrologic Subarea
Z–06.00	PENASQUITOS HYDROLOGIC UNIT
Z–06.A0	Soledad Hydrologic Subunit
Z–06.B0	Poway Hydrologic Subunit
Z–06.C0	Scripps Hydrologic Subunit
Z–06.D0	Miramar Hydrologic Subunit
Z–06.E0	Tecolote Hydrologic Subunit
Z–07.00	SAN DIEGO HYDROLOGIC UNIT
Z–07.A0	Lower San Diego Hydrologic Subunit
Z–07.A1	Mission San Diego Hydrologic Subarea
Z–07.A2	Santee Hydrologic Subarea
Z–07.A3	El Cajon Hydrologic Subarea
Z–07.A4	Coches Hydrologic Subarea
Z–07.A5	El Monte Hydrologic Subarea
Z–07.B0	San Vicente Hydrologic Subunit
Z–07.B1	San Vicente Hydrologic Subarea
Z–07.B2	Kimball Hydrologic Subarea
Z–07.B3	Gower Hydrologic Subarea
Z–07.B4	Barona Hydrologic Subarea
Z–07.C0	El Capitan Hydrologic Subunit
Z–07.C1	El Capitan Hydrologic Subarea
Z–07.C2	Glen Oaks Hydrologic Subarea
Z–07.C3	Alpine Hydrologic Subarea
Z–07.D0	Cuyamaca Hydrologic Subunit
Z–07.D1	Inaja Hydrologic Subarea
Z–07.D2	Spencer Hydrologic Subarea
Z–07.D3	Cuyamaca Hydrologic Subarea
Z–08.00	CORONADO HYDROLOGIC UNIT
Z–08.A0	Point Loma Hydrologic Subunit
Z–08.B0	San Diego Mesa Hydrologic Subunit
Z–08.B1	Lindbergh Hydrologic Subarea
Z–08.B2	Chollas Hydrologic Subarea
Z–08.C0	Paradise Hydrologic Subunit
Z–08.C1	El Toyan Hydrologic Subarea
Z–08.C2	Paradise Hydrologic Subarea
Z–09.00	SWEETWATER HYDROLOGIC UNIT
Z–09.A0	Lower Sweetwater Hydrologic Subunit
Z–09.A1	Telegraph Hydrologic Subarea
Z–09.A2	Sweetwater Hydrologic Subarea
Z–09.B0	Middle Sweetwater Hydrologic Subunit
Z–09.B1	Jamacha Hydrologic Subarea
Z–09.B2	Hillsdale Hydrologic Subarea
Z–09.B3	Dehesa Hydrologic Subarea
Z–09.B4	Galloway Hydrologic Subarea
Z–09.B5	Sequan Hydrologic Subarea
Z–09.B6	Alpine Heights Hydrologic Subarea
Z–09.C0	Upper Sweetwater Hydrologic Subunit
Z–09.C1	Loveland Hydrologic Subarea
Z–09.C2	Japatul Hydrologic Subarea
Z–09.C3	Viejas Hydrologic Subarea
Z–09.C4	Descanso Hydrologic Subarea
Z–09.C5	Garnet Hydrologic Subarea
Z–10.00	OTAY HYDROLOGIC UNIT
Z–10.A0	Coronado Hydrologic Subunit
Z–10.B0	Otay Hydrologic Subunit
Z–10.C0	Dulzura Hydrologic Subunit
Z–10.C1	Savage Hydrologic Subarea
Z–10.C2	Proctor Hydrologic Subarea
Z–10.C3	Jamul Hydrologic Subarea
Z–10.C4	Lee Hydrologic Subarea
Z–10.C5	Lyon Hydrologic Subarea
Z–10.C6	Dulzura Hydrologic Subarea
Z–10.C7	Engineer Springs Hydrologic Subarea
Z–11.00	TIA JUANA HYDROLOGIC UNIT
Z–11.A0	Tia Juana Hydrologic Subunit
Z–11.A1	Tia Juana Hydrologic Subarea
Z–11.A2	San Ysidro Hydrologic Subarea
Z–11.B0	Potrero Hydrologic Subunit
Z–11.B1	Marron Hydrologic Subarea
Z–11.B2	Bee Canyon Hydrologic Subarea
Z–11.B3	Barrett Hydrologic Subarea
Z–11.B4	Round Potrero Hydrologic Subarea
Z–11.B5	Potrero Hydrologic Subarea
Z–11.C0	Barrett Lake Hydrologic Subunit
Z–11.D0	Monument Hydrologic Subunit
Z–11.D1	Pine Hydrologic Subarea
Z–11.D2	Monument Hydrologic Subarea
Z–11.E0	Morena Hydrologic Subunit
Z–11.F0	Cottonwood Hydrologic Subunit
Z–11.G0	Cameron Hydrologic Subunit
Z–11.H0	Campo Hydrologic Subunit
Z–11.H1	Tecate Hydrologic Subarea
Z–11.H2	Campo Hydrologic Subarea
Z–11.H3	Clover Flat Hydrologic Subarea
Z–11.H4	Hill Hydrologic Subarea
Z–11.H5	Hipass Hydrologic Subarea

Figure A-6


LEGEND
DRAINAGE PROVINCE BOUNDARY
HYDROLOGIC UNIT BOUNDARY
HYDROLOGIC SUBUNIT BOUNDARY
HYDROLOGIC SUBAREA BOUNDARY
10.A4 AREAL CODE NUMBER (SEE PAGE TO THE LEFT)
WATER BEARING SEDIMENTS
KEY MAP
MONO
INYO
W
KERN
SAN BERNARDINO
SAN LUIS OBISPO
T
SANTA BARBARA
VENTURA
U
LOS ANGELES
Y
ORANGE
RIVERSIDE
X
Z
SAN DIEGO
IMPERIAL
PACIFIC OCEAN
NEVADA
ARIZONA
MEXICO
SCALE OF MILES
4 0 4 8 12 16 20
PACIFIC OCEAN
SAN CLEMENTE
OCEANSIDE
CARLSBAD
ENCINITAS
DEL MAR
LA JOLLA
POINT LOMA
SAN DIEGO
NATIONAL CITY
TEMECULA
FALLBROOK
VISTA
ESCONDIDO
VALLEY CENTER
RAMONA
JULIAN
SANTA YSABEL
ALPINE
EL CAJON
CAMPO
SAN YSIDRO
VAIL LAKE
LAKE HENSHAW
LAKE HODGES
SUTHERLAND RESERVOIR
CUYAMACA RESERVOIR
EL CAPITAN RESERVOIR
SAN VICENTE RESERVOIR
SWEETWATER RESERVOIR
LOWER OTAY RESERVOIR
BARRETT LAKE
LAKE LOVELAND
MORENA LAKE
RINCON SPRINGS
AGUANGA
PALA
RIVERSIDE COUNTY
ORANGE COUNTY
SAN DIEGO COUNTY
SAN BERNARDINO MERIDIAN
R.9W. R.8W. R.7W. R.6W. R.5W. R.4W. R.3W. R.2W. R.1W. R.1E. R.2E. R.3E. R.4E. R.5E.
T.6S. T.7S. T.8S. T.9S. T.10S. T.11S. T.12S. T.13S. T.14S. T.15S. T.16S. T.17S.
1.A2 1.A3 1.A4 1.B0 1.C0 1.D0 1.E1 1.E2 1.E3
2.A1 2.A2 2.A3 2.B1 2.B2 2.B3 2.C1 2.C2 2.C3 2.C4 2.C5 2.C6 2.D1 2.D2 2.D3 2.D4 2.E1 2.E2 2.F1 2.F2 2.F3 2.G1 2.G2 2.G3 2.G4 2.H1 2.H2 2.H3 2.H4 2.I1 2.I2 2.I3 2.I4
3.A1 3.A2 3.A3 3.A4 3.A5 3.A6 3.B1 3.B2 3.B3 3.C1 3.C2
4.A0 4.B1 4.B2 4.C1 4.C2 4.D0 4.E1 4.E2 4.E3 4.F1 4.F2 4.F3
5.A1 5.A2 5.B1 5.B2 5.B3 5.B4 5.C1 5.C2 5.C3 5.C4 5.C5 5.C6 5.D1 5.D2 5.D3 5.D4 5.D5 5.D6 5.D7 5.E1 5.E2 5.E3 5.E4
6.A0 6.B0 6.C0 6.D0 6.E0
7.A1 7.A2 7.A3 7.A4 7.A5 7.B1 7.B2 7.B3 7.B4 7.C1 7.C2 7.C3 7.D1 7.D2 7.D3
8.A0 8.B1 8.B2 8.C1 8.C2
9.A1 9.A2 9.B1 9.B2 9.B3 9.B5 9.B6 9.C1 9.C2 9.C3 9.C4 9.C5
10.A0 10.B0 10.C1 10.C2 10.C3 10.C4 10.C5 10.C6 10.C7
11.A1 11.A2 11.B1 11.B2 11.B3 11.B4 11.B5 11.C0 11.C1 11.D1 11.D2 11.E0 11.F0 11.G0 11.H1 11.H2 11.H3 11.H4 11.H5

NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
SAN DIEGO DRAINAGE PROVINCE (Z)

PARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1966

Figure A-7



PRECIPITATION IN INCHES BY WATER YEAR (OCTOBER 1 — SEPTEMBER 30)



CUMULATIVE DEVIATION FROM MEAN PRECIPITATION AS A PERCENT OF MEAN

REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR SAN LUIS OBISPO

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

Figure A-8



PRECIPITATION IN INCHES BY WATER YEAR (OCTOBER 1 — SEPTEMBER 30)



CUMULATIVE DEVIATION FROM MEAN PRECIPITATION AS A PERCENT OF MEAN

REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR LOS ANGELES

PARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

Figure A-9



PRECIPITATION IN INCHES BY WATER YEAR (OCTOBER 1 — SEPTEMBER 30)



CUMULATIVE DEVIATION FROM MEAN PRECIPITATION AS A PERCENT OF MEAN

REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR SAN DIEGO

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968



REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR BARSTOW

EPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

TABLE A-1 INDEX OF CLIMATOLOGICAL STATIONS

An explanation of the column headings and the code symbols follows:

40-Acre Tract – This denotes the location of the station within the section in which it is located. The letter code is derived from the diagram to the right.

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Base and Meridian – The code for this column is as follows:

M – Mount Diablo Base and Meridian, or
S – San Bernardino Base and Meridian

Cooperator Number – This number is assigned from the following list:

000	Private Cooperators
004	Southern California Edison Company
011	Southern Pacific Company
014	California-American Water Company
016	Temescal Water Company
017	Gage Canal Company
018	Corona Foothill Mutual Lemon Company
405	City of Los Angeles, Department of Water and Power
406	City of San Diego
410	Los Angeles County Flood Control District
411	Marin County Engineer
415	Orange County Flood Control District
416	Ventura County Flood Control District
417	The Metropolitan Water District of Southern California
428	San Diego County
429	San Bernardino County Flood Control District
430	San Luis Obispo County Flood Control and Water Conservation District
431	Riverside County Flood Control and Water Conservation District
432	Vista Irrigation District
433	Helix Irrigation District
435	Montecito County Water District
436	City of San Bernardino Water Department
808	State Division of Forestry
813	State Department of Water Resources
900	United States Weather Bureau (Published records)
906	Agriculture Research Service
907	United States Weather Bureau, State Climatologist, (Unpublished records)
913	United States Army Corps of Engineers, Los Angeles District
914	United States Marine Corps, Camp Pendleton
915	United States Weather Bureau, Washington, D. C , (Unpublished records)
916	United States Geological Survey

Cooperator's Index Number – This is the number assigned to the station by the agency responsible for, or handling the records of the station. The U.S. Weather Bureau number is only shown in this column when it differs from the alpha order number.

County – This is a standard code for California counties and adjacent areas as shown below:

Imperial	13	Monterey	27	San Diego	90
Inyo	14	Orange	30	San Luis Obispo	40
Kern	15	Riverside	33	Santa Barbara	42
Los Angeles	70	San Bernardino	36	Ventura	56
Mono	26				

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	''	°	'	''						
U03-0014-00	ACTON ESCONDIDO CNYN	2920	05N	13W	30		S	34	29	31	118	16	30	410	F 261B	1897			70
U03-0014-01	ACTON ALISO CANYON	3900	04N	12W			S	34	24	02	118	05	33	410	F 423A	1937			70
U03-0014-02	ACTON ALISO CNYN BLU	2900	04N	12W			S	34	27	33	118	09	20	410	F 341	1932			70
U03-0014-03	ACTON CAMP 2	2625	04N	13W			S	34	27	02	118	11	55	410	F 2500	1930			70
U03-0014-04	ACTON-COLOMBO RANCH	3000	04N	13W			S	34	25	41	118	11	52	410	F 420C	1927			70
U03-0014-05	ACTON HUBBARD RCH	3490	05N	13W	16		S	34	31	31	118	13	58	410	F 274B	1897			70
W28-0024-00	ADELANTO	2845	06N	05W	21	N	S	34	35	21	117	24	50	900	SB 89A	1945			36
X22-0044-00	AGUA CALIENTE SPG PK							32	57	00	116	17	27	428	517-5	1966			90
W03-0050-51	ALABAMA HILLS	3725	15S	36E			M	36	40	15	118	05	40	405					14
U03-0072-15	ALAMO MT STORAGE GAG	6675	07N	20W	25		S	34	40	11	118	57	08	416	V 211	1959			56
U05-0084-50	ALCAZAR FLOOD CONTRO	400						34	03	46	118	11	54	410	F 191B	1929			70
U05-0085-00	ALDER CRK PARADISE	2330	03N	14W			S	34	19	48	118	19	03	410	F 705	1941			70
U05-0102-02	ALHAMBRA-CITY HALL	533					S	34	06	05	118	07	52	410	F 110B	1927			70
Y01-0114-51	ALISO CANYON COOK	1080	06S	07W			S	33	40	59	117	37	12	415	O 151A				30
U05-0115-00	ALISO CANYON OAT MTN	2367	03N	16W	28		S	34	18	53	118	33	25	410	F 446	1939			70
Z07-0136-00	ALPINE	1740	15S	02E	27		S	32	50	00	116	46	00	900		1952			90
U05-0140-01	ALTA CANYON	2020						34	13	39	118	12	40	410	F 175B	1919			70
U05-0144-00	ALTADENA	1125	01N	12W			S	34	10	55	118	08	15	410	F 176	1921			70
U05-0144-04	ALTADENA GOLF	1186						34	10	48	118	07	01	410	F 611C	1899			70
Y01-0145-05	ALTA LOMA-FORNEY	1865	01N	07W	27		S	34	07	25	117	36	27	429	SB175	1953			36
U03-0179-10	AMERICAN C SUGAR CO	60	01N	21W			S	34	12	17	119	04	04	416	V 3	1902			56
Y01-0192-01	ANAHEIM AUTOMATIC		04S	10W			S	33	49	12	117	54	48	415	O 167				30
Y01-0193-00	ANAHEIM CARROLL RCH	105	04S	10W			S	33	49	54	117	57	54	415	O 91	1924			30
Y01-0194-00	ANAHEIM WATER WORKS	150	04S	10W	15		S	33	49	46	117	54	42	415	O 33	1880			30
W26-0195-07	ANAVERDE LEONA VLY	2875	06N	13W			S	34	35	22	118	12	15	410	F1108B	1955			70
U05-0208-11	ANGELES CREST G S	2300						34	14	05	118	11	00	410	F 726B	1945			70
U05-0208-12	ANGELES CREST HWY	2800						34	15	21	118	11	45	410	F 498	1945			70
U05-0208-20	ANGELES CRE HWY GRIZ	3050	02N	13W			S	34	15	33	118	11	32	410	F*X30	1957			70
T09-0215-00	ANNETTE	2150	26S	17E	16		M	35	39	00	120	11	00	430	L 130	1951			
W26-0222-01	ANTELOPE VLY FLO STA	2450	07N	14W			S	34	42	12	118	18	32	410	F1106	1955			70
Z02-0235-00	ANZA	3915	07S	03E	21	B	S	33	33	00	116	40	30	900		1947			33
T12-0239-00	APACHE CAMP	4965	09N	23W	16		S	34	52	00	119	20	00	416	V 161	1940			56
W28-0244-00	APPLE VALLEY	2935	05N	03W	17		S	34	31	25	117	12	52	900	SB 136	1958			36
U05-0251-01	ARCADIA ARBORETUM	565	01N	11W			S	34	08	48	118	02	59	410	F1037E	1950			70
U05-0251-02	ARCADIA PP 1	611					S	34	09	32	118	02	02	410					70
Y01-0264-00	ARLINGTON	830	03S	05W	08		S	33	55	07	117	26	01	431	R P1	1963			33
Y01-0264-01	ARLNGTN MKNGBRD GCCO	1007	03S	05W	21	E	S	33	53	49	117	24	54	017	R P1	1938			33
W28-0310-00	ARROWHEAD RANGER STA	5593	02N	03W	27		S	34	14	20	117	11	25	429	SB107				36
T10-0320-00	ARROYO GRANDE	110	32S	13E	21		M	35	07	24	120	34	24	900		1939			40
T10-0320-20	ARROYO GRANDE NO 5	135	32S	13E	28		M	35	07	10	120	35	25	430	L 147	1956			40
U05-0327-00	ARROYO SECO R S	1220	02N	12W	31		S	34	12	33	118	10	12	410	F 508C	1917			70
U05-0331-11	ARTESIA	52						33	51	48	118	04	58	410	F 208B	1917			70
U05-0339-00	ASCOT COVERED RES	605	01S	13W	13		S	34	04	44	118	11	16	405		1939			70
U05-0355-00	ASSOC OIL ANAHEIM 1	340	03S	10W	13		S	33	54	37	117	52	41	900		1941	1966		30
T09-0358-05	ATASCADERO LAKE	915	28S	12E	27	B	M	35	28	00	120	40	20	430	L 167	1964			40
T09-0359-00	ATASCADERO PUMP STA	1205	28S	13E	04		M	35	31	30	120	34	30	430	L 133	1951			40
T09-0360-01	ATASCADERO SDH	950	28S	12E	23		M	35	29	00	120	39	30	430	L 145	1954			40
T09-0360-20	ATASCADERO 1 NW	920	28S	12E	16		M	35	29	45	120	11	20	430	L 160	1962			40
T09-0361-01	ATASCADERO AMWC	835	28S	12E	10		M	35	30	06	120	39	36	430	L 34	1913			40
U03-0372-11	ATMORE MEADOW	4325	07N	16W			S	34	41	18	118	36	16	410	F1119B	1956			70
U06-0395-00	AVALON PLEASURE PIER	0						33	21	00	118	20	00	900		1931			70
T10-0406-00	AVILA	115	31S	12E	36		M	35	10	48	120	43	18	430	L 55	1931			40
U05-0410-00	AZUSA CITY PARK	612	01N	10W	35	D	S	34	08	03	117	54	17	410	F 143B	1928			70
U05-0410-01	AZUSA FOOTHILL RCH	615						34	07	57	117	53	32	410	F 99B	1913			70
U05-0410-02	AZUSA GRFTH VLY W CO	585						34	06	53	117	53	23	410	F 178B	1955			70
U05-0410-04	AZUSA PLT-GIC	682						34	08	54	117	54	48	410	F 312B	1930			70
U05-0431-01	BAILEY DEBRIS DAM	1180						34	10	25	118	03	38	410	F 179G	1958			70
W28-0436-00	BAKER	940	14N	09E	30		S	35	16	00	116	04	00	900	SB160	1953			36
W28-0437-00	BAKER 9 NNW	1045	15N	08E	15		S	35	23	00	116	07	00	900	SB 161	1953			36
U03-0450-10	BALCOM CYN HUMPHREY	800						34	18	51	118	58	21	416	V 206	1960			56
U05-0453-01	BALDWIN HILLS	392						34		08	118	22	32	410	F 461	1940			70
U05-0453-02	BALDWIN HILLS RES	460						34	00	25	118	21	47	410	F 799				70
U05-0455-00	BALDWIN PARK	386	01S	10W	09		S	34	05	36	117	57	40	410	F 347E	1931			70
Z07-0465-00	BALLENA							33	04	00	116	43	30	428	600-1	1951			90
X19-0489-00	BANNING	2315	03S	01E	09		S	33	55	43	116	52	33	431	R	1913			33
U03-0495-00	BARD RESERVOIR	1030	02N	19W	06	E	S	34	14	04	118	49	05	416	V 227	1966			56
U03-0506-11	BARDSDALE YOUNG RCH	400						34	21	54	118	56	42	416	V 96	1932			56
U05-0507-11	BARLEY FLAT	5525						34	16	40	118	04	40	410	F1121	1956			70
U05-0508-11	BARLOW SANITARIUM	450						34	04	31	118	14	46	410	F 774	1947			70
U05-0509-00	BARNESON PARK	575	03S	09W	05		S	33	56		117	51		900			1966		30
U02-0513-11	BARRET OJAI RANCH	800						34	26	28	119	13	13	416	V 153				56
Z11-0514-00	BARRETT DAM	1623	17S	03E	22		S	32	41		116	40		406		1916			90
W28-0519-00	BARSTOW	2142	09N	01W	06		S	34	54		117	01		900	SB 112	1916			36
W28-0519-02	BARSTOW-2	2150	09N	02W	01		S	34	54		117	47		429	SB100	1958			36
W28-0519-06	BARSTOW COUNTY YARD	2120	10N	01W	32		S	34	56	00	117	01	26	429	SB219				36
W28-0519-15	BARSTOW SHERIFF DEPT	2280	09N	02W	06		S	34	53	40	117	01	25	429	SB234				36
T12-0543-00	BATES RIDGE S.G.	5165	10N	28W	32		S	34	55	00	119	55	00	900		1946			42
U05-0563-12	BEAR CANYON FC1112	4025						34	17	04	117	51	58	410	F1112				70
U05-0563-30	BEAR CR CRYSTAL LAKE	5480						34	19	33	117	51	42	410	F1163	1963			70
W26-0564-10	BEAR GULCH	7880						34	21	58	117	41	27	410	F*X25	1957			70
Y02-0606-00	BEAUMONT	2610	03S	01W	10		S	33	56	00	116	58	00	900	SB 29	1931			33
Y02-0607-00	BEAUMONT PUMPING PL	3045	02S	01W	23		S	33	59	00	116	58	00	900	SB 30	1924			33
Y01-0609-00	BEAUMONT 1 E	2600	03S	01W	11		S	33	56	00	116	57	01	900	SB 38	1942			33
Y01-0609-12	BEAUMONT S D F	2600	03S	01W	11		S	33	55	47	116	57	00	431	R P2				33
U05-0619-00	BEL AIR FC 108	540						34	05	13	118	26	45	900	F 108	1928			70

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U05-0625-00	BELL CYN RUSHWORTH	925	01N	17W	04		S	34	11	37	118	39	27	410	F 735F				70
U05-0626-01	BELL FIRE STA	145						33	58	45	118	11	16	410	F 192C	1928			70
W26-0630-00	BELLVIEW	2880						34	37	23	118	13	55	410	F 722C	1948			70
W03-0684-00	BENTON INSPECTION ST	5460	01S	32E	29		M	37	50	00	118	29	00	900		1959			26
X19-0699-00	BERMUDA DUNES	100	05S	07E	07		S	33	44	38	116	17	15	431	R	1964			33
T10-0718-05	BETTENCOURT	745	31S	14E	05		M	35	15	15	120	29	45	430	L 153	1959			40
U05-0722-11	BEVERLY HILLS	290						34	04	27	118	23	57	410	F 228B	1925			70
Y01-0741-00	BIG BEAR LAKE	6750						34	15	00	116	55	00	900					36
Y01-0741-01	BIG BEAR LAKE F D	6780	02N	01E	19		S	34	14	40	116	54	24	429	SB 90	1950			36
Y01-0742-00	BIG BEAR LAKE DAM	6815	02N	01W	22		S	34	14		116	58		900	SB 32	1892			36
Y01-0743-01	BIG BEAR CITY	6775	02N	01E	14		S	34	15	43	116	50	36	429	SB 91A	1942			36
U05-0758-00	BIG DALTON DAM	1575	01N	09W	15		S	34	10	06	117	48	36	410	F 223B	1930			70
U05-0758-01	BIG DALTON-MONROE	1825						34	10	34	117	48	26	410	F 724B	1939			70
W03-0776-00	BIG PINE POWER PLT 3	5400	09S	33E	25		M	37	07	30	118	19	21	405		1925			14
W28-0779-00	BIG PINES PARK	6860	03N	08W	02		S	34	22	45	117	41	28	410	F 83B	1926			70
U05-0785-01	BIG SANTA ANITA DAM	1400	01N	11W	10		S	34	11	03	118	01	12	410	F 63C	1927			70
U05-0785-02	BIG SANTA ANITA R S	2175						34	11	46	118	01	20	410	F1046B	1950			70
U05-0798-00	BIG TUJUNGA DAM	2315	02N	13W	01		S	34	17	31	118	11	15	900	46D E	1917		04	70
U05-0818-00	BIRMINGHAM HOSPITAL	724						34	11	22	118	30	25	410	F 725B	1944			70
W03-0819-00	BISHOP CREEK INTAKE	8150	08S	31E	16		M	37	15	00	118	35	00	900					26
W03-0822-00	BISHOP WB AIRPORT	4108	07S	33E	05		M	37	22	00	118	22	00	900		1899			14
W03-0824-00	BISHOP UNION CARBIDE	9390	07S	30E	05		M	37	22	00	118	43	00	900		1957			14
U03-0871-11	BLACK STOCK	855						34	15	31	118	45	13	416	V 155				56
U03-0877-11	BLANCHARD INV CO	277						34	21	23	119	04	25	416	V 48	1896			56
U03-0884-00	BLOOD RANCH	3225	08N	18W	28	B	S	34	45	26	118	47	18	813		1967			70
Y01-0887-00	BLOOMINGTON	1100	01S	05W	22		S	34	04	08	117	23	49	429	SB106	1952			36
Z07-0889-00	BLOSSOM VALLEY	1000	15S	01E	15		S	34	51	32	116	51	22	428	500	1953			90
X22-0892-00	BORREGO CO RD STA							33	12	40	116	20	00	428	540-5	1963			90
Y01-0900-11	BLUE CUT	2560	02N	06W	13		S	34	15	32	117	28	03	429	SB103				36
W28-0900-52	BLUE JAY WEST	5440						34	14	28	117	13	06	429	SB209				36
U05-0904-10	BLUE RIDGE CAMP	8450						34	20	57	117	40	23	410	F*X26	1957			70
X15-0924-00	BLYTHE	266	06S	23E	32		S	33	36	45	114	35	45	900		1931			33
X15-0927-00	BLYTHE CAA AIRPORT	390	06S	22E	31		S	33	37	00	114	43	00	900		1940			33
X15-0927-05	BLYTHE AIR BASE		06S	23E	33		S				1								33
X15-0928-00	BLYTHE F C STA		06S	23E	32		S				1			431	R				33
U05-0930-00	BOBCAT CANYON	4720						34	16	49	118	00	08	410	F1102B	1955			70
Z09-0968-00	BONITA	105	17S	02W			S	32	40		117	02		900		1899			90
U03-0978-51	BORGSTROM	200						34	16	47	119	15	27	416	V 67				56
X22-0983-00	BORREGO DESERT PARK	765	10S	05E	25		S	33	16		116	25		900		1943			90
X22-0986-00	BORREGO SPRINGS 3NNE	625	10S	06E	21		S	33	17		116	21		900		1945	1967		90
X22-0986-01	BORREGO TUBB CANYON							33	12	30	116	24	30	428	501-5	1964			90
X22-1009-00	BOULEVARD	3350	17S	07E	28	C	S	32	40	00	116	17	00	900		1924			90
U03-1013-00	BOUQUET CANYON F124	3055	06N	14W	28	B	S	34	35	14	118	21	45	405	F 124B				70
U03-1013-01	BOUQUET CANYON FC110	1760						34	30	35	118	27	00	410	F1104	1955			70
T09-1018-30	BOWMAN RANCH	1880	29S	16E	36		M	35	21	30	120	13	00	430	L 163	1962			40
U05-1028-11	BRADBURG DEBRIS BASI	935	93K					34	09	23	117	57	58	410	F1080B	1955			70
T09-1034-00	BRADLEY	540	24S	11E	08		M	35	52	00	112	48	00	900		1946			27
U05-1043-41	BRAND DEBRIS BASIN	925						34	11	04	118	16	32	410	F 198B	1928		3	70
U05-1043-51	BRAND PARK	1250						34	11	18	118	16	20	410	F 210B	1928			70
X23-1048-00	BRAWLEY 2 SW	100	14S	14E	07		S	32	57	00	115	33	00	900		1909			13
U05-1056-00	BREA CITY	350						33	55	00	117	54	00	900	PN8119	1957			30
U05-1057-00	BREA DAM	275	03S	10W	21		S	33	53	26	117	55	36	900					30
U05-1057-01	BREA UNION OIL	375						33	55	46	117	54	53	410	F1094	1924			30
U05-1087-10	BRIGDEN RES NO 1	1020						34	10	15	118	06	40	410	F1151	1961			70
U05-1090-11	BRIGGS TERRACE	2225					S	34	14	17	118	13	27	410	F 373B	1933			70
Y01-1129-11	BRUSH CANYON	1475	01N	04W	10			34	10	46	117	17	11	429	SB133	1957			36
U05-1148-02	BUCKHORN FLAT	6760						34	20	44	117	55	08	410	F1062	1953			70
T09-1149-20	BUCKHORN RANCH	1950	31S	17E	13		M	35	14	00	120	06	00	430	L 154	1959			40
U03-1152-70	BUCK CK GUARD STA	2980	07N	19W	13		S	34	41	40	118	51	24	416	V 229	1966			56
U05-1168-00	BUENA PARK	75	03S	11W	35		S	33	51	57	117	59	50	415	O 5A	1927			30
Y02-1188-00	BUNOY CANYON ROAD	1790	06S	03W	20		S	33	38	26	117	12	51	431	R	1964			33
U05-1192-00	BURBANK FIRE DEPT	680	01N	14W	12		S	34	10	58	118	18	23	410	F 226B	1930			70
U05-1194-00	BURBANK VLY PMP PLT	655	01N	14W	09		S	34	11	00	118	21	00	900		1931			70
W26-1202-00	BURKHART RCH LEWIS	4615	04N	10W	25		S	34	25	12	117	53	11	410	F 517B	1918			70
X19-1250-00	CABAZON	1815	03S	02E	16		S	33	55	00	116	47	00	900		1939			33
Z08-1252-00	CABRILLO NAT MON	410	17S	04W	31		S	32	40	00	117	15	00	900		1952			90
T14-1253-00	CACHUMA DAM	780	06N	29W	29		S	34	35	00	119	59	00	900		1951			42
W01-1266-00	CAIN RANCH	6980	01S	26E	03	C	M	37	53	32	119	05	30	405		1931			26
Y01-1266-51	CAJALCO 1	1520	04S	05W	12		S	33	50	06	117	21	02	431	R	1955			33
Y01-1266-52	CAJALCO 2	1540	04S	05W	12		S	33	50	28	117	21	30	431	R				33
Y01-1267-01	CAJON JUNCTION	3118	03N	06W	26		S	34	18	36	117	28	24	429	SB 16A	1943			36
W28-1272-00	CAJON WEST SUMMIT	4790	04N	07W	35		S	34	23	00	117	34	00	900	SB 52	1939			36
U05-1274-00	CALABASAS	924						34	09	24	118	38	14	410	F 58	1927			70
X23-1288-00	CALEXICO 2 NE	12	17S	15E	07		S	32	41	00	115	28	00	900		1942			13
Y01-1308-05	CALIMESA C D F	2400	02S	02W	13		S	34	00	13	117	03	29	431	R P1	1957			33
U03-1336-00	CAMARILLO 2 SE	123	01N	20W	06	R	S	34	12	18	119	00	46	900	V 194	1955			56
U03-1338-00	CAMARILLO 4 NNW	352	02N	21W	10		S	34	16	22	119	04	38	416	V 195	1955			56
T10-1341-01	CAMBRIA STEINER	150	27S	08E	23		M	35	33	54	121	04	42	430	L 77	1938	1966		40
T10-1341-02	CAMBRIA HWY MAINT	60	27S	08E	21		M	35	34	30	120	22	30	430	L 74	1937			40
Y01-1369-00	CAMP ANGELUS	5770	01N	01W	27	D	S	34	09	00	116	59	00	900	SB 53	1939			36
U05-1405-11	CAMP JOSEPHO	660					S	34	04	51	118	31	10	410	F1052	1952			70
Z11-1424-00	CAMPO	2630						32	37	00	116	28	00	900		1959			90
Y01-1424-01	CAMPO SNW	3000	17S	05E	32		S	32	38		116	30		907		1926	1934		90
T09-1439-00	CAMP ROBERTS	600	24S	11E	35		M	35	48	00	120	44	48	430	L 109	1945			27
U05-1440-00	CAMP RINCON	1510	02N	09W	30		S	34	14	28	117	51	45	410	F 349D	1932			70

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
T10-1444-00	CAMP SAN LUIS OBISPO	625	30S	12E	09		M	35	21		120	41		900		1941			40
Y01-1451-11	CAMP SILVERADO	2000					S	33	44	42	117	40	40	415	O 78				30
U05-1468-11	CAMP VALCREST	5900					S	34	20	40	117	58	41	410	F1007C	1946			70
U03-1471-19	CAMULOS RANCH	720						34	24	20	118	45	20	416	V 170	1956			56
U02-1472-11	CANADA LARGA	800						34	22	25	119	13	42	416	V 85				56
U05-1484-00	CANOGA PARK PIERCE C	794	01N	16W	08		S	34	10	53	118	34	23	410	F1051	1949			70
W25-1488-00	CANTIL	2010	30S	37E	23		M	35	18	00	117	58	00	900		1955			15
T09-1498-15	CANYON RANCH	1200	27S	15E	35		M	35	32	00	120	20	00	430	L 138	1952			40
Z01-1506-00	CAPISTRANO							33	25	00	117	40	00	428	800	1928			90
Z01-1507-00	CAPISTRANO BEACH	20						33	27	56	117	41	12	415	O 164				30
U05-1518-00	CARBON CANYON GILMAN	1625	03S	09W	12		S	33	56	00	117	47	00	900	SB 41	1949			30
Y01-1557-31	CASA COLINA	680	02S	08W	16			33	59	30	117	43	10	429	SB 20C				36
U02-1558-00	CASITAS DAM	369	03N	23W	06		S	34	22	00	119	20	00	907		1959			56
U02-1558-12	CASITAS RANCH	400						34	22	06	119	20	12	416	V 4	1927			56
U02-1559-00	CASITAS RESERVOIR		04N	23W	29		S	34	24	00	119	18	00	907		1959			56
U03-1562-11	CASTAIC PATROL STA	1066						34	27	54	118	36	57	410	F 4518	1957			70
U03-1562-21	CASTAIC JUNCTION	1001						34	26	23	118	36	20	410	F1012	1947			70
X19-1587-05	CATHEDRAL CITY F.C.5	320	04S	05E	33		S	33	46	53	116	27	52	431	R	1948			33
T11-1595-10	CAVANAUGH RANCH	2000	29S	18E	33		M	35	23	00	120	02	30	430	L 78	1938			40
U05-1613-01	CEDAR SPRINGS	6780						34	21	21	117	52	34	410	F 402F	1936			70
W28-1613-10	CEDAR SPRINGS R EVAP	3275						34	17	03	117	19	47	813		1962			36
U05-1663-11	CHAPMAN WELLS	635						34	08	47	118	04	03	410	F 1718				70
U05-1665-02	CHARTER OAKS WALKER	705						34	06	25	117	51	40	410	F11318				70
U05-1680-00	CHATSWORTH F C 24 D	957	02N	16W	18	M	S	34	15	23	118	36	19	900	F 24D	1928			70
U05-1682-00	CHATSWORTH RESERVOIR	912	02N	17W	25		S	34	13	34	118	36	58	900	F 23E	1948			70
U05-1682-11	CHATSWORTH PAT STA	1254						34	16	39	118	36	13	410	F 259C	1930			70
Y01-1698-01	CHERRY VALLEY S D F	2860	02S	01W	22		S	33	58	32	116	58	20	431	R P2				33
Y01-1698-02	CHERRY VALLEY-LEE RN	2820	02S	01W	27		S	33	58	19	116	58	24	431	R P1	1955	1965		33
U03-1718-01	CHIEF PEAK	5000						34	31	04	119	10	50	416	V 179				56
W26-1724-01	CHILAO HMS	5280						34	19	02	118		30	410	F 4928	1944			70
U05-1725-00	CHILAO RANGER STA	5155	03N	11W	22		S	34	19	42	118	01	00	410	F 440C	1939			70
T11-1726-60	CHIMINEAS RANCH	2600	32S	19E	08		M	35	09	00	119	58	00	430	L 158	1961			40
Y01-1732-02	CHINO-IMBACH	642	02S	07W	27		S	33	58	32	117	35	36	429	SB 79	1930			36
Y01-1732-03	CHINO S C E CO	675	02S	08W	13		S	33	39	52	117	01	17	004	SB 67				36
Y01-1732-07	CHINO FIRE STATION		02S	08W	11		S	34	40	00	117	41	56	429	S8262	1891			36
Y01-1732-08	CHINO FIRE STATION 2	655	02S	08W	16		S	33	59	48	117	42	58	429	SB 20C	1961			36
Z08-1747-00	CHOLLAS RESERVOIR	400	16S	02W	35		S	32	44	00	117	03	00	406		1914			90
U03-1754-00	CHUCHUPATE R S	5260	08N	20W	04		S	34	48	00	119	01	00	900		1941			56
Z10-1758-00	CHULA VISTA	9						32	36	00	117	06	00	900		1931			90
Z09-1758-02	CHULA VISTA 2	25						32	37	57	117	05	39	913					90
Z09-1758-40	CHULA VISTA S D G+E							32	38	15	117	05	15	428	802-3	1927			90
W26-1767-11	CIMA MESA	4325						34	26	50	117	57	12	410	F1123				70
Z08-1773-50	CIVIC CENTER S D							32	42	30	117	10	10	428	514-2	1961			90
Y01-1777-01	CLAREMONT FIRE STA	1180	01S	08W	09		S	34	05	45	117	42	57	410	F 938	1927			70
U05-1777-02	CLAREMONT INDIAN HIL	1403						34	07	22	117	43	11	410	F 91	1927			70
U05-1777-03	CLAREMONT SLAUGHTER	1350						34	07	35	117	43	55	410	F 497	1945			70
Y01-1779-00	CLAREMONT POMONA COL	1185	01S	08W	10		S	34	05	48	117	42	33	410	F 92	1894			70
U05-1798-11	CLEAR CREEK SCHOOL	3150						34	16	38	118	10	12	410	F 47D	1925			70
U05-1799-10	CLEAR CREEK R S	3625						34	16	15	118	09	11	410	F1152	1961			70
U05-1883-00	COGSWELL DAM	2330	02N	10W	19		S	34	14	37	117	57	35	410	F 334B	1947			70
U05-1896-00	COLBYS FC 530	3675	03N	12W	35		S	34	18	02	118	06	39	900	PN8290	1897			70
U04-1901-00	COLD CREEK	1318						34	05	37	118	39	22	410	F 489	1943			70
U05-1906-01	COLDWATER CANYON	3960						34	15	49	117	42	41	410	F 4868	1943			70
Y01-1941-01	COLTON HWY YARDS	1220	01S	04W	19		S	34	04	10	117	20	32	429	S8204	1959			36
Y01-1941-02	COLTON F. D.	980	01S	04W	20		S	34	04	00	117	19	23	429	SB 27A	1924			36
Y01-1941-03	COLTON SCE CO	940	01S	04W	29			34	03	22	117	19	08	004	S8185	1929			36
Y01-1941-04	COLTON SPRR	973						34	03	54	117	19	19	907	SB 68	1877			36
U05-1954-11	COMPTON FIRE STA	78						33	53	42	118	13	34	410	F 117F	1924			70
U05-1982-01	COOKS CANYON	3400	02N	13W	16		S	34	15	52	118	15	11	410	F*X19	1956			70
U05-1982-02	COOKS DEBRIS BASIN	2100						34	14	49	118	15	40	410	F1122	1956			70
U05-1987-02	COON CANYON 2	1710						34	12	56	118	10	00	410	F 7888	1948			70
U05-1987-05	COON CANYON 5	2207						34	13	18	118	09	50	410	F 786				70
U05-1987-06	COON CANYON 6	1350						34	12	47	118	10	12	410	F 783	1948			70
Y01-2031-00	CORONA	710	03S	07W	25			33	52	58	117	34	07	900	SB 165	1908			33
Y01-2031-20	CORONA DEL MAR	300	06S	09W	31	G	S	33	36	35	117	51	31	415	O 169	1960			30
Y01-2033-03	CORONA S D F	638	03S	07W	13		S	33	55	53	117	32	52	431	R P1				33
Y01-2034-01	CORONA FIRE DEPT	698	03S	07W	13		S	33	52	55	117	33	46	431	R				33
Y01-2034-21	CORONA LEMON CO 1	1055	04S	07W	01		S	33	50	39	117	34	36	018	R	1948			33
Y01-2034-22	CORONA LEMON CO 2	1235	04S	07W	12		S	33	50	02	117	34	53	018	R	1948			33
Y01-2034-23	CORONA LEMON CO 3	860	03S	07W	34		S	33	51	40	117	35	37	018	R				33
Y01-2060-01	COSTA MESA	53						33	40	12	117	53	38	415	O 165				30
Y01-2060-02	COSTA MESA DODGE	90						33	38	28	117	55	18	415	O 46A				30
W03-2069-00	COTTONWOOD GTD TRT C	600	17S	35E	03		M	36	29	02	118	10	51	405		1947			14
W03-2071-00	COTTONWOOD GATES	3775	17S	36E	35		M	36	25	09	118	02	15	405					14
Y01-2073-11	COUNTY GARAGE	1065	01S	04W	10			34	06	30	117	17	12	429	SB 22	1946			36
Z07-2074-00	COUNTY OPER CENTER							32	50	00	117	07	35	428	502-2	1964			90
U05-2089-03	COVINA GRIFFITH	975						34	04	10	117	50	47	410	F1078	1955			70
U05-2089-15	COVINA SEWAGE PLANT	508						34	05	02	117	53	57	410	F 3878	1939			70
U05-2090-00	COVINA TEMPLE FC 193	580	01S	10W	13		S	34	04	57	117	52	29	410	F 1938	1902			70
U03-2093-00	COW SPRINGS STORAGE	3545						34	33	29	118	54	14	416	V 178				56
X22-2103-00	COYOTE CANYON	2300	08S	05E	31		S	33	26	00	116	30	00	900		1948			33
X23-2111-00	COYOTE WELLS	250	16S	10E	30		S	32	44	00	115	58	00	900		1947			13
Y01-2116-11	CRAFTON SCHNEIDER	2120	01S	02W	28		S	34	03	16	117	06	18	429	SB 24C	1930			36
Y01-2158-00	CREST FORREST C OF C		02N	04W	22		S				1			429	S8235				36
Y01-2162-01	CRESTLINE SB 176	4920	02N	04W	28		S	34	14	10	117	17	42	429	S8176	1958			36

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Y01-2162-05	CRESTLINE S E	5160	02N	04W	27		S	34	41		117	21		429	SB181	1958			36
W28-2163-00	CRESTLINE LK GREGORY	4530	02N	04W	23	Q	S	34	14		117	16		900	SB 45	1953	1966		36
W28-2164-00	CRESTLINE FIRE STA 2	4900	02N	04W	22		S	34	15	00	117	15	00	900		1966			36
U05-2198-00	CRYSTAL LAKE FC 283C	5370	03N	09W	29		S	34	18	58	117	50	30	900		1959			70
Y01-2210-01	CUCAMONGA	1210	01S	07W	22		S	34	06	26	117	34	32	429	SB 69	1925			36
Y01-2210-02	CUCAMONGA RES 2	1018						34	04	39	117	35	39	813	SB192				36
Y01-2210-05	CUCAMONGA WATER CO.	1225	01S	07W	03		S	34	07	28	117	35	36	429	SB	1938			36
U05-2214-00	CULVER CITY	75						34	01	18	118	23	17	410	F 246B	1930			70
T12-2236-00	CUYAMA	2240	10N	26W	25		S	34	56	00	119	37	00	900		1944			42
Z07-2239-00	CUYAMACA	4650						32	59		116	35		433		1888			90
W28-2255-00	DAGGETT 1 ENE	1975	09N	01E	15		S	34	51	57	116	52	07	900	SB153	1953			36
W28-2257-00	DAGGETT FAA AP	1922	09N	02E	20		S	34	52	00	116	47	00	900	SB113	1943			36
X09-2265-00	DALE DRY LAKE	1220	01N	12E	17	Q	S	34	09	55	115	44	30	429	SB245	1964			36
X12-2275-00	DANBY DRY LAKE		02N	17E	12		S				1			429	SB237				36
U03-2303-11	DAVIS RANCH	20					S	34	09	26	119	04	39	416	V 177				56
U05-2304-11	DAWN MINE	2950					S	34	13	30	118	07	47	410	F 730	1945			70
W26-2305-11	DAWSON SADDLE	7900					S	34	22	08	117	48	10	410	F1120	1956			70
Y01-2307-51	DAY CANYON	2576	01N	06W	17			34	10	30	117	32	11	429	SB 28	1947			36
W09-2319-00	DEATH VALLEY	- 194	27N	01E	16	J	S	36	28		116	52		900		1961			14
Y01-2325-51	DECLEZ	1107	01S	06W	13			34	04	40	117	28	14	429	SB 5B	1946			36
X19-2327-00	DEEP CANYON LABORATO	1200	06S	06E	17		S	33	39	00	116	23	00	900					33
W05-2331-00	DEEP SPRINGS COLLEGE	5225	07S	36E	01		M	37	22	00	117	59	00	900		1948			14
U05-2333-00	DEER DEBRIS BASIN	1200						34	11	33	118	14	28	410	F1081	1955			70
T09-2359-10	DELLAGANNA RANCH	1280	27S	10E	35		M	35	32	00	120	51	30	430	L 139	1952			40
Z05-2361-70	DEL MAR S D G•E							32	58	45	117	15	00	428	803-1	1931			90
Y01-2370-03	DEL ROSA COWAN	1460	01N	04W	24	G	S	34	09	42	117	14	58	429	SB180	1957			36
Y01-2370-11	DEL ROSA RANGER	1580	01N	04W	13			34	09	57	117	15	05	429	SB 15	1946			36
U02-2399-00	DENNISON RCH	1250	04N	22W	09	N	S	34	26	10	119	11	36	416	V 64	1901			56
U05-2401-20	DEPR W P E VALLEY	780						34	12	30	118	24	35	410	F1126	1958			70
U05-2404-00	DESCANSO GARDENS	1325						34	12	07	118	12	06	410	F1071B	1953			70
X17-2404-10	DESERT CENTER 5NE	555	05S	16E	05		S	33	46	01	115	20	06	813		1966			33
X19-2405-00	DESERT HOT SPRINGS	1080	02S	05E	30		S	33	57	42	116	30	06	431	R	1948			33
Z09-2406-00	DESCANSO R S	3500	15S	03E	24		S	32	51		116	37		900		1930			90
U05-2406-51	DESOTO RESERVOIR	1127						34	16	17	118	35	12	410	F 797				70
Y01-2407-01	DEVIL CANYON GATE	1880	01N	04W	06	H	S	34	12	06	117	19	58	436	SB 71	1912		10	36
U05-2409-00	DEVILS GATE DAM	1090						34	11	08	118	10	19	410	F 453C	1939			70
Y01-2412-00	DEVORE	2435	02N	05W	28		S	34	14	03	117	24	24	429	SB 11E	1919			36
Y01-2412-01	DEVORE ST. FOR.	2280	02N	05W	33	B	S	34	13		117	24		429	SB118	1951			36
Y01-2432-00	DIAMOND BAR HORSE CP	748	02S	09W	21		S	33	58	41	117	49	58	410	F 269C	1930			70
U05-2465-32	DOMINGUEZ WATER CO	30						33	49	54	118	13	30	410	F1113	1936			70
W26-2479-10	DORR CANYON	7280						34	22	16	117	46	51	410	F•X23	1957			70
U03-2492-50	DOUBLE H N RANCH	600						34	23	42	118	51	06	416	V 94A	1948			56
U03-2493-05	DOUGLAS WHT OAK PARK	1120						34	17	00	118	40	08	410	F1175	1966			56
T15-2493-11	DOULTON TUNNEL	1000						34	27	54	119	42	30	435	V 57				42
U05-2494-00	DOWNEY FIRE DEPT	130						33	56	18	118	08	03	410	F 107C	1925			70
U03-2516-00	DRY CANYON RESERVOIR	1520	05N	16W	35		S	34	28	55	118	31	40	900	F 127	1922			70
U05-2523-01	DUARTE	548						34	08	26	117	58	02	410	F 172B	1925			70
U05-2523-02	DUARTE FIRE STA	580						34	08	25	117	56	47	410	F1136		1965		70
W28-2570-00	DUNN SIDING	1610	11N	05E	15		B	35	03		116	26		900		1959			36
U05-2571-11	DUNSMORE CANYON-UPPE	4425	02N	13W	15		S	34	15	38	118	13	47	410	F•X21B	1956			70
U05-2571-21	DUNSMUIR DEBRIS BAS	2275						34	14	52	118	15	06	410	F1082	1954			70
U05-2592-20	EAGLE DEBRIS BASIN	1890						34	14	07	118	14	12	410	F•X33	1959			70
X17-2598-00	EAGLE MOUNTAIN	973	04S	15E	30		S	33	48		115	27		900		1934			33
T09-2602-10	EAGLE RANCH	1315	29S	12E	03		M	35	25	30	120	40	30	430	L 148	1956			40
U05-2605-01	EAGLE ROCK SCEC	950						34	09	02	118	10	57	410	F 672	1934			70
U05-2605-02	EAGLE ROCK RES	963	01N	13W	25		S	34	08	47	118	11	22	405	F 802B				70
Y01-2618-02	E HIGHLAND GOLD	1348	01S	03W				34	06	47	117	10	07	813	SB 72	1933			36
Y01-2618-03	E HIGHLAND ORANGE	1525	01N	03W	35			34	07	17	117	09	58	429	SB 25	1947			36
U05-2655-01	EAST WHITTIER	253						33	56	26	117	59	30	410	F 266C				70
U05-2660-11	EATON WASH DAM	880						34	10	06	118	05	33	410	F 449B	1937			70
U05-2665-11	ECHO PARK-LA	475						34	05	02	118	15	11	410	F 772	1947			70
Y01-2679-00	EDGEMONT FIRE ST SDF	1555	03S	04W	11		S	33	55	27	117	16	32	431	R P1	1965			33
U05-2681-30	EDISON INTAKE	1275						34	12	38	117	51	30	410	F 75A				70
T10-2684-10	EDNA (STORNETTA)	425	31S	13E	22		M	35	12	30	120	34	00	430	L 92	1940			40
U05-2701-15	EL CABALLERO CON CLU	1000						34	08	52	118	31	53	410	F1147	1960			70
Z07-2702-00	EL CAJON SDGE	750						32	47		116	57			804-2	1927			90
Z07-2709-00	EL CAPITAN DAM	600	15S	02E	07	B	S	32	53	00	116	49	00	406	PN1741	1899			90
X23-2713-00	EL CENTRO 2 SSW	30	16S	14E	07		S	32	46	02	115	33	52	900		1932			13
U05-2716-01	ELDER RANCH	1680						34	09	00	117	45	32	410	F 90	1928			70
Y01-2717-00	EL CERRITO	800	04S	06W	16		S	33	49	29	117	30	33	431	R	1963			33
U03-2734-01	ELIZABETH LAKE	3325						34	39	35	118	22	38	410	F 519B	1955	1965		70
U03-2735-00	ELIZABETH LAKE 1288	2075	06N	16W	15		S	34	36	28	118	33	40	900	PN7220	1928			70
W01-2756-00	ELLERY LAKE	9523	01N	25E	20		M	37	56	10	119	13	56	900		1924			26
U05-2770-11	EL MIRADOR RANCH	1120						34	09	48	118	10	53	410	F 362B				70
W28-2771-20	EL MIRAGE VISAN O F	2900	06N	07W	14	R	S	34	36	10	117	34	37	429	SB227A	1962			36
U05-2779-01	EL MONTE FIRE STA	275						34	04	30	118	02	30	410	F 108D	1955			70
U05-2780-01	EL PRIETO CANYON	2325						34	13	32	118	09	19	410	F 789	1948			70
U05-2800-00	EL SEGUNDO	150						33	54	57	118	25	05	410	F 1578	1948			70
Y02-2805-00	ELSINORE	1263	06S	04W	07	P	S	33	40	07	117	19	50	900		1931			33
Z01-2821-11	EL TORO	375						33	36	26	117	42	07	415	0 176				30
Y01-2821-20	EL TORO INDUSTRIAL	520	06S	08W	10	M	S	33	40	00	117	42	00	415	0 178				30
Y01-2821-30	EL TORO LOS ALISO RN	640						33	40	06	117	40	42	415	0 130	1929			30
U05-2823-11	ELYSIAN PARK FS	757						34	04	55	118	14	22	410	F 796	1948			70
U05-2830-11	ENCINO RESERVOIR	1075	01N	16W	24		S	34	08	56	118	30	57	410	F 292D	1928			70
Z04-2833-10	ENCINITAS CO RD STA							33	02	30	117	16	30	428	541-1	1963			90

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z04-2840-01	E RES VISTA ID	752	11S	03W	16		S	33	13	00	117	13	00		407-7	1936			90
Z04-2862-00	ESCONDIDO	660	12S	02W	22		S	33	07		117	05		900		1894			90
Z04-2862-04	ESCONDIDO VALLEY PAR		80		7			33	09	00	117	04	23	000					90
U04-2867-01	ESCONDIDO CANYON G S	1050	01S	18W			S	34	02	55	118	46	25	410	F 28	1927			70
Z04-2871-50	ESCONDIDO S D G+E							33	08	15	117	07	45	428	805-1	1927			90
X10-2882-05	ESSEX STATE HWY YARD	1700	07N	16E	01	A	S	34	43	00	115	15	00	429	SB257	1962			36
Y01-2895-00	ETIWANDA	1390	01N	06W	32		S	34	07	31	117	31	30	900	SB119	1938			36
Z09-2906-50	EUCALYPTUS COUNTY PK							32	45	35	117	00	00	428	503-3	1963			90
T09-2908-15	EUREKA RANCH	850	28S	12E	14		H	35	30	00	120	39	00	430	L 137	1952			40
U05-2918-11	EVERETT RANCH	730						34	14	52	118	50	26	416	V 147				56
W26-2941-00	FAIRMONT	3060	07N	15W	11		S	34	42	15	118	27	20	410	F1105	1955			70
W26-2942-10	FAIRMONT RESERVOIR	3036						34	42	15	118	25	40	410	F 542E	1908			70
U05-2950-00	FAIR OAKS DEB POND	1585						34	12	15	118	08	18	410	F 433C	1938			70
Z03-2958-20	FALLBROOK FIRE STA							33	22	00	117	15	00	428	830-7	1960			90
U05-2961-11	FALLING SPRINGS	4010						34	18	06	117	50	20	410	F 51	1928			70
W26-3018-00	FENNER CANYON.	5380						34	23	25	117	46	27	410	F1167	1965			70
U05-3023-00	FERN CANYON	5200						34	11	48	117	41	45	410	F 7408	1936			70
U03-3036-15	FERNDALE RCH S PAULA	960	04N	21W	16		S	34	25	40	119	05	26	416	V 173	1956			56
U03-3050-00	FILLMORE 1 WNW	435	04N	20W	25	G	S	34	24	12	118	55	33	900		1952			56
U03-3050-11	FILLMORE CITRUS ASSN	450						34	23	54	118	55	06	416	V 129				56
U03-3050-13	FILLMORE FISH HATCH	470	04N	19W	28	N	S	34	23	37	118	53	06	416	V 171				56
U03-3067-10	FISH CREEK	1670	06N	17W	15		S	34	36	10	118	39	36	813		1966			70
U05-3068-10	FISH CANYON	2600						34	12	23	117	56	43	410	F1133	1958			70
Z07-3090-00	FLINN SPG CO PARK							32	50	50	116	51	30	428	542-2	1963			90
U05-3091-00	FLINTRIDGE F S	1345						34	10	57	118	11	47	410	F 280B	1930			70
Y01-3117-01	FONTANA B + D	1319	01S	05W	08		S	34	06	23	117	25	36	429	SB 18	1911			36
Y01-3117-03	FONTANA HERALD NEWS	1285	01S	05W	08		S	34	06	03	117	26	04	429	SB218				36
Y01-3117-04	FONTANA UNION WC	1280	01S	05W	08		S	34	06		117	26	04	019	SB194	1917			36
Y01-3117-05	FONTANA CO YDS	1275	01S	05W	24		S	34	05	59	117	37	36	429	SB206	1959			36
Y01-3117-06	FONTANA POWERHOUSE 2	1588	01N	05W	22		S	34	09	20	117	23	48	004	SB 73	1927			36
Y01-3118-00	FONTANA S N	1972	01N	05W	18		S	34	10	57	117	26	32	900	SB 17	1927			36
Y01-3120-00	FONTANA KAISER	1090	01S	06W	15		S	34	05		117	30		900	SB138	1950			36
Y01-3121-00	FONTANA SEWAGE	960	01S	06W	36		S				1			429	SB236				36
Y01-3129-60	FOREST FALLS	7120	01S	01W	18	B	S	34	04		116	49		429	SB173A	1960			36
W24-3233-02	FREEMAN STATION	3310						35	35	40	117	55	04	405					15
Z09-3265-00	FROSTLESS ACRES							32	47	00	116	53	00	428	430-3	1952			90
U05-3279-00	FULLERTON ARROUES RN	330	03S	10W	15		S	33	54		117	55		900		1948	1966		30
U05-3285-00	FULLERTON DAM	340	03S	10W	24		S	33	54		117	53		900		1948			30
U05-3288-00	FULLERTON HILLCRST R	340						33	52		117	54	13	900		1934			30
U05-3288-01	FULLERTON KNOWLTON	195						33	52	15	117	54	24	415	O 28A				30
U05-3289-02	FULLERTON PUMP PLANT	150						33	50	54	117	55	26	415	O 93				30
U05-3289-03	FULLERTON A P	94						33	52	13	117	58	34	415	O 126A				30
U05-3289-20	FULLERTON OCFCD YARD	163						33	52	05	117	54	10	415	O 172	1960			30
U04-3315-05	GARAPITO CREEK	1850						34	07	33	118	33	20	410	F1165	1963			70
Y01-3336-15	GARDEN GROVE-CITY	120	04S	10W	33	P	S	33	47	00	117	56	00	415	O 120				30
Y01-3336-21	GARDEN GROVE CO YD	90						33	46	13	117	56	03	415	O 116				30
U04-3345-11	GARRAPATA CYN	1415						34	07	44	118	34	42	410	F10238	1948			70
W01-3369-00	GEM LAKE	8970	02S	26E	19		M	37	45	07	119	08		900		1924			26
T14-3402-00	GIBRALTAR DAM 2	1550	05N	27W	11		S	34	31	24	119	41	18	900		1957			42
Z07-3410-00	GILLESPIE FIELD	370						32	49		116	58		900		1959			90
U05-3430-00	GIRARD BRANT RANCH	876						34	10	16	118	35	56	410	F 21	1912			70
U05-3430-11	GIRARD RESERVOIR	986						34	09	07	118	36	36	410	F 20B	1927			70
W03-3434-11	GLACIER LODGE	8200						37	07	31	118	25	58	405					14
Y01-3438-20	GLEN AVON FIRE DEPT	253	02S	06W	10	P	S	34	00	43	117	29	37	431	R	1962			33
U05-3450-00	GLENDALE STAPENHORST	530	01N	13W			S	34	09	07	118	15	40	410	F 295G	1910			70
U05-3450-01	GLENDALE-JONES	615					S	34	09	54	118	15	01	410	F 216	1926			70
U05-3450-02	GLENDALE-MCINTYRE	603					S	34	09	00	118	14	27	410	F 703	1940			70
U05-3452-00	GLENDORA WEST FC 185	822					S	34	08	23	117	51	33	410	F 185	1881			70
U05-3452-01	GLENDORA-BROWN	835					S	34	08	50	117	52	01	410	F 3898	1935			70
U05-3452-02	GLENDORA-ENGLEWLD RC	1165			11		S	34	09	22	117	50	57	410	F 73	1925			70
U05-3452-03	GLENDORA-MCICO	782					S	34	08	22	117	51	54	410	F 287	1929			70
U05-3452-04	GLENDORA-WARREN	960					S	34	07	57	117	49	09	410	F 174				70
Y01-3458-11	GLEN IVY	1100	05S	06W	03		S	33	45	54	117	29	10	016	R	1905			33
X10-3482-00	GOFFS-KOGER	2587	10N	18E	26	R	S	34	55	13	115	03	31	900	SB179			3	36
X26-3489-00	GOLD ROCK RANCH	485	15S	20E	09		S	32	53	00	114	52	00	900					13
T09-3507-05	GOODWIN RANCH	1625	30S	15E	10		M	35	19	30	120	21	00	430	L 601	1931		10	40
U03-3511-11	GORMAN	3680						34	47	16	118	49	55	410	F 298B	1946			70
U05-3535-00	GRANADA PUMP PLT	1300						34	17	24	118	31	30	410	F 29C	1964			70
W26-3576-20	GRASSY HOLLOW	7360						34	22	30	117	43	05	410	F*X24	1957			70
Y01-3609-00	GREEN CANYON SPRINGS	7000	02N	02E	29		S	34	13	00	116	48	10	429	SB 70A				36
W28-3612-04	GREEN VALLEY LAKE		02N	02W	22		S	34	14	22	117	04	42	429	SB264				36
U05-3663-03	GRIFFITH PK NURSERY	850						34	07	18	118	17	04	410	F 257	1930			70
U05-3663-06	GRIFFITH PARK ZOO	600						34	08	02	118	17	18	410	F 375B	1933	1966		70
U05-3663-08	GRIFFITH FERN DELL	750						34	07	12	118	18	20	410	F 757	1947			70
U05-3663-09	GRIFFITH LIT CN	900						34	07	32	118	16	58	410	F 755	1947			70
U05-3663-10	GRIFFITH LWR MINERAL	625						34	08	48	118	17	48	410	F 779	1947			70
U05-3663-12	GRIFFITH LOWER SPRG	600						34	08	00	118	17	24	410	F 758	1947			70
T12-3680-00	GUADALUPE F + L FARM	100						34	59	48	120	32	44	813		1930	1963		40
Y01-3682-51	GUASTI WINE	975	01S	07W	23		S	34	33	55	117	35	10	813	SB 75	1916			36
U05-3686-20	GUFFY CAMP	8080						34	20	20	117	38	55	410	F*X27	1957			70
U05-3703-00	HAINES CANYON LOWER	2450	02N	13W	17		S	34	15	50	118	16	13	410	F 364	1918			70
U05-3704-00	HAINES CANYON UPPER	3440	02N	13W	09		S	34	16	18	118	15	07	410	F 367	1916			70
W03-3710-00	HAIWEE	3830	21S	37E	02		M	36	08	00	117	57	00	405		1923			14
W24-3710-11	HAIWEE POWERHOUSE	3583						36	06	36	117	57	16	405					14
U03-3715-00	HALL CANYON RES	190						34	16	49	119	15	33	416	V 167	1956			56

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	''	°	'	''						
U05-3724-10	HAMILTON BOWL LONG B	40						33	47	31	118	10	16	410	F 437	1937			70
Y01-3748-11	HANFORD PLANT	1030	01S	04W	10			34	06	09	117	17	28	436	SB 86	1932			36
U05-3751-00	HANSEN DAM	1110	02N	14W	18		S	34	16	08	118	23	59	410	F 436C	1940			70
T13-3787-00	HARRIS GAGING STN	320	08N	34W	23		S	34	46	00	120	25	00	900		1941			42
U03-3812-11	HASLEY CANYON	1725						34	28	44	118	41	04	410	F1022	1948			70
U05-3851-20	HAY DEBRIS BASIN	1925						34	13	28	118	12	17	410	F*X32	1957			70
X18-3855-00	HAYFIELD PUMP PLANT	1370	05S	13E	28		S	33	42		115	38		900		1933			33
U05-3874-51	HEADWORKS PUMP PLT	470						34	09	21	118	18	02	410	F 272D	1930			70
T10-3888-00	HEARST RANCH	150	26S	07E	23		M	35	39	30	121	11	12	430	L 69	1938			40
T10-3888-02	HEARST CASTLE	1800	26S	07E	12		M	35	41	12	121	10	12	430	L 112	1946			40
Y02-3896-00	HEMET	1630	05S	01W	11	P	S	33	45	00	116	57	00	900		1911			33
U05-3910-00	HENNINGER FLATS	2550	01N	12W	01		S	34	11	36	118	05	17	410	F 235C	1930			70
Z03-3914-00	HENSHAW DAM	2700	11S	02E	10		S	33	14		116	46		900		1912			90
Z03-3914-10	HENSHAW F 36 EVAP PA	2700						33	14	00	116	45	18	432		1923			90
Z03-3914-20	HENSHAW L 36 EVAP PA	2650						33	14	18	116	45	42	432		1922			90
W28-3935-00	HESPERIA	3305	04N	04W	21	B	S	34	25	16	117	18	12	900	SB 92	1904		20	36
W28-3935-01	HESPERIA FFS	3175	04N	04W	21		S	34	25	15	117	18	01	429	SB195	1956			36
U05-3947-11	HIDDEN SPRINGS	2850					S	34	19	04	118	07	58	410	F1076	1954			70
Y01-3951-11	HIGH GROVE	940	02S	04W	07		S	34	00	56	117	19	49	429	SB222				33
T09-3951-35	HIGHLAND FARM	2100	26S	16E	33		M	35	37	30	120	15	30	430	L 122	1948			40
U05-3953-52	HIGHLAND PK	850					S	34	07	57	118	10	27	410	F 3848				70
U05-3953-53	HIGHLAND PK-LINDSAY	620					S	34	07	06	118	10	39	410	F 394	1935			70
U05-3971-00	HILLCREST COUNTRY CB	185						34	02	54	118	24	06	410	F 4628	1951			70
W28-3990-20	HINKLEY 5N	2055	11N	03W	28	F	S	35	01	00	117	11	50	429	SB231	1962			36
W26-4005-11	HI VISTA-CARD	3075						34	44	04	117	46	50	410	F*X158	1951			70
Z05-4014-00	HODGES DAM	320	13S	02W	18		S	33	03		117	08		406		1919			90
U05-4017-00	HOEGEES FC 60A	2650	02N	11W	33		S	34	12	30	118	02	00	410	F 60A	1931			70
Z05-4020-01	HOLDREDGE RANCH	3480	11S	02E	22		S	33	12	16	116	45	43	913	9P117	1935			90
U05-4021-15	HOLIDAY HILL	8130						34	21	29	117	40	54	410	F*X288	1957			70
U05-4031-11	HOLLYWOOD	305					S	34	05	28	118	19	30	410	F 1368				70
U05-4032-11	HOLLYWOOD DAM	750					S	34	07	04	118	19	55	410	F 238	1929			70
Y02-4062-05	HOMELAND IN SEC 17	1600	05S	02W	17	P	S	33	44	33	117	06	27	431	R	1960			33
Z02-4133-00	HOWELL RANCH	1300	07S	04W	03		S	33	35	41	117	16	47	431	R	1965			33
Z07-4143-50	HUAL-CU-CUSH							32	58	30	116	35	00	428	504-2	1964			90
T09-4144-01	HUASNA	770	12N	33W	29		M	35	06	00	120	23	17	430	L 51	1929			40
Y01-4173-11	HUNTINGTON BEACH	35						33	39	39	117	59	57	415	O 45				30
Y01-4173-21	HUNTINGTON BEACH RCH	70						33	40	45	118	00	02	415	O 135				30
U05-4180-11	HUNTINGTON PARK	175					S	33	59	00	118	13	47	410	F 199D	1927			70
W26-4181-11	HUNT CANYON	3263						34	30	48	118	03	37	410	F1000	1945			70
X19-4185-51	HURLEY FLT TWIN PINE	3440	03S	02E	32		S	33	51	58	116	47	28	431	R	1919			33
X19-4211-00	IDYLLWILD R S	5397	05S	03E	07		S	33	44	46	116	42	48	900		1943			33
X23-4223-00	IMPERIAL	60	15S	14E	18		S	32	50	57	115	34	06	900		1902			13
X23-4224-00	IMPERIAL FAA AP	60	15S	14E	19		S	32	50	09	115	34	22	900					13
W03-4232-00	INDEPENDENCE	3950	13S	35E	18		M	36	48		118	12		900		1866			14
W03-4235-00	INDEPENDENCE ONION V	9175						36	46		118	20		900					14
X19-4258-11	INDIO S D F	8	05S	07E	26		S	33	42	47	116	13	24	431	R P1	1958			33
X19-4259-00	INDIO US DATE GARDEN	11	05S	07E	16		S	33	44	00	116	15	00	900		1913			33
U05-4260-11	INGLEWOOD FS	135						33	57	54	118	21	15	410	F 116D	1919			70
W24-4278-00	INYOKERN	2440	26S	39E	30		M	35	39	00	117	49	00	900		1937			15
W24-4280-00	INYOKERN ARMITAGE	2218	26S	40E	09		M	35	41	00	117	41	00	900		1944			15
U05-4296-03	IRON MOUNTAIN	5320						34	21	06	118	13	46	410	F1162	1963			70
X12-4297-00	IRON MOUNTAIN SB 114	922	01N	18E	30		S	34	08		115	08		900	SB114	1935			36
Y01-4300-01	IRVINE CO AUTOMATIC	197						33	40	37	117	45	34	415	O 125				30
Y01-4300-02	IRVINE CO HARKEL	100						33	40	32	117	47	54	415	O 54				30
Y01-4300-03	IRVINE CO HOME RCH	130						33	43	52	117	46	54	415	O 61	1877			30
Y01-4300-04	IRVINE CO JOHNSON	320						33	39	13	117	42	53	415	O 56				30
Y01-4300-05	IRVINE CO LAMBERT	470	05S	08W	34		S	33	41	41	117	42	38	415	O 57	1926			30
Y01-4300-07	IRVINE CO LIMESTONE	1000						33	46	15	117	43	15	415	O 74				30
Y01-4300-08	IRVINE OLD CATTLE RN	50						33	39	50	117	49	50	415	O 52				30
Y01-4300-09	IRVINE CO SHADY CAMP	300						33	38	13	117	47	54	415	O 51				30
Y01-4300-10	IRVINE CO WHSE	200						33	40	30	117	45	37	415	O 55				30
Y01-4300-20	IRVINE CO SALT WORKS	55						33	39	14	117	51	52	415	O 143	1938			30
W26-4311-50	ISLIP SADDLES	6680						34	21	27	117	51	05	410	F*X22	1957			70
W12-4312-50	IVANPAH COUNTY YARD	2927	15N	15E	13	G	S	35	23	20	115	15	20	429	SB223	1961		3	36
T11-4313-10	IVERSEN RANCH ELMER	1420	27S	16E	23		M	35	33	30	120	14	00	430	L 113	1946			40
T09-4313-11	IVERSON RANCH(ED)	1595	28S	15E	30		M	35	27	30	120	24	30	430	L 157	1960			40
W26-4322-51	JACKSON LAKE	6150						34	23	53	117	43	40	410	F 3188				70
W28-4384-20	JOBS PEAK	5160	02N	04W	17		S	34	15	20	117	20	00	429	SB115	1950		06	36
X01-4393-00	JOHN BULL FLAT	8060	03N	01E	20		S	34	19	36	116	53	29	813	4388	1966			36
X08-4405-00	JOSHUA TREE	2730	01N	06E	25	N	S	34	08	18	116	12	30	900	SB 134	1953			36
X22-4412-10	JULIAN-BUNCH							33	06	00	116	35	30	428	505-2	1963			90
Z07-4418-00	JULIAN WYNOLA	3655	12S	03E	35		S	33	06		116	39		900		1949			90
T14-4422-00	JUNCAL DAM	2060	05N	25W	28		S	34	29	00	119	31	00	900		1925			42
Y02-4431-00	JUNIPER FLATS	2110	05S	02W	03		S	33	45	49	117	04	57	431	R	1964			33
U05-4440-11	KAGEL CANYON P S	1430						34	17	45	118	22	30	410	F 4888	1943			70
X01-4443-20	KAISER PERMANENTE P	4250	03N	01E	10		S				1			429	SB224	1961			36
Y01-4450-11	KATELLA SUBSTA	135						33	47	44	117	54	08	415	O 36				30
X05-4467-00	KEE RANCH	4325	01N	04E	14	P	S	34	10	00	116	32	00	900	SB 139	1948			36
U03-4481-00	KELLY RANCH	3200	07N	17W	22		S	34	41	16	118	39	45	000		1965			70
W28-4494-10	KELSO	2148	11N	12E	24	R	S	35	00	57	115	38	46	429	SB193	1966			36
U05-4499-10	KENTER CANYON	418						34	03	45	118	28	51	410	F 777	1947			70
U03-4530-11	KERR BROTHERS	800						34	18	58	118	53	08	416	V 9	1927			56
T15-4541-00	KGUD TOWERS	2350	05N	27W	35		S	34	30	00	119	40	00	900		1965			42
U02-4568-51	KINGSTON RES	215						34	20	35	119	17	43	416	V 122				56
W28-4606-20	KRAMER JUNCTION B C	2477	10N	06W	05	M	S	34	59	20	117	32	20	429	SB228	1962			36

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
W26-4607-05	KRATKA SKI LIFT	6810						34	21	08	117	53	46	410	F1153	1961	1965		70
U05-4621-01	LA CANADA	1260						34	12	14	118	11	40	410	F 177F	1912			70
U05-4621-11	LA CANADA ARROY SECO	1155						34	11	52	118	11	05	410	F 50B	1927			70
U05-4628-00	LA CRESCENTA FC 251	1565	02N	13W	28		S	34	13		118	15		410	F 251	1927			70
U05-4628-11	LA CRESC CO RD DEPT	1410						34	13	27	118	15	23	410	F1048B	1951			70
U05-4628-20	LA CRESC GREG 0.9ENE	1885						34	13	52	118	13	50	410	F1161	1963			70
U05-4640-00	LA FRESA S C E CO	65	03S	14W			S	33	52	07	118	19	55	410	F1008E	1946			70
Z01-4647-00	LAGUNA BEACH	56	07S	09W	24		S	33	32	00	117	47	00	900		1931			30
Z01-4647-01	LAGUNA BEACH HARDWAR	30						33	32	36	117	46	54	415	0 99				30
U05-4647-11	LAGUNA BELL SS	140						33	58	37	118	08	48	410	F 289	1930			70
U05-4659-11	LA HABRA	315						33	55	58	117	56	38	415	0 152A				30
U05-4659-31	LA HABRA MTS MW CO	445						33	56	55	117	57	51	410	F1088B	1955			30
Z06-4662-12	LA JOLLA NO 2	100	15S	04W	23		S	32	51	00	117	16	00		513-2	1927			90
W28-4671-00	LAKE ARROWHEAD	5250	02N	03W	22		S	34	15		117	12		429	SB 140	1891			36
W28-4684-50	LAKE GREGORY DAM	4535	02N	04W	23	M	S	35	14	24	117	16	14	429	SB221	1961			36
Y02-4686-51	LAKELAND VILLAGE	1319	06S	05W	13		S	33	38	13	117	20	44	431	R	1955			33
Z09-4687-51	LAKE LOVELAND	1400	16S	02E	17		S	32	46	52	116	47	38	011		1944			90
Y01-4689-51	LAKE MATHEWS 1	1375	04S	05W	07		S	33	50	35	117	26	47	417	MWD				33
Y01-4689-52	LAKE MATHEWS 2	1440	04S	05W	10		S	33	50	25	117	23	04	417	MWD				33
Y01-4689-53	LAKE MATHEWS 3	3160	04S	06W	01		S	33	50	48	117	27	16	417	MWD				33
Z02-4694-00	LAKE O NEILL	150	10S	04W	05		S	33	19	00	117	19	00	914					90
W03-4705-00	LAKE SABRINA	9070	08S	31E	31		M	37	12	50	118	36	48	405		1925			14
Z04-4705-50	LAKE SAN MARCUS							33	07	30	117	12	30	428	901-1	1963			90
U04-4706-11	LAKE SHERWOOD	960						34	08	26	118	52	31	410	F 377F	1912			56
Z07-4710-00	LAKESIDE 2 E	692	15S	01E	20		S	32	51	00	116	53	00	900		1967			90
Z07-4711-00	LAKESIDE 2 ENE	450	15S	01E	19		S	32	52	00	116	54	00	900		1908		37	90
Z04-4726-00	LAKE WOHLFORD	1500	11S	01W	32		S	33	10	12	116	59	47	900		1948			90
U05-4727-11	LAKEWOOD	55						33	51	45	118	07	43	410	F1118B	1956	1965		70
Y01-4729-00	LAMBERT RES AUTOMATI	470	05S	08W	34		S	33	41	41	117	42	38	415	0 146	1945			30
U05-4732-11	LA MIRADA	86						33	53	13	118		56	410	F 156	1923			70
Z08-4735-00	LA MESA	528	16S	01W	19		S	32	46		117	01		900		1934			90
W26-4747-00	LANCASTER	2395	07N	12W	24		S	34	41	00	118	07	00	900		1927			70
W26-4747-02	LANCASTER HMS	2395					S	34	40	57	118	08	02	410	F 455	1940			70
W26-4747-03	LANCASTER MCCARGAR	2315					S	34	46	20	118	01	40	410	F1056				70
W26-4747-04	LANCASTER WILEY	2470					S	34	40	45	117	57	14	410	F 490C	1944			70
U05-4749-21	LANKERSHIM P P	717					S	34	11	39	118	23	17	410	F 222C	1929			70
U05-4777-11	LA PUENTE	460						34	01	00	117	55	15	410	F1125	1958			70
U04-4803-11	LAS FLORES CANYON	50					S	34	02	18	118	38	56	410	F 447C	1939			70
Y01-4814-11	LA SIERRA F S	720	03S	06W	10		S	33	55	07	117	29	11	431	R PI	1955			33
U04-4827-00	LATIGO CANYON BEACH	1700	01S	19W			S	34	05	35	118	48	52	410	F 443B	1953			70
U05-4833-00	LATUNA CANYON	1160						34	14	13	118	19	37	410	F1107D	1955			70
U05-4839-11	LA VERNE POL DEPT	1050						34	06	03	117	46	12	410	F 196B	1947			70
U05-4839-58	LA VIDA SPRINGS	670						33	55	53	117	47	43	410	F1096				30
U05-4839-65	LAWNDALE F S	60						33	53	53	118	20	35	410	F1155	1962			70
U05-4840-00	LA VERN HTS FC 56B	1235						34	07	00	117	45	00	900					70
U04-4867-00	LECHUZA PATROL STN	1600	01S	19W	16		S	34	04	38	118	52	47	900	3528	1933			70
X19-4882-11	LA QUINTA	85	06S	07E	06		S	33	40	25	116	17	27	431	R	1952			33
Z09-4891-05	LEMON GROVE FIRE DEP							32	44	15	117	01	45	428	831-3	1962			90
Y01-4892-11	LEMON HGTS SPRINGER	350						33	45	24	117	46	48	415	0 142				30
W26-4904-01	LEONIS VALLEY	3200						34	37	12	118	17	08	410	F 122F	1927			70
U03-4943-00	LIMONEIRA RANCH	335						34	19	55	119	07	48	416	V 18	1904			56
Z07-4952-80	LINDA VISTA-RIEDY							32	46	15	117	10	10	428	506-2	1962			90
T09-4963-00	LINN RANCH	800	26S	12E	07	F	M	35	41	06	120	43	24	430	L 45	1925			40
T10-4973-10	LITTLE CAYUCOS WARRE	440	28S	10E	07		M	35	30	00	120	55	30	430	L 173	1964			40
U03-4975-01	LITTLE GLEASON	5600						34	22	43	118	08	57	410	F1074	1954			70
W24-4979-02	LITTLE LAKE	3510						35	57	07	117	55	31	405					14
Y02-4979-40	LITTLE LAKE VLY VISF	1695	05S	01W	13		S	33	44	42	116	55	53	431	R	1960			33
X01-4979-80	LITTLE PINE FLAT	5940	03N	02W	26		S	34	20	00	117	04	00	813		1964			36
W26-4983-00	LITTLE ROCK	2815						34	32	07	117	58	27	410	F 299D	1930			70
W26-4985-00	LITTLE ROCK CREEK	3120	05N	11W			S	34	29	45	118	01	33	410	F 155C	1927			70
U05-4986-01	LITTLE TUJUNGA RS	1275						34	17	37	118	21	38	410	F1072	1953			70
U05-4986-05	LITTLE TUJUNGA GOLD	1700						34	19	23	118	20	14	410	F1143	1960			70
U05-4993-01	LIVE OAK CYN DAM	1510						34	08	02	117	44	38	410	F 445B	1939			70
Z05-5023-00	LOCKWOOD MESA	200	14S	04W	01		S	32	59		117	15		900		1929		09	90
U03-5024-10	LOCKWOOD VALLEY	5150						34	44	03	119	06	09	416	V 209	1961			56
Y01-5057-00	LOMA LINDA	1185	01S	04W	35	A	S	34	02	48	117	15	39	429	SB258	1966			36
T14-5064-01	LOMPOC	500						34	35	53	120	27	08	913	5Q 398				42
T14-5064-02	LOMPOC AIRPORT	90	07N	34W	34		S	34	38	30	120	27	24	906					42
W03-5066-02	LONE PINE	3720						36	36	01	118	03	38	405					14
U05-5082-00	LONG BEACH	63	05S	13W	01		S	33	46	29	118	11	30	900	F 575C				70
U05-5082-05	LB-ALAMITOS LAND CO	180						33	46	06	118	11	28	410	F 224B	1894			70
U05-5082-06	LB-CITY AUTOMATIC	11						33	47	16	118	12	08	410	F 565B				70
U05-5082-08	LB NO 1	15						33	46	46	118	08	36	410	F 566	1925			70
U05-5082-10	LB SAN ANSELINE	40						33	47	38	118	07	15	410	F1116	1955			70
U05-5082-11	LB-60TH + LINDEN	55						33	52	20	118	11	55	410	F 666C	1932			70
U05-5082-12	LB-37TH + GAVIOTA	95						33	49	46	118	10	36	410	F 662C	1937			70
U05-5082-13	LB-VETS MEM BLDG	116						33	46	12	118	11	32	410	F 241C	1946			70
U05-5082-14	LB-WOODRUFF AVE	10						33	46	40	118	06	05	410	F1066B	1953			70
U05-5085-00	LONG BEACH WB AP	36						33	49	00	118	09	00	900		1958			70
W03-5088-40	LONG VALLEY RES	6840						37	34	42	118	42	52	405					26
U05-5098-11	LOOMIS RNCH ALDER CR	4300	03N	11W	22		S	34	20	55	118	02	55	410	F 54C	1931			70
U05-5098-25	LOPEZ CYN GD STA	1350						34	17	54	118	23	41	410	1150	1961			70
U05-5106-01	LOS ALAMITOS	23						33	48	38	118	04	38	415	0 158				70
U05-5106-20	LOS ALAMITOS R B AUT	7						33	45	24	118	05	48	415	0 170	1959			30
T13-5107-00	LOS ALAMOS	565	08N	32W	30		S	34	45	00	120	17	00	900		1909			42

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U05-5111-01	LA CITY COLLEGE	340						34	05	14	118	17	26	410	F 3558	1932			70
U05-5111-02	LA-CLARK LIBRARY	203						34	02	00	118	18	46	410	F 2788	1930			70
U05-5111-03	LA CO SURVEYOR	121						33	56	56	118	15	17	410	F 291	1930			70
U05-5111-04	LA DUCOMMON ST	306						34	03	09	118	14	13	410	F 716	1942			70
U05-5111-06	LA MAC QUEEN	225						34	04	13	118	19	23	410	F10398	1951			70
U05-5111-07	LA-2ND • HILL	385						34	03	09	118	14	46	410	F 1398		1965		70
U05-5111-08	LA WEST 8TH ST	173						33	57	58	118	18	24	410	F 676				70
W03-5111-09	L A AQUEDUCT INTAKE	3841	11S	34E	24	Q	M				1			405		1919			14
U05-5111-17	LOS ANGELES HANCOCK	175						34	03	50	118	21	25	410	F 213F	1929			70
U05-5111-20	LA-730 W TEMPLE ST	375						34	03	32	118	14	50	410	F1156	1962	1965		70
U05-5114-00	LOS ANGELES WB AP	99						33	56	30	118	23	12	900					70
U05-5115-00	L. A. CIVIC CENTER	270	01S	13W			S	34	03	00	118	14	00	900		1877			70
U03-5146-00	LOS PINETOS NIKE STE	3925						34	21	14	118	24	45	410	F*X38	1966			70
T14-5147-00	LOS PRIETOS R S	1030	05N	28W	03		S	34	32	42	119	47	06	900		1941			42
Z09-5154-00	LOVELAND DAM	1400	16S	02E	17		S	32	46	52	116	47	48	014		1944			90
U05-5159-00	LOWER FRANKLIN RES	585	01S	15W	12		S	34	05	43	118	24	40	405	F 794				70
U03-5159-50	LOWER HUNGRY VALLEY	3054	07N	18W	07		S	34	22	50	118	49	44	416	V 228	1966			56
Z10-5162-00	LOWER OTAY RESERVOIR	500	18S	01W	13	A	S	32	36	30	116	55	38	900		1906			90
X01-5182-00	LUCERNE VALLEY	2957	04N	01W	13		S	34	27	00	116	57	00	900		1949			36
X01-5182-11	LUCERNE VALLEY 2 W	2975	04N	01W	09		S	34	27	00	116	59	00	429	S8141	1959			36
U05-5190-20	LUKENS DISPOSAL AREA	3250						34	14	15	118	11	43	410	F*X31	1957			70
U05-5193-30	LUNADA BAY	250						33	46	37	118	25	15	410	F11358	1958			70
Z09-5203-00	LYNWOOD HILLS							32	38	36	117	03	00	428	518-3	1966			90
Y01-5212-00	LYTLE CR FOOTHILL BL	1160	01S	04W	06		S	34	07		117	20		900	S8159	1947			36
Y01-5212-01	LYTLE CREEK SB 197	2360	01N	05W	06		S	34	12	16	117	26	57	429	S8197	1927			36
Y01-5212-02	LYTLE CREEK SB 198	1225	01N	04W	31		S	34	07	26	117	20	53	436	S8198	1928			36
Y01-5215-00	LYTLE CREEK PH 1	2225	01N	05W	06		S	34	12	07	117	27	00	900	S8142	1906			36
Y01-5218-00	LYTLE CREEK R S	2760	02N	06W	26		S	34	14		117	29		900	S8 37	1930			36
U05-5230-01	MADDOCK DEBRIS BAS	905						34	09	17	117	57	05	410	F1083	1955			70
U03-5256-00	MAGIC MOUNTAIN	4450						34	23	45	118	17	12	900		1948			70
U04-5269-00	MALIBU-DIV HDQTS	800	01N	18W	27		S	34	08	08	118	45	08	410	F 434	1938			70
U04-5269-02	MALIBU BCH-DUNNE	160						34	02	00	118	42	42	410	F1025	1949			70
W03-5284-01	MAMMOTH	8930						37	35	56	118	59	58	405					26
U05-5296-11	MANDEVILLE CANYON	1225						34	07	12	118	30	12	410	F 767	1947			70
U05-5296-12	MANDEVILLE FR RD 24	1625						34	07	38	118	30	03	410	F 766	1947			70
U05-5296-31	MANHATTAN BEACH	182						33	53	00	118	23	19	410	F1070	1953			70
U05-5355-01	MARKHAM SADDLE	5300						34	14	21	118	05	55	410	F 793	1947			70
Z11-5366-01	MARRON VALLEY	550	18S	02E	33		S	32	34	03	116	46	40		301-4	1889			90
U05-5382-21	MAR VISTA - SCWC	92						34		49	118	25	32	410	F 4638	1940			70
U02-5408-01	MATILIJA DAM	1040						34	29	05	119	18	25	416	V 134				56
U02-5408-02	MATILIJA RCH	650						34	25	42	119	18	48	416	V 20	1925			56
U03-5408-03	MATILIJA RES	1150						34	29	34	119	19	37	416	V 149	1952			56
U02-5408-06	MATILIJA FORKS CYN	1540						34	30	24	119	22	36	416	V 207	1960			56
U05-5452-11	MC CLURE DEBRIS BAS	1010						34	12	42	118	19	36	410	F1085	1955			70
T09-5486-11	MC MILLAN CANYON	1650	25S	15E	32		M	35	43	02	120	22	23	915	L 93				40
T09-5488-10	MC NEIL RANCH	1560	30S	14E	23		M	35	17	30	120	27	00	430	L 128	1951		08	40
X19-5502-00	MECCA 2 SE	- 175	07S	09E	21		S	33	33		116	03		900		1931			33
X19-5502-01	MECCA S D F	- 190	07S	09E	08		S	33	34	17	116	04	40	431	R PI	1958			33
U03-5507-21	MEHER MTN	2570						34	24	44	119	10	08	416	V 163				56
Y01-5531-31	MENTONE FS SB 120	1765	01S	02W	20		S	34	04	12	117	07	27	429	S8120	1952			36
Y01-5531-32	MENTONE SB 199	1650	01S	02W	19		S	34	04	02	117	08	02	813	S8199	1929			36
Y01-5531-34	MENTONE GREEN SPOT	2019	01S	02W	21	F	S	34	04	00	117	05	50	429	S8212	1958			36
W26-5569-20	MESCAL CREEK FT TEJO	3570						34	29	05	117	44	10	410	F 442C	1939			70
W26-5618-20	MILE HIGH	5200						34	24	40	117	46	07	410	F1166	1964			70
Y01-5629-00	MILL CREEK NO 2	2940	01S	02W	13		S	34	05	00	117	02	00	900	S8143	1903			36
Y01-5632-00	MILL CREEK INTAKE	4945	01S	01W	13	C	S	34	05	20	116	56	19	900	S8155	1930			36
Y01-5632-01	MILL CREEK INTAKE 3	4958						34	05	20	116	56	19						36
Y01-5635-20	MILL CREEK RANGER ST		01S	02W	13		S	34	04	45	117	02	47	429	S8 77				36
U03-5688-01	MINT CANYON-THE OAKS	2300	05N	14W			S	34	30	35	118	21	40	410	F10058	1946			70
U03-5688-02	MINT CANYON-DYER	1625						34	26	04	118	26	06	410	F1009	1946			70
Y01-5706-01	MIRA LOMA	827	02S	06W	05			34	01	41	117	31	54	429	S8 21A	1946			33
Z06-5707-01	MIRAMAR	660	15S	02W	05		S	32	54		117	06		406		1901			90
Z07-5719-40	MISSION SUB STA SDGE							32	47	30	117	06	15	428	808-2	1941			90
X10-5721-00	MITCHELL CAVERNS	4306	10N	14E	21		S	34	56	00	115	32	00	900		1958			36
W26-5756-00	MOJAVE (USWB)	2735	11N	12W	16	N	S	35	03		118	10		900		1947			15
W26-5756-01	MOJAVE LADW•P	2850						35	04	07	118	10	29	405					15
W26-5758-00	MOJAVE 2 ESE	2680	11N	12W	21		S	35	02	00	118	09	00	900					15
W01-5779-00	MONO LAKE	6520	02N	26E	30		M	38	01	00	119	09	00	900		1944			26
U05-5781-00	MONROVIA F.S.	560						34	08	57	118	00	00	410	F 67F	1956			70
U05-5781-01	MONROVIA-SPTS	962						34	09	58	117	59	37	410	F10778	1954			70
U05-5786-11	MONTANA RANCH	47					S	33	50	35	118	07	09	410	F 225	1915			70
U05-5787-31	MONTEBELLO FD	215					S	34		40	118	06	15	410	F 391C	1942			70
T15-5788-11	MONTECITO OFFICE	460						34	26	27	119	39	19	435					42
U04-5790-11	MONTE NIDO	600	01S	17W			S	34	04	41	118	41	35	410	F 435	1938			70
Y01-5790-51	MONTE VISTA	970	01S	08W	26		S	34	03	41	117	41	17	429	S8137				36
U05-5800-51	MONTEREY PARK FS	305					S	34	02	27	118	07	42	410	F 290C	1930			70
Y01-5822-90	MODJESKA-MCARTHUR	1300	05S	07W	29	H	S	33	42		117	38		415	O 181				30
U03-5823-00	MOORPARK	570	03N	19W	09		S	34	17	12	118	52	54	900	V 141A	1951			56
U03-5825-00	MOORPARK 3 SE	635	02N	19W	15	J	S	34	15	24	118	50	54	900		1956			56
U03-5826-00	MOORPARK 3 NNW	1050	03N	19W	20		S	34	19	30	118	53	42	900					56
U03-5826-11	MOORPARK S P MILLING	500	02N	19W	04	M	S	34	17	03	118	52	58	416	V 24	1927			56
Z11-5840-00	MORENA DAM	3080	17S	05E	19		S	32	41	00	116	31	00	406		1897		05	90
X19-5863-00	MORONGO VALLEY	2580	01S	04E	28		S	34	03	00	116	34	00	900	S8135	1942			36
T10-5866-00	MORRO BAY FIRE DEPT	115	29S	10E	36		M	35	22	00	120	51	00	900		1959			40
T10-5867-00	MORRO BAY	100	29S	10E	25		M	35	22	00	120	50	30	430	L 115	1947			40

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	''	°	'	''						
T10-5869-00	MORRO BAY 3 N	670	29S	10E	12		M	35	25	00	120	51	00	900		1959			40
U05-5871-00	MORRIS DAM	1210	01N	10W	13		S	34	10	53	117	52	43	410	F 390B	1933			70
Y01-5900-00	MT BALDY FC 85F	4300	02N	07W	19		S	34	14	12	117	39	32	410	F 85G	1920			70
W26-5900-01	MT BALDY	8650						34	16	53	117	37	00	410	F1109	1955			70
Y01-5901-00	MT BALDY NOTCH	7735	02N	07W	09		5	34	16	25	117	36	50	900					36
U05-5919-05	MT DISAPPOINTMENT	5725						34	14	42	118	06	07	410	F1138	1959			70
U05-5956-01	MT ISLIP	7520						34	20	50	117	49	57	410	F1030	1949			70
X22-5964-00	MOUNT LAGUNA							32	53	10	116	25	00	428	544-4	1963			90
U05-5966-01	MT LOWE	4435	02N	12W	26		S	34	13	37	118	06	33	410	F 588D	1926		5	70
U05-5967-01	MT LUKENS	5040						34	16	05	118	14	06	410	F 365C	1898			70
U03-5971-50	MT PINOS STORAGE GAG	7900						34	48	41	119	06	47	416	V 200	1959			56
U05-5976-08	MT SAN ANTONIO COL	780						34	02	58	117	50	14	410	F 255D	1930			70
U05-5979-21	MT ST MARYS COL	1025						34	05	10	118	28	57	410	F 285C	1930			70
U05-6003-05	MT WILSON OBSERVATOR	5650						34	13	27	118	03	32	410	F 338A	1933			70
U05-6006-00	MT WILSON FC 338B	5709	02N	11W	29		S	34	13	36	118	03	57	410	F 338B	1940			70
U05-6028-15	MULHOLLAND DR KIRKMA	1325						34	07	52	118	28	42	410	F 765B	1947	1965		70
U05-6028-21	MULHOLLAND FS	1101						34	07	45	118	24	20	410	F 12	1927			70
W26-6034-11	MUNZ VALLEY RCH	2600						34	42	50	118	21	15	410	F 322	1930			70
Y01-6036-01	MUROY RANCH	3102						33	43	21	118	00	46	415	0 103	1925	1966		30
Z07-6039-31	MURRAY DAM	520	16S	02W	13		S	32	46	51	117	02	38	406		1913			90
U02-6041-20	MURIETTA DIVIDE SG	3460						34	29	25	119	25	40	416	V 203	1959			56
Z02-6042-00	MURRIETA SCS	1131	07S	03W	17		S	33	33	48	117	13	21	431	R	1954			33
Y01-6047-01	MUSCOY-RYLES	1267	01N	04W	30		S	34	08	17	117	19	54	429	SB201	1940	1963		36
Y01-6047-10	MUSCOY FIRE DEPT	1270	01N	04W			S	34	08	50	117	20	30	813	SB201A	1961			36
U03-6048-11	MUTAH FLATS	4900					S	34	38	28	119	03	11	416	V 181				56
T09-6056-00	NACIMIENTO DAM	770	25S	10E	15		M	35	46	00	120	53	00	900		1957			40
Z08-6088-01	NATIONAL CITY	15						32	40	04	117	06	42	913	8Q 13				90
X13-6115-00	NEEDLES	480	09N	23E	32		S	34	50	00	114	36	00	900	SB156	1888			36
X13-6115-11	NEEDLES CO YD	451	07N	22E	32		S	34	50	02	114	35	37	429	SB178	1958			36
X13-6118-00	NEEDLES FAA AP	913	08N	23E	30		S	34	45	48	114	37	08	900		1940			36
X13-6119-10	NEEDLES PUMPING PLAN	1400	07N	23E	19	G	S	34	41	17	114	36	45	429	SB 59	1962			36
U03-6147-00	NEWBURY PARK 2 WNW	685	01N	20W	11		S	34	11	18	118	56	24	416	V 188	1956	195		56
U03-6149-00	NEWBURY PARK 4 SW	780	01N	20W	22	K	S	34	09	00	118	58	00	900		1956			56
U03-6149-01	NEWBURY PARK ACADEMY	810	01N	20W	01		S	34	11	46	118	56	05	416	V 158				56
U05-6155-01	NEWCOMB PASS	4025						34	14	17	118	01	04	410	F 727B	1945			70
U03-6159-11	NEWHALL RANCH	675	04N	18W	26		S	34	24	08	118	44	10	416	V 25	1912			56
U03-6162-00	NEWHALL SOLEDAD 32C	1243						34	23	07	118	31	54	900		1931			70
U03-6164-00	NEWHALL U S RS	1325						34	22	13	118	30	48	410	F 407	1949			70
Y01-6172-31	NEWMARK RES	1415						34	10	21	117	18	44	436	SB166				36
Y01-6175-00	NEWPORT BEACH HARBOR	8						33	36	09	117	53	57	900		1931			30
X13-6185-00	NEW YORK MOUNTAINS	6000	14N	16E	31		S	35	15		115	18		900		1965			36
U04-6188-20	NICHOLAS CYN	340						34	02	52	118	54	57	410	F1129	1958			70
U05-6189-12	NICHOLS DAM BASIN	478						34	06	22	118	24	00	410	F 759B	1947			70
X19-6196-00	NIGHTINGALE	4025	07S	05E	10		S	33	35	00	116	27	00	900					33
X23-6197-00	NILAND	50	10S	14E	21		S	33	16	41	115	31	23	900		1942			13
T12-6207-00	NIPOMO 2 NW	360	11N	34W	06		S	35	04	00	120	30	00	900		1920			40
T12-6207-05	NIPOMO							35	02	30	120	28	35	913	5N 20	1945			40
T14-6211-51	NOJOQUI PARK	680						34	32	00	120	10	30	913	5Q 19				42
Y01-6215-11	NORCO	630	03S	06W	06		S	33	55	52	117	32	53	431	R P2	1961			33
W03-6254-00	NORTH HAIWEE RES	3850	20S	37E	04		M	36	13	41	117	58	08	405		1929			14
U05-6256-00	NORTH HOLLYWOOD	593						34	09	23	118	21	56	410	F 13B	1936			70
U05-6270-11	NORTHRIDGE	810						34	13	52	118	32	28	405	F 25C	1920			70
X19-6275-20	NORTH SHORE	- 180	07S	10E	34		5	33	31	14	115	56	13	431	R	1966			33
U05-6276-01	NO WHITTIER COLE RCH	575						34	00	26	117	59	42	410	F 104				70
U05-6282-11	NORWALK	85					S	33	53	52	118	04	00	410	F 135	1926			70
Y01-6299-20	NUVIEW	1467	04S	02W	18		S	33	49	03	117	07	55	431	R	1957			33
U03-6308-20	OAK FLAT GUARD STA	2800						34	35	56	118	43	15	410	F1132	1958			70
Y01-6310-11	OAK GLEN SB 14	4700	01S	01W	35			34	02	38	116	57	14	429	SB 14B	1934			36
Y01-6310-12	OAK GLEN SB 122	4080	01S	01W	27			34	03	20	116	58	24	429	SB122	1952			36
X19-6310-13	OAK GLEN SB 174	5400	01S	01E	31			34	02	17	116	55	02	429	SB174	1957			36
U05-6310-51	OAK GROVE	1080					S	34	11	47	118	10	29	410	F 731	1945			70
U02-6353-11	OAKVIEW	505						34	23	42	119	18	03	416	V 140				56
U05-6355-11	OAKWILDE PHILLIPS	2175						34	14	37	118	11	07	410	F 48B	1927			70
X19-6356-01	OASIS	≠170	08S	08E	11		5	33	29	37	116	06	44	431	R	1958			33
Z03-6376-04	OCEANSIDE NO 4	67	11S	04W	19		S	33	11	38	117	22	37	913	8P224	1926			90
Z02-6377-00	OCEANSIDE PENDLETON	60	11S	05W	15		S	33	13	00	117	24	00	900		1953			90
X22-6383-00	OCOTILLO WELLS	175	12S	08E	10	F	S	33	09	00	116	08	00	900		1932			90
U02-6399-00	OJAI	750	04N	23W			S	34	26	48	119	14	31	416	V 30	1905			56
U02-6399-02	OJAI COUNTY YARD	750					S	34	26	58	119	16	13	416	V 139				56
U04-6416-11	OLD TOPANGA	1010						34	06	29	118	37	41	410	F1050	1952			70
U05-6432-00	OLINDA	490	03S	09W	08		S	33	55		117	51		900		1941	1966		30
U03-6432-75	OLIVE VIEW	1425						34	19	29	118	26	55	410	F 395B	1935			70
Y01-6435-71	OLIVE HEIGHTS	230						33	50	16	117	50	43	415	0 136				30
Y01-6457-02	ONTARIO F S	1030	01S	07W	30		S	34	03	46	117	38	57	429	SB 26	1883			36
Y01-6457-20	ONTARIO SEWAGE PLANT	815	02S	07W	03		S	34	01	45	117	36	17	429	SB240				36
Y01-6457-25	ONTARIO SHERIFF DEPT	1153	01S	08W	13	G	S	34	05	08	117	40	06	429	SB226	1966			36
U05-6465-00	OPIDS CAMP FC 57BE	4250	02N	12W	14		5	34	15	18	118	05	41	900		1916			70
Y01-6472-01	ORANGE	216						33	47	15	117	50	26	415	0 148				30
Y01-6473-00	ORANGE COUNTY RES	660	03S	10W	01	P	S	33	56	07	117	52	58	415	0 144				30
U02-6543-01	ORTEGA HILL	5050						34	34	27	119	21	36	416	180				56
U03-6567-11	OWENS MOUTH	2850						34	19	28	118	34	14	410	F 31	1928			70
U03-6569-01	OXNARD	51						34	11	24	119	10	24	416	V 32				56
U03-6569-11	OXNARD DIST 5 YARD	35						34	12	00	119	12	06	416	V 168A	1956			56
T12-6576-00	OZENA	3705	07N	23W	21		S	34	42	00	119	19	00	900		1904			56
T12-6576-01	OZENA G S	3600						34	41	00	119	21	12	416	V 174				56

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z06-6586-11	PACIFIC BEACH	35						32	47	55	117	15	17	913	80 20				90
W26-6598-51	PACIFIC MOUNTAIN	6880						34	21	40	118	01	44	410	F10388	1950			70
U05-6599-61	PACIFIC PALISADES	320						34	02	38	118	31	36	410	F 4918	1944			70
U05-6601-21	PACOIMA CANYON	2075						34	20	51	118	22	20	410	F 422G	1937			70
U05-6601-22	PACOIMA CYN-CITY RD	3175						34	21	42	118	18	25	410	F 728	1945			70
U05-6601-24	PACOIMA CNYN OUTCH	3220	03N	14W			S	34	21	07	118	20	38	410	F 4668	1941			70
U05-6601-61	PACOIMA RADDATZ	902						34	14	57	118	26	40	410	F 278	1925			70
U05-6601-71	PACOIMA WAREHOUSE	955						34	15	21	118	24	24	410	F 219	1929			70
U05-6602-00	PACOIMA DAM FC 33A E	1500	03N	15W	24		S	34	19	48	118	23	59	900		1931			70
Y01-6605-11	PADUA HILLS PS	1800						34	08	52	117	41	55	410	F10208	1948			70
W26-6624-00	PALMDALE	2655	06N	12W	26		S	34	35	00	118	07	00	900	F3510	1931			70
W26-6624-01	PALMDALE HMS	2662	06N	12W	26	Q	S	34	34	25	118	06	45	410	F 441D	1939			70
W26-6626-05	PALMDALE-CIRCLE C	2880						34	32	11	118	03	48	410	F10738	1953			70
W26-6627-00	PALMDALE FAA AP	2517	06N	11W	07		S	34	36	59	118	05	02	900		1943			70
Y01-6628-11	PALMER CANYON	2120						34	09	36	117	42	07	410	F10108	1946			70
X19-6633-01	PALM DESERT	263	05S	06E	19		S	33	43	08	116	23	33	431	R	1958			33
W26-6634-30	PALM ROCK RANCH	2615						34	35	40	117	58	10	410	F1154	1961			70
X19-6635-00	PALM SPRINGS	411	04S	04E	13		S	33	49	34	116	32	41	900		1931			33
X19-6639-10	PALM SPRINGS N SDF	875	03S	04E	10		S	33	55	28	116	32	44	431	R	1958			33
X19-6640-00	PALM SPRINGS TRAMWAY	8505	04S	03E	23		S	33	42		116	33		900			1965		33
U04-6649-11	PALO COMADO CYN	1175						34	09	45	118	44	16	410	F1016	1948			70
Z04-6650-60	PALOMAR AIRPORT							33	07	00	117	16	00	428	515-1	1959			90
Z02-6657-00	PALOMAR MTN OBSERV	5560	09S	01E	27		S	33	21	00	116	51	00	900		1942			90
U05-6663-00	PALOS VERDES ESTATES	216	04S	14W			S	33	48	02	118	23	26	410	F 430	1927			70
U05-6663-01	PALOS VERDES	400						33	46	47	118	20	35	410	F 444F	1929			70
U05-6663-12	PALOS VERDES HILLS F	1275						33	45	25	118	21	11	410	F10118	1955			70
U05-6663-14	PALOS VERDES HILLS H	1200						33	45	40	118	22	20	410	F1139	1959		1	70
Y01-6680-01	PANORAMA	3760						34	13	35	117	18	29	429	SB130				36
U05-6689-51	PARAMOUNT-CO FS	70						33	53	30	118	09	36	410	F 388C	1935			70
X14-6699-00	PARKER RESERVOIR	738	02N	27E	05		S	34	17		114	10		900	SB 64	1934			36
T09-6703-10	PARKFIELD	1590	23S	14E	23		M	35	55	00	120	26	00	430	L 127	1950			27
U05-6719-00	PASADENA	864						34	08	54	118	08	36	900		1931			70
U05-6719-02	PASADENA CAL TECH	800						34	08	14	118	07	25	410	F 303F	1930			70
U05-6719-03	PASADENA CHLORINE PL	1181						34	12	27	118	10	00	410	F 612	1916			70
U05-6719-06	PASADENA-GLEN	1400						34	10	54	118	04	42	410	F 696				70
U05-6719-08	PASADENA-HURLBURT FS	780						34	07	48	118	09	12	410	F 6138	1939			70
U05-6719-09	PASADENA-CITY HALL	985						34	10	03	118	07	17	410	F 6108				70
U05-6719-10	PASADENA JOURDAN	705						34	08	52	118	05	14	410	F 795	1949			70
U05-6719-14	PASADENA MET STA	918						34	09	48	118	09	27	410	3118	1938			70
U05-6719-18	PASADENA-SHELOON RES	1052						34	10	39	118	09	56	410	F 678	1938			70
U05-6727-01	PASEO MIRAMAR	700						34	03	34	118	33	25	411	F 7708				70
T09-6730-00	PASO ROBLES	700	26S	12E	33		M	35	38	00	120	41	00	900		1887			40
T09-6732-01	PASO ROBLES GERST	1500	26S	10E	14		M	35	40	00	120	51	30	430	L 44	1925			40
T09-6742-00	PASO ROBLES FAA AP	803	26S	12E	13		M	35	40	00	120	38	00	900		1944			40
T09-6743-10	PASO ROBLES(SDH)	720	26S	12E	28		M	35	38	00	120	41	00	430	L 144	1954			40
Y01-6754-11	PATTON	1370	01N	03W	29			34	08		117	12		429	SB170A	1959			36
W26-6760-01	PAUL	3390						34	29	13	117	50	02	410	F 564C	1915			70
U05-6760-53	PAULARINO-SHIFFER	47						33	40	55	117	53	26	415	O 47				30
Z04-6772-00	PECHSTEIN DAM							33	11	00	117	10	45	428	400-7	1954			90
Y01-6776-21	PEDLEY FIRE STA	710	02S	06W	26		S	33	58	31	117	29	07	431	R	1954			33
Z07-6779-25	PEERLESS-RASP							32	50	00	116	57	00	428	507-2	1963			90
Y02-6816-00	PERRIS	1470						33	47	00	117	14	00	900					33
T10-6816-10	PEROZZI	470	31S	13E	06		M	35	15	40	120	37	20	430	L 129	1951			40
Y01-6818-11	PERRIS S D F	1452	04S	03W	30		S	33	47	15	117	13	45	431	R P1				33
Y02-6818-12	PERRIS HILL	1280	01N	04W	36		S	34	08		117	16		436	SB163	1935			33
Y02-6818-16	PERRIS RES EVAP	1448						33	50	04	117	11	59	813		1963			33
W28-6848-01	PHELAN	4160	04N	07W	24			34	25		117	34		429	SB205	1958			36
U05-6850-01	PICKENS DEBRIS BAS	1600						34	13	18	118	13	45	410	F 468	1947			70
Y01-6858-01	PIGEON PASS	1910	02S	04W	23		S	33	59	16	117	16	09	431	R				33
U03-6862-00	PIEDRA BLANCA G S	3065	06N	22W	36	M	S	34	31	00	119	11	00	416	V 152	1959			56
W28-6868-01	PILOT ROCK EVAP	3668	02N	04W	10	K	S	34	16	16	117	16	53	813	SB220	1960			36
Y01-6889-01	PINE 2	575	03S	07W	05		S	33	56	46	117	38	25	429	SB 7A	1949			36
U03-6891-00	PINE CANYON PAT STN	3286	07N	15W	23	R	S	34	40	24	118	25	45	410	F 321E	1931			70
W26-6891-01	PINE CANYON G S	3810						34	41	55	118	30	35	410	F1117	1956			70
U03-6902-51	PINE MTN	6740						34	38	22	119	19	19	416	V 176				56
U05-6902-52	PINE MOUNTAIN	4100						34	13	35	117	54	28	410	F*X29	1959			70
U03-6910-00	PINE MOUNTAIN INN	4200	06N	23W	18		S	34	36	34	119	21	52	900	V 63C	1965		1	56
U03-6910-01	PINE TREE RANCH	400						34	22	27	119	00	50	416	V 87				56
U03-6940-00	PIRU 2 ESE HDQTRS	730	04N	18W	27	E	S	34	24	22	118	45	22	900	V 101	1928			56
U03-6940-02	PIRU CANYON	1150						34	30	47	118	45	27	416	V 172				56
U03-6940-03	PIRU CITRUS ASSN	700						34	24	39	118	47	37	416	V 36	1927	1966		56
U03-6941-10	PIRU PROCTOR RANCH	640						34	24	29	118	49	02	416	V 106	1931			56
T10-6943-00	PISMO BEACH	80	32S	12E	19		M	35	08	00	120	38	00	900		1949			40
W26-6958-03	PIUTE BUTTE	2680						34	39	02	117	50	57	410	F 456	1940			70
U05-6959-01	PLACENTIA AUW CO	190						33	51	32	117	53	06	415	O 29				30
U05-6959-02	PLACENTIA MUT ORANGE	225						33	52	42	117	52	24	415	O 27				30
U03-6959-51	PLACERITA CANYON	1485						34	22	37	118	28	43	410	F 284D	1928			56
W26-6983-41	PLEASANT VIEW	3980						34	27	34	117	55	57	410	F 4608	1940			70
T15-7016-21	PT CONCEPTION	110						34	26	57	120	28	15	913	50 258				42
Z08-7019-50	POINT LOMA SDCFCD							32	40	00	117	20	00	428	523-2	1965			90
T10-7024-00	PT PIFDRAS BLANCAS	59	26S	06E	13		M	35	40	05	121	17	00	900		1938			40
U05-7036-11	POINT VICENTE L H	125	05S	15W	14		S	33	44	30	118	24	38	410	F 44	1926			70
U05-7050-00	POMONA	855	01S	08W				34	03	58	117	46	21	900	SB 40	1913			70
Y01-7050-01	POMONA FIRE STATION	544						34	03	16	117	45	10	410	F 256C	1883			70
Y01-7050-07	POMONA-MITCHELL,STEV	778						34	01	35	117	44	18	410	F 263D	1930	1956		70

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Y01-7050-12	POMONA-RIVIERA	820						34	01	34	117	46	06	410	F 263F	1956			70
T11-7057-10	POND RANCH NO 2	1300	28S	16E	03		M	35	31	00	120	13	40	430	L 911	1939			40
U03-7080-00	PORT HUENEME	20	01N	22W	20		S	34	08	40	119	12	30	416	V 17	1891			56
Z11-7100-01	POTRERO	2390	18S	04E	06	N	S	32	37	51	116	37	10		607-4	1914			90
U03-7102-41	POTRERO CANYON	1150						34	23	50	118	38	18	410	F1040	1951			70
U05-7103-51	POTRERO HEIGHTS	285						34	02	34	118	04	50	410	F 170D	1926			70
Z06-7110-10	POWAY CO RD STA							32	57	00	117	03	45	428	545-1	1962			90
Z06-7110-15	POWAY-HENSHAW							32	57	52	117	03	35	428	508-1	1962			90
Z06-7111-00	POWAY VALLEY	440	14S	02W	12		S	32	57		117	04		900		1879			90
Y01-7123-01	PRADO DAM EVAP STA	575	03S	07W	20	P	S	33	53	24	117	38	09	415	O 23B	1930			33
U05-7123-11	PRAIRIE FORKS	5640						34	20	20	117	41	30	410	F 80B	1926			70
Z10-7155-75	PROCTOR VALLEY JAMUL							32	42	30	116	53	00	428	608-4	1951			90
U05-7160-01	PUDDINGSTONE DAM	1030	01S	09W	15		S	34	05	30	117	48	22	410	F 96B	1927			70
U05-7161-02	PUENTE-FERRERO	380						34		12	117	56	19	410	F 254B	1930			70
U05-7161-03	PUENTE HILLS-WEISEL	645						33	57	08	117	55	26	410	F 265D	1925			70
U05-7161-06	PUENTE HILLS	840						33	59	40	117	59	31	410	F 201B	1924			70
U05-7161-08	PUENTE-N WHITTIER	314						34	01	14	117	58	40	410	F 679	1935			70
Z03-7162-01	PUERTA LA CRUZ	3000	10S	03E	07		S	33	19	00	116	42	00		405-7	1961			90
W26-7163-31	PUNCH BOWL RANCH	4760						34	24	48	117	51	25	410	F1111C	1964			70
W26-7164-40	PUZZLE SPRINGS RANCH	4130						34	26	34	117	40	25	410	F1130	1958	1965		70
U03-7170-55	PYRAMID RESERVOIR	2495	07N	18W	27	D	S	34	40	30	118	46	55	813		1967			70
X08-7177-00	QUAIL CANYON	3448	01S	06E	12		S	34	05	35	118	30	00	429	SB238				36
Y02-7178-70	QUAIL VALLEY	1590	05S	03W	30	P	S	33	42	22	117	14	07	808	R	1958			33
Y02-7221-01	RAILROAD CANYON DAM	1390	06S	04W	02		S	33	40	36	117	16	31	016	R	1927			33
Z02-7222-03	RAINBOW CONSERVATION							33	25	40	117	07	00	428	330-7	1949			90
Z05-7231-00	RAMONA SPAULDING	1470	13S	01W	02		S	33	04	00	116	51	00	900		1949			90
Z05-7243-25	RNCH HSE RHO GUIJITO							33	09	45	116	57	15	428	521-1	1965			90
Z03-7244-00	RANCHITA	4110	11S	04E	23		S	33	14		116	32		900		1942			90
T09-7244-10	RANCHITA SLO	655	31S	13E	25		M	35	12	00	120	26	00	430	L 100	1943			40
U05-7247-51	RANCHO LOS AMIGOS	90						33	55	18	118	09	44	410	F 270C	1930			70
U02-7247-72	RANCHO MATILIJA EVAP	600						34	25	45	119	18	35	416	V-150				56
Z05-7249-51	RANCHO SANTA FE	240	13S	03W	21		S	33	01	12	117	12	06	913	8P129B				90
U03-7249-61	RANCHO SESPE	430						34	23	00	118	57	52	416	V 39	1907			56
W25-7253-00	RANDSBURG	3522	29S	40E	35		M	35	22	00	117	39	00	900		1937			15
U04-7255-51	RATTLESNAKE CANYON	1290						34	05	00	118	51	55	410	F1068	1953			70
Z11-7283-00	REAM FIELD NAS							32	34	00	117	07	00	428	310-4	1955			90
Y01-7284-01	RECHE CANYON	1750	02S	03W	18		S	33	59	42	117	13	52	431	SB 9A	1953			33
U05-7293-20	RED BOX GAP	4625						34	15	30	118	06	18	410	F1124B	1957			70
Y01-7306-01	REDLANDS ROTH	1239	01S	03W	32		S	34	02	02	117	12	32	429	SB 23	1935			36
Y02-7306-02	REDLANDS SB 101	1194	01S	03W	20		S	34	03	30	117	12	57	429	SB101	1930			36
Y01-7306-03	REDLANDS DAILY FACTS	1318	01S	03W	27		S	34	03		117	11		429	SB144	1899			36
Y01-7311-00	REDLANDS COUNTRY CLU	2080	02S	03W	12		S	34	01	09	117	08	55	429	SB239				36
U05-7324-00	REDONDO BEACH	70						33	50	43	118	23	20	410	F 42C	1918			70
U03-7375-10	REYNOLDS RANCH							34	44	12	118	53	18	416	V 145	1952	1955		56
Z07-7383-05	RHO ARBOLEDA							32	49	00	116	55	00	428	516-2	1949			90
Y01-7384-08	RIALTO	1246	01S	05W	02			34	06	24	117	21	50	429	SB 4A	1943			36
Y01-7384-09	RIALTO ADAMS	1175	01S	05W	15			34	05	19	117	22	59	813	SB191	1940			36
Y02-7391-41	RICE RANCH RIV CO	1980	04S	05W	33		S	33	47	05	117	23	59	417	MWD				33
U02-7391-51	RICE RANCH VEN CO	750						34	27	29	119	17	41	416	V 156				56
U03-7403-11	RICHFIELD OIL	1560						34	26	08	119	08	02	416	V 65				56
U03-7425-01	RIDGE ROUTE MAINT ST	2505	07N	18W	27		S	34	40	34	118	46	47	410	F 409	1936			70
U05-7441-11	RIO HONDO SPREAD GRN	155	02S	12W			S	33	59	25	118	06	33	410	F1014D	1927			70
X15-7447-65	RIPLEY F.C. STA.	250	07S	22E	35		S	33	31	30	114	39	00	431	R				33
Y01-7469-01	RIVERSIDE C.F.C.+W.C	875	02S	05W	14		S	33	58	43	117	22	29	431	R				33
Y01-7470-00	RIVERSIDE FIRE STN 3	820	02S	05W	34		S	33	57	00	117	24	00	900	SB145	1931			33
Y01-7473-00	RIVERSIDE CITRUS EXP	1015	02S	04W	30	K	S	33	58	00	117	20	05	900	SB 61	1948			33
U05-7491-11	ROBERTA CANYON	4100						34	13	30	117	55	15	410	F 732B	1945			70
W03-7510-11	ROCK CREEK LADWP	9360						37	28	12	118	43	24	405					26
U05-7530-00	ROGERS CANYON	770	01N	01W	26		S	34	09	46	117	54	15	410	F 70D	1924			70
U05-7553-11	ROSCOE MERRILL	1100						34	14	19	118	21	33	410	F 14B	1927			70
U05-7560-50	ROSEMEAD	305						34	04	53	118	03	55	410	F1140	1960			70
Y01-7588-01	RUBIDOUX LAB USDA		02S	05W	22		S	33	58	35	117	23	53	431	R	1938			33
Y01-7588-02	RUBIDOUX FIRE DEPT.	776	02S	05W	16		S	33	59	56	117	24	16	431	R	1966			33
U05-7589-11	RUBIO DEBRIS DAM	1653						34	11	57	118	07	22	410	F1079	1954			70
T09-7598-01	RUNITZ RANCH	1150	27S	13E	31		M	35	32	06	120	36	41	430	L 30	1914			40
W28-7600-00	RUNNING SPRINGS 1 E	5965	01N	02W	04		S	34	12	00	117	05	00	900	SB 62	1934			36
U05-7609-11	RUSTIC CANYON	265						34	03	06	118	30	32	410	F 771	1947			70
Y02-7613-11	RYAN FIELD	1509	05S	1W	17		S	33	43	48	117	01	17	431	R	1955			33
Z02-7640-50	SAGE F C STA	2290	07S	01W	12		S	33	34	52	116	55	52	431	R	1963			33
T09-7672-00	SALINAS OAM	1380	30S	14E	08		M	35	20	00	120	30	00	900		1942			40
T14-7681-00	SALSIPUEDES GAGING S	250	06N	34W	24		S	34	34	51	120	24	21	900		1941			42
U03-7685-01	SALT CANYON	2850						34	21	24	118	39	42	410	F1019	1948			70
Y01-7711-00	SAN ANTONIO CNYN MTH	2394	01N	08W	13		S	34	10	24	117	40	31	004	F 587B	1917			70
Y01-7711-01	SAN ANTONIO CANYON	7735						34	16	29	117	36	35	410	F1055B	1955			36
U05-7712-00	SAN ANTONIO DAM	2100	01N	08W	19		S	34	10	00	117	40	20	410	F1115				36
Y01-7712-06	SAN ANTONIO HTS	1901	01N	07W	19		S	34	09	03	117	39	03	429	SB 85	1942			36
Y01-7712-08	SAN ANTONIO SP GRDS	2090					S	34	09	20	117	40	55	410	F 691B				70
T10-7722-15	SAN BERNARDO RANCH	350	29S	11E	23		M	35	23	20	120	46	00	430	L 159	1961			40
Y01-7723-00	SAN BERNARDINO HOSP	1125	01N	04W	34		S	34	07	40	117	16		900	SB 146	1931			36
Y01-7724-04	SAN BERNARDINO CO FC	1050						34	06		117	17	02	429	SB 18				36
Z01-7731-20	SAN CLEMENTE POLICE	135						33	25	45	117	36	52	415	O 131	1931			30
U03-7732-11	SAND CYN PLCRITA CYN	1850						34	22	55	118	24	40	410	F 264B	1930		18	70
U03-7734-00	SANDBERG PATROL STN	4025	08N	17W			S	34	44	37	118	42	43	410	F 130B	1931			70
U03-7735-00	SANDBERG WB	4517	08N	17W	31	C	S	34	45		118	44		900		1933			70
Z02-7736-50	SAN DIEGO CANAL COT		06S	02W	34		S				1			431	R				33

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z08-7740-00	SAN DIEGO WB AP	19						32	44	00	117	10	00	900		1931			90
Z04-7744-00	SAN DIEGUITO CO PARK							33	00	00	117	14	00	428	509-1	1963			90
Z05-7744-01	SAN DIEGUITO DAM	250	13S	03W	16		S	33	02		117	12		406		1924			90
U05-7746-02	SAN DIMAS CYN E FK	2765						34	11	41	117	44	26	410	F 741	1934			70
U05-7748-01	SAN DIMAS DAM	1350	01N	09W	24		S	34	09	10	117	46	17	410	F 89B	1924			70
U05-7749-00	SAN DIMAS FC 95	955	01S	09W	11		S	34	06	26	117	48	19	900	SB154	1931			70
U05-7749-01	SAN DIMAS EXP STA	3100	01N	09W	01		S	34	06		117	46		907		1933			70
U05-7749-03	SAN DIMAS R S	1485					S	34	10	04	117	46	02	410	F 87C	1925			70
U05-7749-04	SAN DIMAS-STEVENS	1110					S	34	07	39	117	47	42	410	F 134	1928			70
U05-7750-00	SAN DIMAS TANBARK	2745	01N	08W	06		S	34	12	20	117	45	40	900	SB157	1929			70
U05-7759-00	SAN FERNANDO	965	02N	15W	09		S	34	16	22	118	27	50	900		1931			70
U05-7760-10	SAN FNDO VLY STATE C	857						34	14	17	118	31	48	410	F1157	1962			70
U05-7762-00	SAN FERNANDO PH NO 3	1248						34	18	49	118	29	30	900		1948			70
U05-7762-11	SAN FERNANDO VET HOS	1730						34	19	35	118	24	44	410	F1054	1952			70
U03-7773-00	SAN FRANCISQUITO 2	1580	05N	16W	14		S	34	32	02	118	31	27	410	F 372	1929			70
U05-7775-30	SAN GABRIEL BRUINGTO	472						34	06	18	118	06	32	410	F 227D	1953			70
U05-7775-45	SAN GABRIEL C EFK DO	2050					S	34	14	28	117	45	36	410	F1064B	1953			70
U05-7775-50	SAN GABRIEL C EFK TU	2775					S	34	16	58	117	44	48	410	F1069	1953			70
U05-7775-51	SAN GABRIEL CYN EFK	1600					S	34	14	09	117	48	18	410	F 379B	1934			70
U05-7775-55	SAN GABRIEL CYN HELI	3200						34	15	02	118	01	30	410	F1160	1962			70
U05-7776-00	SAN GABRIEL CYN PH	744	01N	10W	22		S	34	09	20	117	54	28	900	F 627	1917			70
U05-7779-00	SAN GABRIEL DAM	1481	01N	09W	06		S	34	12	19	117	51	40	410	F 425B	1917			70
U05-7779-01	SAN GABRIEL DAM CAMP	1500					S	34	13	33	117	50	48	410	F 76B	1937			70
U05-7785-00	SAN GABRIEL FIRE DPT	450	01S	12W			S	34	06	11	118	05	56	900	F 742C	1939			70
U05-7785-15	SAN GABRIEL NO FORK	2200						34	15	43	117	50	40	410	F1144	1960			70
Y02-7810-00	SAN JACINTO	1550	04S	01W	27		S	33	48	00	116	59	00	900		1886			33
Y02-7811-00	SAN JACINTO RES MWD	1500	04S	01W	29		S	33	47	30	116	59	50	431	R P1	1952			33
Y02-7813-00	SAN JACINTO RS - SDF	1555	04S	01W	35		S	33	47	12	116	57	30	431	R P2	1940			33
Y01-7818-01	SAN JOAQUIN FRUIT CO	197					S	33	42	55	117	45	43	415	O 60				30
U05-7826-10	SAN JOSE HILLS GALST	440						34	03	00	117	54	53	410	F1148B	1961			70
Z01-7836-51	SAN JUAN CAPISTRANO	150						33	30	42	117	38	29	415	O 86				30
Z01-7836-52	S JUAN CPSTRN SUBSTA	150						33	30	44	117	39	58	415	O 92A	1923			30
T10-7850-00	S L OBISPO TANK FARM	118	31S	12E	11		M	35	15	20	120	39	30	430	L 54	1931			40
T10-7851-00	SAN LUIS OBISPO POLY	300	30S	12E	23		M	35	18	00	120	40	00	900		1869			40
T10-7851-50	SAN LUIS OBISPO (SDH	150	30S	12E	34		M	35	16	00	120	40	30	430	L 143	1954			40
T10-7854-00	SAN LUIS OBISPO SDF	330	30S	12E	22		M	35	18	00	120	41	00	430	L 96	1943			40
Z04-7857-03	SAN LUIS REY S D G+E							33	12	45	117	20	00	428	811-7	1952			90
Z04-7858-03	SAN MARCOS CO RD STA							33	08	30	117	10	45	428	547-1	1962			90
U05-7862-46	SAN MARINO-HUNTINGTO	670						34	07	38	118	06	48	410	F 275	1920			70
T09-7868-01	SAN MIGUEL SP MILL	620	25S	12E	16		M	35	45	00	120	41	00	430	L 125	1949			40
T14-7869-41	SAN MIGUELITO CYN	1000					S	34	35	20	120	29	40	913	50 50				42
Z01-7871-35	SAN ONOFRE							33	22	30	117	34	00	428	820-7	1955			90
U05-7876-11	SAN PEDRO HILLS	1240						33	46	30	118	22	58	410	F 273D	1955	1965		70
U05-7876-21	SAN PEDRO RES	150						33	44	37	118	17	47	410	F1006	1944			70
U05-7876-26	SAN PEDRO 2	85						33	43	15	118	16	17	410	F 629C				70
Y01-7887-11	SAN TIMOTEO	1603	02S	02W	14			33	58	10	117	07	30	429	SB 2A	1953			33
Y01-7888-00	SANTA ANA USWB FR DP	115	05S	10W	13	4	S	33	44	39	117	52	02	900	O 191	1889			30
Y01-7888-01	SANTA ANA OCFCD	125						33	45	00	117	52	12	415	O 1210	1908			30
Y01-7891-00	SANTA ANA RIVER PH 3	1980	01S	02W	04		S	34	06	30	117	06	55	004	SB162	1906			36
Y01-7894-00	SANTA ANA RIVER PH 1	2765	01N	02W	26		S	34	09	00	117	04	00	900	SB147	1904			36
Y01-7895-00	SANTA ANA-SCUDDER	99						33	45	06	117	53	22	415	O 161				30
U05-7897-00	SANTA ANITA FERN LGE	2035	01N	11W	03		S	34	12	30	118	01	00	410	F 432	1938			70
U05-7898-20	SANTA ANITA CN HELIP	2575						34	12	52	118	01	05	410	F1146	1960			70
U05-7898-40	SANTA ANITA SPRING C	4655						34	12	52	117	58	56	410	F 477D	1958			70
T15-7902-00	SANTA BARBARA	100	04N	27W	22		S	34	25	00	119	42	00	900		1867			42
T15-7905-00	SANTA BARBARA FAA AP	9	04N	28W	17		S	34	26	00	119	50	06	900		1940			42
T14-7909-00	SANTA BARBARA TV PK	4000	05N	29W	07		S	34	31	32	119	57	27	900		1953			42
U05-7912-11	SANTA CLARA RIDGE	5420						34	22	36	118	12	23	410	F 419	1937			70
U05-7926-00	SANTA FE DAM	427	01S	10W	06		S	34	07	04	117	58	24	900	F1041B	1941			70
U03-7928-02	SANTA FELICIA RES	1140						34	28	23	118	45	27	416	V 160				56
T09-7930-00	SANTA MARGARITA 2 SW	1153	29S	12E	36		M	35	22		120	38		900	L 81	1939			40
T09-7933-00	SANTA MARGARITA BSTR	1100	29S	12E	25		M	35	22	00	120	38	00	900		1931		03	40
T09-7933-20	SANTA MARGARITA NO3	1000	29S	13E	20		M	35	23	30	120	36	20	430	L 170	1964			40
T09-7934-01	SANTA MARGARITA P ST	974	29S	13E	17		M	35	24	30	120	36	06	430	L 60	1931			40
T12-7946-00	SANTA MARIA WB AP	238	10N	34W	33		S	34	54	00	120	27	00	900		1943			42
U05-7950-00	SANTA MONICA	60						34	00	43	118	29	28	900	F 634B	1927			70
U05-7953-00	SANTA MONICA PIER	15						34	01	00	118	30	00	900		1937			70
U03-7957-00	SANTA PAULA	260	03N	21W	11		S	34	21		119	05		900	V 135	1948	1958		56
U03-7957-05	SANTA PAULA CO AGRI	290						34	21	19	119	03	42	416	V 19	1931			56
U03-7958-00	SANTA PAULA BARRANCA	185						34	18	30	119	06	30	416	V 230	1966			56
T09-7960-20	SANTA RITA CR TEMPLT	855	28S	11E	02		M	35	31	26	120	45	54	430	L 162	1962			40
U03-7970-14	SANTA ROSA VALLEY	275						34	14	10	118	56	01	416	V 49	1929			56
U03-7973-00	SANTA SUSANA 4 NNE	1520	03N	17W	19	K	S	34	19	42	118	41	54	900		1955	1958		56
U03-7973-01	SANTA SUSANA DEVIL C	3340						34	20	18	118	36	44	410	F1018B	1948			70
U03-7973-02	SANTA SUSANA AIRPORT	960	02N	17W	07		S	34	16	15	118	42	29	416	V 193A	1966			56
Z05-7983-01	SANTA YSABEL STORE	2983	12S	03E	21		S	33	07		116	40		913	9P 43	1912			90
Y01-7987-00	SANTIAGO DAM	860						33	47		117	43	20	900	O 118	1932			30
W26-7987-01	SANTIAGO CYN	4500						34	26	36	118	04	00	410	F1067	1953			70
W26-7987-02	SANTIAGO CREEK	3280						34	28	41	118	01	24	410	F1017B	1948			70
Z01-7987-12	SANTIAGO PEAK	5660						33	42	39	117	31	59	415	O 156				33
Z07-7989-00	SAN VICENTE RES	660	14S	01E	31		S	32	55	00	116	55	00	406					90
U03-8008-02	SATICOY-CULBERTSON	170					S	34	17	05	119	08	38	416	V 132				56
U03-8008-03	SATICOY-DEL MAR	300					S	34	16	40	119	12	10	416	V 6				56
U03-8008-04	SATICOY FIRE STATION	190	02N	22W	02		S	34	17	07	119	09	20	416	V 175				56
U03-8014-00	SAUGUS POWER PLANT 1	2105	06N	15W			S	34	35	20	118	27	10	900	F 125	1933			70

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U03-8014-03	SAUGUS EDISON STA	1096						34	25	21	118	34	26	410	F 200	1928			70
U03-8014-08	SAUGUS-NEWHALL	1150					S	34	24	56	118	32	51	410	F 475	1941			70
W26-8020-01	SAWMILL MTN RCH	3700						34	43	15	118	35	00	410	F 277	1931			70
U05-8022-12	SAWPIT CYN DEER PK	2690						34	11	38	117	57	52	410	F 304	1930			70
U05-8022-14	SAWPIT DAM NO 2	1378						34	10	34	117	59	14	410	F 68B	1926			70
U05-8023-01	SAWTELLE	250						34	02	43	118	26	55	410	F 140C	1928			70
U05-8023-03	SAWTELLE SOLDIER HOM	396						34	03	27	118	27	37	410	F 119F	1896			70
U03-8036-00	SCHAFFER RCH FRAZ PR	5800						34	49	59	119	04	12	416	V 146	1952			56
U05-8038-51	SCHOLL DEBRIS BAS	987					S	34	09	13	118	12	01	410	F1110	1956			70
Z04-8050-51	SCOTT RANCH	170						33	03	45	117	15	15	913	8P133				90
Y01-8063-00	SEAL HOUSE		04S	05W	10		S				1			431	R				33
U02-8085-01	SELBY RANCH STANDARD	750	04N	24W	14	J	S	34	25	28	119	21	15	416	V 44	1927			56
U02-8085-02	SELBY RANCH AUTOMATI	750	04N	24W	14	J	S	34	25	28	119	21	15	416	V 166	1956			56
U04-8088-01	SEMINOLE HOT SPGS	975						34	06	20	118	47	29	410	F 38	1927			70
U05-8092-00	SEPULVEDA DAM	740						34	10	02	118	28	06	900	F 465C	1939			70
U05-8092-01	SEPULVEDA AND RAYEN	828						34	13	52	118	28	04	410	F 98	1928			70
U05-8092-03	SEPULVEDA CANYON	570						34	04	50	118	28	12	410	F 778B	1947			70
U05-8092-04	SEPULVEDA CANYON 19	1300						34	06	25	118	28	26	410	F 763B	1947			70
U05-8092-05	SEPULVEDA DAM	683						34	10	06	118	28	11	410	F 465C	1957			70
U05-8092-11	SEPULVEDA-MULHOLLAND	1425						34	07	51	118	29	26	410	F 17	1928			70
T09-8110-05	SEVEN-X RANCH	1200	27S	10E	08		M	35	36	00	120	55	00	430	L 59	1930		1	40
T09-8126-01	SHANDON DIV OF HWYS	1090	26S	15E	20		M	35	39	30	120	22	30	430	L 73	1937			40
T09-8126-03	SHANDON UNION OIL CO	1091	26S	15E	02		M	35	41	00	120	20	30	430	L 53	1931			40
U05-8158-00	SHELL ABSORPTION PLT	680	02S	10W	35		S	33	57		117	54		900		1948	1966		70
U05-8190-20	SHORTCUT CYN W FORK	4425						34	15	55	118	04	08	410	F1159	1965			70
U05-8210-01	SIERRA MADRE DAM	1100						34	10	34	118	02	32	410	F 144	1928			70
U05-8210-06	SIERRA MADRE MM PP	985					S	34	10	11	118	02	51	410	F 294B	1930			70
U05-8210-07	SIERRA MADRE PEGL	658					S	34	09	27	118	02	36	410	F 66	1925			70
U05-8211-00	SIERRA MADRE PUMP ST	700						34	09	47	118	02	21	410	F 169E	1927			70
U05-8211-11	SIERRA MADRE USFS	935						34	10	15	118	01	54	410	F 681A	1937			70
U05-8230-00	SIGNAL HILL FC 415	100						33	47	49	118	10	03	410	F 415	1937			70
Y01-8243-01	SILVERADO CANYON	1500						33	44	55	117	38	27	415	O 180				30
U05-8252-11	SILVER LAKE RES	455	01S	13W	09		S	34	06	08	118	15	54	405	F 336	1930			70
U03-8256-00	SIMI	770						34	17	00	118	58	00	416	V 184	1956			56
U03-8258-00	SIMI 3 E	920	02N	18W	11	L	S	34	16	18	118	44	24	416	V 193	1956	1966		56
U03-8258-10	SIMI FORSON RANCH	1100						34	15	44	118	39	32	416	V 93	1931			56
U03-8258-50	SIMI OAK RIDGE SUMMT	2680						32	22	00	118	44	05	416	V 226	1966	1967		56
T11-8259-01	SIMMLER DIV OF HWYS	2047	30S	19E	06		M	35	21	00	119	59	00	430	L 71	1937			40
Y02-8261-11	SIMMS RANCH	2140	04S	01E	27		S	33	47	49	116	52	22	417	MWD				33
Y01-8263-00	SINGLETON RANCH		02S	02W	25		S				1			431					33
X19-8317-00	SNOW CREEK UPPER	1940	03S	03E	33	D	S	33	52	00	116	41	00	900		1939		02	33
T11-8326-00	SODA LAKE	1975	31S	19E	10		M	35	14	47	119	55	09	430	L 47	1925			40
U03-8338-02	SOLEDAD CYN-ECKLES	2150						34	26	23	118	17	33	410	F 405B	1936			70
U03-8338-06	SOLEDAD PASS	3520						34	29	35	118	05	28	410	F1063	1953			70
U03-8338-10	SOLEDAD CYN-BERMITE	1200						34	24	50	118	31	25	410	F1142	1960			70
U03-8338-50	SOLEDAD CYN HONBY	1270						34	25	13	118	30	08	410	F*X37	1966	1967		70
U03-8347-00	SOMIS 2 NNW BARD RCH	510	02N	20W	05		S	34	16	58	119	00	22	900	V 190	1955	1958		56
U03-8347-01	SOMIS SNYDER RCH	300	02N	20W	17		S	34	15	47	118	59	46	416	V 54	1892			56
U03-8347-02	SOMIS	290						34	15	21	118	59	45	416	V 212	1961			56
U03-8348-00	SOMIS 3 NE	485	02N	20W			S	34	17		118	58		900		1955	1966		56
U03-8349-00	SOMIS 3 NW	510	02N	21W			S	34	17		119	00	30	416	V 190	1955			56
U03-8350-00	SOMIS 5 WNW	520	02N	21W	03		S	34	17	07	119	04	20	900		1955	1958		56
U03-8350-02	SOMIS AGGEN RCH	375	02N	21W	12		S	34	16	08	119	02	04	416	V 2	1904			56
U02-8365-51	SOPERS RANCH	870						34	28	58	119	17	37	416	V 151				56
T10-8374-05	SOTO RANCH NR CAMBRI	440	27S	09E	22		M	35	34	30	120	59	00	430	L 169	1963			40
U05-8377-01	SOUTH GATE	130						33	57	16	118	12	43	410	F 474B	1941			70
U05-8379-45	SOUTH HAWKINS	7720						34	18	46	117	48	32	410	F10598	1953			70
Y01-8387-00	SO CORONA		04S	06W	07		S				1			431					33
X19-8390-00	SO FORK CABIN	7120	01S	02E	31		S	34	04	50	116	49	21	900		1960	1966		33
W03-8406-00	SOUTH LAKE USWB	9620	09S	31E	11		M	37	11	00	118	34	00	405		1924			14
U05-8414-01	SOUTH PASADENA	690					S	34	06	58	118	09	05	410	F 111	1927			70
Z08-8422-05	SO SAN DIEGO							32	41	35	117	07	10	913	8Q 29	1960			90
W21-8425-30	SOUTH TRONA	1640						35	41	50	117	23	45	429	SB230	1962			36
U05-8436-00	SPADRA PACIFIC COLON	690	01S	09W	34		S	34	02	31	117	48	35	410	F 356C	1920			70
T09-8443-20	SPRAGUE CAMP	1250	28S	15E	02		M	35	31	00	120	19	00	430	L 164	1962			40
U03-8449-40	SPRING CYN	2000						34	26	37	118	22	05	410	F11418	1960			70
Z09-8450-50	SPRING VALLEY FD							32	44	10	117	00	30	428	510-3	1963			90
W28-8476-00	SQUIRREL INN 1	5239	02N	04W	25		S	34	14	00	117	15	00	900	SB149	1919			36
W28-8479-00	SQUIRREL INN 2	5680	02N	03W	19		S	34	14	00	117	14	00	900	SB 47	1931			36
U05-8499-01	STANTON	55						33	48	35	118	00	06	415	O 39A				30
U02-8536-11	STEWART CAN DEB POND	920	04N	23W	01	E	S	34	27	34	119	14	48	416					56
W28-8566-00	STODDARD VALLEY	2865	08N	01W	29	F	S	34	45	00	117	00	00	429	SB225	1962			36
U05-8574-04	STONE CNYN RIAL SELK	900						34	06	42	118	26	58	410	F 764	1947			70
U05-8574-05	STONE CANYON RES	865	01S	15W	09		S	34	06	21	118	27	13	405	F 237C				70
U05-8590-10	STOUGH PARK	1375						34	12	15	118	18	03	410	F11378	1959			70
U05-8610-20	STUDIO CITY-GOODLAND	680						34	08	29	118	24	26	410	F 760	1947			70
U05-8614-01	STURTEVANT CAMP	3225						34	13	51	118	02	19	410	F 58				70
T12-8627-00	SUEY RANCH	600	11N	33W	32		S	34	59	40	120	22	35	900					40
U05-8637-01	SULLIVAN CANYON	1465						34	07	19	118	30	52	410	F 768	1947			70
W28-8646-10	SUMMIT VALLEY RENTFR	3500	03N	05W	28	A	S	34	19	10	117	23	53	429	SB1698	1962			36
U05-8660-00	SUNLAND	1460	02N	14W	13		S	34	16		118	18		900		1949			70
U05-8662-00	SUNLAND-TUJUNGA USWB	1750	02N	13W	18		S	34	15	00	118	17	00	410	F 647H	1916			70
Y02-8664-01	SUNNYMEAD	1643	03S	04W	01		S	33	56	22	117	14	50	431	R	1955			33
U05-8680-01	SUNSET DAM	1610						34	12	18	118	17	05	410	F 39B	1927			70
U05-8680-04	SUNSET R S	2110						34	12	53	118	08	47	410	F 683	1939			70

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U03-8700-00	SUSANA KNOLLS	1090						34	16		118	40		900		1956			56
Z05-8707-01	SUTHERLAND DAM	1900					S	33	07		116	47		406					90
Z09-8726-01	SWEETWATER DAM	300	17S	01W	17		S	32	41	33	117	00	30	014					90
W26-8727-01	SYCAMORE CAMP	4000						34	25	02	117	58	13	410	F10608	1953			70
U05-8728-11	SYLMAR	1250						34	18	37	118	28	15	405	F 391	19			70
W26-8748-00	TABLE MOUNTAIN	7420	03N	08W	02			34	22	56	117	40	39	410	F 82F	1928			70
U05-8783-51	TANBARK FLATS	2750						34	12	20	117	45	40	410	F 158	1929			70
U03-8784-01	TAPO CITRUS ASSN	1010						34	17	12	118	43	09	416	V 124				56
U03-8784-06	TAPO WATER CO	1080						34	17	53	118	43	16	416	V 62				56
Z02-8840-01	TEMECULA F S	1018	08S	03W	12		S	33	29	48	117	08	57	431	R	1955			33
U05-8848-01	TEMPLE CITY	404						34	06	31	118	03	25	410	F 4808	1948			70
T09-8849-00	TEMPLETON	800	27S	12E	29		M	35	32	56	120	42	21	430	L 43	1886			40
T12-8864-01	TEPUSQUET CYN	3248						34	54	36	120	11	08	913	50 318				42
U03-8877-11	TEVIOT ST	540						34	05	58	118	15	25	410	F 806				70
U02-8879-00	THACHER SCHOOL	1360	05N	22W			S	34	27	58	119	10	49	416	V 59	1915			56
X19-8892-00	THERMAL FAA AIRPORT	- 120	06S	08E	20		S	33	38	05	116	09	51	900	R P2	1950			33
X19-8892-01	THERMAL AIR BASE SDF	- 118	06S	08E	20		S	33	38	05	116	10	16	431	R P1	1950			33
U03-8905-00	THOUSAND OAKS FC 718	810	01N	19W	11	N	S	34	10	43	118	50	59	416	V 128	1943			56
U04-8907-00	THOUSAND OAKS WTR PL	900	01N	19W	14	O	S	34	09	50	118	50	11	416	V 169				56
X19-8908-20	THOUSAND PALMS	240	04S	06E	18		S	33	49	12	116	23	34	431	R	1958			33
W03-8930-00	TINEMAHA RES	3865	10S	34E	26	F	M	37	03	10	118	13	39	405		1933			14
U03-8961-10	TOPA TOPA	2900						34	34	03	119	02	26	416	V 197	1958			56
U05-8963-03	TOPANGA CYN OUTLET	75					S	34	02	58	118	34	46	410	F10890	1955			70
U04-8967-00	TOPANGA PAT S FC 68	747	01S	16W	18		S	34	05	03	118	35	57	410	F 68	1931			70
U05-8973-00	TORRANCE	100						33	48	00	118	20	00	900		1932			70
U05-8973-03	TORRANCE AIRPORT	102						33	47	59	118	20	08	410	F1158	1958			70
Z01-8992-01	TRABUCO CANYON	1250					S	33	39	28	117	34	12	415	O 81				30
U04-9003-01	TRANCAS BEACH	25						34	01	52	118	50	30	410	F 306F	1930			70
U04-9027-21	TRIUNTO CANYON	800						34	07	20	118	47	10	410	F 476F	1941			70
W21-9035-00	TRONA	1695	25S	43E	08		M	35	47	00	117	23	00	900	S8111	1920			36
U05-9048-03	TUJUNGA CN AB GOLD	1650						34	18	00	118	16	06	410	F10138	1947			70
U05-9048-07	TUJUNGA CYN-SOLOMON	1400						34	16	40	118	17	53	410	F10538	1952			70
U05-9048-10	TUJUNGA CYN-VOGEL	1850						34	17	12	118	13	32	410	F 6958	1939			70
U03-9048-15	TUJUNGA-MILL CR SUM	4970						34	23	25	118	04	50	410	F1029	1949			70
U03-9049-00	TUJUNGA MILL CREEK	4600	04N	12W	36		S	34	23	09	118	05	25	410	F 470	1948			70
U05-9082-01	TURNBULL DEBRIS BAS	495						33	59	18	118	01	30	410	F1086	1954			70
Y01-9086-10	TUSTIN AUTOMATIC	106						33	44	18	117	48	00	415	O 166	1958			30
X09-9099-00	TWENTYNINE PALMS NPS	1980	01N	09E	29		S	34	08		116	35		900	S8 48A	1935			36
X09-9099-05	TWENTY NINE PALMS C	1895	01N	09E	20	R	S	34	09	00	116	03	00	429	S8216	1960			36
X09-9099-10	TWENTY NINE PALMS Q	1520	01N	10E	14	R	S	34	10	00	115	54	00	429	S8232	1961			36
T12-9111-00	TWITCHELL DAM	582	11N	33W	35		S	34	59	00	120	19	00	900		1959			42
U05-9138-00	UNION OIL STEARNS	710	03S	09W	06		S	33	56		117	52		900		1941			30
Z06-9151-50	UNIVERSITY CTY STELL							32	51	10	117	12	30	428	511-2	1963			90
U05-9152-00	U C L A	430	01S	15W			S	34	04	18	118	27	00	900		1933			70
U05-9152-01	UNIV SO CAL	208						34	01	14	118	17	15	410	F 482	1942			70
Y01-9156-10	UPLAND	1605						34	07	57	117	38	38	410	F1145	1959			70
Y01-9158-00	UPLAND 3 N	1605	01N	07W	31		S	34	07	58	117	38	26	900	SB 88	1932			36
Y01-9160-01	UPLAND-CADNUM	1508					S	34	07	08	117	40	45	410	F 3428	1931			36
Y01-9160-02	UPLAND CO YDS	1215	01S	07W	09		S	34	05	43	117	37	42	429	SB 98	1959			36
Y01-9160-12	UPLAND CHAPPEL	1609	01N	08W	35		S	34	44	00	117	37	47	429	SB 19A				36
Y01-9160-20	UPLAND FIRE STATION	1275	01S	07W	07		S	35	05	55	117	38	53	429	SB165				36
U05-9165-05	UPPER FRANKLIN RES	867						34	07	14	118	24	38	410	F 11				70
T10-9179-00	UPPER MORRO CREEK	1050	28S	11E	35		M	35	27	18	120	45	12	000		1951			40
Z10-9182-10	UPPER OTAY							32	39	00	116	55	45	428	613-4	1951			90
U05-9187-11	UPPER STONE CYN	943						34	07	27	118	27	15	410	F 762	1947			70
Z02-9213-11	VAIL LAKE	1450						33	29	32	116	58	36	916		1952			33
Z03-9228-00	VALLEY CENTER 3 NE	1615	10S	01W	31		S	33	16	00	117	01	00	900		1924			90
Y01-9233-00	VALLEY OF THE FALLS		01S	01E	17		S	34	04	40	116	54	20	429	S8252				36
W26-9251-00	VALYERMO R S	3710	04N	09W	08		S	34	26	44	117	51	10	410	F 478	1931			70
T14-9255-00	VANDENBERG AFB	367	07N	35W	29		S	34	40	00	120	35	00	900					42
U05-9259-00	VAN NORMAN LK LWR DA	1150	02N	15W	05		S	34	17	18	118	28	54	405	F 293				70
U05-9260-00	VAN NUYS FC 158	695	01N	15W			S	34	10	48	118	27	03	405	F 158	1931			70
U05-9279-02	VENICE F S	55					S	33	59	32	118	27	39	410	F 1268	1928			70
U02-9285-00	VENTURA	45						34	16	36	119	17	30	416	V 66	1931			56
U03-9285-02	VENTURA CO F S	925						34	16	17	118	44	05	416	V 154				56
U03-9285-03	VENTURA CO WW	720						34	17	45	118	52	34	416	V 126				56
U02-9285-04	VENTURA CH	100						34	16	56	119	17	18	416	V 131	1948			56
U03-9285-05	VENTURA WW DIST 6	900						34	09	50	118	50	11	416	V 169				56
U05-9298-07	VERDUGO MT HENDERSON	2650	02N	13W	34		S	34	12	13	118	15	52	410	F*X36	1964			70
U05-9298-08	VERDUGO MT HILLCREST	1200						34	10	48	118	15	38	410	F*X35	1964			70
U05-9298-11	VERDUGO PUMP STA	1360	02N	14W	15		S	34	15	27	118	20	06	405	F1087E				70
Y01-9323-51	VICTORIA GAGE CNL CO	1063	01S	04W	13	P	S	34	04	39	117	15	18	017		1892			36
W28-9325-00	VICTORVILLE PUMP PLT	2859	05N	04W	09		S	34	32	00	117	18	00	900		1938			36
W28-9325-05	VICTORVILLE CO YARD	2800	05N	04W	16	A	S	34	31	32	117	30	14	429	S8105	1960			36
X15-9327-00	VIDAL SHELL	630	01S	23E	01		S	34	07	15	114	30	40	813		1966			36
Y01-9338-03	VILLA PARK DAM	492						33	49	02	117	46	07	415	O 173	1962			30
Y01-9338-05	VILLA PK-ORCHARD	290						33	48	52	117	49	20	415	O 109				30
U03-9345-00	VINCENT FIRE STN	3135	05N	12W	28	L	S	34	29	17	118	08	29	410	F 120	1927			70
U05-9346-01	VINCENT GULCH	6590					S	34	22	26	117	45	05	410	F 818	1927			70
Z05-9348-50	VINEYARD RANCH							33	09	45	116	54	00	428	550	1965			90
Z04-9379-10	VISTA CO RD STATION							33	13	35	117	13	10	428	551-7	1962			90
Z04-9379-20	VISTA GREEN							33	12	07	117	14	15	428	512-7	1962			90
Z03-9379-23	VISTA ID SHOP							33	16	30	116	41	30	428	403-7	1961			90
Z03-9379-27	VISTA ID 10 FT WEIR							33	16	30	116	44	30	428	404-7	1961			90
Z03-9379-31	VISTA ID V-NOTCH							33	13	30	116	43	30	428	406-7	1961			90

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z05-9379-35	VISTA ID WARNER RCH							33	09	15	116	39	15	428	401-7	1961			90
Z03-9379-39	VISTA ID WEST FORK							33	17	15	116	44	30	428	402-7	1961			90
Z04-9379-42	VISTA S D G+E							33	12	00	117	14	00	428	812-1	1954			90
T10-9392-05	VORTAC SBP	1461	31S	11E	02		M	35	15	06	120	45	35	430	L 172	1964			40
T10-9395-05	VULTURE ROCK	2635	26S	09E	28		M	35	38	30	121	01	00	430	L 168	1963			40
T10-9401-05	WADHAMS	100	31S	12E	16		M	35	13	30	120	41	30	430	L 166	1963			40
T12-9408-12	WAGON WHEEL CAMP 1 S	4990						34	43	49	119	11	01	416	V 202	1959			56
U05-9427-51	WALNUT FRUIT GROWERS	533						34		13	117	51	09	410	F 339	1929			70
U05-9431-00	WALNUT PATROL STN	488	02S	09W	18	D	S	34	00	12	117	52	14	410	F 102B	1926			70
U05-9438-20	WALTERIA LAKE PUMP S	90						33	48	35	118	21	05	410	F1164	1964			70
Z03-9447-00	WARNER SPRINGS	3180	10S	03E	26		S	33	17	00	116	38	00	900		1931			90
U05-9464-01	WATERMAN G S	3290						34	15	58	118	08	37	410	F 52C				70
U05-9464-23	WATERMAN MTN	7960						34	20	23	117	56	21	410	F1031B	1949			70
U03-9485-00	WAYSIDE H R EVAP	1060	04N	17W	01	G	S	34	29	41	118	36	44	813	DWR	1963			70
X02-9487-00	W C SHEHORN JOHNSON	2794	04N	04E	19		S	34	25	00	116	37	00	429	SB502				36
W26-9531-02	WEST ANTELOPE	3110	09N	15W	03		S	34	53	48	118	27	12	405		1921			15
U05-9531-51	WEST ARCADIA	547					S	34	07	42	118	04	22	410	F 109D	1925			70
U05-9531-71	WEST AZUSA	505					S	34	06	53	117	54	56	410	F 406C	1936			70
U05-9533-10	WEST BURBANK	615						34	10	47	118	20	07	410	F1127	1958			70
T14-9536-00	WEST BIG PINE LOOKOT	6280	07N	27W	12		S	34	42	00	119	40	00	900		1942			42
U05-9547-05	WEST COVINA KELLER R	350						34	03	54	117	57	20	410	F 101D	1959			70
U05-9558-20	WEST FORK R S	3100						34	14	45	118	02	55	410	F1001B	1945			70
Y01-9569-11	WESTMINISTER	38					S	33	45	08	117	59	17	415	O 162				33
Y02-9586-00	WEST PORTAL RIVERSDE		04S	01W	15		S				1			431	R				33
Y01-9587-01	WEST RIVERSIDE	900	02S	05W	07			34	00	44	117	26	48	431	R	1948			33
T10-9603-10	WHALE ROCK DAM	250	28S	10E	34	F	M	35	26	48	120	53	06	813		1963			40
U02-9615-00	WHEELER SPRINGS 2 SS	850	05N	23W	28		S	34	28	59	119	17	38	900		1940			56
U02-9615-01	WHEELER SPRINGS 2 SW	950	05N	23W	28		S	34	28	55	119	17	30	416	V 107	1932			56
U03-9618-00	WHEELER SPRINGS 7 N	4150						34	35	50	119	19	30	900	V 63	1927	1965		56
X01-9631-00	WHITE MOUNTAIN	7260	03N	01W	20		S	34	20	00	117	00	00	813	9635	1966			36
W05-9632-00	WHITE MOUNTAIN 1	150	05S	35E	19		M	37	30	00	118	11	00	900		1955			26
W03-9633-00	WHITE MOUNTAIN 2	2470	04S	34E	20		M	37	35	00	118	14	00	900		1955			26
U05-9660-00	WHITTIER CITY HALL	320	02S	11W	28		S	33	58	30	118	01	57	410	F 106D	1928			70
U05-9660-02	WHITTIER-CATE	280					S	34		20	118	03	30	410	F1099	1955			70
U05-9660-08	WHITTIER-WOOD	280					S	33	59	52	118	03	10	410	F1035	1950			70
U05-9666-01	WHITTIER NARROWS	230					S	34	02	02	118	02	40	410	F1057B	1953			70
U05-9666-05	WHITTIER NARROWS DAM	250	02S	11W	04		S	34	01	15	118	04	00	410	F1114B				70
W20-9671-00	WILDROSE RANGER STA	4100	19S	44E	23		M	36	15	00	117	14	00	900		1966			14
Y01-9675-51	WILD ROSE RANCH-EARL	875					S	33	47	25	117	29	54	813	DWR				33
T10-9679-05	WILLIAMS RANCH	50	25S	06E	15		M	35	45	30	121	18	30	430	L 171D	1964			40
W26-9699-50	WILLOW SPRINGS	3800	10N	15W	23		S	34	56	54	118	29	24	813	DWR	1929			15
U05-9701-02	WILMINGTON-2	40					S	33	47	27	118	15	30	410	F 118C	1955			70
W26-9710-11	WILSONA	2910					S	34	34	50	117	43	10	410	F*X128	1951			70
U05-9710-21	WILSON CANYON	3175					S	34	21	17	118	27	00	410	F 363B	1933			70
Z05-9724-40	WINDMILL RHO GUIJITO							33	12	00	116	54	30	428	520-1	1965			90
Y01-9748-04	WINTERSBURG-SLATER	25						33	42	49	117	59	56	415	O 43				30
U05-9765-01	WOLFSKILL CYN-UPPER	3625						34	10	13	117	43	16	410	F1075	1937			70
Y01-9774-20	WOODCREST PRENDA DAM	1580	03S	05W	25		S	33	53	50	117	19	47	431	R	1956			33
T11-9813-10	WREDEN	2080	29S	17E	11		M	35	25	00	120	06	00	430	L 121	1948			40
W28-9819-31	WRIGHTWOOD	6038	03N	07W	08		S	34	22	17	117	29		429	SB 33	1959			36
U05-9819-33	WRIGHTWOOD FIRE STA	5960						34	21	34	117	37	57	410	F1128	1958			70
W28-9836-75	YERMO INSPECTION STA	1912						34	55	30	116	48	10	429	SB233	1962			36
U05-9847-00	YORBA LINDA	405	03S	09W	22		S	33	54	00	117	49	00	900		1931			30
U05-9847-21	YORBA RESERVOIR	320					S	33	52	23	117	48	29	415	O 163				30
T10-9850-05	YORK MTN SANTA RITA	1274	27S	10E	35		M	35	32	05	120	51	40	430	L 161	1962			40
Y01-9875-02	YUCAIPA SB 127	2880	02S	02W	10		S	34	02		117	02		429	SB127	1949			36
Y01-9875-03	YUCAIPA-BLANKE	2800					S	34	00	41	117	00	59	429	SB126A				36
Y01-9875-04	YUCAIPA CO YDS	2120	01S	02W	04		S	34	01	59	117	06	08	429	SB 99	1959			36
Y01-9875-05	YUCAIPA FFS	2810	01S	02W	36		S	34	01	58	117	02	11	429	SB129				36
Y01-9875-07	YUCAIPA WATER CO	2740	01S	02W	36		S	34	02		117	02	26	429	SB132	1954			36
X08-9881-06	YUCCA VALLEY	3420	01N	05E	34		S	34	07	38	116	27	10	429	SB102A	1959			36
U04-9990-11	ZUMA CYN-OAKLEY	1500					S	34	04	58	118	49	38	410	F 386C	1934			70
U04-9990-12	ZUMA CYN PS	115					S	34	01	10	118	47	46	410	F 458	1940			70

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SALINAS HYDROLOGIC UNIT T09																	
ANNETTE	9.81	0.40	0.00	0.00	0.00	4.33	1.21	2.78	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.25	9.66
ATASCADERO LAKE	14.99	0.01	T	0.00	0.01	7.59	4.10	2.07	0.76	0.18	0.17	0.00	0.10	0.06	0.00	0.26	15.30
ATASCADERO PUMP STA	11.58	0.00	0.00	0.06	0.00	6.07	3.29	1.35	0.51	0.22	0.08	0.00	0.00	0.00	0.00	0.13	11.65
ATASCADERO SDH	13.89	0.04	0.00	0.00	0.03	7.55	3.20	1.91	0.69	0.22	0.11	0.00	0.14	0.04	0.00	0.29	14.18
ATASCADERO 1 NW	12.62	0.00	0.00	0.00	0.00	6.77	3.89	1.71	0.25	0.00	0.00	0.00	0.00	-	-	-	-
ATASCADERO AMWC	13.15	0.00	0.00	0.00	0.00	6.92	3.74	1.59	0.58	0.18	0.09	0.00	0.05	0.00	0.00	0.13	13.28
BRADLEY	10.69	0.23	0.00	0.02	0.00	6.41	2.23	1.12	0.60	0.07	0.01	0.00	0.00	0.15	0.00	0.06	10.65
BUCKHORN RAÑCH	15.55	0.00	0.00	0.70	0.00	8.10	4.00	1.50	1.25	0.00	0.00	0.00	0.00	0.00	0.00	1.80	16.65
CAMP ROBERTS	10.97	0.04	0.00	0.00	0.00	6.73	2.18	1.40	0.56	0.06	0.00	0.00	0.00	0.32	0.00	0.38	11.63
CANYON RANCH	9.34	0.00	0.00	0.70	0.00	4.23	2.22	1.03	1.16	0.00	0.00	0.00	0.00	0.00	0.00	0.13	8.77
DELLAGANNA RANCH	38.65	0.00	0.00	0.00	0.00	23.90	9.95	4.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.65
EAGLE RANCH	22.15	0.00	0.00	0.00	0.52	11.85	5.40	2.65	0.93	0.40	0.30	0.00	0.10	0.00	0.00	0.40	22.55
EUREKA RANCH	13.39	0.00	0.00	0.00	0.00	7.06	3.67	1.60	0.57	0.23	0.16	0.00	0.10	0.00	0.00	0.00	13.39
GOODWIN RANCH	16.57	0.00	0.00	0.00	0.00	9.40	4.02	1.56	1.35	0.22	0.02	0.00	0.00	0.00	0.00	1.60	18.17
HIGHLAND FARM	10.87	0.30	T	1.10	0.03	5.08	2.30	0.75	0.93	0.15	T	0.13	0.10	0.14	0.00	0.50	10.11
HUASNA	-	0.00	0.00	0.00	9.29	4.79	-	-	-	-	-	-	-	-	-	-	-
IVERSON RANCH(ED)	12.21	0.15	0.00	0.22	0.00	5.52	3.08	1.55	1.08	0.23	0.03	0.33	0.02	0.10	0.00	0.59	12.53
LINN RANCH	-	0.00	0.00	0.09	0.00	7.23	3.14	-	-	-	-	-	-	0.10	0.00	0.08	-
MC MILLAN CANYON	8.55	0.21	0.00	0.12	0.00	4.17	2.31	0.81	0.70	0.07	0.03	0.09	0.04	0.21	0.00	0.22	8.65
MC NEIL RANCH	18.65	0.00	0.00	0.00	0.00	10.23	4.61	1.81	1.35	0.27	0.38	0.00	0.00	0.00	0.00	1.65	20.30
NACIMIENTO DAM	13.00	0.04	0.00	0.00	0.00	7.81	2.92	1.53	0.46	0.12	T	0.00	0.12	0.30	0.00	0.27	13.53
PASO ROBLES	11.97	0.04	0.03	0.15	0.00	6.43	3.24	1.17	0.68	0.08	0.00	0.01	0.14	0.08	0.00	0.11	11.94
PASO ROBLES GERST	20.59	0.01	0.00	0.00	0.00	12.44	4.45	2.69	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.58
PASO ROBLES FAA AP	9.97	0.05	0.02	0.12	0.00	5.22	2.79	1.08	0.56	0.03	0.00	T	0.10	0.17	T	0.16	10.11
PASO ROBLES(SDH)	12.87	0.01	0.00	0.04	0.01	6.54	3.72	1.60	0.59	0.13	0.03	0.03	0.17	0.07	0.00	0.08	12.97
RANCHITA SLO	14.93	0.00	0.00	0.00	0.00	8.35	4.30	0.45	1.60	0.10	0.13	0.00	0.00	0.07	0.00	0.92	15.92
RUNITZ RANCH	-	0.00	0.00	0.10	0.00	5.11	3.77	-	-	-	-	-	-	-	-	-	-
SALINAS DAM	17.0*	0.00	0.00	0.00	0.01	10.15	4.24	1.62	0.74	0.14	0.08	0.00	0.02	0.05	0.00	1.13	18.18
SAN MIGUEL SP MILL	-	0.15	0.66	0.00	0.00	5.30	2.09	1.03	0.38	-	-	-	-	0.28	-	0.36	-
SANTA MARGARITA 2 SW	-	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SANTA MARGARITA BSTR	22.6*	0.00	0.02	0.05	0.02	12.99	5.13	2.45	1.18	0.46	0.26	0.00	0.04	0.14	0.00	0.61	23.28
SANTA MARGARITA NO3	21.55	T	0.00	0.00	T	12.35	5.00	2.35	1.25	0.45	0.15	0.00	0.00	0.15	0.00	0.60	22.30
SANTA MARGARITA P ST	20.28	0.00	0.00	0.00	0.00	8.76	4.17	6.30	0.69	0.12	0.20	0.00	0.04	0.15	0.00	0.60	21.03
SANTA RITA CR TEMPLT	20.80	0.00	0.00	0.00	0.00	10.90	6.30	2.20	0.80	0.30	0.20	0.00	0.10	0.10	0.00	0.00	20.90
SEVEN-X RANCH	-	0.00	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
SHANDON DIV OF HWYS	9.02	0.33	0.00	0.08	0.00	4.51	2.32	0.85	0.80	0.08	0.00	0.00	0.05	0.15	0.00	0.15	8.91
SHANDON UNION OIL CO	8.19	0.00	0.00	0.12	0.00	4.03	2.13	1.90	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.61	8.68
TEMPLETON	13.99	0.01	0.00	0.00	0.01	7.29	3.96	1.67	0.66	0.24	0.00	0.00	0.15	0.04	0.00	0.10	14.12
SAN LUIS OBISPO HYDROLOGIC UNIT T10																	
ARROYO GRANDE	11.5*	0.00	0.00	0.00	0.04	6.25	3.40	1.62	0.03	0.14	0.06	0.00	T	0.00	0.12	0.77	12.43
ARROYO GRANDE NO 5	12.82	T	0.00	0.00	0.04	6.50	3.47	1.70	1.01	0.10	0.00	0.00	0.00	0.11	T	0.80	13.73
AVILA	13.07	0.00	0.00	0.00	0.00	6.06	3.47	1.77	1.31	0.12	0.32	0.00	0.02	0.20	0.00	0.00	13.27
BETTENCOURT	23.17	0.00	0.00	0.00	0.00	13.25	5.92	1.91	1.53	0.36	0.20	0.00	0.00	0.08	0.00	1.70	24.95
CAMBRIA HWY MAINT	14.28	0.05	0.02	0.00	0.00	8.38	2.11	1.83	1.36	0.28	0.14	0.00	0.11	0.14	0.03	0.03	14.41
CAMP SAN LUIS OBISPO	16.7*	0.00	0.00	0.00	0.02	9.12	3.96	1.94	1.13	0.33	0.18	T	0.05	0.13	T	0.75	17.61
EDNA (STORNETTA)	14.62	0.06	0.00	0.00	0.02	7.27	3.75	2.00	1.20	0.24	0.07	0.01	0.00	0.15	0.00	0.84	15.55
HEARST RANCH	16.83	0.00	0.00	0.00	0.00	10.73	2.73	1.67	1.05	0.50	0.15	0.00	0.00	0.00	0.00	0.00	16.83
HEARST CASTLE	20.44	0.00	0.00	0.00	0.00	13.15	2.80	2.91	1.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.44
MORRO BAY FIRE DEPT	10.2*	0.00	0.10	0.10	0.03	4.97	2.45	1.58	0.67	0.19	0.06	0.07	0.07	0.52	0.02	0.61	11.24
MORRO BAY	11.18	0.02	0.05	0.00	0.03	5.53	2.72	1.71	0.75	0.22	0.06	0.00	0.09	0.18	0.03	0.64	11.96
MORRO BAY 3 N	10.5*	0.00	0.09	0.00	0.00	5.06	2.88	1.52	0.62	0.16	0.10	0.00	0.15	0.20	0.00	0.52	11.21
PEROZZI	15.40	0.07	0.00	0.00	0.01	7.77	3.75	1.88	1.08	0.24	0.60	0.00	0.00	0.00	0.00	1.31	16.64
PISMO BEACH	11.84	0.00	0.00	0.00	0.00	5.76	3.55	1.32	1.08	0.13	0.00	0.00	0.00	0.00	0.00	1.05	12.89
PT PIEDRAS BLANCAS	17.3*	0.14	0.04	0.00	0.01	9.01	2.89	2.82	1.90	0.27	0.18	T	0.08	0.09	0.04	0.11	17.40
SAN BERNARDO RANCH	17.25	0.00	0.00	0.00	0.00	8.85	4.70	1.85	1.30	0.35	0.20	0.00	0.00	0.00	0.00	0.00	17.25
S L OBISPO TANK FARM	14.22	0.00	0.00	0.00	0.00	7.09	3.58	2.12	0.98	0.40	0.05	0.00	0.00	0.02	0.00	0.99	15.23
SAN LUIS OBISPO POLY	15.62	0.00	0.00	0.00	0.00	7.80	4.12	2.13	1.15	0.29	0.12	0.00	0.01	0.15	0.06	1.11	16.94
SAN LUIS OBISPO (SDH	14.11	0.00	0.00	0.00	0.00	6.83	4.00	1.86	1.15	0.23	0.04	0.00	0.00	0.00	0.22	0.94	15.27
SAN LUIS OBISPO SDF	15.63	0.01	T	0.00	0.00	8.00	4.09	1.69	1.47	0.25	0.12	0.00	0.00	0.00	T	T	15.62
SOTO RANCH NR CAMBRI	20.06	0.00	0.00	0.00	0.00	11.18	3.92	3.37	1.19	0.40	0.00	0.00	0.00	0.00	0.00	0.00	20.06
UPPER MORRO CREEK	20.51	0.00	0.07	0.00	0.00	10.89	5.21	2.27	1.24	0.28	0.36	0.03	0.16	-	-	-	-
VORTAC SBP	-	0.03	0.00	0.02	0.04	10.21	4.47	0.79	4.93	0.21	-	-	0.05	0.01	0.01	-	-
VULTURE ROCK	32.70	0.00	0.00	0.00	0.00	24.10	1.50	0.40	5.70	1.00	0.00	0.00	0.00	0.00	0.00	0.00	32.70
WADHAMS	17.16	T	T	0.00	T	8.15	4.56	2.53	1.62	0.25	0.05	0.00	T	0.15	T	1.16	18.47
WHALE ROCK DAM	-	0.02	0.05	0.00	-	-	-	-	-	0.14	0.08	-	-	0.14	0.00	-	-
YORK MTN SANTA RITA	26.90	0.00	0.00	0.00	0.00	13.80	7.40	3.00	1.60	0.50	0.40	0.00	0.20	0.10	0.00	0.00	27.00
CARRIZO PLAIN HYDROLOGIC UNIT T11																	
CAVANAUGH RANCH	7.63	0.52	0.00	0.16	0.00	3.06	2.28	0.83	0.78	0.00	0.00	0.00	0.00	0.35	0.00	0.00	7.30
POND RANCH NO 2	8.14	0.00	0.00	0.57	0.00	3.42	2.18	1.00	0.78	0.19	0.00	0.00	0.00	0.12	0.00	0.35	8.04
SIMMLER DIV OF HWYS	6.99	0.17	0.00	0.15	0.00	2.91	2.16	0.64	0.82	0.14	0.00	0.00	0.00	0.00	0.00	0.54	7.21
SODA LAKE	-	0.00	0.00	0.00	0.00	3.10	2.36	-	-	-	-	-	-	-	-	-	-
WREDEN	8.79	0.21	0.00	0.47	0.03	4.09	2.06	0.90	0.92	0.08	0.00	0.00	0.03	0.06	0.00	0.60	8.77

* ESTIMATED   T TRACE   — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SANTA MARIA-CUYAMA HYDROLOGIC UNIT T12																	
CUYAMA	6.36	0.01	0.39	0.30	0.00	1.84	1.82	0.87	1.02	0.11	0.00	0.00	0.00	0.01	0.00	0.29	5.96
SANTA MARIA-CUYAMA HYDROLOGIC UNIT T12																	
NIPOMO 2 NW	14.20	0.00	0.00	0.00	0.03	7.51	3.77	1.47	1.06	0.23	0.11	0.00	0.02	0.10	0.00	-	-
OZENA G S	12.40	0.00	0.00	0.00	0.00	6.57	3.53	1.40	0.85	0.05	0.00	0.00	0.00	0.00	0.00	0.09	12.49
SANTA MARIA WB AP	9.4*	0.01	0.00	0.00	0.01	4.74	2.47	1.05	0.92	0.20	0.03	0.01	0.03	0.16	T	0.16	9.78
SUEY RANCH	10.3*	0.00	0.00	0.00	0.01	4.64	3.22	1.20	0.92	0.27	0.12	0.00	0.00	0.09	0.00	0.35	10.82
TWITCHELL DAM	11.7*	0.00	0.00	0.00	0.00	5.10	3.92	1.22	1.09	0.27	0.13	0.00	0.00	0.07	0.00	0.33	12.13
SAN ANTONIO HYDROLOGIC UNIT T13																	
LOS ALAMOS	12.5*	0.00	0.00	0.00	0.01	5.79	3.43	2.03	0.87	0.28	0.09	0.03	0.02	0.00	0.00	0.09	12.64
SANTA YNEZ HYDROLOGIC UNIT T14																	
CACHUMA DAM	18.4*	0.00	0.00	0.01	T	10.25	4.68	2.48	0.69	0.30	0.06	0.00	T	0.01	0.00	0.10	18.57
GIBRALTAR DAM 2	29.70	0.00	0.00	T	0.00	17.00	9.36	2.24	0.86	0.24	0.00	0.00	0.00	T	0.00	T	29.70
JUNCAL DAM	31.9*	0.00	T	0.06	0.00	18.86	9.62	2.09	1.07	0.10	0.00	0.11	0.00	0.01	0.00	0.02	31.88
LOMPOC AIRPORT	-	-	-	-	-	-	-	1.29	0.83	0.16	0.06	0.00	0.00	-	-	-	-
LOS PRIETOS R S	26.3*	0.00	0.00	0.02	0.00	15.52	7.71	1.88	0.89	0.30	0.00	0.00	0.00	0.02	0.00	0.05	26.37
SALSIPUEDES GAGING S	19.46	0.00	0.00	0.02	0.05	10.66	4.41	2.48	1.30	0.42	0.12	0.00	0.00	0.04	0.01	0.10	19.59
SAN MIGUELITO CYN	-	0.00	0.00	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-
SANTA BARBARA TV PK	20.9*	0.00	0.00	0.20	0.00	15.05	4.72	0.22	0.45	0.00	0.00	0.26	0.00	T	0.00	T	20.7*
SANTA BARBARA HYDROLOGIC UNIT T15																	
PT CONCEPTION	-	0.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
SANTA BARBARA	14.3*	0.00	0.00	0.05	T	8.26	3.53	1.51	0.78	0.06	0.02	0.12	0.01	0.01	T	0.04	14.34
SANTA BARBARA FAA AP	13.4*	0.00	0.00	0.00	T	6.92	3.47	1.98	0.81	0.13	T	0.07	0.11	T	T	0.02	13.51

* ESTIMATED T TRACE — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
VENTURA RIVER HYDROLOGIC UNIT U02																	
BARRET OJAI RANCH	23.44	0.00	0.00	0.55	0.00	13.06	6.27	1.64	1.31	0.01	0.00	0.60	0.00	-	-	-	-
CANADA LARGA	21.98	0.00	0.00	0.23	0.00	13.09	5.75	1.59	1.22	0.01	0.00	0.09	0.00	-	-	-	-
CASITAS DAM	-	-	-	-	-	-	-	-	-	-	-	0.05	0.00	0.00	0.00	0.05	-
CASITAS RANCH	25.77	0.00	0.00	0.59	0.00	14.37	7.04	2.43	1.19	0.12	0.00	0.03	0.00	-	-	-	-
CASITAS RESERVOIR	25.28	0.00	0.00	0.26	0.00	14.19	7.07	2.51	1.11	0.04	0.00	0.10	0.00	0.00	0.00	0.21	25.23
DENNISON RCH	25.58	T	0.00	0.57	0.00	15.27	6.61	1.52	1.28	0.00	0.00	0.33	0.00	-	-	-	-
KINGSTON RES	16.80	0.00	0.00	0.00	0.00	10.25	3.60	1.90	1.05	0.00	0.00	T	0.00	-	-	-	-
MATILIJA RCH	25.63	T	T	0.43	0.00	14.21	7.70	2.00	1.09	0.07	0.00	0.13	T	0.00	0.00	0.10	25.30
MATILIJA FORKS CYN	45.03	0.03	0.03	0.18	0.00	29.43	12.14	2.22	0.85	0.11	0.00	0.04	0.00	0.00	0.00	0.07	44.86
OAKVIEW	24.98*	T	0.00	0.95	0.00	13.59	6.46	2.24	1.36	0.22	0.00	0.16	0.00	0.00	0.00	0.16	24.19
OJAI	23.84	0.02	0.00	0.69	0.00	13.78	5.95	1.56	1.22	0.11	0.00	0.51	0.00	0.00	0.00	0.07	23.20
OJAI COUNTY YARD	15.74	0.00	0.00	0.31	0.00	13.24	0.38	1.53	0.00	0.00	0.00	0.28	0.00	0.00	0.00	-	-
RANCHO MATILIJA EVAP	24.09	0.00	0.00	0.41	0.00	12.79	7.61	2.01	1.10	0.07	0.00	0.10	0.00	0.00	0.00	0.08	23.76
RICE RANCH VEN CO	25.73	T	T	0.71	0.00	14.32	7.60	1.70	1.07	0.05	0.00	0.28	T	0.00	0.00	0.08	25.10
SELBY RANCH STANDARD	24.64	0.00	0.00	0.20	0.00	14.50	6.70	2.16	1.03	0.00	0.00	0.05	0.00	-	-	-	-
SELBY RANCH AUTOMATI	24.51	0.00	0.00	0.29	0.00	14.23	6.92	1.99	0.99	0.03	0.00	0.06	0.00	-	-	-	-
SOPERS RANCH	30.30	0.00	0.03	1.08	0.00	19.25	0.37	8.28	0.97	0.04	0.00	0.28	0.00	-	-	-	-
STEWART CAN DEB POND	22.21	0.00	0.00	0.80	0.00	13.12	5.15	1.46	1.08	0.04	0.00	0.56	0.00	-	-	0.05	-
THACHER SCHOOL	25.09	0.02	T	0.48	T	13.55	7.54	1.66	1.30	0.05	0.00	0.49	T	T	-	-	-
VENTURA	12.3*	0.00	0.00	0.00	0.00	8.02	2.82	0.63	0.84	0.00	0.00	0.00	0.00	-	-	-	-
VENTURA CH	13.07	0.00	0.00	0.08	0.00	8.08	2.16	1.78	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.02	13.01
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																	
ACTON ESCONDIDO CNYN	13.89	0.24	0.64	0.29	0.00	7.47	3.02	0.80	1.23	0.20	0.00	0.00	0.00	0.00	0.00	0.38	13.10
ACTON ALISO CANYON	24.11	0.37	0.47	0.55	0.00	13.62	6.13	0.79	1.76	0.42	0.00	0.00	0.00	0.04	0.00	0.58	23.34
ACTON ALISO CNYN BLU	15.16	0.46	0.10	0.50	0.00	7.70	4.21	0.83	1.11	0.25	0.00	0.00	0.00	0.00	T	0.46	14.56
ACTON CAMP 2	15.15	0.34	0.65	0.47	0.00	7.25	4.41	0.80	1.03	0.20	0.00	0.00	0.00	T	0.00	0.33	14.02
ACTON-COLOMBO RANCH	18.6*	0.3*	0.80	0.00	0.00	10.21	5.10	0.90	1.05	0.25	0.00	0.00	0.00	0.00	0.00	0.41	17.92
ACTON HUBBARD RCH	15.40	0.34	T	0.09	0.00	8.92	3.41	0.85	1.52	0.27	0.00	0.00	0.00	0.00	0.00	0.65	15.62
AMERICAN C SUGAR CO	-	-	-	0.00	0.00	-	2.82	1.50	1.03	0.00	0.00	0.03	0.00	T	0.00	0.03	-
ATMORE MEADOW	29.18	0.23	0.17	0.90	0.00	17.80	7.04	1.10	1.37	0.10	T	0.47	0.00	0.00	0.00	0.2*	28.1*
BALCOM CYN HUMPHREY	17.23	0.00	0.08	0.16	0.00	9.69	4.44	1.71	1.10	0.00	0.00	0.05	0.00	0.00	0.00	0.02	17.01
BARD RESERVOIR	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.08	-
BARDSDALE YOUNG RCH	23.39	0.00	0.14	0.86	0.00	12.30	6.15	1.94	1.85	T	0.00	0.15	0.00	0.00	0.00	0.03	22.42
BLANCHARD INV CO	.23	0.02	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	-	-	-
BORGSTROM	15.82	0.00	0.00	0.14	0.00	8.89	3.70	1.84	1.01	0.00	0.00	0.24	0.00	-	-	-	-
BOUQUET CANYON F124	21.53	0.27	0.25	0.49	0.00	11.82	5.77	0.95	1.73	0.25	0.00	0.00	0.00	0.00	0.00	0.25	20.77
BOUQUET CANYON FC11	19.10	0.20	0.09	0.40	0.00	11.17	4.67	0.80	1.40	0.37	0.00	0.00	0.00	0.00	0.00	0.30	18.71
BUCK CK GUARD STA	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.20	-
CAMARILLO 2 SE	12.31	0.00	0.00	0.07	0.00	6.39	3.29	1.53	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.24
CAMARILLO 4 NNW	13.81	0.00	0.00	0.14	0.00	7.84	3.25	1.60	0.98	0.00	0.00	0.00	0.00	-	-	-	-
CAMULOS RANCH	22.92	0.13	0.20	0.34	0.00	12.64	6.65	1.50	1.42	0.00	0.00	0.04	0.00	0.00	0.00	0.07	22.32
CASTAIC PATROL STA	18.07	0.15	0.20	0.20	0.00	9.75	5.45	0.73	1.41	0.12	0.00	0.06	0.00	0.00	0.00	0.08	17.60
CASTAIC JUNCTION	16.52	0.19	0.37	0.26	0.00	9.02	4.07	0.90	1.42	0.24	0.00	0.05	0.00	0.00	0.00	0.13	15.83
DAVIS RANCH	10.54	0.00	0.00	0.00	0.00	5.82	2.75	1.00	0.97	0.00	0.00	0.00	0.00	-	-	-	-
DOUBLE H N RANCH	21.36	0.00	0.16	0.52	0.00	11.29	6.25	1.64	1.36	0.00	0.00	0.14	0.00	-	-	-	-
DRY CANYON RESERVOIR	16.66	0.07	0.18	0.45	0.00	9.76	3.75	0.78	1.51	0.15	0.00	0.01	0.00	0.00	T	0.28	16.24
ELIZABETH LAKE	-	0.20	0.50	0.70	-	-	-	-	-	-	-	-	-	-	-	-	-
ELIZABETH LAKE 128R	27.70	0.20	0.15	0.80	0.00	16.95	6.70	1.05	1.30	0.10	T	0.45	0.00	0.00	0.00	0.35	26.90
FERNDALE RCH S PAULA	26.01	0.00	0.05	0.32	0.00	14.42	7.80	1.60	1.38	0.00	0.00	0.44	0.00	-	-	0.05	-
FILLMORE 1 WNW	22.96	0.02	0.12	0.73	0.00	12.65	7.41	0.32	1.35	0.00	0.00	0.36	0.00	T	0.01	0.06	22.16
FILLMORE CITRUS ASSN	22.96	0.00	0.10	0.53	0.00	10.23	8.69	1.60	1.35	0.00	0.00	0.46	0.00	-	-	-	-
FILLMORE FISH HATCH	21.60	0.00	0.06	0.80	0.00	11.43	6.13	1.61	1.36	0.00	0.00	0.21	0.00	0.00	0.00	0.05	20.79
GORMAN	13.73	0.65	0.00	0.40	0.00	7.24	2.70	1.18	1.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.68
HALL CANYON RES	14.95	0.01	0.00	0.11	0.00	8.51	3.43	1.79	0.94	0.00	0.00	0.16	0.00	0.00	0.00	0.03	14.86
HASLEY CANYON	22.20	0.15	0.00	0.16	0.00	13.37	5.50	0.96	1.78	0.04	0.00	0.24	0.00	0.00	0.00	0.1*	22.0*
KERR BROTHERS	15.15	0.00	0.00	0.00	0.00	8.75	3.74	1.30	1.18	0.00	0.00	0.18	0.00	-	-	-	-
LIMONEIRA RANCH	16.85	0.04	T	0.27	0.00	9.59	4.31	1.55	1.08	0.01	0.00	0.00	0.00	0.00	0.00	0.07	16.61
LITTLE GLEASON	-	-	-	-	0.00	22.16	9.91	0.75	2.12	0.54	0.00	0.00	0.00	0.00	0.00	0.89	36.37
LOCKWOOD VALLEY	-	-	0.65	0.25	0.03	7.59	3.05	1.05	0.90	0.06	0.00	T	0.00	0.00	0.66	0.25	13.59
LOWER HUNGRY VALLEY	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.18	-
MATILIJA RES	43.41	0.00	0.00	0.25	0.00	26.54	13.52	1.83	0.99	0.06	0.00	0.22	0.00	0.00	-	-	-
MEHER MTN	33.21	0.05	0.00	0.65	0.00	17.67	8.75	4.24	1.46	0.00	0.00	0.39	0.00	-	-	-	-
MINT CANYON-THE OAKS	16.86	0.18	0.08	0.30	0.00	10.70	2.89	0.75	1.69	0.27	0.00	0.00	0.00	0.00	0.00	0.22	16.52
MINT CANYON-DYER	18.7*	T	0.05	0.65	0.00	11.39	4.13	0.88	1.31	0.2*	0.11	0.00	0.00	0.00	T	0.06	18.0*
MOORPARK	16.26	0.04	0.22	0.59	0.00	8.52	4.32	1.27	1.16	0.04	0.00	0.10	0.00	0.00	0.00	0.16	15.57
MOORPARK 3 SE	16.19	0.00	0.00	0.65	0.00	9.04	4.17	1.22	1.03	0.08	0.00	0.00	0.00	0.00	0.00	0.00	15.54
MOORPARK 3 NNW	18.04	0.05	0.08	0.56	0.00	10.18	4.39	1.32	1.30	0.01	0.00	0.15	0.00	0.00	0.00	0.10	17.45
NEWBURY PARK 2 WNW	15.54	0.00	0.07	0.08	0.00	8.25	4.87	1.42	0.85	0.00	0.00	0.00	0.00	0.00	0.00	0.01	15.40
NEWBURY PARK 4 SW	18.45	0.00	0.00	T	0.00	10.43	7.02	0.00	0.97	0.03	0.00	0.00	0.00	T	0.00	T	18.45
NEWBURY PARK ACADEMY	14.64	0.00	0.07	0.10	0.00	7.84	0.78	4.92	0.87	0.03	0.00	0.03	0.00	0.00	-	-	-
NEWHALL RANCH	23.86	0.16	0.00	0.35	0.00	12.41	7.03	1.46	2.32	0.06	0.00	0.07	0.00	0.00	0.00	0.07	23.42
NEWHALL SOLEDAD 32C	25.68	0.22	0.14	0.81	0.00	14.90	6.72	1.21	1.32	0.28	0.00	0.08	0.00	0.00	0.00	0.08	24.59
NEWHALL U S RS	27.60	0.30	0.13	0.62	0.00	16.18	7.21	1.23	1.48	0.22	0.00	0.23	0.00	0.00	0.00	0.10	26.65
OAK FLAT GUARD STA	29.91	0.18	0.20	0.56	0.00	18.84	7.24	1.29	1.30	0.09	0.00	0.21	0.00	0.00	0.00	0.72	29.69
OLIVE VIEW	26.73	0.23	0.09	1.04	T	17.65	4.27	1.18	1.52	0.39	0.00	0.36	0.00	T	T	0.76	26.13
OWENS MOUTH	35.7*	0.19	0.61	1.56	0.00	20.54	8.82	1.13	1.97	0.28	0.00	0.6*	0.00	0.00	0.00	0.24	33.5*
OXNARD	12.40	0.01	0.00	0.05	0.00	7.88	2.70	0.75	0.97	T	0.00	0.04	0.00	-	-	-	-

* ESTIMATED T TRACE – NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																	
OXNARD DIST 5 YARD	13.63	0.00	0.00	0.03	0.00	7.88	2.70	2.10	0.88	0.00	0.00	0.04	0.00	0.00	0.00	0.05	13.65
PIEDRA BLANCA G S	31.42	0.00	0.03	0.36	0.00	19.90	0.43	8.01	2.59	T	0.00	0.10	0.00	0.00	0.00	0.20	31.23
PINE CANYON PAT STN	28.28	0.17	0.54	0.71	0.00	16.38	8.06	1.07	1.13	0.15	0.03	0.04	0.00	T	0.00	0.32	27.18
PINE MOUNTAIN INN	-	0.00	0.04	0.03	0.00	16.87	-	0.00	0.00	0.00	0.00	0.00	0.00	-	-	-	-
PINE TREE RANCH	-	-	-	-	0.00	12.05	5.92	1.61	1.16	0.00	0.00	0.25	0.00	0.00	0.00	0.06	21.05
PIRU 2 ESE HDQTRS	22.92	0.13	0.20	0.33	0.00	12.70	6.48	1.54	1.48	0.00	0.00	0.06	0.00	T	0.00	0.16	22.42
PIRU CANYON	25.43	0.17	0.27	0.20	0.00	15.86	6.27	1.37	1.22	0.03	0.00	0.04	0.00	0.00	0.00	0.08	24.87
PIRU CITRUS ASSN	-	0.10	0.08	0.50	0.00	12.10	6.49	1.63	-	-	-	-	-	-	-	-	-
PLACERITA CANYON	26.75	0.15	0.06	0.64	0.00	17.89	4.85	1.73	1.18	0.25	0.00	0.00	0.00	0.00	0.01	0.17	26.08
PORT HUENEME	12.46	0.00	T	0.02	0.00	7.55	2.93	1.16	0.78	0.00	0.00	0.02	0.00	0.00	0.00	0.00	12.44
POTRERO CANYON	19.71	0.20	0.00	0.19	0.00	11.16	5.56	1.11	1.32	0.17	0.00	0.00	0.00	0.00	0.00	0.14	19.46
RANCHO SESPE	23.27	0.01	0.18	0.36	0.00	12.66	6.86	1.76	1.28	T	0.00	0.16	0.00	-	-	-	-
REYNOLDS RANCH	13.22	0.26	1.36	0.15	0.00	7.94	2.55	0.96	0.00	0.00	0.00	0.00	0.00	-	-	-	-
RICHFIELD OIL	29.90	0.03	0.04	0.46	0.00	17.75	8.17	1.67	1.34	0.02	0.00	0.42	0.00	0.00	0.00	0.21	29.58
RIDGE ROUTE MAINT ST	25.66	0.10	0.25	0.20	0.00	17.86	4.58	1.62	1.05	0.00	0.00	0.00	0.00	0.00	0.00	0.25	25.36
SALT CANYON	29.13	0.00	0.26	0.79	0.00	17.51	6.90	1.04	1.81	0.24	0.00	0.58	0.00	0.00	0.00	0.17	28.25
SAND CYN PLCRITA CYN	27.42	0.00	0.05	1.88	0.00	19.73	2.90	1.10	1.46	0.30	0.00	0.00	0.00	0.00	T	0.17	25.66
SANDBERG PATROL STN	19.79	0.42	0.27	0.54	T	12.44	3.41	1.16	1.41	0.12	T	0.02	0.00	0.01	T	0.22	18.79
SANDBERG WB	17.36	0.49	0.27	0.48	0.00	9.80	3.90	0.68	1.67	0.07	0.00	T	0.00	T	T	0.03	16.15
SAN FRANCISQUITO 2	22.37	0.12	0.19	0.50	0.00	12.91	5.91	0.83	1.68	0.19	0.00	0.04	0.00	0.00	0.00	0.30	21.86
SANTA FELICIA RES	25.74	0.15	0.27	0.37	0.00	15.76	6.08	1.33	1.66	0.06	0.00	0.06	0.00	-	-	-	-
SANTA PAULA	18.31	T	0.08	0.18	0.00	10.37	5.68	0.57	1.43	0.00	0.00	0.00	0.00	0.00	0.00	0.10	18.15
SANTA PAULA CO AGRI	19.15	0.03	0.00	0.23	0.00	9.77	6.49	1.49	1.12	0.00	0.00	0.02	0.00	-	-	-	-
SANTA PAULA BARRANCA	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.08	-
SANTA SUSANA DEVIL C	30.20	0.00	0.30	0.90	0.00	17.93	7.06	1.06	1.85	0.25	0.00	0.85	0.00	0.00	0.00	0.24	29.24
SATICOY-CULBERTSON	-	0.00	0.00	0.00	0.00	9.50	2.76	1.08	-	-	-	-	-	-	-	-	-
SATICOY-DEL MAR	16.70	0.01	0.00	0.17	0.00	9.75	3.86	1.73	1.05	0.02	0.00	0.11	0.00	0.00	0.00	0.07	16.59
SATICOY FIRE STATION	14.93	0.00	0.00	0.11	0.00	8.88	3.36	1.65	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.82
SAUGUS POWER PLANT 1	22.97	0.29	0.15	0.57	0.00	12.20	6.88	0.99	1.59	0.18	T	0.12	0.00	0.00	0.00	0.59	22.55
SAUGUS EDISON STA	17.57	0.27	0.11	0.24	0.00	10.10	4.48	0.86	1.27	0.24	0.00	0.00	0.00	0.00	0.00	0.19	17.14
SAUGUS-NEWHALL	20.0*	0.20	0.00	0.35	0.00	11.80	5.3*	0.8*	1.18	0.24	0.00	0.00	0.00	0.00	0.00	0.18	19.6*
SCHAFFER RCH FRAZ PR	16.56	0.42	3.90	0.00	0.00	6.46	4.01	0.94	0.83	0.00	0.00	0.00	0.00	-	-	-	-
SIMI 3 E	17.30	0.00	0.42	0.27	0.00	9.83	4.45	1.19	0.99	0.15	0.00	0.00	0.00	-	-	0.15	-
SOLEDAD CYN-ECKLES	16.4*	0.18	0.05	0.14	0.00	8.87	5.0*	0.78	1.19	0.17	0.00	0.00	0.00	0.03	0.00	0.29	16.3*
SULEDAD PASS	12.36	0.51	0.12	0.33	0.00	5.61	3.60	0.63	1.20	0.36	0.00	0.00	0.00	T	0.00	0.61	12.01
SOLEDAD CYN-BERMITE	22.8*	0.06	0.05	0.52	0.00	12.50	7.16	0.91	1.42	0.2*	0.00	0.00	0.00	0.00	0.00	0.12	22.3*
SOLEDAD CYN HONBY	-	-	-	-	-	-	-	-	1.28	0.20	0.00	0.00	0.00	0.00	0.00	0.10	-
SOMIS 2 NNW BARD RCH	15.25	0.00	0.00	0.22	0.00	8.72	3.91	1.35	1.05	0.00	0.00	0.00	0.00	0.00	0.00	0.02	15.05
SOMIS SNYDER RCH	15.18	0.00	0.00	0.00	0.00	8.39	4.14	1.57	1.08	0.00	0.00	0.00	0.00	-	-	-	-
SOMIS	14.22	0.03	0.11	0.00	0.00	8.10	3.44	1.43	1.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.08
SOMIS 3 NW	15.15	0.00	0.00	0.12	0.00	8.72	3.91	1.35	1.05	0.00	0.00	0.00	0.00	0.00	0.00	0.08	15.11
SOMIS 5 WNW	15.15	0.00	0.00	0.05	0.00	8.90	3.48	1.66	1.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.10
SOMIS AGGEN RCH	15.23	0.00	0.00	0.00	0.00	8.88	3.46	1.70	1.19	0.00	0.00	0.00	0.00	0.00	0.00	0.09	15.32
SPRING CYN	13.32	0.11	0.05	0.59	0.00	7.79	2.64	0.67	1.29	0.18	0.00	0.00	0.00	0.00	0.00	0.25	12.82
SUSANA KNOLLS	25.26	0.00	0.09	0.81	0.00	14.88	7.62	0.27	1.17	0.09	0.00	0.33	0.00	0.00	0.00	0.12	24.48
TAPO CITRUS ASSN	17.79	0.00	0.00	0.22	0.00	9.74	5.18	1.26	1.16	0.23	0.00	0.00	0.00	-	-	-	-
TAPO WATER CO	19.74	0.00	0.00	0.00	0.00	10.31	6.53	1.25	1.27	0.38	0.00	0.00	0.00	-	-	-	-
THOOSAND OAKS FC 718	23.0*	0.00	0.02	0.39	0.00	12.5*	7.5*	1.5*	0.91	0.06	0.01	0.01	0.00	T	0.00	0.05	22.7*
TUJUNGA-MILL CR SUM	25.9*	0.40	0.89	0.52	0.00	14.11	6.91	0.85	2.00	0.27	0.00	0.00	0.00	T	0.00	0.90	25.0*
TUJUNGA MILL CREEK	24.58	0.19	0.44	0.33	0.00	13.41	6.98	0.72	1.92	0.56	0.00	0.03	0.00	0.00	0.00	0.87	24.49
VENTURA CO F S	17.58	T	0.44	0.47	0.00	9.67	4.61	1.21	0.98	0.16	0.04	0.00	0.00	-	-	-	-
VINCENT FIRE STN	11.38	0.41	0.37	0.22	0.00	5.25	2.90	0.66	1.25	0.32	0.00	0.00	0.00	0.00	0.00	0.41	10.79
MALIBU HYDROLOGIC UNIT U04																	
COLD CREEK	30.78	0.00	0.40	0.05	0.00	16.26	9.42	2.48	1.20	0.02	0.00	0.95	T	0.07	T	0.16	30.56
ESCONDIDO CANYON G S	21.1*	0.00	0.19	0.10	0.00	11.59	6.09	1.61	1.57	0.00	0.00	0.04	0.00	0.00	0.00	0.21	21.1*
GARAPITO CREEK	26.81	0.00	0.10	0.20	0.00	15.66	7.97	1.35	1.20	0.13	0.00	0.20	0.00	0.00	0.00	0.08	26.59
GARRAPATA CYN	29.43	0.00	0.19	0.20	0.00	17.67	8.36	1.44	1.33	0.13	0.00	0.11	0.00	T	0.00	0.10	29.14
LAKE SHERWOOD	26.56	0.00	0.16	0.17	0.00	14.02	9.08	1.95	0.96	0.08	0.05	0.09	0.00	0.00	0.00	0.06	26.29
LAS FLORES CANYON	15.63	T	0.24	0.20	0.00	8.39	4.37	1.24	1.00	0.07	0.00	0.12	0.00	T	0.00	0.07	15.26
LATIGO CANYON BEACH	36.84	0.04	0.07	0.14	0.00	19.98	12.50	2.26	1.52	0.06	0.00	0.27	0.00	0.02	0.01	0.09	36.71
LECHUZA PATROL STN	29.27	0.00	0.05	0.11	0.00	16.98	7.96	2.11	1.61	0.09	0.00	0.36	0.00	0.00	0.00	0.11	29.22
MALIBU-DIV HDQTS	26.59	0.00	0.36	0.11	0.00	15.03	8.51	1.71	0.81	0.06	0.00	0.00	0.00	0.00	0.00	0.05	26.17
MALIBU BCH-DUNNE	16.21	0.00	0.35	0.22	0.00	9.31	3.70	1.32	1.18	0.03	0.00	0.10	0.00	0.00	0.00	0.04	15.68
MONTE NIDO	27.80	0.00	0.91	0.11	0.00	15.44	7.71	1.75	1.72	0.05	0.00	0.11	0.00	0.10	0.00	0.17	27.05
NICHOLAS CYN	16.13	0.00	0.00	0.06	0.00	9.72	3.32	1.77	1.14	0.05	0.00	0.07	0.00	0.00	0.00	0.08	16.15
OLD TOPANGA	37.75	0.00	0.27	0.13	0.00	22.56	11.74	1.32	1.45	0.12	0.00	0.16	0.00	0.10	0.00	0.25	37.70
PALO COMADO CYN	24.19	0.00	0.50	0.28	0.00	13.65	7.47	1.28	0.88	0.13	0.00	0.00	0.00	0.08	0.00	0.04	23.53
RATTLESNAKE CANYON	26.1*	0.00	0.00	0.00	0.00	15.11	8.15	1.91	0.61	0.05	0.00	0.3*	0.00	0.00	0.00	1.72	27.9*
SEMINOLE HOT SPGS	-	-	-	-	0.00	18.40	12.46	2.00	1.07	0.05	0.00	0.71	0.00	0.02	0.00	0.1*	34.8*
THOUSAND OAKS WTR PL	21.55	0.00	0.02	0.37	0.00	11.39	8.48	0.30	0.91	0.06	0.01	0.01	0.00	-	-	-	-
TOPANGA PAT S FC 6B	31.4*	0.10	0.00	0.33	0.00	18.62	8.71	1.50	1.88	0.1*	0.00	0.22	0.00	0.10	0.00	0.14	31.2*
TRANCAS BEACH	16.7*	0.00	0.33	0.00	0.00	8.98	4.6*	1.36	1.1*	0.03	0.00	0.27	0.00	0.00	0.00	0.00	16.4*
TRIUNTO CANYON	32.18	0.00	0.12	0.14	0.00	17.20	11.51	1.86	0.94	0.07	0.00	0.34	0.00	0.00	0.00	0.13	32.05
ZUMA CYN-OAKLEY	36.75	0.05	0.04	0.16	0.00	19.89	12.20	2.52	1.54	0.04	0.00	0.31	T	0.05	0.01	0.13	36.69

* ESTIMATED   T TRACE   — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
MALIBU HYDROLOGIC UNIT U04																	
ZUMA CYN PS	16.00	0.00	0.06	0.12	0.00	9.14	3.85	1.46	1.19	0.05	0.00	0.13	0.00	0.05	0.00	0.05	15.92
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
ALCAZAR FLOOD CONTRO	21.10	0.00	0.30	1.40	0.00	10.42	6.02	0.92	1.40	0.44	0.00	0.20	0.00	0.00	T	0.25	19.65
ALDER CRK PARADISE	25.75	0.15	0.06	1.40	0.00	15.74	5.25	0.89	1.75	0.42	0.00	0.09	0.00	T	0.00	0.66	24.80
ALHAMBRA-CITY HALL	23.97	0.01	0.07	1.36	0.00	12.43	6.73	1.15	1.39	0.66	0.00	0.17	0.00	0.00	0.00	0.62	23.15
ALTADENA	31.47	0.05	0.06	1.87	0.00	17.65	8.04	0.85	1.81	0.67	0.04	0.43	0.00	0.04	0.00	0.49	30.02
ALTADENA GOLF	33.36	0.07	0.17	2.17	0.00	18.46	8.39	0.96	1.80	0.70	0.05	0.59	0.00	0.00	0.00	0.56	31.51
ANGELES CREST G S	38.38	0.05	0.29	2.09	0.00	22.67	8.68	1.10	2.10	0.83	0.00	0.57	0.00	0.00	0.00	0.83	36.78
ANGELES CREST HWY	38.42	0.00	0.23	2.10	0.00	23.40	8.14	1.10	1.98	0.82	0.00	0.65	0.00	0.00	0.00	0.74	36.83
ARCADIA ARBORETUM	25.95	0.07	0.30	1.16	0.00	14.39	6.78	0.74	1.52	0.81	T	0.18	0.00	T	0.00	0.46	24.88
ARCADIA PP 1	27.40	0.26	0.20	1.76	0.00	15.07	6.58	1.01	1.60	0.61	0.00	0.31	0.00	T	0.00	0.53	25.71
ARROYO SECO R S	33.53	0.10	0.19	1.92	0.00	19.15	8.17	0.90	1.77	0.74	0.03	0.56	0.00	0.00	0.00	1.13	32.45
ARTESIA	13.99	0.00	0.18	0.19	0.00	6.48	4.08	1.29	1.13	0.56	0.00	0.08	0.00	0.00	0.00	0.02	13.64
ASCOT COVERED RES	-	-	-	-	0.00	10.53	6.29	0.96	1.31	0.57	0.00	0.26	T	T	0.00	0.30	20.22
ASSOC OIL ANAHEIM 1	-	0.06	0.08	0.71	0.00	7.55	3.57	0.00	1.33	0.00	T	0.00	-	-	-	-	-
AZUSA CITY PARK	22.99	0.42	0.10	0.93	0.00	12.52	5.29	0.83	1.79	0.92	0.00	0.19	0.00	0.00	0.00	0.24	21.78
AZUSA FOOTHILL RCH	22.39	0.39	0.02	0.88	0.00	12.21	5.09	0.83	1.99	0.79	0.00	0.19	0.00	0.00	0.00	0.12	21.22
AZUSA GRFTH VLY W CO	19.30	0.33	0.00	0.73	0.00	9.61	4.80	1.01	1.77	0.89	0.03	0.13	0.00	0.00	0.00	0.10	18.34
AZUSA PLT-GIC	24.63	0.42	0.13	0.80	0.00	13.77	5.87	0.88	1.77	0.75	T	0.24	T	0.00	0.00	0.12	23.40
BAILEY DEBRIS DAM	35.27	0.20	0.16	2.74	0.00	19.63	8.26	1.14	1.85	0.57	0.03	0.69	0.00	0.00	0.00	0.63	32.80
BALDWIN HILLS	15.4*	0.00	0.00	0.10	0.00	8.34	3.31	1.37	1.5*	0.2*	T	0.56	0.00	0.00	0.00	0.26	15.6*
BALDWIN HILLS RES	15.2*	0.00	0.00	0.10	0.00	8.3*	3.7*	0.95	1.59	0.31	0.00	0.25	0.00	0.00	0.00	0.3*	15.5*
BALDWIN PARK	21.12	0.11	0.00	1.34	0.00	10.57	5.23	1.48	1.31	0.92	T	0.16	0.00	0.00	0.00	0.12	19.79
BARLEY FLAT	44.69	0.65	0.29	0.84	0.00	26.44	10.67	2.00	3.07	0.66	T	0.07	0.00	T	0.00	1.11	44.02
BARLOW SANITARIUM	19.09	0.00	0.00	1.10	0.00	10.07	5.02	0.82	1.32	0.53	0.00	0.23	0.00	0.00	0.00	0.66	18.65
BARNESON PARK	-	0.00	0.00	0.00	-	-	-	-	-	0.35	T	-	-	-	-	-	-
BEAR CR CRYSTAL LAKE	50.05	0.06	0.40	1.21	0.00	26.33	11.45	2.22	6.06	1.48	0.08	0.76	0.00	0.00	0.00	1.37	49.75
BEL AIR FC 1 B	21.98	0.00	0.14	0.29	0.00	11.94	5.66	1.32	1.72	0.25	0.00	0.66	0.00	0.00	0.00	0.14	21.69
BELL FIRE STA	19.80	T	0.05	0.33	0.00	9.11	7.06	1.34	1.37	0.47	0.03	0.04	0.00	0.00	0.00	0.18	19.60
BEVERLY HILLS	19.65	0.09	0.04	0.24	0.00	10.40	5.10	1.06	1.96	0.28	0.00	0.48	0.00	T	0.00	0.20	19.48
BIG DALTON DAM	28.54	0.15	0.00	0.97	0.00	15.58	6.28	1.24	3.21	0.75	0.07	0.29	0.00	0.00	0.00	0.24	27.66
BIG DALTON-MONROE	29.48	0.11	0.00	0.69	0.00	16.50	6.73	0.96	3.37	0.78	0.07	0.27	0.00	0.00	0.00	0.15	28.83
BIG SANTA ANITA DAM	35.14	0.45	0.16	2.90	0.00	18.87	7.50	1.13	2.49	0.82	0.09	0.73	0.00	0.00	0.00	0.74	32.37
BIG SANTA ANITA R S	42.62	0.53	0.43	2.73	0.00	23.97	9.34	1.21	2.76	0.78	0.16	0.71	0.00	0.00	0.00	0.57	39.50
BIG TUJUNGA DAM	39.81	0.23	0.15	0.81	0.00	24.86	10.42	0.85	1.84	0.60	0.00	0.05	0.00	0.00	0.00	0.67	39.29
BIRMINGHAM HOSPITAL	21.1*	T	0.20	0.2*	0.00	11.74	6.52	1.13	0.92	0.25	0.00	0.23	0.00	0.10	0.00	0.13	21.02
BLUE RIDGE CAMP	-	0.43	2.41	0.52	-	-	-	-	-	-	-	-	-	-	-	-	-
BOBCAT CANYON	36.05	0.51	0.23	1.51	0.00	20.93	9.61	0.58	1.77	0.75	0.00	0.16	0.00	0.00	0.00	0.40	34.20
BRADBURG DEBRIS BASI	28.12	1.41	0.00	1.65	0.00	14.61	6.61	1.11	1.49	0.81	0.05	0.38	0.00	0.00	0.00	0.70	25.76
BRAND DEBRIS BASIN	-	-	-	-	-	-	-	-	-	-	0.00	0.21	0.00	0.00	0.00	0.42	-
BRAND PARK	24.89	0.00	0.05	1.75	0.00	13.50	6.48	1.09	0.90	0.69	0.00	0.43	0.00	0.00	0.00	0.50	23.59
BREA CITY	15.15	0.04	0.11	0.62	0.00	7.53	4.00	1.02	1.45	0.36	0.02	T	0.00	0.00	0.00	0.10	14.48
BREA UNION OIL	14.39	0.04	0.06	1.05	0.00	6.95	3.69	0.94	1.28	0.35	0.01	0.02	0.00	0.00	0.00	0.10	13.34
BRIGDEN RES NO 1	30.18	0.06	0.17	1.88	0.00	16.99	7.51	0.89	1.63	0.61	0.04	0.40	0.00	0.00	0.00	0.43	28.50
BRIGGS TERRACE	39.27	0.12	0.18	2.93	0.00	22.03	9.45	0.95	1.90	0.84	T	0.87	0.00	0.00	0.01	0.90	36.95
BUCKHORN FLAT	46.92	T	T	1.28	0.00	30.92	9.95	0.74	3.28	0.75	0.00	0.00	0.00	0.05	0.27	0.6*	46.5*
BUENA PARK	12.89	0.00	0.10	0.34	0.00	6.45	3.50	0.90	1.30	0.30	0.00	0.00	T	0.00	0.00	T	12.45
BURBANK FIRE DEPT	22.75	0.01	0.10	2.03	0.00	11.59	6.40	0.95	0.92	0.60	0.00	0.15	0.00	0.00	T	0.33	20.94
BURBANK VLY PMP PLT	21.12	0.04	0.04	0.75	T	10.63	6.84	1.32	0.93	0.42	0.01	0.14	T	0.00	0.00	0.4*	20.7*
CALABASAS	25.08	0.00	0.34	0.25	0.00	13.91	7.32	1.62	1.43	0.15	0.00	0.06	0.00	0.00	0.00	0.15	24.64
CAMP JOSEPHO	29.05	0.03	0.17	0.22	0.00	16.53	8.01	1.41	2.21	0.19	0.00	0.28	0.00	0.05	0.00	0.28	28.96
CAMP RINCON	45.70	0.10	T	0.20	0.00	27.06	14.01	0.78	2.61	0.71	0.03	0.20	0.00	T	0.00	0.27	45.67
CAMP VALCREST	41.4*	0.86	0.43	1.00	0.00	25.7*	8.79	0.91	2.87	0.82	0.00	0.08	0.00	0.04	0.00	0.38	39.6*
CANOGA PARK PIERCE C	22.12	0.00	0.19	0.18	0.00	12.60	6.14	1.24	1.36	0.21	0.00	0.20	0.00	0.01	0.00	0.28	22.04
CEDAR SPRINGS	41.53	0.05	0.30	1.06	0.00	25.64	10.52	0.72	2.48	0.76	0.00	0.00	0.00	0.17	0.00	0.55	40.84
CHATSWORTH F C 24 D	21.85	0.00	0.32	0.56	0.00	13.15	4.67	1.20	1.46	0.20	0.00	0.29	0.00	T	0.00	0.10	21.07
CHATSWORTH RESERVOIR	19.16	0.00	0.21	0.36	0.00	10.98	4.66	1.10	1.33	0.21	0.00	0.31	0.00	T	0.00	0.14	18.73
CHATSWORTH PAT STA	24.10	0.00	0.42	0.44	0.00	14.42	5.40	1.34	1.44	0.26	0.00	0.38	0.00	0.00	0.00	0.22	23.46
CHILAO RANGER STA	32.5*	0.61	0.27	0.98	0.00	19.08	8.18	0.85	1.93	0.69	0.00	0.00	0.00	0.00	0.00	0.49	31.2*
CLAREMONT INDIAN HIL	19.5*	0.11	0.00	0.72	0.00	10.70	4.41	0.71	2.0*	0.68	0.00	0.2*	0.00	0.00	0.00	0.06	18.8*
CLAREMONT SLAUGHTER	19.18	0.13	0.00	0.56	0.00	10.76	4.13	0.87	2.00	0.45	0.13	0.15	0.00	0.00	0.00	0.06	18.55
CLEAR CREEK SCHOOL	46.5*	0.21	0.19	1.77	0.00	27.0*	13.6*	0.81	2.33	0.58	0.00	0.01	0.00	0.00	0.01	0.1*	44.4*
CLEAR CREEK R S	41.6*	0.20	0.10	1.06	0.00	26.71	11.11	0.80	1.13	0.5*	0.00	0.00	0.00	0.00	0.00	0.13	40.4*
COGSWELL DAM	47.27	0.52	0.28	0.85	0.00	29.32	12.27	0.95	2.28	0.67	0.02	0.11	0.00	T	0.00	0.49	46.11
COLBYS FC 53D	39.52	0.49	0.34	0.78	0.00	24.47	10.02	0.77	2.13	0.51	T	0.01	0.00	0.00	0.00	1.06	38.97
COLDWATER CANYON	38.66	0.16	T	1.16	0.00	21.71	10.22	0.96	2.84	0.91	0.14	0.56	T	T	0.00	0.31	37.65
COMPTON FIRE STA	17.07	T	0.09	0.13	0.00	8.82	5.07	0.98	1.26	0.59	T	0.13	0.00	0.00	0.00	0.22	17.07
COOKS CANYON	31.9*	0.00	0.39	2.33	0.00	17.78	7.92	0.92	1.54	0.52	0.00	0.5*	0.00	0.00	0.00	0.46	29.6*
COOKS DEBRIS BASIN	26.76	0.03	0.02	2.56	0.00	14.22	6.30	0.91	1.42	0.53	0.00	0.77	0.00	0.00	0.00	0.53	24.68
COON CANYON 2	33.44	0.00	0.15	2.13	0.00	19.59	7.80	0.71	1.84	0.65	0.00	0.57	0.00	0.00	0.00	1.12	32.28
COON CANYON 5	30.24	0.00	0.24	2.06	0.00	17.81	6.39	0.62	1.80	0.72	0.00	0.60	0.00	0.00	0.00	1.08	29.02
COON CANYON 6	29.4*	0.00	0.18	1.42	0.00	18.10	6.4*	0.93	1.30	0.70	0.00	0.36	0.00	0.00	0.00	1.04	28.8*
COVINA GRIFFITH	18.8*	0.49	0.00	1.39	0.00	9.17	4.69	1.18	1.4*	0.34	0.00	0.09	0.00	0.00	0.00	0.03	16.9*
COVINA SEWAGE PLANT	19.12	0.43	0.00	0.66	0.00	9.74	4.57	1.16	1.57	0.88	0.01	0.10	0.00	0.00	0.00	0.09	18.12
COVINA TEMPLE FC 193	19.13	0.52	T	0.83	0.00	9.49	4.77	1.47	1.52	0.44	T	0.09	0.00	T	0.00	0.06	17.84
CRYSTAL LAKE FC 283C	58.87	0.06	0.41	1.73	0.00	35.50	15.44	1.19	3.12	0.92	0.05	0.45	0.00	0.00	0.00	0.79	57.46
CULVER CITY	15.9*	0.01	0.06	0.06	0.00	8.52	4.22	1.02	1.4*	0.26	0.00	0.32	0.00	0.02	0.00	0.09	15.9*

* ESTIMATED T TRACE — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE30	1965						1966									TOTAL OCT. 1 THROUGH SEPT.30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
DAWN MINE	44.08	0.00	0.19	2.36	0.00	27.21	9.97	0.92	2.05	0.65	0.00	0.73	0.00	0.00	0.00	1.39	42.92
DEER DEBRIS BASIN	29.08	0.04	0.14	1.74	0.00	16.94	6.90	0.98	1.28	0.73	0.00	0.33	0.00	0.00	0.00	0.63	27.79
DEPR W P E VALLEY	20.29	0.02	0.01	0.83	0.00	10.94	5.55	1.42	0.93	0.35	0.00	0.24	0.00	T	0.00	0.52	19.95
DESCANSO GARDENS	30.82	0.09	0.18	2.15	0.00	17.74	7.30	0.92	1.36	0.68	0.01	0.39	0.00	0.00	0.00	0.62	29.02
DESOTO RESERVOIR	21.84	0.02	0.39	0.30	0.00	13.58	4.31	1.21	1.52	0.22	0.00	0.29	0.00	T	0.00	0.19	21.32
DEVILS GATE DAM	30.54	0.10	0.17	1.68	0.00	17.47	7.74	0.80	1.67	0.58	T	0.33	0.00	T	T	1.12	29.71
DOMINGUEZ WATER CO	14.8*	0.00	0.00	0.10	0.00	7.48	4.06	1.46	1.05	0.59	0.00	0.1*	0.00	0.00	0.00	0.00	14.7*
DOWNEY FIRE DEPT	17.46	T	0.24	0.27	0.00	9.09	4.93	0.90	1.15	0.78	0.05	0.05	0.00	T	0.00	0.07	17.02
DUARTE	24.85	0.86	0.00	1.08	0.00	13.14	6.46	0.92	1.59	0.60	0.00	0.20	T	0.00	0.00	0.18	23.09
DUNSMORE CANYON-UPPE	38.6*	0.00	0.15	2.98	0.00	20.57	11.14	0.78	1.93	0.59	0.00	0.5*	0.00	0.00	0.00	0.68	36.1*
DUNSMUIR DEBRIS BAS	35.14	0.10	0.06	2.53	0.00	19.98	8.29	1.10	1.61	0.68	T	0.79	0.00	0.00	0.00	0.58	33.03
EAGLE DEBRIS BASIN	33.89	0.05	0.08	2.16	0.00	19.48	8.61	0.81	1.51	0.58	0.00	0.61	0.00	0.00	0.00	0.54	32.14
EAGLE ROCK SCEC	26.54	0.01	0.09	1.45	0.00	14.33	7.62	0.87	1.36	0.60	0.00	0.21	0.00	0.00	0.00	0.88	25.87
EAGLE ROCK RES	24.93	0.08	0.12	1.35	0.00	13.57	6.73	0.94	1.32	0.62	T	0.20	0.00	T	0.00	0.88	24.26
EATON WASH DAM	30.42	0.06	0.18	1.88	0.00	16.59	7.28	0.84	1.53	0.66	0.03	1.37	0.00	0.00	0.00	0.47	28.77
ECHO PARK-LA	20.70	0.00	0.00	1.10	0.00	11.08	5.37	0.98	1.35	0.52	0.00	0.30	0.00	0.00	0.00	0.66	20.26
EL CABALLERO CON CLU	25.68	0.00	0.35	0.14	0.00	15.29	6.82	1.45	1.16	0.20	0.00	0.27	0.00	0.05	0.00	0.04	25.28
ELDER RANCH	24.31	0.12	0.00	0.79	0.00	13.16	5.91	1.05	2.14	0.80	0.08	0.26	0.00	0.00	0.00	0.07	23.47
EL MONTE FIRE STA	20.1*	0.03	0.40	0.67	0.00	11.10	4.1*	1.17	1.37	1.10	0.00	0.19	0.00	T	0.00	0.58	19.6*
EL PRIETO CANYON	35.06	0.00	0.12	2.37	0.00	20.73	7.89	0.75	1.79	0.84	0.00	0.57	0.00	0.00	0.00	1.33	33.90
EL SEGUNDO	13.36	T	0.16	0.02	0.00	6.91	2.98	1.11	1.43	0.57	0.00	0.18	0.00	0.00	0.00	0.33	13.51
ELYSIAN PARK FS	16.60	0.00	0.00	1.10	0.00	9.14	4.04	0.70	0.95	0.37	0.00	0.30	0.00	0.00	0.00	0.61	16.11
ENCINO RESERVOIR	28.84	0.00	0.54	0.16	0.00	16.00	8.99	1.41	1.22	0.22	0.00	0.30	0.00	0.07	0.00	0.14	28.35
EVERETT RANCH	18.57	0.00	0.00	0.68	0.00	10.31	5.16	1.28	1.04	0.10	0.00	0.00	0.00	-	-	-	-
FAIR OAKS DEB POND	34.79	0.07	0.10	2.12	0.00	19.95	8.39	0.92	1.94	0.66	0.04	0.60	0.00	0.00	0.00	1.06	33.56
FALLING SPRINGS	53.69	0.10	0.09	1.88	0.00	30.14	15.60	0.97	3.17	1.01	0.10	0.63	0.00	T	0.00	0.51	52.13
FERN CANYON	-	0.20	0.00	1.51	0.00	-	12.88	1.11	3.20	1.44	0.16	0.44	0.00	0.00	0.00	0.19	-
FISH CANYON	-	0.82	0.06	1.73	-	-	-	-	-	-	-	-	-	-	-	-	-
FLINTRIDGE F S	28.18	0.05	0.16	1.50	0.00	15.93	7.46	0.80	1.24	0.63	0.00	0.41	0.00	0.00	0.00	0.78	27.25
FULLERTON ARROUES RN	-	0.03	0.00	1.08	-	-	-	-	-	-	-	-	-	-	-	-	-
FULLERTON HILLCRST R	15.06	0.03	0.00	1.07	0.00	7.60	3.55	0.91	1.37	0.49	0.02	0.02	0.00	0.00	0.00	0.11	14.07
FULLERTON KNOWLTON	14.26	0.00	0.00	0.60	0.00	7.77	3.21	0.89	1.49	0.28	T	0.02	0.00	T	0.00	0.11	13.77
FULLERTON PUMP PLANT	13.64	0.02	0.00	0.40	0.00	7.33	3.43	0.89	1.34	0.18	T	0.05	0.00	0.00	0.00	0.00	13.22
FULLERTON A P	13.36	0.01	0.00	0.27	0.00	6.78	3.73	0.99	1.29	0.29	0.00	T	0.00	0.00	0.00	0.02	13.10
FULLERTON OCFCD YARD	13.77	0.00	0.00	0.62	0.00	7.36	3.16	1.00	1.37	0.24	0.00	0.02	0.00	0.00	0.00	0.06	13.21
GIRARD BRANT RANCH	20.3*	0.00	0.05	0.18	0.00	11.84	5.14	1.30	1.51	0.2*	0.00	0.10	0.00	0.00	0.00	0.20	20.3*
GIRARD RESERVOIR	27.23	0.00	0.15	0.22	0.00	15.27	8.65	1.47	1.29	0.10	0.00	0.08	0.00	0.01	0.00	0.17	27.04
GLENDALE STAPENHORST	24.89	0.01	0.12	1.60	0.00	13.65	6.43	1.02	1.20	0.58	0.00	0.28	0.00	T	T	0.49	23.65
GLENDALE-JONES	24.99	0.00	0.07	2.88	0.00	13.58	5.67	0.90	1.13	0.54	T	0.22	0.00	0.00	T	0.40	22.44
GLENDALE-MCINTYRE	25.39	0.01	0.09	1.95	0.00	13.71	6.81	0.85	1.19	0.55	0.00	0.23	0.00	0.00	0.00	0.44	23.78
GLENDORA WEST FC 185	22.09	0.30	T	0.97	T	11.36	5.49	0.85	2.04	0.76	0.04	0.28	T	T	0.00	0.15	20.97
GLENDORA-BROWN	23.52	0.32	T	1.24	0.00	12.57	5.11	0.79	2.19	0.97	0.04	0.29	0.00	0.00	0.00	0.16	22.12
GLENDORA-ENGLEWLD RC	24.3*	0.13	0.03	1.22	0.00	12.9*	5.83	0.83	2.21	0.83	0.02	0.30	0.02	0.00	0.00	0.22	23.2*
GLENDORA-MCICO	21.20	0.00	0.00	0.88	0.00	11.04	5.22	0.81	2.09	0.78	0.20	0.18	0.00	0.00	0.00	0.12	20.44
GLENDORA-WARREN	22.0*	0.19	T	1.20	0.00	11.78	5.41	0.90	1.79	0.5*	0.00	0.2*	0.00	0.00	0.00	0.1*	20.7*
GRANADA PUMP PLT	22.47	0.03	0.15	0.51	0.00	13.93	4.18	1.23	1.74	0.28	0.00	0.42	0.00	0.03	0.00	0.34	22.15
GRIFFITH PK NURSERY	22.69	0.00	0.02	0.80	0.00	13.38	5.46	1.00	1.30	0.49	0.00	0.24	0.00	0.00	0.00	0.42	22.29
GRIFFITH PARK ZOO	-	0.00	0.00	0.70	0.00	14.52	-	-	-	-	-	-	-	-	-	-	-
GRIFFITH FERN DELL	19.89	0.00	0.00	0.80	0.00	11.93	4.57	0.83	1.17	0.39	0.00	0.20	0.00	0.00	0.00	0.4*	19.4*
GRIFFITH LIT CN	22.01	0.00	0.00	0.80	0.00	12.75	5.58	0.92	1.23	0.42	0.00	0.31	0.00	0.00	0.00	0.50	21.71
GRIFFITH LWR-MINERAL	25.11	0.00	0.00	0.60	0.00	14.57	7.10	0.90	1.13	0.51	0.00	0.30	0.00	0.00	0.00	0.38	24.89
GRIFFITH LOWER SPRG	-	0.00	0.00	0.48	-	-	-	-	-	-	-	-	-	-	-	-	-
GUFFY CAMP	40.00	0.33	2.47	0.83	0.00	19.25	11.90	1.09	2.91	1.22	0.00	0.00	0.00	0.08	0.06	0.36	36.87
HAINES CANYON LOWER	37.93	0.15	0.07	2.44	0.00	20.07	11.34	1.20	1.60	0.56	0.00	0.50	0.00	T	0.00	0.66	35.93
HAINES CANYON UPPER	43.58	0.15	0.07	2.43	0.00	25.30	11.72	1.05	1.78	0.58	0.00	0.50	0.00	T	0.00	0.65	41.58
HAMILTON BOWL LONG B	12.59	0.02	0.04	0.52	0.00	5.93	3.05	1.09	1.41	0.50	0.01	0.02	0.00	0.00	0.00	0.04	12.05
HANSEN DAM	21.86	0.05	0.04	2.05	0.00	12.63	4.53	1.00	1.20	0.30	0.00	0.06	0.00	0.00	0.00	0.36	20.08
HEADWORKS PUMP PLT	22.5*	0.00	0.00	0.67	0.00	11.5*	7.42	0.85	1.29	0.50	0.00	0.25	0.00	0.00	0.00	0.34	22.1*
HENNINGER FLATS	41.04	0.20	0.19	3.03	0.00	22.96	9.62	1.18	2.03	0.83	0.09	0.88	0.03	0.00	0.00	0.84	38.46
HIDDEN SPRINGS	35.54	0.38	0.11	0.90	0.00	20.48	10.66	0.75	1.66	0.60	0.00	0.00	0.00	0.00	0.00	0.87	35.02
HIGHLAND PK-LINDSAY	23.40	T	0.08	1.43	0.00	12.14	6.62	1.04	1.29	0.65	0.00	0.15	0.00	0.00	0.00	0.32	22.21
HILLCREST COUNTRY CB	19.36	0.00	0.12	0.32	0.00	9.65	5.33	1.02	2.15	0.27	0.00	0.50	0.00	0.00	0.00	0.00	18.92
HOEGEES FC 6 A	54.28	0.68	0.38	1.81	0.00	32.67	12.95	1.24	3.01	0.58	0.14	0.82	0.00	0.00	0.00	0.64	52.05
HOLIDAY HILL	27.62	0.42	2.35	0.40	0.00	12.35	7.40	0.98	2.62	1.10	0.00	0.00	0.00	0.00	0.00	0.22	24.67
HOLLYWOOD DAM	20.44	T	0.00	0.58	0.00	11.65	5.44	0.83	1.22	0.43	0.00	0.29	0.00	0.00	0.00	0.36	20.22
HUNTINGTON PARK	18.7*	0.03	0.09	0.30	0.00	8.9*	6.25	0.98	1.13	0.47	0.00	0.46	0.00	0.00	0.00	0.28	18.5*
INGLEWOOD FS	15.11	0.00	0.02	0.57	0.00	7.49	3.67	1.04	1.50	0.41	T	0.41	0.00	0.00	0.00	0.2*	14.7*
IRON MOUNTAIN	40.71	0.31	0.20	1.08	0.00	25.20	10.53	0.86	1.87	0.61	0.00	0.05	0.00	0.00	0.00	0.75	39.87
KAGEL CANYON P S	19.86	0.19	0.03	2.37	0.00	10.75	3.92	0.89	1.29	0.29	0.00	0.13	0.00	T	0.00	0.52	17.79
KENTER CANYON	19.3*	0.00	0.10	0.10	0.00	11.36	4.61	1.05	1.67	0.2*	0.00	0.19	0.00	0.00	0.00	0.20	19.3*
LA CANADA	30.45	0.00	0.00	1.79	0.00	17.40	8.08	0.81	1.49	0.48	0.00	0.40	0.00	0.00	0.00	0.78	29.44
LA CANADA ARROY SECO	31.20	0.03	0.06	1.53	0.00	18.20	8.04	0.95	1.51	0.45	0.05	0.38	0.00	0.00	0.00	0.78	30.36
LA CRESCENTA FC 251	34.83	0.08	0.11	2.10	T	19.38	9.31	0.77	1.67	0.69	0T00	0.72	0T00	0.00	0T00	0.82	33.36
LA CRESC CO RD DEPT	32.74	0.00	0.10	1.80	0.00	18.59	8.94	0.82	1.35	0.65	T	0.49	0.00	0.00	0.00	0.45	31.29
LA CRESC GREG .9ENE	32.98	0.10	0.13	2.11	T	18.67	7.91	0.89	1.72	0.73	T	0.72	T	T	T	0.82	31.46

* ESTIMATED T TRACE — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
LA FRESA S C E CO	14.72	0.00	0.00	0.14	0.00	7.16	3.85	1.67	1.21	0.58	0.00	0.11	0.00	0.00	0.00	0.08	14.66
LAGUNA BELL SS	17.46	T	0.11	0.41	0.00	8.37	5.51	0.90	1.57	0.54	0.00	0.05	0.00	0.00	0.00	0.28	17.22
LA HABRA	15.95	0.01	0.01	1.13	0.00	7.96	4.39	0.88	1.50	0.00	0.07	0.00	0.00	0.00	0.00	0.11	14.91
LA HABRA MTS MW CO	17.37	0.00	0.00	1.39	0.00	7.75	4.71	1.05	1.67	0.80	0.00	0.00	0.00	0.00	0.00	0.15	16.13
LAKEWOOD	-	0.00	0.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-
LA MIRADA	14.46	T	T	0.06	0.00	7.86	3.93	0.93	1.22	0.46	T	T	0.00	0.00	0.00	0.02	14.42
LANKERSHIM P P	21.70	0.00	0.00	1.09	0.00	11.34	6.36	1.34	0.96	0.37	0.00	0.24	0.00	0.00	0.00	0.59	21.20
LA PUENTE	18.08	0.10	0.05	0.48	0.00	8.77	5.50	0.78	1.53	0.87	T	0.00	0.00	0.00	0.00	0.28	17.73
LATUNA CANYON	21.32	0.00	0.01	0.95	0.00	11.53	6.14	1.07	0.97	0.45	0.00	0.20	0.00	0.00	0.00	0.29	20.65
LA VERNE POL DEPT	18.01	0.28	0.09	0.83	0.00	9.72	3.90	0.88	1.62	0.38	0.03	0.28	0.00	0.00	0.00	0.06	16.87
LAWNDALE F S	14.67	0.00	0.05	0.00	0.00	7.05	4.52	1.33	1.10	0.50	0.00	0.12	0.00	0.00	0.00	0.26	14.88
LA VERN HTS FC 56B	20.60	0.22	0.00	0.82	0.00	11.14	4.71	0.89	2.13	0.49	0.00	0.20	0.00	0.00	0.00	0.07	19.63
LITTLE TUJUNGA RS	19.51	0.00	0.01	2.15	0.00	11.13	3.61	0.85	1.26	0.33	0.00	0.17	0.00	0.00	0.00	0.62	17.97
LITTLE TUJUNGA GOLD	26.8*	0.10	0.08	2.17	0.00	16.46	4.8*	0.8*	1.7*	0.4*	0.00	0.10	0.00	0.00	0.00	0.80	25.2*
LIVE OAK CYN DAM	21.58	0.19	0.00	0.83	0.00	11.88	5.03	0.85	1.92	0.54	0.08	0.26	0.00	0.00	0.00	0.11	20.67
LONG BEACH	15.21	0.01	0.03	0.29	0.00	7.69	4.04	1.07	1.55	0.51	T	0.02	T	T	T	0.07	14.95
LB-ALAMITOS LAND CO	10.88	T	0.00	0.28	0.00	5.56	2.24	0.85	1.58	0.37	0.00	0.00	0.00	0.00	0.00	0.05	10.65
LB-CITY AUTOMATIC	14.6*	0.00	T	0.60	0.00	6.85	4.14	1.05	1.33	0.50	0.00	0.1*	0.00	0.00	0.00	0.00	14.0*
LB NO 1	14.12	0.00	0.00	0.30	0.00	7.20	3.32	1.21	1.44	0.57	0.00	0.08	0.00	0.00	0.00	0.00	13.8*
LB SAN ANSELINE	13.99	0.00	0.11	0.49	0.00	6.56	3.81	1.18	1.41	0.41	0.00	0.02	0.00	0.00	0.00	0.00	13.39
LB-6 TH + LINDEN	16.85	0.00	T	0.10	0.00	8.40	5.36	1.23	1.22	0.48	0.00	0.06	0.00	0.00	0.00	0.01	16.76
LB-37TH + GAVIOTA	15.2*	0.00	T	0.20	0.00	7.50	4.24	1.09	1.64	0.50	0.00	0.1*	0.00	0.00	0.00	0.00	15.0*
LB-VETS MEM BLDG	13.3*	0.00	0.03	0.33	0.00	6.82	2.9*	1.0*	1.6*	0.48	0.00	0.01	0.00	0.00	0.00	0.01	12.9*
LB-WOODRUFF AVE	13.0*	0.00	0.00	0.20	0.00	7.17	2.88	0.97	1.34	0.4*	0.00	0.00	0.00	0.00	0.00	0.00	12.8*
LONG BEACH WB AP	13.1*	0.00	0.17	0.20	0.00	6.05	3.44	1.19	1.65	0.47	T	0.02	T	T	T	0.01	12.83
LOOMIS RNCH ALDER CR	24.3*	0.02	0.05	0.36	0.00	13.66	6.79	0.6*	2.1*	0.63	0.00	0.00	0.00	0.03	0.00	0.9*	24.9*
LOPEZ CYN GD STA	25.9*	0.18	0.00	2.60	0.00	15.74	4.52	0.92	1.36	0.2*	0.00	0.34	0.00	0.00	0.00	0.4*	23.6*
LOS ALAMITOS	12.98	0.00	0.09	0.37	0.00	6.27	3.13	1.13	1.42	0.40	0.00	0.17	0.00	0.00	0.00	0.00	12.52
LOS ALAMITOS R B AUT	11.42	0.04	0.27	0.65	0.00	5.05	2.93	0.94	1.16	0.31	T	0.07	0.00	0.00	0.00	0.00	10.46
LA CITY COLLEGE	22.44	T	0.03	1.12	0.00	11.85	6.34	1.02	1.54	0.40	0.00	0.14	0.00	T	T	0.41	21.70
LA-CLARK LIBRARY	18.85	T	T	0.86	0.00	9.24	5.37	1.04	1.71	0.38	0.00	0.25	0.00	0.02	0.00	0.46	18.47
LA CO SURVEYOR	16.52	0.00	0.05	0.12	0.00	7.93	5.50	0.98	1.20	0.54	0.00	0.20	0.00	0.00	0.00	0.15	16.50
LA DUCOMMON ST	20.41	T	0.01	1.77	0.00	9.69	5.74	0.96	1.51	0.51	0.00	0.22	0.00	T	0.00	0.29	18.92
LA MAC QUEEN	20.3*	0.00	0.05	1.06	0.00	10.2*	5.81	1.00	1.89	0.36	0.00	0.00	0.00	0.00	0.00	0.14	19.4*
LOS ANGELES HANCOCK	19.46	0.08	0.03	0.23	0.00	10.24	5.36	1.08	1.77	0.27	0.00	0.40	0.00	0.00	0.00	0.18	19.30
LOS ANGELES WB AP	12.6*	0.00	0.12	0.11	T	6.38	3.25	0.84	1.40	0.49	0.01	0.02	T	0.01	T	0.19	12.59
L. A. CIVIC CENTER	20.4*	0.00	0.01	1.80	0.00	9.68	5.73	0.96	1.51	0.53	0.00	0.22	0.00	T	T	0.30	18.93
LOWER FRANKLIN RES	19.87	0.00	0.09	0.22	0.00	11.29	4.69	1.12	1.59	0.30	0.00	0.57	0.00	0.01	0.00	0.22	19.79
LUNADA BAY	13.11	T	T	0.02	0.00	6.35	4.17	1.01	1.04	0.36	0.00	0.16	0.00	T	0.00	0.10	13.19
MADDOCK DEBRIS BAS	28.15	1.17	0.00	1.66	0.00	14.58	6.73	1.03	1.73	0.83	0.06	0.36	0.00	0.00	0.00	0.46	25.78
MANDEVILLE CANYON	31.88	0.00	0.00	0.30	0.00	17.98	9.25	1.60	1.91	0.26	0.00	0.58	0.00	0.00	0.00	0.51	32.09
MANDEVILLE FR RD 24	31.72	0.00	0.00	0.30	0.00	18.40	9.44	1.55	1.38	0.20	0.00	0.45	0.00	0.00	0.00	0.19	31.61
MANHATTAN BEACH	13.25	0.00	0.05	0.00	0.00	6.78	3.43	1.27	1.26	0.46	0.00	0.00	0.00	0.01	0.00	0.10	13.31
MARKHAM SADDLE	56.2*	0.00	0.30	2.00	0.00	37.40	11.49	0.9*	2.45	1.12	0.1*	0.3*	0.00	0.00	0.00	1.2*	55.2*
MAR VISTA - SCWC	14.5*	0.05	0.00	0.13	0.00	7.96	3.6*	1.15	1.31	0.23	0.00	0.12	0.00	T	T	0.1*	14.5*
MC CLURE DEBRIS BAS	20.51	0.02	0.03	0.96	0.00	10.54	6.29	1.16	0.84	0.47	0.00	0.20	0.00	0.00	0.00	0.49	19.99
MONROVIA F.S.	27.74	1.11	0.06	1.39	0.00	15.45	6.24	0.87	1.54	0.72	T	0.36	0.00	0.00	0.00	0.50	25.68
MONROVIA-SPTS	30.95	0.68	0.04	1.96	0.00	16.93	6.99	1.17	1.78	0.67	0.15	0.56	0.02	0.00	0.00	0.88	29.15
MONTANA RANCH	13.9*	0.00	0.21	0.09	0.00	6.4*	3.97	1.34	1.35	0.47	0.00	0.12	0.00	0.00	0.00	0.00	13.6*
MONTEBELLO FD	20.30	0.01	0.25	0.91	0.00	10.01	5.43	1.97	1.11	0.50	0.01	0.10	0.00	T	T	0.45	19.58
MONTEREY PARK FS	21.92	0.02	0.23	0.82	0.00	11.42	6.26	1.03	1.09	0.74	0.02	0.29	0.00	0.00	0.00	0.29	21.14
MORRIS DAM	32.27	0.21	0.01	0.85	0.00	18.22	7.57	1.00	3.01	0.87	0.08	0.45	0.00	0.00	0.00	0.23	31.43
MT DISAPPOINTMENT	55.2*	0.46	0.29	1.64	0.00	37.00	10.9*	0.98	2.37	1.06	0.11	0.46	0.00	0.00	0.00	1.41	54.3*
MT ISLIP	61.11	0.04	0.31	0.91	0.00	37.67	14.96	1.09	4.81	1.06	0.00	0.26	0.00	0.00	0.00	0.92	60.77
MT LOWE	52.60	0.59	0.27	1.27	0.00	33.05	10.85	1.20	3.08	1.42	0.20	0.67	0.00	0.00	0.00	0.53	51.00
MT LUKENS	37.1*	0.00	0.11	1.97	0.00	19.79	11.09	0.84	2.14	0.71	0.00	0.5*	0.00	0.00	0.00	0.49	35.5*
MT SAN ANTONIO COL	19.92	0.22	0.00	2.15	0.00	9.51	4.92	1.10	1.65	0.33	0.00	0.04	0.00	0.00	0.00	0.04	17.59
MT ST MARYS COL	25.90	0.00	0.09	0.29	0.00	14.76	6.44	1.42	2.00	0.28	0.00	0.62	0.00	0.00	0.00	0.07	25.59
MT WILSON OBSERVATOR	46.41	0.70	0.23	1.56	0.00	36.39	2.07	1.16	2.44	1.18	0.04	0.64	0.00	0.00	0.00	0.33	44.25
MT WILSON FC 338B	48.00	0.64	0.29	1.37	0.00	29.92	9.82	1.09	2.79	1.29	0.18	0.61	0.00	0.00	0.00	0.48	46.18
MULHOLLAND FS	25.2*	0.1*	0.3*	0.00	0.00	14.51	6.68	1.22	1.39	0.33	0.00	0.72	0.00	0.00	0.00	0.15	25.00
NEWCOMB PASS	62.6*	1.02	0.02	1.80	0.00	40.63	13.6*	0.92	3.06	0.81	0.12	0.60	0.00	0.00	0.00	0.54	60.3*
NICHOLS DAM BASIN	20.23	0.00	0.00	0.28	0.00	11.42	5.07	1.13	1.43	0.35	0.00	0.55	0.00	0.00	0.00	0.17	20.12
NORTH HOLLYWOOD	22.92	0.01	0.01	0.31	0.00	12.30	7.35	1.15	1.13	0.43	0.00	0.23	0.00	0.00	0.00	0.37	22.96
NORTHRIDGE	18.76	0.02	0.24	0.22	0.00	10.92	4.24	1.14	1.43	0.30	0.00	0.25	0.00	0.03	0.00	0.55	18.86
NORWALK	14.29	0.00	0.10	0.14	0.00	7.10	4.03	1.02	1.19	0.61	0.00	0.10	0.00	0.00	0.00	0.05	14.10
OAK GROVE	28.7*	0.04	0.13	1.60	0.00	15.76	7.78	0.88	1.48	0.61	0.00	0.4*	0.00	0.00	0.00	0.94	27.9*
OAKWILDE PHILLIPS	28.65	0.00	0.24	1.05	0.00	15.95	7.77	0.85	1.70	0.74	0.00	0.35	0.00	0.00	0.00	0.65	28.01
OLINDA	-	0.06	0.00	0.92	0.00	7.38	3.44	0.87	1.55	0.27	T	0.00	-	-	-	-	-
OPIDS CAMP FC 578E	60.28	0.50	0.38	1.56	0.00	37.92	14.71	0.92	3.09	0.87	0.07	0.26	0.00	T	T	1.33	59.17
PACIFIC PALISADES	18.57	0.06	0.12	0.10	0.00	10.51	4.62	1.12	1.74	0.16	0.00	0.14	0.00	0.04	0.00	0.15	18.48
PACOIMA CANYON	34.8*	0.10	0.24	3.22	0.00	21.10	7.01	0.89	1.58	0.34	0.00	0.3*	0.00	0.00	0.00	0.27	31.5*
PACOIMA CYN-CITY RD	38.9*	0.00	0.47	2.04	0.00	25.4*	7.6*	0.91	1.68	0.48	0.00	0.32	0.00	0.00	0.00	0.64	37.0*
PACOIMA CNYN DUTCH	35.41	0.10	0.20	2.90	0.00	21.26	7.05	0.83	2.30	0.45	0.00	0.32	0.00	0.00	0.00	0.60	32.81
PACOIMA RADDATZ	20.3*	0.00	0.00	0.52	0.00	12.8*	4.02	1.20	1.13	0.29	0.00	0.30	0.00	0.00	0.00	0.39	20.1*

* ESTIMATED   T TRACE   — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
PACOIMA WAREHOUSE	22.31	0.08	0.04	0.87	0.00	15.02	4.54	1.02	0.40	0.18	0.00	0.16	0.00	0.00	0.00	0.35	21.67
PACOIMA DAM FC 33A E	25.57	0.17	0.02	1.98	0.00	15.66	4.68	1.00	1.38	0.35	0.00	0.33	0.00	T	0.00	0.61	24.01
PALOS VERDES ESTATES	14.90	0.00	0.03	0.02	0.00	7.71	4.24	1.14	1.23	0.41	0.00	0.09	0.03	0.00	0.00	0.13	14.98
PALOS VERDES	20.06	0.00	0.00	0.10	0.00	10.93	5.88	1.66	1.11	0.36	0.00	0.02	0.00	0.01	0.00	0.11	20.08
PALOS VERDES HILLS F	15.89	0.00	0.00	0.16	0.00	8.62	4.01	1.04	1.39	0.49	0.00	0.18	0.00	0.00	0.00	0.05	15.78
PALOS VERDES HILLS H	-	-	-	-	0.00	10.51	5.02	1.15	1.70	0.40	0.00	0.10	0.00	0.00	0.00	0.09	18.97
PARAMOUNT-CO FS	15.40	0.00	0.07	0.13	0.00	7.66	4.34	1.11	1.17	0.70	0.00	0.22	0.00	0.00	0.00	0.00	15.20
PASADENA	25.14	0.07	0.07	1.24	0.00	13.74	6.75	0.92	1.42	0.65	0.03	0.25	0.00	0.00	0.00	0.42	24.18
PASADENA CAL TECH	27.05	0.02	0.07	1.75	0.00	14.80	7.09	0.91	1.38	0.84	T	0.19	0.00	T	0.00	0.37	25.58
PASADENA CHLORINE PL	31.57	0.11	0.20	1.85	0.00	18.01	7.57	0.87	1.75	0.70	0.05	0.46	0.00	0.00	0.00	1.10	30.51
PASADENA-HURLBURT FS	24.82	0.02	0.02	2.00	0.00	12.99	6.52	0.92	1.43	0.76	0.00	0.16	0.00	0.00	0.00	0.40	23.18
PASADENA-CITY HALL	25.14	0.07	0.07	1.24	0.00	13.74	6.75	0.92	1.42	0.65	0.03	0.25	0.00	0.00	0.00	0.42	24.18
PASADENA JOURDAN	25.77	0.05	0.16	1.23	0.00	14.76	6.44	0.73	1.45	0.66	0.02	0.27	0.00	0.00	0.00	0.42	24.75
PASADENA MET STA	26.35	0.09	0.05	1.41	0.00	14.36	6.95	0.89	1.64	0.64	0.01	0.31	0.00	0.00	0.00	0.58	25.38
PASADENA-SHELDON RES	24.01	0.07	0.13	1.61	0.00	12.03	6.71	0.86	1.69	0.61	0.01	0.29	0.00	0.00	0.00	0.90	23.10
PASEO MIRAMAR	14.45	0.10	0.10	0.00	0.00	8.59	3.26	0.83	1.32	0.15	0.00	0.10	0.00	0.00	0.00	0.15	14.40
PAULARINO-SHIFFER	12.15	0.00	0.00	0.20	0.00	6.11	3.06	0.94	0.99	0.00	0.00	0.85	0.00	0.00	0.00	0.00	11.95
PICKENS DEBRIS BAS	34.82	0.05	0.09	2.16	0.00	19.44	9.18	1.00	1.60	0.62	0.03	0.65	0.00	0.00	0.00	0.66	33.18
PINE MOUNTAIN	-	-	-	-	0.00	-	17.36	1.12	-	1.28	0.16	0.5*	0.00	0.04	0.00	0.2*	-
PLACENTIA AUW CO	11.78	0.05	0.01	0.36	0.00	6.36	2.74	0.77	1.25	0.24	0.00	0.00	0.00	0.00	0.00	0.05	11.41
PLACENTIA MUT ORANGE	13.99	0.07	0.04	0.50	0.00	7.73	3.38	0.82	1.41	0.04	0.00	0.00	0.00	0.00	0.00	0.06	13.44
POINT VICENTE L H	16.70	0.01	0.02	0.03	0.00	11.41	3.69	0.78	0.31	0.29	0.02	0.14	0.00	0.00	0.00	0.06	16.70
POMONA	17.60	0.50	T	0.83	0.00	8.88	4.19	1.17	1.65	0.34	T	0.04	0.00	T	0.00	0.04	16.31
POTRERO HEIGHTS	20.64	0.03	0.03	0.42	0.00	11.13	5.78	0.96	1.39	0.80	0.00	0.10	0.00	0.00	0.00	0.42	20.58
PRAIRIE FORKS	37.37	0.28	2.08	0.70	0.00	17.33	10.38	1.38	3.68	1.54	0.00	0.00	0.00	0.00	0.00	0.26	34.57
PUDDINGSTONE DAM	18.20	0.33	T	1.34	0.00	9.31	4.27	1.03	1.39	0.40	0.00	0.13	0.00	0.00	0.00	0.06	16.59
PUENTE-FERRERO	20.71	0.10	0.00	0.80	0.00	10.07	6.58	0.92	1.69	0.55	T	T	0.00	T	0.00	0.2*	20.0*
PUENTE HILLS-WEISEL	16.98	0.04	0.05	1.34	0.00	7.78	4.63	0.98	1.62	0.52	0.00	0.02	0.00	0.00	0.00	0.17	15.72
PUENTE HILLS	20.12	T	0.06	1.73	0.00	10.12	5.04	0.89	1.70	0.57	T	0.01	0.00	0.00	0.00	0.17	18.50
PUENTE-N WHITTIER	21.26	0.13	0.03	1.20	0.00	10.72	5.84	0.78	1.68	0.88	0.00	0.00	0.00	0.00	0.00	0.28	20.18
RANCHO LOS AMIGOS	17.7*	0.00	0.09	0.25	0.00	7.8*	6.04	0.97	1.15	1.38	0.00	0.05	0.00	0.00	0.00	0.07	17.4*
RED BOX GAP	54.0*	0.50	0.30	1.58	0.00	35.38	11.9*	0.98	2.22	0.77	0.00	0.42	0.00	0.00	0.00	0.63	52.3*
REDONDO BEACH	15.27	0.00	0.00	0.01	0.00	7.50	4.98	1.17	1.16	0.39	0.00	0.06	0.00	0.00	0.00	0.17	15.43
RIO HONDO SPREAD GRN	17.37	0.02	0.34	0.63	0.00	8.59	4.91	1.07	1.30	0.42	0.00	0.09	0.00	0.00	0.00	0.37	16.75
ROBERTA CANYON	57.12	0.84	0.14	1.48	0.00	36.55	13.19	0.62	2.53	1.15	0.15	0.47	0.00	0.04	0.00	0.25	54.95
ROGERS CANYON	29.51	0.22	0.01	1.31	0.00	16.39	7.02	0.90	2.38	0.97	T	0.31	0.00	0.00	0.00	0.28	28.25
ROSCOE MERRILL	19.32	0.02	0.02	1.01	0.00	10.47	5.03	1.24	0.94	0.40	0.00	0.19	0.00	T	T	0.99	19.26
ROSEMEAD	22.04	0.01	0.29	0.99	0.00	11.79	5.59	1.13	1.22	0.88	0.01	0.13	0.00	0.00	0.00	0.42	21.17
RUBIO DEBRIS DAM	34.89	0.10	0.15	2.12	0.00	20.37	8.13	0.82	1.81	0.69	0.05	0.65	0.00	0.00	0.00	0.76	33.28
RUSTIC CANYON	19.81	0.00	0.10	0.10	0.00	12.03	4.78	1.04	1.43	0.28	0.00	0.05	0.00	0.00	0.00	0.1*	19.7*
SAN ANTONIO DAM	25.71	0.04	0.00	0.48	0.00	14.47	6.27	0.81	2.81	0.61	0.10	0.12	0.00	0.00	0.00	0.06	25.25
SAN DIMAS CYN E FK	33.85	0.06	0.00	0.88	0.00	18.62	8.85	1.06	3.12	0.82	0.08	0.36	0.00	0.00	0.00	0.18	33.09
SAN DIMAS DAM	24.29	0.11	0.02	0.63	0.02	13.08	6.28	0.86	2.39	0.68	0.07	0.15	0.00	0.00	0.00	0.07	23.60
SAN DIMAS FC 95	19.24	0.26	T	0.94	0.00	10.15	4.55	0.98	1.69	0.49	0.05	0.13	0.00	0.00	0.00	0.10	18.14
SAN DIMAS R 5	27.4*	0.12	T	0.64	0.00	14.0*	7.1*	1.05	3.45	0.72	0.06	0.23	0.00	0.00	0.00	0.15	26.8*
SAN DIMAS-STEVENS	20.01	0.10	0.00	0.75	0.00	11.56	4.42	0.86	1.64	0.52	0.05	0.11	0.00	0.00	0.00	0.11	19.27
SAN FERNANDO	19.77	0.02	0.14	0.57	0.00	12.27	3.65	1.15	1.46	0.30	0.00	0.21	0.00	0.07	0.00	0.34	19.45
SAN FNDO VLY STATE C	-	-	0.30	-	0.00	10.4*	3.8*	0.99	1.47	0.30	0.00	0.2*	0.00	0.00	0.00	0.37	17.6*
SAN FERNANDO PH NO 3	21.95	0.03	0.10	0.71	0.00	13.52	3.96	1.16	1.83	0.35	0.00	0.29	0.00	0.00	0.00	0.86	21.97
SAN FERNANDO VET HOS.	24.3*	0.15	T	1.43	0.00	15.3*	4.23	1.01	1.53	0.38	0.00	0.31	0.00	0.00	0.00	0.57	23.3*
SAN GABRIEL BRUINGTO	23.8*	0.00	0.10	1.74	0.00	12.72	6.08	1.11	1.33	0.6*	0.00	0.14	0.00	0.00	0.00	0.50	22.5*
SAN GABRIEL C EFK DO	34.15	0.00	0.00	0.70	0.00	19.90	9.07	0.72	2.62	0.90	0.00	0.24	0.00	0.00	0.00	0.00	33.4*
SAN GABRIEL C EFK TU	-	-	-	-	0.00	20.06	9.15	0.73	2.64	0.91	0.00	0.24	0.00	0.00	0.00	0.08	33.81
SAN GABRIEL CYN EFK	37.24	0.00	0.00	0.72	0.00	22.24	10.14	0.83	2.30	0.79	T	0.22	0.00	T	0.00	0.08	36.60
SAN GABRIEL CYN HELI	-	0.55	0.24	0.81	0.00	-	-	0.75	2.42	0.65	0.00	-	0.00	0.00	0.00	0.40	-
SAN GABRIEL CYN PH	27.17	0.31	0.06	1.34	0.00	15.03	6.07	1.01	2.09	0.81	0.06	0.37	0.02	0.00	0.00	0.25	25.71
SAN GABRIEL DAM	40.29	0.14	T	0.85	0.00	23.75	10.55	1.04	2.68	0.84	0.09	0.35	0.00	T	0.00	0.26	39.56
SAN GABRIEL DAM CAMP	39.20	0.11	T	0.61	0.00	22.98	11.01	0.85	2.42	0.95	0.06	0.21	0.00	0.02	0.00	0.27	38.77
SAN GABRIEL FIRE DPT	23.3*	0.00	0.18	1.66	0.00	12.12	6.33	1.07	1.25	0.62	0.00	0.12	0.00	0.00	0.00	0.53	22.04
SAN GABRIEL NO FORK	43.27	T	0.00	0.85	0.00	25.44	12.75	0.82	2.28	0.72	0.00	0.41	0.00	0.00	0.00	0.21	42.63
SAN JOSE HILLS GALST	17.00	0.00	0.00	0.68	0.00	8.79	4.70	0.85	1.46	0.44	0.00	0.08	0.00	0.00	0.00	0.08	16.40
SAN MARINO-HUNTINGTO	23.92	0.00	T	1.34	0.00	12.89	6.51	0.93	1.36	0.68	0.03	0.18	0.00	0.00	0.00	0.50	23.08
SAN PEDRO HILLS	-	0.00	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
SAN PEDRO RES	15.44	0.00	T	0.29	0.00	8.27	3.59	1.45	1.28	0.53	T	0.03	0.00	0.00	0.00	0.02	15.17
SANTA ANITA FERN LGE	50.44	1.08	0.23	3.00	0.00	28.53	11.90	1.21	3.04	0.70	0.11	0.64	0.00	0.00	0.00	0.55	46.68
SANTA ANITA CN HELIP	46.17	0.96	0.23	1.70	0.00	27.08	10.86	1.23	2.83	0.64	0.06	0.58	0.00	0.00	0.00	0.54	43.82
SANTA ANITA SPRING C	56.82	0.80	0.13	1.40	0.00	36.60	13.21	0.69	2.53	0.70	0.24	0.52	0.00	0.00	0.00	0.61	55.10
SANTA CLARA RIDGE	-	0.20	0.00	2.00	-	-	-	-	-	-	-	-	-	-	-	-	-
SANTA FE DAM	21.23	0.16	0.00	1.47	0.00	11.30	5.22	0.87	1.28	0.78	0.00	0.15	0.00	0.00	0.00	0.20	19.80
SANTA MONICA	16.30	0.05	0.10	0.05	0.00	9.36	4.14	1.06	1.36	0.18	0.00	T	0.00	0.01	T	0.12	16.23
SANTA MONICA PIER	14.73	0.11	0.00	0.03	0.00	8.68	3.57	0.97	1.19	0.18	0.00	T	0.00	0.06	0.00	0.07	14.72
SAWPIT CYN DEER PK	46.27	0.85	0.06	1.80	0.00	25.59	11.58	1.45	2.78	1.08	0.23	0.78	0.07	0.00	0.00	0.82	44.38
SAWPIT DAM NO 2	34.57	1.41	0.03	2.35	0.00	18.34	7.81	0.99	1.99	0.64	0.15	0.84	0.02	T	0.00	0.81	31.59
SAWTELLE	17.2*	T	0.24	T	0.00	10.00	3.75	1.05	1.63	0.20	0.00	0.3*	0.00	0.00	0.00	0.00	16.9*
SAWTELLE SOLDIER HOM	19.24	T	0.15	0.18	0.00	10.25	5.18	1.20	1.68	0.25	0.00	0.35	0.00	T	0.00	0.05	18.96

* ESTIMATED   T TRACE   — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
SCHOLL DEBRIS BAS	23.94	0.03	0.25	1.40	0.00	13.07	6.31	0.82	1.20	0.65	0.00	0.21	0.00	0.00	0.00	0.63	22.89
SEPULVEDA AND RAYEN	18.8*	0.00	T	0.30	0.00	11.20	4.0*	1.41	1.23	0.3*	0.00	0.42	0.00	0.00	0.00	0.3*	18.9*
SEPULVEDA CANYON	23.5*	0.00	0.00	0.20	0.00	12.2*	5.55	2.61	1.93	0.2*	0.00	0.6*	0.00	0.00	0.00	0.14	23.4*
SEPULVEDA CANYON 19	33.87	0.00	0.10	0.30	0.00	19.17	10.21	1.26	1.72	0.33	0.00	0.78	0.00	0.00	0.00	0.19	33.66
SEPULVEDA DAM	23.07	T	0.25	0.20	0.00	12.90	6.99	1.23	0.98	0.27	0.00	0.25	0.00	0.00	0.00	0.05	22.67
SEPULVEDA-MULHOLLAND	31.9*	0.00	0.00	0.34	0.00	18.12	9.66	1.46	1.53	0.2*	0.00	0.54	0.00	0.00	0.00	0.1*	31.7*
SHELL ABSORPTION PLT	-	0.05	0.00	1.36	0.00	7.74	4.45	0.84	1.62	0.37	0.00	T	-	-	-	-	-
SHORTCUT CYN W FORK	-	0.59	0.58	1.09	0.00	-	11.84	0.83	2.63	0.79	0.00	0.26	0.00	0.00	0.00	0.69	-
SIERRA MADRE DAM	35.36	0.29	0.28	2.63	0.00	19.36	8.35	1.07	2.05	0.62	0.00	0.71	0.00	0.00	0.00	0.70	32.86
SIERRA MADRE MM PP	34.87	0.30	0.35	2.44	0.00	19.32	8.32	1.10	1.85	0.64	0.00	0.55	0.00	0.00	0.00	0.61	32.39
SIERRA MADRE PEGL	27.29	0.16	0.00	1.60	0.00	15.42	6.85	0.82	1.55	0.61	0.00	0.28	0.00	T	0.00	0.39	25.92
SIERRA MADRE PUMP ST	29.18	0.31	0.25	1.84	0.00	16.20	7.11	0.89	1.63	0.60	0.00	0.35	0.00	0.00	0.00	0.54	27.32
SIERRA MADRE USFS	33.11	0.40	0.40	2.24	0.00	17.84	7.97	1.00	1.94	0.60	0.02	0.57	0.13	0.02	0.00	0.75	30.84
SIGNAL HILL FC 415	13.24	T	0.02	0.46	0.00	6.45	3.00	1.21	1.54	0.53	0.00	0.03	0.00	0.00	0.00	0.05	12.81
SILVER LAKE RES	21.92	0.00	0.04	1.18	0.00	11.86	5.67	1.03	1.29	0.45	0.00	0.40	0.00	0.00	0.00	0.90	21.60
SOUTH GATE	17.26	T	0.05	0.21	0.00	8.32	5.86	0.97	1.27	0.51	0.00	0.07	0.00	0.00	0.00	0.14	17.14
SOUTH HAWKINS	55.25	0.49	0.13	0.09	0.00	34.17	14.86	1.15	3.00	0.88	0.05	0.43	0.00	0.00	0.00	0.76	55.30
SOUTH PASADENA	24.21	0.01	T	1.78	0.00	12.63	6.65	1.02	1.35	0.66	T	0.11	0.00	0.00	0.00	0.39	22.81
SPADRA PACIFIC COLON	17.89	0.46	0.00	1.97	0.00	8.45	4.05	1.03	1.58	0.33	T	0.02	0.00	0.00	0.00	0.04	15.50
STONE CNYN RIAL SELK	24.7*	0.00	0.10	0.30	0.00	13.78	6.52	1.3*	1.67	0.32	0.00	0.70	0.00	0.00	0.00	0.1*	24.4*
STONE CANYON RES	26.58	0.01	0.11	0.32	0.00	14.95	6.99	1.33	1.79	0.34	0.00	0.74	0.00	0.03	0.00	0.14	26.31
STOUGH PARK	20.33	0.04	T	1.25	0.00	10.31	5.48	1.39	0.99	0.66	0.00	0.21	T	T	T	0.44	19.48
STUDIO CITY-GOODLAND	25.36	0.00	0.10	0.30	0.00	13.84	7.88	1.10	1.42	0.32	0.00	0.40	0.00	0.00	0.00	0.1*	25.1*
STURTEVANT CAMP	64.96	0.51	0.23	1.73	0.00	40.81	15.98	1.06	2.74	0.83	0.11	0.96	0.00	0.00	0.00	0.52	63.01
SULLIVAN CANYON	35.40	0.00	0.00	0.30	0.00	22.77	8.62	1.50	1.57	0.18	0.00	0.46	0.00	0.00	0.00	0.11	35.21
SUNLAND	24.05	0.13	0.16	1.17	0.00	13.21	6.58	1.15	1.11	0.37	0.00	0.17	0.00	0.00	0.00	0.26	22.85
SUNSET DAM	25.1*	0.02	0.13	1.65	0.00	13.41	6.4*	1.16	0.97	0.71	0.00	0.57	0.00	0.00	0.00	0.54	23.8*
SUNSET R S	36.76	0.06	0.06	1.78	0.00	21.75	9.47	0.66	1.82	0.76	0.00	0.40	0.00	0.00	0.00	1.18	36.04
SYLMAR	23.75	0.03	0.10	0.64	0.00	13.95	5.79	1.05	1.56	0.38	0.00	0.25	0.00	T	0.00	0.58	23.56
TANBARK FLATS	33.18	0.04	T	0.82	0.00	19.04	8.41	0.79	2.85	0.87	0.07	0.29	0T00	0T00	0T00	0.12	32.44
TEMPLE CITY	20.64	0.05	0.20	1.17	0.00	11.80	4.66	0.80	1.09	0.71	T	0.16	0.00	0.00	0.00	0.56	19.78
TOPANGA CYN OUTLET	16.77	0.13	0.15	0.00	0.00	8.63	5.16	1.16	1.20	0.16	0.00	0.18	0.00	0.04	0.00	0.00	16.53
TORRANCE	17.85	0.02	T	0.05	0.00	9.34	5.58	1.39	1.05	0.39	0.00	0.03	T	T	T	0.11	17.89
TORRANCE AIRPORT	17.85	0.02	T	0.05	0.00	9.34	5.58	1.39	1.05	0.39	0.00	0.03	T	T	T	0.11	17.89
TUJUNGA CN AB GOLD	25.03	0.05	0.05	0.95	0.00	14.74	6.34	1.01	1.35	0.44	0.00	0.10	0.00	0.00	0.00	0.60	24.58
TUJUNGA CYN-SOLOMON	24.15	0.04	T	1.58	0.00	13.93	5.68	1.15	1.27	0.40	0.00	0.10	0.00	T	0.00	0.45	22.98
TUJUNGA CYN-VOGEL	41.5*	0.27	0.25	0.92	0.00	24.13	12.41	1.02	1.88	0.62	0.00	0.00	0.00	0.00	0.00	0.6*	40.6*
TURNBULL DEBRIS BAS	14.62	0.00	0.00	1.54	0.00	5.92	4.42	0.74	1.44	0.43	0.08	0.05	0.00	0.00	0.00	0.17	13.25
UNION OIL STEARNS	15.4*	0.05	0.00	1.00	0.00	7.82	3.96	0.88	1.54	0.2*	T	0.00	0.00	0.00	0.00	0.1*	14.5*
U C L A	20.12	0.02	0.16	0.18	0.00	11.30	4.82	1.04	1.68	0.27	T	0.65	0.00	0.02	T	0.24	20.02
UNIV SO CAL	17.39	0.00	T	0.33	0.00	7.78	5.86	1.24	1.53	0.38	0.00	0.27	0.00	T	0.00	0.4*	17.5*
UPPER FRANKLIN RES	25.39	0.03	0.17	0.32	0.00	14.37	6.94	1.20	1.41	0.30	0.00	0.65	0.00	0.00	0.00	0.34	25.21
UPPER STONE CYN	26.04	0.00	0.10	0.30	0.00	15.00	7.13	1.21	1.55	0.15	0.00	0.60	0.00	0.00	0.00	0.15	25.79
VAN NORMAN LK LWR DA	20.66	0.02	0.19	0.90	0.00	12.09	3.88	1.21	1.67	0.35	0.00	0.35	0.00	T	0.00	0.57	20.12
VAN NUYS FC 158	20.67	0.00	0.12	0.33	0.00	11.59	5.79	1.23	1.01	0.30	0.00	0.30	0.00	0.01	0.00	0.49	20.72
VENICE F S	14.89	0.00	0.15	T	0.00	7.84	4.38	1.03	1.23	0.23	0.00	0.03	0.00	T	0.00	0.20	14.94
VERDUGO MT HILLCREST	26.40	0.00	0.05	2.06	0.00	14.70	6.78	0.91	1.00	0.60	0.00	0.30	0.00	0.00	0.00	0.37	24.66
VERDUGO PUMP STA	20.85	0.12	0.01	1.45	0.00	11.53	4.79	1.20	1.04	0.55	0.00	0.16	0.00	0.00	0.00	0.61	19.88
VINCENT GULCH	31.49	0.00	0.39	0.65	0.00	18.10	9.32	0.58	1.72	0.73	0.00	0.00	0.00	0.00	0.00	0.75	31.20
WALNUT FRUIT GROWERS	20.11	0.10	0.00	1.50	0.00	9.70	5.55	0.92	1.83	0.51	0.00	0.00	0.00	0.00	0.00	0.00	18.51
WALNUT PATROL STN	17.23	0.08	0.00	0.74	0.00	8.42	5.16	0.73	1.63	0.47	0.00	0.00	0.00	0.00	0.00	0.05	16.46
WALTERIA LAKE PUMP S	13.14	0.01	0.01	0.04	0.00	6.91	3.85	1.10	0.89	0.33	0.00	0.00	0.00	0.00	0.00	0.02	13.10
WATERMAN G S	44.34	0.25	0.33	1.45	0.00	27.70	10.47	0.91	2.22	0.79	0.05	0.17	0.00	0.00	0.00	0.96	43.27
WATERMAN MTN	32.67	0.00	0.00	1.20	0.00	19.61	7.22	0.68	3.03	0.67	0.00	0.26	0.00	0.04	0.00	0.35	31.86
WEST ARCADIA	23.45	0.04	0.22	1.01	0.00	14.35	5.04	0.76	1.25	0.55	0.00	0.23	0.00	0.00	0.00	0.46	22.64
WEST AZUSA	20.41	0.74	0.00	0.67	0.00	10.47	5.12	1.00	1.45	0.74	0.03	0.19	0.00	0.00	0.00	0.21	19.21
WEST BURBANK	23.10	0.03	0.04	0.89	0.00	12.04	7.22	1.20	0.99	0.53	0.00	0.16	0.00	0.00	0.00	0.43	22.57
WEST COVINA KELLER R	18.6*	0.03	T	1.31	0.00	9.67	4.47	0.83	1.50	0.70	0.00	0.1*	0.00	0.00	0.00	0.02	17.3*
WEST FORK R S	62.6*	0.71	0.21	0.81	0.00	39.98	15.34	0.99	3.0*	0.7*	0.00	0.52	0.25	1.13	0.00	0.79	62.8*
WHITTIER CITY HALL	17.29	0.01	T	1.01	0.00	8.85	4.27	1.00	1.29	0.80	0.00	0.06	0.00	0.00	0.00	0.15	16.42
WHITTIER-CATE	18.31	0.01	0.13	1.21	0.00	9.45	4.56	0.80	1.54	0.56	0.00	0.05	0.00	0.00	0.00	0.15	17.11
WHITTIER-WOOD	18.17	0.07	0.00	1.35	0.00	8.92	4.48	0.88	1.55	0.73	0.01	0.09	0.09	0.00	0.00	0.15	16.90
WHITTIER NARROWS	17.68	0.03	0.10	0.57	0.00	9.41	4.65	0.80	1.46	0.65	T	0.01	0.00	T	0.00	0.09	17.07
WHITTIER NARROWS DAM	19.65	T	0.39	0.67	0.00	10.14	5.44	1.09	1.33	0.51	0.00	0.08	0.00	0.00	0.00	0.36	18.95
WILMINGTON-2	16.46	0.00	0.00	0.27	0.00	8.33	4.64	1.34	0.93	0.45	0.00	0.50	0.00	0.00	0.00	0.00	16.1*
WILSON CANYON	33.34	0.20	0.02	2.31	0.00	21.00	5.08	1.36	2.26	0.58	0.00	0.53	0.00	0.00	0.00	1.13	31.94
WOLFSKILL CYN-UPPER	34.8*	0.07	0.00	1.35	0.00	18.51	8.91	1.08	3.4*	0.85	0.16	0.48	0.00	0.00	0.00	0.13	33.5*
WRIGHTWOOD FIRE STA	32.85	0.47	1.09	0.45	0.00	16.27	10.43	0.81	2.31	1.02	0.00	0.00	0.00	T	0.25	0.15	31.24
YORBA LINDA	15.80	0.14	0.05	1.08	0.00	7.33	3.70	0.89	2.22	0.31	0.05	0.03	T	T	T	0.11	14.64
YORBA RESERVOIR	15.29	0.10	0.00	1.01	0.00	7.35	3.81	0.80	1.92	0.27	T	0.03	0.00	0.00	0.00	0.02	14.20
SAN PEDRO CHANNEL ISLANDS HYDROLOGIC UNIT U06																	
AVALON PLEASURE PIER	16.68	0.00	0.02	0.20	0.00	10.62	3.43	1.24	0.93	0.22	0.02	0.00	0.00	0.00	0.00	T	16.46

* ESTIMATED   T TRACE   — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LAHONTON DRAINAGE PROVINCE W																	
MONO HYDROLOGIC UNIT W01																	
CAIN RANCH	11.69	1.98	0.51	0.24	T	4.91	2.49	0.26	0.17	0.10	0.35	0.40	0.28	0.06	1.23	0.49	10.74
ELLERY LAKE	19.53	0.34	2.56	0.75	0.18	6.08	3.90	0.90	1.76	1.00	1.30	0.24	0.52	0.12	0.40	0.50	16.90
GEM LAKE	22.18	0.90	2.20	0.50	0.25	11.10	3.58	0.90	1.28	0.60	0.45	0.22	0.20	0.28	1.94	0.46	21.26
MONO LAKE	9.16	0.50	0.66	0.46	T	5.04	1.79	0.23	0.07	T	0.18	T	0.23	0.10	0.45	0.28	8.37
OWENS HYDROLOGIC UNIT W03																	
ALABAMA HILLS	2.85	0.44	0.41	0.00	0.00	1.71	0.29	0.00	T	0.00	0.00	0.00	T	0.06	0.04	0.08	2.18
BENTON INSPECTION ST	11.99	1.66	1.33	0.03	0.00	3.65	4.42	T	0.01	T	T	0.70	0.19	0.15	T	0.54	9.66
BIG PINE POWER PLT 3	7.80	1.00	0.32	0.00	0.00	3.64	2.66	0.00	0.04	0.02	0.00	0.12	0.00	T	0.00	0.38	6.86
BISHOP CREEK INTAKE	9.32	1.00	1.14	0.00	0.00	3.28	2.66	0.44	0.22	0.10	0.16	0.22	0.10	0.00	0.00	0.56	7.74
BISHOP WB AIRPORT	5.47	0.59	0.61	0.02	0.00	1.90	2.16	0.00	0.01	T	T	0.18	T	T	0.10	0.18	4.53
BISHOP UNION CARBIDE	-	0.00	0.77	0.00	T	-	-	-	-	-	-	0.00	T	0.32	0.34	-	-
COTTONWOOD GTD TRT C	12.75	1.85	1.55	0.15	0.00	5.60	2.40	0.20	0.25	0.20	0.00	0.20	0.35	0.70	0.65	0.15	10.70
COTTONWOOD GATES	4.10	1.30	0.31	0.00	0.00	1.87	0.54	0.00	0.01	0.01	0.00	0.06	T	0.09	0.10	0.13	2.81
GLACIER LODGE	13.70	1.05	1.25	0.00	0.00	6.65	3.15	0.10	0.45	0.50	0.15	0.25	0.15	0.05	0.00	0.20	11.65
HAIWEE	6.69	1.38	0.60	0.00	0.00	3.64	1.04	T	T	0.00	0.00	0.03	T	0.14	0.19	T	5.04
INDEPENDENCE	3.67	0.27	0.13	0.00	0.00	2.57	0.70	0.00	T	T	0.00	T	T	0.03	0.07	0.13	3.50
LAKE SABRINA	11.22	0.60	1.98	0.10	0.04	4.14	2.28	0.42	0.32	0.46	0.46	0.12	0.30	0.20	0.50	0.32	9.56
LONE PINE	2.82	0.46	0.23	0.00	0.00	1.70	0.38	0.00	0.02	0.00	0.00	0.00	0.03	0.07	0.06	0.08	2.34
LONG VALLEY RES	9.30	0.66	1.33	0.29	T	3.68	2.30	0.35	0.34	T	0.04	0.20	0.11	0.07	T	0.35	7.44
L A AQUEDUCT INTAKE	3.83	0.20	0.22	0.00	0.00	2.41	1.00	0.00	0.00	0.00	0.00	T	T	0.00	0.02	0.03	3.46
MAMMOTH	24.90	1.50	3.75	0.50	0.05	7.90	4.25	1.20	1.80	1.05	1.85	0.25	0.80	0.20	0.00	0.95	20.30
NORTH HAIWEE RES	5.19	1.02	0.87	0.00	0.00	2.09	1.11	0.00	0.00	0.00	0.00	0.00	0.10	0.12	0.23	0.00	3.65
ROCK CREEK LADWP	14.55	1.35	3.20	0.05	0.05	3.70	2.35	0.60	0.90	0.65	0.90	0.50	0.30	0.25	0.15	0.40	10.75
SOUTH LAKE USWB	17.02	0.90	2.24	0.18	0.04	5.84	4.80	0.68	0.54	0.66	0.56	0.40	0.18	0.10	0.16	0.60	14.56
TINEMAHA RES	5.09	0.46	0.10	0.02	0.00	2.63	1.81	0.00	T	T	0.00	0.02	0.05	T	0.17	0.05	4.73
WHITE MOUNTAIN 2	11.8*	0.30	1.05	0.00	T	4.70	3.20	0.7*	0.9*	0.1*	0.4*	0.40	0.00	T	2.82	0.10	13.3*
DEEP SPRINGS HYDROLOGIC UNIT W05																	
DEEP SPRINGS COLLEGE	5.7*	0.78	0.72	0.30	0.00	2.60	1.11	0.1*	0.04	0.05	0.00	0.04	0.01	0.01	T	0.48	4.4*
WHITE MOUNTAIN 1	9.15	1.12	3.50	T	0.00	1.33	1.30	0.50	0.85	T	0.25	0.30	T	T	1.77	0.09	6.39
AMARGOSA HYDROLOGIC UNIT W09																	
DEATH VALLEY	2.03	0.21	0.27	0.00	0.00	0.86	0.57	0.08	0.04	0.00	T	0.00	T	0.42	0.10	0.05	2.12
IVANPAH HYDROLOGIC UNIT W12																	
IVANPAH COUNTY YARD	-	-	-	-	-	-	-	-	-	0.44	0.00	0.00	0.00	1.74	0.23	0.05	-
SEARLES HYDROLOGIC UNIT W21																	
SOUTH TRONA	4.15	1.25	0.00	0.00	0.00	2.40	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.06	3.06
TRONA	5.3*	1.00	0.03	0.00	0.00	2.79	1.09	0.39	0.05	T	0.00	0.00	T	T	0.05	0.05	4.42
INDIAN WELLS HYDROLOGIC UNIT W24																	
FREEMAN STATION	5.76	0.44	0.79	0.00	0.00	2.82	1.60	0.10	0.01	T	0.00	0.00	0.00	T	0.00	0.00	4.53
HAIWEE POWERHOUSE	5.30	1.07	0.31	0.00	0.00	3.15	0.74	T	0.03	0.00	0.00	0.00	0.00	0.10	0.22	T	4.24
INYOKERN	5.92	0.61	0.74	0.00	0.00	2.47	1.93	0.13	0.02	0.00	0.00	0.00	0.02	T	0.00	0.00	4.57
INYOKERN ARMITAGE	7.85	1.23	0.80	0.00	T	2.75	2.84	0.23	T	0.00	0.00	0.00	T	0.00	0.03	T	5.85
LITTLE LAKE	7.66	0.81	0.11	0.00	0.00	4.94	1.73	0.01	0.06	T	0.00	0.00	0.00	0.05	0.02	0.00	6.81
FREMONT HYDROLOGIC UNIT W25																	
CANTIL	6.3*	0.17	0.34	0.00	0.00	2.70	2.28	0.46	0.18	0.23	0.00	0.00	0.00	T	T	0.09	5.94
RANDSBURG	7.83	0.33	0.22	0.02	0.10	3.62	2.70	0.36	0.31	0.15	0.00	0.02	0.00	0.00	T	0.10	7.36
ANTELOPE HYDROLOGIC UNIT W26																	
ANAVERDE LEONA VLY	14.62	0.22	0.30	0.13	0.00	8.72	3.38	0.60	1.07	0.20	0.00	0.00	0.00	0.00	0.00	0.17	14.14
ANTELOPE VLY FLD STA	16.42	0.38	1.80	0.30	0.00	7.61	4.70	0.75	0.75	0.13	0.00	0.00	0.00	0.00	0.00	0.19	14.13
BEAR GULCH	36.97	0.37	2.60	0.88	0.00	18.31	9.23	1.16	3.11	1.31	0.00	0.00	0.00	0.14	0.11	0.62	33.99
BELLVIEW	14.36	0.28	1.20	0.12	0.00	7.90	3.11	0.74	0.79	0.22	0.00	0.00	0.00	0.00	0.00	0.36	13.12
BURKHART RCH LEWIS	22.91	0.46	0.70	0.46	0.00	10.58	7.11	0.48	2.31	0.81	0.00	0.00	0.00	0.14	0.00	0.16	21.59
CHILAO HMS	40.96	0.48	0.22	1.43	0.00	24.03	11.04	0.69	2.03	0.86	T	0.18	0.00	0.00	0.00	0.4*	39.2*
DAWSON SADDLE	32.96	0.03	0.18	0.56	0.00	20.57	8.44	0.58	1.99	0.61	0.00	0.00	0.00	0.14	0.00	0.44	32.77
DORR CANYON	25.68	0.35	0.32	1.09	0.00	12.93	6.71	0.97	2.23	1.08	0.00	0.00	0.00	0.12	0.09	0.53	24.66
FAIRMONT	23.47	0.28	0.42	0.48	0.00	13.66	6.54	1.10	0.90	0.09	T	0.00	0.00	T	T	0.30	22.59
FAIRMONT RESERVOIR	23.58	0.28	0.42	0.48	0.00	13.66	6.43	1.21	0.90	0.20	T	T	0.00	T	0.00	0.28	22.68
FENNER CANYON	-	-	-	1.02	0.00	18.54	9.55	0.60	1.76	0.7*	T	0.00	0.00	0.00	0.00	0.75	31.9*
GRASSY HOLLOW	34.15	0.37	2.04	0.69	0.00	17.54	9.14	0.91	2.44	1.02	0.00	0.00	0.00	0.00	0.00	0.20	31.25
HI VISTA-CARD	6.92	0.17	0.40	0.04	0.00	3.07	2.21	0.20	0.68	0.15	0.00	0.00	0.00	0.00	0.04	0.34	6.69
HUNT CANYON	10.99	0.50	0.06	0.20	0.00	5.55	3.30	0.50	0.88	T	0.00	0.00	0.00	0.00	0.00	0.66	10.89
ISLIP SADDLES	39.14	0.06	0.40	1.20	0.00	24.10	9.72	0.67	2.29	0.70	0.00	0.00	0.00	0.19	0.00	0.63	38.30

* ESTIMATED T TRACE - NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LAHONTON DRAINAGE PROVINCE W																	
ANTELOPE HYDROLOGIC UNIT W26																	
KRATKA SKI LIFT	-	0.00	0.00	1.10	0.00	32.35	11.68	-	-	-	-	-	-	-	-	-	-
LANCASTER	8.71	0.27	0.26	0.18	0.00	4.65	1.92	0.57	0.70	0.16	0.00	0.00	0.00	0.00	0.00	0.26	8.26
LANCASTER HMS	8.33	0.32	0.35	0.15	0.00	4.10	2.03	0.52	0.71	0.15	0.00	0.00	0.00	0.00	0.00	0.21	7.72
LANCASTER WILEY	7.2*	0.05	0.24	0.00	0.00	3.84	1.52	0.39	0.80	0.40	0.00	0.00	0.00	0.00	0.1*	0.21	7.3*
LEONIS VALLEY	20.69	0.40	0.72	0.31	0.00	9.73	6.81	0.91	1.58	0.23	0.00	T	0.00	0.12	0.00	0.41	19.79
LITTLE ROCK	8.72	0.28	0.56	0.10	0.00	3.54	2.60	0.40	1.05	0.19	0.00	0.00	0.00	0.00	0.00	0.40	8.18
LITTLE ROCK CREEK	-	-	1.91	0.26	0.00	4.66	4.23	0.65	1.82	0.14	0.00	0.00	0.00	0.04	T	0.44	11.98
MESCAL CREEK FT TEJO	-	0.35	1.13	0.23	0.00	-	-	0.31	0.82	0.52	0.00	0.00	0.00	0.15	0.30	0.60	-
MILE HIGH	22.87	0.37	0.35	0.60	0.00	11.40	7.27	0.53	1.68	0.67	0.00	0.00	0.00	0.00	0.15	0.60	22.30
MOJAVE (USWB)	8.01	0.24	0.26	0.00	0.00	3.76	2.82	0.55	0.23	0.15	0.00	0.00	0.00	T	T	0.45	7.96
MOJAVE LADW+P	7.41	0.26	0.30	0.00	0.00	3.43	2.65	0.43	0.19	0.15	0.00	0.00	0.00	0.00	0.00	0.66	7.51
MOJAVE 2 ESE	7.1*	0.00	0.00	0.00	0.00	3.77	2.5*	0.00	0.78	0.01	0.00	0.00	0.00	0.00	0.00	0.40	7.5*
MT BALDY	60.65	0.66	1.20	1.38	0.00	28.82	21.01	1.28	5.08	1.22	0.00	0.00	0.00	0.00	0.00	0.00	57.41
MUNZ VALLEY RCH	17.03	0.20	1.03	0.33	0.00	9.22	4.87	0.65	0.66	0.07	0.00	0.00	0.00	0.00	0.00	0.33	15.80
PACIFIC MOUNTAIN	26.28	0.04	0.09	0.65	0.00	14.56	7.24	0.67	2.33	0.67	0.03	0.00	0.00	0.03	0.00	1.04	26.57
PALMDALE	9.86	0.49	0.13	0.09	0.00	5.68	2.12	0.35	0.88	0.12	0.00	0.00	0.00	0.00	0.00	0.40	9.55
PALMDALE HMS	9.85	0.52	0.30	T	0.00	5.49	2.19	0.47	0.77	0.11	0.00	0.00	0.00	0.00	0.00	0.63	9.66
PALMDALE-CIRCLE C	10.08	0.81	0.23	0.19	0.00	4.86	2.69	0.47	0.71	0.12	0.00	0.00	0.00	T	0.00	0.86	9.71
PALMDALE FAA AP	8.85	0.58	0.05	0.26	T	4.89	1.74	0.43	0.82	0.08	0.00	T	0.00	T	0.00	0.33	8.29
PAUL	7.87	0.30	0.53	0.15	0.00	3.05	2.30	0.42	0.87	0.25	0.00	0.00	0.00	0.24	0.1*	0.18	7.4*
PINE CANYON G S	29.80	0.23	0.66	0.90	0.00	16.72	8.63	1.20	1.44	0.02	0.00	0.00	0.00	0.00	0.00	0.34	28.35
PIUTE BUTTE	7.37	0.12	0.18	0.21	0.00	3.54	1.79	0.30	0.87	0.29	0.00	0.00	0.07	0.02	0.16	0.30	7.34
PLEASANT VIEW	13.21	0.32	0.65	0.24	0.00	4.73	4.57	0.58	1.61	0.51	0.00	0.00	0.00	0.28	0.26	0.43	12.97
PUNCH BOWL RANCH	27.03	0.38	0.45	0.50	0.00	13.62	8.90	0.55	1.81	0.82	0.00	0.00	0.00	0.05	0.29	0.37	26.41
PUZZLE SPRINGS RANCH	-	0.15	5.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SANTIAGO CYN	16.21	0.87	1.40	0.52	0.00	6.22	5.08	0.55	1.22	0.35	0.00	0.00	0.00	0.00	0.00	0.26	13.68
SANTIAGO CREEK	13.67	0.76	1.22	0.45	0.00	5.08	4.18	0.51	1.14	0.33	0.00	0.00	0.00	0.00	0.00	0.24	11.48
SAWMILL MTN RCH	24.77	0.75	0.22	0.70	0.00	14.89	5.44	1.30	1.41	0.03	0.00	0.03	0.00	0.00	0.00	T	23.10
SYCAMORE CAMP	18.81	0.45	1.24	0.40	0.00	8.53	5.08	0.64	1.88	0.59	0.00	0.00	0.00	0.00	0.00	0.21	16.93
TABLE MOUNTAIN	36.31	0.61	5.61	0.55	0.00	16.69	8.70	0.87	2.43	0.85	0.00	0.00	0.00	0.19	0.88	0.52	31.13
VALYERMO R S	15.79	0.22	0.64	0.33	0.00	5.95	5.48	0.55	1.90	0.72	0.00	0.00	0.00	0.94	0.14	0.22	15.90
WEST ANTELOPE	8.80	0.27	0.45	0.08	0.00	4.28	2.25	0.87	0.34	0.26	0.00	0.00	0.00	0.00	0.00	0.25	8.25
WILLOW SPRINGS	-	0.41	0.50	0.09	-	-	-	-	-	0.68	0.00	0.00	0.00	0.48	0.00	0.28	-
MOJAVE HYDROLOGIC UNIT W28																	
ADELANTO	5.86	0.18	0.38	0.05	0.00	2.03	2.07	0.27	0.61	0.27	0.00	0.00	0.00	0.05	0.00	0.19	5.49
APPLE VALLEY	6.25	0.07	0.67	0.01	0.00	1.77	2.28	0.18	0.88	0.39	0.00	0.00	0.00	T	0.00	0.03	5.53
ARROWHEAD RANGER STA	55.77	0.23	0.60	1.76	0.00	32.19	14.72	0.30	3.50	1.25	0.59	0.63	0.00	0.04	0.00	0.09	53.31
BAKER 9 NNW	4.13	0.02	0.03	0.00	0.00	1.44	2.20	T	0.37	0.05	T	0.02	T	0.35	0.00	0.04	4.47
BARSTOW	6.02	0.49	0.42	0.02	0.00	2.29	1.72	0.13	0.52	0.43	0.00	T	T	0.05	0.00	0.10	5.24
BARSTOW-2	6.96	1.25	0.72	0.00	0.00	2.48	1.57	0.01	0.45	0.48	0.00	0.00	0.00	0.19	0.00	0.08	5.26
BARSTOW COUNTY YARD	5.66	0.76	0.00	0.00	0.00	2.16	1.46	0.12	0.32	0.84	0.00	0.00	0.00	0.00	0.00	0.00	4.90
BIG PINES PARK	41.32	0.54	3.92	0.61	0.00	19.87	10.31	1.49	3.41	1.17	0.00	0.00	0.00	0.13	0.10	0.58	37.06
CEDAR SPRINGS R EVAP	37.08	0.07	0.30	0.52	0.00	20.10	11.16	1.05	3.06	0.81	0.01	T	0.00	-	-	0.57	-
DAGGETT 1 ENE	-	-	-	-	-	-	-	0.03	0.27	0.25	0.00	0.03	0.02	0.06	0.00	0.12	-
DAGGETT FAA AP	-	0.25	0.47	0.00	0.00	1.74	2.02	-	-	-	-	-	-	-	-	-	-
DUNN SIDING	6.24	1.14	0.19	0.00	0.00	1.75	2.58	T	0.20	0.18	0.00	0.20	0.00	0.54	T	0.11	5.56
EL MIRAGE VISAN O F	6.27	0.90	0.31	0.21	0.00	2.11	1.62	0.33	0.62	0.17	0.00	0.00	0.00	0.70	0.13	0.21	5.89
HESPERIA	8.95	0.06	0.03	0.05	0.06	3.12	3.71	0.57	0.94	0.41	0.00	0.00	T	0.04	0.00	0.23	9.08
HESPERIA FFS	8.3*	0.00	0.00	0.00	0.00	3.1*	3.7*	0.5*	0.8*	0.25	0.00	0.00	0.00	0.04	0.00	0.06	8.4*
JOBS PEAK	39.26	0.00	0.00	1.40	0.00	22.03	9.62	0.63	3.62	1.75	0.21	0.00	0.00	0.00	0.00	0.37	38.23
KELSO	-	-	-	-	-	-	-	-	-	0.54	0.00	0.00	0.00	0.32	0.00	0.16	-
KRAMER JUNCTION B C	6.24	0.08	0.08	0.00	0.00	2.78	2.26	0.22	0.64	0.13	0.00	0.05	0.00	0.06	0.03	0.03	6.20
LAKE ARROWHEAD	53.24	0.17	0.65	0.99	0.05	29.99	13.45	1.94	4.16	1.36	0.30	0.18	0.00	0.09	0.00	0.14	51.66
LAKE GREGORY DAM	41.37	0.09	0.23	1.03	0.00	22.16	11.88	0.35	4.03	1.60	0.00	0.00	0.00	0.00	0.00	0.00	40.02
PHELAN	6.69	0.03	0.35	T	0.00	4.38	0.00	0.40	1.15	0.38	0.00	0.00	0.00	0.00	0.00	0.05	6.36
PILOT ROCK EVAP	45.43	0.03	T	0.60	T	21.99	14.69	1.01	5.61	1.27	0.15	0.08	0.00	T	0.00	0.23	45.03
SQUIRREL INN 2	51.68	0.22	0.58	1.24	0.02	24.62	14.46	2.57	5.18	1.98	0.40	0.41	0.00	0.10	0.00	0.15	49.89
STODDARD VALLEY	5.55	0.36	0.93	0.00	0.05	1.74	2.00	0.07	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.05	4.31
SUMMIT VALLEY RENTFR	26.21	0.03	0.02	0.41	0.00	13.90	8.61	0.84	2.03	0.37	0.00	0.00	0.00	0.00	0.00	0.37	26.12
VICTORVILLE PUMP PLT	5.83	0.10	0.52	0.08	0.00	1.90	2.00	0.27	0.52	0.44	0.00	0.00	0.00	0.03	0.16	0.15	5.47
WRIGHTWOOD	32.78	0.47	1.09	0.45	0.00	16.27	10.43	0.81	2.31	0.95	0.00	0.00	0.00	0.00	0.25	0.15	31.17
YERMO INSPECTION STA	4.59	0.12	0.43	T	0.00	1.39	2.10	0.07	0.23	0.25	0.00	T	T	0.03	0.00	0.07	4.14

* ESTIMATED   T TRACE   - NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
COLORADO RIVER RASIN ORAINAGE PROVINCE X																	
LUCERNE HYOROLOGIC UNIT X01																	
KAISER PERMANENTE P	11.74	0.54	1.49	0.78	0.00	4.15	3.85	0.21	0.43	0.18	0.00	0.08	0.03	2.20	0.23	0.00	11.36
LUCERNE VALLEY	-	-	-	-	-	-	-	0.1*	0.15	0.20	0.00	0.00	0.03	0.19	0.00	0.07	-
LUCERNE VALLFY 2 W	-	0.15	0.46	0.01	0.04	2.59	2.54	-	0.15	0.20	0.00	-	0.03	0.19	-	0.07	-
JOHNSON HYDROLOGIC UNIT X02																	
W C SHEHORN JOHNSON	9.67	T	2.16	2.00	0.00	1.75	2.95	0.04	0.45	0.28	0.00	0.00	0.04	0.64	0.21	0.03	6.39
EMERSON HYOROLOGIC UNIT X05																	
KEE RANCH	14.65	0.32	0.15	0.00	0.00	9.25	4.05	0.20	0.41	0.27	0.00	0.00	0.00	0.00	0.00	0.15	14.33
JOSHUA TREE HYDROLOGIC UNIT X08																	
JOSHUA TREE	5.47	0.00	0.10	0.15	0.00	2.52	2.18	0.09	0.07	0.36	0.00	0.00	T	0.18	0.02	0.11	5.53
QUAIL CANYON	10.39	0.00	0.30	0.10	0.00	3.50	3.70	0.30	0.00	2.49	0.00	0.00	0.00	0.00	0.18	0.00	10.17
YUCCA VALLEY	7.74	0.22	0.17	0.00	0.00	4.00	2.56	0.16	0.34	0.29	0.00	0.00	0.00	0.01	0.00	0.09	7.45
DALE HYDROLOGIC UNIT X09																	
TWENTYNINE PALMS NPS	5.52	0.23	0.89	0.00	0.00	1.09	2.03	0.21	0.53	0.54	0.00	0.00	0.00	0.69	0.14	0.06	5.29
TWENTY NINE PALMS C	-	T	0.85	0.00	-	1.18	2.23	0.18	0.44	0.51	0.00	0.00	0.00	0.91	0.23	0.09	-
TWENTY NINE PALMS Q	4.67	0.00	0.85	T	0.00	1.00	2.13	0.10	0.31	0.28	0.00	T	0.00	0.10	0.86	0.00	4.78
8RISTOL HYDROLOGIC UNIT X10																	
GOFFS-KOGER	-	-	-	-	-	-	-	-	-	-	0.00	0.30	T	0.68	0.00	0.12	-
MITCHELL CAVERNS	8.8*	0.19	0.78	0.00	0.16	3.24	3.01	0.06	0.62	0.68	T	0.08	T	0.74	0.24	0.09	8.92
WARD HYDROLOGIC UNIT X12																	
IRON MOUNTAIN S8 114	4.90	0.48	0.06	T	0.00	0.83	1.97	0.79	0.62	0.15	0.00	T	0.00	T	0.13	0.17	4.66
PIUTE HYDROLOGIC UNIT X13																	
NEEDLES CO YD	4.19	0.13	0.55	0.00	0.00	0.00	2.36	0.10	0.90	0.15	0.00	0.00	T	0.38	0.00	0.23	4.12
NEEDLES FAA AP	6.36	0.12	0.05	0.11	0.15	1.72	2.45	0.17	0.99	0.58	0.00	T	0.02	0.17	0.09	0.04	6.38
NEEDLES PUMPING PLAN	6.54	0.32	0.07	T	0.10	1.94	2.56	0.35	0.70	0.48	0.00	0.00	0.02	0.06	1.03	T	7.24
CHEMEHUEVIS HYDROLOGIC UNIT X14																	
PARKER RESERVOIR	6.75	0.16	0.15	0.24	0.00	2.08	2.79	0.34	0.83	0.16	0.00	0.00	0.00	0.27	0.02	0.28	6.77
COLORADO HYDROLOGIC UNIT X15																	
8LYTHE	5.27	0.02	0.06	0.07	0.00	0.85	2.43	1.01	0.07	0.76	T	0.00	T	0.03	0.10	T	5.25
8LYTHE CAA AIRPORT	3.93	0.00	0.40	T	0.00	0.81	1.44	1.08	0.02	0.15	0.03	T	0.00	0.61	0.13	0.18	4.45
8LYTHE AIR 8ASE	4.46	0.00	0.40	T	0.00	0.88	1.88	1.02	0.06	0.19	0.03	0.00	0.00	0.60	0.13	0.18	4.97
8LYTHE F C STA	5.37	0.02	0.06	0.07	0.00	0.85	2.53	1.01	0.07	0.76	T	0.00	T	0.03	0.10	T	5.35
RIPLEY F.C. STA.	5.99	0.05	0.32	0.03	0.00	0.99	2.96	1.23	0.10	0.31	0.00	0.00	0.00	0.26	0.07	0.26	6.18
CHUCKWALLA HYDROLOGIC UNIT X17																	
EAGLE MOUNTAIN	4.2*	0.00	0.10	0.00	0.00	1.20	2.29	0.20	0.00	0.46	0.00	0.00	0.03	T	0.63	0.10	4.91
HAYFIELD HYDROLOGIC UNIT X18																	
HAYFIELD PUMP PLANT	3.2*	0.00	0.00	0.01	0.00	1.20	1.43	0.11	0.06	0.41	0.00	T	0.00	0.05	0.00	0.15	3.41
WHITEWATER HYOROLOGIC UNIT X19																	
BERMUDA DUNES	6.76	0.00	0.12	0.75	0.00	3.48	1.99	0.08	0.23	0.11	T	T	0.00	0.69	0.38	0.08	7.04
CABAZON	23.18	0.23	4.17	0.31	0.00	12.07	3.96	0.71	0.78	0.93	0.02	0.00	T	0.06	0.00	0.11	18.64
CATHEDRAL CITY F.C.S	7.40	0.00	0.69	0.03	0.00	3.68	2.47	0.19	0.06	0.28	0.00	0.00	0.00	0.04	0.05	0.09	6.86
DEEP CANYON LABORATO	7.64	0.64	0.84	0.05	0.00	3.07	2.30	0.22	0.04	0.48	0.00	0.00	0.00	1.37	0.54	0.14	8.16
DESERT HOT SPRINGS	-	0.00	0.00	0.12	0.00	-	3.41	0.26	0.13	0.26	0.00	0.00	0.00	0.07	T	0.03	-
HURLEY FLT TWIN PINE	26.21	0.44	1.35	0.15	0.12	13.55	5.30	1.96	1.95	1.21	0.18	0.00	T	0.04	0.03	0.38	24.72
IDYLLWILO R S	27.74	1.11	0.75	0.54	0.10	13.59	6.02	1.60	2.67	1.04	0.30	0.02	0.00	0.29	0.08	0.57	26.28
INDIO S D F	4.60	0.00	0.00	0.41	0.00	2.28	1.71	0.05	0.06	0.09	0.00	T	T	0.06	0.00	0.11	4.36
INDIO US DATE GAROEN	4.90	0.00	0.00	0.50	0.00	2.48	1.55	0.05	0.24	0.08	0.00	0.00	T	0.17	0.10	0.14	4.81
LA QUINTA	7.69	0.00	0.00	0.00	0.00	1.98	5.43	0.03	0.05	0.20	0.00	0.00	0.00	1.51	0.27	0.09	9.56
MECCA 2 SE	3.58	0.01	0.06	0.18	0.00	1.56	1.50	T	0.11	0.16	0.00	T	0.00	T	T	0.11	3.44
MECCA S D F	4.70	0.00	0.00	0.46	0.00	1.45	2.51	0.03	0.09	0.16	0.00	T	T	T	T	0.34	4.58
MORONGO VALLEY	15.43	T	0.09	0.28	0.00	10.47	3.14	0.41	0.55	0.49	0.00	0.00	0.00	0.05	0.00	0.05	15.16
NIGHTINGALE	-	-	-	-	-	-	-	0.82	0.45	0.60	0.04	0.00	0.00	2.62	0.95	0.25	-
NORTH SHORE	-	-	0.00	0.00	0.00	1.31	1.38	0.05	0.13	0.13	0.00	T	0.00	0.02	0.00	0.04	3.06
OAK GLEN SB 174	32.56	0.00	2.18	1.59	0.00	16.34	8.08	0.00	2.58	1.37	0.24	0.18	0.00	1.03	0.00	0.13	29.95
OASIS	3.36	0.00	0.00	0.05	0.00	1.65	1.47	0.05	0.03	0.10	0.00	T	0.01	0.02	0.00	0.06	3.39

* ESTIMATED T TRACE – NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
COLORADO RIVER RASIN DRAINAGE PROVINCE X																	
WHITEWATER HYDROLOGIC UNIT X19																	
PALM DESERT	4.88	0.42	0.13	0.01	0.00	0.55	3.13	0.13	0.12	0.39	0.00	0.00	0.00	0.74	0.15	0.11	5.32
PALM SPRINGS	9.9*	0.00	0.15	0.00	0.00	6.35	2.68	0.28	0.15	0.31	0.00	0.00	0.00	0.10	0.23	0.11	10.21
PALM SPRINGS N SDF	9.52	0.00	0.00	0.01	0.00	4.72	2.77	0.30	0.20	1.52	0.00	0.00	0.00	0.05	0.01	0.05	9.62
SNOW CREEK UPPER	24.15	0.15	1.42	0.07	0.00	14.71	4.90	1.07	0.72	1.11	0.00	0.00	T	0.40	0.05	0.05	23.01
THERMAL FAA AIRPORT	3.57	0.00	T	0.05	0.00	1.68	1.75	0.01	0.01	0.07	0.00	0.00	0.00	T	0.00	T	3.52
THERMAL AIR BASE SDF	3.49	0.00	0.00	0.25	0.00	1.34	1.76	0.03	0.03	0.07	0.00	0.00	0.01	T	0.00	0.07	3.31
THOUSAND PALMS	5.82	0.00	0.00	0.07	0.00	3.41	2.12	0.10	0.01	0.11	0.00	0.00	0.00	0.13	0.06	0.06	6.00
ANZA-BORREGO HYDROLOGIC UNIT X22																	
BORREGO DESERT PARK	7.97	0.58	0.71	0.00	0.00	3.63	1.98	0.49	0.12	0.46	0.00	0.00	0.00	1.26	0.00	0.03	7.97
BORREGO SPRINGS 3NNE	4.49	0.21	0.00	0.00	0.00	2.56	1.06	0.13	0.10	0.43	0.00	T	0.00	0.35	T	0.02	4.65
OCOTILLO WELLS	4.65	0.03	0.73	0.03	0.00	1.34	1.82	0.15	0.07	0.13	0.00	0.35	T	0.03	0.00	0.02	3.91
IMPERIAL HYDROLOGIC UNIT X23																	
BRAWLEY 2 SW	3.1*	0.00	0.00	0.00	0.00	0.38	1.87	0.43	0.06	0.43	T	0.00	T	T	0.00	0.85	4.02
CALEXICO 2 NE	3.2*	T	0.05	0.00	0.00	0.26	2.2*	0.31	0.27	0.11	0.00	T	T	0.07	0.00	0.53	3.7*
COYOTE WELLS	4.31	0.00	0.37	0.00	0.00	0.44	2.43	0.15	0.39	0.00	0.00	0.41	0.12	0.06	0.00	0.09	4.09
EL CENTRO 2 SSW	2.7*	0.00	0.00	0.00	0.00	0.24	1.88	0.29	0.21	0.12	0.00	0.00	0.00	0.00	0.00	0.13	2.87
IMPERIAL	2.73	T	0.00	0.00	0.00	0.24	1.89	0.32	0.10	0.18	0.00	0.00	0.00	0.00	0.00	0.47	3.20
IMPERIAL FAA AP	2.3*	0.00	0.00	0.00	0.00	0.26	1.61	0.29	0.09	0.14	0.00	0.00	0.00	T	T	0.30	2.69
NILAND	2.39	0.00	0.00	0.00	0.00	0.51	1.46	0.22	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	2.39
AMOS-OGILBY HYDROLOGIC UNIT X26																	
GOLD ROCK RANCH	2.66	0.02	0.00	0.00	0.00	0.75	0.62	0.66	0.02	0.59	0.00	0.00	0.00	0.00	0.71	0.70	4.05

* ESTIMATED T TRACE — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA DRAINAGE PROVINCE Y																	
SANTA ANA RIVER HYDROLOGIC UNIT Y01																	
ALISO CANYON COOK	19.56	0.21	0.00	0.84	0.00	10.61	4.79	0.82	1.54	0.48	0.06	0.21	0.00	0.00	0.00	0.19	18.70
ALTA LOMA-FORNEY	-	0.32	0.00	0.51	0.00	12.19	5.81	1.73	2.85	0.70	-	0.08	-	-	-	0.19	-
ANAHEIM AUTOMATIC	12.64	0.02	0.00	0.30	0.00	6.71	3.29	0.77	1.28	0.24	0.00	0.03	0.00	0.00	0.00	0.07	12.39
ANAHEIM CARROLL RCH	12.42	T	0.00	0.13	0.00	6.72	3.17	1.04	1.15	0.21	0.00	0.00	0.00	0.00	0.00	0.02	12.31
ANAHEIM WATER WORKS	12.49	0.02	0.00	0.35	0.00	6.66	3.06	0.79	1.34	0.23	0.00	0.04	0.00	0.00	0.00	0.10	12.22
ARLINGTON	9.87	0.11	0.15	0.14	T	5.12	2.06	0.94	1.00	0.27	T	0.08	0.00	T	0.00	0.04	9.51
ARLNGTN MKNGBRD GCCO	-	0.15	0.36	0.27	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUMONT 1 E	-	-	0.81	0.24	0.00	9.02	3.55	1.03	1.10	0.78	T	0.06	0.00	-	-	-	-
BEAUMONT 5 D F	-	0.23	-	-	T	9.08	3.78	1.15	1.53	0.92	0.03	0.06	0.01	T	0.00	0.01	16.57
BIG BEAR LAKE	3.26	1.12	1.39	0.59	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.13	0.00	0.00	0.00	0.00	.16
BIG BEAR LAKE F D	30.53	1.12	1.39	0.59	0.00	16.29	6.06	1.58	1.98	1.32	0.03	0.13	0.04	0.44	0.14	0.18	28.19
BIG BEAR LAKE DAM	50.39	1.37	1.83	0.64	0.13	26.91	12.03	1.89	3.67	1.70	0.14	0.08	T	0.86	0.33	0.44	48.18
BIG BEAR CITY	16.35	0.62	1.61	0.50	0.08	7.21	3.59	0.78	1.15	0.57	0.00	0.00	0.24	0.54	0.24	0.29	14.69
BLOOMINGTON	15.80	0.06	0.00	0.11	0.00	6.89	3.24	2.16	2.69	0.50	0.04	0.11	0.00	0.00	0.00	0.06	15.69
BLUE CUT	-	0.00	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUSH CANYON	23.31	0.08	0.17	0.99	T	11.25	5.91	1.02	2.32	1.04	0.15	0.38	0.00	0.00	0.00	0.20	22.27
CAJALCO 1	11.08	0.36	0.46	0.09	0.01	5.28	2.86	0.77	0.84	0.40	T	0.01	0.00	T	0.00	0.07	10.24
CAJON JUNCTION	25.35	0.29	0.63	0.05	0.00	12.43	8.68	0.75	1.39	1.13	0.00	0.00	0.00	0.00	0.00	0.19	24.57
CALIMESA C D F	17.41	0.00	0.00	0.97	0.00	8.96	4.13	1.12	1.46	0.54	0.03	0.19	0.01	0.08	0.00	0.16	16.68
CASA COLINA	-	0.32	T	0.90	-	-	-	-	-	-	-	-	-	-	-	-	-
CHERRY VALLEY S D F	22.68	0.32	1.63	1.20	T	10.97	4.61	1.17	1.70	0.81	0.08	0.16	0.03	0.02	0.00	0.26	19.81
CHINO-IMBACH	13.07	0.24	0.00	1.04	0.00	6.47	3.07	0.63	1.40	0.20	0.00	0.02	0.00	0.00	0.00	0.00	11.79
CHINO S C E CO	14.96	0.48	0.00	1.44	0.00	7.77	3.01	0.74	1.28	0.24	0.00	0.00	0.00	0.00	0.00	0.01	13.05
CHINO FIRE STATION 2	16.71	0.32	T	0.90	0.00	9.12	3.67	0.79	1.59	0.31	0.01	0.00	0.00	0.00	0.00	0.06	15.55
CLAREMONT FIRE STA	18.40	0.19	0.00	0.50	0.00	10.03	4.13	1.01	1.99	0.38	0.05	0.12	0.00	0.00	0.00	0.04	17.75
CLAREMONT POMONA COL	17.86	0.22	0.00	0.57	0.00	9.74	4.01	0.95	1.87	0.36	0.03	0.11	0.00	0.00	0.00	0.04	17.11
COLTON HWY YARDS	16.49	0.28	0.00	0.25	0.00	8.00	3.90	1.12	2.23	0.63	0.04	0.04	0.00	0.00	0.00	0.09	16.05
COLTON F. D.	15.00	0.16	0.00	0.39	0.00	8.33	3.64	0.83	1.07	0.49	0.03	0.06	0.00	0.00	0.00	0.08	14.53
COLTON SCE CO	-	0.14	0.00	0.56	-	-	-	-	-	-	-	-	-	-	-	-	-
CORONA	13.39	0.30	0.20	0.17	0.00	6.73	3.73	0.71	1.15	0.36	T	0.04	0.00	0.00	0.00	0.01	12.73
CORONA DEL MAR	12.55	0.04	0.00	0.23	T	5.99	3.78	1.09	1.13	0.23	0.01	0.05	0.00	0.00	0.00	0.00	12.28
CORONA S D F	13.47	0.28	0.02	0.38	0.00	6.73	3.73	0.71	1.21	0.37	T	0.04	0.00	0.00	0.00	0.01	12.80
CORONA LEMON CO 1	16.55	0.57	T	0.27	0.00	8.56	4.41	1.00	1.16	0.58	0.00	T	0.00	0.00	0.00	T	15.71
CORONA LEMON CO 2	19.33	0.56	T	0.31	0.00	9.75	5.43	1.06	1.50	0.72	0.00	T	0.00	0.00	0.00	T	18.46
CORONA LEMON CO 3	-	0.57	T	0.14	-	-	-	-	-	-	-	-	-	-	-	-	-
COSTA MESA	13.04	0.04	0.00	0.39	T	6.11	3.58	1.32	1.28	0.14	0.00	0.18	0.00	0.00	0.00	0.03	12.64
COSTA MESA DODGE	12.54	0.00	0.00	0.23	0.00	5.53	3.96	1.06	1.49	0.17	0.01	0.09	0.00	0.00	0.00	0.02	12.33
CRAFTON SCHNEIDER	16.34	0.00	1.00	0.00	0.00	8.72	3.98	1.08	1.21	0.35	0.00	0.00	0.00	T	0.00	0.49	15.83
CREST FORREST C OF C	52.12	0.09	0.33	1.98	0.00	25.68	14.77	1.48	5.00	1.92	0.40	0.47	0.00	0.00	0.00	0.20	49.92
CRESTLINE SB 176	40.93	0.00	0.39	1.58	0.90	20.67	9.21	1.00	3.87	2.36	0.35	0.60	0.00	0.00	0.00	0.36	39.32
CRESTLINE S E	47.84	0.10	0.65	1.48	0.10	24.32	12.65	1.77	4.12	1.68	0.38	0.59	0.00	T	0.00	0.26	45.87
CUCAMONGA WATER CO.	-	-	-	-	-	-	3.55	0.76	2.12	-	-	-	-	-	-	-	-
DAY CANYON	14.50	0.00	0.00	0.00	0.00	14.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.50
DECLEZ	15.24	0.16	0.00	0.21	0.00	7.38	4.16	0.96	1.67	0.52	0.05	0.13	0.00	0.00	0.00	0.05	14.92
DEL ROSA COWAN	7.35	0.00	0.00	0.00	0.00	0.00	3.23	1.23	1.86	0.79	0.24	0.00	0.00	0.00	0.00	0.00	7.35
DEL ROSA RANGER	24.10	0.07	0.06	0.81	0.03	10.87	7.62	1.02	2.19	0.87	0.30	0.26	0.00	0.01	0.00	0.27	23.44
DEVIL CANYON GATE	26.84	0.13	0.00	0.96	0.00	13.13	6.99	1.36	2.55	1.03	0.15	0.54	0.00	0.00	0.00	0.22	25.97
DEVORE	33.43	0.14	0.29	1.53	0.00	18.13	8.29	0.80	3.04	0.64	0.15	0.42	0.00	0.00	0.00	0.26	31.73
DEVORE ST. FOR.	36.52	0.22	0.18	1.42	0.00	19.92	8.70	1.02	3.51	0.70	0.19	0.66	0.00	0.00	0.00	0.07	34.77
DIAMOND BAR HORSE CP	-	-	-	-	0.00	9.35	4.58	0.90	1.52	0.67	0.00	0.00	0.00	0.00	0.00	0.04	17.06
E HIGHLAND ORANGE	19.27	0.01	0.96	0.67	0.00	9.87	4.18	1.26	1.48	0.40	0.21	0.23	0.00	0.05	0.00	0.22	17.90
EDGEMONT FIRE ST SDF	-	-	-	0.28	0.00	7.10	3.02	0.96	1.41	0.34	T	0.01	0.00	T	0.00	0.12	12.96
EL CERRITO	13.88	0.51	T	0.09	0.00	6.64	4.12	0.79	0.78	0.86	T	0.09	0.00	T	0.00	0.01	13.29
EL TORO LOS ALISO RN	16.70	0.00	0.00	0.82	0.00	8.55	4.73	1.10	1.11	0.37	0.00	0.02	0.00	0.00	0.00	0.00	15.88
ETIWANDA	18.63	0.15	T	0.59	0.00	9.10	4.74	0.98	2.42	0.39	0.09	0.17	0.00	0.00	0.00	0.04	17.93
FONTANA B + D	16.48	0.07	0.63	0.35	0.00	8.11	4.05	0.75	2.04	0.48	0.00	0.00	0.00	0.00	0.00	0.00	15.43
FONTANA HERALD NEWS	15.05	0.08	0.16	0.27	0.00	7.29	3.78	0.79	1.83	0.46	0.09	0.30	0.00	0.00	0.00	0.16	14.70
FONTANA UNION WC	16.41	0.08	0.10	0.31	0.00	7.74	4.78	0.75	1.83	0.41	0.09	0.32	0.00	0.00	0.00	0.21	16.13
FONTANA CO YDS	16.26	0.00	0.08	0.39	0.00	8.18	4.46	0.89	1.82	0.44	0.00	0.00	0.00	0.00	0.00	0.00	15.79
FONTANA POWERHOUSE 2	-	0.15	0.03	0.39	0.00	9.86	4.69	-	-	-	-	-	-	-	-	-	-
FONTANA 5 N	26.87	0.14	0.01	0.46	0.00	13.78	6.77	0.74	3.69	0.61	0.19	0.48	0.00	0.00	0.00	0.12	26.38
FONTANA KAISER	14.0*	0.05	0.00	0.28	0.00	7.21	3.64	0.83	1.58	0.36	0.07	T	0.00	0.00	0.00	0.02	13.71
FONTANA SEWAGE	13.84	0.06	T	0.29	0.00	7.15	3.22	1.04	1.65	0.43	0.00	0.00	0.00	0.00	0.00	0.10	13.59
FOREST FALLS	39.70	0.20	1.07	0.82	0.00	23.50	9.53	1.60	1.83	1.05	0.08	0.02	0.00	1.40	0.12	0.33	39.46
GARDEN GROVE CO YD	12.29	0.05	0.00	0.26	0.00	6.55	2.98	0.96	1.21	0.21	0.00	0.07	0.00	0.00	0.00	0.05	12.03
GLEN AVON FIRE DEPT	12.25	0.21	0.00	0.03	0.00	6.56	2.73	0.81	1.57	0.31	0.01	0.02	0.00	0.00	0.00	0.03	12.04
GLEN IVY	23.59	0.50	0.00	0.00	0.00	12.01	7.68	1.40	1.05	0.95	0.00	0.00	0.00	0.00	0.00	0.00	23.09
GREEN CANYON SPRINGS	17.48	0.28	1.59	0.38	0.10	7.62	4.05	1.08	1.03	1.35	0.00	0.00	T	1.80	0.28	0.16	17.47
HANFORD PLANT	14.62	0.10	T	0.29	0.00	7.41	3.45	0.89	1.65	0.64	0.09	0.10	0.00	0.00	0.00	0.11	14.34
HIGH GROVE	15.11	0.04	0.03	1.70	0.00	6.57	3.70	0.90	1.40	0.74	T	0.03	0.00	T	0.00	0.04	13.38
HUNTINGTON BEACH	14.73	0.05	0.00	0.63	0.00	6.27	5.00	1.26	1.20	0.28	0.01	0.03	0.00	0.00	0.00	0.04	14.09
HUNTINGTON BEACH RCH	-	-	-	-	0.00	6.32	3.68	1.02	1.11	0.29	T	T	T	0.00	0.00	0.02	12.44
IRVINE CO AUTOMATIC	14.32	0.11	T	0.60	T	6.87	4.48	0.80	1.23	0.19	0.04	T	0.00	T	0.00	0.01	13.62
IRVINE CO HARKEL	13.43	0.09	0.00	0.82	0.00	6.22	4.15	0.81	1.17	0.17	0.00	0.00	0.00	0.00	0.00	0.00	12.52
IRVINE CO JOHNSON	13.35	0.09	0.00	0.17	0.00	6.76	4.10	0.88	1.06	0.27	0.00	0.02	0.00	0.00	0.00	0.02	13.11

* ESTIMATED T TRACE — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA ORAINAGE PROVINCE Y																	
SANTA ANA RIVER HYDROLOGIC UNIT Y01																	
IRVINE CO LAMBERT	14.37	0.14	0.00	0.31	0.00	6.79	4.84	0.81	1.13	0.30	0.00	0.05	0.00	0.00	0.00	0.00	13.92
IRVINE CO LIMESTONE	17.23	0.00	0.25	0.16	0.00	9.52	4.88	0.68	1.38	0.28	0.06	0.02	0.00	0.00	0.00	0.14	16.96
IRVINE OLD CATTLE RN	13.10	0.06	0.00	0.90	0.00	5.63	4.25	0.90	1.09	0.21	0.00	0.06	0.00	0.00	0.00	-	-
IRVINE CO SHAOY CAMP	14.50	0.07	0.00	0.96	0.00	6.71	4.51	0.83	1.04	0.25	0.00	0.13	0.00	0.00	0.00	0.00	13.47
IRVINE CO WHSE	14.32	0.12	0.00	0.52	0.00	6.95	4.55	0.66	1.24	0.22	0.06	0.00	0.00	0.00	0.00	0.03	13.71
IRVINE CO SALT WORKS	15.18	0.09	0.00	1.36	0.00	6.46	4.32	1.14	1.45	0.20	T	0.16	T	0.00	0.00	0.05	13.78
KATELLA SUBSTA	12.38	0.01	0.00	0.46	0.00	6.20	3.16	0.91	1.33	0.25	0.00	0.06	0.00	0.00	0.00	0.06	11.97
LAKE MATHEWS 1	11.33	0.19	0.36	0.31	0.00	5.48	1.59	1.47	1.30	0.63	0.00	0.00	0.00	0.00	0.00	0.00	10.47
LAKE MATHEWS 3	12.56	0.18	0.48	0.31	0.00	6.29	2.77	0.96	0.68	0.75	0.00	0.14	0.00	0.00	0.00	0.00	11.59
LAMBERT RES AUTOMATI	13.38	0.16	0.00	0.36	T	6.86	3.84	0.66	1.08	0.31	0.05	0.06	0.00	0.00	0.00	0.06	12.92
LA SIERRA F S	10.90	0.23	0.14	0.54	0.00	5.35	2.54	0.79	0.97	0.33	0.00	0.01	0.00	0.00	0.00	0.00	9.99
LEMON HGTS SPRINGER	12.90	0.10	0.00	0.13	0.00	6.94	3.41	0.65	1.47	0.17	0.03	0.00	0.00	T	0.00	0.09	12.76
LYTLE CREEK 58 198	17.11	0.09	0.01	0.16	0.00	8.50	4.72	0.68	1.85	0.76	0.09	0.25	0.00	0.00	0.00	0.13	16.98
LYTLE CREEK PH 1	35.71	0.30	0.01	0.60	0.00	18.21	9.10	0.79	4.59	1.17	0.36	0.58	0.00	0.00	0.00	0.23	35.03
LYTLE CREEK R S	39.34	0.16	0.00	0.28	0.00	22.80	11.19	1.06	2.99	0.60	0.09	0.17	0.00	0.00	0.00	0.24	39.14
MENTONE FS 58 12	14.39	0.04	1.28	0.40	0.00	6.49	3.46	0.56	1.62	0.31	0.08	0.15	0.00	T	0.00	0.37	13.04
MENTONE 58 199	21.10	T	1.74	0.43	0.00	10.29	4.65	1.68	1.62	0.46	0.08	0.15	0.00	T	0.00	0.32	19.25
MENTONE GREEN SPOT	16.73	0.03	0.34	0.55	0.00	8.21	3.99	1.31	1.64	0.37	0.10	0.19	0.00	0.00	0.00	0.49	16.30
MILL CREEK NO 2	22.70	0.01	0.38	1.10	0.00	11.65	5.06	0.78	2.45	0.74	0.25	0.28	0.00	0.02	0.00	0.30	21.53
MILL CREEK RANGER ST	19.67	0.05	0.30	0.75	0.00	9.73	4.45	1.08	2.28	0.48	0.28	0.27	0.00	0.06	0.00	0.31	18.94
MONTE VISTA	16.81	0.34	0.00	0.31	0.00	9.02	3.95	1.35	1.33	0.40	0.09	0.02	0.00	0.00	0.00	0.04	16.20
MOOJESKA-MCARTHUR	26.13	T	T	1.30	0.00	12.64	9.07	0.90	1.65	0.42	0.00	0.15	0.00	0.00	0.00	0.20	25.03
MT BALDY FC 85F	54.30	0.21	0.22	0.91	0.00	30.30	16.58	1.09	3.37	1.04	0.13	0.45	0.00	0.00	0.00	0.14	53.10
MT BALDY NOTCH	56.44	0.55	1.00	1.15	0.00	27.00	19.65	1.20	4.75	1.14	T	0.00	0.00	0.00	0.00	T	53.74
MURDY RANCH	-	0.00	0.00	0.20	-	-	-	-	-	-	-	-	-	-	-	-	-
MUSCOY FIRE DEPT	-	0.01	0.00	0.26	0.00	-	5.43	0.59	1.90	1.45	0.02	0.25	0.00	0.00	0.00	0.07	-
NEWMARK RES	20.47	0.13	0.02	0.42	0.00	10.66	5.04	1.06	2.06	0.68	0.13	0.27	0.00	0.00	0.00	0.09	19.99
NEWPORT BEACH HARBOR	12.0*	0.02	0.00	0.09	0.00	5.54	3.83	0.89	1.33	0.23	T	0.15	0.00	T	0.00	0.05	12.02
NORCO	9.84	0.13	0.00	0.15	0.00	5.84	2.80	0.64	0.00	0.27	0.00	0.01	0.00	0.00	0.00	0.00	9.56
NUVIEW	12.39	0.36	0.52	0.05	0.00	6.16	2.82	1.01	1.05	0.39	0.03	T	T	T	0.00	0.12	11.58
OAK GLEN SB 14	30.56	0.00	0.00	0.00	0.00	16.36	8.86	1.38	2.92	1.04	0.00	0.00	0.00	0.00	0.00	0.00	30.56
OAK GLEN SB 122	30.25	0.12	1.75	1.48	0.00	14.23	7.20	1.40	2.56	0.99	0.26	0.24	0.02	0.34	0.00	0.10	27.34
OLIVE HEIGHTS	13.29	0.00	0.00	0.00	0.00	7.37	3.42	0.79	1.52	0.19	0.00	0.00	0.00	0.00	0.00	0.03	13.32
ONTARIO F S	20.65	0.11	0.01	0.23	0.00	12.63	4.04	1.59	1.48	0.26	0.26	0.04	0.00	0.00	0.00	0.02	20.32
ONTARIO SEWAGE PLANT	9.85	0.00	0.00	0.12	0.00	7.03	2.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.73
ORANGE	13.02	T	0.00	0.16	0.00	7.01	3.29	0.91	1.38	0.27	T	T	0.00	0.00	0.00	T	12.86
ORANGE COUNTY RES	14.24	0.05	0.04	0.73	0.00	7.23	3.31	1.00	1.54	0.32	0.02	0.00	0.00	0.00	0.00	0.14	13.56
PAOUA HILLS PS	24.1*	0.07	0.00	0.66	0.00	12.93	5.63	1.56	2.49	0.55	0.12	0.1*	0.00	0.00	0.00	0.14	23.5*
PALMER CANYON	28.18	0.05	0.00	0.98	0.00	14.70	7.30	1.35	2.92	0.66	0.00	0.22	0.00	0.00	0.00	0.1*	27.2*
PANORAMA	39.14	0.08	0.16	1.68	0.00	21.05	9.47	1.51	2.78	1.17	0.26	0.98	0.00	0.00	0.00	0.34	37.56
PATTON	19.28	0.08	0.36	1.51	0.00	9.10	4.67	1.06	1.50	0.60	0.20	0.20	0.00	0.03	T	0.12	17.48
PEDLEY FIRE STA	11.72	0.21	0.15	0.09	0.00	6.26	2.11	0.97	1.61	0.26	T	0.06	0.00	0.00	0.00	0.02	11.29
PERRIS S D F	13.41	0.50	0.18	0.11	0.00	7.02	3.42	0.82	1.02	0.34	T	T	0.00	0.01	0.00	T	12.63
PINE 2	13.45	0.40	0.00	T	0.05	7.05	3.43	0.63	1.65	0.24	0.00	0.00	0.00	0.00	0.00	0.00	13.05
POMONA FIRE STATION	16.75	0.47	0.00	0.36	0.00	8.69	3.98	1.29	1.60	0.33	0.02	0.01	0.00	0.00	0.00	0.02	15.94
POMONA-RIVIERA	17.9*	0.43	0.00	1.56	0.00	8.84	3.9*	0.96	1.66	0.52	0.00	0.00	0.00	0.00	0.00	0.00	15.9*
PRADO DAM EVAP STA	14.87	0.38	0.00	0.21	T	7.84	3.75	0.82	1.52	0.34	T	0.01	0.00	0.00	0.00	0.01	14.29
RECHE CANYON	16.24	0.26	0.26	1.27	0.00	7.90	3.49	0.90	1.56	0.49	0.01	0.10	0.00	0.01	0.00	0.21	14.67
REDLANDS ROTH	14.64	0.10	0.16	0.89	T	7.52	3.36	0.96	1.08	0.38	0.04	0.15	0.00	0.00	0.00	0.27	13.76
REOLANDS DAILY FACTS	14.36	0.09	0.20	0.62	0.00	7.64	3.07	1.10	1.11	0.38	0.05	0.10	T	0.02	0.00	0.27	13.74
REOLANDS COUNTRY CLU	14.45	0.09	0.00	0.76	0.00	7.76	2.98	0.94	1.36	0.38	0.08	0.10	T	0.00	0.00	0.35	13.95
RIALTO	16.49	0.22	0.00	0.18	0.00	7.98	4.05	0.79	2.18	0.76	0.11	0.22	0.00	0.00	0.00	0.06	16.15
RIVERSIDE C.F.C.+W.C	-	-	-	0.27	T	6.69	3.05	0.68	1.93	0.53	T	0.03	0.00	0.00	0.00	0.04	12.95
RIVERSIDE FIRE STN 3	12.46	0.30	0.10	0.74	0.00	5.72	3.03	0.60	1.46	0.37	0.00	0.14	0.00	0.00	0.04	0.04	11.40
RIVERSIOE CITRUS EXP	13.31	0.10	0.12	0.77	0.00	6.54	3.10	0.60	1.43	0.62	0.00	0.03	0.00	0.00	0.00	0.04	12.36
SAN ANTONIO CNYN MTH	-	0.20	0.02	-	0.00	16.66	7.74	1.04	3.49	0.80	0.13	0.12	0.00	0.00	0.00	0.23	30.21
SAN ANTONIO CANYON	-	0.55	1.00	-	0.00	27.00	19.65	1.20	4.75	1.14	T	0.00	0.00	0.00	0.00	T	53.74
SAN ANTONIO HTS	26.47	0.04	0.00	1.70	0.00	13.51	6.47	0.86	2.93	0.78	0.05	0.13	0.00	0.00	0.00	0.24	24.97
SAN BERNARDINO HOSP	16.97	0.10	0.02	0.58	0.00	8.47	4.23	0.94	1.65	0.69	0.13	0.16	0.00	0.01	0.00	0.12	16.40
SAN BERNARDINO CO FC	14.59	0.09	T	0.45	0.00	7.74	3.41	0.85	1.37	0.52	0.08	0.08	0.00	0.00	0.00	0.03	14.08
SAN JOAQUIN FRUIT CO	14.68	0.18	0.00	0.63	0.00	6.98	4.31	0.89	1.46	0.17	0.06	0.00	0.00	0.00	0.00	0.00	13.87
SAN TIMOTEO	21.10	0.11	1.49	2.71	0.00	9.79	4.05	0.97	1.54	0.44	0.00	0.00	0.00	0.10	0.00	0.20	17.09
SANTA ANA USWB FR DP	-	0.07	0.01	-	0.00	6.90	4.33	-	-	0.19	0.00	0.05	0.00	0.00	-	-	-
SANTA ANA OCFCD	12.78	0.05	T	0.17	T	6.71	3.54	0.76	1.32	0.20	T	0.03	0.00	0.00	0.00	0.01	12.57
SANTA ANA RIVER PH 3	18.23	0.02	0.43	0.46	0.00	9.40	4.34	0.98	1.76	0.48	0.19	0.17	0.00	0.00	0.00	0.35	17.67
SANTA ANA RIVER PH 1	20.49	0.04	0.42	0.87	0.00	8.61	5.59	1.33	2.43	0.74	0.33	0.13	0.00	0.01	0.00	0.28	19.45
SANTA ANA-SCUDOER	12.73	0.06	0.02	0.30	0.00	6.47	3.36	0.92	1.30	0.24	0.01	0.05	0.00	T	0.00	0.05	12.40
SANTIAGO DAM	15.92	0.11	0.27	0.24	0.00	8.60	4.19	0.66	1.58	0.18	0.05	0.04	0.00	0.00	0.00	0.07	15.37
SEAL HOUSE	11.93	0.14	0.26	0.00	0.00	5.72	2.85	1.01	1.05	0.90	0.00	0.00	0.00	0.00	0.00	0.00	11.53
SILVERADO CANYON	-	0.05	0.05	-	0.00	15.39	7.97	1.07	1.84	0.54	0.10	0.05	0.00	0.00	0.00	0.06	27.02
SO CORONA	16.55	0.67	0.00	0.27	0.00	8.64	4.51	0.79	1.04	0.60	0.00	0.03	0.00	0.00	0.00	0.02	15.63
TUSTIN AUTOMATIC	12.00	0.06	0.00	0.48	T	6.23	2.90	0.63	1.40	0.16	0.02	0.12	0.00	0.00	0.00	0.01	11.47
UPLAND	20.61	0.07	0.00	0.93	0.00	10.46	4.63	0.98	2.43	0.90	0.11	0.10	0.00	0.00	0.00	0.02	19.63
UPLAND 3 N	20.61	0.07	0.00	0.93	0.00	10.46	4.63	0.98	2.43	0.90	0.11	0.10	0.00	0.00	0.00	0.02	19.63
UPLAND-CADNUM	-	0.00	0.00	-	0.00	10.15	4.10	0.85	1.89	0.51	0.10	0.08	0.00	0.00	0.00	0.07	17.75

* ESTIMATED T TRACE — NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA DRAINAGE PROVINCE Y																	
SANTA ANA RIVER HYDROLOGIC UNIT Y01																	
UPLAND CO YDS	16.09	0.07	0.00	0.00	0.00	9.24	4.09	0.87	1.82	0.00	0.00	0.00	′0.00	0.00	0.00	0.00	16.02
UPLAND CHAPPEL	19.66	0.00	0.00	0.93	0.00	10.60	4.56	0.86	2.06	0.55	0.10	0.00	0.00	0.00	0.00	0.10	18.83
UPLAND FIRE STATION	-	-	-	-	-	-	3.93	0.82	1.71	0.33	0.02	0.09	0.00	0.00	0.00	0.07	-
VICTORIA GAGF CNL CO	-	0.12	0.01	0.45	-	7.74	3.31	1.02	1.47	0.49	0.06	0.08	0.00	0.00	0.00	0.09	-
VILLA PARK DAM	14.55	0.10	0.05	0.39	0.00	7.82	3.76	0.80	1.40	0.19	0.00	0.04	0.00	0.00	0.00	0.09	14.10
VILLA PK-ORCHARD	12.69	0.04	0.03	0.17	0.00	6.86	3.34	0.81	1.24	0.20	0.00	0.00	0.00	0.00	0.00	0.10	12.55
WESTMINISTER	11.87	0.02	0.00	0.07	0.00	6.36	3.25	0.76	1.13	0.24	T	0.04	0.00	0.00	0.00	0.02	11.80
WEST RIVERSIDE	-	0.22	0.09	-	0.00	6.14	2.73	0.76	1.42	0.43	0.01	0.05	0.00	0.00	0.00	0.06	11.60
WILD ROSE RANCH-EARL	-	0.55	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINTERSBURG-SLATER	14.57	0.00	0.00	1.00	0.00	7.47	3.91	0.84	1.08	0.27	0.00	0.00	0.00	0.00	0.00	T	13.57
YUCAIPA CO YDS	17.15	0.05	0.50	0.60	0.00	9.70	3.30	0.80	1.50	0.50	0.10	0.10	0.00	0.00	0.00	0.70	16.70
YUCAIPA FFS	20.46	0.07	0.71	0.89	0.00	10.74	4.66	1.18	1.51	0.59	0.11	T	0.00	0.08	0.00	0.27	19.14
YUCAIPA WATER CO	21.10	0.06	0.70	0.87	0.00	10.73	5.02	1.25	1.71	0.53	0.12	0.11	0.00	0.08	0.00	0.29	19.84
SAN JACINTO VALLEY HYDROLOGIC UNIT Y02																	
BEAUMONT	17.67	0.24	1.05	0.02	0.00	9.38	3.34	1.12	1.51	0.90	0.03	0.08	0.00	T	0.00	0.07	16.43
BEAUMONT PUMPING PL	24.27	0.42	1.66	1.65	0.00	10.64	5.67	1.39	1.84	0.61	0.13	0.26	0.00	0.10	0.00	0.31	20.95
BUNDY CANYON ROAD	17.95	0.32	0.00	0.25	0.00	8.07	6.28	0.80	1.33	0.90	0.00	T	0.00	0.00	0.00	T	17.38
ELSINORE	14.33	0.31	0.00	0.18	0.00	7.33	4.59	0.76	0.63	0.45	0.02	0.06	0.00	0.02	0.00	0.10	13.96
HEMET	-	0.37	0.30	-	0.00	6.09	3.30	-	-	-	-	-	-	-	-	-	-
HOMELAND IN SEC 17	-	0.15	0.00	-	-	6.20	3.33	0.62	0.95	0.42	0.10	0.00	0.00	T	0.00	T	-
JUNIPER FLATS	-	0.54	0.07	0.13	0.00	7.13	4.30	0.81	1.22	0.33	-	-	0.00	0.00	0.00	0.01	-
LAKELAND VILLAGE	17.74	0.48	0.03	0.22	0.00	8.86	5.29	1.12	0.99	0.63	0.12	0.00	0.00	T	0.00	T	17.01
LITTLE LAKE VLY VISF	-	0.37	0.18	-	-	4.96	3.23	0.66	1.23	0.57	0.15	T	0.00	T	0.00	0.04	-
PERRIS	13.41	0.50	0.18	0.11	0.00	7.02	3.42	0.82	1.02	0.34	T	T	0.00	0.01	0.00	T	12.63
PERRIS HILL	17.48	0.12	0.03	0.61	0.00	8.34	4.31	1.03	1.72	0.98	0.20	0.14	0.00	0.00	0.00	0.16	16.88
PERRIS RES EVAP	12.57	0.15	0.51	0.04	0.00	7.09	2.56	0.83	0.95	0.44	T	T	0.00	0.00	0.00	T	11.87
QUAIL VALLEY	-	0.12	0.00	0.05	-	6.24	3.47	0.59	0.80	0.39	0.08	0.02	0.00	T	0.00	0.05	-
RAILROAD CANYON DAM	11.09	0.10	0.00	0.08	0.00	6.18	3.36	0.42	0.53	0.35	0.07	0.00	0.00	0.00	0.00	0.00	10.91
RYAN FIELD	11.38	0.11	0.00	0.15	0.00	6.19	2.92	0.52	0.98	0.41	0.10	0.00	0.00	T	0.00	0.01	11.13
SAN JACINTO	14.09	0.58	0.77	0.30	0.00	7.10	3.05	0.71	1.01	0.47	0.08	0.02	0.00	T	0.00	T	12.44
SAN JACINTO RES MWD	13.24	0.55	0.49	0.14	0.00	7.35	2.86	0.78	0.60	0.42	0.05	T	0.00	0.00	0.00	T	12.06
SAN JACINTO RS - SDF	13.10	0.60	0.00	0.00	0.00	6.90	3.19	0.70	1.15	0.45	0.09	0.02	0.00	T	0.00	0.01	12.51
SUNNYMEAD	14.38	0.37	0.34	0.26	0.00	6.98	3.56	1.00	1.48	0.33	0.00	0.06	0.00	T	0.00	0.11	13.52
WEST PORTAL RIVERSDE	16.07	0.46	1.65	0.30	0.00	8.25	2.91	0.90	1.13	0.45	0.02	T	0.00	0.00	0.00	T	13.66

* ESTIMATED　　T TRACE　　— NO RECORD

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

STATION NAME	PRECIPITATION IN INCHES																
	TOTAL JULY 1 THROUGH JUNE 30	1965						1966									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SAN DIEGO DRAINAGE PROVINCE Z																	
SAN JUAN HYDROLOGIC UNIT Z01																	
CAPISTRANO BEACH	-	0.03	0.00	-	0.00	6.49	4.12	1.30	1.22	0.12	T	0.07	0.00	0.00	0.00	T	13.32
EL TORO	-	-	0.00	-	T	8.38	4.34	0.90	1.03	0.50	T	0.06	0.00	T	0.00	0.15	15.36
LAGUNA BEACH HARDWAR	-	0.05	0.00	-	0.00	6.40	5.11	0.62	0.93	0.42	0.00	0.07	0.00	0.00	0.00	0.05	13.60
SAN CLEMENTE POLICE	-	0.00	0.00	-	0.00	7.63	3.65	0.93	1.18	0.17	0.00	0.06	0.00	0.00	0.00	0.07	13.69
SAN JUAN CAPISTRANO	-	0.07	0.00	-	0.00	7.89	4.98	1.49	1.31	0.33	0.00	0.06	0.00	0.00	0.00	T	16.06
S JUAN CPSTRN SUBSTA	-	0.00	0.00	-	0.00	8.10	4.35	1.20	1.23	0.28	0.02	0.12	0.00	0.00	0.00	T	15.30
SANTIAGO PEAK	-	0.58	0.18	-	0.00	14.98	8.65	1.44	2.00	0.72	0.26	0.43	0.00	0.00	0.00	0.03	28.51
TRABUCO CANYON	-	0.27	0.00	-	0.00	11.64	4.82	1.00	1.70	0.53	0.00	0.35	0.00	0.00	0.00	T	20.04
SANTA MARGARITA HYDROLOGIC UNIT Z02																	
ANZA	-	1.30	0.05	-	0.00	8.74	3.24	-	0.77	0.94	0.16	0.09	T	0.51	0.55	0.11	-
HOWELL RANCH	-	-	-	0.00	0.00	8.54	5.46	0.76	1.16	0.85	0.02	-	-	0.01	-	0.07	-
OCEANSIDE PENDLETON	-	0.13	0.01	-	T	6.26	4.09	-	-	-	-	-	-	-	-	-	-
PALOMAR MTN OBSERV	-	1.29	0.00	-	T	21.80	7.94	-	-	-	-	-	-	-	-	-	-
SAGE F C STA	13.94	1.60	0.30	0.72	0.00	3.53	4.49	1.30	1.16	0.65	0.06	0.13	0.00	0.00	0.00	0.08	11.40
SAN DIEGO CANAL COT	13.04	0.63	0.00	0.29	0.00	5.92	3.68	0.75	1.10	0.64	0.02	0.01	0.00	0.00	0.00	0.00	12.12
TEMECULA F S	-	0.28	0.00	-	-	8.87	5.05	1.20	0.95	0.95	0.07	0.02	0.00	T	0.00	0.02	-
SAN LUIS REY HYDROLOGIC UNIT Z03																	
HENSHAW DAM	-	0.94	0.00	-	0.00	15.34	6.35	-	2.04	1.27	0.28	0.04	0.19	0.06	0.00	0.04	-
RANCHITA	-	0.00	0.25	-	0.00	7.31	5.44	-	-	-	-	-	-	-	-	-	-
VALLEY CENTER 3 NE	-	0.43	0.00	-	0.00	8.60	5.11	-	-	-	-	-	-	-	-	-	-
WARNER SPRINGS	-	0.94	0.71	-	0.00	8.14	4.03	-	-	-	-	-	-	-	-	-	-
CARLSBAD HYDROLOGIC UNIT Z04																	
E RES VISTA ID	14.71	0.22	0.00	0.20	0.00	7.13	4.27	1.10	1.52	0.22	0.00	0.05	0.00	-	-	-	-
ESCONDIDO	-	0.57	0.00	-	0.03	8.18	5.77	-	-	-	-	-	-	-	-	-	-
LAKE WOHLFORD	-	0.65	0.01	-	-	-	-	-	-	-	0.01	0.18	0.00	0.00	0.00	0.05	-
SAN DIEGUITO HYDROLOGIC UNIT Z05																	
HODGES DAM	16.89	0.18	0.00	0.25	0.00	7.89	5.47	1.16	1.46	0.36	0.07	0.05	T	0.00	0.00	T	16.46
RAMONA SPAULDING	-	0.68	0.00	-	0.01	8.52	5.18	-	-	-	-	-	-	-	-	-	-
SAN DIEGUITO DAM	16.76	0.18	0.00	0.28	0.04	7.40	5.41	1.20	1.57	0.36	0.06	0.09	0.17	0.00	0.00	T	16.30
SUTHERLAND DAM	22.77	0.55	0.10	1.03	0.00	9.75	6.13	1.17	2.23	1.54	0.17	0.00	0.10	0.00	0.00	0.20	21.29
PENASQUITA HYDROLOGIC UNIT Z06																	
LA JOLLA NO 2	14.75	0.07	0.00	0.25	0.05	6.64	5.83	0.96	0.76	0.14	T	0.00	0.05	0.00	0.00	T	14.43
MIRAMAR	15.56	0.16	0.00	0.31	T	6.44	5.90	0.85	1.60	0.23	0.02	0.05	0.00	0.00	0.00	0.00	15.09
POWAY VALLEY	-	0.11	0.00	-	0.00	7.05	6.31	-	-	-	-	-	-	-	-	-	-
SAN DIEGO HYDROLOGIC UNIT Z07																	
ALPINE	-	0.08	0.00	-	0.00	7.76	4.01	-	-	-	-	0.00	0.00	-	0.00	0.09	-
CUYAMACA	39.40	1.15	0.22	1.08	0.02	15.49	10.97	3.04	4.72	2.27	0.31	0.13	0.00	0.05	0.06	0.42	37.48
EL CAJON SDGE	16.46	0.06	0.00	0.44	0.00	6.94	5.99	1.29	1.43	0.29	0.00	0.02	0.00	-	-	-	-
EL CAPITAN DAM	-	0.13	T	-	T	7.09	4.36	-	-	-	0.00	0.04	0.10	T	0.00	0.16	-
GILLESPIE FIELD	-	0.07	0.00	-	T	5.96	4.61	-	-	-	-	-	-	-	-	-	-
JULIAN WYNOLA	-	0.48	0.48	-	0.03	11.75	6.08	-	-	-	-	-	-	-	-	-	-
LAKESIDE 2 ENE	-	0.10	-	-	0.00	7.21	4.66	-	-	-	0.00	0.00	0.00	0.00	0.00	0.12	-
MURRAY DAM	15.03	0.03	0.00	0.46	0.00	6.98	5.00	1.16	1.29	0.11	0.00	0.00	0.00	0.00	0.00	0.00	14.54
SAN VICENTE RES	17.08	0.10	0.00	0.63	0.00	6.88	6.37	1.50	1.60	0.00	0.00	0.00	0.00	0.00	0.00	0.06	16.41
CORONADO HYDROLOGIC UNIT Z08																	
CABRILLO NAT MON	-	0.04	0.00	-	0.02	6.13	6.34	-	-	-	-	-	-	-	-	-	-
CHOLLAS RESERVOIR	14.47	0.02	0.00	0.48	T	6.62	4.95	1.30	0.97	0.13	0.00	0.00	0.00	T	-	-	-
LA MESA	17.54	0.05	0.00	0.55	0.00	7.82	5.46	1.68	1.52	0.46	0.00	0.00	0.00	-	-	-	-
NATIONAL CITY	11.13	T	0.00	0.28	0.00	4.63	3.99	1.04	1.02	0.17	0.00	0.00	0.00	-	-	-	-
SAN DIEGO WB AP	-	0.02	0.00	-	T	5.82	6.60	-	-	-	-	-	-	-	-	-	-
SWEETWATER HYDROLOGIC UNIT Z09																	
BONITA	-	0.03	0.00	-	0.00	6.88	5.25	-	-	-	-	-	-	-	-	-	-
DESCANSO R S	-	0.33	0.00	-	0.00	10.12	5.50	-	-	-	-	-	-	-	-	-	-
LOVELAND DAM	16.52	0.04	0.00	0.64	0.00	7.49	3.70	2.05	1.77	0.68	0.00	0.14	0.01	-	-	-	-
SWEETWATER DAM	14.11	0.02	0.00	0.45	0.00	6.40	4.59	1.03	1.48	0.12	0.02	0.00	0.00	0.00	0.00	T	13.64
OTAY HYDROLOGIC UNIT Z10																	
CHULA VISTA	-	-	0.00	0.18	0.00	6.00	5.04	-	-	0.22	0.00	0.01	-	0.09	0.00	0.01	-
LOWER OTAY RESERVOIR	-	-	-	0.40	0.00	-	-	-	-	-	0.00	0.03	0.00	0.00	0.00	0.00	-
TIAJUANA HYDROLOGIC UNIT Z11																	
BARRETT DAM	-	0.09	0.13	-	0.00	8.79	4.87	-	-	-	T	0.07	0.09	T	0.00	0.02	-
MARRON VALLEY	15.27	0.00	0.00	0.36	0.00	7.60	4.08	1.39	1.36	0.48	0.00	0.00	0.00	0.00	0.00	0.01	14.92

* ESTIMATED T TRACE — NO. RECORD

Appendix B

SURFACE WATER MEASUREMENTS

INTRODUCTION

This appendix presents surface water data for Southern California from October 1, 1965, through September 30, 1966. These data consist of summary tables of annual unimpaired runoff from major streams (Table B-1), daily mean discharge (Table B-2), diversions from the Colorado River (Figure B-1), imported water (Figure B-2), and monthly water content of major reservoirs (Table B-3).

Each station in this appendix has been assigned an identification number.

TABLE B-1 ANNUAL UNIMPAIRED RUNOFF AT SELECTED STATIONS

Unimpaired runoff is defined as the flow that occurs naturally at a point in a stream if there were: (1) no upstream controls such as dams or reservoirs; (2) no artificial diversions or accretions; and, (3) no change in ground water storage resulting from development. The computed natural, or unimpaired, runoff values are considered to be the flows that would occur if no impairments were upstream from the measurement points.

TABLE B – I

ANNUAL UNIMPAIRED RUNOFF AT SELECTED STATIONS

In percent of average

Water Year	Owens R. below Long Valley	Big Rock Cr. near Valyermo	Sespe Cr. near Fillmore**	Arroyo Seco near Pasadena	Santa Ana R. near Mentone	Murrieta Cr. at Temecula	Arroyo Grande at Arroyo Grande
Average Annual Runoff*	141,680	11,662	72,613	5,653	55,860	7,401	15,494
1915–16	145	293	198	299	447	815	281
1916–17	147	111	101	99	126	74	188
1917–18	121	117	270	99	151	55	316
1918–19	120	33	40	27	68	51	27
1919–20	104	161	56	64	145	58	84
1920–21	106	104	45	56	93	39	20
1921–22	141	334	344	449	341	279	240
1922–23	119	115	55	56	113	60	33
1923–24	77	36	14	15	65	43	7
1924–25	82	25	15	19	51	51	14
1925–26	87	105	149	109	86	38	148
1926–27	107	137	143	120	202	357	190
1927–28	80	47	27	22	35	46	55
1928–29	70	33	26	24	47	27	21
1929–30	71	53	25	28	62	30	14
1930–31	52	37	23	26	39	37	5
1931–32	97	135	114	94	154	178	210
1932–33	82	51	44	48	47	13	37
1933–34	66	41	72	52	39	6	47
1934–35	91	153	115	159	83	27	10
1935–36	99	43	73	64	67	32	71
1936–37	113	194	236	211	270	294	254
1937–38	174	283	329	387	345	426	334
1938–39	105	91	63	83	106	67	57
1939–40	102	74	45	70	75	87	62
1940–41	117	312	517	446	188	423	423
1941–42	124	60	58	44	76	21	138
1942–43	114	264	235	376	138	424	295
1943–44	92	207	197	243	93	101	100
1944–45	118	90	75	103	115	64	78
1945–46	109	125	89	88	88	38	35
1946–47	88	138	62	105	62	18	22
1947–48	79	40	11	21	40	9	11
1948–49	72	36	13	22	55	9	17
1949–50	78	29	23	27	42	8	32
1950–51	86	12	5	10	26	6	25
1951–52	128	150	207	204	140	332	237
1952–53	89	41	31	26	47	17	64
1953–54	88	60	46	54	92	44	46
1954–55	94	51	24	23	47	13	28
1955–56	121	41	41	38	33	8	112
1956–57	99	38	33	21	45	13	21
1957–58	127	215	312	200	155	192	302
1958–59	90	44	44	28	35	9	37
1959–60	75	18	18	14	34	6	28
1960–61	63	15	12	14	21	4	13
1961–62	101	122	247	117	71	18	124
1962–63	112	29	23	32	25	24	37
1963–64	72	25	19	25	32	4	15
1964–65	104	33	36	39	43	5	36
1965–66	87	211	217	258	118	73	33

Average unimpaired runoff in acre-feet computed from the 50–year period October 1915 through September 1965

Data prior to October 1927 from D.W.R. Bulletin No. 1. Listed as "Sespe Creek near Sespe."

TABLE B-2

DAILY MEAN DISCHARGE

The discharge figures in this table have been rounded off as follows:

1. Daily flows - second-feet

0.0	- 9.9	nearest	Tenth
10	- 999	"	Unit
1,000	- 9,999	"	Ten
10,000	- 99,999	"	Hundred
100,000	- 999,999	"	Thousand

2. Monthly means - second-feet

0.0	- 99.9	nearest	Tenth
100	- 9,999	"	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred

3. Yearly totals - acre-feet

0.0	- 9,999	nearest	Unit
1,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred
1,000,000	- 9,999,999	"	Thousand

TABLE B-2

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	V92200	WEST FORK OF THE MOJAVE RIVER BELOW CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0*	0.0*	95	178	48 *	44 *	1.4	0.3	0.2	0.0	0.0	0.0	1
2	0.0	0.0	75	105	48	47	1.2	0.6	0.1	0.1	0.0	0.0	2
3	0.0	0.0	58	57	50	40	1.2	1.1	0.2	0.1	0.0	0.0	3
4	0.0	0.0	44	38	53	38	0.9	1.0	0.3	0.0	0.0	0.0	4
5	0.0	0.0	37	21	50	42	0.6	0.4	0.5	0.0	0.0	0.0	5
6	0.0	0.0	25	8.5	116	34	0.8	0.4	0.0	0.0	0.0	0.0	6
7	0.0	0.0	24 *	4.0*	121	27	0.6	0.4	0.0	0.0	0.0	0.0	7
8	0.0	0.0	12	3.3	87	25	0.4	1.2	0.0	0.1	0.0	0.0	8
9	0.0	0.0	32	2.7	70	23	0.6	1.3	0.0	0.1	0.0	0.0	9
10	0.0	0.0	82	2.0	64	9.6	0.9	1.4	0.0	0.1	0.0	0.0	10
11	0.0	0.0	50	1.6	61	13	1.8	0.8	0.0	0.1	0.0	0.0	11
12	0.0	0.0	28	1.5	62	14	1.3	0.2	0.0	0.1	0.0	0.0	12
13	0.0	0.0	23	1.2	62	16	1.6	0.1	0.0	0.1	0.0	0.0	13
14	0.0	0.0	6.9	0.9	62	17	1.5	0.1	0.0	0.1	0.0	0.0	14
15	0.0	0.0	3.0	0.9	61	14	1.0	0.1	0.0	0.1	0.0	0.0	15
16	0.0	0.0	2.0	0.9	61	8.4	0.7	0.2	0.0	0.1	0.0	0.0	16
17	0.0	123 *	1.4	0.9	62 *	7.0	0.8	0.4	0.0	0.1	0.0	0.0	17
18	0.0	178 *	0.9	0.8	58	7.9	1.3	0.3	0.0	0.1*	0.0	0.0	18
19	0.0	28 *	0.6	0.7	61	3.6	3.0	0.3	0.0	0.1	0.0	0.0	19
20	0.0	0.0	0.4	0.7	55	3.0	2.0	0.2	0.0	0.1	0.0	0.0	20
21	0.0	0.0	0.2	0.9	54	4.5	2.3	0.2	0.0	0.1	0.0	0.0	21
22	0.0	1050 *	0.2	1.3	54	7.6	2.4	0.2	0.0	0.1	0.0	0.0	22
23	0.0	916 *	0.2	1.6	53	7.2	1.6	0.1	0.0	0.1	0.0	0.0	23
24	0.0	538 *	0.1	2.2	51	14	0.9	0.1	0.0	0.1	0.0	0.0	24
25	0.0	441	0.1	3.9	50	25	0.9	0.2	0.0	0.0	0.0	0.0	25
26	0.0	215	0.0	4.8	46	6.2	0.8	0.1	0.0	0.0	0.0	0.0	26
27	0.0	144	0.0	5.8	42	6.7	1.0	0.1	0.0	0.0	0.0	0.0	27
28	0.0	130	0.0	10	42	8.7	0.8	0.1	0.0	0.0	0.0	0.0	28
29	0.0	118	2600 *	20		7.8	0.6	0.1	0.0	0.0	0.0	0.0	29
30	0.0	115	559 *	48		3.9	0.3	0.1	0.0	0.0	0.0	0.0	30
31	0.0		285 *	48		2.5		0.1		0.0	0.0		31
MEAN	0.0	133	131	18.6	60.9	17.0	1.2	0.4	0.0	0.1	0.0	0.0	MEAN
MAX.	0.0	1050	2600	178	121	47.0	3.0	1.4	0.5	0.1	0.0	0.0	MAX.
MIN.	0.0	0.0	0.0	0.7	42.0	2.5	0.3	0.1	0.0	0.0	0.0	0.0	MIN.
AC. FT.		7926	8023	1143	3380	1046	70	24	3	4			AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW
# — E AND *

MEAN		MAXIMUM					MINIMUM				TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
29.9	10200	10.90	12	29	1630	0.0		10	1	0000	21620

LOCATION			MAXIMUM DISCHARGE OF RECORD			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	CFS	GAGE HT.	DATE	DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM	PERIOD TO	ZERO ON GAGE	REF. DATUM
34° 18.4'	117° 18.9'	NE32 3N 4W	10200	10.90	12/29/65	Jan 61-Date	Jan 61-Date	1/61		3159.2	U.S.G.S.

Station is located 2 miles NE of Cedar Springs on left bank of West Fork of Mojave River at State Highway 118 Crossing.

Drainage area is 34.5 square miles.

TABLE B-2

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	V92250	E.F. OF WEST FORK OF THE MOJAVE RIVER ABOVE CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	7.1	227	11	13	6.1	3.9	1.6	0.8	0.0*	0.0	1
2	0.0	0.0	11	125	11 *	14	6.1	3.7	2.1	0.8	0.0	0.0	2
3	0.0	0.0	13	75	11	14	6.1	3.6	2.1	0.8	0.0	0.0	3
4	0.0	0.0	11	27 *	13	12	5.9	3.6	2.0	0.7	0.0	0.0	4
5	0.0	0.0	7.9	1.8	12	12	5.7	3.5	1.9	0.6	0.0	0.0	5
6	0.0	0.0	6.5	0.0*	28	12	5.6	3.4	1.8	0.5	0.0	0.0	6
7	0.0	0.0	7.6	1.3	32	12	5.4	3.6	1.8	0.5	0.0	0.0	7
8	0.0	0.0	6.8	1.9	29	11	5.3	4.2	1.9	0.5	0.0	0.0	8
9	0.0	0.1	22	18	26	8.6	5.3	4.4	2.0	0.5	0.0	0.0	9
10	0.0	0.1	35	18	24	8.3	5.4	3.9	1.8	0.5	0.0	0.0	10
11	0.0	0.1	21	18	23	8.6	5.4	3.8	1.6	0.5	0.0	0.0	11
12	0.0	0.2	25	18	21	8.5	5.4	3.6	1.5	0.4	0.0	0.0	12
13	0.0	0.1	23	17	19	8.3	5.5	3.5	1.4	0.4	0.0	0.0	13
14	0.0	0.2	20	16	17	8.3	5.3	3.4	1.4	0.4	0.0	0.0	14
15	0.0	0.9	17	16	17	8.1*	5.3	3.3	1.3	0.4	0.0	0.0	15
16	0.0	2.2	17	17	17	7.8	5.2	3.3	1.3	0.4	0.0	0.0	16
17	0.0	45	14	16	16	7.6	5.1	3.2	1.3	0.4	0.0	9.8	17
18	0.0	63	12	16	16	7.3	5.1	3.0	1.3	0.2*	0.0	11	18
19	0.0	16	12	14	17	7.1	5.0	3.0	1.3	0.1	0.0	11	19
20	0.0	5.4	11	11	17	7.1	4.9	3.0	1.3	0.1	0.0	11	20
21	0.0	3.5	9.4	9.3	15	7.1	4.9	3.0	1.3	0.1	0.0	11	21
22	0.0	173 *	9.6	8.5	14	7.0	4.8	3.0	1.3	0.1	0.0	11	22
23	0.0	115	9.8	8.1	14	6.8	4.6	2.9	1.3	0.1	0.0	8.6	23
24	0.0	162	10	8.1	14	9.7	4.5	2.8	1.2	0.1	0.0	0.5	24
25	0.0	55	10	8.5	14	8.4	4.4	2.7	1.1	0.0	0.0	0.1	25
26	0.0	57 *	9.9	8.0	13	7.6	4.5	2.6	1.1	0.0	0.0	0.1	26
27	0.0	25	9.5	7.8	13	7.6	4.4	2.5	0.9	0.0	0.0	0.0	27
28	0.0	11	9.6	8.1	13	7.3	4.2	2.4	0.8	0.0	0.0	0.0	28
29	0.0	7.8	765	8.5		7.1	4.2	2.4	0.8	0.0	0.0	0.0	29
30	0.0	7.2	206	9.6		7.0	4.1	2.1	0.7	0.0	0.0	0.0	30
31	0.0		75	11		6.4		1.8		0.0	0.0		31
MEAN	0.0	25.0	45.9	24.2	17.4	9.0	5.1	3.2	1.4	0.3	0.0	2.5	MEAN
MAX.	0.0	173	765	227	32.0	14.0	6.1	4.4	2.1	0.8	0.0	11.0	MAX.
MIN.	0.0	0.0	6.5	0.0	11.0	6.4	4.1	1.8	0.7	0.0	0.0	0.0	MIN.
AC. FT.		1487	2824	1487	966	551	305	197	86	20		147	AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW
# — E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
11.1	5110	7.10	12	29	1710	0.0		10	1	1810	8068

LOCATION			MAXIMUM DISCHARGE OF RECORD			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M	CFS	GAGE HT.	DATE	DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM	PERIOD TO	ZERO ON GAGE	REF. DATUM
34° 16.3'	117° 17.5'	SW10 2N 4W	5110	7.10	12/29/65	Mar 61-Date	Mar 61-Date	3/61		3580.3	U.S.G.S.

Station is located 2.2 miles east of Cedar Springs on the right bank of the East Fork of the West Fork of Mojave River.

Drainage area is 11.5 square miles.

TABLE B-2

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	V92300	WEST FORK OF THE MOJAVE RIVER ABOVE CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	41	20	4.3	4.4	11	3.2	1.6	0.5	0.1	0.0	1
2	0.0	0.0	35	19	4.6	4.9	6.2	3.6	1.6	0.5	0.1	0.0	2
3	0.0	0.0	31	19	4.0	4.6	6.0	3.6	1.5	0.4	2.0	0.0	3
4	0.0	0.0	28	19	3.7	4.6	5.9	3.5	1.4	0.4	0.0	0.0	4
5	0.0	0.0	26	18	3.7	4.6	5.7	3.5	1.3	0.3	0.0	0.0	5
6	0.0	0.0	24	15	8.9	5.1	5.6	3.3	1.3	0.3	0.0	0.0	6
7	0.0	0.0	22	14	9.5	4.9	5.6	3.2	1.3	0.2	0.0	0.0	7
8	0.0	0.0	20	13	7.8	4.4	5.3	3.2	1.3	0.2	0.0	0.0	8
9	0.0	0.0	23	12	7.0	4.6	5.1	3.2	1.3	0.2	0.0	0.0	9
10	0.0	0.0	27	10	6.9	4.9	5.1	3.5	1.2	0.2	0.0	0.0	10
11	0.0	0.0	22	9.8	6.4*	4.4	5.1	3.5	1.2	0.2	0.0	0.0	11
12	0.0	0.0	29	8.5	6.2	4.0	5.1	3.5	1.1	0.2	0.0	0.0	12
13	0.0	0.0	25	7.6	6.0	4.9	5.1	3.3	1.1	0.2	0.0	0.0	13
14	0.0	0.0	22	7.0	6.2	5.1	4.9	3.0	1.0	0.2	0.0	0.0	14
15	0.0	0.2	20	6.5	6.0	4.6*	4.4	2.7*	1.0	0.2	0.0	0.0	15
16	0.0	0.7	19	6.5	5.9	4.4	4.4	2.7	1.0	0.2	0.0	0.0	16
17	0.0	93	17	6.0	5.7	4.9	4.9	2.5	1.0	0.1	0.0	0.0	17
18	0.0	54	16	5.7	5.9	5.6	5.1	2.3	0.9	0.1*	0.0	0.0	18
19	0.0	22	15	5.7	5.7	5.3	5.1	2.3	1.0	0.1	0.0	0.0	19
20	0.0	17	14	5.3	5.3	5.1	4.9	2.3	0.9	0.1	0.0	0.0	20
21	0.0	15	13	4.9	4.9	5.1	4.6	2.3	0.9	0.1	0.0	0.0	21
22	0.0	165 *	13	4.6	4.6	5.1	4.4	2.3	0.9	0.1	0.0	0.0	22
23	0.0	203	12	3.8	4.9	5.1	4.2	2.1	0.9	0.1	0.0	0.0	23
24	0.0	201	11	3.5	4.4	5.7	4.2	2.0	0.9	0.1	0.0	0.0	24
25	0.0	128	11	3.7	5.8	5.9	4.2	1.9	0.8	0.0	0.0	0.0	25
26	0.0	72	10	3.5	4.1	5.3	4.2	1.8	0.6	0.0	0.0	0.0	26
27	0.0	57	9.3	3.5	3.7	5.1	4.2	1.7	0.6	0.0	0.0	0.0	27
28	0.0	50	9.0	3.2	4.5	4.9	4.2	1.6	0.5	0.0	0.0	0.0	28
29	0.0	45	189 *	3.0		4.4	4.0	1.7	0.5	0.0	0.0	0.0	29
30	0.0	39	75	5.1		25	3.8	1.7	0.5	0.1	0.0	0.0	30
31	0.0		25	4.4		23		1.7		0.1	0.0		31
MEAN	0.0	38.7	27.5	8.7	5.6	6.1	5.1	2.7	1.0	0.2	0.1	0.0	MEAN
MAX.	0.0	203	189	20.0	9.5	25.0	11.0	3.6	1.6	0.5	2.0	0.0	MAX.
MIN.	0.0	0.0	9.0	3.0	3.7	4.0	3.8	1.6	0.5	0.0	0.0	0.0	MIN.
AC. FT.		2305	1692	537	311	377	302	164	62	11	4		AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW
# — E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
8.0	612	5.68	11	22	1800	0.0		10	1	0000	5765

LOCATION			MAXIMUM DISCHARGE OF RECORD			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	CFS	GAGE HT.	DATE	DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM	PERIOD TO	ZERO ON GAGE	REF. DATUM
34° 17.1'	117° 22.5'	SW2 2N 5W	612	5.68	11/22/65	Feb 61-Date	Feb 61-Date	2/61		3552.3	U.S.G.S.

Station is located 2.6 miles west of Cedar Springs on the left bank of the West Fork of Mojave River.

Drainage area is 3.2 square miles.

TABLE B-2

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	Z32330	ELIZABETH LAKE CANYON CREEK ABOVE CASTAIC

DATA NOT AVAILABLE

AT TIME OF PUBLICATION

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC. FT.													AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW
# — E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
			OF RECORD					PERIOD			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	CFS	GAGE HT.	DATE	DISCHARGE	GAGE HEIGHT ONLY	FROM	TO	ZERO ON GAGE	REF. DATUM
34° 33.7'	118° 34.2'	SW34 6N 16W	1410	5.20	2/11/62	Jan 62-Date	Jan 62-Date	1/62	1/63	1.82	Local
								2/63		2.15	Local

Station is located 3.9 miles north of intersection of Castaic Canyon Road and Elizabeth Lake Canyon Road on left bank of stream at Canyon Christian Camp.

Drainage area is 45.7 square miles.

TABLE B-2

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	Z32360	CASTAIC CREEK ABOVE CORDOVA RANCH

DATA NOT AVAILABLE

AT TIME OF PUBLICATION

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC. FT.													AC. FT.

E — ESTIMATED
NR — NO RECORD
* — DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW
# — E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE OF RECORD			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	CFS	GAGE HT.	DATE	DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM	PERIOD TO	ZERO ON GAGE	REF. DATUM
34° 36.7	118° 39.8'	NE22 6N 17W	3790	5.35	2/11/62	Jan 62-Date	Jan 62-Date	1/62	2/62	2.10	Local
								3/62	2/63	1.53	Local
								2/63		2.23	Local

Station is located 6.7 miles west of Elizabeth Lake Canyon Road on Castaic Canyon Road on left bank.

Drainage area is 65.0 square miles.

Figure B-1



NET DIVERSIONS OF WATER TO CALIFORNIA
FROM THE COLORADO RIVER

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

FIGURE B-2



HISTORICAL IMPORTATIONS OF WATER TO COASTAL SOUTHERN CALIFORNIA

TMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

TABLE B-3

MONTHLY WATER CONTENT OF SELECTED SURFACE RESERVOIRS IN OR SUPPLYING WATER TO SOUTHERN CALIFORNIA OCTOBER 1, 1965, TO SEPTEMBER 30, 1966

Drainage province and stream	Reservoir	Active capacity, in acre-feet	Water in storage on first day of month, in acre-feet											
			October	November	December	January	February	March	April	May	June	July	August	September
Central Coastal														
Old Creek	Whale Rock	40,000	11,630	11,469	11,706	12,376	13,023	13,474	13,626	13,626	13,307	13,142	12,875	12,639
Santa Ynez River	Gibraltar	14,777	10,464	9,555	13,697	14,777	13,774	13,633	13,787	13,778	13,514	12,774	11,816	10,728
Santa Ynez River	Cachuma	204,900	122,308	119,193	139,570	166,063	182,895	190,475	192,476	189,129	186,282	181,925	177,217	172,612
Cuyama River	Twitchell	250,000	0	0	242	2,082	2,771	3,409	0	0	0	0	0	0
Los Angeles														
Coyote Creek	Casitas	248,000	41,699	40,190	58,159	70,068	82,058	86,128	86,142	85,311	84,464	83,236	81,788	80,135
Piru Creek	Lake Piru	100,000	6,241	5,975	35,837	47,829	54,365	57,158	57,344	53,016	42,506	30,651	17,558	13,918
Bouquet Creek	Bouquet Canyon	36,510	34,152	19,666	17,680	26,154	33,184	34,702	35,136	34,213	33,969	33,125	32,160	31,040
San Gabriel River	San Gabriel	43,830	4,218	1,038	8,832	22,646	10,712	10,458	0	4,640	8,144	8,175	7,375	6,362
Lahontan														
Rush Creek	Grant Lake	47,530	48,624	48,404	46,870	45,677	45,785	45,138	45,246	46,979	47,525	44,923	40,382	33,752
Owens River	Lake Crowley	183,470	157,838	154,035	163,650	164,631	163,650	162,672	166,110	156,882	156,882	154,508	143,417	129,370
Owens River	Haiwee	58,530	39,378	48,334	46, 869	47,248	47,511	47,453	44,951	41,962	43,467	44,222	42,875	41,962
Colorado River Basin														
Colorado River	Lake Mead	27, 207,000	14,708*	14,824*	15,040*	15,233*	15,505*	15,589*	15,502*	15,492*	15,592*	15,552*	15,069*	15,004*
Colorado River	Lake Mojave	1,810,000	1,377*	1,399*	1,513*	1,738*	1,768*	1,699*	1,735*	1,708*	1,746*	1,605*	1,408*	1,387*
Colorado River	Lake Havasu	619,000	548*	554*	546*	554*	539*	544*	557*	590*	600*	602*	559*	565*
Santa Ana														
Bear Creek	Bear Valley	72,170	6,402	5,956	14,135	18,415	19,583	20,879	23,652	23,948	23,356	22,470	21,730	20,716
San Jacinto River	Lake Hemet	13,400	1,827	1,654	3,279	3,940	4,798	5,406	5,839	6,012	6,056	5,363	5,346	5,225
San Jacinto River	Railroad Canyon**	14,700	2,095	1,629	3,989	4,660	4,691	4,901	5,490	5,052	4,553	3,822	2,824	1,968
Cajalco Creek	Lake Mathews**	182,000	108,467	99,203	109,072	171,233	174,547	173, 735	175,388	160,975	144,061	125,912	121,687	100,037
Santiago Creek	Santiago**	25,000	5,465	4,180	6,940	10,245	11,800	12, 505	11,865	11,830	11,900	11,535	9,445	7,570
San Diego														
Temecula Creek	Vail	49,500	2,012	1,986	4,471	4,950	5,266	5,727	5,916	5,870	5,841	5,742	5,332	5,157
San Luis Rey River	Lake Henshaw	194,320	4,886	5,060	9,072	11,317	12,450	13,813	14,760	12,618	11,196	9,062	1,064	5,756
Santa Ysabel Creek	Sutherland	29,700	3,330	3,263	4,273	5,170	5,985	6,888	6,466	6,516	3,500	2,017	1,458	1,901
San Dieguito River	Lake Hodges**	33,550	1,144	1,098	3,738	4,656	4,521	4,494	3,970	3,153	2,180	1,468	914	457
San Vicente Creek	San Vicente Lake**	90,230	63,216	59,818	59,998	60,412	64,916	68,562	71,100	69,687	70,435	68,201	63,889	59,495
Boulder Creek	Cuyamaca	11,600	0	0	667	2,049	2,586	3,459	3,685	1,807	0	0	0	0
Quail Canyon Creek	Lake Jennings**	10,500	3,889	4,213	5,818	6,152	6,218	6,258	6,512	6,553	6,731	6,621	6,580	6,607
San Diego River	El Capitan Lake**	112,800	14,364	13,890	15,877	17,901	16, 136	20,168	24,284	24,649	24,166	21,600	18, 905	16,960
Sweetwater River	Lake Loveland	25,250	1,980	1,943	2,381	2,967	3,583	4,800	5,463	179	363	383	391	387
Sweetwater River	Sweetwater (Main)**	27,150	2,672	2,379	2,938	3,434	3,153	3,166	2,799	3,348	2,854	2,430	2,391	2,379
Otay River	Lower Otay Lake**	56,520	2,392	2,303	3,587	4,875	5,312	7,287	7,150	6,830	6,648	8,225	8,261	7,325
Cottonwood Creek	Morena	50,210	222	202	373	483	572	676	734	719	690	647	592	546
Cottonwood Creek	Barrett	44,750	1,367	1,335	2,094	2,548	3,015	3,851	4,285	4,345	3,673	1,384	839	818

---

*In 1,000 acre-feet

**Includes imported Colorado River water

Appendix C

GROUND WATER MEASUREMENTS

INTRODUCTION

This appendix contains ground water level measurements (Table C–1) for approximately 8,000 wells for the period July 1, 1965, through September 30, 1966. It also contains hydrographs of selected wells (Figure C–1) and a tabulation of ground water replenishment (Table C–2).

Two numbering systems are used by the Department to facilitate processing of water level measurement data. The two systems are the *Areal Designation* and the *State Well Numbering System* as described below.

The *Areal Designation System* comprises a series of major drainage provinces which are further subdivided into hydrologic units, hydrologic subunits, and hydrologic subareas. A coding system of the form *U–04.A2* has been developed as follows:


U – 04. A2
Drainage Province (Los Angeles)
Hydrologic Unit (Malibu)
Hydrologic Subunit (Topanga)
Hydrologic Subarea (Tuna Canyon)

Figures A–1 through A–6 (in Appendix A) show the location and code number of each hydrologic subdivision in each drainage province.

The *State Well Numbering System* is based on township, range, and section subdivisions of the Public Land Survey. The number of a well, assigned in accordance with this system, is referred to as the *State Well Number*, as illustrated below:



This number identifies and locates the well. In the example, the well is in Township 39 North, Range 13 East, Tract K of Section 8, located in the Mount Diablo Base and Meridian. A section is divided into 40–acre tracts as shown:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Sequence numbers in a tract are generally assigned in chronological order. The example designates the fourth well to be assigned a number in Tract K.

Figure C-1 Sheet 1 of 13

PASO ROBLES HYDROLOGIC SUBUNIT (T-09.HO)

WELL 26S/12E-9M2, M.D.B.& M.



ARROYO GRANDE HYDROLOGIC SUBUNIT (T-10.CO)

WELL 32S/13E-28G1, M.D.B.& M.



SANTA MARIA HYDROLOGIC SUBUNIT (T-12.AO)

WELLS 10N/34W-14E3,14E2,14E5,S.B.B.& M.



WELL 10N/35W-7F1, S.B.B.& M.



NOTE: LOCATION OF WEL
SHOWN ON PAGE

ELEVATION IN FEET U.S.G.S. DATUM

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

CUYAMA VALLEY HYDROLOGIC SUBUNIT (T-12.CO)

WELLS 10N/25W-30F1, 30P1, S. B. B. & M.



LOMPOC HYDROLOGIC SUBUNIT (T-14.AO)

WELLS 7N/35W-26J3, 26J4, S. B. B. & M



SANTA YNEZ HYDROLOGIC SUBUNIT (T-14.DO)

WELL 6N/30W-6A1, S.B.B.&M.



ELEVATION IN FEET U. S. G. S. DATUM

YEAR

NOTE: LOCATION OF WELLS
SHOWN ON PAGE 481

FLUCTUATION OF WATER LEVEL IN WELLS

Figure C-1 Sheet 3 of 13

ELEVATION IN FEET U. S. G. S. DATUM

SOUTH COAST HYDROLOGIC SUBUNIT (T-15.CO)

WELLS 4N/28W-17H11, 17R2, S. B. B.& M.



WELL 4N/25W-27Q2, S.B.B.&M.



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 481

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

OXNARD PLAIN HYDROLOGIC SUBUNIT (U-03.A0)

WELL IN/22W- 3F4, 3F3, S.B.B.& M.



WELL IN/22W-23J1, S.B.B.&M.



WELL 2N/21W-6P1, S.B.B.& M.



WELLS 2N/22W-23D1, 23H3, S.B.B.& M.



NOTE: LOCATION OF WELLS SHOWN ON PABE 482

FLUCTUATION OF WATER LEVEL IN WELLS

Figure C-1 Sheet 5 of 13

COASTAL PLAIN OF LOS ANGELES COUNTY HYDROLOGIC SUBUNIT (U-05.A0)

WELLS 4S/13W-21H3, 21H2, S.B.B. & M.



WELLS 3S/14W-29N1, 29D3, S.B.B. & M.



WELL 2S/13W-10A1, S.B.B. & M.



NOTE: LOCATION OF WELLS SHOWN ON PAGE 48

WELLS 2S/11W-18M2, 18K3, S.B.B. & M.



ELEVATION IN FEET U.S.G.S. DATUM

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

SAN FERNANDO HYDROLOGIC SUBUNIT (U-05.BO)

WELL IN/15W-6N1, S.B.B.&M.



RAYMOND HYDROLOGIC SUBUNIT(U-05.CO)

WELL IN/12W-20B1, S.B.B.&M.



WELLS IN/11W-21C4, 21C6, S.B.B.&M.



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 482

FLUCTUATION OF WATER LEVEL IN WELLS

ELEVATION IN FEET U. S. G. S. DATUM

SAN GABRIEL VALLEY HYDROLOGIC SUBUNIT (U-05.DO)

WELLS 1S/10W-18A1, 7R2, S.B.B.&M.



ANAHEIM HYDROLOGIC SUBUNIT (U-05.FO)

WELL 3S/10W-27N1, S.B.B.&M



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 48

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

ANTELOPE HYDROLOGIC SUBUNIT (W-26.A0)

WELL 11N/13W-29M1, S.B.B.&M



WELLS 7N/11W-24C1, 7N/10W-19D1, S. B. B. & M.



WELL 7N/12W-15F1, S.B.B.&M.



ELEVATION IN FEET U. S. G. S. DATUM

YEAR

NOTE: LOCATION OF WELLS SHOWN ON PAGE 483

FLUCTUATION OF WATER LEVEL IN WELLS

UPPER MOJAVE HYDROLOGIC SUBUNIT (W-28.BO)

WELLS 4N/3W-6A1, 6D1, 6D2, S.B.B.&M.



WELL 7N/4W-30C1, S.B.B.&M



ELEVATION IN FEET U.S.G.S. DATUM

MIDDLE MOJAVE HYDROLOGIC SUBUNIT (W-28.CO)

WELL 10N/2W-19P1, S.B.B.&M.



LOWER MOJAVE HYDROLOGIC SUBUNIT (W-28.EO)

WELL 9N/1E-13E2, S.B.B.&M.



WELLS 9N/3E-12G1, 9N/4E-7M2, S.B.B.&M



NOTE: LOCATION OF WELLS SHOWN ON PAGE 483

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

COACHELLA HYDROLOGIC SUBUNIT (X-19.D0)

WELL 4S/5E-17L1 S.B.B.&M.



WELL 5S/7E-21F2 S.B.B.&M.



BORREGO HYDROLOGIC SUBUNIT (X-22.A0)

WELL 10S/6E-21A1 S.B.B.&M.



NOTE: LOCATION OF WELLS SHOWN ON PAGE 484

FLUCTUATION OF WATER LEVEL IN WELLS

ARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

Figure C-1 Sheet 11 of 13

LOWER SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y—01.AO)

WELLS 4S/10W-22L1,15B2,22L2, 27C2,S.B,B.&M.



MIDDLE SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y—01.BO)

WELL 2S/8W-4P1, S.B.B.&M



WELL 1S/5W-16C1, S.B.B.&M.



NOTE: LOCATION OF WEL
SHOW ON PAGE 4

YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

UPPER SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y-01.E0)

WELL 1N/4W-35L1, S.B.B.&M.



WELLS 1S/3W-17C1,17C3, S.B.B.&M.



PERRIS HYDROLOGIC SUBUNIT (Y-02.A0)

WELL 4S/2W-3P1, S.B.B.&M.



NOTE: LOCATION OF WELLS SHOWN ON PAGE 485

FLUCTUATION OF WATER LEVEL IN WELLS

E L E V A T I O N   I N   F E E T   U. S. G. S.   D A T U M

MURRIETA HYDROLOGIC SUBUNIT (Z-02.CO)

WELLS 7S/3W-17P4, 17P7 & 17P8, S.B.B.&M.



BONSALL HYDROLOGIC SUBUNIT (Z-03.AO)

WELL 11S/4W-9E1, S.B.B.&M.



WELL 10S/3W-11G1, S.B.B.&M.



TIA JUANA HYDROLOGIC SUBUNIT (Z-11.AO)

WELLS 19S/2W-4A13, 4A6, 5J1, S.B.B.&M.



YEAR

NOTE: LOCATION OF WELLS SHOWN ON PAGE 48

FLUCTUATION OF WATER LEVEL IN WELLS

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

TABLE C – 1 GROUND WATER LEVELS AT WELLS

An explanation of the column headings and the code symbols follows:

State Well Number — Refer to the explanation under "Introduction."

Ground Surface Elevation — The numbers in this column are the elevation in feet above mean sea level (USGS Datum) of the ground surface at the well. Elevations are usually taken from topographic maps and the accuracy is controlled by topographic standards.

Date — The date shown in the column is the date when the depth measurement given in the next column was made.

Ground Surface to Water Surface — This is the measured depth in feet from the ground surface to the water surface in the well; certain of the depth measurements in the column may be followed by a number in parentheses to indicate a questionable measurement. The code applicable to these "questionable measurements" is as follows:

(1) Pumping
(2) Nearby pump operating
(3) Casing leaking or wet
(4) Pumped recently
(5) Air or pressure gage measurement
(6) Other
(7) Recharge operation at or near well
(8) Oil in casing
(9) Caved or deepened

When a measurement was attempted, but could not be obtained, then only a number in parentheses is shown in the column. The code applicable to these "no measurements" is as follows:

(1) Pumping
(2) Pump house locked
(3) Tape hung up
(4) Cannot get tape in casing
(5) Unable to locate well
(6) Well has been destroyed
(7) Special
(8) Casing leaking or wet
(9) Temporarily inaccessible
(0) Measurements discontinued

The words *flow* and *dry* are shown in this column to indicate a flowing or dry well, respectively. A minus preceding the number in this column indicates that the static water level in the well is this distance in feet above the ground surface.

Water Surface Elevation — This is the elevation in feet above mean sea level (USGS Datum) of the water surface in the well. It was derived by subtraction of the depth measurement from the ground surface elevation.

Agency Supplying Data — Each number in this column is the code number for the agency supplying data for that measurement. The agencies supplying data for this report and the code numbers assigned to them are as follows:

Agency code	Agency name
005	United States Bureau of Reclamation
010	United States Geological Survey
015	United States International Boundary and Water Commission
050	State Department of Water Resources
051	Patton State Hospital
100	San Bernardino County Flood Control District
101	Los Angeles County Flood Control District
102	Orange County Flood Control District
103	Riverside County Flood Control and Water Conservation District
104	East San Bernardino County Water District
117	San Luis Obispo County Flood Control and Water Conservation District
121	Ventura County Flood Control District
124	West San Bernardino County Water District
131	Coachella Valley County Water District
200	City of Los Angeles Department of Water and Power
201	City of Colton Water Department
202	City of Oceanside Water Department
203	City of Redlands Water Department
204	City of Riverside Water Department
205	Carlsbad Municipal Water District
206	City of Long Beach Water Department
209	City of Oxnard Water Department
210	City of Anaheim Water Department
228	City of Ontario Water Department
229	City of San Diego Water Department
230	City of San Bernardino Water Department
235	City of Upland Water Department
272	Corona City Water Department
400	San Bernardino Valley Water Conservation District
401	Beaumont Irrigation District
402	Ramona Municipal Water District
405	Vista Irrigation District
408	Fallbrook Public Utilities District
411	United Water Conservation District
420	Helix Irrigation District
700	Palm Springs Water Company
701	Corona Foothill Mutual Lemon Company
702	Cucamonga County Water District
703	California–American Water Company
704	Mr. E. J. Ebersole
706	Fontana Union Water Company
708	Vail Company
709	Irvine Company
710	Green Mutual Water Company
711	Escondido Mutual Water Company
713	W. P. Rowe & Son
715	Santa Ana Valley Irrigation Company
716	South Elsinore Mutual Water Company
717	Temescal Water Company
718	A. A. Webb & Associates
719	West End Consolidated Water Company
720	Riverside Water Company
727	Julian Mutual Water Company
733	San Gabriel Valley Protective Association
742	Yorba Linda Water Company
748	San Antonio Water Company
750	San Luis Rey Heights Mutual Water Company
753	Limoneira Company
776	Southern California Water Company
783	Riverside Highland Water Company
785	California Portland Cement Company
847	Gage Canal Company
850	Kaiser Steel Corporation

TABLE C-I
GROUND WATER LEVELS AT WELLS

SALINAS HYDRO UNIT T-09.00

PASO ROBLES HYDRO SUBUNIT T-09.H0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
23S/14E-35F01M	1490.0	10-21-65	54.0(1)	1436.0	117
24S/11E-25N01M	603.3	10-18-65	38.7	564.6	117
		4-01-66	35.8	567.5	
		9-29-66	37.8	565.5	
24S/11E-33R01M	565.0	10-18-65	34.5	530.5	117
		4-01-66	32.0	533.0	
		9-29-66	30.0	535.0	
24S/11E-35D01M	570.6	10-18-65	31.4	539.2	117
		4-01-66	30.5	540.1	
		9-30-66	32.5	538.1	
24S/11E-35J01M	616.8	10-18-65	63.2	553.6	117
		4-08-66	62.0	554.8	
24S/12E-17L01M	790.0	10-18-65	138.0(2)	652.0	117
		4-08-66	160.0	630.0	
24S/12E-17N01M	770.0	10-18-65	19.0	751.0	117
		4-08-66	19.0	751.0	
24S/12E-23G01M	1160.0	10-18-65	107.0	1053.0	117
24S/15E-27L01M	1212.0	10-21-65	88.5	1123.5	117
		4-19-66	58.1	1153.9	
24S/15E-33C01M	1225.0	10-21-65	39.5	1185.5	117
		4-19-66	39.7	1185.3	
25S/12E-08G01M	585.0	10-18-65	33.5	551.5	117
		4-08-66	78.0(1)	507.0	
25S/12E-17J01M	640.0	4-08-66	72.0(1)	568.0	117
25S/12E-17R01M	640.0	10-17-65	72.5	567.5	117
		4-08-66	55.3	584.7	
25S/12E-26D01M	714.0	10-18-65	71.0	643.0	117
		4-18-66	56.0(1)	658.0	
25S/12E-26K01M	749.0	3-18-66	149.0(1)	600.0	117
25S/12E-28N01M	639.0	10-17-65	33.0(1)	606.0	117
		4-08-66	22.9(1)	616.1	
25S/13E-11E01M	1185.0	10-21-65	69.0	1116.0	117
		4-18-66	41.0	1144.0	
25S/13E-19R01M	915.0	10-18-65	198.2(1)	716.8	117
		4-18-66	179.2	735.8	
25S/16E-17L01M	1165.0	10-21-65	38.3(1)	1126.7	117
		4-19-66	42.0	1123.0	
25S/16E-30M01M	1218.0	10-21-65	69.0	1149.0	117
		4-19-66	68.5	1149.5	
26S/12E-04N01M	675.0	10-18-65	49.0	626.0	117
		4-18-66	45.8	629.2	
26S/12E-09M02M	668.0	10-18-65	17.3	650.7	117
		4-18-66	11.0	657.0	
26S/12E-11D01M	762.0	4-18-66	202.8(1)	559.2	117
26S/12E-11K01M	775.0	10-19-65	128.5	646.5	117
		4-18-66	130.0(3)	645.0	
26S/12E-15N01M	770.0	10-19-65	196.0	574.0	117
		4-18-66	152.3	617.7	
26S/12E-21D02M	661.0	10-17-65	13.3(1)	647.7	117
		4-08-66	12.5(1)	648.5	
26S/12E-21L01M	690.0	10-17-65	19.7	670.3	117
		4-08-66	20.7(1)	669.3	
26S/12E-26D01M	829.0	11-19-65	258.2	570.8	117
		4-08-66	210.0	619.0	
26S/12E-26E01M	840.0	10-19-65	214.4	625.6	117
		4-08-66	196.4	643.6	
26S/12E-27H02M	834.0	10-19-65	197.0	637.0	117
		4-08-66	184.3	649.7	
26S/12E-33Q02M	700.5	10-17-65	26.4	674.1	117
		4-18-66	28.6(1)	671.9	
26S/12E-35M01M	818.0	4-08-66	174.0	644.0	117
26S/13E-07Q01M	799.0	4-08-66	109.8	689.2	117
PASO ROBLES HYDRO SUBUNIT				T-09.H0	
26S/13E-10D01M	800.0	10-21-65	34.3	765.7	117
		4-18-66	20.0	780.0	
26S/13E-34B01M	1005.0	10-19-65	170.7	834.3	117
		4-18-66	163.5	841.5	
26S/14E-16L01M	1018.0	10-21-65	80.7	937.3	117
		4-20-66	69.7	948.3	
26S/14E-18J01M	979.5	10-21-65	55.9	923.6	117
		4-20-66	46.1	933.4	
26S/14E-18Q01M	870.0	4-20-66	36.5(1)	833.5	117
26S/14E-24B01M	1000.0	4-20-66	154.0(1)	846.0	117
26S/14E-35D01M	1135.0	4-19-66	116.9	1018.1	117
26S/15E-02B01M	1115.0	4-19-66	32.0	1083.0	117
26S/15E-02N01M	1092.5	4-20-66	83.3	1009.2	117
26S/15E-16P02M	1050.0	4-13-66	82.0(1)	968.0	117
26S/15E-20F01M	1050.0	4-20-66	71.0	979.0	117
26S/15E-28D01M	1075.0	4-20-66	59.5	1015.5	117
26S/15E-28Q01M	1090.0	4-20-66	71.2	1018.8	117
26S/15E-28Q02M	1112.0	4-20-66	58.0	1054.0	117
26S/15E-29N01M	1133.0	10-21-65	100.3	1032.7	117
		4-19-66	112.0(1)	1021.0	
26S/15E-32K01M	1135.0	10-21-65	107.8	1027.2	117
		4-19-66	(8)		
26S/15E-33K01M	1100.0	10-21-65	65.5	1034.5	117
		4-20-66	62.8	1037.2	
27S/12E-02D01M	810.0	9-15-65	167.5(5)	642.5	117
		9-30-65	241.5(1)	568.5	
		4-08-66	177.5(4)	632.5	
		9-30-66	151.5	658.5	
27S/12E-02E01M	799.0	9-30-65	146.0(5)	653.0	117
		9-30-65	267.0(1)	532.0	
		4-08-66	113.1	685.9	
		9-07-66	149.0	650.0	
		9-30-66	254.0(1)	545.0	
27S/12E-03J01M	785.0	7-14-65	111.5	673.5	117
		4-08-66	119.0	666.0	
27S/12E-04F04M	700.0	10-19-65	31.5(1)	668.5	117
		4-08-66	13.5	686.5	
27S/12E-16G01M	720.0	10-17-65	16.4	703.6	117
		4-08-66	(8)		
27S/12E-21C01M	740.0	10-17-65	18.0	722.0	117
		4-06-66	17.7(1)	722.3	
27S/12E-21N01M	748.0	10-17-65	19.4	728.6	117
		4-06-66	8.1	739.9	
27S/12E-22M01M	850.0	10-17-65	171.0	679.0	117
		4-06-66	115.7	734.3	
27S/12E-29P04M	750.0	10-14-65	27.0	723.0	117
		4-06-66	(9)		
27S/12E-32Q02M	768.0	10-14-65	17.5(2)	750.5	117
		4-06-66	(9)		
27S/12E-32Q03M	769.0	10-14-65	21.5(2)	747.5	117
		4-06-66	(9)		
27S/12E-32Q04M	768.0	10-14-65	(1)		117
		4-06-66	7.2	760.8	
27S/13E-09K01M	885.0	10-19-65	FLOW		117
		4-18-66	FLOW		
27S/13E-24N01M	1030.0	10-19-65	47.2	982.8	117
		4-18-66	(1)		
27S/13E-32B01M	1105.0	10-21-65	55.9	1049.1	117
		4-19-66	56.3	1048.7	
27S/14E-25A01M	1225.0	10-21-65	111.0(1)	1114.0	117
		4-19-66	107.2	1117.8	
27S/15E-10R02M	1130.0	10-21-65	62.0	1068.0	117
		4-20-66	60.5	1069.5	
27S/15E-13A01M	1155.0	10-22-65	26.2	1128.8	117

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SALINAS HYDRO UNIT				T-09.00	
PASO ROBLES HYDRO SUBUNIT			T-09.H0		
27S/15E-13A01M (CONT.)	1155.0	4-20-66	22.4	1132.6	117
27S/15E-35F01M	1230.0	10-21-65	(8)		117
		4-20-66	65.0(4)	1165.0	
27S/16E-21E02M	1255.0	10-22-65	59.6	1195.4	117
		4-20-66	58.2	1196.8	
27S/16E-35Q01M	1281.0	10-22-65	(1)		117
		4-20-66	19.3	1261.7	
28S/12E-03B01M	860.0	4-06-66	64.5	795.5	117
28S/12E-04J02M	800.0	10-17-65	26.6	773.4	117
		4-10-66	14.0	786.0	
28S/12E-10G01M	825.0	10-14-65	(8)		117
		4-06-66	(8)		
28S/12E-10R01M	816.0	10-17-65	29.9	786.1	117
		4-10-66	11.0	805.0	
28S/12E-10R02M	805.0	10-17-65	29.0	776.0	117
		4-10-66	10.3	794.7	
28S/12E-11N06M	820.0	10-17-65	25.9	794.1	117
		4-10-66	9.0	811.0	
28S/12E-13N01M	850.0	10-14-65	11.7	838.3	117
		4-06-66	7.9	842.1	
28S/12E-14G01M	824.6	10-14-65	18.4(1)	806.2	117
		4-06-66	-.9	825.5	
28S/12E-14K01M	850.0	10-17-65	23.2	826.8	117
		4-10-66	19.5	830.5	
28S/12E-25R01M	877.0	10-14-65	18.8	858.2	117
		4-06-66	9.0	868.0	
28S/13E-04K01M	1199.5	10-21-65	61.5	1138.0	117
		4-19-66	50.8	1148.7	
28S/13E-04K02M	1195.0	10-21-65	78.0	1117.0	117
		4-19-66	76.2	1118.8	
28S/13E-04K03M	1185.0	10-21-65	149.2	1035.8	117
		4-19-66	(4)		
28S/13E-14J01M	1190.0	10-21-65	157.0(1)	1033.0	117
		4-19-66	70.0	1120.0	
28S/13E-31K01M	884.0	10-14-65	19.2	864.8	117
		4-06-66	5.0	879.0	
28S/14E-07E01M	1150.0	10-19-65	(4)		117
		4-18-66	(4)		
28S/14E-18F02M	1175.0	10-19-65	(4)		117
28S/14E-19R01M	1190.0	10-19-65	23.5	1166.5	117
		4-19-66	22.0	1168.0	
28S/16E-23M01M	1440.0	10-22-65	50.3	1389.7	117
		4-20-66	52.2	1387.8	
29S/13E-05F03M	916.1	10-14-65	19.9	896.2	117
		4-06-66	16.1	900.0	
29S/13E-05K02M	928.0	10-14-65	17.3	910.7	117
		4-06-66	13.3	914.7	
29S/13E-06A01M	920.0	10-14-65	63.4	856.6	117
		4-06-66	49.1	870.9	
29S/13E-08L01M	950.0	10-14-65	15.0	935.0	117
		4-06-66	14.5	935.5	
29S/13E-08M01M	945.0	10-14-65	60.0(1)	885.0	117
		10-14-65	43.8(4)	901.2	
		4-06-66	9.0	936.0	
29S/13E-08N01M	934.8	10-14-65	8.4	926.4	117
		4-06-66	4.0	930.8	
29S/13E-19H01M	1002.0	10-14-65	15.1	986.9	117
		4-06-66	5.9	996.1	
30S/15E-21C01M	1460.0	10-25-65	27.6	1432.4	117
		4-22-66	20.8	1439.2	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT					T-10.00
CAMBRIA HYDRO SUBUNIT					T-10.A0
SAN SIMEON HYDRO SUBAREA					T-10.A3
27S/08E-06G01M	20.0	10-05-65	11.3	8.7	117
		4-04-66	10.4	9.6	
		9-26-66	13.2	6.8	
27S/08E-09L01M	30.0	4-04-66	11.9	18.1	117
		9-26-66	13.0	17.0	
SANTA ROSA HYDRO SUBAREA					T-10.A4
27S/08E-24J01M	82.0	10-05-65	23.8	58.2	117
		4-04-66	34.6(1)	47.4	
		9-27-66	24.3	57.7	
27S/08E-26C03M	38.5	10-05-65	17.5	21.0	117
27S/08E-26C04M	50.0	10-05-65	31.6(1)	18.4	117
		10-05-65	25.3(4)	24.7	
		4-04-66	31.3(1)	18.7	
		4-04-66	22.1(4)	27.9	
		9-26-66	33.4	16.6	
VILLA HYDRO SUBAREA					T-10.A5
28S/09E-23E02M	70.0	10-05-65	19.1	50.9	117
		4-05-66	18.6	51.4	
		9-27-66	19.9	50.1	
OLD HYDRO SUBAREA					T-10.A7
28S/10E-34N03M	47.0	10-05-65	21.5	25.5	117
		4-04-66	20.0	27.0	
		9-30-66	21.0	26.0	
29S/10E-03C03M	35.0	10-05-65	29.8(1)	5.2	117
		4-04-66	29.0(1)	6.0	
		9-30-66	(4)		
29S/10E-03C05M	35.0	10-05-65	29.5(1)	5.5	117
		4-04-66	21.5(1)	13.5	
		9-30-66	23.0(1)	12.0	
29S/10E-03C07M	35.0	10-05-65	21.4(2)	13.6	117
		4-04-66	12.7(2)	22.3	
		9-30-66	23.0(2)	12.0	
TORO HYDRO SUBAREA					T-10.A8
29S/10E-01P01M	130.0	10-05-65	8.9	121.1	117
		4-05-66	8.3	121.7	
		9-27-66	8.4	121.6	
29S/10E-11H01M	50.0	4-05-66	(8)		117
SAN LUIS OBISPO HYDRO SUBUNIT					T-10.80
MORRO HYDRO SUBAREA					T-10.B1
29S/10E-25B02M	42.3	10-04-65	14.0	28.3	117
		4-05-66	8.2	34.1	
		9-27-66	16.8	25.5	
29S/10E-25B03M	25.0	10-04-65	(2)		117
29S/10E-25C01M	29.0	9-27-65	25.0	4.0	117
		4-04-66	19.0	10.0	
		9-26-66	35.0	-6.0	
29S/10E-25C02M	20.0	10-04-65	25.7	-5.7	117
		4-04-66	13.9	6.1	
		9-26-66	38.4	-18.4	
29S/10E-25D02M	20.0	10-04-65	23.7	-3.7	117
		4-05-66	12.5	7.5	
		9-27-66	35.0(4)	-15.0	
29S/10E-25E02M	20.0	8-30-65	20.6	-.6	117
		4-04-66	12.0	8.0	
		9-26-66	36.0	-16.0	
29S/11E-17A01M	210.0	10-04-65	23.8	186.2	117
		9-27-66	19.6	190.4	
29S/11E-17A02M	219.0	10-04-65	50.5(1)	168.5	117
		4-05-66	26.6	192.4	
		9-27-66	30.6	188.4	
29S/11E-17A03M	219.0	10-04-65	37.4(2)	181.6	117
		4-05-66	29.1	189.9	
		9-27-66	30.6	188.4	
29S/11E-19802M	120.0	10-04-65	(8)		117
		4-05-66	30.0	90.0	
		9-27-66	31.7	88.3	
29S/11E-19P01M	78.1	10-04-65	63.8(1)	14.3	117
		4-05-66	41.5	36.6	
		9-27-66	58.7(4)	19.4	
29S/11E-30D01M	61.5	10-04-65	46.6(1)	14.9	117
		4-05-66	32.7(1)	28.8	
		9-27-66	41.2(4)	20.3	
CHORRO HYDRO SUBAREA					T-10.82
29S/11E-32J01M	31.0	10-04-65	15.7	15.3	117
		4-04-66	13.0	18.0	
		9-10-66	17.0	14.0	
29S/11E-32J02M	34.6	4-05-66	17.0	17.6	117
		9-27-66	21.5	13.1	
29S/11E-32J04M	36.0	10-04-65	22.6	13.4	117
		4-04-66	19.0	17.0	
		9-23-66	23.0	13.0	
29S/11E-32M01M	12.0	4-05-66	28.5(1)	-16.5	117
		9-27-66	47.0(1)	-35.0	
30S/11E-03D01M	75.0	4-04-66	22.0	53.0	117
		9-26-66	24.0	51.0	
LOS OSOS HYDRO SUBAREA					T-10.83
30S/10E-13G01M	20.0	10-04-65	18.2	1.8	117
		4-04-66	17.4	2.6	
		9-28-66	18.0	2.0	
30S/11E-07K01M	50.0	4-04-66	42.0	8.0	117
		9-28-66	42.3	7.7	
30S/11E-07Q01M	44.5	9-13-66	16.0	28.5	117
		9-13-66	30.0(1)	14.5	
30S/11E-17H01M	24.0	10-04-65	44.6(1)	-20.6	117
		4-04-66	44.9(1)	-20.9	
		9-28-66	47.6(1)	-23.6	
30S/11E-18H01M	120.0	4-04-66	99.0(5)	21.0	117
		9-13-66	99.0	21.0	
		9-13-66	118.0(1)	2.0	
30S/11E-18Q01M	130.0	10-04-65	72.5	57.5	117
		9-28-66	68.2	61.8	
30S/11E-21E01M	76.9	10-04-65	27.5	49.4	117
		4-04-66	21.8	55.1	
		9-28-66	27.0	49.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT T-10.00					
SAN LUIS OBISPO HYDRO SUBUNIT T-10.B0					
SAN LUIS OBISPO CR HYDRO SUBAREA T-10.B4					
30S/12E-32J01M	128.7	10-04-65	14.7	114.0	117
		4-04-66	7.5	121.2	
31S/12E-03P02M	125.0	10-06-65	8.1	116.9	117
		4-13-66	4.0	121.0	
31S/12E-04K01M	130.0	10-04-65	(4)		117
		4-04-66	9.5	120.5	
31S/12E-10F03M	115.0	10-06-65	2.7	112.3	117
		4-13-66	1.7	113.3	
31S/12E-10G02M	125.0	4-13-66	11.7	113.3	117
31S/12E-12E03M	165.0	10-06-65	21.5	143.5	117
		4-13-66	17.1	147.9	
31S/12E-12Q03M	200.0	10-06-65	39.8	160.2	117
		4-13-66	38.6	161.4	
31S/12E-14C01M	135.0	10-06-65	14.6	120.4	117
		4-13-66	12.6	122.4	
31S/12E-15R01M	125.0	10-06-65	14.5	110.5	117
		4-13-66	11.0	114.0	
31S/12E-28C01M	45.0	4-15-66	10.0	35.0	117
31S/12E-32D01M	42.0	10-15-65	21.6	20.4	117
		4-15-66	23.5(2)	18.5	
31S/12E-32D02M	42.0	10-15-65	26.7	15.3	117
		4-15-66	(8)		
31S/12E-33E02M	27.0	4-15-66	7.7	19.3	117
31S/12E-34N01M	255.0	10-08-65	129.0	126.0	117
		10-08-65	239.0(1)	16.0	
31S/13E-18N01M	192.0	4-13-66	12.1	179.9	117
PISMO HYDRO SUBAREA T-10.B6					
31S/13E-16N01M	324.5	10-06-65	34.5	290.0	117
		4-13-66	16.0	308.5	
31S/13E-19H01M	262.0	10-06-65	23.5	238.5	117
		4-13-66	25.5	236.5	
31S/13E-19L01M	245.0	10-06-65	78.1(1)	166.9	117
		4-13-66	(2)		
31S/13E-27D03M	300.0	10-06-65	31.0	269.0	117
		4-13-66	23.6	276.4	
31S/13E-29C01M	255.0	10-06-65	23.3	231.7	117
		4-13-66	78.9(1)	176.1	
ARROYO GRANDE HYDRO SUBUNIT T-10.C0					
ARROYO GRANDE HYDRO SUBAREA T-10.C1					
31S/14E-27E01M	468.0	10-06-65	13.5	454.5	117
		4-13-66	8.2	459.8	
31S/14E-28M01M	410.0	10-06-65	53.5(1)	356.5	117
		4-13-66	30.1(1)	379.9	
31S/14E-28R01M	437.0	10-06-65	(2)		117
		4-13-66	(2)		
31S/14E-31K01M	341.0	10-06-65	11.7	329.3	117
		4-13-66	7.8(1)	333.2	
31S/14E-31L01M	336.3	10-06-65	15.0	321.3	117
		4-13-66	13.5	322.8	
31S/14E-31N02M	340.0	10-06-65	14.5	325.5	117
		4-13-66	9.9	330.1	
31S/14E-32G03M	365.5	10-06-65	50.7(1)	314.8	117
		10-06-65	40.7(4)	324.8	
		4-13-66	25.9(1)	339.6	
		4-13-66	23.3(4)	342.2	
31S/14E-32M02M	365.0	10-06-65	42.0(1)	323.0	117
		4-13-66	24.7(1)	340.3	
31S/14E-33B01M	397.3	10-06-65	20.7(1)	376.6	117
		4-13-66	27.7	369.6	
32S/13E-01G01M	305.0	10-06-65	45.5(1)	259.5	117
		4-11-66	35.9(1)	269.1	
32S/13E-12C03M	271.0	10-06-65	44.0(1)	227.0	117
		4-11-66	23.5	247.5	
32S/13E-12C04M	260.0	10-06-65	44.7(1)	215.3	117
		4-11-66	24.1	235.9	
32S/13E-12F04M	250.0	10-06-65	29.0(1)	221.0	117
		4-11-66	17.4	232.6	
32S/13E-12N01M	231.0	4-11-66	23.1	207.9	117
32S/13E-12Q03M	237.5	10-07-65	24.7	212.8	117
		4-11-66	23.4	214.1	
32S/13E-13C02M	248.5	10-07-65	53.5	195.0	117
		4-11-66	76.5(1)	172.0	
32S/13E-13D02M	223.5	10-07-65	22.1	201.4	117
		4-11-66	19.3	204.2	
32S/13E-14Q02M	174.0	10-11-65	34.9	139.1	117
		4-11-66	100.0(1)	74.0	
32S/13E-14R02M	197.6	10-11-65	65.5	132.1	117
		4-11-66	53.8	143.8	
32S/13E-20N02M	74.6	10-13-65	75.1	-.5	117
		4-11-66	70.0	4.6	
32S/13E-22Q01M	128.0	11-09-65	46.0	82.0	117
		4-11-66	33.7	94.3	
32S/13E-23F01M	161.2	10-11-65	37.8(1)	123.4	117
		4-11-66	15.1	146.1	
32S/13E-23M02M	139.0	10-11-65	(8)		117
		4-11-66	22.1	116.9	
32S/13E-24A02M	269.0	10-13-65	71.9	197.1	117
		4-11-66	25.3	243.7	
32S/13E-27D03M	103.4	10-11-65	45.5	57.9	117
		4-11-66	39.2	64.2	
32S/13E-28G01M	86.4	10-11-65	40.4	46.0	117
		4-11-66	31.0	55.4	
32S/13E-28Q02M	72.9	10-11-65	49.0	23.9	117
		4-11-66	41.8(2)	31.1	
32S/13E-28Q04M	75.0	10-11-65	46.3	28.7	117
		4-11-66	44.8(1)	30.2	
32S/13E-29B01M	81.4	10-13-65	96.9(1)	-15.5	117
		4-12-66	77.9	3.5	
32S/13E-29C02M	71.6	10-13-65	79.3	-7.7	117
		4-11-66	80.6(1)	-9.0	
		4-12-66	74.9	-3.3	
32S/13E-29D04M	54.0	10-13-65	53.6	.4	117
		4-11-66	48.3	5.7	
32S/13E-29E02M	50.5	10-07-65	60.4(2)	-9.9	117
		10-15-65	78.5(1)	-28.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT T-10.00					
ARROYO GRANDE HYDRO SUBUNIT T-10.C0					
ARROYO GRANDE HYDRO SUBAREA T-10.C1					
32S/13E-29E02M (CONT.)	50.5	4-11-66	72.5(1)	-22.0	117
32S/13E-29G02M	86.0	10-07-65	(1)		117
		4-13-66	(1)		
32S/13E-29G07M	80.0	10-13-65	79.3	.7	117
		4-12-66	72.7(4)	7.3	
32S/13E-29G13M	82.0	10-13-65	88.0(2)	-6.0	117
		4-12-66	110.2(1)	-28.2	
		4-13-66	82.1	-.1	
32S/13E-29J02M	82.6	10-13-65	82.9	-.3	117
		4-12-66	(8)		
32S/13E-29L04M	61.0	10-13-65	61.3	-.3	117
		3-11-66	54.5	6.5	
		4-12-66	(1)		
32S/13E-29L06M	71.0	10-13-65	73.4(2)	-2.4	117
		4-12-66	68.3	2.7	
32S/13E-29M04M	61.2	10-13-65	58.0(1)	3.2	117
		4-12-66	52.7(1)	8.5	
32S/13E-29N01M	79.0	10-13-65	80.9	-1.9	117
		4-12-66	75.9	3.1	
32S/13E-29R02M	94.0	10-13-65	92.0	2.0	117
		4-12-66	89.2	4.8	
32S/13E-29R03M	83.0	10-13-65	77.7	5.3	117
32S/13E-30J08M	42.0	10-13-65	43.7	-1.7	117
		4-12-66	39.0	3.0	
32S/13E-30K11M	29.2	10-13-65	(8)		117
		4-12-66	(8)		
32S/13E-30K14M	41.0	10-13-65	41.2	-.2	117
		4-12-66	37.0	4.0	
32S/13E-30L02M	15.0	10-07-65	15.0	.0	117
		4-12-66	13.2	1.8	
32S/13E-30P02M	28.3	10-13-65	27.1	1.2	117
		3-11-66	22.8	5.5	
		4-12-66	(8)		
32S/13E-30R02M	46.5	10-07-65	46.7	-.2	117
		4-12-66	43.2	3.3	
32S/13E-31A02M	51.0	10-13-65	53.5	-2.5	117
		4-12-66	51.6	-.6	
32S/13E-31R03M	8.5	10-13-65	(1)		117
		4-11-66	4.0	4.5	
32S/13E-31G01M	12.0	10-07-65	7.8	4.2	117
		4-11-66	5.2	6.8	
32S/13E-31G02M	19.9	10-07-65	15.4	4.5	117
		4-11-66	12.7	7.2	
32S/13E-31H07M	19.0	10-07-65	12.4	6.6	117
		4-11-66	10.2	8.8	
32S/13E-32R03M	70.0	10-13-65	62.8	7.2	117
		4-12-66	59.0	11.0	
32S/13E-32D03M	81.4	10-13-65	91.5(2)	-10.1	117
		4-04-66	76.6	4.8	
		4-12-66	83.0(2)	-1.6	
32S/13E-32D05M	55.0	10-13-65	DRY		117
32S/13E-32D09M	72.0	10-13-65	72.7	-.7	117
		4-12-66	(2)		
32S/13E-32K01M	39.0	10-11-65	37.9	1.1	117
		3-09-66	22.3	16.7	
		4-12-66	(8)		
32S/13E-32L07M	20.0	10-11-65	17.4	2.6	117
		4-11-66	15.4	4.6	
32S/13E-32M03M	20.0	10-11-65	21.1	-1.1	117
		4-11-66	29.1(1)	-9.1	
32S/13E-33C03M	63.0	10-11-65	67.0(1)	-4.0	117
		4-11-66	67.2(1)	-4.2	
32S/13E-33E03M	53.2	10-11-65	44.0	9.2	117
		4-11-66	29.7(1)	23.5	
32S/13E-33F01M	48.0	10-11-65	40.5	7.5	117
		4-11-66	36.6(1)	11.4	
ARROYO GRANDE HYDRO SUBUNIT T-10.C0					
ARROYO GRANDE HYDRO SUBAREA T-10.C1					
32S/13E-33K01M	51.8	10-11-65	41.5	10.3	117
		4-11-66	42.0(2)	9.8	
32S/13E-33L02M	42.1	10-11-65	35.6	6.5	117
		4-11-66	27.5	14.6	
32S/13E-33M02M	47.7	10-11-65	37.6(1)	10.1	117
		4-11-66	22.6	25.1	
NIPOMO MESA HYDRO SUBAREA T-10.C2					
11N/34W-19Q01S	305.0	7-30-65	270.0	35.0	010
		8-30-65	272.0	33.0	
		9-29-65	270.8	34.2	
		10-29-65	270.7	34.3	
		11-30-65	268.1	36.9	
		2-25-66	265.4	39.6	
		3-24-66	266.8	38.2	
		4-29-66	271.0	34.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

CARRIZO PLAIN HYDRO UNIT I-11.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
29S/17E-13R01M	2038.0	10-22-65	36.0	2002.0	117
		4-22-66	35.8	2002.2	
29S/18E-28K01M	2020.0	10-22-65	31.5	1988.5	117
		4-22-66	31.7	1988.3	
29S/18E-29L01M	2020.0	10-22-65	26.0(1)	1994.0	117
		4-22-66	33.7(1)	1986.3	
30S/18E-02N01M	1984.0	10-22-65	39.6(1)	1944.4	117
		4-22-66	20.3	1963.7	
30S/18E-12N01M	1971.4	4-22-66	15.1	1956.3	117
30S/19E-29M02M	1943.0	10-22-65	12.0	1931.0	117
		4-22-66	12.2	1930.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT			T-12.00		
SANTA MARIA HYDRD SUBUNIT			T-12.A0		
09N/33W-08A01S	725.0	7-29-65	527.2	197.8	010
		10-29-65	530.7	194.3	
		11-30-65	528.0	197.0	
		2-25-66	526.6	198.4	
		3-24-66	526.3	198.7	
		4-29-66	526.2	198.8	
09N/33W-15D02S	597.0	7-29-65	(1)		010
		8-30-65	(7)		
		10-29-65	409.6	187.4	
		11-30-65	410.2	186.8	
		2-25-66	411.6	185.4	
		3-24-66	411.0	186.0	
		4-29-66	(7)		
09N/33W-18C01S	600.0	7-29-65	(1)		010
		10-29-65	533.3	66.7	
		11-30-65	531.8	68.2	
		2-25-66	532.1	67.9	
		3-24-66	532.3	67.7	
		4-29-66	500.4	99.6	
09N/34W-03N01S	258.0	7-30-65	186.6	71.4	010
		8-31-65	186.8	71.2	
		9-29-65	186.7	71.3	
		10-29-65	186.7	71.3	
		11-30-65	186.6	71.4	
		2-25-66	186.8	71.2	
		3-25-66	186.8	71.2	
		5-02-66	187.0	71.0	
09N/34W-06K02S	161.0	7-30-65	95.1(2)	65.9	010
		8-31-65	95.3(2)	65.7	
		9-29-65	95.5(2)	65.5	
		10-29-65	95.4(2)	65.6	
		11-30-65	95.0(2)	66.0	
		2-25-66	95.0(2)	66.0	
		3-25-66	95.2(2)	65.8	
		5-02-66	96.3(2)	64.7	
09N/34W-08H01S	222.0	7-30-65	148.3	73.7	010
		8-31-65	149.3(4)	72.7	
		9-29-65	149.5	72.5	
		10-29-65	(1)		
		11-30-65	(1)		
		2-25-66	148.9	73.1	
		3-25-66	148.7	73.3	
		5-02-66	(7)		
10N/33W-07P01S	260.0	7-29-65	(1)		010
		8-26-65	(1)		
		9-28-65	139.8	120.2	
		10-28-65	138.6	121.4	
		11-29-65	140.5	119.5	
		2-24-66	133.6	126.4	
		3-24-66	133.6	126.4	
		4-28-66	132.6	127.4	
10N/33W-07R01S	270.0	7-29-65	(1)		010
		8-26-65	(1)		
		9-28-65	(1)		
		10-28-65	132.1	137.9	
		11-29-65	(1)		
		2-24-66	127.4	142.6	
		3-24-66	(1)		
		4-28-66	(1)		
10N/33W-18G01S	273.0	7-01-65	128.9	144.1	010
		10-01-65	131.3	141.7	
10N/33W-19B01S	275.0	7-01-65	180.5	94.5	010
		7-29-65	184.2	90.8	
		8-30-65	191.3	83.7	
		9-28-65	184.1	90.9	
		10-01-65	185.0	90.0	
		10-28-65	185.5	89.5	
		11-29-65	(1)		
10N/33W-20H01S	300.0	7-29-65	(1)		010
		8-30-65	125.8	174.2	
		9-28-65	126.3	173.7	
		10-28-65	127.7	172.3	
		2-24-66	120.6	179.4	
		3-24-66	(1)		
		4-28-66	(1)		
10N/33W-20L01S	294.0	7-29-65	161.0	133.0	010
		8-30-65	161.7	132.3	
		9-28-65	159.1	134.9	
		10-28-65	159.1	134.9	
		11-29-65	157.7	136.3	
		12-27-65	156.7	137.3	
		2-24-66	155.5	138.5	
		3-23-66	155.7	138.3	
		4-28-66	159.1(2)	134.9	
		5-27-66	159.7	134.3	
		6-27-66	163.3	130.7	
SANTA MARIA HYDRO SUBUNIT			T-12.A0		
10N/33W-20L01S (CONT.)	294.0	7-28-66	164.4	129.6	010
		8-24-66	162.4	131.6	
		9-23-66	161.8	132.2	
10N/33W-27G01S	338.0	7-01-65	112.5	225.5	010
		10-01-65	118.7	219.3	
10N/33W-27K02S	344.0	7-29-65	(1)		010
		8-30-65	(1)		
		9-28-65	(1)		
		10-28-65	(1)		
		11-29-65	114.0	230.0	
		2-24-66	(1)		
		3-24-66	(1)		
		4-28-66	(1)		
10N/33W-28A01S	325.0	7-01-65	102.5	222.5	010
		7-29-65	106.5(2)	218.5	
		8-30-65	105.9	219.1	
		9-28-65	102.9	222.1	
		10-01-65	102.9	222.1	
		10-28-65	108.4(2)	216.6	
		11-29-65	103.6	221.4	
10N/33W-30G01S	320.0	7-01-65	228.0	92.0	010
		10-01-65	235.0	85.0	
10N/33W-30H01S	310.0	7-01-65	216.2	93.8	010
		10-01-65	226.3	83.7	
10N/33W-30M01S	310.0	7-01-65	232.0	78.0	010
		10-01-65	241.0	69.0	
10N/33W-30R01S	335.0	7-01-65	211.3	123.7	010
		10-01-65	220.0	115.0	
10N/33W-33H01S	402.0	7-29-65	262.8	139.2	010
		8-30-65	(1)		
		9-28-65	264.3	137.7	
		10-28-65	253.5	148.5	
		11-29-65	259.5	142.5	
		2-25-66	253.2	148.8	
		3-24-66	253.2	148.8	
		4-28-66	254.5	147.5	
10N/34W-02R01S	230.0	7-01-65	133.4	96.6	010
		7-29-65	133.8	96.2	
		8-26-65	136.2	93.8	
		9-28-65	135.1	94.9	
		10-01-65	135.1	94.9	
		10-28-65	135.6	94.4	
		11-29-65	133.3	96.7	
10N/34W-04R01S	192.0	7-29-65	(1)		010
		8-26-65	(1)		
		9-28-65	149.5	42.5	
		10-28-65	(1)		
		11-29-65	149.2	42.8	
		2-24-66	(1)		
		3-24-66	(1)		
		4-28-66	(1)		
10N/34W-06N01S	152.0	7-01-65	109.6	42.4	010
		7-30-65	(1)		
		8-30-65	(1)		
		9-29-65	(1)		
		10-01-65	115.3	36.7	
		10-29-65	(1)		
		11-30-65	116.0	36.0	
10N/34W-09L02S	189.0	7-01-65	142.5	46.5	010
		10-01-65	144.3	44.7	
10N/34W-14E05S	221.0	7-29-65	(1)		010
		8-20-65	(1)		
		9-28-65	169.8	51.2	
		10-28-65	(1)		
		11-29-65	171.7	49.3	
		12-27-65	171.9	49.1	
		1-26-66	170.4	50.6	
		2-28-66	169.8	51.2	
		3-24-66	171.2	49.8	
		4-28-66	171.8	49.2	
		5-27-66	172.5	48.5	
		6-27-66	171.2	49.8	
		7-28-66	174.3	46.7	
		8-24-66	175.2	45.8	
		9-23-66	177.1	43.9	
10N/34W-20H01S	182.0	7-30-65	134.8	47.2	010
		8-30-65	136.3	45.7	
		9-29-65	136.3	45.7	
		10-29-65	137.6	44.4	
		11-30-65	136.1	45.9	
		2-25-66	132.5	49.5	
		3-24-66	133.3	48.7	
		4-29-66	136.3	45.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA MARIA-CUYAMA HYDRO UNIT T-12.00

SANTA MARIA HYDRO SUBUNIT T-12.40

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10N/34W-22R01S (CONT.)	217.0	10-01-65	167.9	49.1	010
10N/34W-23H01S	242.0	7-01-65	170.2	71.8	010
		7-29-65	(1)		
		8-28-65	178.4	63.6	
		9-28-65	180.5	61.5	
		10-01-65	178.8	63.2	
		10-28-65	178.1	63.9	
		11-29-65	172.4	69.6	
10N/34W-24K02S	244.0	7-01-65	170.0	74.0	010
		10-01-65	169.2	74.8	
10N/34W-24K03S	245.0	7-01-65	164.7	80.3	010
		10-01-65	165.4	79.6	
10N/35W-06A01S	72.0	7-30-65	14.5	57.5	010
		8-31-65	14.6	57.4	
		9-29-65	15.1	56.9	
		10-29-65	15.3	56.7	
		11-30-65	15.0	57.0	
		2-25-66	14.7	57.3	
		3-25-66	14.6	57.4	
		4-29-66	14.6	57.4	
10N/35W-06A02S	72.0	7-30-65	14.8	57.2	010
		8-31-65	14.8	57.2	
		9-29-65	15.4	56.6	
		10-29-65	15.6	56.4	
		11-30-65	15.2	56.8	
		2-25-66	14.9	57.1	
		3-25-66	14.9	57.1	
		4-29-66	14.9	57.1	
10N/35W-06A03S	72.0	7-30-65	40.2	31.8	010
		8-31-65	39.2	32.8	
		9-29-65	37.5	34.5	
		10-29-65	37.6	34.4	
		11-30-65	30.9	41.1	
		2-25-66	31.0	41.0	
		3-25-66	36.9	35.1	
		4-29-66	40.6	31.4	
10N/35W-07F01S	48.0	7-01-65	26.8	21.2	010
		7-30-65	30.4	17.6	
		8-31-65	31.7	16.3	
		9-29-65	(1)		
		10-01-65	27.5	20.5	
		10-29-65	(1)		
		11-30-65	21.4	26.6	
10N/35W-07G03S	53.0	7-30-65	41.7(2)	11.3	010
		8-31-65	40.4(2)	12.6	
		9-29-65	37.3	15.7	
		10-29-65	37.8	15.2	
		11-30-65	29.9	23.1	
		2-25-66	32.5	20.5	
		3-24-66	35.9	17.1	
		5-02-66	40.9	12.1	
10N/35W-09F01S	88.0	7-01-65	65.0	23.0	010
		7-30-65	(1)		
		8-31-65	65.9	22.1	
		9-29-65	63.8	24.2	
		10-01-65	64.1	23.9	
		10-29-65	64.5	23.5	
		11-30-65	54.5	33.5	
10N/35W-09N01S	87.0	7-01-65	63.8	23.2	010
		10-01-65	64.6	22.4	
10N/35W-09N03S	87.0	7-30-65	13.8(2)	73.2	010
		8-31-65	13.5(2)	73.5	
		9-29-65	14.3(2)	72.7	
		10-29-65	14.5(2)	72.5	
		11-30-65	12.3	74.7	
		2-25-66	15.7(2)	71.3	
		3-25-66	14.9(2)	72.1	
		5-02-66	16.3(2)	70.7	
10N/35W-09N04S	87.0	7-30-65	43.5(2)	43.5	010
		8-31-65	42.9(2)	44.1	
		9-29-65	41.4(2)	45.6	
		10-29-65	42.2(2)	44.8	
		11-30-65	35.0	52.0	
		2-25-66	37.5(2)	49.5	
		3-25-66	41.4(2)	45.6	
		5-02-66	44.2	42.8	
10N/35W-12M01S	138.0	7-01-65	98.2	39.8	010
		10-01-65	105.8	32.2	
10N/35W-21B01S	94.0	7-01-65	59.8	34.2	010
		7-30-65	(1)		
		8-31-65	(1)		
		9-29-65	(1)		
		10-01-65	62.1	31.9	

SANTA MARIA HYDRO SUBUNIT T-12.40

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10N/35W-21B01S (CONT.)	94.0	10-29-65	(1)		010
		11-30-65	47.4	46.6	
10N/35W-24B01S	144.0	7-30-65	(1)		010
		8-31-65	(1)		
		9-29-65	(1)		
		10-01-65	(1)		
		10-29-65	109.2	34.8	
		11-30-65	105.2	38.8	
10N/36W-02G01S	15.0	7-30-65	9.4	5.6	010
		8-31-65	9.1	5.9	
		9-29-65	8.1	6.9	
		10-29-65	7.8	7.2	
		11-30-65	5.0	10.0	
		12-27-65	4.3	10.7	
		2-25-66	5.4	9.6	
		3-25-66	7.9	7.1	
		4-29-66	10.2	4.8	
		5-27-66	10.5	4.5	
		6-27-66	10.6	4.4	
		8-10-66	10.7	4.3	
		8-24-66	10.5	4.5	
		9-23-66	10.9	4.1	
10N/36W-02G02S	15.0	8-23-66	11.4	3.6	010
		9-23-66	10.0	5.0	
10N/36W-12K02S	30.0	7-30-65	2.6	27.4	010
		8-31-65	2.1	27.9	
		9-29-65	2.2	27.8	
		10-29-65	2.4	27.6	
10N/36W-12K03S	30.0	7-30-65	3.6	26.4	010
		8-31-65	3.0	27.0	
		9-29-65	3.2	26.8	
		10-29-65	3.4	26.6	
		11-30-65	2.4	27.6	
		2-25-66	2.6	27.4	
		3-24-66	2.3	27.7	
		5-02-66	2.5	27.5	
10N/36W-12P01S	28.0	7-30-65	5.6	22.4	010
		8-31-65	5.6	22.4	
		9-29-65	4.9	23.1	
		10-29-65	4.6	23.4	
		3-24-66	3.6	24.4	
		5-02-66	(1)		
11N/34W-30Q01S	148.0	7-01-65	107.5	40.5	010
		10-01-65	111.3	36.7	
11N/34W-34J02S	210.0	7-29-65	110.0	100.0	010
		8-26-65	110.3	99.7	
		9-28-65	109.5	100.5	
		10-28-65	110.1	99.9	
		11-29-65	108.8	101.2	
		2-24-66	105.9	104.1	
		3-23-66	106.5	103.5	
		4-28-66	107.7	102.3	
11N/35W-19C02S	43.0	7-30-65	9.3	33.7	010
		8-30-65	9.7	33.3	
		9-29-65	9.9	33.1	
		10-29-65	10.0	33.0	
		11-30-65	9.8	33.2	
		2-25-66	9.4	33.6	
		3-24-66	9.2	33.8	
		4-29-66	8.9	34.1	
11N/35W-20E01S	49.0	7-01-65	29.0	20.0	010
		7-30-65	(1)		
		8-30-65	(7)		
		9-29-65	26.8	22.2	
		10-01-65	27.7	21.3	
		10-29-65	28.0	21.0	
		11-30-65	21.0	28.0	
11N/35W-20K03S	53.0	7-30-65	4.4	48.6	010
		8-30-65	4.4	48.6	
		9-29-65	5.0	48.0	
		10-29-65	5.3	47.7	
		11-30-65	3.9	49.1	
		2-25-66	4.7	48.3	
		3-24-66	5.1	47.9	
11N/35W-25H01S	135.0	7-30-65	74.3	60.7	010
		8-30-65	73.9	61.1	
		9-29-65	73.7	61.3	
		10-29-65	74.3	60.7	
		11-30-65	73.6	61.4	
		2-25-66	73.8	61.2	
		3-24-66	73.9	61.1	
11N/35W-26M02S	106.0	7-30-65	92.2(2)	13.8	010
		8-30-65	95.1(2)	10.9	
		9-29-65	82.3	23.7	
		10-29-65	82.4	23.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA MARIA-CUYAMA HYDRO UNIT T-12.00

SANTA MARIA HYDRO SUBUNIT T-12.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
11N/35W-26M02S	106.0	11-30-65	75.1	30.9	010
(CONT.)		2-25-66	84.1(2)	21.9	
		3-24-66	86.9(2)	19.1	
		4-29-66	90.7(2)	15.3	
11N/35W-28F02S	80.0	7-30-65	29.3(2)	50.7	010
		8-30-65	29.5	50.5	
		9-29-65	29.5	50.5	
		10-29-65	29.5	50.5	
		11-30-65	28.7	51.3	
		2-25-66	28.2	51.8	
		3-24-66	29.2	50.8	
		4-29-66	30.2	49.8	
11N/35W-28M01S	77.0	7-01-65	61.8	15.2	010
		10-01-65	56.0	21.0	
11N/35W-33C04S	80.0	7-30-65	19.2	60.8	010
		9-29-65	19.2	60.8	
		10-29-65	19.2	60.8	
		11-30-65	19.2	60.8	
		2-25-66	19.2	60.8	
		3-24-66	19.2	60.8	
		4-29-66	19.7	60.3	
11N/35W-33G01S	91.0	7-01-65	66.0	25.0	010
		7-30-65	66.5	24.5	
		8-30-65	68.6	22.4	
		9-29-65	64.8	26.2	
		10-01-65	65.6	25.4	
		10-29-65	(1)		
		11-30-65	57.3	33.7	
11N/35W-35A01S	123.0	7-01-65	86.0	37.0	010
		10-01-65	90.5	32.5	

SISQUOC HYDRO SUBUNIT T-12.B0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09N/32W-07N01S	422.0	7-29-65	(1)		010
		8-30-65	(1)		
		9-28-65	(1)		
		10-01-65	128.6	293.4	
		10-28-65	127.2	294.8	
		11-30-65	124.5	297.5	
09N/32W-17G01S	447.0	7-29-65	68.5	378.5	010
		8-30-65	69.9	377.1	
		9-28-65	DRY		
		10-28-65	DRY		
		11-30-65	DRY		
		2-24-66	51.5	395.5	
		3-24-66	46.3	400.7	
		4-28-66	46.7	400.3	
09N/32W-22D01S	490.0	7-29-65	31.3	458.7	010
		8-30-65	31.3	458.7	
		9-28-65	31.1	458.9	
		10-28-65	30.3	459.7	
		11-30-65	29.2	460.8	
		2-24-66	15.7	474.3	
		3-24-66	14.0	476.0	
		4-28-66	14.6	475.4	
09N/32W-23K01S	532.0	7-29-65	(1)		010
		8-30-65	17.3	514.7	
		9-28-65	18.2	513.8	
		11-30-65	18.4	513.6	
		2-24-66	10.0	522.0	
		3-24-66	8.0	524.0	
		4-28-66	9.7	522.3	
09N/33W-02A01S	378.7	7-29-65	109.2(2)	269.5	010
		8-30-65	111.9	266.8	
		9-28-65	114.1	264.6	
		10-01-65	113.6	265.1	
		10-28-65	115.8	262.9	
		11-29-65	116.4	262.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA MARIA-CUYAMA HYDRO UNIT T-12.00

CUYAMA VALLEY HYDRO SUBUNIT T-12.C0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07N/23W-14N01S	3850.0	4-20-66	84.3	3765.7	121
		8-11-66	86.8	3763.2	
07N/23W-16R01S	3714.0	4-20-66	32.9	3681.1	121
		8-11-66	33.7	3680.3	
07N/23W-19Q02S	3600.0	4-20-66	44.5	3555.5	121
		8-11-66	47.0	3553.0	
07N/24W-13C02S	3418.0	7-29-65	28.0	3390.0	010
		8-26-65	28.7	3389.3	
		9-28-65	(1)		
		10-28-65	29.8	3388.2	
		11-29-65	21.1	3396.9	
		2-24-66	18.5	3399.5	
		3-23-66	18.6	3399.4	
		4-26-66	18.9	3399.1	
07N/24W-13Q01S	3536.0	4-20-66	12.9(1)	3523.1	121
		8-11-66	(7)		
08N/24W-08L01S	3050.0	9-28-66	146.5	2903.5	010
08N/24W-17B01S	3132.0	4-20-66	203.8	2928.2	121
		8-11-66	(7)		
08N/24W-17G01S	3136.0	4-20-66	176.8	2959.2	121
		8-11-66	(7)		
08N/24W-35N01S	3390.0	4-20-66	30.0	3360.0	121
		8-11-66	(7)		
09N/24W-33M01S	3049.0	7-29-65	186.0	2863.0	010
		8-26-65	186.8(2)	2862.2	
		9-28-65	187.7	2861.3	
		10-28-65	188.4	2860.6	
		11-29-65	1R9.0	2860.0	
		2-24-66	188.8	2860.2	
		3-23-66	188.9	2860.1	
		4-26-66	189.2	2859.8	
09N/25W-13B01S	2700.0	7-29-65	107.5(2)	2592.5	010
		8-26-65	107.3	2592.7	
		9-28-65	106.4	2593.6	
		10-28-65	(1)		
		11-29-65	104.7	2595.3	
		2-24-66	(1)		
		3-23-66	105.0(4)	2595.0	
		4-26-66	(1)		
09N/26W-01F02S	2600.0	8-26-65	290.7	2309.3	010
		9-28-65	(1)		
		10-28-65	(1)		
		5-10-66	296.3	2303.7	
09N/26W-04J01S	2575.0	7-29-65	297.0	2278.0	010
		8-26-65	296.6	2278.4	
		2-24-66	297.2	2277.8	
		4-27-66	297.1	2277.9	
10N/25W-08P01S	2393.0	7-29-65	92.0	2301.0	010
		9-28-65	92.2	2300.8	
		10-28-65	92.2	2300.8	
		11-29-65	92.0	2301.0	
		2-15-66	91.4	2301.6	
		3-23-66	91.2	2301.8	
		4-26-66	92.7	2300.3	
10N/25W-24E01S	2475.0	7-29-65	292.8	2182.2	010
		8-26-65	302.1	2172.9	
		9-28-65	304.7	2170.3	
		10-28-65	278.1	2196.9	
		11-29-65	307.2	2167.8	
		2-24-66	289.1	2185.9	
		3-23-66	279.9	2195.1	
		4-26-66	280.7	2194.3	
		7-27-66	282.5	2192.5	
		8-24-66	312.8	2162.2	
		9-28-66	283.9	2191.1	
10N/25W-30P01S	2340.0	7-29-65	166.7(2)	2173.3	010
		8-26-65	166.5(2)	2173.5	
		9-28-65	165.2	2174.8	
		10-28-65	166.8(2)	2173.2	
		11-29-65	157.7	2182.3	
		2-24-66	153.5	2186.5	
		3-23-66	165.1	2174.9	
		4-27-66	159.7	2180.3	
10N/26W-04R01S	2110.0	7-29-65	44.8(2)	2065.2	010
		8-26-65	(1)		
		9-28-65	42.1	2067.9	
		10-28-65	39.4	2070.6	
		2-24-66	34.5	2075.5	
		3-23-66	41.1(2)	2068.9	
		4-26-66	(1)		

CUYAMA VALLEY HYDRO SUBUNIT T-12.C0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10N/26W-16Q01S	2205.0	7-29-65	66.1	2138.9	010
		8-26-65	66.6	2138.4	
		9-28-65	65.6	2139.4	
		10-28-65	64.4	2140.6	
		11-29-65	61.8	2143.2	
		2-24-66	58.1	2146.9	
		3-23-66	60.3	2144.7	
		4-27-66	63.5	2141.5	
10N/26W-22A01S	2200.0	7-29-65	51.4	2148.6	010
		8-26-65	52.0	2148.0	
		9-28-65	51.0	2149.0	
		10-28-65	49.3	2150.7	
		11-29-65	47.3	2152.7	
		2-24-66	45.5	2154.5	
		3-23-66	47.1	2152.9	
		4-27-66	52.4	2147.6	
10N/26W-27N01S	2350.0	11-29-65	156.0	2194.0	010
		2-24-66	154.4	2195.6	
		3-23-66	148.6	2201.4	
		4-21-66	149.6	2200.4	
10N/27W-11C01S	1963.0	7-29-65	33.5	1929.5	010
		8-26-65	39.8	1923.2	
		9-28-65	36.9	1926.1	
		10-28-65	34.4	1928.6	
		11-29-65	30.3	1932.7	
		2-24-66	27.5	1935.5	
		3-23-66	(1)		
		4-27-66	32.0	1931.0	
10N/27W-12R01S	2045.0	7-29-65	81.6	1963.4	010
		8-26-65	83.4	1961.6	
		9-28-65	85.6	1959.4	
		10-28-65	85.1	1959.9	
		11-29-65	85.6	1959.4	
		2-24-66	81.5	1963.5	
		3-23-66	78.6	1966.4	
		4-27-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN ANTONIO HYDRO UNIT T-13.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
08N/32W-30H07S	563.0	7-30-65	32.7	530.3	010
		8-31-65	35.9	527.1	
		9-29-65	32.4(2)	530.6	
		10-29-65	34.4(2)	528.6	
		11-30-65	32.0(2)	531.0	
		2-25-66	25.8	537.2	
		3-25-66	24.1	538.9	
		5-02-66	34.7	528.3	
08N/32W-35Q01S	745.0	7-30-65	163.9	581.1	010
		8-31-65	163.8	581.2	
		9-29-65	165.9	579.1	
		10-29-65	164.8	580.2	
		11-30-65	137.1	607.9	
		2-25-66	135.4	609.6	
		3-24-66	153.7	591.3	
		5-02-66	165.0	580.0	
08N/33W-20Q01S	408.0	7-30-65	38.7(2)	369.3	010
		8-31-65	30.4	377.6	
		9-29-65	31.8	376.2	
		10-29-65	32.0	376.0	
		11-30-65	31.6	376.4	
		2-25-66	32.6	375.4	
		3-25-66	33.2	374.8	
		5-02-66	34.8	373.2	
		7-29-66	38.1	369.9	
		8-22-66	34.3	373.7	
		9-26-66	31.6	376.4	
08N/33W-20R01S	408.0	7-30-65	(1)		010
		8-31-65	(1)		
		9-29-65	(1)		
		10-29-65	(1)		
		11-30-65	31.6(1)	376.4	
		2-25-66	32.2(1)	375.8	
		3-25-66	31.9	376.1	
		5-02-66	44.3(1)	363.7	
08N/34W-04N01S	460.0	4-28-66	140.0	320.0	010
08N/34W-07Q01S	460.0	4-28-66	3.0	457.0	010
08N/34W-16G01S	280.0	8-04-65	FLOW		010
08N/34W-16G02S	320.0	4-29-66	18.4	301.6	010
08N/34W-16J01S	320.0	4-29-66	6.6	313.4	010
08N/34W-17K01S	273.0	4-30-66	FLOW		010
08N/34W-23B01S	315.0	7-30-65	27.8	287.2	010
		8-31-65	28.2	286.8	
		9-29-65	26.2	288.8	
		10-29-65	27.1	287.9	
		11-30-65	23.1	291.9	
		2-25-66	21.7	293.3	
		3-25-66	21.8	293.2	
		5-02-66	24.6	290.4	
08N/35W-10J01S	118.0	7-30-65	9.9	108.1	010
		8-31-65	10.1	107.9	
		9-29-65	10.2	107.8	
		10-29-65	10.4	107.6	
		11-30-65	9.5	108.5	
		2-25-66	8.8	109.2	
		3-25-66	8.9	109.1	
		5-02-66	9.1	108.9	
08N/35W-15E03S	60.0	7-30-65	25.9	34.1	010
		8-31-65	18.1	41.9	
		9-29-65	14.4	45.6	
		10-29-65	12.6	47.4	
		11-30-65	(6)		
08N/35W-16E01S	50.0	7-30-65	6.8	43.2	010
		8-31-65	4.1	45.9	
		9-29-65	4.3	45.7	
		10-29-65	4.5	45.5	
		11-30-65	2.3	47.7	
		2-25-66	2.1	47.9	
		3-25-66	2.4	47.6	
		5-02-66	2.1	47.9	
09N/34W-32P01S	480.0	4-28-66	15.9	464.1	010
09N/35W-18L01S	80.0	4-28-66	73.0	7.0	010
09N/35W-20J01S	100.0	4-28-66	12.8	87.2	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT I-14.00					
LOMPOC HYDRO SUBUNIT I-14.A0					
06N/34W-04G03S	97.0	7-27-65	59.5	37.5	010
		8-22-65	59.9	37.1	
		9-27-65	59.8	37.2	
		10-29-65	59.6	37.4	
		11-22-65	59.5	37.5	
		3-01-66	56.9	40.1	
		3-30-66	56.7	40.3	
		5-03-66	57.5	39.5	
06N/34W-06C02S	99.8	7-27-65	73.2	26.6	010
		8-22-65	71.7	28.1	
		9-27-65	69.5	30.3	
		10-25-65	69.0	30.8	
		11-22-65	67.6	32.2	
		3-01-66	63.1	36.7	
		3-30-66	66.4	33.4	
		5-03-66	69.5	30.3	
07N/33W-30C01S	235.2	7-27-65	162.5	72.7	010
		8-25-65	162.6	72.6	
		9-27-65	162.4	72.8	
		10-27-65	161.9	73.3	
		11-30-65	162.9	72.3	
		2-25-66	163.1	72.1	
		3-30-66	163.2	72.0	
		4-27-66	163.2	72.0	
07N/34W-09H05S	300.0	7-29-65	(1)		010
		8-24-65	244.7	55.3	
		9-29-65	(7)		
		12-01-65	265.0	35.0	
		3-03-66	284.7	15.3	
		4-07-66	(1)		
		5-04-66	244.8	55.2	
07N/34W-12E01S	385.8	7-27-65	310.6	75.2	010
		8-24-65	310.7	75.1	
		10-27-65	310.8	75.0	
		11-30-65	310.9	74.9	
		3-30-66	311.0	74.8	
		5-04-66	311.3	74.5	
07N/34W-14F03S	268.0	7-27-65	209.6	58.4	010
		9-27-65	209.4	58.6	
		10-27-65	210.4	57.6	
		5-04-66	209.2	58.8	
07N/34W-15D01S	190.0	7-29-65	(1)		010
		8-24-65	(1)		
		9-29-65	(1)		
		10-29-65	(1)		
		12-01-65	119.4	70.6	
		4-07-66	(1)		
		5-05-66	(7)		
07N/34W-20K04S	75.0	4-20-66	51.3(2)	23.7	010
07N/34W-20N02S	50.0	7-29-65	19.3	30.7	010
		8-04-65	19.6	30.4	
		9-29-65	20.2	29.8	
		10-29-65	19.2	30.8	
		12-01-65	16.1	33.9	
		3-02-66	13.4	36.6	
		4-04-66	14.1	35.9	
		5-03-66	14.6	35.4	
07N/34W-20N03S	62.0	7-29-65	23.0	39.0	010
		8-24-65	28.9	33.1	
		9-29-65	29.4	32.6	
		10-29-65	29.3	32.7	
		12-01-65	28.0	34.0	
		3-02-66	22.3	39.7	
		4-04-66	22.5	39.5	
		5-03-66	23.3	38.7	
07N/34W-21E01S	82.0	7-29-65	32.2	49.8	010
		8-24-65	32.9	49.1	
		9-29-65	33.5	48.5	
		10-29-65	33.6	48.4	
		12-01-65	33.0	49.0	
		3-02-66	29.3	52.7	
		3-30-66	30.7	51.3	
		6-07-66	32.0	50.0	
		7-28-66	32.2	49.8	
		8-23-66	32.5	49.5	
		9-23-66	32.7	49.3	
07N/34W-22F02S	89.9	7-21-65	(1)		005
		8-19-65	52.3(1)	37.6	
		9-22-65	40.8	49.1	
		10-20-65	(1)		
		11-17-65	40.6	49.3	
		3-15-66	(1)		
		4-20-66	(1)		
		5-18-66	(1)		
		6-22-66	(9)		
		7-19-66	43.3	46.6	
LOMPOC HYDRO SUBUNIT I-14.40					
07N/34W-22F02S (CONT.)	89.9	8-17-66	67.0(1)	22.9	005
		9-21-66	40.1	49.8	
07N/34W-22J06S	90.0	7-29-65	51.8(2)	38.2	010
		8-24-65	57.8(2)	32.2	
		9-29-65	36.8	53.2	
		10-29-65	36.8	53.2	
		12-01-65	36.4	53.6	
		3-03-66	59.8(2)	30.2	
		4-07-66	58.8(2)	31.2	
		5-04-66	38.8	51.2	
07N/34W-22L01S	93.0	7-21-65	33.9	59.1	005
		8-19-65	33.2	59.8	
		9-22-65	33.7	59.3	
		10-20-65	34.7	58.3	
		11-17-65	34.6	58.4	
		3-15-66	32.4	60.6	
		4-20-66	27.9	65.1	
		5-18-66	29.6	63.4	
		6-22-66	30.2	62.8	
		7-19-66	31.7	61.3	
		8-17-66	32.4	60.6	
		9-21-66	32.8	60.2	
07N/34W-22Q04S	83.0	7-21-65	19.8	63.2	005
		7-29-65	19.8	63.2	010
		8-18-65	19.8	63.2	005
		8-24-65	19.8	63.2	010
		9-22-65	19.9	63.1	005
		9-29-65	20.0	63.0	010
		10-20-65	19.9	63.1	005
		10-29-65	19.9	63.1	010
		11-17-65	20.1	62.9	005
		12-01-65	20.0	63.0	010
		3-03-66	19.9	63.1	
		3-15-66	19.8	63.2	005
		4-07-66	19.9	63.1	010
		4-20-66	19.8	63.2	005
		5-04-66	19.8	63.2	010
		5-18-66	20.1	62.9	005
		6-22-66	19.9	63.1	
		7-19-66	20.0	63.0	
		8-17-66	19.9	63.1	
		9-21-66	20.0	63.0	
07N/34W-22Q05S	69.5	7-21-65	8.5	61.0	005
		8-18-65	9.3	60.2	
		9-22-65	10.2	59.3	
		10-20-65	10.9	58.6	
		11-17-65	9.7	59.8	
		3-15-66	5.9	63.6	
		4-20-66	5.4	64.1	
		5-18-66	5.3	64.2	
		6-22-66	5.8	63.7	
		7-19-66	6.0	63.5	
		8-17-66	6.2	63.3	
		9-21-66	8.2	61.3	
07N/34W-22Q06S	69.6	7-21-65	7.5	62.1	005
		8-18-65	8.4	61.2	
		9-22-65	10.2	59.4	
		10-20-65	10.9	58.7	
		11-17-65	(9)		
		3-15-66	(9)		
		4-20-66	(9)		
		5-18-66	5.1	64.5	
		6-22-66	5.5	64.1	
		7-19-66	5.8	63.8	
		8-17-66	6.0	63.6	
		9-21-66	8.3	61.3	
07N/34W-23L01S	103.4	10-21-65	41.3(8)	62.1	005
		3-16-66	(1)		
07N/34W-23Q02S	112.0	7-22-65	48.1	63.9	005
		8-19-65	49.3	62.7	
		9-22-65	54.6	57.4	
		10-21-65	48.9	63.1	
		11-17-65	48.4	63.6	
		3-15-66	46.6	65.4	
		4-21-66	52.0	60.0	
		5-18-66	50.6	61.4	
		6-22-66	51.1	60.9	
		7-19-66	49.3	62.7	
		8-17-66	48.9	63.1	
		9-21-66	49.2	62.8	
07N/34W-24N01S	130.4	7-27-65	(1)		010
		8-24-65	(1)		
		9-27-65	(1)		
		10-27-65	(1)		
		11-30-65	67.6	62.8	
		3-02-66	66.5	63.9	
		3-30-66	(1)		
		4-27-66	(1)		
07N/34W-25D01S	127.0	7-22-65	(1)		005

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT T-14.00

LOMPOC HYDRO SUBUNIT T-14.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07N/34W-25D01S (CONT.)	127.0	8-18-65	(1)		005
		9-22-65	(1)		
		10-21-65	66.5	60.5	
		11-17-65	65.9	61.1	
		3-15-66	63.5	63.5	
		4-20-66	(1)		
		5-19-66	(1)		
		6-22-66	66.4(8)	60.6	
		7-20-66	(1)		
		8-17-66	(1)		
		9-21-66	(1)		
07N/34W-25F01S	136.6	7-21-65	74.3	62.3	005
		8-18-65	78.0	58.6	
		9-22-65	76.1	60.5	
		10-21-65	75.1	61.5	
		11-17-65	(9)		
		3-15-66	78.7	57.9	
		4-20-66	74.0	62.6	
		5-19-66	74.8	61.8	
		6-22-66	75.3	61.3	
		7-20-66	76.6	60.0	
		8-17-66	78.8	57.8	
		9-21-66	76.5	60.1	
07N/34W-25P01S	119.8	10-21-65	(1)		005
		3-16-66	(1)		
07N/34W-26C03S	104.0	7-22-65	40.7	63.3	005
		8-18-65	40.5	63.5	
		9-22-65	39.9	64.1	
		10-21-65	40.2	63.8	
		11-17-65	40.3	63.7	
		3-15-66	40.0	64.0	
		4-20-66	39.3	64.7	
		5-18-66	38.7	65.3	
		6-22-66	39.2	64.8	
		7-19-66	39.5	64.5	
		8-17-66	38.7	65.3	
		9-21-66	39.0	65.0	
07N/34W-26F06S	108.6	10-21-65	47.7	60.9	005
		3-15-66	47.9	60.7	
07N/34W-26H02S	109.9	7-22-65	(1)		005
		8-19-65	57.2(8)	52.7	
		9-22-65	54.6(8)	55.3	
		10-21-65	51.4(8)	58.5	
		11-18-65	50.5(8)	59.4	
		3-16-66	54.9(8)	55.0	
		4-21-66	55.0(8)	54.9	
		5-19-66	(1)		
		6-23-66	(1)		
		7-20-66	50.9(8)	59.0	
		8-18-66	49.0(8)	60.9	
		9-22-66	57.5(8)	52.4	
07N/34W-26H03S	112.9	7-22-65	50.9	62.0	005
		7-27-65	51.5	61.4	010
		8-19-65	51.7	61.2	005
		9-22-65	52.5	60.4	
		9-27-65	52.9	60.0	010
		10-21-65	52.4	60.5	005
		10-27-65	52.2	60.7	010
		11-18-65	51.5	61.4	005
		11-30-65	52.3	60.6	010
		3-02-66	50.2	62.7	
		3-16-66	50.7	62.2	005
		3-30-66	50.1	62.8	010
		4-21-66	50.2	62.7	005
		4-27-66	50.7	62.2	010
		5-19-66	50.7	62.2	005
		6-23-66	51.2	61.7	
		7-20-66	52.2	60.7	
		8-18-66	51.9	61.0	
		9-22-66	52.7	60.2	
07N/34W-26P01S	91.8	7-22-65	DRY		005
		8-19-65	DRY		
		9-22-65	DRY		
		10-21-65	DRY		
		11-18-65	DRY		
		3-16-66	17.9	73.9	
		4-21-66	17.7	74.1	
		5-19-66	20.0	71.8	
		6-23-66	25.3	66.5	
		7-20-66	DRY		
		8-18-66	DRY		
		9-22-66	DRY		
07N/34W-26Q02S	112.1	7-22-65	51.7	60.4	005
		8-19-65	52.6	59.5	
		9-22-65	53.9	58.2	
		10-21-65	53.3	58.8	
		11-18-65	53.1	59.0	
		3-16-66	44.8	67.3	
		4-21-66	46.2(2)	65.9	
		5-19-66	44.8	67.3	
07N/34W-26Q02S (CONT.)	112.1	6-23-66	46.8	65.3	005
		7-20-66	48.8	63.3	
		8-18-66	48.1	64.0	
		9-22-66	50.0	62.1	
07N/34W-26Q04S	91.0	7-22-65	34.6	56.4	005
		8-19-65	35.5	55.5	
		9-22-65	37.1	53.9	
		10-20-65	36.0	55.0	
		11-18-65	37.2	53.8	
		3-16-66	25.3	65.7	
		4-21-66	(1)		
		5-19-66	28.4	62.6	
		6-23-66	29.1	61.9	
		7-20-66	30.8	60.2	
		8-18-66	32.9	58.1	
		9-22-66	34.3	56.7	
07N/34W-27A06S	80.0	7-29-65	17.7	62.3	010
		8-24-65	18.2	61.8	
		9-29-65	19.1	60.9	
		10-29-65	20.1	59.9	
		12-01-65	14.3	65.7	
		3-03-66	11.8	68.2	
		4-07-66	12.1	67.9	
		5-04-66	12.4	67.6	
07N/34W-27E03S	95.4	7-21-65	44.1	51.3	010
		7-29-65	(6)		
07N/34W-27F04S	96.8	7-21-65	49.3(6)	47.5	005
		7-29-65	(1)		010
		8-18-65	51.3(6)	45.5	005
		8-24-65	50.1	46.7	010
		9-22-65	50.2(6)	46.6	005
		9-29-65	51.3	45.5	010
		10-20-65	52.0(6)	44.8	005
		10-29-65	51.8	45.0	010
		11-17-65	50.7(6)	46.1	005
		12-01-65	49.6	47.2	010
		3-03-66	42.6	54.2	
		3-15-66	(1)		005
		4-07-66	44.6	52.2	010
		4-20-66	(1)		005
		5-04-66	45.4	51.4	010
		5-18-66	(1)		005
		6-18-66	47.6	49.2	
		7-18-66	(1)		
		8-18-66	49.3	47.5	
		9-18-66	48.4	48.4	
07N/34W-27P04S	90.0	10-18-65	58.0	32.0	005
		3-15-66	40.0	50.0	
07N/34W-27P05S	92.0	10-18-65	60.0	32.0	005
		3-15-66	54.0	38.0	
07N/34W-28R03S	85.0	7-29-65	47.6	37.4	010
		8-24-65	46.6	38.4	
		9-29-65	47.1	37.9	
		10-29-65	47.3	37.7	
		12-01-65	47.4	37.6	
		3-02-66	40.9	44.1	
		4-04-66	42.9	42.1	
		5-04-66	(6)		
07N/34W-29E04S	67.7	7-29-65	(1)		010
		8-24-65	38.6	29.1	
		9-29-65	38.2	29.5	
		10-29-65	39.0	28.7	
		12-01-65	33.9	33.8	
		3-02-66	32.0	35.7	
		4-04-66	(1)		
		5-03-66	37.8	29.9	
07N/34W-29E05S	67.7	7-29-65	DRY		010
		8-24-65	DRY		
		9-29-65	DRY		
		10-29-65	DRY		
		12-01-65	DRY		
		3-02-66	DRY		
		4-04-66	DRY		
		5-03-66	DRY		
07N/34W-29E06S	65.0	7-29-65	39.7(2)	25.3	010
		8-24-65	37.7	27.3	
		9-29-65	36.4	28.6	
		10-29-65	37.9	27.1	
		12-01-65	32.7	32.3	
		3-02-66	30.3	34.7	
		4-04-66	36.1	28.9	
		5-03-66	35.4	29.6	
07N/34W-29H01S	78.0	7-29-65	39.3	38.7	010
		8-24-65	37.6	40.4	
		9-29-65	38.0	40.0	
		10-29-65	37.7	40.3	
		12-01-65	33.9	44.1	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT I-14.00

LOMPOC HYDRO SUBUNIT I-14.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07N/34W-29H01S (CONT.)	78.0	3-02-66	30.5	47.5	010
		4-04-66	36.5	41.5	
		5-04-66	33.6	44.4	
07N/34W-29R01S	77.0	7-29-65	46.0	31.0	010
		8-24-65	41.5	35.5	
		9-29-65	42.2	34.8	
		10-29-65	41.6	35.4	
		12-01-65	37.9	39.1	
		3-02-66	34.9	42.1	
		4-04-66	(7)		
		5-05-66	38.9	38.1	
07N/34W-30L03S	58.8	7-29-65	DRY		010
		8-24-65	DRY		
		9-29-65	DRY		
		10-29-65	DRY		
		12-01-65	DRY		
		3-02-66	DRY		
		3-30-66	DRY		
		5-03-66	DRY		
07N/34W-30L04S	59.0	7-29-65	41.5	17.5	010
		8-24-65	33.5	25.5	
		9-29-65	31.6	27.4	
		10-29-65	34.1	24.9	
		12-01-65	27.2	31.8	
		3-02-66	29.7	29.3	
		3-30-66	37.8	21.2	
		5-03-66	33.6	25.4	
07N/34W-30L08S	59.0	7-29-65	29.2	29.8	010
		8-24-65	29.8	29.2	
		9-29-65	29.7	29.3	
		10-29-65	29.6	29.4	
		12-01-65	29.0	30.0	
		3-02-66	26.2	32.8	
		3-30-66	26.8	32.2	
		5-03-66	28.0	31.0	
07N/34W-31H01S	62.0	10-20-65	33.6	28.4	005
		3-16-66	30.1	31.9	
07N/34W-31C02S	64.7	7-27-65	47.4	17.3	010
		8-22-65	35.6	29.1	
		9-27-65	39.8	24.9	
		10-25-65	37.0	27.7	
		11-22-65	30.4	34.3	
		3-01-66	28.8	35.9	
		3-30-66	(1)		
		5-03-66	35.2(4)	29.5	
07N/34W-31C03S	64.7	7-27-65	DRY		010
		8-22-65	DRY		
		9-27-65	DRY		
		10-25-65	DRY		
		11-22-65	DRY		
		3-01-66	DRY		
		3-30-66	DRY		
		5-03-66	DRY		
07N/34W-31C04S	64.6	7-27-65	22.6	42.0	010
		8-22-65	22.7	41.9	
		9-27-65	23.5	41.1	
		10-25-65	24.1	40.5	
		11-22-65	24.2	40.4	
		3-01-66	23.9	40.7	
		3-30-66	24.5(2)	40.1	
		5-03-66	20.4	44.2	
07N/34W-31P03S	70.0	7-27-65	52.5	17.5	010
		8-22-65	51.6	18.4	
		10-29-65	48.1	21.9	
		11-22-65	47.2	22.8	
		3-01-66	38.7	31.3	
		3-30-66	43.1	26.9	
		5-03-66	43.2	26.8	
07N/34W-32Q01S	80.0	8-22-65	43.3	36.7	010
		9-27-65	41.3	38.7	
		10-29-65	41.6	38.4	
		11-22-65	40.6	39.4	
		3-01-66	38.4	41.6	
		3-30-66	45.7	34.3	
		5-03-66	45.9	34.1	
07N/34W-34A05S	111.0	3-15-66	40.0	71.0	005
07N/34W-34B01S	102.0	10-15-65	58.0	44.0	005
		3-11-66	40.0	62.0	
07N/34W-34E06S	101.0	10-14-65	58.0	43.0	005
		3-15-66	50.0	51.0	
07N/34W-34Q01S	107.0	7-21-65	53.1	53.9	005
		8-18-65	53.2	53.8	
		9-22-65	54.1	52.9	
		10-20-65	54.3	52.7	
07N/34W-34Q01S (CONT.)	107.0	11-17-65	54.3	52.7	005
		3-15-66	52.9	54.1	
		4-20-66	53.3	53.7	
		5-18-66	52.2	54.8	
		6-22-66	52.1	54.9	
		7-19-66	(3)		
		8-17-66	57.6	49.4	
		9-21-66	54.4	52.6	
07N/34W-35B01S	96.2	10-21-65	38.1	58.1	005
		3-16-66	29.3	66.9	
07N/34W-35F02S	100.3	7-27-65	29.4	70.9	010
		8-24-65	32.8	67.5	
		9-27-65	33.3	67.0	
		10-27-65	35.1	65.2	
		11-30-65	35.2	65.1	
		3-02-66	31.8	68.5	
		3-30-66	23.8	76.5	
		5-04-66	23.8	76.5	
07N/34W-35F16S	119.5	7-29-65	(1)		010
		8-24-65	57.2	62.3	
		9-29-65	58.9	60.6	
		10-29-65	62.4	57.1	
		4-07-66	(1)		
		5-04-66	46.0	73.5	
		9-23-66	56.7	62.8	
07N/34W-35F20S	119.0	7-29-65	55.4(2)	63.6	010
		8-24-65	56.3	62.7	
		9-29-65	58.1	60.9	
		10-29-65	59.3	59.7	
		3-03-66	44.4	74.6	
		4-07-66	48.2(2)	70.8	
		5-05-66	45.7	73.3	
07N/34W-35L01S	116.2	7-21-65	(2)		005
		8-18-65	(2)		
		9-22-65	(2)		
		10-20-65	(2)		
		11-17-65	(2)		
07N/35W-17K01S	10.0	9-27-65	2.9	7.1	010
		10-29-65	2.6	7.4	
		12-01-65	1.3	8.7	
		3-01-66	1.7	8.3	
		4-01-66	.6	9.4	
		7-07-66	2.3	7.7	
07N/35W-17M01S	9.7	7-28-65	3.2	6.5	010
		8-23-65	3.3	6.4	
		9-27-65	3.5	6.2	
		10-29-65	3.1	6.6	
		12-01-65	2.6	7.1	
		12-28-65	2.1	7.6	
		1-26-66	3.1	6.6	
		2-28-66	3.2	6.5	
		4-01-66	2.7	7.0	
		5-04-66	3.2	6.5	
		5-25-66	3.2	6.5	
		6-08-66	3.2	6.5	
		6-27-66	3.1	6.6	
		7-07-66	3.0	6.7	
		7-28-66	3.0	6.7	
		8-23-66	2.9	6.8	
		9-23-66	2.9	6.8	
07N/35W-18H01S	5.9	7-28-65	1.5	4.4	010
		8-23-65	1.6	4.3	
		9-27-65	1.5	4.4	
		10-29-65	1.3	4.6	
		4-01-66	1.1	4.8	
		7-07-66	.8	5.1	
07N/35W-18H02S	7.2	8-23-65	3.0	4.2	010
		9-27-65	2.9	4.3	
		10-29-65	2.4	4.8	
		12-01-65	2.5	4.7	
		12-28-65	1.8	5.4	
		1-26-66	2.7	4.5	
		2-28-66	3.6	3.6	
		4-01-66	3.1	4.1	
		5-04-66	3.2	4.0	
		5-25-66	3.1	4.1	
		6-27-66	2.9	4.3	
		7-07-66	2.8	4.4	
		7-29-66	3.0	4.2	
		8-23-66	3.0	4.2	
		9-23-66	2.8	4.4	
07N/35W-18J02S	7.4	7-28-65	4.0	3.4	010
		8-23-65	3.9	3.5	
		9-27-65	3.6	3.8	
		10-29-65	3.5	3.9	
		12-01-65	3.2	4.2	
		12-28-65	2.6	4.8	
		1-26-66	3.6	3.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT T-14.00

LOMPOC HYDRO SUBUNIT T-14.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07N/35W-18J02S (CONT.)	7.4	2-28-66	4.2	3.2	010
		4-01-66	3.7	3.7	
		5-04-66	3.9	3.5	
		7-07-66	3.7	3.7	
07N/35W-20J01S	19.1	7-28-65	8.2	10.9	010
		8-22-65	8.6	10.5	
		9-29-65	9.1	10.0	
		10-25-65	9.1	10.0	
		11-22-65	7.8	11.3	
		2-28-66	5.4	13.7	
		4-01-66	5.8	13.3	
		4-28-66	6.3	12.8	
		7-07-66	7.3	11.8	
		8-23-66	7.5	11.6	
07N/35W-21L04S	20.0	7-28-65	10.3	9.7	010
		8-22-65	10.2	9.8	
		9-29-65	8.9	11.1	
		10-25-65	9.3	10.7	
		11-22-65	10.1	9.9	
		2-28-66	9.7	10.3	
		4-01-66	9.8	10.2	
		4-22-66	10.5	9.5	
		7-07-66	9.0	11.0	
		8-23-66	8.9	11.1	
07N/35W-22F03S	20.0	4-26-66	10.5	9.5	010
07N/35W-22J01S	31.8	7-28-65	16.7	15.1	010
		8-23-65	(1)		
		9-29-65	11.5	20.3	
		10-25-65	11.5	20.3	
		12-01-65	11.1	20.7	
		3-01-66	8.4	23.4	
		4-04-66	(1)		
		5-03-66	15.9	15.9	
07N/35W-22L01S	30.0	4-25-66	14.4	15.6	010
07N/35W-22M01S	28.8	8-22-65	(1)		010
		9-29-65	7.2	21.6	
		10-25-65	7.2	21.6	
		3-01-66	4.4	24.4	
		4-01-66	6.4	22.4	
		4-25-66	6.3	22.5	
		7-07-66	7.3	21.5	
		8-23-66	6.8	22.0	
07N/35W-22N02S	24.0	7-28-65	16.3	7.7	010
		8-23-65	17.7	6.3	
		9-28-65	7.0	17.0	
		10-25-65	6.9	17.1	
		11-30-65	5.2	18.8	
		12-28-65	5.1	18.9	
		2-28-66	4.4	19.6	
		4-01-66	6.3	17.7	
		4-25-66	5.8	18.2	
		7-07-66	6.8	17.2	
07N/35W-23E02S	36.1	7-28-65	(1)		010
		8-23-65	16.8	19.3	
		9-29-65	14.0	22.1	
		10-29-65	14.2	21.9	
		12-01-65	11.8	24.3	
		3-01-66	11.1	25.0	
		4-04-66	(1)		
07N/35W-23E04S	36.9	7-28-65	17.3	19.6	010
		8-23-65	17.3	19.6	
		9-29-65	17.3	19.6	
		10-29-65	17.3	19.6	
		12-01-65	16.9	20.0	
		3-01-66	16.5	20.4	
		4-04-66	16.5	20.4	
07N/35W-23J02S	43.6	7-28-65	(1)		010
		8-23-65	(1)		
		9-29-65	19.5	24.1	
		10-29-65	(1)		
		12-01-65	24.8	18.8	
		3-01-66	21.3	22.3	
		3-30-66	(7)		
		5-03-66	(7)		
07N/35W-24H01S	48.0	4-25-66	22.3	25.7	010
07N/35W-24J01S	59.4	7-29-65	32.4	27.0	010
		8-23-65	33.0	26.4	
		9-29-65	33.2	26.2	
		10-29-65	33.3	26.1	
		12-01-65	32.8	26.6	
		3-01-66	29.1	30.3	
		3-30-66	29.0	30.4	
		5-03-66	29.7	29.7	
07N/35W-24K02S	51.0	7-29-65	(1)		010
		8-23-65	(1)		
LOMPOC HYDRO SUBUNIT				T-14.A0	
07N/35W-24K02S (CONT.)	51.0	9-29-65	35.4	15.6	010
		10-29-65	27.1	23.9	
		12-01-65	(6)		
		3-01-66	20.6	30.4	
		3-30-66	(1)		
		5-03-66	30.2	20.8	
07N/35W-24K04S	51.1	7-29-65	36.2(2)	14.9	010
		8-23-65	(1)		
		9-29-65	(1)		
		10-29-65	26.9	24.2	
		12-01-65	22.3	28.8	
		3-01-66	19.2	31.9	
		3-30-66	32.4(2)	18.7	
		5-03-66	22.6	28.5	
07N/35W-25F05S	46.9	7-29-65	32.1	14.8	010
		8-23-65	24.2	22.7	
		9-29-65	24.5	22.4	
		10-29-65	22.6	24.3	
		12-01-65	17.3	29.6	
		3-01-66	17.2	29.7	
		3-30-66	(1)		
		5-03-66	22.8	24.1	
07N/35W-25F06S	47.7	7-29-65	11.7	36.0	010
		8-22-65	13.2	34.5	
		9-29-65	14.3	33.4	
		10-29-65	14.7	33.0	
		12-01-65	14.8	32.9	
		3-01-66	13.3	34.4	
		3-30-66	7.9	39.8	
		5-03-66	11.0	36.7	
07N/35W-25F07S	46.9	7-29-65	11.3	35.6	010
		8-23-65	12.8	34.1	
		9-29-65	13.8	33.1	
		10-29-65	14.2	32.7	
		3-03-66	12.8	34.1	
		3-30-66	7.8(2)	39.1	
		5-03-66	10.6	36.3	
07N/35W-26F01S	36.8	7-28-65	14.4	22.4	010
		8-23-65	19.2	17.6	
		9-29-65	12.2	24.6	
		10-29-65	12.5	24.3	
		12-01-65	9.0	27.8	
		3-01-66	7.8	29.0	
		4-04-66	18.2	18.6	
		5-03-66	13.0	23.8	
07N/35W-26J04S	40.9	7-28-65	25.1	15.8	010
		8-23-65	19.3	21.6	
		9-29-65	17.4	23.5	
		10-29-65	16.8	24.1	
		11-29-65	12.4	28.5	
		12-27-65	12.4	28.5	
		1-26-66	10.0	30.9	
		2-28-66	10.0	30.9	
		3-30-66	23.5	17.4	
		4-28-66	20.9	20.0	
		5-25-66	17.4	23.5	
		6-27-66	16.2	24.7	
		7-28-66	20.6	20.3	
		8-23-66	16.4	24.5	
		9-23-66	15.5	25.4	
07N/35W-27C03S	28.4	7-28-65	14.1	14.3	010
		8-23-65	15.8	12.6	
		9-29-65	8.2	20.2	
		10-25-65	8.2	20.2	
		11-22-65	7.1	21.3	
		3-01-66	5.5	22.9	
		4-01-66	7.1	21.3	
		5-03-66	9.1	19.3	
07N/35W-27F01S	27.6	7-28-65	13.6	14.0	010
		8-22-65	10.8	16.8	
		9-28-65	8.7	18.9	
		10-25-65	8.6	19.0	
		11-22-65	7.5	20.1	
		2-28-66	6.1	21.5	
		4-01-66	7.5	20.1	
		4-26-66	5.5	22.1	
		7-07-66	8.5	19.1	
07N/35W-27H01S	27.0	4-26-66	6.1	20.9	010
07N/35W-27P01S	260.0	7-28-65	223.5	36.5	010
		8-22-65	224.3	35.7	
		9-28-65	223.5	36.5	
		10-25-65	223.4	36.6	
		11-22-65	223.0	37.0	
		2-28-66	222.3	37.7	
		4-01-66	222.5	37.5	
		4-27-66	222.8	37.2	
		7-07-66	223.9	36.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT			I-14.00		
LOMPOC HYDRO SUBUNIT			I-14.A0		
07N/35W-28K02S (CONT.)	89.0	8-22-65	17.4	71.6	010
		9-28-65	17.5	71.5	
		10-25-65	17.5	71.5	
		11-22-65	17.3	71.7	
		2-28-66	16.9	72.1	
		4-01-66	17.1	71.9	
		4-27-66	17.2	71.8	
		7-07-66	17.6	71.4	
07N/35W-28R01S	120.0	7-28-65	60.5	59.5	010
		8-22-65	60.6	59.4	
		9-28-65	60.7	59.3	
		10-25-65	60.7	59.3	
		11-30-65	60.3	59.7	
		12-28-65	60.3	59.7	
		1-26-66	60.3	59.7	
		2-28-66	60.3	59.7	
		4-01-66	62.3	57.7	
		4-27-66	60.6	59.4	
		7-07-66	61.4	58.6	
07N/35W-30G01S	130.0	7-28-65	97.3	32.7	010
		4-01-66	97.2	32.8	
		4-27-66	97.2	32.8	
		7-07-66	97.3	32.7	
07N/35W-33J01S	177.0	7-28-65	123.6(2)	53.4	010
		8-22-65	124.0(2)	53.0	
		9-28-65	124.0	53.0	
		10-25-65	124.8	52.2	
		11-30-65	121.5	55.5	
		12-28-65	123.9	53.1	
		1-26-66	121.6	55.4	
		2-28-66	121.7	55.3	
		4-01-66	123.4	53.6	
		4-27-66	126.6	50.4	
		7-07-66	128.6	48.4	
07N/35W-33J02S	177.0	7-28-65	(1)		010
		8-22-65	(1)		
		9-28-65	151.0	26.0	
		10-25-65	(1)		
		11-30-65	(1)		
		2-28-66	(7)		
		4-01-66	(7)		
		4-27-66	177.8(1)	-.8	
		7-07-66	(1)		
07N/35W-33J03S	220.0	7-28-65	(1)		010
		8-23-65	(1)		
		9-28-65	(1)		
		10-25-65	158.4	61.6	
		11-30-65	152.4	67.6	
		2-28-66	(1)		
		4-01-66	(1)		
		4-27-66	176.3	43.7	
		7-07-66	167.8	52.2	
07N/35W-33R01S	216.0	7-28-65	114.4(2)	101.6	010
		8-22-65	114.2	101.8	
		9-28-65	114.8(2)	101.2	
		10-25-65	114.7	101.3	
		11-30-65	113.4	102.6	
		2-28-66	125.0	91.0	
		4-01-66	113.9	102.1	
		4-27-66	115.5	100.5	
		7-07-66	117.4	98.6	
07N/35W-35A03S	45.7	7-28-65	21.8	23.9	010
		8-22-65	18.1	27.6	
		9-27-65	20.8	24.9	
		10-25-65	19.6	26.1	
		11-22-65	16.2	29.5	
		3-01-66	12.3	33.4	
		3-30-66	(1)		
		5-03-66	18.6	27.1	
07N/35W-35A04S	45.9	7-28-65	14.0	31.9	010
		8-22-65	14.3	31.6	
		9-27-65	14.8	31.1	
		10-25-65	15.0	30.9	
		11-22-65	14.4	31.5	
		3-01-66	9.4	36.5	
		3-30-66	11.5(2)	34.4	
		5-03-66	12.8	33.1	
07N/35W-35D02S	70.0	7-28-65	17.1	52.9	010
		8-22-65	17.0	53.0	
		9-28-65	17.1	52.9	
		10-25-65	17.2	52.8	
		11-22-65	16.1	53.9	
		3-01-66	14.7	55.3	
		4-01-66	15.8	54.2	
		4-27-66	16.2	53.8	
		7-07-66	16.8	53.2	
		8-23-66	16.7	53.3	
07N/35W-36J03S	58.8	7-27-65	32.7	26.1	010
LOMPOC HYDRO SUBUNIT			I-14.A0		
07N/35W-36J03S (CONT.)	58.8	8-22-65	29.9	28.9	010
		9-27-65	28.6	30.2	
		10-25-65	28.3	30.5	
		11-30-65	26.7	32.1	
		12-28-65	25.6	33.2	
		3-01-66	24.5	34.3	
		3-30-66	27.8	31.0	
		5-03-66	28.4	30.4	
		5-25-66	26.8	32.0	
		6-27-66	29.2	29.6	
		7-28-66	30.2	28.6	
		8-23-66	27.8	31.0	
		9-23-66	27.2	31.6	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT T-14.00

SANTA RITA HYDRO SUBUNIT T-14.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/32W-06K01S	383.5	7-27-65	(1)		010
		8-25-65	(1)		
		9-27-65	26.6(1)	356.9	
		10-27-65	24.1	359.4	
		11-30-65	24.1	359.4	
		2-25-66	(1)		
		3-30-66	23.4	360.1	
		4-27-66	24.4(1)	359.1	
06N/32W-07Q03S	232.1	7-20-65	6.7	225.4	005
		8-18-65	7.0	225.1	
		9-21-65	7.3	224.8	
		10-19-65	7.5	224.6	
		11-17-65	(9)		
		3-15-66	5.5	226.6	
		4-20-66	5.6	226.5	
		5-17-66	6.3	225.8	
		6-22-66	6.5	225.6	
		7-19-66	7.0	225.1	
		8-16-66	7.1	225.0	
		9-21-66	7.5	224.6	
06N/32W-08N03S	246.1	7-20-65	(1)		005
		8-18-65	16.5	229.6	
		9-21-65	16.8	229.3	
		10-19-65	17.0	229.1	
		11-16-65	17.1	229.0	
		3-15-66	11.9	234.2	
		4-19-66	(1)		
		5-17-66	12.6	233.5	
		6-22-66	14.4	231.7	
		7-19-66	15.1	231.0	
		8-16-66	16.4	229.7	
		9-21-66	16.9	229.2	
06N/32W-16G02S	273.6	7-20-65	(1)		005
		8-17-65	(1)		
		9-21-65	24.6	249.0	
		10-19-65	25.2(2)	248.4	
		11-16-65	24.5	249.1	
		3-15-66	(1)		
		4-19-66	19.0	254.6	
		5-17-66	(1)		
		6-21-66	(1)		
		7-19-66	(1)		
		8-16-66	(1)		
		9-20-66	(1)		
06N/32W-16K01S	260.2	7-20-65	10.7	249.5	005
		8-17-65	12.6	247.6	
		9-21-65	13.4	246.8	
		10-19-65	14.6	245.6	
		11-16-65	13.8	246.4	
		3-15-66	7.9	252.3	
		4-19-66	8.0	252.2	
		5-17-66	9.3	250.9	
		6-21-66	10.7	249.5	
		7-19-66	11.0	249.2	
		8-16-66	14.4	245.8	
		9-20-66	16.6	243.6	
06N/32W-16P03S	293.2	7-27-65	48.0	245.2	010
		8-22-65	(1)		
		9-27-65	(1)		
		10-29-65	51.2	242.0	
		12-01-65	(1)		
		3-01-66	44.4	248.8	
		4-01-66	(1)		
		4-26-66	(1)		
06N/32W-17J02S	256.0	7-20-65	10.3	245.7	005
		8-18-65	12.6	243.4	
		9-21-65	13.4	242.6	
		10-19-65	13.5	242.5	
		11-16-65	14.3	241.7	
		3-15-66	7.4	248.6	
		4-19-66	8.8	247.2	
		5-17-66	(1)		
		6-22-66	10.1	245.9	
		7-19-66	11.7	244.3	
		8-16-66	(1)		
		9-21-66	14.2	241.8	
06N/32W-17L01S	249.4	7-20-65	14.1	235.3	005
		8-18-65	16.4	233.0	
		9-21-65	15.7	233.7	
		10-19-65	15.9	233.5	
		11-16-65	16.3	233.1	
		3-15-66	12.8	236.6	
		4-19-66	12.7	236.7	
		5-17-66	13.1	236.3	
		6-22-66	14.3	235.1	
		7-19-66	14.4	235.0	
		8-16-66	15.4	234.0	
		9-21-66	15.8	233.6	
06N/32W-18H01S	267.1	7-27-65	(1)		010
SANTA RITA HYDRO SUBUNIT				T-14.80	
06N/32W-18H01S (CONT.)	267.1	8-22-65	37.1	230.0	010
		9-27-65	(1)		
		10-29-65	38.3	228.8	
		12-01-65	33.9	233.2	
		3-01-66	34.0	233.1	
		4-01-66	(1)		
		4-26-66	(1)		
06N/33W-06D03S	150.0	7-21-65	15.3(8)	134.7	005
		8-18-65	16.1(8)	133.9	
		9-21-65	15.8(8)	134.2	
		10-20-65	15.9(8)	134.1	
		11-17-65	(1)		
		3-15-66	13.9(8)	136.1	
		4-20-66	14.3(8)	135.7	
		5-18-66	14.6(8)	135.4	
		6-22-66	14.8(8)	135.2	
		7-19-66	15.0(8)	135.0	
		8-17-66	15.1(8)	134.9	
		9-21-66	16.5(8)	133.5	
06N/33W-06F01S	147.9	7-21-65	7.9(6)	140.0	005
		8-18-65	16.6	131.3	
		9-21-65	16.7	131.2	
		10-20-65	16.7	131.2	
		11-17-65	(9)		
		3-15-66	(9)		
		4-20-66	15.1	132.8	
		5-18-66	15.9	132.0	
		6-22-66	16.1	131.8	
		7-19-66	16.3	131.6	
		8-18-66	16.8	131.1	
		9-21-66	16.5	131.4	
06N/33W-07A01S	180.0	7-21-65	50.8	129.2	005
		8-18-65	51.4	128.6	
		9-21-65	52.2	127.8	
		10-20-65	52.5	127.5	
		11-17-65	(9)		
		3-15-66	48.6	131.4	
		4-20-66	48.8	131.2	
		5-18-66	49.7	130.3	
		6-22-66	50.9	129.1	
		7-19-66	51.2	128.8	
		8-17-66	51.6	128.4	
		9-21-66	52.3	127.7	
06N/33W-07C01S	151.6	7-21-65	12.6	139.0	005
		8-18-65	12.9	138.7	
		9-21-65	13.3	138.3	
		10-20-65	13.8	137.8	
		11-17-65	(9)		
		3-15-66	(9)		
		4-20-66	11.0	140.6	
		5-18-66	11.7	139.9	
		6-22-66	12.2	139.4	
		7-19-66	12.5	139.1	
		8-18-66	13.1	138.5	
		9-21-66	13.2	138.4	
06N/33W-08E03S	153.2	7-21-65	6.9	146.3	005
		8-18-65	9.4	143.8	
		9-22-65	10.0	143.2	
		10-20-65	9.1	144.1	
		11-17-65	8.2	145.0	
		3-15-66	5.1	148.1	
		4-20-66	4.9	148.3	
		5-18-66	6.7	146.5	
		6-22-66	7.2	146.0	
		7-19-66	8.2	145.0	
		8-17-66	10.8	142.4	
		9-21-66	9.5	143.7	
06N/33W-08G02S	198.4	7-22-65	47.9	150.5	005
		8-19-65	49.5	148.9	
		9-21-65	50.1	148.3	
		10-20-65	50.1	148.3	
		11-18-65	47.8	150.6	
		3-16-66	49.0	149.4	
		4-20-66	46.1	152.3	
		5-19-66	46.5	151.9	
		6-23-66	47.6	150.8	
		7-19-66	48.2	150.2	
		8-18-66	49.2	149.2	
		9-22-66	50.0	148.4	
06N/33W-08G06S	159.0	7-21-65	8.5	150.5	005
		8-18-65	9.9	149.1	
		9-21-65	10.7	148.3	
		10-20-65	10.9	148.1	
		11-17-65	5.4	153.6	
		12-20-65	6.0	153.0	
		1-15-66	5.8	153.2	
		2-14-66	5.9	153.1	
		3-15-66	6.2	152.8	
		4-20-66	6.4	152.6	
		5-18-66	6.9	152.1	
		6-22-66	8.1	150.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYORO UNIT T-14.00

SANTA RITA HYDRO SURUNIT T-14.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
06N/33W-08G06S (CONT.)	159.0	7-19-66	9.0	150.0	005
		8-17-66	9.7	149.3	
		9-20-66	10.3	148.7	
06N/33W-08J01S	200.6	7-26-65	45.5	155.1	010
		8-22-65	46.7	153.9	
		9-27-65	48.0	152.6	
		10-29-65	47.9	152.7	
		12-01-65	43.6	157.0	
		3-01-66	42.8	157.8	
		4-01-66	43.2	157.4	
		4-26-66	43.3	157.3	
06N/33W-09D02S	213.8	7-22-65	59.6	154.2	005
		8-19-65	60.3(8)	153.5	
		9-21-65	61.2(8)	152.6	
		10-20-65	61.5(8)	152.3	
		11-18-65	61.9	151.9	
		3-16-66	59.6	154.2	
		4-20-66	57.9	155.9	
		5-19-66	59.1	154.7	
		6-23-66	60.4	153.4	
		7-20-66	59.4	154.4	
		8-18-66	60.0	153.8	
		9-22-66	61.0	152.8	
06N/33W-09J02S	196.8	7-21-65	19.0	177.8	005
		8-18-65	(1)		
		9-21-65	(1)		
		10-19-65	20.3	176.5	
		11-17-65	(9)		
		3-15-66	16.9	179.9	
		4-20-66	17.4	179.4	
		5-18-66	(1)		
		6-22-66	18.9	177.9	
		7-19-66	(1)		
		8-17-66	(1)		
		9-21-66	20.1	176.7	
06N/33W-09P01S	203.0	7-27-65	51.2(2)	151.8	010
		8-22-65	51.2	151.8	
		9-27-65	49.1	153.9	
		10-29-65	46.9	156.1	
		12-01-65	45.1	157.9	
		3-01-66	42.0	161.0	
		4-01-66	43.8(2)	159.2	
		4-26-66	46.0	157.0	
		8-23-66	47.7	155.3	
		9-23-66	45.3	157.7	
06N/33W-10K01S	230.0	7-21-65	44.7	185.3	005
		8-18-65	45.3	184.7	
		9-21-65	45.9	184.1	
		10-19-65	46.1	183.9	
		11-17-65	46.1	183.9	
		3-15-66	43.5	186.5	
		4-20-66	43.8	186.2	
		5-18-66	43.9	186.1	
		6-22-66	44.3	185.7	
		7-19-66	45.9	184.1	
		8-17-66	45.4	184.6	
		9-21-66	46.5	183.5	
06N/33W-11H01S	215.0	7-21-65	10.7	204.3	005
		8-18-65	12.4	202.6	
		9-21-65	13.0	202.0	
		10-19-65	13.3	201.7	
		11-17-65	11.5	203.5	
		3-15-66	9.6	205.4	
		4-20-66	9.7	205.3	
		5-17-66	10.0	205.0	
		6-22-66	10.2	204.8	
		7-19-66	11.0	204.0	
06N/33W-11M01S	203.8	7-27-65	(1)		010
		8-22-65	10.7	193.1	
		9-27-65	11.3	192.5	
		10-29-65	11.7	192.1	
		12-01-65	7.3	196.5	
		3-01-66	7.4	196.4	
		4-01-66	(1)		
		4-26-66	7.8	196.0	
06N/33W-12L01S	223.6	7-21-65	19.8	203.8	005
		8-18-65	22.0	201.6	
		9-21-65	20.6	203.0	
		10-19-65	21.2	202.4	
		11-17-65	(9)		
		3-15-66	16.3	207.3	
		4-20-66	16.6	207.0	
		5-17-66	16.5	207.1	
		6-22-66	17.5	206.1	
		7-19-66	18.5	205.1	
		8-16-66	(9)		
		9-21-66	22.4	201.2	
06N/33W-12P01S	226.0	7-21-65	17.8	208.2	005
		8-18-65	20.1	205.9	

SANTA RITA HYDRO SUBUNIT T-14.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/33W-12P01S (CONT.)	226.0	9-21-65	20.9	205.1	005
		11-17-65	(9)		
		3-15-66	15.8	210.2	
		4-20-66	16.3	209.7	
		5-17-66	16.1	209.9	
		6-22-66	16.9	209.1	
		7-19-66	18.0	208.0	
		8-16-66	21.4	204.6	
		9-21-66	22.2	203.8	
06N/33W-14D01S	229.2	7-21-65	5.8	223.4	005
		8-18-65	6.4	222.8	
		9-21-65	7.9	221.3	
		10-19-65	8.0	221.2	
		11-17-65	8.1	221.1	
		3-15-66	6.0	223.2	
		4-20-66	4.4	224.8	
		5-17-66	4.7	224.5	
		6-22-66	5.3	223.9	
		7-19-66	5.9	223.3	
		8-17-66	6.4	222.8	
		9-21-66	7.2	222.0	
06N/34W-01G01S	108.8	7-21-65	4.8	104.0	005
		8-18-65	5.0	103.8	
		9-21-65	5.2	103.6	
		10-20-65	5.5	103.3	
		11-17-65	(9)		
		3-15-66	5.1	103.7	
		4-20-66	4.9	103.9	
		5-19-66	3.5	105.3	
		6-22-66	3.8	105.0	
		7-19-66	4.4	104.4	
		8-18-66	4.7	104.1	
		9-21-66	5.0	103.8	
06N/34W-01K01S	122.1	7-21-65	16.0(8)	106.1	005
		8-18-65	15.8(8)	106.3	
		9-21-65	16.5(8)	105.6	
		10-20-65	16.3(8)	105.8	
		11-17-65	(9)		
		3-15-66	15.3(8)	106.8	
		4-20-66	13.8(8)	108.3	
		5-19-66	13.7(8)	108.4	
		6-22-66	14.0(8)	108.1	
		7-19-66	14.7(8)	107.4	
		8-18-66	14.9(8)	107.2	
		9-21-66	16.0(8)	106.1	
06N/34W-01P01S	150.4	7-27-65	40.5	109.9	010
		8-22-65	43.2(2)	107.2	
		9-27-65	41.7	108.7	
		10-29-65	39.9	110.5	
		12-01-65	38.4	112.0	
		3-01-66	35.5	114.9	
		4-01-66	(1)		
		4-26-66	38.0	112.4	
06N/34W-02A06S	129.9	10-20-65	42.2	87.7	005
		3-16-66	38.5	91.4	
06N/34W-12A02S	118.2	7-21-65	4.0	114.2	005
		8-18-65	4.2	114.0	
		9-21-65	4.7	113.5	
		10-20-65	4.8	113.4	
		11-17-65	(9)		
		3-15-66	2.7	115.5	
		4-20-66	2.0	116.2	
		5-19-66	1.2	117.0	
		6-22-66	2.1	116.1	
		7-19-66	2.6	115.6	
		8-18-66	3.7	114.5	
		9-21-66	4.2	114.0	
06N/34W-12C01S	153.4	7-21-65	40.7	112.7	005
		9-22-65	40.9	112.5	
		10-20-65	41.0	112.4	
		11-17-65	(9)		
		3-15-66	(9)		
06N/34W-12C04S	153.4	3-15-66	38.3	115.1	005
		4-20-66	37.9	115.5	
		5-18-66	(1)		
		6-22-66	(1)		
		7-19-66	41.8	111.6	
		8-17-66	42.4	111.0	
		9-21-66	40.8	112.6	
06N/34W-12J01S	128.4	7-21-65	15.7	112.7	005
		8-18-65	15.8	112.6	
		9-22-65	16.0	112.4	
		10-20-65	16.2	112.2	
		11-17-65	16.4	112.0	
		3-15-66	(9)		
		4-20-66	(9)		
		5-18-66	15.4	113.0	
		6-22-66	15.7	112.7	
		7-19-66	13.6	114.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT T-14.00

SANTA RITA HYDRO SUBUNIT T-14.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/34W-12J01S (CONT.)	128.4	8-17-66	14.0	114.4	005
		9-21-66	14.4	114.0	
07N/34W-35K09S	101.0	7-22-65	31.6	69.4	005
		8-19-65	35.1(6)	65.9	
		9-22-65	34.7	66.3	
		10-21-65	35.9	65.1	
		11-18-65	31.8	69.2	
		3-16-66	27.4	73.6	
		4-21-66	23.4	77.6	
		5-19-66	23.8	77.2	
		6-23-66	26.5	74.5	
		7-20-66	29.5	71.5	
		8-18-66	31.6	69.4	
		9-22-66	33.3	67.7	

BUELLTON HYDRO SUBUNIT T-14.C0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/31W-16N02S	366.3	7-27-65	20.3	346.0	010
		8-25-65	23.1	343.2	
		9-27-65	24.7	341.6	
		10-27-65	24.5	341.8	
		11-29-65	16.1	350.2	
		2-25-66	14.2	352.1	
		3-25-66	14.2	352.1	
		4-27-66	14.1	352.2	
06N/31W-17D01S	340.8	7-20-65	13.9	326.9	005
		8-17-65	15.7	325.1	
		9-21-65	18.8	322.0	
		10-19-65	16.9	323.9	
		11-16-65	16.7	324.1	
		3-14-66	11.8	329.0	
		4-19-66	11.4	329.4	
		5-17-66	12.0	328.8	
		6-21-66	12.3	328.5	
		7-18-66	15.3	325.5	
		8-16-66	16.3	324.5	
		9-20-66	16.7	324.1	
06N/31W-17F01S	362.9	7-27-65	32.8	330.1	010
		8-25-65	34.6	328.3	
		9-27-65	(1)		
		10-27-65	(1)		
		11-30-65	29.9	333.0	
		2-25-66	27.5	335.4	
		3-25-66	(1)		
		4-27-66	27.5(1)	335.4	
06N/31W-17R01S	364.8	7-20-65	(1)		005
		8-17-65	27.8	337.0	
		9-21-65	29.3	335.5	
		10-19-65	(1)		
		11-16-65	28.3	336.5	
		3-14-66	17.4	347.4	
		4-19-66	(1)		
		5-17-66	18.7	346.1	
		6-21-66	21.0	343.8	
		7-18-66	24.2	340.6	
		8-16-66	(1)		
		9-20-66	(1)		
06N/31W-18G01S	334.7	7-20-65	(1)		005
		8-17-65	(1)		
		9-21-65	(1)		
		10-18-65	17.5	317.2	
		11-16-65	16.4	318.3	
		3-14-66	12.8	321.9	
		4-19-66	12.5	322.2	
		5-17-66	(1)		
		6-21-66	(1)		
		7-18-66	(1)		
		8-16-66	(1)		
		9-20-66	(1)		
06N/31W-18H02S	345.0	7-20-65	14.5	330.5	005
		8-17-65	17.3	327.7	
		9-21-65	17.7	327.3	
		10-19-65	17.3	327.7	
		11-16-65	16.9	328.1	
		3-14-66	15.4	329.6	
		4-19-66	(1)		
		5-17-66	13.4	331.6	
		6-21-66	(1)		
		7-18-66	(1)		
		8-16-66	(1)		
		9-20-66	16.6	328.4	
06N/31W-18R01S	344.3	7-20-65	20.5	323.8	005
		8-17-65	16.2	328.1	
		9-21-65	(1)		
		10-19-65	18.4	325.9	
		11-16-65	17.4(8)	326.9	
		3-14-66	9.5	334.8	
		4-19-66	9.0(8)	335.3	
		5-17-66	11.3(8)	333.0	
		6-21-66	12.1	332.2	
		7-18-66	14.2(8)	330.1	
		8-16-66	16.6	327.7	
		9-20-66	18.2	326.1	
06N/31W-21D01S	362.0	7-20-65	16.1	345.9	005
		8-17-65	18.9	343.1	
		9-21-65	DRY		
		10-19-65	DRY		
		11-16-65	20.1	341.9	
		3-14-66	10.0	352.0	
		4-19-66	9.4	352.6	
		5-17-66	11.0	351.0	
		6-21-66	13.7	348.3	
		7-18-66	16.6	345.4	
		8-16-66	19.3	342.7	
		9-20-66	21.1	340.9	
06N/31W-21G03S	373.9	7-20-65	9.6	364.3	005

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT T-14.00

BUELLTON HYDRO SUBUNIT T-14.C0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/31W-21G03S (CONT.)	373.9	8-17-65	11.2	362.7	005
		9-21-65	13.0	360.9	
		10-19-65	13.6	360.3	
		11-16-65	10.7	363.2	
		3-14-66	5.7	368.2	
		4-19-66	5.4	368.5	
		5-17-66	5.8	368.1	
		6-21-66	7.6	366.3	
		7-18-66	8.5	365.4	
		8-16-66	11.3	362.6	
		9-20-66	13.0	360.9	
06N/32W-02Q01S	359.4	7-27-65	58.1(4)	301.3	010
		8-25-65	59.5	299.9	
		9-27-65	59.0	300.4	
		10-27-65	59.5	299.9	
		11-30-65	59.6	299.8	
		2-25-66	58.5	300.9	
		3-30-66	58.5	300.9	
		4-27-66	58.3	301.1	
06N/32W-09A02S	308.0	7-27-65	37.3	270.7	010
		8-25-65	(1)		
		9-27-65	37.8	270.2	
		10-27-65	37.7	270.3	
		11-30-65	(1)		
		3-30-66	(1)		
		4-27-66	36.6	271.4	
06N/32W-09G01S	305.0	7-20-65	(1)		005
		8-17-65	39.2	265.8	
		9-21-65	(1)		
		10-19-65	35.3	269.7	
		11-16-65	35.5	269.5	
		3-15-66	32.8	272.2	
		4-19-66	(1)		
		5-17-66	(1)		
		6-21-66	(1)		
		7-19-66	(1)		
		8-16-66	(1)		
		9-18-66	(1)		
06N/32W-09J01S	276.1	7-20-65	(1)		005
		8-17-65	(1)		
		9-21-65	(1)		
		10-19-65	(1)		
		11-16-65	9.8	266.3	
		3-15-66	8.1(8)	268.0	
		4-19-66	8.7	267.4	
		5-17-66	8.3	267.8	
		6-21-66	8.6	267.5	
		7-19-66	9.5	266.6	
		8-16-66	10.9	265.2	
		9-20-66	12.6	263.5	
06N/32W-10C02S	286.3	7-20-65	13.5	272.8	005
		8-17-65	15.1	271.2	
		9-21-65	16.4	269.9	
		10-19-65	15.1	271.2	
		11-16-65	13.8	272.5	
		3-15-66	9.2	277.1	
		4-19-66	10.5	275.8	
		5-17-66	11.2	275.1	
		6-21-66	11.7	274.6	
		7-19-66	12.9	273.4	
		8-16-66	14.2	272.1	
		9-20-66	12.8	273.5	
06N/32W-10J01S	317.2	7-20-65	32.2	285.0	005
		8-17-65	32.9	284.3	
		9-21-65	33.9	283.3	
		10-19-65	33.8	283.4	
		11-16-65	33.5	283.7	
		3-15-66	31.2	286.0	
		4-19-66	31.5	285.7	
		5-17-66	31.8	285.4	
		6-21-66	31.7	285.5	
		7-19-66	33.5	283.7	
		8-16-66	32.8	284.4	
		9-20-66	33.2	284.0	
06N/32W-11D01S	298.0	7-20-65	11.9	286.1	005
		8-17-65	(1)		
		9-21-65	13.8	284.2	
		10-19-65	12.9	285.1	
		11-16-65	11.9	286.1	
		3-14-66	8.6	289.4	
		4-19-66	(1)		
		5-17-66	10.6	287.4	
		6-21-66	(1)		
		7-18-66	(1)		
		8-16-66	(1)		
		9-18-66	12.3	285.7	
06N/32W-11G03S	301.0	7-20-65	8.8	292.2	005
		7-27-65	9.2	291.8	010
		8-17-65	10.1	290.9	005
		8-22-65	10.4	290.6	010
06N/32W-11G03S (CONT.)	301.0	9-21-65	10.9	290.1	005
		9-27-65	10.8	290.2	
		10-19-65	10.5	290.5	005
		10-29-65	10.3	290.7	010
		11-16-65	10.0	291.0	005
		12-01-65	6.3	294.7	010
		12-28-65	6.9	294.1	
		1-26-66	6.6	294.4	
		3-02-66	6.6	294.4	
		3-15-66	6.6	294.4	005
		4-01-66	6.7	294.3	010
		4-19-66	6.8	294.2	005
		5-03-66	7.1	293.9	010
		5-17-66	7.2	293.8	005
		5-25-66	7.3	293.7	010
		6-21-66	7.5	293.5	005
		7-18-66	9.0	292.0	
		8-16-66	9.7	291.3	
		9-21-66	9.9	291.1	
06N/32W-11H02S	305.0	7-20-65	9.0	296.0	005
		8-17-65	10.1	294.9	
		9-21-65	11.2	293.8	
		10-19-65	10.7	294.3	
		11-16-65	10.4	294.6	
		3-14-66	7.3	297.7	
		4-19-66	7.0	298.0	
		5-17-66	7.4	297.6	
		6-21-66	7.6	297.4	
		7-18-66	9.0	296.0	
		8-19-66	9.7	295.3	
		9-20-66	11.0	294.0	
06N/32W-11L02S	300.4	7-20-65	7.4	293.0	005
		8-17-65	(1)		
		9-21-65	8.1	292.3	
		10-19-65	8.1	292.3	
		11-16-65	7.1	293.3	
		3-15-66	4.1(8)	296.3	
		4-19-66	5.2(8)	295.2	
		5-17-66	5.0(8)	295.4	
		6-21-66	5.9(8)	294.5	
		7-19-66	7.0(8)	293.4	
		8-16-66	8.2(8)	292.2	
		9-20-66	7.4(8)	293.0	
06N/32W-11N01S	332.7	7-27-65	41.3	291.4	010
		8-22-65	34.0	298.7	
		9-27-65	34.5	298.2	
		10-29-65	35.5	297.2	
		12-01-65	38.5	294.2	
		3-01-66	31.8	300.9	
		4-01-66	33.9	298.8	
		4-26-66	36.0	296.7	
06N/32W-12N01S	318.0	7-20-65	12.2	305.8	005
		8-17-65	(1)		
		9-21-65	13.0	305.0	
		10-19-65	12.0	306.0	
		11-16-65	(9)		
		3-15-66	9.4	308.6	
		4-19-66	9.1	308.9	
		5-17-66	(1)		
		6-21-66	9.7	308.3	
		7-19-66	(1)		
		8-16-66	(1)		
		9-20-66	11.0	307.0	
06N/32W-12Q01S	317.6	7-20-65	(1)		005
		8-17-65	(1)		
		9-21-65	15.2	302.4	
		10-19-65	14.1	303.5	
		11-16-65	12.6	305.0	
		3-14-66	(1)		
		4-19-66	(1)		
		5-17-66	12.0	305.6	
		6-21-66	10.8	306.8	
		7-18-66	13.0	304.6	
		8-19-66	14.8	302.8	
		9-20-66	16.0	301.6	
06N/32W-13G01S	317.9	7-20-65	10.6	307.3	005
		8-17-65	11.4	306.5	
		9-21-65	11.5	306.4	
		10-19-65	11.6	306.3	
		11-16-65	10.6	307.3	
		3-15-66	8.5	309.4	
		4-19-66	8.1	309.8	
		5-17-66	8.9	309.0	
		6-21-66	9.4	308.5	
		7-19-66	11.3	306.6	
		8-16-66	10.5	307.4	
		9-20-66	10.3	307.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT I-14.00

SANTA YNEZ HYDRO SUBUNIT I-14.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/30W-03A01S	720.0	7-27-65	155.3(2)	564.7	010
		8-25-65	(1)		
		9-27-65	154.0(2)	566.0	
		10-27-65	157.3(2)	562.7	
		11-23-65	142.6	577.4	
		2-23-66	135.7	584.3	
		3-25-66	144.6(2)	575.4	
		4-27-66	138.5	581.5	
		7-29-66	(1)		
		8-22-66	151.2	568.8	
		9-26-66	147.5	572.5	
06N/30W-06A01S	665.3	7-27-65	(1)		010
		8-25-65	(1)		
		9-27-65	129.2	536.1	
		10-27-65	(1)		
		11-23-65	118.0	547.3	
		2-21-66	109.3	556.0	
		3-25-66	(1)		
		4-27-66	122.5	542.8	
		7-29-66	139.9	525.4	
		8-22-66	(1)		
		9-26-66	113.9	551.4	
06N/30W-07G05S	600.0	7-27-65	51.3	548.7	010
		8-25-65	52.2	547.8	
		9-27-65	52.5	547.5	
		10-27-65	52.2	547.8	
		11-23-65	53.1	546.9	
		2-23-66	51.1	548.9	
		3-25-66	50.1	549.9	
		4-27-66	50.7	549.3	
06N/30W-07G06S	600.0	7-27-65	50.5	549.5	010
		8-25-65	51.3	548.7	
		9-27-65	51.4	548.6	
		10-27-65	53.5	546.5	
		11-23-65	52.9	547.1	
		2-23-66	49.3	550.7	
		3-25-66	49.1	550.9	
		4-27-66	49.6	550.4	
06N/30W-09N01S	660.0	7-27-65	39.5	620.5	010
		8-25-65	39.5	620.5	
		9-27-65	39.5	620.5	
		10-27-65	39.5	620.5	
		11-23-65	39.3	620.7	
		2-23-66	(1)		
		3-25-66	39.3(4)	620.7	
		4-27-66	39.1	620.9	
06N/30W-14N01S	513.5	7-19-65	FLOW		005
		8-16-65	FLOW		
		9-20-65	1.0	512.5	
		10-18-65	2.8	510.7	
		11-15-65	1.1	512.4	
		3-14-66	FLOW		
		4-18-66	FLOW		
		5-16-66	FLOW		
		6-20-66	FLOW		
		7-18-66	FLOW		
		8-15-66	FLOW		
		9-19-66	2.1	511.4	
06N/30W-14R02S	538.9	7-19-65	10.4	528.5	005
		8-16-65	9.9	529.0	
		9-20-65	12.5	526.4	
		10-18-65	14.4	524.5	
		11-15-65	11.5	527.4	
		3-14-66	10.9	528.0	
		4-18-66	9.8	529.1	
		5-16-66	11.0	527.9	
		6-20-66	9.7	529.2	
		7-18-66	10.9	528.0	
		8-15-66	10.4	528.5	
		9-19-66	14.2	524.7	
06N/30W-14R03S	533.3	7-19-65	FLOW		005
		8-16-65	FLOW		
		9-20-65	7.1	526.2	
		10-18-65	3.8	529.5	
		11-15-65	FLOW		
		3-14-66	.4	532.9	
		4-18-66	FLOW		
		5-16-66	.3	533.0	
		6-20-66	1.2	532.1	
		7-18-66	.5	532.8	
		8-15-66	FLOW		
		9-19-66	7.0	526.3	
06N/30W-19Q02S	458.3	7-20-65	8.2(4)	450.1	005
		8-17-65	9.7	448.6	
		9-20-65	9.5	448.8	
		10-19-65	10.0	448.3	
		11-15-65	9.9	448.4	
		3-14-66	8.4	449.9	
		4-19-66	7.6	450.7	
06N/30W-19Q02S (CONT.)	458.3	5-17-66	7.6	450.7	005
		6-21-66	7.8	450.5	
		7-18-66	8.3	450.0	
		8-16-66	9.7	448.6	
		9-20-66	11.4(4)	446.9	
06N/30W-20H01S	476.3	7-19-65	(1)		005
		8-17-65	12.5	463.8	
		9-20-65	11.0	465.3	
		10-19-65	13.4	462.9	
		11-15-65	13.7	462.6	
		3-14-66	9.5	466.8	
		4-18-66	9.3	467.0	
		5-16-66	(1)		
		6-21-66	11.6	464.7	
		7-18-66	11.0	465.3	
		8-15-66	14.3	462.0	
		9-19-66	15.6	460.7	
06N/30W-20H02S	476.4	7-19-65	11.2(8)	465.2	005
		8-17-65	12.4(8)	464.0	
		9-20-65	11.7(8)	464.7	
		10-19-65	14.2(2)	462.2	
		11-15-65	14.3(8)	462.1	
		3-14-66	11.6(8)	464.8	
		4-18-66	9.7(8)	466.7	
		5-16-66	11.7(8)	464.7	
		6-21-66	11.0(8)	465.4	
		7-18-66	11.7(8)	464.7	
		8-15-66	14.9(8)	461.5	
		9-19-66	16.0(8)	460.4	
06N/30W-20H04S	478.3	7-19-65	7.2	471.1	005
		8-17-65	8.6	469.7	
		9-20-65	7.6	470.7	
		10-19-65	9.1	469.2	
		11-15-65	10.5	467.8	
		3-14-66	6.9	471.4	
		4-18-66	6.8	471.5	
		5-16-66	7.8	470.5	
		6-21-66	7.6	470.7	
		7-18-66	8.2	470.1	
		8-15-66	8.6	469.7	
		9-19-66	9.7	468.6	
06N/30W-20H05S	476.0	7-19-65	7.3	468.7	005
		8-17-65	8.9(6)	467.1	
		9-20-65	8.2	467.8	
		10-19-65	10.2(4)	465.8	
		11-15-65	10.5	465.5	
		3-14-66	8.1	467.9	
		4-18-66	5.8	470.2	
		5-16-66	8.6	467.4	
		6-21-66	(1)		
		7-18-66	(1)		
		8-15-66	(1)		
		9-19-66	(1)		
06N/30W-21B02S	498.7	7-19-65	13.9	484.8	005
		7-27-65	(1)		010
		8-17-65	(1)		005
		8-25-65	(1)		010
		9-20-65	14.8	483.9	005
		9-27-65	13.9	484.8	010
		10-18-65	18.7	480.0	005
		10-27-65	16.9	481.8	010
		11-15-65	16.8	481.9	005
		2-23-66	13.6	485.1	010
		3-14-66	14.0	484.7	005
		3-25-66	13.5	485.2	010
		4-18-66	(1)		005
		4-27-66	(1)		010
		5-16-66	15.8	482.9	005
		6-21-66	(1)		
		7-18-66	(1)		
		8-15-66	(1)		
		9-19-66	18.0	480.7	
06N/30W-21E01S	490.7	7-19-65	16.7	474.0	005
		8-17-65	18.5(6)	472.2	
		9-20-65	16.6	474.1	
		10-18-65	19.7	471.0	
		11-15-65	19.7	471.0	
		3-14-66	16.4	474.3	
		4-18-66	15.9	474.8	
		5-16-66	17.8	472.9	
		6-21-66	17.5	473.2	
		7-18-66	17.1	473.6	
		8-15-66	17.9	472.8	
		9-19-66	21.4	469.3	
06N/30W-22E01S	499.0	7-19-65	5.3	493.7	005
		8-17-65	5.2	493.8	
		9-20-65	5.5	493.5	
		10-18-65	7.3	491.7	
		11-15-65	6.6	492.4	
		3-14-66	5.5	493.5	
		4-18-66	4.5	494.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA YNEZ HYDRO UNIT

SANTA YNEZ HYDRO SUBUNIT T-14.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/30W-22E01S (CONT.)	499.0	5-16-66	5.7	493.3	005
		6-21-66	5.1	493.9	
		7-18-66	4.9	494.1	
		8-15-66	5.3	493.7	
		9-19-66	7.6	491.4	
06N/30W-22G01S	513.5	7-19-65	7.5	506.0	005
		8-17-65	7.1	506.4	
		9-20-65	7.4	506.1	
		10-18-65	8.6	504.9	
		11-15-65	7.6	505.9	
		3-14-66	7.4	506.1	
		4-18-66	7.0	506.5	
		5-16-66	7.5	506.0	
		6-21-66	7.4	506.1	
		7-18-66	7.6	505.9	
		8-15-66	7.3	506.2	
		9-19-66	8.7	504.8	
06N/30W-24E01S	541.1	7-19-65	4.1	537.0	005
		8-16-65	6.3	534.8	
		9-20-65	14.0	527.1	
		10-18-65	5.2	535.9	
		11-15-65	2.4	538.7	
		3-14-66	3.0	538.1	
		4-18-66	3.0	538.1	
		5-16-66	3.5	537.6	
		6-20-66	6.8	534.3	
		8-18-66	3.1	538.0	
		9-19-66	14.5	526.6	
06N/30W-29D03S	457.6	7-20-65	9.6	448.0	005
		8-17-65	11.8	445.8	
		8-25-65	11.5	446.1	010
		9-20-65	12.7	444.9	005
		10-19-65	13.4	444.2	
		11-15-65	14.4	443.2	
		2-23-66	8.6	449.0	010
		3-14-66	9.0	448.6	005
		3-25-66	9.2	448.4	010
		4-19-66	6.1	451.5	005
		4-27-66	6.9	450.7	010
		5-17-66	9.1	448.5	005
		6-21-66	9.7	447.9	
		7-18-66	11.0	446.6	
		8-16-66	12.9	444.7	
		9-20-66	14.6	443.0	
06N/30W-29E01S	465.0	7-20-65	(9)		005
		7-27-65	15.6	449.4	010
		8-17-65	17.7	447.3	005
		8-25-65	18.2	446.8	010
		9-20-65	19.9	445.1	005
		9-27-65	19.1	445.9	010
		10-19-65	19.7	445.3	005
		10-27-65	19.7	445.3	010
		11-15-65	20.7	444.3	005
		11-23-65	19.5	445.5	010
		2-23-66	16.5	448.5	
		3-14-66	14.8	450.2	005
		3-25-66	15.0	450.0	010
		4-18-66	13.0	452.0	005
		4-27-66	12.8	452.2	010
		5-17-66	14.6	450.4	005
		6-21-66	18.5	446.5	
		7-18-66	19.6	445.4	
		8-16-66	22.0	443.0	
		9-20-66	23.9	441.1	
06N/31W-02K01S	627.0	7-27-65	57.2(2)	569.8	010
		8-25-65	62.5(2)	564.5	
		9-27-65	51.6	575.4	
		10-27-65	51.8	575.2	
		11-23-65	50.9	576.1	
		2-23-66	49.5	577.5	
		3-25-66	49.5	577.5	
		4-27-66	50.5	576.5	
06N/31W-13D01S	608.0	7-27-65	119.0	489.0	010
		8-25-65	120.4	487.6	
		9-27-65	119.8	488.2	
		10-27-65	120.5	487.5	
		11-23-65	120.6	487.4	
		2-23-66	117.8	490.2	
		3-25-66	116.7	491.3	
		4-27-66	117.3	490.7	
06N/31W-15A05S	502.0	7-27-65	14.0	488.0	010
		8-25-65	13.3	488.7	
		9-27-65	12.4	489.6	
		10-27-65	12.0	490.0	
		11-30-65	13.3	488.7	
		2-23-66	12.6	489.4	
		3-25-66	12.5	489.5	
06N/31W-22F01S	400.0	7-20-65	9.1	390.9	005
		8-17-65	10.3	389.7	
		9-21-65	11.7	388.3	

T-14.00

SANTA YNEZ HYDRO SUBUNIT T-14.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06N/31W-22F01S (CONT.)	400.0	10-18-65	12.6	387.4	005
		11-16-65	12.7	387.3	
		3-14-66	7.9	392.1	
		4-19-66	7.6	392.4	
		5-17-66	7.8	392.2	
		6-21-66	8.1	391.9	
		7-18-66	8.9	391.1	
		8-16-66	11.0	389.0	
		9-20-66	12.6	387.4	
06N/31W-23N01S	401.9	7-20-65	9.7	392.2	005
		8-17-65	10.9	391.0	
		9-21-65	12.3	389.6	
		10-19-65	12.6	389.3	
		11-16-65	12.6	389.3	
		3-14-66	5.0	396.9	
		4-19-66	4.5	397.4	
		5-17-66	(9)		
		6-21-66	5.3	396.6	
		7-18-66	5.6	396.3	
		8-16-66	8.3	393.6	
		9-20-66	9.6	392.3	
06N/31W-24J01S	428.4	7-20-65	3.5	424.9	005
		8-17-65	3.7	424.7	
		9-20-65	4.7	423.7	
		10-19-65	4.6	423.8	
		11-15-65	3.9	424.5	
		3-14-66	3.0	425.4	
		4-19-66	2.7	425.7	
		5-17-66	3.1	425.3	
		6-21-66	3.5	424.9	
		7-18-66	4.0	424.4	
		8-16-66	5.1	423.3	
		9-20-66	6.2	422.2	
06N/31W-24L01S	423.9	7-20-65	13.1	410.8	005
		8-17-65	13.3	410.6	
		9-20-65	14.0	409.9	
		10-19-65	13.9	410.0	
		11-15-65	13.2	410.7	
		3-14-66	12.8	411.1	
		4-19-66	12.6	411.3	
		5-17-66	13.1	410.8	
		6-21-66	13.2	410.7	
		7-18-66	13.9	410.0	
		8-16-66	15.3	408.6	
		9-20-66	15.6	408.3	
07N/30W-33M02S	746.3	7-27-65	(1)		010
		8-25-65	(1)		
		9-27-65	(7)		
		10-27-65	(1)		
		11-23-65	(1)		
		3-25-66	189.8	556.5	
		4-27-66	(1)		
07N/31W-23P01S	821.9	7-27-65	94.6	727.3	010
		8-25-65	98.4	723.5	
		9-27-65	95.4	726.5	
		10-27-65	94.1	727.8	
		11-23-65	93.1	728.8	
		2-23-66	85.0	736.9	
		3-25-66	82.1	739.8	
		4-27-66	83.5	738.4	
		7-29-66	95.1	726.8	
		8-22-66	105.1	716.8	
		9-26-66	82.9	739.0	
07N/31W-25L01S	806.0	7-27-65	169.4	636.6	010
		8-25-65	166.3	639.7	
		9-27-65	167.4	638.6	
		10-27-65	166.3	639.7	
		2-23-66	159.5	646.5	
		3-25-66	162.7	643.3	
		4-27-66	174.4	631.6	
07N/31W-36L02S	720.6	7-27-65	(1)		010
		8-25-65	118.1(2)	602.5	
		9-27-65	112.9	607.7	
		10-27-65	113.6	607.0	
		11-23-65	108.6	612.0	
		2-23-66	100.4	620.2	
		3-25-66	101.6	619.0	
		4-27-66	106.7	613.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA BARBARA HYDRO UNIT I-15.00					
ARGUELLO HYDRO SUBUNIT I-15.A0					
04N/30W-01B02S	230.0	7-27-65	94.3(2)	135.7	010
		8-20-65	78.0(2)	152.0	
		9-27-65	83.8	146.2	
		10-28-65	91.4	138.6	
		11-29-65	92.1	137.9	
		2-25-66	67.6	162.4	
		3-29-66	71.0	159.0	
		4-26-66	83.3(2)	146.7	
		7-28-66	74.8	155.2	
		8-23-66	74.6	155.4	
		9-23-66	82.6	147.4	
05N/29W-31C01S	400.0	7-27-65	63.0	337.0	010
		8-20-65	62.8	337.2	
		9-27-65	62.3	337.7	
		10-28-65	62.4	337.6	
		11-29-65	61.4	338.6	
		2-25-66	60.3	339.7	
		3-29-66	59.9	340.1	
		4-26-66	59.9	340.1	
05N/30W-19E01S	330.0	7-26-65	(1)		010
		8-20-65	66.1	263.9	
		9-27-65	(1)		
		10-28-65	71.0	259.0	
		11-29-65	40.3	289.7	
		2-25-66	8.0	322.0	
		3-29-66	46.2(2)	283.8	
		4-26-66	44.1(2)	285.9	
05N/30W-28R01S	350.0	7-27-65	42.2	307.8	010
		8-20-65	45.3	304.7	
		9-27-65	42.0	308.0	
		10-28-65	(1)		
		11-29-65	35.3	314.7	
		2-25-66	(1)		
		3-29-66	30.9	319.1	
		4-26-66	36.0	314.0	
05N/30W-30N02S	85.0	7-27-65	33.7	51.3	010
		8-20-65	31.8	53.2	
		9-27-65	(1)		
		10-28-65	(1)		
		11-29-65	22.6	62.4	
		2-25-66	12.7	72.3	
		3-29-66	13.2	71.8	
		4-26-66	(1)		
05N/31W-26G01S	170.0	7-26-65	(1)		010
		8-20-65	(1)		
		9-27-65	(1)		
		10-28-65	(1)		
		11-29-65	60.0	110.0	
		2-25-66	35.0	135.0	
		3-29-66	33.4	136.6	
		4-26-66	57.3	112.7	
05N/31W-35R01S	80.0	7-26-65	(1)		010
		8-20-65	(1)		
		9-27-65	(1)		
		10-28-65	(1)		
		11-29-65	7.8	72.2	
		2-25-66	7.1	72.9	
		3-29-66	7.3	72.7	
		4-26-66	(1)		
05N/31W-36K01S	250.0	7-27-65	(7)		010
		8-19-65	(1)		
		9-27-65	(1)		
		10-28-65	(1)		
		11-29-65	(1)		
		2-25-66	86.2	163.8	
		3-29-66	84.7	165.3	
		4-26-66	86.8	163.2	
05N/32W-35E01S	110.0	7-27-65	27.9	82.1	010
		8-20-65	54.9	55.1	
		9-27-65	67.9	42.1	
		10-28-65	54.5	55.5	
		11-29-65	35.9	74.1	
		2-25-66	32.1	77.9	
		3-29-66	31.1	78.9	
		4-26-66	30.8	79.2	
		7-28-66	30.4	79.6	
		8-23-66	31.9	78.1	
		9-23-66	32.4	77.6	
05N/32W-35F01S	118.0	7-27-65	80.3	37.7	010
		8-20-65	(1)		
		9-27-65	(1)		
		10-28-65	(1)		
		2-25-66	78.2	39.8	
		3-29-66	(1)		
		4-26-66	(1)		
06N/35W-02D01S	289.0	7-28-65	212.8	76.2	010
		4-01-66	(7)		
ARGUELLO HYDRO SUBUNIT I-15.A0					
06N/35W-02D01S (CONT.)	289.0	7-07-66	212.8	76.2	010
06N/35W-31M01S	74.0	4-27-66	61.6	12.4	010
06N/36W-26C01S	170.0	4-27-66	109.7(1)	60.3	010
06N/36W-26E01S	150.0	4-27-66	105.9	44.1	010
06N/36W-26G01S	330.0	4-27-66	103.8	226.2	010
07N/35W-31J01S	160.0	7-28-65	50.3	109.7	010
		8-22-65	50.7	109.3	
		9-28-65	50.4	109.6	
		10-28-65	50.4	109.6	
		2-28-66	50.2	109.8	
		4-01-66	50.3	109.7	
		4-26-66	50.4	109.6	
		7-07-66	50.9	109.1	
07N/35W-32N01S	175.0	7-28-65	6.5	168.5	010
		8-22-65	6.6	168.4	
		9-28-65	6.8	168.2	
		10-25-65	6.9	168.1	
		2-28-66	5.9	169.1	
		4-01-66	5.8	169.2	
		4-26-66	5.8	169.2	
		7-07-66	6.0	169.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA BARBARA HYDRO UNIT T-15.00

SOUTH COAST HYDRO SUBUNIT T-15.C0

GOLETA HYDRO SUBAREA T-15.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/27W-06Q09S	320.0	7-27-65	214.0	106.0	010
		8-20-65	214.0	106.0	
		9-24-65	213.8	106.2	
		11-29-65	213.8	106.2	
		2-24-66	213.2	106.8	
		3-29-66	217.9	102.1	
		4-26-66	213.1	106.9	
04N/28W-02N02S	177.7	7-27-65	76.5	101.2	010
		8-21-65	77.3	100.4	
		9-23-65	77.9	99.8	
		10-28-65	78.4	99.3	
		11-29-65	78.4	99.3	
		2-24-66	58.5	119.2	
		3-29-66	46.6(2)	131.1	
		4-26-66	54.0	123.7	
04N/28W-03E02S	116.7	7-26-65	17.2	99.5	010
		8-20-65	17.5	99.2	
		9-23-65	17.7	99.0	
		10-28-65	17.6	99.1	
		11-29-65	16.5	100.2	
		2-24-66	16.0	100.7	
		3-29-66	16.2	100.5	
		4-26-66	16.5	100.2	
04N/28W-03M03S	118.4	7-26-65	102.6	15.8	010
		8-20-65	102.2	16.2	
		9-23-65	102.1	16.3	
		10-28-65	102.0	16.4	
		11-29-65	101.0	17.4	
		2-24-66	100.1	18.3	
		3-29-66	100.6	17.8	
		4-26-66	100.3	18.1	
04N/28W-03R07S	128.0	7-26-65	112.9	15.1	010
		8-20-65	113.0	15.0	
		9-23-65	112.6	15.4	
		10-28-65	112.5	15.5	
		11-29-65	113.6	14.4	
		2-24-66	112.4	15.6	
		3-29-66	111.7	16.3	
		4-26-66	111.3	16.7	
04N/28W-05N03S	83.4	7-26-65	26.0	57.4	010
		8-20-65	32.1	51.3	
		9-23-65	27.1	56.3	
		10-28-65	25.7	57.7	
		11-29-65	25.8	57.6	
		2-24-66	21.6	61.8	
		3-29-66	22.2	61.2	
		4-26-66	22.5	60.9	
04N/28W-05R04S	57.2	7-26-65	37.0	20.2	010
		8-21-65	36.8	20.4	
		9-23-65	37.0	20.2	
		10-28-65	37.6	19.6	
		2-24-66	34.1	23.1	
		3-29-66	35.0	22.2	
		4-26-66	33.6	23.6	
04N/28W-08N03S	28.0	7-26-65	22.5	5.5	010
		8-19-65	22.3	5.7	
		9-24-65	22.5	5.5	
		10-28-65	22.0	6.0	
		11-22-65	21.1	6.9	
		2-24-66	19.2	8.8	
		3-29-66	18.8	9.2	
		4-25-66	18.8	9.2	
04N/28W-09A03S	84.1	7-27-65	48.5	35.6	010
		8-20-65	49.1	35.0	
		9-23-65	50.0	34.1	
		10-28-65	51.1	33.0	
		11-29-65	50.3	33.8	
		2-24-66	46.3	37.8	
		3-29-66	45.4	38.7	
		4-26-66	45.3	38.8	
04N/28W-09L02S	53.0	8-20-65	53.3	-.3	010
		9-23-65	50.1	2.9	
		10-28-65	49.4	3.6	
		11-29-65	48.6	4.4	
		2-24-66	46.3	6.7	
		3-29-66	45.4	7.6	
04N/28W-10F01S	79.9	7-27-65	75.4	4.5	010
		8-20-65	72.0	7.9	
		9-23-65	74.7	5.2	
		10-28-65	72.3	7.6	
		11-29-65	72.1	7.8	
		2-24-66	69.5	10.4	
		3-29-66	68.7	11.2	
		4-26-66	71.0	8.9	
04N/28W-11K04S	67.0	7-26-65	89.5	-22.5	010
		8-20-65	90.8	-23.8	

T-15.00

SOUTH COAST HYDRO SUBUNIT T-15.C0

GOLETA HYDRO SUBAREA T-15.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/28W-11K04S	67.0	9-23-65	90.1	-23.1	010
(CONT.)		10-28-65	90.0	-23.0	
		11-29-65	89.7	-22.7	
		2-24-66	88.7	-21.7	
		3-29-66	88.7	-21.7	
		4-26-66	88.5	-21.5	
04N/28W-12B01S	203.0	7-26-65	108.2	94.8	010
		8-20-65	104.8	98.2	
		9-24-65	108.9	94.1	
		10-28-65	108.0	95.0	
		11-29-65	102.3	100.7	
		2-24-66	99.1	103.9	
		3-29-66	98.7	104.3	
		4-26-66	99.0	104.0	
04N/28W-12P05S	100.0	7-28-65	151.0	-51.0	010
		8-19-65	150.1	-50.1	
		9-24-65	149.3	-49.3	
		10-27-65	151.8	-51.8	
		11-22-65	147.4	-47.4	
		2-21-66	145.7	-45.7	
		3-28-66	154.8	-54.8	
		4-25-66	144.4	-44.4	
		7-26-66	141.7	-41.7	
		8-23-66	141.0	-41.0	
		9-23-66	145.1	-45.1	
04N/28W-14C01S	40.0	7-26-65	52.8	-12.8	010
		8-19-65	52.0	-12.0	
		9-24-65	52.6	-12.6	
		10-28-65	56.8	-16.8	
		11-22-65	56.7	-16.7	
		2-21-66	53.2	-13.2	
		3-28-66	51.9	-11.9	
		4-25-66	51.9	-11.9	
04N/28W-16J02S	26.0	7-26-65	68.1	-42.1	010
		8-19-65	(1)		
		9-24-65	(1)		
		10-28-65	(7)		
		11-22-65	62.8	-36.8	
		2-21-66	(7)		
		3-29-66	(7)		
		4-25-66	(1)		
04N/28W-16J05S	25.0	7-26-65	4.7	20.3	010
		8-19-65	5.7(2)	19.3	
		9-24-65	5.0(2)	20.0	
		10-28-65	6.2	18.8	
		11-22-65	4.7	20.3	
		2-21-66	4.2	20.8	
		3-29-66	5.0	20.0	
		4-25-66	5.0(2)	20.0	
04N/28W-16L01S	22.0	7-26-65	42.6	-20.6	010
		8-19-65	39.7	-17.7	
		9-24-65	43.8	-21.8	
		10-28-65	43.2	-21.2	
		11-22-65	39.9	-17.9	
		2-24-66	37.2	-15.2	
		3-29-66	36.4	-14.4	
		4-25-66	42.4	-20.4	
		7-26-66	48.9	-26.9	
		8-23-66	49.3	-27.3	
		9-23-66	49.6	-27.6	
04N/28W-17R01S	4.9	7-26-65	7.0	-2.1	010
		8-19-65	6.9	-2.0	
		9-24-65	7.7	-2.8	
		10-28-65	7.5	-2.6	
		2-24-66	6.2	-1.3	
		3-29-66	5.0	-.1	
		4-25-66	5.4	-.5	
04N/28W-17R02S	7.9	9-24-65	20.3	-12.4	010
		10-28-65	20.4	-12.5	
		3-29-66	17.1	-9.2	
		4-25-66	18.4	-10.5	
04N/28W-18G02S	7.0	9-23-65	FLOW		010
		10-28-65	FLOW		
		11-22-65	FLOW		
		2-24-66	FLOW		
		3-29-66	FLOW		
		4-25-66	FLOW		
04N/29W-01E01S	180.0	7-26-65	5.0	175.0	010
		8-20-65	5.2	174.8	
		9-23-65	5.5	174.5	
		10-28-65	6.1	173.9	
		11-29-65	1.3	178.7	
		2-24-66	2.1	177.9	
		3-29-66	3.0	177.0	
		4-25-66	3.6	176.4	
04N/29W-12D03S	100.0	7-26-65	15.2	84.8	010
		8-20-65	15.4	84.6	

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
		SANTA BARBARA HYDRO UNIT			
SOUTH COAST HYDRO SURUNIT			T-15.C0		
	GOLETA HYDRO SUBAREA				T-15.C1
04N/29W-12D03S	100.0	9-23-65	15.6	84.4	010
(CONT.)		10-28-65	15.9	84.1	
		11-29-65	14.7	85.3	
		2-24-66	13.7	86.3	
		3-29-66	14.1	85.9	
		4-25-66	14.3	85.7	
04N/29W-13K02S	24.0	7-26-65	11.6	12.4	010
		8-20-65	11.4	12.6	
		9-23-65	11.2	12.8	
		10-28-65	11.6	12.4	
		11-22-65	10.8	13.2	
		2-24-66	10.2	13.8	
		3-29-66	10.1	13.9	
		4-25-66	10.1	13.9	
04N/29W-14A03S	51.0	7-26-65	41.1	9.9	010
		8-20-65	41.0	10.0	
		9-24-65	40.7	10.3	
		10-28-65	40.6	10.4	
		11-29-65	40.5	10.5	
		2-24-66	39.6	11.4	
		3-29-66	39.4	11.6	
		4-25-66	39.3	11.7	
	SANTA BARBARA HYDRO SUBAREA				T-15.C2
04N/27W-08E02S	250.0	7-26-65	126.2	123.8	010
		8-20-65	127.1	122.9	
		9-24-65	128.6	121.4	
		10-28-65	128.3	121.7	
		11-29-65	128.1	121.9	
		2-24-66	128.1	121.9	
		3-29-66	135.6	114.4	
		4-26-66	127.8	122.2	
04N/27W-14Q01S	30.0	7-26-65	(1)		010
		8-19-65	(1)		
		9-23-65	(1)		
		10-27-65	(1)		
		11-23-65	(1)		
		2-24-66	60.0	-30.0	
		3-28-66	(1)		
		4-25-66	(1)		
04N/27W-18R02S	110.0	7-26-65	33.9	76.1	010
		8-19-65	33.9	76.1	
		9-24-65	35.3	74.7	
		10-27-65	34.0	76.0	
		2-21-66	34.2	75.8	
		3-29-66	(7)		
04N/27W-21B01S	68.0	7-26-65	83.7	-15.7	010
		8-19-65	83.4	-15.4	
		9-23-65	81.9	-13.9	
		10-27-65	84.0	-16.0	
		11-23-65	84.4	-16.4	
		2-21-66	76.8	-8.8	
		3-28-66	71.5	-3.5	
		4-25-66	75.2	-7.2	
	MONTECITO HYDRO SUBAREA				T-15.C3
04N/26W-08P03S	210.0	7-26-65	21.5	188.5	010
		8-19-65	22.8	187.2	
		9-23-65	22.9	187.1	
		10-27-65	23.8	186.2	
		11-23-65	20.4	189.6	
		2-21-66	11.5	198.5	
		3-28-66	14.1	195.9	
		4-25-66	16.6	193.4	
04N/26W-16P01S	45.0	7-26-65	18.7	26.3	010
		8-19-65	19.0	26.0	
		9-23-65	18.5	26.5	
		10-27-65	20.2	24.8	
		11-23-65	18.3	26.7	
		2-21-66	20.6	24.4	
		3-28-66	22.0	23.0	
		4-25-66	21.9	23.1	
04N/26W-17N01S	75.0	7-26-65	83.9	-8.9	010
		8-19-65	83.7	-8.7	
		9-23-65	83.5	-8.5	
		10-27-65	83.9	-8.9	
		11-23-65	83.7	-8.7	
		2-21-66	82.3	-7.3	
		3-28-66	81.5	-6.5	
		4-25-66	81.1	-6.1	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
T-15.00					
SOUTH COAST HYDRO SURUNIT				T-15.C0	
	CARPINTERIA HYDRO SUBAREA				T-15.C4
04N/25W-19F04S	106.0	8-19-65	94.3	11.7	010
		9-23-65	96.2	9.8	
		10-27-65	98.9	7.1	
		11-23-65	99.1	6.9	
		2-21-66	84.2	21.8	
		3-28-66	83.0	23.0	
		4-25-66	85.8	20.2	
04N/25W-19J05S	55.0	7-26-65	59.7	-4.7	010
		8-19-65	62.2	-7.2	
		9-23-65	61.1	-6.1	
		10-27-65	63.4	-8.4	
		11-23-65	61.3	-6.3	
		2-21-66	53.1	1.9	
		3-28-66	52.0	3.0	
		4-25-66	52.6	2.4	
04N/25W-20L04S	111.0	7-26-65	116.6(2)	-5.6	010
		8-19-65	120.6	-9.6	
		9-24-65	127.4	-16.4	
		10-27-65	125.3	-14.3	
		11-23-65	120.2	-9.2	
		2-21-66	108.3	2.7	
		3-28-66	105.6	5.4	
		4-25-66	116.3(2)	-5.3	
		7-26-66	122.1	-11.1	
		8-25-66	118.0	-7.0	
		9-26-66	122.0	-11.0	
04N/25W-21N03S	59.0	7-26-65	74.6	-15.6	010
		8-19-65	78.4	-19.4	
		9-24-65	81.5	-22.5	
		10-27-65	71.4	-12.4	
		11-23-65	61.6	-2.6	
		2-21-66	56.2	2.8	
		3-28-66	58.6(2)	.4	
		4-25-66	55.9	3.1	
04N/25W-21R01S	127.0	7-26-65	109.0	18.0	010
		8-19-65	109.2	17.8	
		9-24-65	109.3	17.7	
		10-27-65	107.9	19.1	
		11-23-65	107.0	20.0	
		2-21-66	108.6	18.4	
		3-28-66	105.0	22.0	
		4-25-66	103.7	23.3	
04N/25W-22R01S	211.0	7-26-65	100.4	110.6	010
		8-19-65	104.5	106.5	
		9-24-65	107.2	103.8	
		10-27-65	109.2	101.8	
		11-23-65	103.9	107.1	
		2-21-66	65.2	145.8	
		3-28-66	66.0	145.0	
04N/25W-25L01S	227.0	7-26-65	17.0	210.0	010
		8-19-65	19.9	207.1	
		10-27-65	22.5	204.5	
		11-23-65	24.1	202.9	
		2-21-66	12.8	214.2	
		3-28-66	12.7	214.3	
		4-25-66	10.3	216.7	
04N/25W-26A01S	420.0	7-26-65	279.0	141.0	010
		8-19-65	279.6	140.4	
		9-24-65	279.5	140.5	
		10-27-65	282.4	137.6	
		11-23-65	278.9	141.1	
		2-21-66	267.6	152.4	
		3-28-66	266.0	154.0	
		4-25-66	266.0	154.0	
04N/25W-26C02S	432.0	7-26-65	276.6	155.4	010
		8-19-65	278.3	153.7	
		9-24-65	279.4	152.6	
		10-27-65	282.9	149.1	
		11-23-65	279.8	152.2	
		2-21-66	261.1	170.9	
		3-28-66	258.5	173.5	
		4-25-66	259.0	173.0	
04N/25W-27Q02S	127.0	7-26-65	102.5	24.5	010
		8-19-65	109.1(2)	17.9	
		9-24-65	105.6	21.4	
		10-27-65	101.0	26.0	
		11-23-65	96.9	30.1	
		4-25-66	(7)		
04N/25W-27R02S	132.0	7-26-65	(1)		010
		8-19-65	162.3	-30.3	
		9-24-65	162.4	-30.4	
		10-27-65	160.8	-28.8	
		11-23-65	159.1	-27.1	
		2-21-66	146.5	-14.5	
		3-28-66	143.6	-11.6	
		4-25-66	(1)		
		7-26-66	(1)		
		8-26-66	151.1	-19.1	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA BARBARA HYDRO UNIT T-15.00

SOUTH COAST HYDRO SURUNIT T-15.C0

CARPINTERIA HYDRO SUBAREA T-15.C4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/25W-27R02S (CONT.)	132.0	9-26-66	151.4	-19.4	010
04N/25W-28J01S	89.0	7-26-65	106.6	-17.6	010
		8-19-65	(7)		
		9-24-65	(1)		
		10-27-65	(1)		
		11-23-65	108.4	-19.4	
		2-21-66	98.3	-9.3	
		3-28-66	94.8	-5.8	
		4-25-66	(1)		
		7-26-66	(1)		
		8-23-66	103.2	-14.2	
		9-26-66	(1)		
04N/25W-28M01S	57.0	7-26-65	68.9	-11.9	010
		8-19-65	76.1	-19.1	
		9-24-65	72.0	-15.0	
		10-27-65	77.5	-20.5	
		11-23-65	70.0	-13.0	
		2-21-66	60.7	-3.7	
		3-28-66	57.7	-.7	
		4-25-66	65.9	-8.9	
04N/25W-29001S	17.0	7-26-65	24.5	-7.5	010
		8-19-65	23.6	-6.6	
		9-24-65	25.0	-8.0	
		10-27-65	27.6	-10.6	
		11-23-65	24.6	-7.6	
		2-21-66	15.5	1.5	
		3-28-66	14.1	2.9	
		4-25-66	15.5	1.5	
		7-26-66	21.0	-4.0	
		8-25-66	21.8	-4.8	
		9-26-66	24.6	-7.6	
04N/25W-29L01S	18.0	7-26-65	14.7	3.3	010
		8-19-65	16.3	1.7	
		9-24-65	15.7	2.3	
		10-27-65	17.6	.4	
		11-23-65	15.0	3.0	
		2-21-66	7.5	10.5	
		3-28-66	6.6	11.4	
		4-25-66	7.8	10.2	
04N/25W-29R01S	32.0	7-26-65	40.5	-8.5	010
		8-19-65	54.1	-22.1	
		9-24-65	41.6	-9.6	
		10-27-65	42.8	-10.8	
		11-23-65	40.8	-8.8	
		2-21-66	36.6	-4.6	
		3-28-66	36.9	-4.9	
		4-25-66	45.0	-13.0	
04N/25W-30D01S	7.4	7-26-65	7.8	-.4	010
		8-19-65	10.2	-2.8	
		9-24-65	9.3	-1.9	
		10-27-65	11.0	-3.6	
		11-23-65	8.2	-.8	
		2-21-66	1.6	5.8	
		3-28-66	.6	6.8	
		4-25-66	1.8	5.6	
04N/25W-35A03S	147.0	7-26-65	52.6	94.4	010
		8-19-65	58.1	88.9	
		9-24-65	57.3	89.7	
		10-27-65	53.4	93.6	
		11-23-65	52.4	94.6	
		2-21-66	36.4	110.6	
		3-28-66	35.4	111.6	
		4-25-66	38.4	108.6	
04N/25W-35M05S	215.0	7-26-65	178.5	36.5	010
		8-19-65	179.1	35.9	
		9-24-65	179.1	35.9	
		10-27-65	179.3	35.7	
		11-23-65	179.3	35.7	
		2-21-66	175.5	39.5	
		3-28-66	174.7	40.3	
		4-25-66	174.4	40.6	
04N/26W-23A02S	63.0	7-26-65	52.9	10.1	010
		8-19-65	51.8	11.2	
		9-23-65	52.1	10.9	
		10-27-65	52.2	10.8	
		11-23-65	50.3	12.7	
		2-21-66	48.5	14.5	
		3-28-66	49.1	13.9	
		4-25-66	49.6	13.4	

TABLE C-1

GROUND WATER LEVELS AT WELLS

VENTURA RIVER HYDRO UNIT U-02.00

UPPER VENTURA RIVER HYDRO SUBUNIT U-02.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/23W-05B01S	291.9	7-29-65	29.4	262.5	121
		8-25-65	32.8(4)	259.1	
		9-30-65	35.4(4)	256.5	
		10-26-65	37.9	254.0	
		12-10-65	22.2	269.7	
		1-17-66	18.2	273.7	
		1-27-66	20.3	271.6	
		2-24-66	26.2(4)	265.7	
		3-30-66	28.6(4)	263.3	
		4-22-66	26.9(1)	265.0	
		5-18-66	22.6(1)	269.3	
		6-09-66	26.1	265.8	
		6-22-66	25.9	266.0	
		7-07-66	28.4(1)	263.5	
		8-09-66	29.9(1)	262.0	
		9-02-66	35.2(4)	256.7	
03N/23W-05B02S	290.3	8-11-65	30.3	260.0	121
		10-20-65	35.8	254.5	
		12-22-65	23.8	266.5	
		2-08-66	21.9	268.4	
		5-05-66	22.8	267.5	
		7-21-66	24.4(2)	265.9	
03N/23W-05H01S	280.2	8-11-65	23.5(4)	256.7	121
		10-12-65	29.1	251.1	
		10-20-65	29.0	251.2	
		12-22-65	16.8	263.4	
		2-08-66	15.1	265.1	
		5-05-66	16.7	263.5	
		7-21-66	21.3(4)	258.9	
03N/23W-05K01S	261.8	8-11-65	15.7	246.1	121
		10-20-65	23.0	238.8	
		12-22-65	10.3	251.5	
		2-09-66	8.4	253.4	
		5-05-66	9.2	252.6	
		7-28-66	16.6(1)	245.2	
03N/23W-05P02S	254.5	8-11-65	(1)		121
		10-20-65	44.0(1)	210.5	
		12-22-65	(1)		
		2-09-66	8.0	246.5	
		5-05-66	9.7	244.8	
		7-21-66	10.3	244.2	
03N/23W-05P04S	256.0	8-11-65	16.6	239.4	121
		10-20-65	22.7	233.3	
		12-22-65	12.6	243.4	
		2-09-66	9.4	246.6	
		5-05-66	10.3	245.7	
		7-21-66	(1)		
03N/23W-06K01S	298.8	7-29-65	17.9	280.9	121
		8-25-65	18.2	280.6	
		9-30-65	18.6	280.2	
		10-26-65	18.7	280.1	
		12-10-65	13.1	285.7	
		1-27-66	13.4	285.4	
		2-24-66	13.4	285.4	
		3-30-66	14.2	284.6	
		4-27-66	14.7	284.1	
		6-09-66	14.9	283.9	
		7-07-66	16.9	281.9	
		8-09-66	17.5	281.3	
03N/23W-06R01S	281.5	8-11-65	16.5	265.0	121
		10-20-65	17.5	264.0	
		12-22-65	12.4	269.1	
		2-09-66	10.2	271.3	
		5-05-66	12.7	268.8	
		7-21-66	16.4	265.1	
03N/23W-06R04S	279.2	8-11-65	(9)		121
		10-20-65	14.0	265.2	
		12-22-65	(9)		
		2-09-66	(9)		
		5-05-66	(9)		
		7-21-66	(9)		
03N/23W-08A01S	234.1	8-11-65	14.4	219.7	121
		10-20-65	22.0	212.1	
		12-22-65	11.5	222.6	
		2-08-66	(4)		
		5-05-66	9.8	224.3	
03N/23W-08B02S	246.2	8-11-65	(1)		121
		10-20-65	23.7	222.5	
		12-22-65	(1)		
		2-08-66	13.1	233.1	
		5-05-66	12.1	234.1	
		7-21-66	12.8	233.4	
03N/23W-08B05S	242.7	8-11-65	(1)		121
		10-20-65	43.5(1)	199.2	
		12-22-65	21.2(1)	221.5	
		2-08-66	24.5(1)	218.2	

UPPER VENTURA RIVER HYDRO SUBUNIT U-02.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/23W-08B05S (CONT.)	242.7	5-05-66	12.3	230.4	121
		7-21-66	(1)		
03N/23W-08B07S	239.6	7-29-65	16.4	223.2	121
		8-25-65	19.2	220.4	
		9-30-65	23.1	216.5	
		10-26-65	26.4	213.2	
		12-10-65	17.2	222.4	
		1-17-66	14.1	225.5	
		1-27-66	13.8	225.8	
		2-24-66	12.9	226.7	
		3-30-66	12.7	226.9	
		4-22-66	14.4	225.2	
		6-10-66	13.8	225.8	
		6-23-66	13.8	225.8	
		7-07-66	14.4	225.2	
		8-09-66	16.1	223.5	
		9-02-66	19.0	220.6	
03N/23W-08C02S	246.3	8-11-65	25.5(1)	220.8	121
		10-20-65	31.3(1)	215.0	
		12-22-65	25.3(1)	221.0	
		2-09-66	22.5(1)	223.8	
		5-05-66	10.3	236.0	
		7-21-66	13.2	233.1	
04N/23W-03M01S	759.4	8-13-65	95.6	663.8	121
		10-21-65	96.9	662.5	
		2-11-66	87.0	672.4	
		5-19-66	90.4	669.0	
		8-03-66	104.1	655.3	
04N/23W-03Q01S	767.5	7-29-65	90.1	677.4	121
		8-25-65	91.7	675.8	
		9-30-65	91.7	675.8	
		10-25-65	90.4	677.1	
		12-10-65	92.4	675.1	
		1-28-66	86.7	680.8	
		2-25-66	85.6	681.9	
		3-31-66	84.9	682.6	
		4-27-66	85.8	681.7	
		6-09-66	86.4	681.1	
		7-07-66	85.9	681.6	
		8-11-66	90.5(1)	677.0	
		9-06-66	91.1(1)	676.4	
04N/23W-04G01S	726.5	10-21-65	28.1	698.4	121
		2-11-66	9.6	716.9	
		5-19-66	16.9	709.6	
		7-28-66	25.0	701.5	
04N/23W-04G02S	730.1	8-13-65	61.3	668.8	121
		10-21-65	61.6	668.5	
		2-11-66	49.0	681.1	
		5-19-66	54.9	675.2	
		7-28-66	61.7	668.4	
04N/23W-04R01S	751.8	8-13-65	95.4	656.4	121
		10-21-65	90.2	661.6	
		2-16-66	82.4	669.4	
		5-19-66	84.6	667.2	
		8-04-66	103.1	648.7	
04N/23W-08R01S	635.0	8-12-65	40.1	594.9	121
		10-20-65	42.0	593.0	
		12-23-65	42.7	592.3	
		2-11-66	43.4	591.6	
		5-19-66	45.0	590.0	
		8-04-66	49.8	585.2	
04N/23W-09B01S	658.1	7-29-65	52.8	605.3	121
		8-25-65	(1)		
		9-30-65	67.3(1)	590.8	
		10-26-65	65.5	592.6	
		12-10-65	28.2	629.9	
		1-17-66	14.3	643.8	
		1-28-66	18.6	639.5	
		2-24-66	16.8	641.3	
		3-30-66	18.4(2)	639.7	
		4-22-66	18.0	640.1	
		5-18-66	18.6(2)	639.5	
		6-09-66	20.2	637.9	
		6-22-66	24.4	633.7	
		7-07-66	27.4	630.7	
		8-09-66	33.3(2)	624.8	
		9-01-66	55.0(2)	603.1	
04N/23W-09B02S	651.5	8-13-65	(1)		121
		10-21-65	65.2(1)	586.3	
		2-11-66	(1)		
		5-19-66	(1)		
		8-03-66	(1)		
04N/23W-09B04S	659.0	8-13-65	64.9	594.1	121
		10-21-65	67.8(2)	591.2	
		2-11-66	21.4(1)	637.6	
		5-19-66	(1)		
		8-03-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

VENTURA RIVER HYDRO UNIT U-02.00

UPPER VENTURA RIVER HYDRO SUBUNIT U-02.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/23W-09L01S	643.8	8-13-65	129.5	514.3	121
		10-21-65	69.0	574.8	
		2-11-66	(6)		
04N/23W-09M01S	673.5	8-12-65	(8)		121
		10-20-65	(7)		
		12-23-65	42.1	631.4	
		2-11-66	42.1	631.4	
		5-19-66	43.9	629.6	
		8-04-66	42.9	630.6	
04N/23W-09P01S	601.4	8-20-65	87.8(4)	513.6	121
		10-21-65	95.4	506.0	
		2-17-66	59.5	541.9	
		5-19-66	56.3	545.1	
04N/23W-10D02S	739.0	8-13-65	62.4	676.6	121
		10-21-65	61.8	677.2	
		2-16-66	57.8	681.2	
		5-19-66	58.7	680.3	
		8-04-66	70.8	668.2	
04N/23W-11D01S	780.9	8-13-65	55.2	725.7	121
		10-14-65	54.1	726.8	
		10-21-65	54.5	726.4	
		2-16-66	46.4	734.5	
		5-19-66	52.6	728.3	
		8-04-66	57.6(1)	723.3	
04N/23W-14C02S	587.8	8-13-65	11.3	576.5	121
		10-21-65	12.1(1)	575.7	
		2-16-66	9.4	578.4	
		5-19-66	12.6(1)	575.2	
		8-04-66	11.6	576.2	
04N/23W-14G01S	579.6	8-13-65	11.0	568.6	121
		10-14-65	11.0	568.6	
		2-16-66	11.3	568.3	
		5-19-66	11.0	568.6	
		8-04-66	11.7	567.9	
04N/23W-15A01S	678.0	8-19-65	(1)		121
		10-21-65	(1)		
		2-16-66	124.1	553.9	
		5-19-66	124.5	553.5	
04N/23W-15A02S	679.9	8-13-65	121.0	558.9	121
		10-21-65	189.0(1)	490.9	
		2-16-66	119.1	560.8	
		5-19-66	120.0	559.9	
		8-04-66	120.6(1)	559.3	
04N/23W-15C03S	649.9	8-19-65	135.6	514.3	121
		10-21-65	141.7	508.2	
		2-17-66	120.5	529.4	
		5-19-66	127.5	522.4	
04N/23W-15D01S	634.3	8-19-65	(1)		121
		10-21-65	(1)		
		2-17-66	103.9	530.4	
		3-31-66	98.1(1)	536.2	
		4-27-66	98.1	536.2	
		6-09-66	98.6	535.7	
		7-07-66	(1)		
		8-09-66	(1)		
		9-06-66	(1)		
04N/23W-15D02S	645.6	7-29-65	130.1	515.5	121
		8-25-65	(1)		
		9-30-65	(1)		
		10-25-65	140.5	505.1	
		12-10-65	148.4(1)	497.2	
		1-28-66	(1)		
		2-25-66	(1)		
		5-19-66	(1)		
04N/23W-16A01S	626.4	8-19-65	(1)		121
		10-21-65	(1)		
		2-17-66	94.4	532.0	
		5-19-66	89.5	536.9	
04N/23W-16B01S	603.7	8-19-65	92.0(1)	511.7	121
		10-21-65	98.2	505.5	
		2-17-66	63.6	540.1	
		5-19-66	62.3	541.4	
04N/23W-16B03S	597.0	8-19-65	83.9	513.1	121
		10-21-65	91.9	505.1	
		2-17-66	57.0	540.0	
		5-19-66	54.7	542.3	
04N/23W-16B04S	592.3	8-19-65	79.4(4)	512.9	121
		10-21-65	86.9(4)	505.4	
		2-17-66	52.7	539.6	
		5-19-66	51.5	540.8	
04N/23W-16B05S	599.2	8-19-65	89.5(1)	509.7	121
UPPER VENTURA RIVER HYDRO SUBUNIT				U-02.80	
04N/23W-16B05S (CONT.)	599.2	10-21-65	97.6(1)	501.6	121
		2-17-66	59.7	539.5	
		5-19-66	60.2	539.0	
04N/23W-16B06S	599.5	8-19-65	(1)		121
		10-21-65	(1)		
		2-17-66	60.1	539.4	
		5-19-66	(1)		
04N/23W-16B07S	620.7	8-19-65	107.2(1)	513.5	121
		10-21-65	117.2(1)	503.5	
		2-17-66	83.4	537.3	
		5-19-66	(1)		
04N/23W-16C02S	594.1	8-19-65	81.0	513.1	121
		10-21-65	88.3	505.8	
		2-17-66	54.2	539.9	
		5-19-66	54.0	540.1	
04N/23W-16C04S	557.3	7-29-65	41.1	516.2	121
		8-25-65	45.4	511.9	
		9-30-65	49.3	508.0	
		10-26-65	52.8	504.5	
		12-10-65	44.3	513.0	
		1-17-66	24.7(1)	532.6	
		1-17-66	23.7	533.6	
		1-27-66	(2)		
		2-24-66	15.4	541.9	
		3-30-66	21.4	535.9	
		5-01-66	22.4	534.9	
		5-01-66	37.4(1)	519.9	
		6-01-66	23.8	533.5	
		7-01-66	27.4	529.9	
		8-01-66	33.4	523.9	
		9-01-66	41.4	515.9	
04N/23W-16C05S	562.9	8-12-65	48.8	514.1	121
		10-20-65	57.8	505.1	
		12-23-65	39.4	523.5	
		2-10-66	23.7	539.2	
		5-19-66	22.4	540.5	
		7-28-66	40.5	522.4	
04N/23W-16D02S	561.3	8-12-65	58.4	502.9	121
		10-20-65	61.4	499.9	
		12-23-65	41.6	519.7	
		2-11-66	24.1	537.2	
		5-19-66	25.3	536.0	
		8-04-66	43.7	517.6	
04N/23W-16F01S	586.7	8-19-65	73.8	512.9	121
		10-21-65	80.9	505.8	
		2-17-66	47.2	539.5	
		5-19-66	46.9	539.8	
04N/23W-16F03S	585.0	8-20-65	(1)		121
		10-21-65	72.7	512.3	
		2-17-66	39.7	545.3	
		5-19-66	(1)		
04N/23W-16M01S	526.6	8-20-65	14.5	512.1	121
		10-21-65	20.3	506.3	
		2-17-66	-1.5	528.1	
		5-19-66	-1.8	528.4	
04N/23W-16P01S	619.1	8-20-65	82.7	536.4	121
		10-22-65	(1)		
		5-19-66	(1)		
04N/23W-16Q01S	645.8	8-20-65	107.4	538.4	121
		10-25-65	107.9	537.9	
		2-17-66	103.5	542.3	
		5-19-66	103.1	542.7	
04N/23W-16Q03S	641.2	8-20-65	102.1	539.1	121
		10-25-65	102.2	539.0	
		2-17-66	97.9	543.3	
		5-19-66	97.2	544.0	
04N/23W-17C01S	609.5	8-12-65	3.2	606.3	121
		10-20-65	6.2	603.3	
		12-23-65	1.7	607.8	
		2-11-66	1.0	608.5	
		8-04-66	2.6	606.9	
04N/23W-17J01S	594.4	8-12-65	27.1	567.3	121
		10-20-65	28.0	566.4	
		12-23-65	24.5	569.9	
		2-10-66	19.1	575.3	
		5-18-66	25.0	569.4	
		7-28-66	(1)		
04N/23W-17J03S	552.3	8-12-65	31.5	520.8	121
		10-20-65	36.7	515.6	
		12-23-65	29.8	522.5	
		2-10-66	15.9	536.4	
		5-18-66	23.4	528.9	
		7-28-66	25.9	526.4	

TABLE C-1

GROUND WATER LEVELS AT WELLS

VENTURA RIVER HYDRO UNIT U-02.00

UPPER VENTURA RIVER HYDRO SUBUNIT U-02.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/23W-18G01S	673.1	8-12-65	35.1	638.0	121
		10-20-65	35.8	637.3	
		2-10-66	30.6	642.5	
		5-19-66	30.9	642.2	
		7-28-66	35.9	637.2	
04N/23W-20A01S	488.5	8-25-65	26.4	462.1	121
		10-20-65	29.5	459.0	
		12-23-65	14.1	474.4	
		2-10-66	9.1	479.4	
		5-18-66	9.6	478.9	
		7-28-66	22.5	466.0	
04N/23W-20J02S	456.1	7-29-65	31.6	424.5	121
		8-25-65	37.7(4)	418.4	
		9-30-65	39.1	417.0	
		10-26-65	44.7(4)	411.4	
		12-10-65	17.1	439.0	
		1-17-66	15.6	440.5	
		1-27-66	16.4	439.7	
		2-24-66	17.0(4)	439.1	
		3-30-66	18.1(4)	438.0	
		4-22-66	17.7(1)	438.4	
		5-18-66	19.1(1)	437.0	
		6-09-66	19.9(4)	436.2	
		6-22-66	20.6(4)	435.5	
		7-07-66	25.9(4)	430.2	
		8-09-66	28.9(1)	427.2	
		9-01-66	29.6(1)	426.5	
04N/23W-20J03S	452.0	8-12-65	33.6	418.4	121
		10-20-65	DRY		
		12-23-65	18.8	433.2	
		2-10-66	16.2	435.8	
		5-18-66	17.3	434.7	
		7-28-66	20.8	431.2	
04N/23W-20J04S	452.5	8-12-65	33.5	419.0	121
		10-19-65	38.9	413.6	
		12-23-65	17.8	434.7	
		2-10-66	15.0	437.5	
		5-18-66	16.7	435.8	
		7-28-66	20.7	431.8	
04N/23W-20J05S	451.9	8-12-65	33.8	418.1	121
		10-20-65	DRY		
		12-23-65	19.1	432.8	
		2-10-66	16.6	435.3	
		5-18-66	17.8	434.1	
		7-28-66	21.3	430.6	
04N/23W-20P01S	412.3	10-19-65	DRY		121
		12-23-65	20.8	391.5	
		2-09-66	(6)		
04N/23W-20Q02S	425.6	7-29-65	20.9(1)	404.7	121
		8-25-65	22.1	403.5	
		9-30-65	26.2	399.4	
		10-26-65	28.9	396.7	
		12-10-65	5.8	419.8	
		1-17-66	3.6	422.0	
		1-27-66	4.4	421.2	
		2-24-66	4.8	420.8	
		3-30-66	5.8	419.8	
		4-22-66	5.4	420.2	
		5-18-66	5.8	419.8	
		6-09-66	7.2	418.4	
		6-22-66	7.8	417.8	
		7-07-66	16.1	409.5	
		8-11-66	12.0	413.6	
		9-01-66	19.5(4)	406.1	
04N/23W-20Q04S	422.9	8-12-65	20.3	402.6	121
		10-19-65	27.7	395.2	
		12-23-65	7.2	415.7	
		2-10-66	4.4	418.5	
		5-18-66	6.1	416.8	
		7-28-66	18.5	404.4	
04N/23W-20Q05S	421.8	8-12-65	22.8	399.0	121
		10-19-65	(6)		
04N/23W-20Q06S	416.9	8-12-65	33.4	383.5	121
		10-19-65	42.9	374.0	
		12-23-65	19.4	397.5	
		2-10-66	15.2	401.7	
		5-18-66	18.3	398.6	
		7-28-66	25.2	391.7	
04N/23W-20Q08S	418.7	8-12-65	DRY		121
		10-19-65	(6)		
04N/23W-21B05S	613.1	8-20-65	15.5	597.6	121
		10-22-65	16.3	596.8	
		2-17-66	5.5	607.6	
		5-19-66	11.2	601.9	
04N/23W-21C02S	605.6	10-22-65	60.5	545.1	121
04N/23W-21C05S	627.0	8-20-65	(1)		121
		10-22-65	163.5	463.5	
		2-17-66	142.2	484.8	
		5-19-66	145.4	481.6	
04N/23W-21E02S	464.4	8-12-65	31.6	432.8	121
		10-20-65	37.2	427.2	
		12-23-65	18.5	445.9	
		2-10-66	15.6	448.8	
		5-18-66	16.5	447.9	
		7-28-66	26.4	438.0	
04N/23W-21M02S	455.0	8-12-65	23.9	431.1	121
		10-20-65	33.6	421.4	
		12-23-65	11.3	443.7	
		2-10-66	8.9	446.1	
		5-18-66	10.0	445.0	
		7-28-66	19.0	436.0	
04N/23W-22B01S	498.5	7-30-65	19.6	478.9	121
		8-25-65	19.5	479.0	
		9-30-65	20.7	477.8	
		10-27-65	20.7	477.8	
		12-16-65	17.3	481.2	
		2-02-66	16.2	482.3	
		2-28-66	17.5	481.0	
		4-29-66	17.8	480.7	
		6-16-66	16.8	481.7	
		7-15-66	17.4	481.1	
		8-17-66	18.6	479.9	
		9-20-66	19.2	479.3	
04N/23W-22L02S	472.3	8-13-65	18.1	454.2	121
		10-21-65	20.1	452.2	
		2-16-66	13.9	458.4	
		5-19-66	14.3	458.0	
		8-04-66	14.9	457.4	
04N/23W-28G01S	402.2	8-13-65	27.0	375.2	121
		10-21-65	28.9	373.3	
		2-16-66	14.0	388.2	
		5-19-66	16.8	385.4	
		8-04-66	20.2	382.0	
04N/23W-28L02S	507.0	8-11-65	53.6	453.4	121
		10-20-65	51.0	456.0	
		12-17-65	49.3	457.7	
		2-08-66	44.0	463.0	
		5-05-66	52.8	454.2	
		7-20-66	63.6	443.4	
04N/23W-29B01S	411.0	8-12-65	36.3	374.7	121
		10-19-65	DRY		
		12-23-65	20.2	390.8	
		2-10-66	15.7	395.3	
		5-18-66	18.9	392.1	
		7-28-66	28.5	382.5	
04N/23W-29B02S	413.9	8-12-65	36.9	377.0	121
		10-19-65	45.0	368.9	
		12-23-65	20.4	393.5	
		2-09-66	16.1	397.8	
		5-18-66	19.4	394.5	
		7-28-66	25.1	388.8	
04N/23W-29C02S	397.1	8-12-65	32.0(1)	365.1	121
		10-19-65	DRY		
		12-23-65	16.3	380.8	
		2-09-66	11.6	385.5	
		5-18-66	14.6	382.5	
		7-28-66	17.4	379.7	
04N/23W-29F01S	391.4	8-12-65	25.8	365.6	121
		10-19-65	44.6	346.8	
		12-23-65	9.9	381.5	
		2-09-66	5.3	386.1	
		5-18-66	(4)		
		7-28-66	(4)		
04N/23W-29F02S	394.1	7-29-65	27.4	366.7	121
		8-25-65	35.5	358.6	
		9-30-65	47.4	346.7	
		10-26-65	51.1	343.0	
		12-10-65	16.6	377.5	
		1-17-66	11.6	382.5	
		1-27-66	11.7	382.4	
		2-24-66	12.7	381.4	
		3-30-66	14.5(1)	379.6	
		4-22-66	14.2	379.9	
		5-18-66	15.6	378.5	
		6-09-66	15.8	378.3	
		6-22-66	17.4(4)	376.7	
		7-07-66	17.0	377.1	
		8-11-66	20.9	373.2	
		9-02-66	24.4	369.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

VENTURA RIVER HYDRO UNIT U-02.00

UPPER VENTURA RIVER HYDRO SUBUNIT U-02.B0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/23W-29G02S (CONT.)	403.7	10-19-65	37.9	365.8	121
		12-23-65	23.3	380.4	
		2-09-66	17.4	386.3	
		5-18-66	19.7	384.0	
		7-28-66	26.8	376.9	
04N/23W-29G03S	396.3	8-11-65	(1)		121
		10-19-65	49.0	347.3	
		12-23-65	17.4	378.9	
		2-09-66	12.8	383.5	
		5-18-66	(1)		
		7-28-66	(1)		
04N/23W-29G04S	399.5	8-11-65	43.6	355.9	121
		10-19-65	48.6	350.9	
		12-23-65	17.9	381.6	
		2-09-66	13.1	386.4	
		5-18-66	15.9	383.6	
		7-28-66	35.1	364.4	
04N/23W-29H02S	440.5	8-11-65	80.3(1)	360.2	121
		10-20-65	88.8(1)	351.7	
		12-17-65	(1)		
		2-08-66	(1)		
		5-05-66	71.8(1)	368.7	
		7-20-66	(1)		
04N/23W-29H03S	435.1	8-11-65	64.2	370.9	121
		10-20-65	69.9	365.2	
		12-17-65	54.5	380.6	
		2-08-66	45.6	389.5	
		5-05-66	47.2	387.9	
		7-20-66	51.8	383.3	
04N/23W-29J02S	438.0	7-29-65	65.6	372.4	121
		8-25-65	67.7	370.3	
		9-30-65	69.7	368.3	
		10-26-65	71.2	366.8	
		12-10-65	60.3	377.7	
		1-17-66	53.6	384.4	
		1-27-66	53.9	384.1	
		2-24-66	52.8	385.2	
		3-30-66	54.7	383.3	
		4-27-66	55.5	382.5	
		6-09-66	56.6	381.4	
		7-07-66	57.8	380.2	
		8-09-66	62.2	375.8	
		9-02-66	63.5	374.5	
04N/23W-29L01S	372.0	7-29-65	15.5	356.5	121
		8-25-65	21.7	350.3	
		9-30-65	32.2	339.8	
		10-26-65	38.3	333.7	
		12-10-65	9.6	362.4	
		1-17-66	7.1	364.9	
		1-27-66	7.5	364.5	
		2-24-66	7.4	364.6	
		3-30-66	8.0	364.0	
		4-22-66	8.1	363.9	
		5-18-66	9.1	362.9	
		6-09-66	9.2	362.8	
		6-22-66	9.1	362.9	
		7-07-66	9.9	362.1	
		8-09-66	10.1	361.9	
		9-02-66	13.9	358.1	
04N/23W-29Q07S	413.2	8-12-65	35.2	378.0	121
		10-19-65	43.3	369.9	
		12-23-65	19.5	393.7	
		2-10-66	15.0	398.2	
		5-18-66	18.1	395.1	
		7-28-66	26.8	386.4	
04N/23W-32B02S	344.4	8-11-65	13.1	331.3	121
		10-20-65	26.3	318.1	
		12-17-65	7.5	336.9	
		2-08-66	7.2	337.2	
		5-05-66	9.0	335.4	
		7-20-66	7.1	337.3	
04N/23W-32B03S	339.1	8-11-65	11.7	327.4	121
		10-20-65	23.9	315.2	
		12-17-65	8.1	331.0	
		2-08-66	7.9	331.2	
		5-05-66	8.1	331.0	
		7-20-66	9.7	329.4	
04N/23W-32C01S	342.1	8-11-65	13.6(2)	328.5	121
		10-19-65	24.9(2)	317.2	
		12-23-65	8.8	333.3	
		2-09-66	7.8	334.3	
		5-18-66	8.2	333.9	
		7-28-66	12.9(2)	329.2	
04N/23W-32J01S	318.6	8-11-65	9.5	309.1	121
		10-20-65	DRY		
		12-22-65	9.9	308.7	
		2-08-66	9.5	309.1	
04N/23W-32J01S (CONT.)	318.6	5-05-66	9.3	309.3	121
		7-20-66	8.9	309.7	
04N/23W-32J02S	315.1	8-11-65	(1)		121
		10-20-65	10.2	304.9	
		12-22-65	7.7	307.4	
		2-08-66	7.6	307.5	
		5-05-66	7.6	307.5	
		7-20-66	7.7	307.4	
04N/23W-32J05S	316.2	8-11-65	9.2	307.0	121
		10-20-65	10.8	305.4	
		12-22-65	9.4	306.8	
		2-08-66	9.0	307.2	
		5-05-66	9.2	307.0	
		7-20-66	9.8	306.4	
04N/24W-13J04S	625.8	8-12-65	9.5	616.3	121
		10-20-65	13.1	612.7	
		2-10-66	7.0	618.8	
		5-19-66	7.5	618.3	
		7-28-66	8.8	617.0	
04N/24W-13N01S	640.4	8-12-65	2.3	638.1	121
		10-20-65	2.8	637.6	
		2-10-66	(7)		
		5-19-66	-1.6	642.0	
		7-28-66	2.3	638.1	
05N/23W-33B01S	837.6	7-29-65	26.6	811.0	121
		8-25-65	26.9	810.7	
		9-30-65	30.5	807.1	
		10-25-65	35.0	802.6	
		12-10-65	9.3	828.3	
		1-27-66	9.4	828.2	
		2-25-66	10.6	827.0	
		3-30-66	10.9	826.7	
		4-27-66	9.5	828.1	
		6-09-66	13.0	824.6	
		7-07-66	21.1	816.5	
		8-11-66	19.8	817.8	
		9-02-66	22.8	814.8	
05N/23W-33B02S	823.1	8-13-65	(1)		121
		10-21-65	34.0(1)	789.1	
		2-11-66	3.6(1)	819.5	
		5-19-66	3.2	819.9	
		7-28-66	(1)		
05N/23W-33B03S	816.8	8-13-65	31.1	785.7	121
		10-21-65	27.4	789.4	
		2-11-66	2.9	813.9	
		5-19-66	3.9	812.9	
		7-28-66	10.5	806.3	
05N/23W-33G01S	806.4	8-13-65	26.0	780.4	121
		10-21-65	(1)		
		2-11-66	(9)		
		5-19-66	(1)		
		7-28-66	(1)		
05N/23W-33G03S	796.9	8-13-65	22.7(2)	774.2	121
		10-21-65	23.0(2)	773.9	
		2-11-66	5.1	791.8	
		5-19-66	5.9	791.0	
		8-04-66	17.6	779.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
VENTURA RIVER HYDRO UNIT U-02.00					
OJAI HYDRO SUBUNIT U-02.C0					
UPPER OJAI HYDRO SUBAREA U-02.C1					
04N/22W-09Q02S	1278.8	7-29-65	26.2(4)	1252.6	121
		8-25-65	27.1	1251.7	
		9-30-65	28.3(1)	1250.5	
		10-27-65	34.7	1244.1	
		12-16-65	22.2	1256.6	
		1-28-66	15.5	1263.3	
		2-25-66	15.0	1263.8	
		4-07-66	15.8	1263.0	
		4-28-66	16.5	1262.3	
		6-09-66	19.0	1259.8	
		7-07-66	18.0	1260.8	
		8-12-66	16.5	1262.3	
		9-16-66	18.2	1260.6	
04N/22W-10K02S	1324.9	7-29-65	18.1	1306.8	121
		8-25-65	19.0	1305.9	
		9-30-65	19.7	1305.2	
		10-27-65	20.4	1304.5	
		12-16-65	14.9	1310.0	
		1-28-66	13.6	1311.3	
		2-25-66	13.0	1311.9	
		4-07-66	16.1	1308.8	
		4-28-66	16.5(4)	1308.4	
		6-09-66	17.8	1307.1	
		7-07-66	18.5	1306.4	
		8-12-66	18.8	1306.1	
		9-16-66	(1)		
04N/22W-11N09S	1371.4	7-29-65	7.7	1363.7	121
		8-25-65	12.9	1358.5	
		9-29-65	18.7	1352.7	
		10-27-65	11.0	1360.4	
		12-16-65	3.3	1368.1	
		1-28-66	4.2	1367.2	
		2-25-66	5.6	1365.8	
		4-08-66	4.6	1366.8	
		4-28-66	4.7	1366.7	
		6-10-66	6.4(4)	1365.0	
		7-08-66	11.0(4)	1360.4	
		8-12-66	9.4	1362.0	
		9-16-66	8.2	1363.2	
04N/22W-11P02S	1418.9	7-29-65	15.1	1403.8	121
		8-25-65	15.8	1403.1	
		9-30-65	15.6	1403.3	
		10-27-65	16.6	1402.3	
		12-16-65	6.3	1412.6	
		1-28-66	5.0	1413.9	
		2-25-66	7.0	1411.9	
		4-08-66	10.2	1408.7	
		4-28-66	10.9	1408.0	
		6-10-66	12.3(4)	1406.6	
		7-08-66	13.6	1405.3	
		8-12-66	15.2	1403.7	
		9-16-66	(1)		
04N/22W-11Q02S	1451.5	7-29-65	6.5	1445.0	121
		8-25-65	6.1	1445.4	
		9-30-65	6.4	1445.1	
		10-27-65	7.8(1)	1443.7	
		12-16-65	.9	1450.6	
		1-28-66	.1	1451.4	
		2-25-66	1.2	1450.3	
		4-08-66	3.2	1448.3	
		4-28-66	3.8	1447.7	
		6-10-66	3.4	1448.1	
		7-08-66	5.9(4)	1445.6	
		8-12-66	5.4	1446.1	
		9-16-66	4.9	1446.6	
04N/22W-12N01S	1506.0	7-29-65	35.2	1470.8	121
		8-25-65	36.5	1469.5	
		9-30-65	37.5	1468.5	
		10-27-65	39.5	1466.5	
		12-16-65	24.2	1481.8	
		1-28-66	21.8	1484.2	
		2-25-66	22.5	1483.5	
		4-08-66	26.3	1479.7	
		4-28-66	29.7	1476.3	
		6-10-66	27.3	1478.7	
		7-08-66	26.5	1479.5	
		8-12-66	29.2	1476.8	
		9-16-66	31.0	1475.0	
04N/22W-14C01S	1375.6	7-29-65	6.9(1)	1368.7	121
		8-25-65	6.0	1369.6	
		9-30-65	6.4	1369.2	
		10-27-65	7.6	1368.0	
		12-16-65	1.9	1373.7	
		1-28-66	.6	1375.0	
		2-25-66	(1)		
		4-07-66	1.6	1374.0	
		4-28-66	4.4	1371.2	
		6-10-66	1.9	1373.7	
		7-08-66	5.7	1369.9	
		8-12-66	5.9	1369.7	
		9-16-66	6.1	1369.5	
OJAI HYDRO SUBUNIT U-02.C0					
UPPER OJAI HYDRO SUBAREA U-02.C1					
04N/22W-17G01S	1246.9	9-03-65	120.6	1126.3	121
		10-22-65	104.4	1142.5	
		3-03-66	70.5	1176.4	
		5-26-66	64.9	1182.0	
		9-28-66	(3)		
OJAI HYDRO SUBAREA U-02.C2					
04N/22W-04J01S	1145.0	7-29-65	218.8	926.2	121
		8-25-65	218.5	926.5	
		10-27-65	218.7	926.3	
		12-10-65	197.5	947.5	
		1-28-66	168.2	976.8	
		2-25-66	168.0	977.0	
		4-08-66	182.8	962.2	
		4-28-66	180.0	965.0	
		6-10-66	226.0	919.0	
		7-08-66	196.0	949.0	
		8-12-66	200.4	944.6	
		9-16-66	209.6	935.4	
04N/22W-04L01S	1033.6	9-10-65	285.2	748.4	121
		10-27-65	288.5	745.1	
		3-03-66	152.6	881.0	
		5-27-66	(3)		
		7-14-66	241.5(1)	792.1	
04N/22W-04M05S	992.9	9-10-65	(1)		121
		10-27-65	(1)		
		3-03-66	168.1	824.8	
		5-27-66	(1)		
		9-28-66	214.7	778.2	
04N/22W-04P04S	1030.2	9-10-65	234.1	796.1	121
		10-27-65	(1)		
		3-03-66	117.6	912.6	
		5-27-66	121.1(3)	909.1	
04N/22W-04Q01S	1040.0	2-25-66	62.8	977.2	121
		5-27-66	63.0	977.0	
		9-28-66	(1)		
04N/22W-04R01S	1045.5	9-10-65	91.0	954.5	121
		10-27-65	91.2	954.3	
		3-03-66	20.5	1025.0	
		5-27-66	(5)		
		6-22-66	36.4	1009.1	
04N/22W-05C02S	923.4	7-30-65	273.1	650.3	121
		8-30-65	278.5	644.9	
		10-01-65	279.6	643.8	
		10-27-65	281.6	641.8	
		12-10-65	263.1	660.3	
		1-28-66	197.2	726.2	
		2-25-66	176.3	747.1	
		4-08-66	173.1	750.3	
		4-28-66	177.6	745.8	
		6-10-66	184.1	739.3	
		7-15-66	190.3	733.1	
		8-12-66	199.1	724.3	
		9-16-66	206.9	716.5	
04N/22W-05D01S	889.7	9-17-65	223.8	665.9	121
		11-04-65	232.1	657.6	
		3-04-66	131.7	758.0	
		6-15-66	155.6	734.1	
04N/22W-05D03S	895.5	9-10-65	260.0	635.5	121
		11-04-65	266.5	629.0	
		3-04-66	142.8	752.7	
		6-15-66	161.5	734.0	
04N/22W-05E05S	858.5	7-30-65	247.4	611.1	121
		8-30-65	259.3(2)	599.2	
		10-01-65	261.7(2)	596.8	
		10-27-65	248.3	610.2	
		12-10-65	218.9	639.6	
		1-28-66	136.2	722.3	
		2-25-66	114.9	743.6	
		4-08-66	116.0	742.5	
		4-28-66	120.3	738.2	
		6-10-66	127.1	731.4	
		7-15-66	135.3	723.2	
		8-17-66	154.3(2)	704.2	
		9-16-66	163.3(2)	695.2	
04N/22W-05E07S	896.1	9-10-65	261.9	634.2	121
		11-04-65	268.1	628.0	
		3-04-66	143.9	752.2	
		6-15-66	161.2	734.9	
04N/22W-05G01S	927.4	9-10-65	DRY		121
		11-04-65	DRY		
		3-03-66	179.9	747.5	
		6-15-66	180.4	747.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
VENTURA RIVER HYDRO UNIT					U-02.00
OJAI HYDRO SUBUNIT				U-02.C0	
OJAI HYDRO SUBAREA					U-02.C2
04N/22W-05G02S	915.0	9-10-65	(1)		121
		11-04-65	288.7	626.3	
		3-03-66	167.6	747.4	
		6-15-66	(1)		
04N/22W-05H04S	949.3	9-17-65	(1)		121
		11-04-65	314.3	635.0	
		3-04-66	195.2	754.1	
		6-16-66	(5)		
		6-24-66	200.1	749.2	
04N/22W-05J05S	943.8	9-03-65	(1)		121
		10-27-65	(1)		
		3-03-66	128.5	815.3	
		5-27-66	(1)		
04N/22W-05J06S	973.3	7-30-65	(2)		121
		8-25-65	(2)		
		10-01-65	(2)		
		10-27-65	326.7	646.6	
		12-10-65	303.7	669.6	
		1-28-66	(2)		
		2-25-66	(2)		
		4-08-66	(2)		
		4-28-66	(2)		
		6-10-66	(2)		
		7-15-66	(2)		
		8-12-66	(2)		
		9-16-66	(2)		
04N/22W-05J07S	911.7	9-10-65	276.6	635.1	121
		11-04-65	(8)		
		3-03-66	163.3	748.4	
		6-24-66	(1)		
04N/22W-05K01S	912.2	9-10-65	(1)		121
		11-04-65	(3)		
		3-03-66	165.0	747.2	
		5-27-66	(1)		
		6-23-66	174.2	738.0	
04N/22W-05K03S	897.7	9-10-65	268.6	629.1	121
		11-04-65	272.4	625.3	
		3-03-66	151.1	746.6	
		5-27-66	(1)		
04N/22W-05L03S	875.6	9-17-65	266.1(1)	609.5	121
		11-04-65	259.1	616.5	
		3-04-66	129.5	746.1	
		6-16-66	138.1	737.5	
04N/22W-05L05S	868.3	9-03-65	(8)		121
		10-22-65	(4)		
		2-18-66	(8)		
04N/22W-05L06S	867.4	9-03-65	246.1	621.3	121
		10-22-65	(1)		
		2-18-66	130.7	736.7	
		5-26-66	128.2	739.2	
		9-29-66	(1)		
04N/22W-05L07S	877.7	9-10-65	(1)		121
		11-03-65	(4)		
		3-03-66	133.7	744.0	
		6-23-66	(1)		
04N/22W-05L08S	890.7	7-30-65	259.6(4)	631.1	121
		8-30-65	266.1	624.6	
		10-01-65	267.2	623.5	
		10-27-65	278.4	612.3	
		12-10-65	243.1	647.6	
		1-28-66	175.8	714.9	
		2-25-66	148.6	742.1	
		4-08-66	143.2	747.5	
		4-28-66	149.6	741.1	
		6-10-66	166.6	724.1	
		7-15-66	(1)		
		8-12-66	(1)		
		9-16-66	(1)		
04N/22W-05M01S	842.4	9-17-65	(1)		121
		11-04-65	232.2	610.2	
		3-04-66	96.6	745.8	
		6-17-66	121.9(1)	720.5	
04N/22W-05M03S	843.2	9-17-65	221.3	621.9	121
		11-04-65	226.8	616.4	
		3-04-66	97.9	745.3	
		6-16-66	164.6	678.6	
		6-24-66	109.3	733.9	
04N/22W-05R03S	911.4	9-03-65	(8)		121
		10-27-65	(1)		
		3-03-66	131.9	779.5	
		5-27-66	(1)		
04N/22W-05R04S	914.2	9-03-65	132.9	781.3	121
					U-02.00
OJAI HYDRO SUBUNIT				U-02.C0	
OJAI HYDRO SUBAREA					U-02.C2
04N/22W-05R04S (CONT.)	914.2	10-27-65	138.4	775.8	121
		3-03-66	40.6	873.6	
		6-23-66	46.1	868.1	
04N/22W-06D01S	844.7	9-22-65	146.7	698.0	121
		11-05-65	148.7	696.0	
		3-10-66	97.9	746.8	
		6-24-66	106.7	738.0	
04N/22W-06D05S	851.4	9-22-65	188.2(4)	663.2	121
		11-05-65	251.6(1)	599.8	
		3-10-66	105.5	745.9	
		6-24-66	(9)		
04N/22W-06E01S	819.6	7-30-65	167.0	652.6	121
		8-30-65	178.8	640.8	
		10-01-65	187.0	632.6	
		10-27-65	189.0	630.6	
		12-10-65	160.6	659.0	
		1-28-66	112.3	707.3	
		2-25-66	91.3	728.3	
		4-08-66	84.8	734.8	
		4-28-66	85.0	734.6	
		6-10-66	88.2	731.4	
		7-15-66	85.5	734.1	
		8-17-66	96.5	723.1	
		9-20-66	109.0	710.6	
04N/22W-06E03S	841.3	9-22-65	174.2	667.1	121
		11-05-65	178.0(2)	663.3	
		3-10-66	98.3(2)	743.0	
		6-24-66	107.2(2)	734.1	
04N/22W-06E05S	817.9	9-22-65	189.5	628.4	121
		11-05-65	199.5	618.4	
		3-10-66	81.7	736.2	
		6-24-66	90.5	727.4	
04N/22W-06G02S	833.8	9-22-65	261.3(1)	572.5	121
		11-04-65	255.8(1)	578.0	
		3-04-66	84.8	749.0	
		6-24-66	119.8(1)	714.0	
04N/22W-06G03S	813.4	9-22-65	213.3	600.1	121
		11-04-65	227.1	586.3	
		3-04-66	71.7	741.7	
		6-17-66	97.9	715.5	
04N/22W-06H01S	864.7	9-17-65	239.8	624.9	121
		11-04-65	244.1	620.6	
		3-04-66	112.8	751.9	
		6-16-66	(1)		
04N/22W-06J03S	823.6	9-17-65	220.7(4)	602.9	121
		11-04-65	225.9	597.7	
		3-04-66	81.0	742.6	
		6-17-66	105.4	718.2	
04N/22W-06J04S	844.8	9-17-65	264.0(1)	580.8	121
		11-04-65	240.9(5)	603.9	
		2-04-66	(7)		
		4-12-66	102.3(5)	742.5	
		6-17-66	126.2(4)	718.6	
		6-24-66	118.5(5)	726.3	
04N/22W-06J06S	809.0	9-17-65	184.4	624.6	121
		11-04-65	(1)		
		3-04-66	63.7	745.3	
		6-16-66	101.8	707.2	
04N/22W-06K03S	801.1	7-30-65	303.3(1)	497.8	121
		8-30-65	322.3(1)	478.8	
		10-01-65	311.3(1)	489.8	
		10-27-65	313.3(1)	487.8	
		12-10-65	(4)		
		12-16-65	163.3(5)	637.8	
		1-28-66	86.3(5)	714.8	
		2-25-66	157.3(5)	643.8	
		4-08-66	229.3(1)	571.8	
		4-28-66	212.3(1)	588.8	
		6-10-66	219.3	581.8	
		7-15-66	216.3(5)	584.8	
		8-17-66	(1)		
		9-16-66	(1)		
04N/22W-06K04S	803.6	9-22-65	137.2(2)	666.4	121
		11-04-65	127.4(2)	676.2	
		3-04-66	(9)		
04N/22W-06K05S	806.1	9-22-65	(1)		121
		11-04-65	(1)		
		3-04-66	74.3	731.8	
		6-17-66	95.8	710.3	
		6-24-66	113.3(5)	692.8	
04N/22W-06K06S	812.9	9-22-65	240.7(1)	572.2	121
		11-04-65	(1)		
		3-04-66	72.0	740.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
VENTURA RIVER HYDRO UNIT U-02.00					
OJAI HYDRO SUBUNIT U-02.C0					
OJAI HYDRO SUBAREA U-02.C2					
04N/22W-06K06S (CONT.)	812.9	6-17-66	(1)		121
04N/22W-06K09S	801.2	9-03-65	176.4	624.8	121
		10-21-65	172.8(5)	628.4	
		2-18-66	62.3	738.9	
		5-25-66	68.8	732.4	
		9-22-66	130.8(4)	670.4	
04N/22W-06L01S	806.1	9-22-65	183.5	622.6	121
		11-05-65	189.5	616.6	
		3-04-66	69.6	736.5	
		6-24-66	54.3	751.8	
04N/22W-06L02S	804.2	9-22-65	98.2	706.0	121
		11-05-65	99.2	705.0	
		3-04-66	64.4	739.8	
		6-24-66	69.9	734.3	
04N/22W-06L06S	808.4	9-22-65	263.0(1)	545.4	121
		11-04-65	272.2(1)	536.2	
		3-04-66	69.0	739.4	
		6-17-66	(2)		
		6-24-66	113.6(1)	694.8	
04N/22W-06M01S	794.4	9-22-65	101.6	692.8	121
		11-05-65	102.5	691.9	
		3-10-66	61.1	733.3	
04N/22W-06Q01S	775.9	7-29-65	40.5	735.4	121
		8-25-65	40.2	735.7	
		9-30-65	42.2	733.7	
		10-27-65	43.9	732.0	
		12-10-65	27.9	748.0	
		1-28-66	28.8	747.1	
		2-25-66	30.4	745.5	
		4-07-66	31.4	744.5	
		4-28-66	31.9	744.0	
		6-10-66	31.3	744.6	
		7-07-66	32.7(4)	743.2	
		8-11-66	38.5	737.4	
		9-16-66	38.5	737.4	
04N/22W-06Q02S	788.8	9-03-65	43.3	745.5	121
		10-22-65	41.7	747.1	
		2-18-66	40.2	748.6	
		5-25-66	41.6	747.2	
		9-22-66	44.6	744.2	
04N/22W-06R02S	821.6	9-17-65	207.2	614.4	121
		11-04-65	(1)		
		3-04-66	77.0	744.6	
		6-17-66	95.7	725.9	
04N/22W-07A01S	796.9	9-03-65	(1)		121
		10-22-65	197.9(1)	599.0	
		2-18-66	76.0	720.9	
		5-26-66	74.4	722.5	
		9-29-66	(1)		
04N/22W-07A03S	800.5	9-03-65	(3)		121
		10-22-65	(3)		
		2-18-66	81.6	718.9	
		5-26-66	(4)		
		9-29-66	(4)		
04N/22W-07B02S	772.6	7-29-65	142.0	630.6	121
		8-25-65	146.1	626.5	
		9-30-65	151.6	621.0	
		10-27-65	149.1	623.5	
		12-10-65	124.4	648.2	
		1-28-66	66.1	706.5	
		2-25-66	47.3	725.3	
		4-07-66	47.8	724.8	
		4-28-66	68.8(4)	703.8	
		6-10-66	50.2	722.4	
		7-07-66	55.4(4)	717.2	
		8-12-66	(9)		
		9-16-66	79.2	693.4	
04N/22W-07B04S	785.9	9-03-65	113.4	672.5	121
		10-22-65	116.8	669.1	
		2-18-66	63.3	722.6	
		5-25-66	52.3	733.6	
		9-29-66	106.3	679.6	
04N/22W-07B05S	786.0	10-22-65	119.6	666.4	121
		2-18-66	62.1	723.9	
		5-25-66	51.2	734.8	
		9-29-66	103.6	682.4	
04N/22W-07C01S	765.4	9-03-65	57.1	708.3	121
		10-14-65	58.6(1)	706.8	
		2-18-66	26.0	739.4	
		5-25-66	29.8	735.6	
		9-22-66	(1)		
OJAI HYDRO SUBUNIT U-02.C0					
OJAI HYDRO SUBAREA U-02.C2					
04N/22W-07C05S	763.4	7-29-65	135.6	627.8	121
		8-25-65	140.1	623.3	
		9-30-65	146.6	616.8	
		10-27-65	144.2	619.2	
		12-10-65	118.4	645.0	
		1-28-66	58.9	704.5	
		2-25-66	41.0	722.4	
		4-07-66	42.7	720.7	
		4-28-66	41.0	722.4	
		6-10-66	43.0	720.4	
		7-07-66	46.7	716.7	
		8-11-66	56.5	706.9	
		9-16-66	74.0	689.4	
04N/22W-07G01S	769.0	9-03-65	93.2(1)	675.8	121
		10-22-65	93.8(1)	675.2	
		2-18-66	45.8	723.2	
		5-25-66	38.6	730.4	
		9-22-66	52.3(1)	716.7	
04N/22W-08B02S	868.7	9-03-65	(1)		121
		10-22-65	242.1	626.6	
		3-03-66	123.0	745.7	
		5-26-66	116.6	752.1	
		9-29-66	(3)		
04N/22W-08B03S	872.3	9-03-65	174.0(2)	698.3	121
		10-27-65	174.4	697.9	
		3-03-66	130.3	742.0	
		5-26-66	91.5	780.8	
		9-29-66	(1)		
04N/22W-08D01S	828.4	9-03-65	224.1(5)	604.3	121
		10-22-65	238.1(1)	590.3	
		3-03-66	88.5	739.9	
		5-26-66	(1)		
		9-28-66	(1)		
04N/23W-01F02S	793.6	9-22-65	24.8	768.8	121
		11-05-65	25.7	767.9	
		3-10-66	10.9	782.7	
04N/23W-01L01S	787.2	9-22-65	21.9	765.3	121
		11-05-65	22.4	764.8	
		3-10-66	12.8	774.4	
04N/23W-12B01S	741.9	9-03-65	59.5	682.4	121
		10-22-65	64.9	677.0	
		2-18-66	49.8	692.1	
		5-25-66	24.1	717.8	
04N/23W-12H02S	714.6	7-29-65	44.0(4)	670.6	121
		8-25-65	44.8(4)	669.8	
		9-30-65	43.0(4)	671.6	
		10-27-65	46.0	668.6	
		12-10-65	40.7	673.9	
		1-28-66	33.6	681.0	
		2-25-66	31.0	683.6	
		4-07-66	29.7	684.9	
		4-28-66	29.5	685.1	
		6-10-66	27.0	687.6	
		7-07-66	31.1	683.5	
		8-11-66	33.1	681.5	
		9-16-66	34.8(4)	679.8	
04N/23W-12N01S	617.4	8-13-65	17.1	600.3	121
		10-21-65	17.4	600.0	
		2-16-66	14.1	603.3	
		5-19-66	16.1	601.3	
		8-04-66	18.6	598.8	
05N/22W-32J02S	1139.2	9-17-65	167.9	971.3	121
		10-14-65	131.4	1007.8	
		11-04-65	115.4	1023.8	
		3-04-66	52.4	1086.8	
		6-16-66	(9)		
		6-24-66	(1)		
05N/22W-32P01S	975.1	9-17-65	236.0	739.1	121
		11-04-65	244.7	730.4	
		3-04-66	192.1	783.0	
		6-16-66	220.9	754.2	
05N/22W-32R01S	1002.2	9-17-65	196.2	806.0	121
		11-04-65	202.9	799.3	
		3-04-66	(3)		

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/21W-08L01S	10.0	10-08-65	76.6	-66.6	121
		2-16-66	51.1	-41.1	
		4-14-66	45.6	-35.6	
		6-23-66	50.3	-40.3	
		9-08-66	72.5	-62.5	
01S/21W-08L02S	10.0	10-08-65	21.6	-11.6	121
		2-16-66	19.4	-9.4	
		4-14-66	17.7	-7.7	
		6-23-66	18.2	-8.2	
		9-08-66	20.9	-10.9	
01N/21W-04M01S	50.4	9-17-65	109.6(1)	-59.2	121
		2-18-66	99.8	-49.4	
		9-06-66	(8)		
01N/21W-04M02S	50.3	7-29-65	136.2(1)	-85.9	121
		8-31-65	(1)		
		9-29-65	(1)		
		10-27-65	126.2	-75.9	
		12-01-65	126.2	-75.9	
		2-10-66	114.8(3)	-64.5	
		3-18-66	144.2(1)	-93.9	
		4-29-66	143.2(1)	-92.9	
		6-06-66	(1)		
		6-29-66	120.2	-69.9	
		8-10-66	(1)		
01N/21W-05H01S	47.5	9-16-65	108.0	-60.5	121
		8-02-66	89.4	-41.9	
01N/21W-07H01S	39.6	7-28-65	80.4	-40.8	121
		8-31-65	(1)		
		9-29-65	79.3	-39.7	
		10-27-65	87.0	-47.4	
		12-01-65	69.7	-30.1	
		12-28-65	67.7	-28.1	
		2-09-66	56.2	-16.6	
		3-14-66	60.4	-20.8	
		4-28-66	85.7(1)	-46.1	
		6-06-66	71.2	-31.6	
		6-28-66	76.0	-36.4	
		8-10-66	(1)		
01N/21W-17B01S	29.5	7-28-65	85.8(1)	-56.3	121
		8-31-65	106.4(1)	-76.9	
		9-29-65	92.8(1)	-63.3	
		10-27-65	96.5(1)	-67.0	
		12-01-65	54.8	-25.3	
		12-28-65	48.8	-19.3	
		2-09-66	45.1	-15.6	
		3-17-66	49.2	-19.7	
		4-29-66	61.6	-32.1	
		6-06-66	61.2	-31.7	
		6-28-66	93.8(1)	-64.3	
		8-10-66	69.2	-39.7	
01N/21W-17Q01S	23.5	9-16-65	60.0	-36.5	121
		8-11-66	(5)		
01N/21W-18G01S	29.1	9-16-65	84.4(2)	-55.3	121
		8-11-66	73.4	-44.3	
01N/21W-18G02S	28.9	9-16-65	88.1(1)	-59.2	121
		8-11-66	73.2	-44.3	
01N/21W-19A01S	21.8	7-06-65	72.5	-50.7	411
		7-13-65	70.6	-48.8	
		7-20-65	74.6	-52.8	
		7-27-65	70.6	-48.8	
		8-03-65	69.0	-47.2	
		8-10-65	73.3	-51.5	
		8-17-65	80.1	-58.3	
		8-24-65	79.9	-58.1	
		8-31-65	79.1	-57.3	
		9-07-65	78.2	-56.4	
		9-11-65	78.9	-57.1	
		9-18-65	79.4	-57.6	
		9-25-65	79.0	-57.2	
		10-02-65	69.9	-48.1	
		10-09-65	65.0	-43.2	
		10-16-65	78.1	-56.3	
		10-23-65	77.9	-56.1	
		10-30-65	76.5	-54.7	
		11-06-65	76.6	-54.8	
		11-13-65	79.2	-57.4	
		11-20-65	59.5	-37.7	
		11-27-65	54.3	-32.5	
		12-04-65	52.1	-30.3	
		12-11-65	48.4	-26.6	
		12-18-65	46.0	-24.2	
		12-24-65	50.9	-29.1	
		12-29-65	47.9	-26.1	
		1-02-66	44.9	-23.1	
		1-08-66	43.5	-21.7	
		1-15-66	44.0	-22.2	
		1-22-66	47.7	-25.9	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/21W-19A01S	21.8	1-29-66	48.1	-26.3	411
(CONT.)		2-05-66	41.6	-19.8	
		2-12-66	39.6	-17.8	
		2-19-66	41.3	-19.5	
		2-26-66	42.8	-21.0	
		3-05-66	45.6	-23.8	
		3-12-66	46.7	-24.9	
		3-19-66	50.1	-28.3	
		3-26-66	58.4	-36.6	
		4-02-66	60.1	-38.3	
		4-09-66	69.4	-47.6	
		4-16-66	74.6	-52.8	
		4-22-66	81.3	-59.5	
		4-30-66	75.1	-53.3	
		5-07-66	74.6	-52.8	
		5-14-66	82.5	-60.7	
		5-21-66	76.6	-54.8	
		5-28-66	76.4	-54.6	
		6-04-66	74.8	-53.0	
		6-11-66	76.6	-54.8	
		6-18-66	74.0	-52.2	
		6-22-66	67.0	-45.2	
		6-29-66	65.8	-44.0	
		7-06-66	66.8	-45.0	
		7-08-66	66.0	-44.2	
		7-20-66	67.0	-45.2	
		7-27-66	70.8	-49.0	
		8-03-66	71.0	-49.2	
		8-10-66	84.8	-63.0	
		8-17-66	79.6	-57.8	
		8-24-66	80.8	-59.0	
		8-31-66	77.3	-55.5	
		9-24-66	76.5	-54.7	
01N/21W-19B01S	23.0	9-16-65	93.4(1)	-70.4	121
		8-11-66	(3)		
01N/21W-19K04S	20.1	9-17-65	74.2	-54.1	121
		2-17-66	52.2(3)	-32.1	
		8-11-66	81.2(1)	-61.1	
01N/21W-19N01S	18.2	8-31-65	62.0	-43.8	121
		9-29-65	59.0	-40.8	
		10-27-65	56.3	-38.1	
		12-07-65	42.0	-23.8	
		12-28-65	40.3	-22.1	
		2-09-66	33.8	-15.6	
		3-17-66	39.0	-20.8	
		4-29-66	49.7	-31.5	
		6-06-66	(6)		
01N/21W-20N01S	18.0	9-17-65	106.9	-88.9	121
		2-17-66	33.5	-15.5	
		8-11-66	50.1	-32.1	
01N/21W-21B04S	15.0	2-11-66	38.6	-23.6	121
		4-15-66	37.9	-22.9	
		6-23-66	40.9	-25.9	
		9-08-66	50.7	-35.7	
01N/21W-21D02S	22.9	7-28-65	69.5	-46.6	121
		8-31-65	84.7	-61.8	
		9-29-65	83.0	-60.1	
		10-27-65	74.7	-51.8	
		12-01-65	66.1	-43.2	
		12-28-65	56.3	-33.4	
		2-09-66	50.0	-27.1	
		3-17-66	49.5	-26.6	
		4-29-66	61.0	-38.1	
		6-06-66	60.2	-37.3	
		6-28-66	58.7	-35.8	
		8-10-66	70.7	-47.8	
01N/21W-21L01S	10.0	10-08-65	(9)		121
		2-16-66	20.8	-10.8	
		4-14-66	(7)		
01N/21W-21N01S	15.2	9-17-65	91.7	-76.5	121
		2-17-66	87.5(5)	-72.3	
		8-11-66	126.5(1)	-111.3	
01N/21W-28F02S	15.2	10-08-65	57.4	-42.2	121
		4-14-66	38.1	-22.9	
		6-23-66	(9)		
		9-08-66	59.1	-43.9	
01N/21W-28N01S	12.0	10-08-65	40.1	-28.1	121
		2-16-66	(2)		
		4-14-66	27.4	-15.4	
		6-23-66	30.7	-18.7	
		9-08-66	40.5	-28.5	
01N/21W-29B02S	17.9	8-06-65	81.2	-63.3	121
		9-15-65	88.4	-70.5	
		10-08-65	122.7(1)	-104.8	
		11-05-65	88.7	-70.8	
		12-07-65	60.7	-42.8	
		2-11-66	56.7	-38.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01N/21W-29B02S (CONT.)	17.9	4-15-66	104.7(1)	-86.8	121
		6-23-66	59.7	-41.8	
		9-14-66	(3)		
01N/21W-29C04S	17.2	7-02-65	47.5	-30.3	121
		8-06-65	54.0	-36.8	
		9-15-65	64.5(4)	-47.3	
		10-08-65	73.5(1)	-56.3	
		11-05-65	62.0(4)	-44.8	
		12-07-65	43.5	-26.3	
		2-11-66	34.8	-17.6	
		4-15-66	54.2	-37.0	
		6-23-66	46.3	-29.1	
		9-14-66	72.7(1)	-55.5	
01N/21W-29D01S	18.9	7-02-65	79.0	-60.1	121
		8-06-65	81.6	-62.7	
		9-15-65	105.8(1)	-86.9	
		10-08-65	128.0(1)	-109.1	
		11-05-65	92.0	-73.1	
		12-07-65	77.0	-58.1	
		2-11-66	(8)		
		4-15-66	102.0(1)	-83.1	
		6-23-66	81.8	-62.9	
		9-14-66	121.3(1)	-102.4	
01N/21W-29D02S	19.6	9-17-65	62.2	-42.6	121
		2-17-66	35.3	-15.7	
		8-11-66	(5)		
01N/21W-30F01S	14.9	9-17-65	54.6	-39.7	121
		2-16-66	30.3	-15.4	
		8-11-66	48.4	-33.5	
01N/21W-30F02S	16.1	9-17-65	76.0	-59.9	121
		2-16-66	49.0(3)	-32.9	
		8-11-66	80.7	-64.6	
01N/21W-31L01S	8.6	10-03-65	90.0	-81.4	121
		2-13-66	50.0	-41.4	
		4-09-66	54.0	-45.4	
		6-18-66	59.0	-50.4	
		8-28-66	87.0	-78.4	
01N/21W-32A01S	10.0	10-03-65	92.1	-82.1	121
		2-13-66	52.1	-42.1	
		4-09-66	56.5	-46.5	
		6-18-66	62.3	-52.3	
		8-28-66	88.5	-78.5	
01N/21W-32A02S	12.8	10-08-65	86.9	-74.1	121
		2-16-66	(9)		
		4-14-66	53.7	-40.9	
		6-23-66	57.1	-44.3	
		9-08-66	87.0	-74.2	
01N/21W-32G01S	10.0	2-16-66	24.0	-14.0	121
		4-14-66	30.0	-20.0	
		6-23-66	31.3	-21.3	
		9-08-66	41.4	-31.4	
01N/21W-32K01S	10.1	10-03-65	90.0	-79.9	121
		2-13-66	49.0	-38.9	
		4-09-66	54.0	-43.9	
		6-18-66	59.8	-49.7	
		8-28-66	88.0	-77.9	
01N/21W-32L01S	9.6	10-08-65	42.7	-33.1	121
		2-16-66	22.2	-12.6	
		4-14-66	28.5	-18.9	
		6-23-66	29.4	-19.8	
		9-08-66	39.7	-30.1	
01N/21W-32Q01S	9.5	10-08-65	76.0	-66.5	121
		2-16-66	42.1	-32.6	
		4-14-66	43.8	-34.3	
		6-23-66	46.9	-37.4	
		9-08-66	73.0	-63.5	
01N/22W-01A01S	53.6	9-16-65	93.9	-40.3	121
		8-02-66	77.5	-23.9	
01N/22W-01F01S	56.1	9-16-65	90.7	-34.6	121
		8-02-66	79.7	-23.6	
01N/22W-01P01S	51.7	7-06-65	81.4	-29.7	411
		7-13-65	79.9	-28.2	
		7-20-65	82.8	-31.1	
		7-27-65	85.8	-34.1	
		8-03-65	84.8	-33.1	
		8-10-65	86.2	-34.5	
		8-17-65	88.4	-36.7	
		8-24-65	87.3	-35.6	
		8-31-65	88.4	-36.7	
		9-07-65	88.3	-36.6	
		9-11-65	87.6	-35.9	
		9-18-65	88.2	-36.5	
		9-25-65	88.4	-36.7	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/22W-01P01S (CONT.)	51.7	10-02-65	88.4	-36.7	411
		10-09-65	88.4	-36.7	
		10-16-65	85.9	-34.2	
		10-23-65	88.4	-36.7	
		10-30-65	88.4	-36.7	
		11-06-65	88.4	-36.7	
		11-13-65	87.3	-35.6	
		11-20-65	79.9	-28.2	
		11-27-65	78.0	-26.3	
		12-04-65	76.9	-25.2	
		12-11-65	76.5	-24.8	
		12-18-65	75.4	-23.7	
		12-24-65	79.1	-27.4	
		12-29-65	75.1	-23.4	
		1-02-66	73.0	-21.3	
		1-08-66	72.2	-20.5	
		1-15-66	73.7	-22.0	
		1-22-66	73.6	-21.9	
		1-29-66	75.7	-24.0	
		2-05-66	69.2	-17.5	
		2-12-66	73.6	-21.9	
		2-19-66	73.7	-22.0	
		2-26-66	77.9	-26.2	
		3-05-66	76.8	-25.1	
		3-12-66	78.4	-26.7	
		3-19-66	77.4	-25.7	
		3-26-66	82.1	-30.4	
		4-02-66	77.7	-26.0	
		4-09-66	79.9	-28.2	
		4-16-66	76.5	-24.8	
		4-22-66	77.9	-26.2	
		4-30-66	78.7	-27.0	
		5-07-66	79.7	-28.0	
		5-14-66	73.5	-21.8	
		5-21-66	77.3	-25.6	
		5-28-66	74.2	-22.5	
		6-04-66	74.4	-22.7	
		6-11-66	72.4	-20.7	
		6-18-66	74.0	-22.3	
		6-22-66	75.1	-23.4	
		6-29-66	71.4	-19.7	
		7-06-66	73.5	-21.8	
		7-13-66	73.4	-21.7	
		7-20-66	78.3	-26.6	
		7-27-66	75.1	-23.4	
		8-03-66	77.4	-25.7	
		8-10-66	80.8	-29.1	
		8-17-66	81.5	-29.8	
		8-24-66	81.7	-30.0	
		8-31-66	83.3	-31.6	
		9-07-66	84.3	-32.6	
		9-10-66	85.6	-33.9	
		9-17-66	82.8	-31.1	
		9-24-66	83.9	-32.2	
01N/22W-01P02S	50.0	9-15-65	88.2	-38.2	121
		4-19-66	77.1	-27.1	
		7-07-66	71.8	-21.8	
01N/22W-02E01S	58.8	7-28-65	88.8	-30.0	121
		8-31-65	90.1	-31.3	
		9-29-65	90.5	-31.7	
		10-27-65	90.9	-32.1	
		12-08-65	77.1	-18.3	
		12-28-65	71.1	-12.3	
		2-09-66	(2)		
		3-11-66	74.9	-16.1	
		4-28-66	83.4	-24.6	
		5-27-66	87.1	-28.3	
		6-28-66	(1)		
		8-10-66	77.7	-18.9	
01N/22W-02K03S	54.5	9-15-65	96.3(1)	-41.8	121
		4-19-66	93.7(1)	-39.2	
		7-07-66	75.7	-21.2	
01N/22W-02N01S	54.0	9-15-65	90.8	-36.8	121
		4-20-66	75.7	-21.7	
		7-07-66	72.8	-18.8	
01N/22W-03F01S	55.7	7-23-65	99.6(1)	-43.9	209
		8-14-65	103.6(1)	-47.9	
		9-13-65	102.6(1)	-46.9	
		10-01-65	104.6(1)	-48.9	
		11-22-65	85.6(5)	-29.9	
		12-16-65	100.6(1)	-44.9	
		1-03-66	96.6(1)	-40.9	
		2-16-66	90.6(1)	-34.9	
		3-28-66	89.6(1)	-33.9	
		4-28-66	93.6(1)	-37.9	
		6-01-66	92.6(1)	-36.9	
		7-28-66	91.6(1)	-35.9	
		8-22-66	95.6(1)	-39.9	
		9-14-66	96.6(1)	-40.9	
01N/22W-03F02S	55.8	7-23-65	89.6(1)	-33.8	209
		8-02-65	89.6(1)	-33.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/22W-03F03S	55.9	8-02-65	80.1(2)	-24.2	209
(CONT.)		9-13-65	89.1(2)	-33.2	
		10-01-65	88.6(2)	-32.7	
		11-22-65	82.6(5)	-26.7	
		2-17-66	73.6(2)	-17.7	
		3-28-66	76.6(5)	-20.7	
		6-01-66	74.6(5)	-18.7	
		6-27-66	70.1(5)	-14.2	
		7-28-66	78.6(1)	-22.7	
01N/22W-03K14S	52.0	8-02-65	81.0(5)	-29.0	209
		1-26-66	79.0(5)	-27.0	
		6-27-66	72.0(5)	-20.0	
		9-14-66	83.0(5)	-31.0	
01N/22W-04F01S	43.8	7-28-65	65.9	-22.1	121
		8-31-65	63.7(1)	-19.9	
		9-29-65	64.4	-20.6	
		10-26-65	64.9	-21.1	
		12-01-65	62.0	-18.2	
		12-28-65	61.2	-17.4	
		2-08-66	58.4	-14.6	
		3-11-66	58.3	-14.5	
		4-28-66	60.3	-16.5	
		6-03-66	61.7	-17.9	
		6-28-66	58.2	-14.4	
		8-10-66	(1)		
01N/22W-04F04S	47.1	7-09-65	94.6(1)	-47.5	209
		8-02-65	95.1(1)	-48.0	
		9-13-65	97.6(1)	-50.5	
		10-01-65	112.6(1)	-65.5	
		11-22-65	81.6(5)	-34.5	
		1-03-66	102.6(1)	-55.5	
		2-17-66	92.6(1)	-45.5	
		3-28-66	92.6(1)	-45.5	
		4-28-66	96.6(1)	-49.5	
		6-01-66	99.6(1)	-52.5	
		7-12-66	103.6(1)	-56.5	
		7-28-66	104.6(1)	-57.5	
		8-22-66	107.6(1)	-60.5	
		9-14-66	108.6(1)	-61.5	
01N/22W-05B01S	41.0	8-13-65	68.4	-27.4	121
		10-19-65	71.8	-30.8	
		4-21-66	(4)		
		7-25-66	(4)		
01N/22W-05G03S	32.0	11-22-65	71.0(5)	-39.0	209
		12-16-65	70.0(5)	-38.0	
		1-12-66	65.0(5)	-33.0	
		2-17-66	89.0(1)	-57.0	
		3-28-66	88.0(1)	-56.0	
		4-28-66	92.0(1)	-60.0	
		6-01-66	95.0(1)	-63.0	
		7-12-66	65.0(5)	-33.0	
		8-22-66	65.0(5)	-33.0	
		9-14-66	101.0(1)	-69.0	
01N/22W-05K01S	30.0	10-19-65	71.3(1)	-41.3	121
		4-21-66	(4)		
		7-25-66	52.0(5)	-22.0	
01N/22W-05M01S	28.4	4-21-65	56.1(1)	-27.7	121
		8-13-65	65.1	-36.7	
		10-19-65	63.9	-35.5	
		7-25-66	43.0	-14.6	
01N/22W-06B01S	24.0	8-13-65	60.5	-36.5	121
		10-19-65	65.3(1)	-41.3	
		4-21-66	52.4	-28.4	
		7-25-66	40.1	-16.1	
01N/22W-06J01S	20.0	7-27-65	43.6	-23.6	411
		8-25-65	(1)		
		9-26-65	36.1	-16.1	
		10-23-65	(1)		
		11-26-65	40.1	-20.1	
		12-31-65	30.8	-10.8	
		1-27-66	32.0	-12.0	
		2-27-66	(1)		
		3-27-66	12.6	7.4	
		4-30-66	15.8	4.2	
		5-28-66	11.4	8.6	
		6-27-66	11.2	8.8	
		7-28-66	11.8	8.2	
		8-25-66	14.3	5.7	
		9-25-66	17.7	2.3	
01N/22W-06J02S	23.0	4-13-66	9.3	13.7	121
		6-22-66	9.1	13.9	
		9-14-66	11.4	11.6	
01N/22W-06M01S	13.1	9-24-65	9.2	3.9	121
		4-14-66	8.8	4.3	
		6-22-66	9.0	4.1	
		9-14-66	9.1	4.0	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/22W-07A02S	18.2	9-24-65	9.9	8.3	121
		4-14-66	8.0	10.2	
		6-22-66	9.7	8.5	
		9-14-66	9.7	8.5	
01N/22W-07D01S	12.1	7-28-65	29.9	-17.8	121
		8-31-65	44.6(1)	-32.5	
		9-29-65	38.9	-26.8	
		10-26-65	41.9(1)	-29.8	
		12-01-65	34.9	-22.8	
		12-28-65	32.9	-20.8	
		2-08-66	25.9	-13.8	
		3-11-66	27.9	-15.8	
		4-28-66	37.1	-25.0	
		6-03-66	39.4	-27.3	
		6-28-66	25.9	-13.8	
		8-10-66	35.7	-23.6	
01N/22W-07J01S	11.1	8-13-65	43.8	-32.7	121
		10-19-65	41.8	-30.7	
		4-25-66	31.0	-19.9	
		7-25-66	23.8	-12.7	
01N/22W-08B02S	26.0	8-13-65	61.0	-35.0	121
		10-19-65	(1)		
		4-21-66	51.8	-25.8	
		7-25-66	(1)		
01N/22W-08B03S	30.2	9-24-65	14.8	15.4	121
		4-14-66	13.0	17.2	
		6-22-66	13.6	16.6	
		9-14-66	15.2	15.0	
01N/22W-08Q01S	18.1	7-26-65	40.9	-22.8	411
		8-25-65	47.2	-29.1	
		9-26-65	48.4	-30.3	
		10-23-65	(1)		
		11-26-65	37.4	-19.3	
		12-31-65	33.7	-15.6	
		1-27-66	(1)		
		2-27-66	36.6	-18.5	
		3-27-66	34.6	-16.5	
		5-01-66	40.0	-21.9	
		5-28-66	40.4	-22.3	
		6-27-66	(1)		
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	44.8	-26.7	
01N/22W-09C03S	30.7	9-24-65	6.6	24.1	121
		4-14-66	6.4	24.3	
		6-22-66	6.3	24.4	
		9-14-66	6.6	24.1	
01N/22W-09H01S	38.8	9-13-65	70.6(5)	-31.8	209
		1-03-66	76.6(5)	-37.8	
		1-26-66	63.6(5)	-24.8	
		3-28-66	57.6(5)	-18.8	
		4-28-66	64.6(5)	-25.8	
		6-01-66	64.6(5)	-25.8	
		7-12-66	61.6(5)	-22.8	
		8-22-66	64.6(5)	-25.8	
		9-14-66	68.6(5)	-29.8	
01N/22W-10A04S	47.8	9-15-65	(7)		121
		4-19-66	72.2	-24.4	
		7-07-66	71.0	-23.2	
01N/22W-10H01S	46.0	9-15-65	95.9(1)	-49.9	121
		4-19-66	82.3	-36.3	
		7-07-66	66.7	-20.7	
01N/22W-11A01S	48.8	9-15-65	87.0	-38.2	121
		4-19-66	84.8(1)	-36.0	
		7-07-66	83.7(1)	-34.9	
		7-07-66	70.7	-21.9	
01N/22W-11C01S	50.0	9-15-65	92.8	-42.8	121
		4-20-66	76.0	-26.0	
		7-07-66	83.1(1)	-33.1	
01N/22W-11D01S	53.0	9-15-65	93.3	-40.3	121
		4-20-66	75.9	-22.9	
		7-07-66	73.0	-20.0	
01N/22W-11D02S	51.0	7-13-65	78.6	-27.6	411
		7-20-65	78.8	-27.8	
		7-27-65	79.4	-28.4	
		8-03-65	79.9	-28.9	
		8-10-65	80.3	-29.3	
		8-17-65	81.3	-30.3	
		8-24-65	82.5	-31.5	
		8-31-65	83.6	-32.6	
		9-07-65	86.0	-35.0	
		9-11-65	86.7	-35.7	
		9-18-65	87.4	-36.4	
		9-25-65	87.6	-36.6	
		10-02-65	88.0	-37.0	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/22W-11D02S	51.0	10-09-65	88.2	-37.2	411
(CONT.)		10-16-65	88.1	-37.1	
		10-23-65	88.2	-37.2	
		10-30-65	89.0	-38.0	
		11-06-65	89.3	-38.3	
		11-13-65	88.3	-37.3	
		11-20-65	86.6	-35.6	
		11-27-65	88.9	-37.9	
		12-04-65	81.6	-30.6	
		12-11-65	80.0	-29.0	
		12-18-65	78.5	-27.5	
		12-24-65	77.3	-26.3	
		12-29-65	76.9	-25.9	
		1-02-66	76.3	-25.3	
		1-08-66	75.3	-24.3	
		1-15-66	74.9	-23.9	
		1-22-66	74.6	-23.6	
		1-29-66	80.3	-29.3	
		2-05-66	79.6	-28.6	
		2-12-66	78.1	-27.1	
		2-19-66	77.0	-26.0	
		2-26-66	76.3	-25.3	
		3-05-66	75.6	-24.6	
		3-12-66	75.3	-24.3	
		3-19-66	75.2	-24.2	
		3-26-66	75.3	-24.3	
		4-02-66	75.4	-24.4	
		4-09-66	75.6	-24.6	
		4-16-66	75.2	-24.2	
		4-30-66	77.9	-26.9	
		5-07-66	72.6	-21.6	
		5-21-66	79.5	-28.5	
		5-28-66	73.5	-22.5	
		6-04-66	76.5	-25.5	
		6-11-66	76.6	-25.6	
		6-18-66	74.9	-23.9	
		6-22-66	77.6	-26.6	
		6-29-66	72.6	-21.6	
		7-06-66	72.3	-21.3	
		7-13-66	75.5	-24.5	
		7-20-66	75.6	-24.6	
		7-27-66	75.6	-24.6	
		8-03-66	75.7	-24.7	
		8-10-66	75.8	-24.8	
		8-17-66	76.4	-25.4	
		8-24-66	77.2	-26.2	
		8-31-66	77.8	-26.8	
		9-07-66	77.4	-26.4	
		9-10-66	77.7	-26.7	
		9-17-66	78.3	-27.3	
		9-24-66	79.0	-28.0	
01N/22W-11J01S	42.5	9-15-65	86.9(2)	-44.4	121
		4-19-66	71.9	-29.4	
		7-07-66	68.7(5)	-26.2	
01N/22W-13D02S	41.7	7-28-65	79.1	-37.4	121
		8-31-65	89.7	-48.0	
		9-29-65	(1)		
		10-26-65	(1)		
		12-08-65	75.1	-33.4	
		12-28-65	69.8	-28.1	
		2-09-66	(2)		
		3-11-66	66.7	-25.0	
		4-28-66	78.3	-36.6	
		5-27-66	81.9	-40.2	
		6-28-66	76.8	-35.1	
		8-10-66	74.1	-32.4	
01N/22W-13H02S	36.1	9-16-65	87.6	-51.5	121
		8-11-66	(2)		
01N/22W-13K01S	36.7	9-16-65	87.9	-51.2	121
		8-02-66	73.1(1)	-36.4	
01N/22W-13K03S	37.0	9-16-65	97.0	-60.0	121
		8-02-66	(1)		
01N/22W-14D01S	36.1	7-26-65	66.5	-30.4	411
		8-25-65	(1)		
		9-26-65	(3)		
		10-23-65	(3)		
		11-26-65	71.0	-34.9	
		12-31-65	62.6	-26.5	
		1-27-66	66.8	-30.7	
		2-27-66	55.8	-19.7	
		3-27-66	55.6	-19.5	
		5-05-66	63.3	-27.2	
		5-28-66	63.0	-26.9	
		6-27-66	65.4	-29.3	
		7-28-66	66.1	-30.0	
		8-25-66	70.6	-34.5	
		9-25-66	72.4	-36.3	
01N/22W-14K01S	32.9	9-14-65	84.9(1)	-52.0	121
		4-19-66	86.9(1)	-54.0	
		6-29-66	60.9	-28.0	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/22W-14R02S	32.9	7-26-65	66.2	-33.3	411
		8-25-65	75.0	-42.1	
		9-26-65	78.9	-46.0	
		10-23-65	80.7	-47.8	
		11-26-65	64.0	-31.1	
		12-31-65	56.6	-23.7	
		1-27-66	57.7	-24.8	
		2-27-66	54.8	-21.9	
		3-27-66	58.5	-25.6	
		5-01-66	65.4	-32.5	
		5-28-66	67.6	-34.7	
		6-27-66	62.2	-29.3	
		7-28-66	68.9	-36.0	
		8-24-66	76.2	-43.3	
		9-25-66	74.9	-42.0	
01N/22W-15B03S	36.6	7-23-65	100.6(1)	-64.0	209
		8-17-65	100.6(1)	-64.0	
		9-13-65	75.6(5)	-39.0	
		1-03-66	60.6(5)	-24.0	
		2-17-66	53.6(5)	-17.0	
		3-28-66	56.6(5)	-20.0	
		4-28-66	67.6(5)	-31.0	
		6-01-66	67.6(5)	-31.0	
		7-12-66	59.6(5)	-23.0	
		8-22-66	69.6(5)	-33.0	
		9-14-66	73.6(5)	-37.0	
01N/22W-15C01S	31.9	4-15-66	67.4(1)	-35.5	121
		6-29-66	51.2	-19.3	
01N/22W-15D05S	30.0	9-14-65	(6)		121
01N/22W-15L01S	28.0	9-14-65	67.1	-39.1	121
		4-15-66	61.4	-33.4	
		6-29-66	47.0	-19.0	
01N/22W-16D03S	25.0	9-24-65	(5)		121
		4-14-66	(6)		
01N/22W-16Q01S	22.6	8-13-65	45.6	-23.0	121
		10-19-65	51.4	-28.8	
		6-09-66	(5)		
01N/22W-17M03S	9.0	8-24-65	34.9	-25.9	411
		9-26-65	37.0	-28.0	
		10-23-65	41.4	-32.4	
		11-27-65	29.9	-20.9	
		12-31-65	26.0	-17.0	
		1-27-66	28.3	-19.3	
		2-26-66	23.8	-14.8	
		3-26-66	23.9	-14.9	
		4-30-66	30.9	-21.9	
		5-28-66	27.9	-18.9	
		6-27-66	22.7	-13.7	
		7-28-66	25.5	-16.5	
		8-25-66	28.9	-19.9	
01N/22W-18C01S	11.5	9-24-65	10.1	1.4	121
		4-14-66	7.9	3.6	
		6-22-66	8.5	3.0	
		9-14-66	9.7	1.8	
01N/22W-18L02S	11.3	7-14-65	26.0	-14.7	121
		8-13-65	27.1	-15.8	
		9-15-65	32.8	-21.5	
		10-13-65	32.1	-20.8	
		12-07-65	29.8	-18.5	
		6-09-66	(1)		
		7-25-66	32.8(1)	-21.5	
01N/22W-19A01S	7.0	8-13-65	44.7(1)	-37.7	121
		10-20-65	33.2	-26.2	
		7-22-66	24.5	-17.5	
01N/22W-20E01S	10.7	7-26-65	28.3(2)	-17.6	411
		8-25-65	33.3(2)	-22.6	
		9-26-65	35.1	-24.4	
		10-23-65	35.9	-25.2	
		11-26-65	28.9	-18.2	
		12-31-65	38.1	-27.4	
		1-27-66	(4)		
		2-27-66	(4)		
		3-27-66	27.2	-16.5	
		5-01-66	26.7	-16.0	
		5-28-66	26.8	-16.1	
		6-27-66	25.8	-15.1	
		7-28-66	22.9	-12.2	
		8-25-66	26.8	-16.1	
		9-25-66	30.6	-19.9	
01N/22W-20E02S	11.4	7-26-65	(1)		411
		8-25-65	(1)		
		9-26-65	(1)		
		10-23-65	(1)		
		11-26-65	28.8	-17.4	
		12-31-65	37.9	-26.5	
		1-27-66	40.8	-29.4	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/22W-20E02S (CONT.)	11.4	2-27-66	36.9	-25.5	411
		3-27-66	30.1	-18.7	
		5-01-66	31.3	-19.9	
		5-28-66	32.3	-20.9	
		6-27-66	28.8	-17.4	
		7-28-66	34.9	-23.5	
		8-25-66	(1)		
		9-25-66	43.2	-31.8	
01N/22W-20N02S	8.4	7-06-65	19.2	-10.8	411
		7-13-65	18.8	-10.4	
		7-20-65	20.0	-11.6	
		7-27-65	19.5	-11.1	
		8-03-65	21.2	-12.8	
		8-10-65	20.8	-12.4	
		8-17-65	21.9	-13.5	
		8-24-65	22.7	-14.3	
		8-31-65	22.5	-14.1	
		9-07-65	23.6	-15.2	
		9-11-65	23.2	-14.8	
		9-18-65	23.5	-15.1	
		9-25-65	22.8	-14.4	
		10-02-65	23.9	-15.5	
		10-09-65	24.9	-16.5	
		10-16-65	24.0	-15.6	
		10-23-65	24.3	-15.9	
		10-30-65	24.9	-16.5	
		11-06-65	25.6	-17.2	
		11-13-65	23.3	-14.9	
		11-20-65	24.0	-15.6	
		11-27-65	19.8	-11.4	
		12-04-65	20.9	-12.5	
		12-11-65	17.5	-9.1	
		12-18-65	20.2	-11.8	
		12-24-65	18.0	-9.6	
		12-29-65	17.6	-9.2	
		1-02-66	18.8	-10.4	
		1-08-66	16.2	-7.8	
		1-22-66	17.1	-8.7	
		1-29-66	18.9	-10.5	
		2-05-66	16.6	-8.2	
		2-12-66	16.7	-8.3	
		2-19-66	13.8	-5.4	
		2-26-66	15.3	-6.9	
		3-05-66	15.1	-6.7	
		3-12-66	15.2	-6.8	
		3-19-66	15.1	-6.7	
		3-26-66	15.4	-7.0	
		4-02-66	16.1	-7.7	
		4-09-66	15.7	-7.3	
		4-16-66	17.0	-8.6	
		4-30-66	19.8	-11.4	
		5-07-66	18.1	-9.7	
		5-14-66	(7)		
		5-21-66	18.8	-10.4	
		5-28-66	19.7	-11.3	
		6-04-66	17.1	-8.7	
		6-11-66	18.4	-10.0	
		6-18-66	16.9	-8.5	
		6-22-66	17.6	-9.2	
		6-29-66	16.5	-8.1	
		7-06-66	16.4	-8.0	
		7-13-66	16.8	-8.4	
		7-20-66	16.0	-7.6	
		7-27-66	16.8	-8.4	
		8-03-66	16.8	-8.4	
		8-10-66	17.9	-9.5	
		8-17-66	18.3	-9.9	
		8-24-66	19.6	-11.2	
		8-31-66	19.0	-10.6	
		9-07-66	19.5	-11.1	
		9-10-66	19.9	-11.5	
		9-17-66	19.1	-10.7	
		9-24-66	21.2	-12.8	
01N/22W-21R01S	16.0	10-08-65	53.4	-37.4	121
		2-16-66	45.4(5)	-29.4	
		4-14-66	41.4(5)	-25.4	
		6-23-66	40.4(5)	-24.4	
		9-08-66	47.4(5)	-31.4	
01N/22W-21L02S	11.4	10-08-65	38.8	-27.4	121
		2-16-66	24.4	-13.0	
		4-14-66	26.1	-14.7	
		6-23-66	27.5	-16.1	
		9-08-66	33.8	-22.4	
01N/22W-22C01S	24.0	7-28-65	50.7	-26.7	121
		8-31-65	59.4	-35.4	
		9-29-65	63.4	-39.4	
		10-26-65	63.6	-39.6	
		12-01-65	48.1	-24.1	
		12-28-65	47.4	-23.4	
		2-09-66	39.6	-15.6	
		3-11-66	32.9	-8.9	
		4-27-66	47.2	-23.2	
		5-27-66	49.9	-25.9	
		6-28-66	45.7	-21.7	

OXNARD PLAIN HYDRO SUBUNIT U-03.40

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/22W-22C01S (CONT.)	24.0	8-10-66	47.9	-23.9	121
01N/22W-22J04S	17.9	9-14-65	(1)		121
		4-19-66	42.1	-24.2	
		6-29-66	(9)		
01N/22W-22M05S	16.4	9-14-65	46.6	-30.2	121
		4-15-66	35.4	-19.0	
		6-29-66	33.7	-17.3	
01N/22W-23C01S	25.9	9-14-65	70.4	-44.5	121
		4-19-66	67.0(1)	-41.1	
		6-29-66	54.8	-28.9	
01N/22W-23J01S	25.1	7-28-65	62.3(1)	-37.2	121
		8-31-65	(1)		
		9-29-65	69.3(1)	-44.2	
		10-26-65	68.3	-43.2	
		12-01-65	46.0	-20.9	
		12-28-65	47.3	-22.2	
		2-09-66	(4)		
		3-11-66	47.3	-22.2	
		4-27-66	54.8	-29.7	
		5-27-66	60.0	-34.9	
		6-28-66	52.6	-27.5	
		8-10-66	(1)		
01N/22W-23Q01S	18.8	9-14-65	58.9	-40.1	121
		4-15-66	52.1	-33.3	
		6-29-66	48.5	-29.7	
01N/22W-24D02S	31.8	7-28-65	(5)		121
		8-31-65	(6)		
		9-29-65	(6)		
01N/22W-25B03S	16.3	7-02-65	46.9	-30.6	121
		8-06-65	54.4	-38.1	
		9-15-65	58.4	-42.1	
		10-08-65	63.4	-47.1	
		11-05-65	61.4	-45.1	
		12-07-65	37.4	-21.1	
		2-11-66	32.8(6)	-16.5	
		4-15-66	45.4	-29.1	
		6-23-66	46.6	-30.3	
		9-14-66	58.4	-42.1	
01N/22W-25C02S	18.3	7-02-65	20.9	-2.6	121
		8-06-65	53.4	-35.1	
		9-15-65	70.7	-52.4	
		10-08-65	(1)		
		11-05-65	66.4(4)	-48.1	
		12-07-65	43.4	-25.1	
		2-11-66	43.4	-25.1	
		4-15-66	53.4(7)	-35.1	
		6-23-66	(1)		
		9-14-66	65.9	-47.6	
01N/22W-26A01S	19.8	7-02-65	28.2	-8.4	121
		8-06-65	68.0(1)	-48.2	
		9-15-65	64.0	-44.2	
		10-08-65	78.0(1)	-58.2	
		11-05-65	66.2	-46.4	
		12-07-65	42.0	-22.2	
		2-11-66	40.8	-21.0	
		4-15-66	53.5(7)	-33.7	
		4-15-66	(7)		
		6-23-66	52.5	-32.7	
		9-14-66	66.0	-46.2	
01N/22W-26B02S	17.2	7-02-65	42.6	-25.4	121
		8-06-65	41.8	-24.6	
		9-15-65	47.1	-29.9	
		10-08-65	58.5	-41.3	
		11-05-65	53.6	-36.4	
		12-07-65	34.8	-17.6	
		2-11-66	(4)		
		4-15-66	45.0	-27.8	
		6-23-66	44.0	-26.8	
		9-14-66	58.4	-41.2	
01N/22W-26C02S	18.3	7-02-65	46.8	-28.5	121
		8-06-65	54.0(1)	-35.7	
		9-15-65	57.0	-38.7	
		10-08-65	58.5	-40.2	
		11-05-65	56.8	-38.5	
		12-07-65	38.8	-20.5	
		2-11-66	33.3	-15.0	
		4-15-66	45.7	-27.4	
		6-23-66	43.8	-25.5	
		9-14-66	58.8	-40.5	
01N/22W-26D03S	14.7	9-14-65	40.8	-26.1	121
		4-15-66	37.5	-22.8	
		6-29-66	(3)		
01N/22W-26K01S	13.9	9-14-65	(1)		121
		4-15-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
OXNARD PLAIN HYDRO SUBUNIT U-03.A0					
OXNARD HYDRO SUBAREA U-03.A1					
01N/22W-26K01S (CONT.)	13.9	6-29-66	35.5	-21.6	121
01N/22W-27A02S	15.9	7-02-65	43.9	-28.0	121
		8-06-65	48.6	-32.7	
		9-15-65	54.4	-38.5	
		10-08-65	52.9	-37.0	
		11-05-65	50.4	-34.5	
		12-07-65	34.9	-19.0	
		2-11-66	32.0	-16.1	
		4-15-66	40.1	-24.2	
		6-23-66	39.0	-23.1	
		9-14-66	49.9	-34.0	
01N/22W-27B04S	12.0	4-15-66	45.7	-33.7	121
		6-29-66	45.7	-33.7	
01N/22W-27H01S	12.0	9-14-65	44.6	-32.6	121
		4-15-66	32.1	-20.1	
		6-29-66	31.5	-19.5	
01N/22W-27R01S	6.1	9-14-65	33.3	-27.2	121
		4-15-66	22.6	-16.5	
		6-29-66	22.0	-15.9	
01N/22W-27R02S	5.9	9-14-65	60.3	-54.4	121
		4-15-66	38.8	-32.9	
		6-29-66	38.2	-32.3	
01N/22W-29A04S	5.6	7-28-65	30.5	-24.9	121
		8-31-65	34.8	-29.2	
		9-29-65	36.3	-30.7	
		10-26-65	38.3	-32.7	
		12-01-65	34.5	-28.9	
		12-28-65	31.3	-25.7	
		2-09-66	26.7	-21.1	
		3-17-66	25.4	-19.8	
		4-27-66	25.1	-19.5	
		5-27-66	26.2	-20.6	
		6-28-66	27.2	-21.6	
		8-10-66	30.1	-24.5	
01N/22W-36B02S	10.8	9-17-65	92.3(1)	-81.5	121
		2-16-66	41.0	-30.2	
		8-11-66	70.0	-59.2	
01N/22W-36L01S	6.9	9-17-65	43.3	-36.4	121
		2-16-66	25.3(3)	-18.4	
		8-11-66	35.3	-28.4	
01N/23W-01K01S	11.9	9-24-65	7.8	4.1	121
		4-14-66	6.1	5.8	
		6-22-66	6.9	5.0	
		9-14-66	7.5	4.4	
02N/21W-06F01S	148.4	7-13-65	25.2	123.2	411
		7-20-65	25.6	122.8	
		7-27-65	26.2	122.2	
		8-03-65	25.6	122.8	
		8-10-65	26.8	121.6	
		8-17-65	26.9	121.5	
		8-24-65	26.9	121.5	
		8-31-65	27.0	121.4	
		9-07-65	27.2	121.2	
		9-11-65	27.3	121.1	
		9-18-65	27.5	120.9	
		9-25-65	27.8	120.6	
		10-02-65	28.0	120.4	
		10-09-65	28.2	120.2	
		10-16-65	28.9	119.5	
		10-23-65	29.0	119.4	
		10-30-65	29.1	119.3	
		11-06-65	29.3	119.1	
		11-13-65	29.4	119.0	
		11-20-65	28.9	119.5	
		11-27-65	26.9	121.5	
		12-04-65	25.1	123.3	
		12-11-65	23.2	125.2	
		12-18-65	23.1	125.3	
		12-24-65	23.2	125.2	
		12-29-65	23.2	125.2	
		1-02-66	23.4	125.0	
		1-08-66	23.0	125.4	
		1-15-66	22.6	125.8	
		1-22-66	22.2	126.2	
		1-28-66	22.3	126.1	
		2-05-66	22.0	126.4	
		2-12-66	22.0	126.4	
		2-19-66	22.0	126.4	
		2-26-66	21.7	126.7	
		3-05-66	21.6	126.8	
		3-12-66	21.4	127.0	
		3-19-66	21.2	127.2	
		3-26-66	21.1	127.3	
		4-02-66	21.3	127.1	
		4-09-66	21.5	126.9	
		4-16-66	22.3	126.1	
		4-22-66	22.7	125.7	
OXNARD PLAIN HYDRO SUBUNIT U-03.A0					
OXNARD HYDRO SUBAREA U-03.A1					
02N/21W-06F01S (CONT.)	148.4	4-30-66	23.3	125.1	411
		5-07-66	22.4	126.0	
		5-21-66	23.0	125.4	
		5-28-66	23.4	125.0	
		6-04-66	24.1	124.3	
		6-11-66	23.7	124.7	
		6-18-66	23.9	124.5	
		6-22-66	24.2	124.2	
		6-29-66	23.5	124.9	
		7-06-66	23.6	124.8	
		7-13-66	23.7	124.7	
		7-20-66	23.9	124.5	
		7-27-66	24.0	124.4	
		8-03-66	24.0	124.4	
		8-10-66	24.1	124.3	
		8-17-66	24.1	124.3	
		8-24-66	24.5	123.9	
		8-31-66	25.0	123.4	
		9-07-66	25.4	123.0	
		9-10-66	25.5	122.9	
		9-17-66	25.9	122.5	
		9-24-66	26.2	122.2	
02N/21W-06L01S	149.0	7-27-65	84.6	64.4	411
		8-25-65	86.3	62.7	
		9-26-65	86.5	62.5	
		10-23-65	98.3	50.7	
		11-27-65	84.5	64.5	
		1-02-66	45.6	103.4	
		1-28-66	33.2	115.8	
		2-27-66	26.6	122.4	
		3-27-66	28.9	120.1	
		5-01-66	41.8	107.2	
		5-29-66	54.0	95.0	
		6-29-66	73.6	75.4	
		7-28-66	71.4	77.6	
		8-25-66	78.2	70.8	
		9-25-66	89.9	59.1	
02N/21W-06P01S	150.1	7-27-65	(1)		411
		8-25-65	103.9	46.2	
		9-26-65	98.8	51.3	
		10-23-65	(1)		
		11-27-65	95.3	54.8	
		1-02-66	64.8	85.3	
		1-28-66	40.2	109.9	
		2-27-66	27.4	122.7	
		3-27-66	35.9	114.2	
		5-01-66	49.8	100.3	
		5-29-66	59.3	90.8	
		6-29-66	73.4	76.7	
		7-28-66	81.9	68.2	
		8-25-66	78.2	71.9	
		9-25-66	95.2	54.9	
02N/21W-07P02S	140.9	8-12-65	(1)		121
		10-15-65	(1)		
		5-13-66	153.5(1)	-12.6	
02N/21W-17M02S	111.9	8-12-65	107.9	4.0	121
		10-15-65	112.7	-.8	
		5-13-66	99.9(1)	12.0	
02N/21W-18A01S	118.4	8-12-65	104.4	14.0	121
		10-15-65	112.7	5.7	
		6-10-66	78.5	39.9	
02N/21W-18R01S	108.2	7-26-65	(1)		411
		8-25-65	105.9	2.3	
		9-26-65	113.3	-5.1	
		10-23-65	114.8	-6.6	
		11-27-65	114.3	-6.1	
		12-31-65	111.5	-3.3	
		1-28-66	114.6	-6.4	
		2-27-66	102.7	5.5	
		3-27-66	93.3	14.9	
		5-01-66	89.9	18.3	
		5-29-66	79.4	28.8	
		6-27-66	(1)		
		7-28-66	(1)		
		8-25-66	96.8	11.4	
		9-25-66	(1)		
02N/21W-19B02S	100.1	8-12-65	107.8	-7.7	121
		10-15-65	113.6	-13.5	
		5-13-66	82.7	17.4	
02N/21W-19G01S	97.7	7-28-65	101.5	-3.8	121
		8-31-65	103.8	-6.1	
		9-28-65	106.1(1)	-8.4	
		10-27-65	103.6(1)	-5.9	
		11-01-65	102.8	-5.1	
		12-28-65	99.1	-1.4	
		2-08-66	(2)		
		3-11-66	94.8	2.9	
		4-28-66	81.8	15.9	
		6-03-66	83.8(1)	13.9	
		6-28-66	80.4	17.3	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/21W-19G01S (CONT.)	97.7	8-09-66	87.8(1)	9.9	121
02N/21W-19L01S	89.7	8-12-65	94.0	-4.3	121
		10-15-65	99.6	-9.9	
		5-13-66	80.2	9.5	
02N/21W-20L01S	107.1	8-12-65	112.6	-5.5	121
		10-15-65	114.6	-7.5	
		5-13-66	100.3	6.8	
02N/21W-29L02S	73.3	7-06-65	83.9	-10.6	411
		7-13-65	83.6	-10.3	
		7-20-65	83.5	-10.2	
		7-27-65	83.5	-10.2	
		8-03-65	84.1	-10.8	
		8-10-65	85.2	-11.9	
		8-17-65	85.7	-12.4	
		8-24-65	86.5	-13.2	
		8-31-65	86.4	-13.1	
		9-07-65	86.4	-13.1	
		9-11-65	86.3	-13.0	
		9-18-65	86.3	-13.0	
		9-25-65	86.3	-13.0	
		10-02-65	86.3	-13.0	
		10-09-65	86.6	-13.3	
		10-16-65	95.3	-22.0	
		10-23-65	95.1	-21.8	
		10-30-65	95.2	-21.9	
		11-06-65	95.7	-22.4	
		11-13-65	96.2	-22.9	
		11-20-65	95.8	-22.5	
		11-27-65	94.8	-21.5	
		12-04-65	94.0	-20.7	
		12-11-65	94.5	-21.2	
		12-18-65	94.0	-20.7	
		12-24-65	93.6	-20.3	
		12-29-65	93.1	-19.8	
		1-02-66	92.8	-19.5	
		1-08-66	92.1	-18.8	
		1-15-66	91.5	-18.2	
		1-22-66	81.1	-7.8	
		1-29-66	80.9	-7.6	
		2-05-66	79.9	-6.6	
		2-12-66	78.7	-5.4	
		2-19-66	78.0	-4.7	
		2-26-66	77.4	-4.1	
		3-05-66	77.5	-4.2	
		3-12-66	76.7	-3.4	
		3-19-66	77.6	-4.3	
		3-26-66	75.6	-2.3	
		4-02-66	76.6	-3.3	
		4-09-66	76.4	-3.1	
		4-16-66	76.9	-3.6	
		4-30-66	76.0	-2.7	
		5-07-66	74.9	-1.6	
		5-21-66	80.4	-7.1	
		5-28-66	77.8	-4.5	
		6-04-66	76.9	-3.6	
		6-11-66	74.7	-1.4	
		6-18-66	75.4	-2.1	
		6-22-66	75.9	-2.6	
		6-29-66	77.6	-4.3	
		7-06-66	76.3	-3.0	
		7-13-66	76.2	-2.9	
		7-20-66	77.6	-4.3	
		7-27-66	77.3	-4.0	
		8-03-66	79.4	-6.1	
		8-10-66	78.1	-4.8	
		8-17-66	81.2	-7.9	
		8-24-66	81.4	-8.1	
		8-31-66	81.3	-8.0	
		9-07-66	81.7	-8.4	
		9-10-66	81.7	-8.4	
		9-17-66	81.5	-8.2	
		9-24-66	82.0	-8.7	
02N/21W-29L03S	77.0	7-26-65	(1)		411
		8-25-65	100.4	-23.4	
		9-26-65	(1)		
		10-23-65	103.6	-26.6	
		11-27-65	109.4	-32.4	
		12-31-65	97.6	-20.6	
		1-28-66	94.0	-17.0	
		2-27-66	95.4	-18.4	
		3-27-66	90.3	-13.3	
		5-01-66	85.7	-8.7	
		5-29-66	96.2	-19.2	
		6-27-66	101.5	-24.5	
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	104.5	-27.5	
02N/21W-29M01S	77.9	8-12-65	95.7(2)	-17.8	121
		10-15-65	96.0	-18.1	
		5-13-66	83.0	-5.1	
02N/21W-29P03S	66.0	9-16-65	101.0	-35.0	121

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/21W-29P03S (CONT.)	66.0	8-02-66	80.0	-14.0	121
02N/21W-30P02S	64.2	8-01-66	89.7(1)	-25.5	121
02N/21W-30R01S	63.3	9-16-65	89.5	-26.2	121
		8-01-66	74.5	-11.2	
02N/21W-31P02S	56.5	9-16-65	87.2	-30.7	121
		8-02-66	77.2	-20.7	
02N/21W-31P03S	57.3	9-16-65	170.9(1)	-113.6	121
		8-02-66	(1)		
02N/21W-31Q01S	52.9	9-16-65	94.2	-41.3	121
		8-02-66	(5)		
02N/22W-08P01S	214.6	7-28-65	(1)		121
		8-30-65	(2)		
		9-28-65	199.9	14.7	
		10-26-65	208.9(1)	5.7	
		11-30-65	196.9	17.7	
		12-28-65	193.9	20.7	
		2-04-66	191.7	22.9	
		3-10-66	188.6	26.0	
		4-28-66	193.1	21.5	
02N/22W-09K04S	246.6	7-26-65	219.9	26.7	411
		8-25-65	221.1	25.5	
		9-26-65	223.3	23.3	
		10-23-65	223.2	23.4	
		11-26-65	223.1	23.5	
		12-30-65	210.2	36.4	
		1-27-66	217.5	29.1	
		2-26-66	215.4	31.2	
		3-26-66	214.6	32.0	
		4-30-66	216.4	30.2	
		5-28-66	215.8	30.8	
		6-27-66	216.7	29.9	
		7-28-66	219.0	27.6	
		8-25-66	218.9	27.7	
		9-25-66	220.0	26.6	
02N/22W-12B01S	141.0	7-27-65	75.8	65.2	411
		8-25-65	76.0	65.0	
		9-26-65	77.7	63.3	
		10-23-65	78.9	62.1	
		11-30-65	74.5	66.5	
		1-02-66	72.2	68.8	
		1-28-66	39.7	101.3	
		2-27-66	31.5	109.5	
		3-27-66	31.4	109.6	
		5-01-66	37.4	103.6	
		5-29-66	43.0	98.0	
		6-29-66	58.5	82.5	
		7-28-66	54.2	86.8	
		8-25-66	59.1	81.9	
		9-25-66	63.7	77.3	
02N/22W-12J01S	137.8	8-09-65	106.0	31.8	121
		10-13-65	118.0	19.8	
		4-29-66	57.3	80.5	
02N/22W-12K01S	135.6	7-28-65	116.6	19.0	121
		8-30-65	DRY		
		9-28-65	DRY		
		10-26-65	119.6	16.0	
		11-30-65	119.6	16.0	
		12-28-65	85.9	49.7	
		2-04-66	69.1	66.5	
		3-10-66	54.8	80.8	
		4-28-66	72.8	62.8	
		6-01-66	86.6	49.0	
02N/22W-12K02S	135.9	8-09-65	121.2(4)	14.7	121
		8-30-65	126.2	9.7	
		10-14-65	121.0	14.9	
		6-28-66	87.5	48.4	
		8-09-66	96.2	39.7	
02N/22W-12K03S	136.7	7-26-65	119.2	17.5	411
		8-25-65	(1)		
		9-26-65	125.5	11.2	
		10-23-65	135.7	1.0	
		11-27-65	117.7	19.0	
		1-02-66	(3)		
		1-28-66	61.4	75.3	
		2-27-66	42.1	94.6	
		3-27-66	57.5	79.2	
		5-01-66	(1)		
		5-29-66	39.7	97.0	
		6-29-66	(1)		
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	(1)		
02N/22W-12L03S	129.0	8-09-65	135.2(1)	-6.2	121
		10-14-65	137.5(1)	-8.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYORD UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-12L03S (CONT.)	129.0	4-29-66	79.2	49.8	121
02N/22W-12N02S	124.8	8-09-65	116.6	8.2	121
		10-14-65	123.9	.9	
		5-09-66	82.5	42.3	
02N/22W-12N03S	125.0	8-09-65	118.0	7.0	121
		10-14-65	122.0	3.0	
		5-09-66	78.5	46.5	
02N/22W-12Q03S	128.7	8-09-65	DRY		121
		10-14-65	DRY		
		4-29-66	74.4	54.3	
02N/22W-12R01S	135.1	7-06-65	105.0	30.1	411
		7-13-65	106.3	28.8	
		7-20-65	107.8	27.3	
		7-27-65	109.5	25.6	
		8-03-65	110.8	24.3	
		8-10-65	112.5	22.6	
		8-17-65	114.5	20.6	
		8-24-65	116.3	18.8	
		8-31-65	117.7	17.4	
		9-07-65	119.0	16.1	
		9-11-65	119.6	15.5	
		9-18-65	120.4	14.7	
		9-25-65	121.9	13.2	
		10-02-65	122.2	12.9	
		10-09-65	124.4	10.7	
		10-16-65	125.2	9.9	
		10-23-65	125.6	9.5	
		10-30-65	125.9	9.2	
		11-06-65	126.0	9.1	
		11-13-65	125.0	10.1	
		11-20-65	125.7	9.4	
		11-27-65	125.6	9.5	
		12-04-65	114.1	21.0	
		12-11-65	100.2	34.9	
		12-18-65	91.8	43.3	
		12-24-65	86.8	48.3	
		12-29-65	83.8	51.3	
		1-02-66	82.2	52.9	
		1-08-66	79.7	55.4	
		1-15-66	68.6	66.5	
		1-22-66	67.4	67.7	
		1-29-66	69.6	65.5	
		2-05-66	68.7	66.4	
		2-12-66	62.3	72.8	
		2-19-66	55.6	79.5	
		2-26-66	52.5	82.6	
		3-05-66	51.0	84.1	
		3-12-66	50.3	84.8	
		3-19-66	52.4	82.7	
		3-26-66	55.9	79.2	
		4-02-66	59.7	75.4	
		4-09-66	61.8	73.3	
		4-16-66	63.1	72.0	
		4-22-66	65.0	70.1	
		4-30-66	67.6	67.5	
		5-07-66	69.9	65.2	
		5-14-66	72.4	62.7	
		5-21-66	75.3	59.8	
		5-28-66	77.1	58.0	
		6-04-66	79.0	56.1	
		6-11-66	80.5	54.6	
		6-18-66	82.1	53.0	
		6-22-66	83.1	52.0	
		6-29-66	84.9	50.2	
		7-06-66	85.5	49.6	
		7-13-66	87.3	47.8	
		7-20-66	89.3	45.8	
		7-27-66	91.2	43.9	
		8-03-66	92.9	42.2	
		8-10-66	94.3	40.8	
		8-17-66	95.5	39.6	
		8-24-66	96.6	38.5	
		8-31-66	97.8	37.3	
		9-07-66	99.1	36.0	
		9-10-66	99.6	35.5	
		9-17-66	101.0	34.1	
		9-24-66	102.4	32.7	
02N/22W-12R02S	136.0	8-12-65	(1)		121
		10-14-65	134.1	1.9	
		5-13-66	81.3	54.7	
02N/22W-13A02S	131.0	8-12-65	123.5	7.5	121
		10-14-65	(1)		
		5-13-66	106.0	25.0	
02N/22W-13G02S	127.8	7-06-65	116.2	11.6	411
		7-13-65	116.9	10.9	
		7-20-65	117.5	10.3	
		7-27-65	118.6	9.2	
		8-03-65	119.4	8.4	
		8-10-65	120.6	7.2	
		8-17-65	121.6	6.2	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-13G02S (CONT.)	127.8	8-24-65	122.7	5.1	411
		8-31-65	123.9	3.9	
		9-07-65	125.1	2.7	
		9-11-65	125.8	2.0	
		9-18-65	127.0	.8	
		9-25-65	132.5	-4.7	
		10-02-65	133.6	-5.8	
		10-09-65	134.9	-7.1	
		10-16-65	136.1	-8.3	
		10-23-65	137.1	-9.3	
		10-30-65	138.3	-10.5	
		11-06-65	135.1	-7.3	
		11-13-65	136.5	-8.7	
		11-20-65	136.5	-8.7	
		11-27-65	137.1	-9.3	
		12-04-65	137.5	-9.7	
		12-11-65	136.1	-8.3	
		12-18-65	130.5	-2.7	
		12-20-65	128.5	-.7	
		2-26-66	(9)		
		5-01-66	(9)		
		7-07-66	123.2(1)	4.6	
		7-20-66	129.2(1)	-1.4	
		7-27-66	112.2(5)	15.6	
		8-03-66	123.2(1)	4.6	
		8-10-66	128.2(1)	-.4	
		8-17-66	127.2(1)	.6	
		8-24-66	140.2(1)	-12.4	
		8-31-66	111.2(5)	16.6	
		9-07-66	135.2(1)	-7.4	
		9-10-66	136.2(1)	-8.4	
		9-17-66	140.2(1)	-12.4	
02N/22W-13L01S	119.6	8-12-65	131.7	-12.1	121
		10-14-65	134.7	-15.1	
		5-13-66	101.9(1)	17.7	
02N/22W-14G01S	113.4	7-28-65	134.3	-20.9	121
		8-30-65	(1)		
		9-28-65	144.8(1)	-31.4	
		10-26-65	(1)		
		11-30-65	133.8	-20.4	
		12-28-65	133.1	-19.7	
		2-04-66	103.8	9.6	
		3-10-66	104.8(1)	8.6	
		4-28-66	105.8(1)	7.6	
		6-01-66	106.8(1)	6.6	
		6-28-66	103.8	9.6	
		8-09-66	114.8(1)	-1.4	
02N/22W-14L02S	109.0	8-09-65	126.3	-17.3	121
		10-14-65	133.5	-24.5	
		5-09-66	97.3	11.7	
02N/22W-14P02S	108.0	7-27-65	(1)		411
		8-25-65	(1)		
		9-26-65	(1)		
		10-23-65	(1)		
		11-27-65	151.6	-43.6	
		1-02-66	101.3	6.7	
		1-28-66	109.8	-1.8	
		2-27-66	99.3	8.7	
		3-27-66	(1)		
		5-01-66	(1)		
		5-29-66	(1)		
		6-29-66	(1)		
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	(1)		
02N/22W-14Q02S	108.7	8-09-65	(1)		121
		10-14-65	(1)		
		5-09-66	114.0(1)	-5.3	
02N/22W-16M04S	137.7	7-26-65	160.6	-22.9	121
		8-30-65	164.6	-26.9	
		9-28-65	165.9	-28.2	
		10-26-65	168.6	-30.9	
		11-30-65	165.6	-27.9	
		12-28-65	162.6	-24.9	
		2-04-66	155.9	-18.2	
		3-10-66	148.6	-10.9	
		4-28-66	157.6(1)	-19.9	
		6-03-66	155.8	-18.1	
		6-28-66	157.9	-20.2	
		8-09-66	159.1	-21.4	
02N/22W-19K01S	37.7	7-28-65	66.6(1)	-28.9	121
		8-30-65	73.4	-35.7	
		9-28-65	72.2	-34.5	
		10-26-65	72.4(4)	-34.7	
		11-30-65	63.9(4)	-26.2	
		12-28-65	63.4	-25.7	
		2-04-66	58.1	-20.4	
		3-10-66	56.8	-19.1	
		4-28-66	61.0	-23.3	
		6-03-66	63.3	-25.6	
		6-28-66	62.8	-25.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
OXNARD PLAIN HYDRO SUBUNIT U-03.A0					
OXNARD HYDRO SUBAREA U-03.A1					
02N/22W-19K01S (CONT.)	37.7	8-09-66	65.2	-27.5	121
02N/22W-20M05S	41.0	7-26-65	83.0	-42.0	411
		8-25-65	78.1	-37.1	
		9-26-65	82.9	-41.9	
		10-23-65	76.8	-35.8	
		11-26-65	75.5	-34.5	
		12-30-65	75.5	-34.5	
		1-27-66	65.1	-24.1	
		2-26-66	58.6	-17.6	
		3-26-66	58.8	-17.8	
		4-30-66	69.3	-28.3	
		5-28-66	67.7	-26.7	
		6-27-66	66.1	-25.1	
		7-28-66	69.9	-28.9	
		8-25-66	71.4	-30.4	
		9-25-66	77.4	-36.4	
02N/22W-21Q01S	68.5	8-13-65	97.9	-29.4	121
		10-19-65	100.1(1)	-31.6	
		4-20-66	77.8	-9.3	
		7-07-66	78.7	-10.2	
02N/22W-21R03S	70.0	8-02-65	99.0(5)	-29.0	209
		1-03-66	95.0(5)	-25.0	
		1-26-66	91.0(5)	-21.0	
		4-28-66	84.0(5)	-14.0	
		6-27-66	85.0(5)	-15.0	
		7-12-66	84.0(5)	-14.0	
		8-22-66	88.0(5)	-18.0	
		9-14-66	90.0(5)	-20.0	
02N/22W-22G01S	92.4	7-28-65	(1)		121
		8-31-65	124.0	-31.6	
		9-28-65	123.2	-30.8	
		10-26-65	(1)		
		12-01-65	113.0	-20.6	
		12-28-65	111.2	-18.8	
		2-08-66	(4)		
		3-10-66	(4)		
		4-28-66	(4)		
		6-01-66	(4)		
02N/22W-22H01S	109.4	8-09-65	(2)		121
		10-14-65	(2)		
		5-09-66	101.6	7.8	
02N/22W-22M03S	78.2	8-13-65	99.8(1)	-21.6	121
		10-15-65	102.1	-23.9	
		4-20-66	85.3	-7.1	
		7-07-66	90.0	-11.8	
02N/22W-22R01S	92.2	7-06-65	112.7	-20.5	411
		7-13-65	113.2	-21.0	
		7-20-65	115.3	-23.1	
		7-27-65	115.9	-23.7	
		8-03-65	116.2	-24.0	
		8-10-65	116.5	-24.3	
		8-17-65	117.2	-25.0	
		8-24-65	117.6	-25.4	
		8-31-65	118.9	-26.7	
		9-07-65	118.1	-25.9	
		9-11-65	129.3	-37.1	
		9-18-65	126.1	-33.9	
		9-25-65	126.8	-34.6	
		10-02-65	127.5	-35.3	
		10-09-65	127.5	-35.3	
		10-16-65	127.8	-35.6	
		10-23-65	128.4	-36.2	
		10-30-65	128.9	-36.7	
		11-06-65	128.9	-36.7	
		11-13-65	133.0	-40.8	
		11-20-65	128.4	-36.2	
		11-27-65	127.3	-35.1	
		12-04-65	125.4	-33.2	
		12-11-65	121.9	-29.7	
		12-18-65	120.7	-28.5	
		12-24-65	120.2	-28.0	
		12-29-65	119.1	-26.9	
		1-02-66	116.3	-24.1	
		1-08-66	115.0	-22.8	
		1-15-66	112.0	-19.8	
		1-22-66	108.2	-16.0	
		1-29-66	105.6	-13.4	
		2-05-66	102.8	-10.6	
		2-12-66	100.5	-8.3	
		2-19-66	98.9	-6.7	
		2-26-66	100.8	-8.6	
		3-05-66	100.8	-8.6	
		3-12-66	101.1	-8.9	
		3-19-66	100.5	-8.3	
		3-26-66	100.2	-8.0	
		4-02-66	100.8	-8.6	
		4-09-66	101.5	-9.3	
		4-16-66	103.2	-11.0	
		4-22-66	104.2	-12.0	
		4-30-66	105.7	-13.5	
OXNARD PLAIN HYDRO SUBUNIT U-03.A0					
OXNARD HYDRO SUBAREA U-03.A1					
02N/22W-22R01S (CONT.)	92.2	5-07-66	106.7	-14.5	411
		5-14-66	106.4	-14.2	
		5-21-66	108.1	-15.9	
		5-28-66	108.6	-16.4	
		6-04-66	109.3	-17.1	
		6-11-66	109.5	-17.3	
		6-18-66	109.8	-17.6	
		6-22-66	104.3	-12.1	
		6-29-66	104.5	-12.3	
		7-06-66	105.1	-12.9	
		7-13-66	105.1	-12.9	
		7-20-66	105.5	-13.3	
		7-27-66	106.0	-13.8	
		8-03-66	106.4	-14.2	
		8-10-66	107.2	-15.0	
		8-17-66	103.8	-11.6	
		8-24-66	104.1	-11.9	
		8-31-66	105.0	-12.8	
		9-07-66	105.3	-13.1	
		9-10-66	105.5	-13.3	
		9-17-66	106.4	-14.2	
		9-24-66	107.0	-14.8	
02N/22W-23B01S	109.0	7-27-65	(1)		411
		8-25-65	(1)		
		9-26-65	167.4	-58.4	
		10-23-65	(1)		
		11-27-65	155.2	-46.2	
		1-02-66	118.2	-9.2	
		1-28-66	122.7	-13.7	
		2-27-66	131.6	-22.6	
		3-27-66	125.7	-16.7	
		5-01-66	(1)		
		5-29-66	131.9	-22.9	
		6-29-66	(1)		
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	(3)		
02N/22W-23B02S	108.0	7-27-65	(1)		411
		8-25-65	(1)		
		9-26-65	148.4	-40.4	
		10-23-65	(1)		
		11-27-65	149.3	-41.3	
		1-02-66	102.7	5.3	
		1-28-66	108.9	-.9	
		2-27-66	98.2	9.8	
		3-27-66	108.7	-.7	
		5-01-66	(1)		
		5-29-66	104.7	3.3	
		6-29-66	(1)		
		7-28-66	112.4	-4.4	
		8-25-66	(1)		
		9-25-66	119.8	-11.8	
02N/22W-23C01S	107.0	7-27-65	(1)		411
		8-25-65	(1)		
		9-26-65	(1)		
		10-23-65	(1)		
		11-27-65	152.2	-45.2	
		1-02-66	99.5	7.5	
		1-28-66	(1)		
		2-27-66	(1)		
		3-27-66	(1)		
		5-01-66	(1)		
		5-29-66	111.5	-4.5	
		6-29-66	(1)		
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	120.0	-13.0	
02N/22W-23C02S	107.0	7-27-65	(1)		411
		8-25-65	(1)		
		9-26-65	152.3	-45.3	
		10-23-65	(1)		
		11-27-65	164.8	-57.8	
		1-02-66	115.4	-8.4	
		1-28-66	(1)		
		2-27-66	(1)		
		3-27-66	109.9	-2.9	
		5-01-66	115.7	-8.7	
		5-29-66	(1)		
		6-29-66	(1)		
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	(1)		
02N/22W-23C03S	107.0	7-27-65	(1)		411
		8-25-65	(1)		
		9-26-65	(1)		
		10-23-65	(1)		
		11-27-65	(1)		
		1-02-66	(1)		
		1-28-66	146.4	-39.4	
		2-27-66	133.4	-26.4	
		3-27-66	(1)		
		5-01-66	(1)		
		5-29-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-23C03S	107.0	6-29-66	(1)		411
(CONT.)		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	(1)		
02N/22W-23D02S	102.1	8-09-65	125.8	-23.7	121
		10-14-65	133.0(1)	-30.9	
		5-09-66	101.0	1.1	
02N/22W-23F03S	100.0	8-12-65	(1)		121
		10-14-65	(1)		
		5-10-66	101.0	-1.0	
02N/22W-23G01S	106.5	7-06-65	125.0(5)	-18.5	411
		7-13-65	125.0(5)	-18.5	
		7-20-65	126.0(5)	-19.5	
		7-27-65	148.0(1)	-41.5	
		8-10-65	152.0(1)	-45.5	
		8-17-65	127.0(5)	-20.5	
		8-24-65	153.0(1)	-46.5	
		8-31-65	150.0(1)	-43.5	
		9-07-65	152.0(1)	-45.5	
		9-11-65	156.0(1)	-49.5	
		9-18-65	155.0(1)	-48.5	
		9-25-65	131.0(5)	-24.5	
		10-02-65	161.0(1)	-54.5	
		10-09-65	133.0(5)	-26.5	
		10-16-65	156.0(1)	-49.5	
		10-23-65	156.0(1)	-49.5	
		10-30-65	133.0(5)	-26.5	
		11-06-65	133.0(5)	-26.5	
		11-13-65	158.0(1)	-51.5	
		11-20-65	132.0(5)	-25.5	
		11-27-65	123.0(5)	-16.5	
		12-04-65	95.0(5)	11.5	
		12-11-65	105.0(5)	1.5	
		12-18-65	109.0(5)	-2.5	
		12-24-65	111.0(5)	-4.5	
		12-29-65	99.0(5)	7.5	
		1-02-66	102.0(5)	4.5	
		1-08-66	94.0(5)	12.5	
		1-15-66	115.0(1)	-8.5	
		1-22-66	75.0(5)	31.5	
		1-29-66	126.0(1)	-19.5	
		2-05-66	82.0(5)	24.5	
		2-12-66	80.0(5)	26.5	
		2-19-66	82.0(5)	24.5	
		2-26-66	131.0(1)	-24.5	
		3-05-66	135.0(1)	-28.5	
		3-12-66	139.0(1)	-32.5	
		3-19-66	142.0(1)	-35.5	
		3-26-66	139.0(1)	-32.5	
		4-02-66	145.0(1)	-38.5	
		4-09-66	143.0(1)	-36.5	
		4-16-66	147.0(1)	-40.5	
		4-22-66	145.0(1)	-38.5	
		4-30-66	148.0(1)	-41.5	
		5-07-66	105.0(5)	1.5	
		5-14-66	106.0(5)	.5	
		5-21-66	107.0(5)	-.5	
		5-28-66	107.0(5)	-.5	
		6-04-66	144.0(1)	-37.5	
		6-11-66	109.0(5)	-2.5	
		6-18-66	110.0(5)	-3.5	
		6-22-66	109.0(5)	-2.5	
		6-29-66	110.0(5)	-3.5	
		7-06-66	110.0(5)	-3.5	
		7-13-66	111.0(5)	-4.5	
		7-20-66	144.0(1)	-37.5	
		7-27-66	145.0(1)	-38.5	
		8-03-66	114.0(5)	-7.5	
		8-10-66	146.0(1)	-39.5	
		8-17-66	153.0(1)	-46.5	
		8-24-66	153.0(1)	-46.5	
		8-31-66	152.0(1)	-45.5	
		9-07-66	150.0(1)	-43.5	
		9-10-66	149.0(1)	-42.5	
		9-17-66	154.0(1)	-47.5	
		9-24-66	155.0(1)	-48.5	
02N/22W-23G02S	107.0	7-27-65	(1)		411
		8-25-65	(1)		
		9-26-65	132.2	-25.2	
		10-23-65	(1)		
		11-27-65	(3)		
		1-02-66	117.4	-10.4	
		1-28-66	112.7	-5.7	
		2-27-66	119.7	-12.7	
		3-27-66	122.4	-15.4	
		5-01-66	122.4	-15.4	
		5-29-66	126.1	-19.1	
		6-29-66	118.8	-11.8	
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	120.9	-13.9	
02N/22W-23H03S	109.4	7-28-65	137.6(1)	-28.2	121
		8-31-65	131.6	-22.2	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-23H03S	109.4	9-28-65	130.6	-21.2	121
(CONT.)		10-26-65	139.4(1)	-30.0	
		12-01-65	129.1	-19.7	
		12-28-65	124.8	-15.4	
		2-08-66	92.9	16.5	
		3-11-66	91.0	18.4	
		4-28-66	100.3	9.1	
		6-03-66	104.6	4.8	
		6-28-66	106.2	3.2	
		8-09-66	109.6	-.2	
02N/22W-23K01S	105.0	7-06-65	123.6	-18.6	411
		7-13-65	125.6	-20.6	
		7-20-65	125.0	-20.0	
		7-27-65	124.5	-19.5	
		8-03-65	124.5	-19.5	
		8-10-65	131.6	-26.6	
		8-17-65	126.2	-21.2	
		8-24-65	126.3	-21.3	
		8-31-65	130.9	-25.9	
		9-07-65	130.4	-25.4	
		9-11-65	132.0	-27.0	
		9-18-65	131.4	-26.4	
		9-25-65	132.5	-27.5	
		10-02-65	136.1	-31.1	
		10-09-65	131.5	-26.5	
		10-16-65	138.3	-33.3	
		10-30-65	145.4	-40.4	
		11-06-65	141.5	-36.5	
		11-13-65	145.7	-40.7	
		11-20-65	127.5	-22.5	
		11-27-65	135.2	-30.2	
		12-04-65	124.4	-19.4	
		12-11-65	123.6	-18.6	
		12-18-65	122.5	-17.5	
		12-24-65	133.9	-28.9	
		1-02-66	(3)		
		1-08-66	115.8	-10.8	
		1-15-66	(8)		
		1-22-66	82.7	22.3	
		1-29-66	76.6	28.4	
		2-05-66	78.3	26.7	
		2-12-66	69.0	36.0	
		2-19-66	75.0	30.0	
		2-26-66	74.1	30.9	
		3-05-66	84.5	20.5	
		3-12-66	90.6	14.4	
		3-19-66	91.1	13.9	
		3-26-66	93.0	12.0	
		4-02-66	92.7	12.3	
		4-09-66	94.8	10.2	
		4-16-66	(1)		
		4-30-66	102.7	2.3	
		5-07-66	104.9	.1	
		5-21-66	106.6	-1.6	
		5-28-66	103.5	1.5	
		6-04-66	112.8	-7.8	
		6-11-66	107.4	-2.4	
		6-18-66	107.0	-2.0	
		6-22-66	110.2	-5.2	
		7-06-66	109.4	-4.4	
		7-13-66	115.1	-10.1	
		7-20-66	107.6	-2.6	
		7-27-66	110.9	-5.9	
		8-03-66	108.9	-3.9	
		8-10-66	109.4	-4.4	
		8-17-66	114.5	-9.5	
		8-24-66	115.6	-10.6	
		8-31-66	114.7	-9.7	
		9-07-66	112.6	-7.6	
		9-17-66	114.1	-9.1	
		9-24-66	116.0	-11.0	
02N/22W-23K03S	102.0	8-12-65	(3)		121
		10-14-65	(3)		
		5-10-66	(3)		
02N/22W-23K04S	105.8	7-06-65	246.7(1)	-140.9	411
		7-13-65	241.7(1)	-135.9	
		7-20-65	245.7(1)	-139.9	
		7-27-65	243.7(1)	-137.9	
		8-03-65	248.7(1)	-142.9	
		8-10-65	247.7(1)	-141.9	
		8-17-65	253.7(1)	-147.9	
		8-24-65	252.7(1)	-146.9	
		8-31-65	249.7(1)	-143.9	
		9-07-65	253.7(1)	-147.9	
		9-11-65	253.7(1)	-147.9	
		9-18-65	246.7(1)	-140.9	
		9-25-65	256.7(1)	-150.9	
		10-02-65	252.7(1)	-146.9	
		10-09-65	251.7(1)	-145.9	
		10-16-65	247.7(1)	-141.9	
		10-23-65	249.7(1)	-143.9	
		10-30-65	254.7(1)	-148.9	
		11-06-65	250.7(1)	-144.9	
		11-13-65	253.7(1)	-147.9	
		11-20-65	251.7(1)	-145.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANIA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-23K04S	105.8	11-27-65	243.7(1)	-137.9	411
(CONT.)		12-04-65	243.7(1)	-137.9	
		12-11-65	246.7(1)	-140.9	
		12-18-65	240.7(1)	-134.9	
		12-24-65	239.7(1)	-133.9	
		12-29-65	243.7(1)	-137.9	
		1-02-66	238.7(1)	-132.9	
		1-06-66	241.7(1)	-135.9	
		1-15-66	155.7(5)	-49.9	
		1-22-66	151.7(5)	-45.9	
		1-29-66	(8)		
		2-05-66	(8)		
		2-12-66	178.7(5)	-72.9	
		2-19-66	195.7(5)	-89.9	
		2-26-66	131.7(5)	-25.9	
		3-05-66	124.7(5)	-18.9	
		3-12-66	123.7(5)	-17.9	
		3-19-66	123.7(5)	-17.9	
		3-26-66	134.7(5)	-28.9	
		4-02-66	137.7(5)	-31.9	
		4-09-66	138.7(5)	-32.9	
		4-16-66	229.7(1)	-123.9	
		4-22-66	243.7(1)	-137.9	
		4-30-66	239.7(1)	-133.9	
		5-07-66	242.7(1)	-136.9	
		5-14-66	240.7(1)	-134.9	
		5-21-66	238.7(1)	-132.9	
		5-28-66	236.7(1)	-130.9	
		6-04-66	230.7(1)	-124.9	
		6-11-66	234.7(1)	-128.9	
		6-18-66	234.7(1)	-128.9	
		6-22-66	233.7(1)	-127.9	
		6-29-66	229.7(1)	-123.9	
		7-06-66	233.7(1)	-127.9	
		7-13-66	235.7(1)	-129.9	
		7-20-66	170.7(5)	-64.9	
		7-27-66	231.7(1)	-125.9	
		8-03-66	234.7(1)	-128.9	
		8-10-66	233.7(1)	-127.9	
		8-17-66	237.7(1)	-131.9	
		8-24-66	231.7(1)	-125.9	
		8-31-66	228.7(1)	-122.9	
		9-07-66	234.7(1)	-128.9	
		9-10-66	233.7(1)	-127.9	
		9-17-66	231.7(1)	-125.9	
		9-24-66	237.7(1)	-131.9	
02N/22W-23Q01S	101.6	7-28-65	120.4	-18.8	121
		8-31-65	122.8	-21.2	
		9-28-65	124.6	-23.0	
		10-26-65	134.4(1)	-32.8	
		12-01-65	123.7	-22.1	
		12-28-65	120.4	-18.8	
		2-08-66	77.8	23.8	
		3-11-66	84.4	17.2	
		4-28-66	98.0	3.6	
		6-03-66	102.0	-.4	
		6-28-66	103.9	-2.3	
		8-09-66	106.5	-4.9	
02N/22W-24D01S	112.7	8-12-65	(1)		121
		10-14-65	(1)		
		5-13-66	99.6(4)	13.1	
02N/22W-25N02S	76.2	7-06-65	97.4	-21.2	411
		7-13-65	96.8	-20.6	
		7-20-65	98.6	-22.4	
		7-27-65	97.6	-21.4	
		8-03-65	97.0	-20.8	
		8-10-65	97.3	-21.1	
		8-17-65	98.7	-22.5	
		8-24-65	100.1	-23.9	
		8-31-65	101.3	-25.1	
		9-07-65	101.1	-24.9	
		9-11-65	100.7	-24.5	
		9-18-65	100.7	-24.5	
		9-25-65	101.4	-25.2	
		10-02-65	101.0	-24.8	
		10-09-65	101.4	-25.2	
		10-16-65	100.6	-24.4	
		10-23-65	102.5	-26.3	
		10-30-65	103.0	-26.8	
		11-06-65	102.3	-26.1	
		11-13-65	101.4	-25.2	
		11-20-65	100.3	-24.1	
		11-27-65	99.8	-23.6	
		12-04-65	99.2	-23.0	
		12-11-65	99.3	-23.1	
		12-18-65	97.3	-21.1	
		12-24-65	96.8	-20.6	
		12-29-65	95.9	-19.7	
		1-02-66	95.3	-19.1	
		1-08-66	94.1	-17.9	
		1-15-66	95.1	-18.9	
		1-22-66	93.2	-17.0	
		1-29-66	90.7	-14.5	
		2-05-66	87.5	-11.3	
		2-12-66	86.1	-9.9	
OXNARD PLAIN HYDRO SUBUNIT U-03.A0					
OXNARD HYDRO SUBAREA U-03.A1					
02N/22W-25N02S	76.2	2-19-66	85.2	-9.0	411
(CONT.)		2-26-66	84.7	-8.5	
		3-05-66	84.2	-8.0	
		3-12-66	83.0	-6.8	
		3-19-66	81.5	-5.3	
		3-26-66	82.0	-5.8	
		4-02-66	80.2	-4.0	
		4-09-66	79.5	-3.3	
		4-16-66	81.7	-5.5	
		4-22-66	81.7	-5.5	
		4-30-66	81.6	-5.4	
		5-07-66	82.1	-5.9	
		5-14-66	82.8	-6.6	
		5-21-66	83.0	-6.8	
		5-28-66	83.4	-7.2	
		6-04-66	83.1	-6.9	
		6-11-66	84.2	-8.0	
		6-18-66	84.3	-8.1	
		6-22-66	84.2	-8.0	
		6-29-66	84.3	-8.1	
		7-06-66	84.2	-8.0	
		7-13-66	84.4	-8.2	
		7-20-66	84.8	-8.6	
		7-27-66	84.7	-8.5	
		8-03-66	84.8	-8.6	
		8-10-66	86.0	-9.8	
		8-17-66	86.6	-10.4	
		8-24-66	97.4	-21.2	
		8-31-66	88.9	-12.7	
		9-07-66	88.8	-12.6	
		9-10-66	89.3	-13.1	
		9-17-66	89.4	-13.2	
		9-24-66	89.1	-12.9	
02N/22W-25P02S	74.2	9-16-65	100.2	-26.0	121
		8-01-66	88.8	-14.6	
02N/22W-25Q01S	71.2	7-28-65	89.7	-18.5	121
		8-31-65	96.2	-25.0	
		9-29-65	96.6	-25.4	
		10-27-65	98.8(2)	-27.6	
		12-01-65	93.7	-22.5	
		12-28-65	91.9	-20.7	
		2-09-66	79.5(4)	-8.3	
		3-11-66	75.0	-3.8	
		4-28-66	85.2(1)	-14.0	
		5-27-66	80.1	-8.9	
		6-28-66	79.2	-8.0	
		8-10-66	(7)		
02N/22W-25Q04S	71.1	9-16-65	100.9	-29.8	121
		8-09-66	80.6	-9.5	
02N/22W-26J01S	81.3	7-28-65	102.2	-20.9	121
		8-31-65	106.5	-25.2	
		9-28-65	107.1	-25.8	
		10-26-65	107.9	-26.6	
		11-30-65	103.7	-22.4	
		12-28-65	100.7	-19.4	
		2-08-66	96.2	-14.9	
		3-11-66	88.7	-7.4	
		4-28-66	88.7	-7.4	
		6-01-66	90.7	-9.4	
		6-28-66	89.7	-8.4	
		8-09-66	91.8	-10.5	
02N/22W-27A02S	86.2	8-09-65	112.5	-26.3	121
		10-14-65	116.5	-30.3	
		5-09-66	100.3	-14.1	
02N/22W-27E01S	74.7	7-28-65	100.4	-25.7	121
		8-31-65	107.9(1)	-33.2	
		9-28-65	101.7	-27.0	
		10-26-65	107.1(1)	-32.4	
		12-01-65	103.9	-29.2	
		12-28-65	102.1	-27.4	
		2-09-66	90.8	-16.1	
		3-11-66	87.1	-12.4	
		4-28-66	90.9	-16.2	
		6-03-66	92.9(1)	-18.2	
		6-28-66	92.9(1)	-18.2	
		8-09-66	90.3	-15.6	
02N/22W-27J03S	84.4	9-16-65	109.3	-24.9	121
		8-01-66	98.1(1)	-13.7	
02N/22W-27K01S	80.3	8-13-65	104.7(1)	-24.4	121
		10-15-65	107.6(1)	-27.3	
		4-20-66	90.1(1)	-9.8	
		7-07-66	93.4(1)	-13.1	
02N/22W-27L01S	76.0	8-13-65	100.6(1)	-24.6	121
		10-15-65	104.6	-28.6	
		4-20-66	84.4	-8.4	
		7-07-66	87.1	-11.1	
02N/22W-27N03S	77.2	8-13-65	106.0	-28.8	121
		10-19-65	105.8	-28.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-27N03S (CONT.)	77.2	4-20-66	88.9	-11.7	121
		7-07-66	89.4	-12.2	
02N/22W-27Q01S	78.1	9-16-65	114.0(1)	-35.9	121
		8-01-66	(2)		
02N/22W-28A02S	68.4	8-13-65	(1)		121
		10-19-65	(1)		
		4-20-66	89.8(1)	-21.4	
		7-07-66	92.8(1)	-24.4	
02N/22W-28K04S	71.2	8-13-65	105.8(1)	-34.6	121
		10-19-65	104.5	-33.3	
		4-21-66	85.0	-13.8	
		7-07-66	83.5	-12.3	
02N/22W-28L01S	66.4	8-13-65	104.0(1)	-37.6	121
		10-19-65	100.5	-34.1	
		4-20-66	85.1(1)	-18.7	
		7-07-66	80.1	-13.7	
02N/22W-28N01S	60.4	8-13-65	91.3	-30.9	121
		10-19-65	91.8	-31.4	
		4-21-66	78.1	-17.7	
		7-22-66	80.1	-19.7	
02N/22W-29M01S	45.2	8-13-65	83.6(1)	-38.4	121
		10-19-65	85.0(1)	-39.8	
		4-21-66	72.0(1)	-26.8	
		7-07-66	61.2	-16.0	
02N/22W-29N01S	46.0	8-13-65	84.8	-38.8	121
		10-19-65	86.6(2)	-40.6	
		4-21-66	70.9(2)	-24.9	
		7-07-66	62.1	-16.1	
02N/22W-31A01S	41.7	8-13-65	80.4	-38.7	121
		10-19-65	80.7	-39.0	
		4-21-66	66.1	-24.4	
		7-22-66	68.0	-26.3	
02N/22W-31C01S	33.4	8-13-65	70.6	-37.2	121
		10-19-65	71.6	-38.2	
		4-21-66	60.3	-26.9	
		7-22-66	53.4	-20.0	
02N/22W-31J01S	34.6	8-13-65	(1)		121
		10-19-65	71.0	-36.4	
		4-21-66	66.4(1)	-31.8	
		7-22-66	52.0(5)	-17.4	
02N/22W-32A01S	55.2	7-28-65	77.5	-22.3	121
		8-31-65	85.9	-30.7	
		9-28-65	88.0	-32.8	
		10-26-65	86.5	-31.3	
		12-07-65	80.7	-25.5	
		12-28-65	78.5	-23.3	
		2-08-66	69.5	-14.3	
		3-11-66	68.8	-13.6	
		4-28-66	75.5	-20.3	
		6-03-66	72.5	-17.3	
		6-28-66	68.9	-13.7	
		8-09-66	73.2	-18.0	
02N/22W-32C03S	49.0	9-24-65	20.1	28.9	121
		4-13-66	19.8	29.2	
		6-22-66	18.2	30.8	
		9-14-66	19.7	29.3	
02N/22W-32Q02S	39.6	9-24-65	9.6	30.0	121
		4-13-66	8.4	31.2	
		6-22-66	7.7	31.9	
		9-14-66	10.4	29.2	
02N/22W-33N01S	49.0	7-06-65	71.7	-22.7	411
		7-13-65	72.5	-23.5	
		7-20-65	72.9	-23.9	
		7-27-65	73.2	-24.2	
		8-03-65	74.9	-25.9	
		8-10-65	76.6	-27.6	
		8-17-65	79.3	-30.3	
		8-24-65	78.2	-29.2	
		8-31-65	78.6	-29.6	
		9-07-65	80.0	-31.0	
		9-11-65	81.0	-32.0	
		9-18-65	81.1	-32.1	
		9-25-65	82.1	-33.1	
		10-02-65	82.9	-33.9	
		10-09-65	83.4	-34.4	
		10-16-65	83.7	-34.7	
		10-23-65	84.4	-35.4	
		10-30-65	91.7	-42.7	
		11-06-65	90.8	-41.8	
		11-13-65	90.1	-41.1	
		11-20-65	83.8	-34.8	
		11-27-65	82.2	-33.2	
		12-04-65	74.5	-25.5	
		12-11-65	73.5	-24.5	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0
OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-33N01S (CONT.)	49.0	12-18-65	72.4	-23.4	411
		12-24-65	74.5	-25.5	
		12-29-65	72.9	-23.9	
		1-02-66	71.5	-22.5	
		1-08-66	70.9	-21.9	
		1-15-66	70.3	-21.3	
		1-22-66	73.1	-24.1	
		1-29-66	72.6	-23.6	
		2-05-66	65.8	-16.8	
		2-12-66	63.8	-14.8	
		2-19-66	64.6	-15.6	
		2-26-66	66.6	-17.6	
		3-05-66	64.8	-15.8	
		3-12-66	64.4	-15.4	
		3-19-66	64.2	-15.2	
		3-26-66	64.1	-15.1	
		4-02-66	64.7	-15.7	
		4-09-66	65.5	-16.5	
		4-16-66	67.8	-18.8	
		4-22-66	70.1	-21.1	
		4-30-66	71.5	-22.5	
		5-07-66	71.4	-22.4	
		5-14-66	69.3	-20.3	
		5-21-66	69.1	-20.1	
		5-28-66	66.9	-17.9	
		6-04-66	66.1	-17.1	
		6-11-66	65.6	-16.6	
		6-18-66	64.5	-15.5	
		6-22-66	63.6	-14.6	
		6-29-66	63.8	-14.8	
		7-06-66	62.6	-13.6	
		7-13-66	63.1	-14.1	
		7-20-66	63.5	-14.5	
		7-27-66	64.5	-15.5	
		8-03-66	66.5	-17.5	
		8-10-66	69.4	-20.4	
		8-17-66	70.1	-21.1	
		8-24-66	69.4	-20.4	
		8-31-66	71.5	-22.5	
		9-07-66	73.9	-24.9	
		9-10-66	74.0	-25.0	
		9-17-66	75.0	-26.0	
		9-24-66	76.0	-27.0	
02N/22W-34J01S	67.0	9-16-65	101.0	-34.0	121
		8-01-66	81.8	-14.8	
02N/22W-34M01S	66.0	8-17-65	93.7(1)	-27.7	209
		1-26-66	84.7(5)	-18.7	
		4-28-66	79.7(5)	-13.7	
		6-27-66	77.7(5)	-11.7	
		7-12-66	77.7(5)	-11.7	
		8-22-66	82.7(5)	-16.7	
		9-14-66	85.7(5)	-19.7	
02N/22W-35C01S	75.2	9-16-65	104.8	-29.6	121
		8-01-66	87.3	-12.1	
02N/22W-36M02S	67.0	7-06-65	90.7	-23.7	411
		7-13-65	90.2	-23.2	
		7-20-65	90.5	-23.5	
		7-27-65	91.8	-24.8	
		8-03-65	91.7	-24.7	
		8-10-65	92.9	-25.9	
		8-17-65	94.3	-27.3	
		8-24-65	94.9	-27.9	
		8-31-65	94.8	-27.8	
		9-07-65	96.3	-29.3	
		9-11-65	96.2	-29.2	
		9-18-65	96.2	-29.2	
		9-25-65	96.0	-29.0	
		10-02-65	96.8	-29.8	
		10-09-65	97.4	-30.4	
		10-16-65	96.8	-29.8	
		10-23-65	97.5	-30.5	
		10-30-65	98.4	-31.4	
		11-06-65	98.1	-31.1	
		11-13-65	97.1	-30.1	
		11-20-65	94.2	-27.2	
		11-27-65	92.3	-25.3	
		12-04-65	90.7	-23.7	
		12-11-65	89.5	-22.5	
		12-18-65	88.4	-21.4	
		12-24-65	88.6	-21.6	
		1-02-66	86.4	-19.4	
		1-08-66	85.1	-18.1	
		1-15-66	84.3	-17.3	
		1-22-66	83.7	-16.7	
		1-29-66	82.4	-15.4	
		2-05-66	79.2	-12.2	
		2-12-66	76.8	-9.8	
		2-19-66	75.7	-8.7	
		2-26-66	75.4	-8.4	
		3-05-66	75.1	-8.1	
		3-12-66	75.3	-8.3	
		3-19-66	74.6	-7.6	
		3-26-66	75.5	-8.5	
		4-02-66	75.6	-8.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/22W-36M02S	67.0	4-09-66	75.9	-8.9	411
(CONT.)		4-16-66	77.4	-10.4	
		4-22-66	77.4	-10.4	
		4-30-66	78.3	-11.3	
		5-07-66	78.1	-11.1	
		5-14-66	78.7	-11.7	
		5-21-66	79.5	-12.5	
		5-28-66	79.4	-12.4	
		6-04-66	79.2	-12.2	
		6-11-66	79.6	-12.6	
		6-18-66	79.6	-12.6	
		6-22-66	79.5	-12.5	
		6-29-66	79.2	-12.2	
		7-06-66	78.2	-11.2	
		7-13-66	78.9	-11.9	
		7-20-66	79.9	-12.9	
		7-27-66	80.5	-13.5	
		8-03-66	80.7	-13.7	
		8-10-66	82.3	-15.3	
		8-17-66	84.0	-17.0	
		8-24-66	84.7	-17.7	
		8-31-66	85.4	-18.4	
		9-07-66	86.0	-19.0	
		9-10-66	86.5	-19.5	
		9-17-66	86.3	-19.3	
		9-24-66	86.9	-19.9	
02N/23W-13F01S	61.4	7-28-65	67.0	-5.6	121
		8-30-65	70.0	-8.6	
		9-28-65	71.3	-9.9	
		10-26-65	71.0	-9.6	
		11-30-65	60.0	1.4	
		12-28-65	60.4	1.0	
		2-04-66	57.8	3.6	
		3-10-66	56.1	5.3	
		4-28-66	65.5	-4.1	
		6-03-66	87.0(1)	-25.6	
		6-27-66	92.0(1)	-30.6	
		8-09-66	60.6	.8	
02N/23W-14K01S	32.1	7-26-65	32.5	-.4	411
		8-25-65	37.0	-4.9	
		9-26-65	38.7	-6.6	
		10-23-65	39.8	-7.7	
		11-26-65	35.0	-2.9	
		12-30-65	31.5	.6	
		1-27-66	32.9	-.8	
		2-26-66	28.9	3.2	
		3-26-66	32.0	.1	
		4-30-66	32.4	-.3	
		5-28-66	34.2	-2.1	
		6-27-66	35.5	-3.4	
		7-28-66	36.6	-4.5	
		8-25-66	34.1	-2.0	
		9-25-66	33.2	-1.1	
02N/23W-24G01S	27.1	7-26-65	23.2	3.9	411
		8-25-65	28.4	-1.3	
		9-26-65	29.2	-2.1	
		10-23-65	29.8	-2.7	
		11-26-65	26.9	.2	
		12-30-65	21.4	5.7	
		1-27-66	18.8	8.3	
		2-26-66	17.6	9.5	
		3-26-66	18.1	9.0	
		4-30-66	21.4	5.7	
		5-28-66	19.9	7.2	
		6-27-66	24.4	2.7	
		7-28-66	21.3	5.8	
		8-25-66	25.4	1.7	
		9-25-66	23.4	3.7	
02N/23W-25M01S	13.7	8-13-65	50.7	-37.0	121
		10-19-65	48.7	-35.0	
		4-21-66	37.6	-23.9	
		7-22-66	30.7	-17.0	
02N/23W-35H01S	10.6	7-26-65	35.1	-24.5	411
		8-25-65	(1)		
		9-26-65	43.7	-33.1	
		10-23-65	44.8	-34.2	
		11-26-65	(1)		
		12-31-65	18.5	-7.9	
		1-27-66	26.0	-15.4	
		2-26-66	29.8	-19.2	
		3-26-66	25.8	-15.2	
		4-30-66	(1)		
		5-28-66	29.9	-19.3	
		6-26-66	24.8	-14.2	
		7-28-66	(1)		
		8-25-66	26.3	-15.7	
		9-25-66	37.1	-26.5	
02N/23W-36A01S	28.7	7-28-65	68.4(1)	-39.7	121
		8-31-65	61.8	-33.1	
		9-28-65	66.2(1)	-37.5	
		10-26-65	67.6(1)	-38.9	
		12-07-65	55.9(1)	-27.2	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

OXNARD HYDRO SUBAREA U-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/23W-36A01S	28.7	12-28-65	50.9	-22.2	121
(CONT.)		2-08-66	43.9	-15.2	
		3-11-66	47.9	-19.2	
		4-28-66	63.9	-35.2	
		6-03-66	82.9(1)	-54.2	
		6-28-66	45.7	-17.0	
		8-10-66	60.8	-32.1	
02N/23W-36C03S	22.8	9-24-65	13.1	9.7	121
		4-13-66	12.3	10.5	
		6-22-66	12.7	10.1	
		9-14-66	13.1	9.7	
02N/23W-36N01S	12.5	9-24-65	9.2	3.3	121
		4-14-66	8.1	4.4	
		6-22-66	9.0	3.5	
		9-14-66	9.1	3.4	
02N/23W-36R01S	22.8	9-24-65	12.4	10.4	121
		4-13-66	11.1	11.7	
		6-22-66	10.9	11.9	
		9-14-66	11.5	11.3	

PLEASANT VALLEY HYDRO SUBAREA U-03.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/20W-03D01S	240.3	7-29-65	224.1	16.2	121
		9-29-65	252.6(2)	-12.3	
		10-27-65	264.1(2)	-23.8	
		12-08-65	224.1	16.2	
		12-28-65	220.1	20.2	
		2-10-66	223.4(4)	16.9	
		3-18-66	194.1(1)	46.2	
		4-29-66	190.1	50.2	
		5-27-66	233.1(1)	7.2	
		6-29-66	226.6	13.7	
		8-10-66	230.1	10.2	
01N/20W-06A01S	119.6	9-22-65	70.0	49.6	121
		2-20-66	(5)		
01N/20W-06C01S	124.5	9-22-65	146.2(2)	-21.7	121
		2-20-66	134.3	-9.8	
		7-07-66	139.9	-15.4	
01N/20W-06C02S	124.8	9-22-65	(1)		121
		2-20-66	(3)		
		7-07-66	268.4	-143.6	
01N/20W-06C03S	123.7	9-22-65	243.9(5)	-120.2	121
		2-20-66	(7)		
		7-07-66	(7)		
01N/20W-06R01S	101.8	9-22-65	52.6	49.2	121
		2-20-66	49.0	52.8	
		7-12-66	55.6(1)	46.2	
01N/21W-01A01S	117.2	2-21-66	214.2	-97.0	121
		7-01-66	(1)		
01N/21W-01B01S	117.7	9-22-65	131.7	-14.0	121
		2-18-66	156.0(3)	-38.3	
		7-01-66	133.0(1)	-15.3	
01N/21W-01B02S	116.4	9-22-65	227.4(1)	-111.0	121
		2-18-66	(5)		
		7-01-66	276.6(1)	-160.2	
01N/21W-01R01S	90.1	9-17-65	115.0	-24.9	121
		2-17-66	(9)		
		8-12-66	(9)		
01N/21W-02H01S	96.7	9-22-65	206.4	-109.7	121
		2-18-66	162.4	-65.7	
		7-01-66	236.4(1)	-139.7	
01N/21W-02H02S	96.2	9-22-65	116.8	-20.6	121
		2-18-66	(4)		
		7-01-66	100.5	-4.3	
01N/21W-02J01S	90.1	9-22-65	114.0	-23.9	121
		2-18-66	107.9	-17.8	
		7-01-66	108.8(2)	-18.7	
01N/21W-02J02S	90.0	9-22-65	186.4	-96.4	121
		2-18-66	(5)		
		7-01-66	242.4(1)	-152.4	
01N/21W-02P01S	66.6	9-17-65	(1)		121
		2-18-66	(1)		
		9-06-66	184.8	-118.2	
01N/21W-03L01S	58.5	9-17-65	131.5(1)	-73.0	121
		2-18-66	118.5(5)	-60.0	
		9-06-66	137.5(5)	-79.0	
01N/21W-10F01S	38.2	9-17-65	87.1	-48.9	121

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

PLEASANT VALLEY HYDRO SUBAREA U-03.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/21W-10F01S (CONT.)	38.2	2-18-66	63.1	-24.9	121
		9-06-66	85.6	-47.4	
01N/21W-11B01S	68.5	9-17-65	89.7	-21.2	121
		2-18-66	90.2	-21.7	
		9-06-66	85.6	-17.1	
01N/21W-11B02S	68.1	9-17-65	146.6	-78.5	121
		2-18-66	134.6	-66.5	
		9-06-66	(1)		
01N/21W-11G01S	53.8	9-17-65	(9)		121
		2-18-66	(4)		
		9-06-66	(5)		
01N/21W-11R01S	63.7	9-17-65	142.5(1)	-78.8	121
		2-17-66	87.8	-24.1	
		8-12-66	86.5	-22.8	
01N/21W-12E01S	65.0	9-17-65	103.8	-38.8	121
		2-17-66	(9)		
		8-12-66	87.5	-22.5	
01N/21W-12E02S	63.8	9-17-65	119.4(1)	-55.6	121
		2-17-66	(3)		
		8-12-66	89.4	-25.6	
01N/21W-12F03S	75.0	9-17-65	105.0	-30.0	121
		2-17-66	95.5	-20.5	
		8-12-66	100.9	-25.9	
01N/21W-12G01S	76.9	9-29-65	113.2(2)	-36.3	121
		10-27-65	106.4	-29.5	
		12-08-65	101.7	-24.8	
		2-11-66	97.1	-20.2	
		3-18-66	93.8	-16.9	
		4-29-66	96.1	-19.2	
		6-06-66	114.2(1)	-37.3	
		6-29-66	100.4	-23.5	
		8-10-66	103.3	-26.4	
01N/21W-12M01S	65.7	9-17-65	105.7	-40.0	121
		2-17-66	95.1	-29.4	
		8-12-66	95.6	-29.9	
01N/21W-14A01S	53.0	9-29-65	117.2(1)	-64.2	121
		10-27-65	121.6(1)	-68.6	
		12-08-65	77.6	-24.6	
		2-10-66	81.7	-28.7	
		3-17-66	120.9(1)	-67.9	
		4-29-66	76.4	-23.4	
		6-06-66	(1)		
		6-29-66	(1)		
		8-10-66	(1)		
01N/21W-14C01S	46.7	9-17-65	155.5	-108.8	121
		2-18-66	150.5(5)	-103.8	
		9-06-66	191.5(1)	-144.8	
01N/21W-14H01S	51.8	9-17-65	106.2	-54.4	121
		8-11-66	109.2(2)	-57.4	
01N/21W-15Q02S	23.7	7-26-65	116.9(2)	-93.2	411
		8-25-65	119.3(2)	-95.6	
		9-26-65	122.1(2)	-98.4	
		10-23-65	120.2(2)	-96.5	
		11-26-65	102.4	-78.7	
		12-31-65	86.8	-63.1	
		1-27-66	82.1	-58.4	
		2-26-66	78.9	-55.2	
		3-27-66	81.1	-57.4	
		4-30-66	81.7	-58.0	
		5-28-66	89.8	-66.1	
		6-27-66	96.8(2)	-73.1	
		7-27-66	111.0(2)	-87.3	
		8-24-66	120.3(2)	-96.6	
		9-24-66	120.4(2)	-96.7	
01N/21W-16A02S	27.8	7-28-65	121.8(1)	-94.0	121
		9-29-65	128.1(1)	-100.3	
		10-27-65	129.7(1)	-101.9	
		12-01-65	103.2	-75.4	
		12-28-65	97.4	-69.6	
		2-10-66	81.2	-53.4	
		3-18-66	88.4	-60.6	
		4-29-66	91.2	-63.4	
		6-06-66	98.6	-70.8	
		6-28-66	(1)		
		8-10-66	118.2	-90.4	
01N/21W-21K02S	17.0	9-17-65	124.3(1)	-107.3	121
		2-17-66	125.8(1)	-108.8	
		8-11-66	130.3(1)	-113.3	
01N/21W-22H01S	23.3	7-28-65	49.8	-26.5	121
		8-31-65	62.9	-39.6	
		9-29-65	67.8	-44.5	
		10-27-65	58.8	-35.5	

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

PLEASANT VALLEY HYDRO SUBAREA U-03.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/21W-22H01S (CONT.)	23.3	12-08-65	47.8	-24.5	121
		12-28-65	46.0	-22.7	
		2-10-66	48.1	-24.8	
		3-17-66	45.4	-22.1	
		4-29-66	40.8	-17.5	
		6-06-66	42.4	-19.1	
		6-29-66	45.5	-22.2	
		8-10-66	58.1	-34.8	
01N/21W-27F01S	13.7	9-17-65	107.9	-94.2	121
		2-17-66	(5)		
		8-11-66	(7)		
02N/20W-19J02S	204.5	9-23-65	263.7	-59.2	121
		2-21-66	(4)		
		7-01-66	274.7	-70.2	
02N/20W-19L01S	203.6	9-10-65	270.7	-67.1	121
		2-21-66	(9)		
		6-30-66	289.2(1)	-85.6	
02N/20W-20E02S	220.6	9-23-65	227.0	-6.4	121
		7-01-66	286.8	-66.2	
02N/20W-20M02S	201.1	9-23-65	224.2	-23.1	121
		2-21-66	221.9	-20.8	
		7-01-66	227.9	-26.8	
02N/20W-21K03S	253.7	7-09-65	367.9	-114.2	121
		10-06-65	377.8	-124.1	
		12-10-65	375.9	-122.2	
		5-11-66	(1)		
02N/20W-22L05S	241.5	7-09-65	(1)		121
		10-06-65	(1)		
		12-10-65	183.3	58.2	
		5-11-66	(1)		
02N/20W-22P01S	186.6	7-09-65	(7)		121
02N/20W-28A01S	153.9	7-09-65	116.0	37.9	121
		10-06-65	117.1	36.8	
		12-10-65	115.9	38.0	
		5-11-66	115.0	38.9	
02N/20W-28B01S	148.6	7-09-65	164.7	-16.1	121
		10-06-65	166.0	-17.4	
		12-10-65	155.7	-7.1	
		5-11-66	164.0	-15.4	
02N/20W-28G02S	170.0	7-30-65	159.7	10.3	121
		9-01-65	160.1	9.9	
		9-29-65	160.3	9.7	
		11-02-65	160.2	9.8	
		12-07-65	159.5	10.5	
		2-03-66	160.4	9.6	
		2-25-66	159.6	10.4	
		4-12-66	159.9	10.1	
		5-04-66	159.9	10.1	
		6-09-66	160.3	9.7	
		7-12-66	160.9	9.1	
		8-12-66	159.9	10.1	
02N/20W-28N01S	121.1	7-09-65	156.3	-35.2	121
		10-05-65	159.2	-38.1	
		12-08-65	158.2	-37.1	
		5-11-66	154.1	-33.0	
02N/20W-29J01S	125.0	7-09-65	64.4	60.6	121
		10-05-65	63.0	62.0	
		12-08-65	62.2	62.8	
		5-11-66	60.8	64.2	
02N/20W-30C01S	189.1	9-23-65	271.2(1)	-82.1	121
		6-30-66	273.0	-83.9	
02N/20W-30H01S	189.3	9-23-65	279.7	-90.4	121
		2-21-66	266.7(5)	-77.4	
		7-01-66	334.7(5)	-145.4	
02N/20W-31B01S	155.3	7-09-65	187.5	-32.2	121
		10-06-65	(1)		
		12-08-65	187.1	-31.8	
		5-11-66	187.0	-31.7	
02N/20W-31E02S	143.0	7-09-65	234.2	-91.2	121
		10-06-65	240.7	-97.7	
		12-08-65	224.8	-81.8	
		5-11-66	225.5	-82.5	
02N/20W-31F01S	141.2	7-09-65	(3)		121
		10-06-65	(3)		
		12-08-65	(1)		
		5-11-66	221.2(5)	-80.0	
02N/21W-23M02S	213.6	9-23-65	(2)		121
		2-21-66	(6)		

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

OXNARD PLAIN HYDRO SUBUNIT U-03.A0

PLEASANT VALLEY HYDRO SUBAREA U-03.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/21W-23R02S (CONT.)	172.0	2-21-66	225.4	-53.4	121
		7-01-66	186.7(1)	-14.7	
02N/21W-24F01S	315.8	9-23-65	398.3	-82.5	121
		2-21-66	386.2	-70.4	
		7-22-66	401.9	-86.1	
02N/21W-24G01S	298.4	9-23-65	403.7(1)	-105.3	121
		2-21-66	(7)		
		7-22-66	383.7(5)	-85.3	
02N/21W-24J01S	213.6	9-10-65	290.6	-77.0	121
		2-21-66	(3)		
		7-22-66	323.6(1)	-110.0	
02N/21W-24P01S	208.2	9-23-65	301.5(1)	-93.3	121
		2-21-66	294.2	-86.0	
		7-22-66	(1)		
02N/21W-24R01S	182.3	9-23-65	(5)		121
		2-21-66	(5)		
		6-30-66	(6)		
02N/21W-25B01S	176.3	7-29-65	250.2	-73.9	121
		9-29-65	259.8	-83.5	
		10-27-65	260.8	-84.5	
		12-08-65	258.8	-82.5	
		2-10-66	253.0	-76.7	
		3-18-66	255.8	-79.5	
		4-29-66	283.8(1)	-107.5	
		6-06-66	260.8(5)	-84.5	
		6-29-66	(1)		
		8-10-66	(9)		
02N/21W-25K03S	181.2	9-23-65	269.0	-87.8	121
		2-20-66	(7)		
		6-30-66	281.0	-99.8	
02N/21W-26D05S	141.9	9-23-65	299.7(1)	-157.8	121
		2-15-66	229.7	-87.8	
02N/21W-26G01S	134.0	9-23-65	241.8	-107.8	121
		2-21-66	(3)		
		7-01-66	276.8(1)	-142.8	
02N/21W-27G01S	129.1	9-23-65	251.4	-122.3	121
		2-21-66	256.6	-127.5	
		7-01-66	257.6	-128.5	
02N/21W-27H01S	140.9	9-23-65	251.5	-110.6	121
		2-21-66	(2)		
		7-01-66	(2)		
02N/21W-33C01S	74.0	9-16-65	172.3	-98.3	121
		8-02-66	147.6	-73.6	
02N/21W-34D03S	89.2	7-29-65	210.4	-121.2	121
		8-31-65	(1)		
		9-29-65	194.1	-104.9	
		10-27-65	211.1(4)	-121.9	
		12-01-65	177.1	-87.9	
		12-28-65	172.1	-82.9	
		2-09-66	159.9	-70.7	
		3-11-66	164.7	-75.5	
		4-28-66	168.9	-79.7	
		5-27-66	176.9	-87.7	
		6-28-66	177.7	-88.5	
		8-10-66	(1)		
02N/21W-34J01S	82.0	7-28-65	174.0	-92.0	121
		8-31-65	(2)		
		9-29-65	175.5	-93.5	
		10-27-65	178.0	-96.0	
		12-01-65	163.7	-81.7	
		12-28-65	157.0	-75.0	
		2-10-66	151.5	-69.5	
		3-18-66	135.2	-53.2	
		4-29-66	(9)		
		6-06-66	161.0	-79.0	
		6-29-66	199.0(1)	-117.0	
		8-10-66	(9)		
02N/21W-34L01S	85.1	7-26-65	191.5	-106.4	411
		8-31-65	197.8	-112.7	
		9-26-65	192.8	-107.7	
		10-23-65	(1)		
		11-27-65	202.3	-117.2	
		12-31-65	203.2	-118.1	
		1-28-66	(1)		
		2-26-66	(1)		
		3-27-66	199.3	-114.2	
		4-30-66	204.3	-119.2	
		5-28-66	207.5	-122.4	
		6-27-66	(1)		
		7-27-66	198.3	-113.2	
		8-24-66	201.2	-116.1	
		9-24-66	195.0	-109.9	
OXNARD PLAIN HYDRO SUBUNIT U-03.A0 PLEASANT VALLEY HYDRO SUBAREA U-03.A2					
02N/21W-35B01S	140.4	9-22-65	248.9	-108.5	121
		2-20-66	226.9	-86.5	
		7-12-66	250.3	-109.9	
02N/21W-35C01S	119.3	9-22-65	42.8	76.5	121
		2-20-66	38.8	80.5	
		7-12-66	36.4	82.9	
02N/21W-35D01S	110.0	2-20-66	124.9	-14.9	121
		7-12-66	121.1(1)	-11.1	
02N/21W-35D02S	118.3	9-22-65	232.0(4)	-113.7	121
		2-20-66	(1)		
		7-12-66	228.0	-109.7	
02N/21W-36E02S	128.6	9-22-65	249.8	-121.2	121
		2-20-66	244.4(5)	-115.8	
		7-12-66	248.4	-119.8	
		7-22-66	243.4	-114.8	
02N/21W-36E03S	126.8	9-22-65	272.3	-145.5	121
		2-20-66	261.3(5)	-134.5	
		7-12-66	241.5	-114.7	
		7-22-66	253.3	-126.5	
02N/21W-36F01S	133.5	9-22-65	226.2	-92.7	121
		2-20-66	216.0	-82.5	
		7-12-66	214.2	-80.7	
02N/21W-36G02S	136.0	9-22-65	228.6	-92.6	121
		2-20-66	226.8(1)	-90.8	
		7-22-66	239.6(1)	-103.6	
02N/21W-36N01S	110.1	9-22-65	(1)		121
		2-20-66	174.4	-64.3	
		7-12-66	200.0	-89.9	
02N/21W-36N02S	109.2	9-22-65	119.9	-10.7	121
		2-20-66	111.8	-2.6	
		7-12-66	(8)		

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
SANTA PAULA HYDRO SUBUNIT U-03.80					
SANTA PAULA HYDRO SUBAREA U-03.81					
02N/22W-01E02S	162.0	7-14-65	17.5	144.5	121
		10-07-65	23.2	138.8	
		6-10-66	17.8	144.2	
		9-27-66	20.8	141.2	
02N/22W-01N01S	132.9	7-14-65	(7)		121
		10-07-65	(7)		
		6-14-66	(6)		
02N/22W-02C01S	177.4	7-14-65	26.6	150.8	121
		10-06-65	32.7	144.7	
		6-10-66	36.5	140.9	
		9-27-66	42.1	135.3	
02N/22W-02K04S	155.1	7-29-65	35.4(2)	119.7	121
		10-07-65	32.3(2)	122.8	
		6-14-66	29.9(2)	125.2	
		9-27-66	30.6(2)	124.5	
02N/22W-02N01S	181.8	7-29-65	67.8	114.0	121
		10-07-65	71.7	110.1	
		6-14-66	67.8	114.0	
		9-27-66	71.5	110.3	
02N/22W-02R02S	128.2	7-29-65	94.8	33.4	121
		10-07-65	106.2(2)	22.0	
		6-14-66	66.6	61.6	
		9-27-66	(1)		
02N/22W-03E01S	301.3	7-14-65	165.4	135.9	121
		10-06-65	172.4	128.9	
		6-10-66	192.4(1)	108.9	
		9-27-66	197.4(1)	103.9	
02N/22W-03J01S	241.0	7-08-65	117.4	123.6	121
		10-06-65	(1)		
		6-10-66	110.9	130.1	
		9-27-66	121.7	119.3	
02N/22W-03K01S	247.0	7-26-65	117.4	129.6	121
		8-30-65	121.2	125.8	
		9-28-65	121.9	125.1	
		10-26-65	(1)		
		11-30-65	119.9	127.1	
		12-28-65	116.9	130.1	
		3-04-66	111.8	135.2	
		4-27-66	115.7	131.3	
		6-03-66	(1)		
		6-27-66	(1)		
		8-09-66	(1)		
02N/22W-03M01S	297.4	7-14-65	(7)		121
		10-06-65	(7)		
		6-10-66	(7)		
		9-27-66	(7)		
02N/22W-03M02S	291.9	7-14-65	198.6	93.3	121
		10-06-65	210.6	81.3	
		6-10-66	215.0(2)	76.9	
		9-27-66	206.4	85.5	
02N/22W-03R02S	214.2	7-29-65	(1)		121
		10-07-65	93.7(1)	120.5	
		6-14-66	(1)		
		9-27-66	(1)		
02N/22W-10C01S	238.2	7-08-65	192.4	45.8	121
		10-06-65	192.9	45.3	
		6-10-66	(5)		
02N/22W-10C02S	238.6	7-08-65	132.2(4)	106.4	121
		10-06-65	132.2	106.4	
		6-10-66	128.6	110.0	
		9-27-66	(1)		
02N/22W-11A01S	129.5	7-29-65	107.6	21.9	121
		10-07-65	(1)		
		6-14-66	70.6	58.9	
		9-27-66	98.1(1)	31.4	
02N/22W-11A02S	133.1	7-29-65	96.5	36.6	121
		10-07-65	111.2(1)	21.9	
		6-14-66	74.2(4)	58.9	
		9-27-66	100.5(1)	32.6	
02N/22W-12A01S	148.9	7-06-65	88.1	60.8	411
		7-13-65	92.3	56.6	
		7-20-65	95.5	53.4	
		7-27-65	97.6	51.3	
		8-03-65	99.4	49.5	
		8-10-65	102.3	46.6	
		8-17-65	103.9	45.0	
		8-24-65	105.2	43.7	
		9-07-65	106.9	42.0	
		9-11-65	109.8	39.1	
		9-18-65	110.1	38.8	
		9-25-65	110.1	38.8	
SANTA PAULA HYDRO SUBUNIT U-03.80					
SANTA PAULA HYDRO SUBAREA U-03.81					
02N/22W-12A01S (CONT.)	148.9	10-02-65	110.1	38.8	411
		10-09-65	110.2	38.7	
		10-16-65	110.2	38.7	
		10-23-65	110.2	38.7	
		10-30-65	110.2	38.7	
		11-06-65	110.2	38.7	
		11-13-65	110.2	38.7	
		11-20-65	107.2	41.7	
		11-27-65	99.0	49.9	
		12-04-65	45.4	103.5	
		12-11-65	42.4	106.5	
		12-18-65	38.6	110.3	
		12-24-65	37.5	111.4	
		12-29-65	36.9	112.0	
		1-02-66	47.4	101.5	
		1-08-66	17.3	131.6	
		1-15-66	18.7	130.2	
		1-22-66	28.9	120.0	
		1-29-66	39.3	109.6	
		2-05-66	30.1	118.8	
		2-12-66	15.1	133.8	
		2-19-66	16.1	132.8	
		2-26-66	18.4	130.5	
		3-05-66	19.5	129.4	
		3-12-66	21.7	127.2	
		3-19-66	25.8	123.1	
		3-26-66	33.3	115.6	
		4-02-66	37.0	111.9	
		4-09-66	39.9	109.0	
		4-16-66	41.2	107.7	
		4-22-66	45.9	103.0	
		4-30-66	52.0	96.9	
		5-07-66	55.4	93.5	
		5-14-66	58.4	90.5	
		5-21-66	61.9	87.0	
		5-28-66	65.1	83.8	
		6-04-66	67.6	81.3	
		6-11-66	69.2	79.7	
		6-18-66	71.8	77.1	
		6-22-66	73.1	75.8	
		6-29-66	75.8	73.1	
		7-06-66	78.2	70.7	
		7-13-66	80.1	68.8	
		7-20-66	82.0	66.9	
		7-27-66	83.7	65.2	
		8-03-66	85.4	63.5	
		8-10-66	86.3	62.6	
		8-17-66	88.1	60.8	
		8-24-66	90.3	58.6	
		8-31-66	92.1	56.8	
		9-07-66	93.9	55.0	
		9-10-66	94.7	54.2	
		9-17-66	96.2	52.7	
		9-24-66	97.3	51.6	
03N/21W-02Q01S	347.6	10-05-65	152.4(1)	195.2	121
		12-23-65	96.7	250.9	
		6-15-66	110.5	237.1	
		9-23-66	(1)		
03N/21W-09K01S	369.1	10-05-65	(2)		121
		12-23-65	(2)		
		6-16-66	(7)		
03N/21W-09K02S	361.6	10-05-65	182.5	179.1	121
		12-23-65	159.5	202.1	
		6-16-66	173.0(1)	188.6	
		9-23-66	186.5(1)	175.1	
03N/21W-09R03S	295.0	7-18-65	110.5	184.5	753
		9-30-65	161.4(1)	133.6	
		11-23-65	105.4	189.6	
		1-11-66	102.8	192.2	
		2-02-66	87.6	207.4	
		3-02-66	82.4	212.6	
		4-13-66	165.2(1)	129.8	
		5-04-66	93.4	201.6	
		6-22-66	151.3(1)	143.7	
		7-17-66	153.6(1)	141.4	
		8-03-66	159.8(1)	135.2	
		9-03-66	156.8(1)	138.2	
03N/21W-10A01S	356.0	7-18-65	154.7	201.3	753
		9-30-65	154.2	201.8	
		11-24-65	170.5(1)	185.5	
		1-10-66	133.0	223.0	
		2-02-66	129.4	226.6	
		3-03-66	129.3	226.7	
		4-13-66	136.9	219.1	
		5-04-66	168.9(1)	187.1	
		6-22-66	172.0(1)	184.0	
		7-16-66	146.2	209.8	
		8-03-66	177.0(1)	179.0	
03N/21W-10E01S	365.6	10-05-65	171.6	194.0	121
		12-23-65	164.6	201.0	
		6-16-66	166.9	198.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

SANTA PAULA HYDRO SUBUNIT U-03.80
SANTA PAULA HYDRO SUBAREA U-03.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/21W-11E03S (CONT.)	315.0	9-30-65	110.6	204.4	753
		11-24-65	96.9	218.1	
		1-12-66	74.3	240.7	
		2-02-66	72.9	242.1	
		3-03-66	73.9	241.1	
		4-12-66	78.8	236.2	
		5-25-66	81.9	233.1	
		6-22-66	86.2	228.8	
		7-16-66	87.9	227.1	
		8-03-66	123.6	191.4	
		8-04-66	92.8	222.2	
03N/21W-11F03S	306.0	7-18-65	96.2(1)	209.8	753
		9-30-65	103.5(1)	202.5	
		11-24-65	83.4	222.6	
		1-12-66	64.5	241.5	
		2-02-66	62.9	243.1	
		3-03-66	64.1	241.9	
		4-13-66	71.6	234.4	
		5-25-66	78.3	227.7	
		6-22-66	93.4(1)	212.6	
		7-16-66	78.6	227.4	
		8-03-66	102.3(1)	203.7	
		9-04-66	82.7	223.3	
03N/21W-11H02S	307.6	10-05-65	68.0	239.6	121
		12-23-65	59.9	247.7	
		6-16-66	62.5	245.1	
		9-23-66	68.2	239.4	
03N/21W-11H03S	309.4	10-05-65	66.0	243.4	121
		12-23-65	50.0	259.4	
		6-16-66	58.9	250.5	
		9-23-66	64.7	244.7	
03N/21W-11J01S	286.5	10-05-65	52.7	233.8	121
		12-23-65	42.7	243.8	
		6-16-66	43.7	242.8	
		9-23-66	47.9	238.6	
03N/21W-11P01S	251.0	7-28-65	21.2	229.8	411
		8-23-65	24.4	226.6	
		9-24-65	29.8	221.2	
		10-25-65	29.6	221.4	
		11-26-65	22.7	228.3	
		12-30-65	14.7	236.3	
		1-27-66	11.9	239.1	
		2-27-66	(3)		
		3-27-66	12.5	238.5	
		5-01-66	13.0	238.0	
		5-29-66	15.6	235.4	
		6-27-66	17.2	233.8	
		7-28-66	19.0	232.0	
		8-25-66	23.8	227.2	
		9-25-66	22.7	228.3	
03N/21W-12003S	301.9	7-26-65	49.3	252.6	121
		8-30-65	53.6	248.3	
		9-27-65	53.1	248.8	
		10-25-65	54.6	247.3	
		11-30-65	38.8	263.1	
		12-27-65	35.9	266.0	
		2-03-66	33.5	268.4	
		3-09-66	35.6	266.3	
		4-27-66	50.6	251.3	
		6-03-66	50.1	251.8	
		6-27-66	51.9	250.0	
		8-09-66	53.2	248.7	
03N/21W-12E02S	271.0	7-18-65	77.1(1)	193.9	753
		9-30-65	26.2	244.8	
		11-23-65	10.6	260.4	
		1-12-66	8.2	262.8	
		2-02-66	3.9	267.1	
		3-02-66	4.4	266.6	
		4-13-66	77.0(1)	194.0	
		5-25-66	79.4(1)	191.6	
		6-22-66	81.5(1)	189.5	
		7-16-66	77.7(1)	193.3	
		8-05-66	69.0(1)	202.0	
		9-04-66	22.0	249.0	
03N/21W-12E05S	297.6	10-05-65	51.3	246.3	121
		12-23-65	39.3	258.3	
		6-16-66	48.3	249.3	
		9-23-66	50.5	247.1	
03N/21W-16A01S	266.8	7-18-65	75.6	191.2	753
		7-30-65	76.7	190.1	
		9-30-65	79.5	187.3	
		11-22-65	75.4	191.4	
		1-12-66	60.6	206.2	
		2-02-66	60.0	206.8	
		3-02-66	57.9	208.9	
		4-13-66	65.2	201.6	
		5-04-66	65.8	201.0	
		6-22-66	73.3	193.5	
		7-17-66	73.7	193.1	

SANTA PAULA HYDRO SUBUNIT U-03.80
SANTA PAULA HYDRO SUBAREA U-03.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/21W-16A01S (CONT.)	266.8	8-03-66	78.3	188.5	753
		9-03-66	79.4	187.4	
03N/21W-16G01S	244.1	7-18-65	57.8(1)	186.3	753
		9-30-65	54.7	189.4	
		11-15-65	58.8	185.3	
		11-29-65	52.6	191.5	
		1-12-66	42.2	201.9	
		2-02-66	44.0(1)	200.1	
		3-02-66	39.5	204.6	
		4-13-66	51.2	192.9	
		5-04-66	50.0(1)	194.1	
		6-22-66	59.5(1)	184.6	
		7-17-66	61.3(1)	182.8	
		8-06-66	70.2(1)	173.9	
		9-03-66	64.6(1)	179.5	
03N/21W-16H01S	251.0	10-05-65	67.2	183.8	121
		12-23-65	45.7	205.3	
		6-16-66	(7)		
03N/21W-16H02S	250.1	10-05-65	68.5	181.6	121
		12-23-65	49.7	200.4	
		6-16-66	56.0	194.1	
		9-23-66	58.5	191.6	
03N/21W-16H03S	240.8	10-05-65	(2)		121
		12-23-65	38.8	202.0	
		6-16-66	(6)		
03N/21W-16K01S	232.0	7-12-65	43.0	189.0	753
		9-20-65	45.9	186.1	
		11-23-65	42.3	189.7	
		1-11-66	32.1	199.9	
		3-02-66	26.9	205.1	
		4-13-66	34.1	197.9	
		5-04-66	34.2	197.8	
		6-22-66	65.8(1)	166.2	
		7-17-66	64.2(1)	167.8	
		8-05-66	44.0	188.0	
		9-03-66	51.1	180.9	
03N/21W-16K02S	228.0	7-18-65	40.3	187.7	753
		9-30-65	42.5	185.5	
		11-23-65	43.1	184.9	
		1-07-66	26.5	201.5	
		2-02-66	23.8	204.2	
		3-02-66	22.8	205.2	
		4-13-66	29.7	198.3	
		5-04-66	32.7	195.3	
		6-22-66	39.4	188.6	
		7-06-66	37.8	190.2	
		7-17-66	38.1	189.9	
		8-05-66	45.5	182.5	
		9-03-66	60.8(1)	167.2	
03N/21W-16K03S	228.7	7-18-65	37.5	191.2	753
		9-30-65	43.0	185.7	
		11-23-65	39.1	189.6	
		1-11-66	28.0	200.7	
		2-02-66	24.8	203.9	
		3-02-66	23.6	205.1	
		4-13-66	30.1	198.6	
		5-04-66	92.0(1)	136.7	
		6-22-66	107.0(1)	121.7	
		7-17-66	38.1	190.6	
		8-05-66	101.1(1)	127.6	
		9-03-66	103.0(1)	125.7	
03N/21W-17Q01S	284.0	7-26-65	98.6	185.4	121
		8-30-65	102.0	182.0	
		9-28-65	102.8	181.2	
		10-25-65	104.3	179.7	
		11-30-65	98.3	185.7	
		12-28-65	90.8	193.2	
		2-03-66	85.0	199.0	
		3-10-66	83.4	200.6	
		4-27-66	92.2	191.8	
		6-03-66	101.3(1)	182.7	
		6-27-66	102.8(1)	181.2	
		8-08-66	98.8	185.2	
03N/21W-17R01S	262.4	10-05-65	77.2(1)	185.2	121
		12-23-65	66.0	196.4	
		6-16-66	77.5(1)	184.9	
		9-26-66	79.8(1)	182.6	
03N/21W-19A02S	246.5	10-06-65	74.7(2)	171.8	121
		12-23-65	60.0	186.5	
		6-22-66	(2)		
		9-26-66	71.4	175.1	
03N/21W-19G01S	248.0	7-18-65	84.0	164.0	753
		9-30-65	86.9	161.1	
		11-23-65	74.2	173.8	
		1-12-66	70.3	177.7	
		2-02-66	64.1	183.9	
		3-02-66	69.5	178.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
SANTA PAULA HYDRO SUBUNIT U-03.80					
SANTA PAULA HYDRO SUBAREA U-03.81					
03N/21W-19G01S (CONT.)	248.0	4-13-66	77.7	170.3	753
		5-04-66	81.4	166.6	
		6-22-66	83.2	164.8	
		7-12-66	83.9	164.1	
		8-03-66	81.8	166.2	
		9-03-66	81.0	167.0	
03N/21W-19R01S	235.9	10-05-65	65.2	170.7	121
		12-23-65	51.5	184.4	
		6-22-66	63.6(1)	172.3	
		9-26-66	69.9(1)	166.0	
03N/21W-20F01S	239.7	10-06-65	66.3	173.4	121
		12-23-65	51.1	188.6	
		6-22-66	58.6	181.1	
		9-24-66	63.0	176.7	
03N/21W-20J02S	203.3	10-06-65	29.0	174.3	121
		12-23-65	17.8	185.5	
		6-22-66	41.2(1)	162.1	
		9-26-66	27.9	175.4	
03N/21W-20M01S	230.6	7-26-65	57.5(1)	173.1	121
		8-30-65	55.9	174.7	
		9-28-65	53.8	176.8	
		10-25-65	55.8	174.8	
		11-30-65	47.2	183.4	
		12-28-65	42.0	188.6	
		2-03-66	38.4	192.2	
		3-10-66	37.1	193.5	
		4-27-66	45.5	185.1	
		6-03-66	52.0(1)	178.6	
		6-27-66	49.8	180.8	
		8-09-66	51.3	179.3	
03N/21W-20P01S	211.0	10-06-65	41.4	169.6	121
		12-23-65	31.2	179.8	
		6-22-66	36.0	175.0	
		9-26-66	41.2	169.8	
03N/21W-21B01S	220.8	7-26-65	29.1	191.7	411
		8-25-65	32.8	188.0	
		9-26-65	33.1	187.7	
		10-23-65	36.2	184.6	
		11-26-65	29.4	191.4	
		12-30-65	25.7	195.1	
		1-27-66	16.7	204.1	
		2-27-66	19.1	201.7	
		3-27-66	14.0	206.8	
		5-01-66	14.1	206.7	
		5-29-66	24.6	196.2	
		6-27-66	23.5	197.3	
		7-28-66	27.0	193.8	
		8-25-66	31.4	189.4	
		9-25-66	31.5	189.3	
03N/21W-21B02S	219.9	10-05-65	DRY		121
		12-23-65	DRY		
		6-16-66	(5)		
		6-16-66	23.9	196.0	
03N/21W-21E01S	210.9	10-05-65	37.0(1)	173.9	121
		12-23-65	21.8	189.1	
		6-20-66	23.6	187.3	
		9-26-66	40.6	170.3	
03N/21W-29B01S	192.0	7-26-65	13.7	178.3	411
		8-25-65	17.5	174.5	
		9-26-65	(1)		
		10-23-65	(1)		
		11-26-65	12.0	180.0	
		12-30-65	7.5	184.5	
		1-27-66	12.3	179.7	
		2-27-66	11.2	180.8	
		3-27-66	11.9	180.1	
		5-01-66	(1)		
		5-29-66	(1)		
		6-27-66	(1)		
		7-28-66	16.8	175.2	
		8-25-66	(1)		
		9-25-66	20.0	172.0	
03N/21W-29C01S	196.9	7-26-65	21.8	175.1	121
		8-30-65	25.8	171.1	
		9-28-65	28.1	168.8	
		10-25-65	26.4	170.5	
		11-30-65	21.1	175.8	
		12-28-65	20.3	176.6	
		2-03-66	15.5	181.4	
		3-09-66	14.3	182.6	
		4-27-66	17.0	179.9	
		6-03-66	20.1(2)	176.8	
		6-27-66	21.1	175.8	
		8-09-66	23.6	173.3	
03N/21W-30B02S	222.5	10-06-65	67.2	155.3	121
		12-23-65	56.2	166.3	
		6-22-66	72.7(1)	149.8	
SANTA PAULA HYDRO SUBUNIT U-03.80					
SANTA PAULA HYDRO SUBAREA U-03.81					
03N/21W-30B02S (CONT.)	222.5	9-27-66	64.0	158.5	121
03N/21W-30F01S	220.7	7-14-65	68.0(1)	152.7	121
		10-06-65	78.7(1)	142.0	
		6-10-66	83.6(1)	137.1	
		9-27-66	86.9(1)	133.8	
03N/21W-31B01S	174.7	7-26-65	20.5	154.2	411
		8-25-65	22.6	152.1	
		9-26-65	23.0	151.7	
		10-23-65	(1)		
		11-26-65	19.8	154.9	
		12-30-65	18.8	155.9	
		1-27-66	(1)		
		2-27-66	15.0	159.7	
		3-27-66	18.5	156.2	
		5-01-66	18.3	156.4	
		5-29-66	17.8	156.9	
		6-27-66	20.6	154.1	
		7-28-66	24.1	150.6	
		8-25-66	21.9	152.8	
		9-25-66	(1)		
03N/21W-31E01S	185.5	7-14-65	36.3(4)	149.2	121
		10-06-65	37.2	148.3	
		9-27-66	(5)		
03N/22W-25H01S	239.3	10-06-65	92.8	146.5	121
		12-23-65	81.6	157.7	
		6-22-66	80.5	158.8	
		9-27-66	86.0	153.3	
03N/22W-34H01S	300.0	10-06-65	167.0	133.0	121
		6-10-66	(4)		
03N/22W-34Q02S	282.8	7-14-65	138.7	144.1	121
		10-06-65	154.4	128.4	
		6-10-66	148.4(1)	134.4	
		9-27-66	145.6	137.2	
03N/22W-34R01S	266.2	7-14-65	124.7	141.5	121
		10-07-65	131.4	134.8	
		6-10-66	122.9	143.3	
		9-27-66	128.2	138.0	
03N/22W-35N01S	221.4	7-14-65	74.7	146.7	121
		10-07-65	81.0	140.4	
		6-10-66	(9)		
		9-27-66	87.0(1)	134.4	
03N/22W-35Q01S	176.2	7-14-65	26.9	149.3	121
		10-06-65	34.7	141.5	
		6-10-66	(6)		
03N/22W-35R01S	170.3	7-14-65	17.2	153.1	121
		10-06-65	26.5	143.8	
		6-10-66	21.2	149.1	
		9-27-66	34.6	135.7	
03N/22W-36K02S	180.6	7-26-65	34.0	146.6	121
		8-30-65	(8)		
		9-28-65	42.5(1)	138.1	
		10-26-65	37.1	143.5	
		11-30-65	29.0	151.6	
		12-28-65	28.1	152.5	
		2-03-66	22.8	157.8	
		3-10-66	22.0	158.6	
		4-27-66	28.4	152.2	
		6-03-66	29.5	151.1	
		6-27-66	31.2	149.4	
		8-09-66	35.2	145.4	
03N/22W-36K04S	181.0	7-14-65	30.0	151.0	121
		10-06-65	35.0	146.0	
		6-10-66	29.2	151.8	
		9-27-66	35.0	146.0	
SISAR HYDRO SUBAREA U-03.82					
04N/22W-12F01S	1616.0	9-03-65	147.1(2)	1468.9	121
		10-22-65	152.1(2)	1463.9	
		3-03-66	123.9	1492.1	
		5-26-66	(9)		
		9-22-66	(9)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/19W-05D01S	465.6	7-21-65	(8)		121
		9-16-65	122.0	343.6	
		10-21-65	120.0	345.6	
		2-18-66	110.8	354.8	
		6-29-66	102.6	363.0	
03N/19W-06D02S	433.3	9-30-65	90.7	342.6	121
		12-20-65	89.4	343.9	
		2-28-66	103.7(5)	329.6	
		6-24-66	72.9	360.4	
03N/19W-06D03S	435.5	9-30-65	96.1(4)	339.4	121
		12-20-65	86.1	349.4	
		2-28-66	58.6(5)	376.9	
		6-24-66	102.2(1)	333.3	
03N/20W-01C04S	404.2	9-30-65	76.1(1)	328.1	121
		12-21-65	54.1	350.1	
		2-28-66	43.4	360.8	
		6-24-66	45.1	359.1	
03N/20W-01D01S	408.0	7-30-65	69.3	338.7	121
		8-31-65	71.4	336.6	
		9-28-65	73.1	334.9	
		10-28-65	75.1	332.9	
		12-02-65	71.4	336.6	
		1-07-66	63.4	344.6	
		1-28-66	58.9	349.1	
		3-04-66	56.4	351.6	
		4-06-66	57.1	350.9	
		4-28-66	57.4	350.6	
		6-01-66	57.5	350.5	
		7-07-66	57.4	350.6	
		8-11-66	(3)		
		9-01-66	54.2	353.8	
03N/20W-01E01S	401.9	9-30-65	69.7	332.2	121
		12-21-65	66.4	335.5	
		2-28-66	(5)		
		6-24-66	55.2	346.7	
03N/20W-01G01S	456.0	9-30-65	122.6	333.4	121
		12-21-65	113.4	342.6	
		2-28-66	117.7	338.3	
		6-24-66	100.6	355.4	
03N/20W-02A01S	375.6	7-26-65	43.2	332.4	411
		8-23-65	46.9	328.7	
		9-24-65	47.9	327.7	
		10-22-65	50.7	324.9	
		11-26-65	49.8	325.8	
		12-30-65	39.6	336.0	
		1-27-66	31.3	344.3	
		2-27-66	29.5	346.1	
		3-27-66	30.6	345.0	
		5-01-66	30.6	345.0	
		5-29-66	32.7	342.9	
		6-27-66	33.8	341.8	
		7-28-66	33.0	342.6	
		8-25-66	30.6	345.0	
		9-25-66	31.6	344.0	
03N/20W-02E01S	363.0	9-30-65	41.2	321.8	121
		12-21-65	29.0	334.0	
		6-24-66	28.0	335.0	
03N/20W-02F01S	365.1	9-30-65	39.3	325.8	121
		12-21-65	33.9	331.2	
		6-24-66	26.5	338.6	
03N/20W-02K02S	368.1	9-30-65	40.2	327.9	121
		12-21-65	35.9	332.2	
		6-24-66	31.7	336.4	
03N/20W-02R02S	411.0	9-30-65	80.9	330.1	121
		12-21-65	76.6	334.4	
		2-28-66	(5)		
		6-24-66	68.4	342.6	
03N/20W-03D01S	345.5	7-26-65	15.2	330.3	121
		8-30-65	19.3	326.2	
		9-27-65	17.7	327.8	
		10-25-65	22.9(2)	322.6	
		11-30-65	6.9	338.6	
		12-27-65	4.7	340.8	
		2-03-66	.0	345.5	
		3-09-66	1.9	343.6	
		4-27-66	4.4	341.1	
		6-03-66	4.1	341.4	
		6-27-66	5.7	339.8	
		8-08-66	5.9	339.6	
03N/20W-03D02S	341.0	10-01-65	28.8	312.2	121
		12-22-65	13.8	327.2	
		2-24-66	9.8	331.2	
		9-22-66	(7)		

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/20W-03H01S	357.8	9-30-65	47.1(1)	310.7	121
		12-21-65	24.9	332.9	
		6-24-66	25.9	331.9	
03N/20W-03J01S	353.6	9-30-65	30.9	322.7	121
		12-21-65	20.6	333.0	
		6-24-66	21.8	331.8	
03N/20W-03J02S	352.5	9-30-65	(1)		121
		12-21-65	22.7	329.8	
		6-24-66	32.2(1)	320.3	
03N/20W-03N01S	341.8	7-26-65	26.1	315.7	411
		8-23-65	27.3	314.5	
		9-24-65	30.1	311.7	
		10-25-65	(1)		
		11-26-65	27.5	314.3	
		12-30-65	19.1	322.7	
		1-27-66	15.9	325.9	
		2-27-66	14.7	327.1	
		3-27-66	(1)		
		5-07-66	(1)		
		5-29-66	17.4	324.4	
		6-27-66	21.3	320.5	
		7-28-66	18.3	323.5	
		8-25-66	(1)		
		9-25-66	(1)		
03N/20W-03P01S	343.6	12-21-65	21.0	322.6	121
		6-24-66	(1)		
03N/20W-04N02S	324.8	9-30-65	(1)		121
		12-21-65	11.9	312.9	
		6-24-66	(1)		
03N/20W-05C01S	412.7	10-01-65	143.0(2)	269.7	121
		12-22-65	127.0	285.7	
		2-25-66	114.3	298.4	
		6-17-66	(7)		
03N/20W-05C02S	409.6	10-01-65	141.8(1)	267.8	121
		12-22-65	125.5	284.1	
		2-25-66	115.3	294.3	
		6-17-66	133.3(1)	276.3	
		9-23-66	137.8(1)	271.8	
03N/20W-05C03S	404.1	10-01-65	108.4	295.7	121
		12-22-65	104.4	299.7	
		2-24-66	92.4	311.7	
		6-17-66	107.2	296.9	
		9-23-66	110.7	293.4	
03N/20W-05D01S	437.8	10-01-65	157.9	279.9	121
		12-22-65	146.4	291.4	
		2-25-66	129.1	308.7	
		6-17-66	151.2	286.6	
		9-23-66	(1)		
03N/20W-05D02S	398.4	10-01-65	137.5(1)	260.9	121
		12-22-65	105.5	292.9	
		2-25-66	90.9	307.5	
		6-17-66	135.7(1)	262.7	
		9-23-66	138.5(1)	259.9	
03N/20W-06G01S	408.9	7-26-65	113.9	295.0	121
		8-30-65	123.4	285.5	
		9-27-65	122.9	286.0	
		10-25-65	120.9	288.0	
		11-30-65	116.9	292.0	
		12-27-65	112.9	296.0	
		2-03-66	106.9	302.0	
		3-09-66	105.9	303.0	
		4-27-66	(2)		
		6-03-66	154.9(1)	254.0	
		6-27-66	118.3	290.6	
		8-08-66	(1)		
03N/20W-06J01S	307.5	10-01-65	(1)		121
		12-22-65	7.4	300.1	
		2-25-66	(9)		
		6-15-66	57.6(1)	249.9	
		9-23-66	(9)		
03N/20W-08A01S	319.6	7-26-65	17.8	301.8	411
		8-23-65	20.3	299.3	
		9-24-65	20.6	299.0	
		10-25-65	20.7	298.9	
		11-26-65	14.2	305.4	
		12-30-65	11.4	308.2	
		1-27-66	10.5	309.1	
		2-27-66	9.6	310.0	
		3-27-66	11.6	308.0	
		5-01-66	11.8	307.8	
		5-29-66	13.6	306.0	
		6-27-66	14.3	305.3	
		7-29-66	15.0	304.6	
		8-25-66	14.5	305.1	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/20W-08F02S	301.7	8-31-65	7.6	294.1	121
(CONT.)		9-28-65	8.0	293.7	
		10-28-65	8.3	293.4	
		12-02-65	2.3	299.4	
		1-07-66	1.1	300.6	
		1-28-66	1.0	300.7	
		3-04-66	1.1	300.6	
		4-06-66	2.3	299.4	
		4-29-66	3.0	298.7	
		6-02-66	6.0(1)	295.7	
		7-07-66	7.5	294.2	
		8-11-66	5.1	296.6	
		9-01-66	7.1(1)	294.6	
03N/20W-09G01S	333.6	9-30-65	32.2	301.4	121
		12-21-65	19.9	313.7	
		6-24-66	(5)		
03N/20W-10D02S	336.3	9-30-65	29.0	307.3	121
		12-21-65	15.0	321.3	
		6-24-66	16.4	319.9	
03N/20W-11A01S	424.1	9-30-65	(1)		121
		12-21-65	36.8	387.3	
		2-28-66	32.1	392.0	
		6-24-66	54.2(1)	369.9	
03N/20W-11C01S	397.4	9-30-65	80.0	317.4	121
		12-21-65	68.3	329.1	
		6-24-66	56.3	341.1	
03N/20W-11D04S	389.1	9-30-65	63.6	325.5	121
		12-21-65	55.5	333.6	
		6-24-66	50.2	338.9	
03N/20W-11D05S	389.0	7-30-65	60.9	328.1	121
		8-31-65	62.2	326.8	
		9-28-65	63.6	325.4	
		10-28-65	65.5	323.5	
		12-02-65	62.8	326.2	
		1-07-66	54.4	334.6	
		1-28-66	50.9	338.1	
		3-04-66	49.1	339.9	
		4-06-66	49.1	339.9	
		4-29-66	49.5	339.5	
		6-02-66	50.9	338.1	
		7-07-66	52.0	337.0	
		8-11-66	51.8	337.2	
		9-01-66	51.4	337.6	
03N/21W-01K01S	316.7	10-04-65	42.0	274.7	121
		12-23-65	40.0	276.7	
		6-16-66	(7)		
		9-23-66	(7)		
03N/21W-01N01S	320.3	10-05-65	58.9	261.4	121
		12-23-65	71.4	248.9	
		6-16-66	81.4(1)	238.9	
		9-23-66	81.4(1)	238.9	
03N/21W-01P01S	303.3	10-05-65	46.7	256.6	121
		12-23-65	31.5	271.8	
		6-16-66	40.7	262.6	
		9-23-66	42.7	260.6	
03N/21W-12B01S	279.0	7-06-65	8.7	270.3	411
		7-13-65	8.8	270.2	
		7-20-65	8.9	270.1	
		7-27-65	9.1	269.9	
		8-03-65	9.3	269.7	
		8-10-65	9.4	269.6	
		8-17-65	9.6	269.4	
		8-24-65	10.2	268.8	
		8-31-65	10.3	268.7	
		9-07-65	10.3	268.7	
		9-11-65	10.4	268.6	
		9-18-65	10.6	268.4	
		9-25-65	10.6	268.4	
		10-02-65	10.7	268.3	
		10-09-65	10.7	268.3	
		10-16-65	11.0	268.0	
		10-22-65	11.0	268.0	
		10-30-65	11.0	268.0	
		11-06-65	10.9	268.1	
		11-13-65	11.1	267.9	
		11-20-65	10.2	268.8	
		11-27-65	8.9	270.1	
		12-04-65	8.4	270.6	
		12-11-65	8.1	270.9	
		12-18-65	7.8	271.2	
		12-24-65	7.6	271.4	
		12-30-65	6.3	272.7	
		1-02-66	6.3	272.7	
		1-08-66	6.1	272.9	
		1-15-66	6.0	273.0	
		1-22-66	5.9	273.1	
		1-29-66	5.4	273.6	
		2-05-66	5.1	273.9	
SESPE HYDRO SUBUNIT				U-03.C0	
FILLMORE HYDRO SUBAREA					U-03.C1
03N/21W-12B01S	279.0	2-12-66	4.9	274.1	411
(CONT.)		2-19-66	4.9	274.1	
		2-26-66	4.9	274.1	
		3-05-66	4.9	274.1	
		3-12-66	5.1	273.9	
		3-19-66	5.2	273.8	
		3-26-66	5.4	273.6	
		4-02-66	5.7	273.3	
		4-09-66	6.0	273.0	
		4-16-66	6.4	272.6	
		4-22-66	6.7	272.3	
		4-30-66	7.1	271.9	
		5-07-66	7.2	271.8	
		5-14-66	7.4	271.6	
		5-21-66	7.6	271.4	
		5-28-66	8.0	271.0	
		6-04-66	8.3	270.7	
		6-11-66	8.5	270.5	
		6-18-66	8.7	270.3	
		6-22-66	8.8	270.2	
		6-29-66	8.8	270.2	
		7-06-66	9.0	270.0	
		7-13-66	9.2	269.8	
		7-20-66	9.3	269.7	
		7-27-66	9.5	269.5	
		8-03-66	9.7	269.3	
		8-10-66	9.9	269.1	
		8-17-66	10.0	269.0	
		8-24-66	10.2	268.8	
		8-31-66	10.0	269.0	
		9-07-66	10.1	268.9	
		9-10-66	10.2	268.8	
		9-17-66	10.0	269.0	
		9-24-66	10.2	268.8	
04N/19W-29L01S	454.7	7-29-65	73.1	381.6	121
		8-27-65	75.1	379.6	
		9-28-65	76.4	378.3	
		10-27-65	(1)		
		12-02-65	67.1	387.6	
		1-07-66	55.3	399.4	
		1-27-66	55.6	399.1	
		3-01-66	54.4	400.3	
		4-01-66	59.6	395.1	
		4-27-66	59.6	395.1	
		5-27-66	56.1	398.6	
		7-06-66	(1)		
		8-10-66	111.6(1)	343.1	
		8-31-66	39.6	415.1	
04N/19W-29L03S	448.5	7-20-65	67.8(5)	380.7	121
		9-15-65	72.8(5)	375.7	
		10-20-65	74.8(5)	373.7	
		2-18-66	51.8(5)	396.7	
		6-28-66	(1)		
04N/19W-29Q01S	456.0	7-20-65	(1)		121
		9-15-65	55.8	400.2	
		10-19-65	57.7	398.3	
		2-18-66	35.4	420.6	
		6-28-66	19.6	436.4	
04N/19W-30D01S	437.6	7-20-65	61.9	375.7	121
		9-16-65	67.2	370.4	
		10-20-65	69.2	368.4	
		2-18-66	46.4	391.2	
		6-28-66	(1)		
04N/19W-30J01S	447.6	7-21-65	96.8(5)	350.8	121
		9-16-65	99.8(5)	347.8	
		10-21-65	101.8(5)	345.8	
		2-18-66	91.8(5)	355.8	
		6-29-66	86.5	361.1	
04N/19W-30P05S	450.0	7-20-65	86.0(1)	364.0	121
		9-15-65	89.0(1)	361.0	
		10-19-65	89.0	361.0	
		2-18-66	59.4	390.6	
		6-28-66	55.2	394.8	
04N/19W-30R01S	441.9	7-20-65	64.0	377.9	121
		9-15-65	(1)		
		10-19-65	85.5(1)	356.4	
		2-18-66	46.5	395.4	
		6-28-66	42.9	399.0	
04N/19W-31D02S	418.3	7-19-65	51.2	367.1	121
		9-15-65	(1)		
		10-20-65	53.7	364.6	
		2-18-66	33.8	384.5	
		6-28-66	(1)		
04N/19W-31E01S	417.8	7-26-65	48.4	369.4	411
		8-23-65	50.6	367.2	
		9-24-65	58.2	359.6	
		10-22-65	55.8	362.0	
		11-26-65	62.5	355.3	
		12-30-65	41.8	376.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/19W-31E01S (CONT.)	417.8	1-27-66	41.1	376.7	411
		2-27-66	38.0	379.8	
		3-27-66	35.2	382.6	
		5-01-66	39.2	378.6	
		5-10-66	35.7	382.1	
		5-29-66	33.8	384.0	
		6-27-66	(1)		
		7-28-66	22.7	395.1	
		8-25-66	(1)		
		9-25-66	34.1	383.7	
04N/19W-31L01S	429.6	7-21-65	(1)		121
		9-16-65	56.8	372.8	
		10-21-65	59.0	370.6	
		2-18-66	43.8	385.8	
		6-29-66	(1)		
04N/19W-31N03S	423.5	7-30-65	(1)		121
		8-31-65	(1)		
		9-28-65	80.2	343.3	
		10-28-65	(1)		
		12-02-65	75.0	348.5	
		1-07-66	67.8	355.7	
		1-28-66	63.3	360.2	
		3-04-66	59.8	363.7	
		4-06-66	(1)		
		4-28-66	59.6	363.9	
		6-01-66	(1)		
		7-07-66	56.4	367.1	
		8-11-66	51.7	371.8	
		9-01-66	(1)		
04N/19W-31R02S	458.2	7-21-65	109.8	348.4	121
		9-16-65	(8)		
		10-21-65	(3)		
		2-18-66	(3)		
		6-29-66	(3)		
04N/19W-32A02S	467.6	7-06-65	49.7	417.9	411
		7-13-65	54.6	413.0	
		7-20-65	55.0	412.6	
		7-27-65	55.6	412.0	
		8-03-65	56.4	411.2	
		8-10-65	56.7	410.9	
		8-17-65	57.5	410.1	
		8-24-65	58.1	409.5	
		8-31-65	58.3	409.3	
		9-07-65	58.6	409.0	
		9-11-65	59.2	408.4	
		9-18-65	59.9	407.7	
		9-25-65	59.8	407.8	
		10-02-65	59.8	407.8	
		10-09-65	59.8	407.8	
		10-16-65	60.6	407.0	
		10-22-65	60.9	406.7	
		10-30-65	62.2	405.4	
		11-06-65	60.3	407.3	
		11-13-65	60.2	407.4	
		11-20-65	56.9	410.7	
		11-27-65	48.4	419.2	
		12-04-65	46.8	420.8	
		12-11-65	45.8	421.8	
		12-18-65	44.8	422.8	
		12-24-65	46.1	421.5	
		12-30-65	42.0	425.6	
		1-02-66	39.1	428.5	
		1-08-66	37.5	430.1	
		1-15-66	37.0	430.6	
		1-22-66	36.7	430.9	
		1-29-66	36.4	431.2	
		2-05-66	36.8	430.8	
		2-12-66	37.0	430.6	
		2-19-66	36.5	431.1	
		2-26-66	36.1	431.5	
		3-05-66	35.9	431.7	
		3-12-66	35.8	431.8	
		3-19-66	33.7	433.9	
		3-26-66	33.9	433.7	
		4-02-66	34.9	432.7	
		4-09-66	36.1	431.5	
		4-16-66	35.5	432.1	
		4-22-66	35.1	432.5	
		4-30-66	34.6	433.0	
		5-07-66	33.3	434.3	
		5-14-66	31.0	436.6	
		5-21-66	28.8	438.8	
		5-28-66	26.5	441.1	
		6-04-66	24.2	443.4	
		6-11-66	21.6	446.0	
		6-18-66	18.5	449.1	
		6-22-66	17.1	450.5	
		6-29-66	14.3	453.3	
		7-06-66	11.7	455.9	
		7-13-66	10.4	457.2	
		7-20-66	9.6	458.0	
		7-27-66	8.8	458.8	
		8-03-66	8.2	459.4	
		8-10-66	7.9	459.7	

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/19W-32A02S (CONT.)	467.6	8-17-66	8.3	459.3	411
		8-24-66	8.8	458.8	
		8-31-66	9.5	458.1	
		9-07-66	10.0	457.6	
		9-10-66	10.1	457.5	
		9-17-66	11.0	456.6	
		9-24-66	11.7	455.9	
04N/19W-32B01S	459.6	7-20-65	47.6	412.0	121
		9-15-65	(1)		
		10-19-65	51.5	408.1	
		2-18-66	31.1	428.5	
		6-28-66	13.4	446.2	
04N/19W-32F02S	450.0	7-21-65	(1)		121
		9-16-65	86.3	363.7	
		10-21-65	80.8	369.2	
		2-23-66	40.8	409.2	
		6-29-66	33.0	417.0	
04N/19W-32G01S	455.1	7-21-65	99.7(1)	355.4	121
		9-16-65	101.7(1)	353.4	
		10-21-65	103.7(1)	351.4	
		2-23-66	(1)		
		6-29-66	70.7(1)	384.4	
04N/19W-32J01S	461.8	7-30-65	44.8(5)	417.0	121
		8-27-65	43.8(5)	418.0	
		9-28-65	45.8(5)	416.0	
		10-28-65	48.8(5)	413.0	
		12-02-65	43.8(5)	418.0	
		1-07-66	35.8(5)	426.0	
		1-28-66	32.8(5)	429.0	
		3-04-66	28.8(5)	433.0	
		4-06-66	30.8(5)	431.0	
		4-28-66	23.8(5)	438.0	
		6-01-66	27.8(5)	434.0	
		7-08-66	14.8(5)	447.0	
		8-10-66	21.8(1)	440.0	
		9-01-66	24.8(1)	437.0	
04N/19W-32J02S	466.6	7-21-65	49.6	417.0	121
		9-16-65	51.0	415.6	
		10-21-65	55.6	411.0	
		2-23-66	35.0	431.6	
04N/19W-32M02S	447.3	7-30-65	74.2	373.1	121
		8-31-65	79.9	367.4	
		9-28-65	76.8	370.5	
		10-28-65	80.3	367.0	
		12-02-65	65.8	381.5	
		1-07-66	43.8	403.5	
		1-28-66	50.1(2)	397.2	
		3-04-66	40.8	406.5	
		4-06-66	(1)		
		4-28-66	53.1(2)	394.2	
		6-01-66	49.4(2)	397.9	
		7-07-66	26.7	420.6	
		8-10-66	24.5(2)	422.8	
		9-01-66	(1)		
04N/19W-32Q02S	455.3	7-21-65	40.2	415.1	121
		9-16-65	42.7	412.6	
		10-21-65	43.6	411.7	
		2-23-66	31.0	424.3	
		6-29-66	24.9	430.4	
04N/19W-33D01S	473.2	7-29-65	55.6	417.6	121
		8-27-65	57.7	415.5	
		9-28-65	59.9	413.3	
		10-27-65	61.9	411.3	
		11-30-65	54.9	418.3	
		12-28-65	47.9	425.3	
		1-27-66	39.1	434.1	
		3-01-66	35.6	437.6	
		4-01-66	36.1	437.1	
		4-27-66	35.9	437.3	
		5-27-66	29.2	444.0	
		7-06-66	12.6	460.6	
		8-09-66	8.1	465.1	
		8-31-66	9.6	463.6	
		9-30-66	12.3	460.9	
04N/19W-33D03S	474.3	7-29-65	109.9(1)	364.4	121
		8-27-65	106.9(1)	367.4	
		9-28-65	106.4(1)	367.9	
		10-27-65	108.6(1)	365.7	
		11-30-65	103.9(1)	370.4	
		12-28-65	99.9(1)	374.4	
		1-27-66	94.9(1)	379.4	
		3-01-66	97.9(1)	376.4	
		4-01-66	97.9(1)	376.4	
		4-27-66	100.4(1)	373.9	
		5-27-66	95.8(1)	378.5	
		7-01-66	90.2(1)	384.1	
		7-06-66	90.4(1)	383.9	
		8-09-66	93.4(1)	380.9	
		8-31-66	97.9(1)	376.4	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

SFSPE HYDRO SUBUNIT U-03.C0
FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/19W-33D03S (CONT.)	474.3	9-30-66	100.9(1)	373.4	121
04N/19W-33D04S	474.3	7-29-65	118.8(1)	355.5	121
		8-27-65	116.8(1)	357.5	
		9-28-65	117.8(1)	356.5	
		10-27-65	(1)		
		11-30-65	118.8(1)	355.5	
		12-28-65	113.8(1)	360.5	
		1-27-66	(7)		
		3-01-66	109.8(1)	364.5	
		4-01-66	118.8(1)	355.5	
		4-27-66	113.8(1)	360.5	
		5-27-66	110.8(1)	363.5	
		7-01-66	109.8(1)	364.5	
		7-06-66	108.8(1)	365.5	
		8-09-66	111.8(1)	362.5	
		8-31-66	115.8(1)	358.5	
		9-30-66	(1)		
04N/19W-33M05S	475.3	7-21-65	(1)		121
		9-16-65	(1)		
		10-21-65	(1)		
		2-23-66	39.5	435.8	
		6-29-66	21.5	453.8	
04N/20W-23J03S	540.7	10-01-65	190.9(1)	349.8	121
		12-22-65	183.9	356.8	
		2-24-66	151.2(3)	389.5	
		6-17-66	185.1(1)	355.6	
		9-22-66	186.9(1)	353.8	
04N/20W-23N01S	549.5	10-01-65	202.4(1)	347.1	121
		12-22-65	192.9	356.6	
		2-24-66	175.4	374.1	
		6-17-66	(1)		
		9-22-66	(3)		
04N/20W-23Q02S	512.8	7-20-65	144.9	367.9	121
		9-14-65	173.9(1)	338.9	
		10-20-65	152.9	359.9	
		2-18-66	(2)		
		6-29-66	(1)		
04N/20W-25C01S	437.9	7-20-65	66.2	371.7	121
		9-15-65	73.1	364.8	
		10-20-65	74.9	363.0	
		2-18-66	47.9	390.0	
		6-28-66	(1)		
04N/20W-25K01S	422.9	7-19-65	63.0(1)	359.9	121
		9-16-65	57.4	365.5	
		10-19-65	68.0(1)	354.9	
		2-18-66	35.0	387.9	
		6-28-66	37.7	385.2	
04N/20W-25N03S	408.3	7-19-65	39.4	368.9	121
		9-16-65	49.4(1)	358.9	
		10-20-65	51.8(1)	356.5	
		2-18-66	24.0	384.3	
		6-28-66	29.6(1)	378.7	
04N/20W-25P02S	416.0	7-19-65	43.6	372.4	121
		9-16-65	(1)		
		10-20-65	52.9	363.1	
		2-18-66	29.2	386.8	
		6-28-66	32.0	384.0	
04N/20W-25Q02S	411.0	7-19-65	(1)		121
		9-16-65	44.7	366.3	
		10-20-65	46.6	364.4	
		2-18-66	22.7	388.3	
		6-28-66	23.8	387.2	
04N/20W-26A02S	430.7	7-26-65	75.4	355.3	121
		8-30-65	79.2(1)	351.5	
		9-27-65	81.5(1)	349.2	
		10-25-65	81.2(1)	349.5	
		11-30-65	48.5	382.2	
		12-27-65	48.2	382.5	
		2-03-66	46.7	384.0	
		3-09-66	45.0	385.7	
		4-27-66	(1)		
		6-03-66	49.2(1)	381.5	
		6-27-66	48.5	382.2	
		8-08-66	50.9	379.8	
04N/20W-26B02S	473.0	10-01-65	94.0	379.0	121
		12-22-65	93.5	379.5	
		2-24-66	(9)		
		6-17-66	(5)		
		9-22-66	(5)		
04N/20W-26C02S	504.5	10-01-65	(9)		121
		12-22-65	131.1	373.4	
		2-22-66	150.7	353.8	
		6-17-66	143.9	360.6	
		9-22-66	149.8	354.7	

SESPE HYDRO SURUNIT U-03.C0
FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/20W-26D01S	538.6	10-01-65	193.8(1)	344.8	121
		12-22-65	185.8	352.8	
		2-24-66	154.2	384.4	
		6-17-66	181.0(1)	357.6	
		9-22-66	185.8(1)	352.8	
04N/20W-26F01S	482.2	10-01-65	136.4(1)	345.8	121
		12-22-65	123.4	358.8	
		2-24-66	125.4	356.8	
		6-17-66	134.9(1)	347.3	
		9-22-66	(1)		
04N/20W-26H02S	426.4	7-20-65	60.4	366.0	121
		9-14-65	63.6	362.8	
		10-20-65	66.1	360.3	
		2-18-66	40.9	385.5	
		6-30-66	45.4	381.0	
04N/20W-26L01S	428.0	7-26-65	61.3	366.7	411
		8-23-65	64.4	363.6	
		9-24-65	67.5	360.5	
		10-22-65	68.5	359.5	
		11-26-65	58.6	369.4	
		12-30-65	48.8	379.2	
		1-27-66	45.9	382.1	
		2-27-66	46.4	381.6	
		3-27-66	48.5	379.5	
		5-01-66	51.3	376.7	
		5-29-66	50.1	377.9	
		6-27-66	50.5	377.5	
		7-28-66	52.4	375.6	
		8-25-66	52.8	375.2	
		9-25-66	54.3	373.7	
04N/20W-27N01S	527.3	10-01-65	169.1	358.2	121
		12-22-65	160.4	366.9	
		2-24-66	144.0	383.3	
		6-17-66	151.9	375.4	
		9-22-66	157.0	370.3	
04N/20W-31H01S	757.7	10-01-65	325.6	432.1	121
		12-22-65	330.9	426.8	
		2-25-66	(5)		
04N/20W-31P01S	520.0	10-01-65	(1)		121
		12-22-65	256.8	263.2	
		2-25-66	(5)		
		6-17-66	277.0(1)	243.0	
		9-23-66	313.0(1)	207.0	
04N/20W-32H01S	614.0	10-01-65	299.0(1)	315.0	121
		12-22-65	277.5	336.5	
		2-24-66	270.3	343.7	
		6-17-66	274.5	339.5	
		9-22-66	277.9	336.1	
04N/20W-32P01S	527.5	10-01-65	242.5	285.0	121
		12-22-65	(2)		
		2-25-66	(2)		
		6-17-66	(2)		
		9-23-66	(2)		
04N/20W-33C03S	526.0	10-01-65	188.1	337.9	121
		12-22-65	179.6	346.4	
		2-24-66	161.0	365.0	
		6-17-66	171.6	354.4	
		9-22-66	(1)		
04N/20W-34P01S	350.8	10-01-65	DRY		121
		12-22-65	11.6	339.2	
		2-24-66	3.6	347.2	
		6-17-66	15.6	335.2	
		9-22-66	15.6	335.2	
04N/20W-34P02S	351.7	10-01-65	DRY		121
		12-22-65	12.6	339.1	
		2-24-66	(2)		
		6-17-66	DRY		
		9-22-66	DRY		
04N/20W-34P05S	350.6	10-01-65	27.3	323.3	121
		12-22-65	11.8	338.8	
		2-24-66	4.6	346.0	
		6-17-66	15.1(1)	335.5	
		9-22-66	16.1(1)	334.5	
04N/20W-35H01S	386.2	7-20-65	20.1	366.1	121
		9-16-65	39.2(1)	347.0	
		10-20-65	43.2(1)	343.0	
		2-18-66	8.6	377.6	
		6-28-66	10.9	375.3	
04N/20W-35H02S	390.5	7-20-65	27.2	363.3	121
		9-16-65	32.0	358.5	
		10-20-65	34.2	356.3	
		2-18-66	13.4	377.1	
		6-28-66	14.5	376.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/20W-36C01S	403.3	7-19-65	33.4	369.9	121
		9-16-65	39.0	364.3	
		10-20-65	40.4	362.9	
		2-18-66	17.4	385.9	
		6-30-66	(1)		
04N/20W-36D04S	401.0	7-20-65	40.0(1)	361.0	121
		9-16-65	(1)		
		10-20-65	48.2(1)	352.8	
		2-18-66	18.6	382.4	
		6-30-66	21.2	379.8	
04N/20W-36P02S	409.1	9-30-65	65.6(2)	343.5	121
		12-21-65	57.9	351.2	
		2-28-66	46.9	362.2	
		6-24-66	60.9(1)	348.2	
04N/20W-36Q01S	410.8	9-30-65	77.8(1)	333.0	121
		12-20-65	58.7	352.1	
		2-28-66	42.0	368.8	
		6-24-66	42.3	368.5	
04N/20W-36R06S	415.0	9-30-65	53.7	361.3	121
		12-20-65	52.0	363.0	
		2-28-66	38.1	376.9	
		6-24-66	47.0(1)	368.0	
04N/18W-19P01S	663.9	9-15-65	228.2(2)	435.7	121
		10-15-65	232.2(2)	431.7	
		2-17-66	199.2	464.7	
		6-23-66	172.2(2)	491.7	
04N/18W-19R01S	654.9	7-16-65	214.7(1)	440.2	121
		9-14-65	222.0(1)	432.9	
		10-15-65	224.1(1)	430.8	
		2-16-66	181.7	473.2	
		6-22-66	154.7	500.2	
04N/18W-20K01S	677.3	7-16-65	140.3	537.0	121
		9-14-65	140.8	536.5	
		10-14-65	140.8	536.5	
		2-16-66	137.8	539.5	
		6-22-66	131.5	545.8	
04N/18W-20M01S	690.5	7-16-65	251.7(2)	438.8	121
		9-14-65	(1)		
		10-14-65	(1)		
		2-16-66	219.7	470.8	
		6-22-66	(1)		
04N/18W-20R01S	659.7	7-16-65	213.9(1)	445.8	121
		9-14-65	215.9	443.8	
		10-14-65	218.0	441.7	
		2-16-66	182.4	477.3	
		6-22-66	156.9(1)	502.8	
04N/18W-27B01S	729.9	7-16-65	142.7	587.2	121
		9-14-65	142.9	587.0	
		10-14-65	142.6	587.3	
		2-16-66	119.3	610.6	
		6-22-66	128.7(1)	601.2	
04N/18W-27B02S	713.0	7-26-65	132.8	580.2	411
		8-23-65	132.4	580.6	
		9-24-65	133.3	579.7	
		10-22-65	133.0	580.0	
		11-26-65	132.1	580.9	
		12-30-65	119.7	593.3	
		1-27-66	104.0	609.0	
		2-27-66	98.1	614.9	
		3-27-66	94.9	618.1	
		5-01-66	99.4	613.6	
		5-29-66	104.8	608.2	
		6-27-66	111.3	601.7	
		7-28-66	117.7	595.3	
		8-25-66	123.1	589.9	
		9-25-66	126.9	586.1	
04N/18W-27G01S	709.4	7-16-65	139.6	569.8	121
		9-14-65	141.0	568.4	
		10-14-65	141.0	568.4	
		2-16-66	107.0	602.4	
		6-22-66	115.5	593.9	
04N/18W-28C02S	676.0	7-30-65	(1)		121
		8-31-65	238.6(1)	437.4	
		9-28-65	229.2	446.8	
		10-28-65	230.4	445.6	
		12-02-65	226.9	449.1	
		1-07-66	213.0	463.0	
		1-27-66	(1)		
		3-03-66	191.6(1)	484.4	
		4-06-66	182.6	493.4	
		4-27-66	189.7(1)	486.3	
		6-01-66	160.1	515.9	
		7-01-66	182.2(1)	493.8	
		8-10-66	173.5(1)	502.5	

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/18W-28C02S	676.0	9-01-66	174.6(1)	496.4	121
(CONT.)		9-30-66	(1)		
04N/18W-29E01S	644.2	7-16-65	203.4(1)	440.8	121
		9-14-65	203.4(5)	440.8	
		10-15-65	206.4(5)	437.8	
		2-17-66	167.4(5)	476.8	
		6-23-66	143.4(1)	500.8	
04N/18W-29K01S	640.5	7-20-65	193.5	447.0	121
		9-14-65	198.2	442.3	
		10-20-65	200.3	440.2	
		2-23-66	162.1	478.4	
		6-30-66	157.5(1)	483.0	
04N/18W-29P02S	646.1	7-20-65	125.5	520.6	121
		9-16-65	124.0	522.1	
		10-20-65	122.4	523.7	
		2-23-66	118.8	527.3	
		6-29-66	121.8	524.3	
04N/18W-29P04S	646.8	7-20-65	123.9	522.9	121
		9-16-65	123.8	523.0	
		10-20-65	120.9	525.9	
		2-23-66	118.7	528.1	
		6-30-66	120.5	526.3	
04N/18W-29P05S	642.9	7-20-65	121.5	521.4	121
		9-16-65	121.4	521.5	
		10-20-65	121.4	521.5	
		2-23-66	120.8	522.1	
		6-30-66	120.1	522.8	
04N/18W-30F01S	624.7	7-16-65	181.4	443.3	121
		9-15-65	188.1	436.6	
		10-15-65	189.6	435.1	
		2-17-66	156.9	467.8	
		6-23-66	128.9	495.8	
04N/18W-30G02S	627.3	7-26-65	174.7	452.6	411
		8-23-65	188.0	439.3	
		10-02-65	210.8	416.5	
		10-22-65	207.3	420.0	
		11-26-65	226.6	400.7	
		12-30-65	206.7	420.6	
		1-07-66	175.1	452.2	
		1-13-66	171.1	456.2	
		1-27-66	174.7	452.6	
		2-27-66	174.5	452.8	
		3-02-66	161.4	465.9	
		3-27-66	151.7	475.6	
		5-01-66	144.2	483.1	
		5-17-66	139.8	487.5	
		5-29-66	135.6	491.7	
		6-03-66	134.2	493.1	
		6-27-66	128.7	498.6	
		7-28-66	122.4	504.9	
		8-25-66	122.5	504.8	
		9-25-66	126.1	501.2	
04N/18W-30G04S	622.8	7-16-65	179.4	443.4	121
		9-14-65	186.8	436.0	
		10-15-65	DRY		
		2-17-66	155.3	467.5	
		6-23-66	127.1	495.7	
04N/18W-30K01S	626.1	7-16-65	182.6	443.5	121
		9-14-65	190.1	436.0	
		10-15-65	195.0(2)	431.1	
		2-17-66	156.9	469.2	
		6-30-66	126.5	499.6	
04N/18W-30M02S	616.7	7-30-65	(1)		121
		8-31-65	(1)		
		9-28-65	185.4(1)	431.3	
		10-28-65	182.8	433.9	
		12-02-65	179.8	436.9	
		1-07-66	165.3	451.4	
		1-27-66	157.1	459.6	
		3-03-66	147.0	469.7	
		4-06-66	144.0	472.7	
		4-27-66	138.9	477.8	
		6-01-66	130.7	486.0	
		7-01-66	125.1(1)	491.6	
		8-10-66	(1)		
		9-01-66	118.6(1)	498.1	
04N/18W-31B02S	613.6	7-30-65	(7)		121
		8-31-65	(7)		
		9-28-65	(7)		
		10-28-65	(7)		
		12-02-65	(7)		
		1-07-66	(7)		
		1-27-66	(7)		
		3-03-66	(7)		
		4-06-66	(7)		
		4-28-66	(7)		
		6-01-66	116.2	497.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

SESPE HYDRO SUBUNIT U-03.C0

FILLMORE HYDRO SUBAREA U-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/18W-31B02S (CONT.)	613.6	7-07-66	110.8	502.8	121
		8-10-66	101.8	511.8	
		9-01-66	103.9	509.7	
04N/18W-31C01S	607.0	7-26-65	132.3	474.7	411
		8-23-65	132.0	475.0	
		9-24-65	144.8	462.2	
		10-22-65	146.8	460.2	
		11-26-65	143.6	463.4	
		12-30-65	130.7	476.3	
		1-27-66	129.9	477.1	
		2-27-66	141.3	465.7	
		3-27-66	132.9	474.1	
		5-01-66	139.9	467.1	
		5-29-66	110.5	496.5	
		6-27-66	104.8(2)	502.2	
		7-28-66	109.1(2)	497.9	
		8-25-66	97.5	509.5	
		9-25-66	102.5	504.5	
04N/19W-25C02S	610.4	9-28-65	180.3	430.1	121
		10-28-65	182.5	427.9	
		12-02-65	178.4	432.0	
		1-07-66	165.0	445.4	
		1-28-66	157.9	452.5	
		3-03-66	150.3	460.1	
		4-06-66	149.5	460.9	
		4-27-66	(1)		
		6-01-66	(1)		
		7-01-66	133.3(1)	477.1	
		8-10-66	117.4	493.0	
		8-31-66	119.3	491.1	
04N/19W-25J03S	605.4	7-16-65	(2)		121
		9-15-65	174.7	430.7	
		10-15-65	175.7	429.7	
		2-17-66	143.1	462.3	
		6-23-66	(6)		
04N/19W-25K02S	593.7	7-16-65	(1)		121
		9-15-65	(1)		
		10-19-65	165.3(1)	428.4	
		2-17-66	132.3	461.4	
		6-23-66	117.6(1)	476.1	
04N/19W-25L04S	581.7	7-26-65	(1)		411
		8-23-65	149.6	432.1	
		9-24-65	160.3	421.4	
		10-22-65	(1)		
		11-26-65	155.4	426.3	
		12-30-65	155.3	426.4	
		1-27-66	141.5	440.2	
		2-27-66	138.0	443.7	
		3-27-66	136.2	445.5	
		5-01-66	(1)		
		5-29-66	(1)		
		6-27-66	(1)		
		7-28-66	(1)		
		8-25-66	(1)		
		9-25-66	(1)		
04N/19W-25M02S	547.9	7-21-65	107.1	440.8	121
		9-16-65	109.5	438.4	
		10-20-65	108.2	439.7	
		2-23-66	92.1	455.8	
		6-29-66	55.9	492.0	
04N/19W-26J03S	587.1	7-16-65	(1)		121
		9-15-65	(1)		
		10-19-65	(1)		
		2-17-66	128.5	458.6	
		6-23-66	(1)		
04N/19W-26P01S	565.0	7-16-65	(1)		121
		9-15-65	133.8	431.2	
		10-19-65	144.0(1)	421.0	
		2-17-66	108.7	456.3	
		6-23-66	(1)		
04N/19W-26P02S	559.7	7-16-65	(1)		121
		9-15-65	(1)		
		10-19-65	(1)		
		2-17-66	105.4	454.3	
		6-23-66	77.9	481.8	
04N/19W-27Q01S	602.7	7-20-65	174.3	428.4	121
		9-15-65	178.1	424.6	
		10-19-65	(1)		
		2-17-66	155.1	447.6	
		6-23-66	(9)		
04N/19W-27R01S	538.6	7-29-65	(1)		121
		9-28-65	(1)		
		10-27-65	115.5	423.1	
		12-02-65	108.1	430.5	
		1-07-66	98.8	439.8	
		1-27-66	92.6	446.0	
		3-01-66	87.1	451.5	
SESPE HYDRO SUBUNIT U-03.C0 FILLMORE HYDRO SUBAREA U-03.C1					
04N/19W-27R01S (CONT.)	538.6	4-06-66	93.1(1)	445.5	121
		4-28-66	82.6	456.0	
		5-27-66	(1)		
		7-01-66	62.6(1)	476.0	
		8-10-66	(2)		
		8-31-66	66.2(1)	472.4	
04N/19W-28C02S	491.2	7-20-65	(1)		121
		9-15-65	(1)		
		10-19-65	(1)		
		2-17-66	52.4	438.8	
		6-28-66	(1)		
04N/19W-28Q01S	536.0	7-20-65	(1)		121
		9-15-65	(1)		
		10-19-65	(1)		
		2-17-66	100.0	436.0	
		6-23-66	71.5	464.5	
04N/19W-33A01S	501.5	7-20-65	78.9	422.6	121
		9-15-65	(1)		
		10-19-65	(1)		
		2-17-66	59.1	442.4	
		6-23-66	(1)		
04N/19W-33C01S	483.5	7-20-65	(1)		121
		9-15-65	(4)		
		10-19-65	(4)		
		2-17-66	(9)		
04N/19W-33E01S	475.4	7-21-65	55.3	420.1	121
		9-16-65	61.5	413.9	
		10-21-65	65.4	410.0	
		2-23-66	38.0	437.4	
		6-29-66	13.0	462.4	
04N/19W-33J01S	498.7	7-21-65	76.5	422.2	121
		9-16-65	81.5	417.2	
		10-20-65	86.2	412.5	
		2-23-66	67.5	431.2	
		6-30-66	26.3	472.4	
04N/19W-33K01S	480.4	7-21-65	59.5	420.9	121
		9-16-65	65.5	414.9	
		10-21-65	69.3	411.1	
		2-23-66	44.2	436.2	
		6-29-66	39.1(1)	441.3	
04N/19W-33K04S	500.3	7-21-65	68.9	431.4	121
		9-16-65	74.3	426.0	
		10-20-65	79.4	420.9	
		2-23-66	60.2	440.1	
		6-30-66	21.6	478.7	
04N/19W-34B01S	539.9	7-20-65	(1)		121
		9-15-65	116.5	423.4	
		10-19-65	118.8	421.1	
		2-17-66	93.9	446.0	
		6-23-66	65.0	474.9	
04N/19W-34C03S	533.4	9-15-65	115.4(1)	418.0	121
		10-19-65	117.4(1)	416.0	
		2-17-66	87.6	445.8	
		6-23-66	58.9	474.5	
04N/19W-34D02S	500.6	7-28-65	77.4	423.2	121
		8-27-65	80.0	420.6	
		9-28-65	82.0	418.6	
		10-27-65	84.2	416.4	
		12-02-65	75.6	425.0	
		12-28-65	70.1	430.5	
		1-27-66	60.6	440.0	
		3-01-66	56.8	443.8	
		4-06-66	56.6	444.0	
		4-27-66	54.9	445.7	
		5-27-66	43.4	457.2	
		7-01-66	43.3	457.3	
		8-10-66	20.1	480.5	
		8-31-66	25.1	475.5	
04N/19W-34D04S	507.4	7-20-65	(1)		121
		9-15-65	(1)		
		10-19-65	(1)		
		2-17-66	64.3	443.1	
		6-23-66	(1)		
04N/19W-34D05S	528.4	7-20-65	102.7	425.7	121
		9-15-65	110.6(1)	417.8	
		10-19-65	112.4(1)	416.0	
		2-17-66	83.4	445.0	
		6-23-66	61.1(1)	467.3	
04N/19W-34J01S	525.8	7-30-65	(1)		121
		8-27-65	(1)		
		9-28-65	(1)		
		10-28-65	108.7(1)	417.1	
		12-02-65	97.9	427.9	
		1-07-66	86.9	438.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SESPE HYDRO SUBUNIT				U-03.C0	
	FILLMORE HYDRO SUBAREA				U-03.C1
04N/19W-34J01S (CONT.)	525.8	1-27-66	81.9	443.9	121
		3-04-66	76.0	449.8	
		4-06-66	71.7(1)	454.1	
		4-29-66	71.7	454.1	
		6-01-66	66.3(1)	459.5	
		7-07-66	50.6	475.2	
		8-10-66	48.7(1)	477.1	
		9-01-66	48.2(1)	477.6	
04N/19W-34J02S	528.4	7-21-65	(1)		121
		9-16-65	97.3	431.1	
		10-20-65	100.2	428.2	
		2-23-66	79.7	448.7	
		6-28-66	49.2(2)	479.2	
04N/19W-34K01S	522.8	7-21-65	92.5	430.3	121
		9-16-65	97.6	425.2	
		10-20-65	100.3	422.5	
		2-23-66	75.3	447.5	
		6-29-66	44.1	478.7	
04N/19W-34M02S	501.2	7-26-65	69.5	431.7	411
		8-23-65	(1)		
		9-24-65	(1)		
		10-22-65	(1)		
		11-26-65	92.5	408.7	
		12-30-65	74.9	426.3	
		1-27-66	66.6	434.6	
		3-27-66	65.3	435.9	
		5-01-66	53.3	447.9	
		5-29-66	40.4	460.8	
		6-27-66	(1)		
		7-28-66	16.3	484.9	
		8-25-66	19.7	481.5	
		9-25-66	27.9	473.3	
04N/19W-35C01S	552.1	7-16-65	(1)		121
		9-15-65	(1)		
		10-19-65	(1)		
		2-17-66	98.9	453.2	
		6-23-66	(1)		
04N/19W-35K02S	549.2	7-30-65	101.0	448.2	121
		8-31-65	101.1	448.1	
		9-28-65	101.6	447.6	
		10-28-65	102.9	446.3	
		12-02-65	101.9	447.3	
		1-07-66	100.2	449.0	
		1-27-66	99.6	449.6	
		3-03-66	94.2	455.0	
		4-06-66	90.2	459.0	
		4-28-66	86.3	462.9	
		6-01-66	66.9	482.3	
		7-07-66	57.2	492.0	
		8-10-66	53.4	495.8	
		9-01-66	56.7	492.5	
04N/19W-35L01S	542.2	7-21-65	106.3	435.9	121
		9-16-65	115.0	427.2	
		10-20-65	117.9	424.3	
		2-23-66	98.6	443.6	
		6-29-66	53.1	489.1	
04N/19W-35L02S	540.1	7-26-65	105.7	434.4	411
		8-23-65	106.1	434.0	
		9-24-65	114.7	425.4	
		10-22-65	(1)		
		11-26-65	140.3	399.8	
		12-30-65	56.9	483.2	
		1-27-66	93.3	446.8	
		2-27-66	87.8	452.3	
		3-27-66	78.9	461.2	
		5-01-66	79.5	460.6	
		5-29-66	75.4	464.7	
		6-27-66	53.8	486.3	
		7-28-66	46.4	493.7	
		8-25-66	49.4	490.7	
		9-25-66	53.8	486.3	
04N/19W-36J02S	415.8	9-30-65	65.1(1)	350.7	121
		12-20-65	50.4	365.4	
		2-28-66	37.8	378.0	
		6-24-66	37.9	377.9	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PIRU HYDRO SUBUNIT				U-03.D0	
	PIRU HYDRO SUBAREA				U-03.D1
05N/18W-33G02S	1066.0	7-30-65	28.9	1037.1	411
		8-30-65	31.0	1035.0	
		10-04-65	31.1	1034.9	
		10-29-65	33.0	1033.0	
		12-01-65	26.3	1039.7	
		12-27-65	25.7	1040.3	
		1-31-66	25.2	1040.8	
		2-28-66	25.6	1040.4	
		4-04-66	26.0	1040.0	
		4-28-66	26.5	1039.5	
		5-30-66	28.4	1037.6	
		6-30-66	27.9	1038.1	
	UPPER PIRU HYDRO SUBAREA				U-03.D2
05N/18W-15P01S	1042.0	7-30-65	15.4	1026.6	411
		8-30-65	16.3	1025.7	
		9-27-65	18.0	1024.0	
		10-25-65	18.6	1023.4	
		12-01-65	11.4	1030.6	
		12-27-65	12.6	1029.4	
		1-24-66	11.6	1030.4	
		2-28-66	11.7	1030.3	
		3-28-66	12.0	1030.0	
		4-25-66	12.4	1029.6	
		5-30-66	12.5	1029.5	
	HUNGRY VALLEY HYDRO SUBAREA				U-03.D3
08N/18W-17J01S	3430.0	11-01-65	60.7	3369.3	101
08N/19W-12M01S	3780.0	11-01-65	FLOW		101
08N/19W-12M02S	3826.0	11-01-65	-.8	3826.8	101
	STAUFFER HYDRO SUBAREA				U-03.D4
07N/21W-03P01S	5129.0	8-11-66	(7)		121
08N/20W-04N01S	5300.0	4-21-66	27.7	5272.3	121
		8-11-66	28.5	5271.5	
08N/20W-19D01S	5280.0	4-20-66	43.6	5236.4	121
08N/21W-26J01S	5050.0	4-20-66	12.4	5037.6	121
		8-11-66	13.2	5036.8	
08N/21W-29N02S	5450.0	4-20-66	113.5	5336.5	121
		8-11-66	(7)		
08N/21W-33R01S	5146.0	4-20-66	46.2	5099.8	121
		8-11-66	(7)		
08N/21W-33R03S	5150.0	4-20-66	51.0	5099.0	121
		8-11-66	51.7	5098.3	
08N/21W-35B01S	5043.0	4-20-66	42.5	5000.5	121
		8-11-66	43.6	4999.4	
08N/21W-36C01S	4910.0	4-20-66	(2)		121
		8-11-66	(1)		
08N/21W-36G01S	4950.0	4-20-66	(2)		121
		8-11-66	(1)		

TABLE C-I

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0
EASTERN HYDRO SUBAREA U-03.E1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/15W-05D01S	1461.0	11-30-65	41.8	1419.2	101
03N/15W-05H01S	1525.0	11-30-65	3.9	1521.1	101
03N/15W-06A01S	1447.0	11-30-65	31.3	1415.7	101
03N/16W-01M01S	1310.5	12-01-65	DRY		101
03N/16W-01Q03S	1355.5	7-06-65	22.9	1332.6	101
		9-07-65	23.2	1332.3	
		11-30-65	18.8	1336.7	
		1-11-66	13.9	1341.6	
		3-01-66	13.0	1342.5	
		5-03-66	12.5	1343.0	
03N/16W-02B01S	1271.5	11-30-65	133.5	1138.0	101
03N/16W-02J01S	1318.0	12-01-65	114.2	1203.8	101
03N/16W-03D01S	1245.0	11-30-65	137.2(6)	1107.8	101
03N/16W-03D02S	1245.0	11-30-65	115.4	1129.6	101
		2-01-66	1245.0	.0	
03N/16W-03H02S	1300.0	11-30-65	106.5	1193.5	101
03N/16W-03R01S	1325.0	11-30-65	158.8	1166.2	101
03N/16W-04A02S	1273.0	11-30-65	141.8	1131.2	101
03N/16W-11A01S	1388.0	12-01-65	66.9	1321.1	101
03N/16W-11A02S	1400.0	12-01-65	46.8	1353.2	101
03N/16W-11D02S	1377.0	11-30-65	44.4	1332.6	101
03N/16W-12A03S	1400.0	12-01-65	18.1	1381.9	101
03N/16W-12G02S	1417.0	12-01-65	17.1	1399.9	101
03N/16W-13A01S	1600.0	12-01-65	101.6	1498.4	101
04N/14W-17E01S	1690.0	11-05-65	DRY		101
04N/14W-17H01S	1725.0	11-05-65	25.6	1699.4	101
04N/14W-18F01S	1632.0	11-05-65	102.9	1529.1	101
04N/14W-18H01S	1675.0	11-05-65	DRY		101
04N/14W-31E01S	2075.0	11-05-65	FLOW		101
04N/14W-31E02S	2076.0	11-05-65	63.9	2012.1	101
04N/15W-01A02S	1851.0	11-08-65	56.9	1794.1	101
04N/15W-01C03S	1825.0	11-08-65	145.6	1679.4	101
04N/15W-01E01S	1775.0	11-08-65	118.6	1656.4	101
04N/15W-02J02S	1775.0	11-08-65	96.8	1678.2	101
04N/15W-05B01S	1735.0	11-10-65	324.8	1410.2	101
04N/15W-05C01S	1437.0	11-10-65	73.0	1364.0	101
04N/15W-06F01S	1374.0	11-10-65	55.1	1318.9	101
04N/15W-06H01S	1420.0	11-10-65	54.3	1365.7	101
04N/15W-06K01S	1396.0	11-10-65	49.9	1346.1	101
04N/15W-06L01S	1383.0	11-10-65	51.0	1332.0	101
04N/15W-06P02S	1353.0	7-25-65	63.5	1289.5	101
		8-25-65	62.5	1290.5	
		9-25-65	62.5	1290.5	
		10-25-65	63.5	1289.5	
		11-10-65	64.6	1288.4	
		11-25-65	62.5	1290.5	
		12-20-65	63.5	1289.5	
		4-13-66	60.5	1292.5	
		5-18-66	47.5	1305.5	
		6-15-66	45.5	1307.5	
04N/15W-07E01S	1326.0	7-06-65	105.7	1220.3	101
04N/15W-11B02S	1703.0	11-08-65	68.1	1634.9	101
04N/15W-11F01S	1651.0	7-06-65	51.2	1599.8	101
		9-07-65	51.3	1599.7	
		11-08-65	51.0	1600.0	
		1-11-66	50.4	1600.6	
		3-01-66	47.3	1603.7	
		5-03-66	46.6	1604.4	
04N/15W-11F04S	1655.0	11-08-65	47.5	1607.5	101

UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0
EASTERN HYDRO SUBAREA U-03.E1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/15W-11N01S	1609.0	11-08-65	63.7	1545.3	101
04N/15W-11N03S	1621.0	11-08-65	65.6	1555.4	101
04N/15W-13P01S	1573.0	9-07-65	93.9	1479.1	101
		11-05-65	96.0	1477.0	
		1-11-66	49.4	1523.6	
		3-01-66	38.6	1534.4	
		5-03-66	36.7	1536.3	
04N/15W-13P02S	1577.0	7-06-65	101.0	1476.0	101
		9-07-65	97.4	1479.6	
		11-05-65	99.3	1477.7	
		1-11-66	52.6	1524.4	
		3-01-66	42.8	1534.2	
		5-03-66	44.6	1532.4	
04N/15W-13P03S	1573.0	11-05-65	93.9	1479.1	101
04N/15W-13P04S	1575.0	7-06-65	97.2	1477.8	101
		9-07-65	99.2	1475.8	
		11-05-65	101.9	1473.1	
		3-01-66	39.1	1535.9	
		5-03-66	37.3	1537.7	
04N/15W-13Q01S	1590.0	11-05-65	74.9	1515.1	101
04N/15W-13Q02S	1592.0	11-05-65	79.9	1512.1	101
04N/15W-14J01S	1558.0	11-05-65	79.6	1478.4	101
04N/15W-15A01S	1600.0	11-08-65	92.3	1507.7	101
04N/15W-15G01S	1575.0	11-08-65	66.7	1508.3	101
04N/15W-15L01S	1535.0	11-08-65	80.0	1455.0	101
04N/15W-15N01S	1525.0	11-08-65	101.8	1423.2	101
04N/15W-15N02S	1505.0	11-08-65	80.6	1424.4	101
04N/15W-16N01S	1377.0	11-08-65	83.8	1293.2	101
04N/15W-19D01S	1275.0	11-09-65	106.4	1168.6	101
04N/15W-20D01S	1318.0	11-09-65	117.9	1200.1	101
04N/15W-20F01S	1348.0	7-06-65	119.4	1228.6	101
		9-07-65	119.3	1228.7	
		11-08-65	119.9	1228.1	
		1-11-66	113.9	1234.1	
		3-01-66	117.3	1230.7	
		5-03-66	118.4	1229.6	
04N/15W-20M01S	1370.0	11-08-65	53.0	1317.0	101
04N/15W-20R02S	1387.5	11-08-65	96.2	1291.3	101
04N/15W-21A01S	1460.5	11-08-65	116.7	1343.8	101
04N/15W-21G01S	1441.0	11-08-65	104.2	1336.8	101
04N/15W-21J01S	1431.0	11-05-65	86.5	1344.5	101
04N/15W-21J02S	1440.0	11-05-65	98.3	1341.7	101
04N/15W-21M04S	1393.0	11-08-65	88.5	1304.5	101
04N/15W-21Q02S	1414.0	11-08-65	90.3	1323.7	101
04N/15W-22F02S	1457.0	11-05-65	86.1	1370.9	101
04N/15W-23B03S	1550.0	11-05-65	52.3	1497.7	101
04N/15W-23F01S	1528.5	11-05-65	94.2	1434.3	101
04N/15W-23F03S	1550.0	11-05-65	DRY		101
04N/15W-23K03S	1570.0	11-05-65	98.9	1471.1	101
04N/15W-23Q01S	1588.0	11-05-65	93.8	1494.2	101
04N/15W-24C01S	1580.0	11-05-65	DRY		101
04N/15W-26K01S	1678.0	11-05-65	92.2	1585.8	101
04N/15W-26R02S	1686.0	7-06-65	38.7	1647.3	101
		9-07-65	39.5	1646.5	
		11-05-65	41.6	1644.4	
		1-11-66	36.3	1649.7	
		3-01-66	35.4	1650.6	
		5-03-66	29.3	1656.7	
04N/15W-26R04S	1715.0	11-05-65	100.7	1614.3	101
04N/15W-31G01S	1506.5	11-30-65	10.6	1495.9	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0
EASTERN HYDRO SUBAREA U-03.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/15W-31P02S	1375.0	7-06-65	37.6	1337.4	101
		9-07-65	46.2	1339.6	
		11-30-65	37.4	1348.4	
		1-11-66	31.6	1354.2	
		3-01-66	21.7	1364.1	
		5-03-66	19.5	1366.3	
04N/15W-35J02S	1779.0	11-05-65	70.9	1708.1	101
04N/15W-35R01S	1812.5	11-05-65	93.4	1719.1	101
04N/15W-35R02S	1800.0	11-05-65	84.5	1715.5	101
04N/15W-36C01S	1776.0	11-05-65	43.0	1733.0	101
04N/15W-36E01S	1770.0	11-06-65	87.3	1682.7	101
04N/15W-36F01S	1809.0	11-05-65	62.0	1747.0	101
04N/15W-36F03S	1821.0	11-05-65	71.8	1749.2	101
04N/16W-01B01S	2075.0	11-09-65	772.2	1302.8	101
04N/16W-01K01S	1333.0	11-09-65	76.3	1256.7	101
04N/16W-01P03S	1329.0	11-09-65	87.5	1241.5	101
04N/16W-02M01S	1330.0	11-09-65	85.8	1244.2	101
04N/16W-04H01S	1218.4	7-25-65	60.0	1158.4	101
		8-25-65	75.0(1)	1143.4	
		9-25-65	65.0	1153.4	
		10-25-65	65.0	1153.4	
		4-13-66	63.0(1)	1155.4	
		6-15-66	42.0	1176.4	
04N/16W-06A01S	1063.0	12-01-65	29.9	1033.1	101
04N/16W-06J04S	1043.4	12-01-65	15.0	1028.4	101
04N/16W-07Q01S	1027.0	9-25-65	60.2(1)	966.8	101
		10-25-65	54.2(1)	972.8	
		11-25-65	22.2	1004.8	
		12-20-65	21.2	1005.8	
		1-19-66	22.2	1004.8	
		4-13-66	19.2	1007.8	
		6-15-66	21.2	1005.8	
04N/16W-09H01S	1158.0	7-25-65	110.0(1)	1048.0	101
		8-25-65	83.0	1075.0	
		9-25-65	73.0	1085.0	
		10-25-65	69.0	1089.0	
		11-25-65	66.0	1092.0	
		12-20-65	46.0	1112.0	
		1-19-66	46.0	1112.0	
		4-13-66	42.0	1116.0	
		5-18-66	45.0	1113.0	
04N/16W-09H02S	1155.0	7-25-65	85.5(1)	1069.5	101
		10-25-65	62.5	1092.5	
		11-25-65	58.5	1096.5	
		12-20-65	46.5	1108.5	
		1-19-66	46.5	1108.5	
		4-13-66	77.5(1)	1077.5	
		5-18-66	46.5	1108.5	
		6-15-66	44.5	1110.5	
04N/16W-12C03S	1030.2	7-25-65	53.7(1)	976.5	101
		8-25-65	59.7(1)	970.5	
		9-25-65	43.7	986.5	
		10-25-65	40.7	989.5	
		11-25-65	22.7	1007.5	
		12-20-65	21.7	1008.5	
		1-19-66	22.7	1007.5	
		4-13-66	13.7	1016.5	
		5-18-66	40.7(1)	989.5	
		6-15-66	41.7(1)	988.5	
04N/16W-12K01S	1281.0	11-09-65	102.5	1178.5	101
04N/16W-12K02S	1280.0	11-09-65	102.9	1177.1	101
04N/16W-12M01S	1265.0	11-09-65	105.8	1159.2	101
04N/16W-12N01S	1245.0	11-09-65	100.4	1144.6	101
04N/16W-13D01S	1240.0	11-09-65	97.4	1142.6	101
04N/16W-14E02S	1179.0	7-25-65	94.2(1)	1084.8	101
		8-25-65	105.2(1)	1073.8	
		9-25-65	93.2	1085.8	
		10-25-65	80.2	1098.8	
		11-25-65	80.2	1098.8	
		12-20-65	80.2	1098.8	
		1-19-66	77.2	1101.8	
		4-13-66	76.2	1102.8	
		5-18-66	70.2	1108.8	

UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0
EASTERN HYDRO SUBAREA U-03.E1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/16W-14E02S (CONT.)	1179.0	6-15-66	83.2	1095.8	101
04N/16W-14H01S	1223.0	11-09-65	92.9	1130.1	101
04N/16W-15Q01S	1152.9	7-25-65	86.0(1)	1066.9	101
		8-25-65	82.0(1)	1070.9	
		9-25-65	79.0	1073.9	
		10-25-65	78.0	1074.9	
		11-25-65	75.0	1077.9	
		12-20-65	73.0	1079.9	
		1-19-66	66.0	1086.9	
		4-13-66	65.0	1087.9	
		5-18-66	81.0(1)	1071.9	
		6-15-66	84.0(1)	1068.9	
04N/16W-15Q03S	1153.0	7-25-65	122.0(1)	1031.0	101
		9-25-65	110.0(1)	1043.0	
		10-25-65	77.0	1076.0	
		11-25-65	74.0	1079.0	
		12-20-65	72.0	1081.0	
		1-19-66	65.0	1088.0	
		4-13-66	63.0	1090.0	
		5-18-66	86.0	1067.0	
		6-15-66	84.0(1)	1069.0	
04N/16W-15R01S	1155.0	7-25-65	107.5(1)	1047.5	101
		8-25-65	107.5(1)	1047.5	
		9-25-65	73.5	1081.5	
		10-25-65	67.5	1087.5	
		12-20-65	65.5	1089.5	
		1-19-66	54.5	1100.5	
		4-13-66	55.5	1099.5	
		5-18-66	71.5	1083.5	
		6-15-66	88.5(1)	1066.5	
04N/16W-16D01S	1096.0	7-25-65	96.7(1)	999.3	101
		8-25-65	103.7(1)	992.3	
		9-25-65	77.7	1018.3	
		10-25-65	104.7(1)	991.3	
		11-25-65	57.7	1038.3	
		12-20-65	55.7	1040.3	
04N/16W-16Q01S	1116.5	7-06-65	84.2	1032.3	101
		7-25-65	88.5	1028.0	
		8-25-65	113.5(1)	1003.0	
		9-25-65	113.5(1)	1003.0	
		10-25-65	83.5	1033.0	
		11-10-65	83.5	1033.0	
		11-25-65	78.5	1038.0	
		12-20-65	75.5	1041.0	
		1-19-66	69.5	1047.0	
		3-01-66	66.0	1050.5	
		4-13-66	85.5(1)	1031.0	
		5-18-66	94.5(1)	1022.0	
		6-15-66	101.5(1)	1015.0	
04N/16W-16Q03S	1115.8	9-07-65	91.6	1024.2	101
		11-10-65	83.6	1032.2	
		1-11-66	71.9	1043.9	
		3-01-66	68.1	1047.7	
		5-03-66	74.0	1041.8	
04N/16W-17A03S	1090.0	7-25-65	70.7	1019.3	101
		8-25-65	101.7(1)	988.3	
		9-25-65	99.7(1)	990.3	
		11-25-65	55.7	1034.3	
		12-20-65	54.7	1035.3	
		1-19-66	49.7	1040.3	
		4-13-66	45.7	1044.3	
		5-18-66	81.7(1)	1008.3	
		6-15-66	51.7(1)	1038.3	
04N/16W-17A05S	1089.0	7-25-65	83.7(1)	1005.3	101
		8-25-65	101.7(1)	987.3	
		9-25-65	102.7(1)	986.3	
		10-25-65	71.7	1017.3	
		11-25-65	48.7	1040.3	
		12-20-65	47.7	1041.3	
		1-19-66	47.7	1041.3	
		4-13-66	46.7	1042.3	
		5-18-66	81.7(1)	1007.3	
		6-15-66	69.7(1)	1019.3	
04N/16W-17N01S	1044.7	11-10-65	2.3	1042.4	101
04N/16W-18A01S	1042.7	7-06-65	35.0	1007.7	101
		8-02-65	34.7	1008.0	
		9-07-65	35.9	1006.8	
		10-05-65	35.1	1007.6	
		10-25-65	38.7	1004.0	
		11-10-65	34.7	1008.0	
		11-25-65	34.7	1008.0	
		12-10-65	31.7	1011.0	
		12-20-65	31.2	1011.5	
		1-11-66	28.3	1014.4	
		1-19-66	30.7	1012.0	
		4-11-66	24.3	1018.4	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0
EASTERN HYDRO SUBAREA U-03.E1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/16W-18A01S (CONT.)	1042.7	6-13-66	26.5	1016.2	101
04N/16W-18F04S	1023.0	7-25-65	26.7(1)	996.3	101
		8-25-65	25.7(1)	997.3	
		9-25-65	25.7(1)	997.3	
		10-25-65	25.7(1)	997.3	
		11-25-65	9.7	1013.3	
		12-20-65	9.7	1013.3	
		1-19-66	7.7	1015.3	
		4-13-66	7.7	1015.3	
04N/16W-18J02S	1042.0	11-10-65	21.3	1020.7	101
04N/16W-18J03S	1033.1	11-10-65	3.7	1029.4	101
04N/16W-20B02S	1091.0	11-10-65	61.5	1029.5	101
04N/16W-21H02S	1133.0	7-06-65	99.1	1033.9	101
		8-02-65	101.5	1031.5	
		9-07-65	104.3	1028.7	
		10-05-65	101.0	1032.0	
		11-10-65	98.3	1034.7	
		12-10-65	96.4	1036.6	
		1-11-66	85.4	1047.6	
		3-01-66	81.1	1051.9	
		4-11-66	84.2	1048.8	
		5-03-66	89.0	1044.0	
		6-13-66	90.2	1042.8	
04N/16W-22A01S	1155.0	11-10-65	117.8	1037.2	101
04N/16W-22C07S	1130.0	7-25-65	116.0(1)	1014.0	101
		8-25-65	130.0(1)	1000.0	
		9-25-65	129.0(1)	1001.0	
		10-25-65	93.0	1037.0	
		11-25-65	81.0	1049.0	
		12-20-65	81.0	1049.0	
		1-19-66	75.0	1055.0	
		4-13-66	80.0	1050.0	
		5-18-66	94.0	1036.0	
		6-15-66	103.0(1)	1027.0	
04N/16W-22D02S	1128.0	7-25-65	118.3(1)	1009.7	101
		8-25-65	123.3(1)	1004.7	
		9-25-65	88.3	1039.7	
		10-25-65	90.3	1037.7	
		11-25-65	84.3	1043.7	
		12-20-65	120.3(1)	1007.7	
		1-19-66	75.3	1052.7	
		4-13-66	77.3	1050.7	
		6-15-66	93.3(1)	1034.7	
04N/16W-22D03S	1138.0	7-25-65	107.3	1030.7	101
		8-25-65	135.3(1)	1002.7	
		9-25-65	110.3	1027.7	
		11-25-65	93.3	1044.7	
		12-20-65	93.3	1044.7	
		1-19-66	78.3	1059.7	
04N/16W-22G08S	1157.0	11-10-65	116.9	1040.1	101
04N/16W-22R08S	1164.8	11-10-65	113.9	1050.9	101
04N/16W-23G01S	1195.0	11-09-65	90.9	1104.1	101
04N/16W-23H01S	1194.0	7-25-65	98.6(1)	1095.4	101
		8-25-65	104.6(1)	1089.4	
		9-25-65	88.6	1105.4	
		10-25-65	91.6	1102.4	
		11-25-65	68.6	1125.4	
		12-20-65	64.6	1129.4	
		1-19-66	64.6	1129.4	
		4-13-66	57.6	1136.4	
		5-18-66	65.6	1128.4	
		6-15-66	94.6(1)	1099.4	
04N/16W-24A05S	1260.0	7-25-65	94.1	1165.9	101
		8-25-65	88.1	1171.9	
		9-25-65	88.1	1171.9	
		10-25-65	87.1	1172.9	
		11-25-65	87.1	1172.9	
		12-20-65	88.1	1171.9	
		1-19-66	88.1	1171.9	
		4-13-66	85.1	1174.9	
		5-18-66	85.1	1174.9	
		6-15-66	87.1	1172.9	
04N/16W-24B02S	1243.0	7-25-65	89.5	1153.5	101
		9-25-65	92.5	1150.5	
		10-25-65	93.5	1149.5	
		11-25-65	87.5	1155.5	
		12-20-65	85.5	1157.5	
		1-19-66	80.5	1162.5	
		4-13-66	77.5	1165.5	
		5-18-66	80.5	1162.5	
		6-15-66	78.5	1164.5	

UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0
EASTERN HYDRO SUBAREA U-03.E1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/16W-27H05S	1187.2	7-25-65	136.0	1051.2	101
		8-25-65	136.0	1051.2	
		9-25-65	172.0(1)	1015.2	
		10-25-65	135.0	1052.2	
		11-25-65	134.0	1053.2	
		12-20-65	133.0	1054.2	
		1-19-66	124.0	1063.2	
		4-13-66	125.0	1062.2	
04N/16W-27J01S	1188.0	7-06-65	137.6	1050.4	101
		9-07-65	158.1	1029.9	
		11-30-65	140.2	1047.8	
		1-11-66	135.9	1052.1	
		3-01-66	123.5	1064.5	
		5-03-66	125.9	1062.1	
04N/16W-27J02S	1189.0	9-07-65	151.6	1037.4	101
		11-30-65	141.2	1047.8	
		1-11-66	137.0	1052.0	
04N/16W-28A01S	1169.5	11-10-65	125.4	1044.1	101
04N/16W-32Q01S	1350.0	7-06-65	82.0	1268.0	101
		9-07-65	DRY		
		11-30-65	DRY		
		1-11-66	83.1	1266.9	
		3-01-66	53.0	1297.0	
		5-03-66	58.8	1291.2	
04N/16W-34J01S	1230.6	11-30-65	114.8	1115.8	101
04N/16W-34J02S	1231.0	11-30-65	164.6	1066.4	101
04N/16W-35B01S	1245.0	11-30-65	DRY		101
04N/16W-35L01S	1249.0	11-29-65	166.0	1083.0	101
04N/16W-35M02S	1236.5	11-30-65	186.5	1050.0	101
04N/16W-36E02S	1236.5	11-30-65	163.7	1072.8	101
04N/16W-36M02S	1295.0	11-30-65	DRY		101
04N/16W-36M03S	1300.0	11-30-65	DRY		101
04N/16W-36M04S	1284.0	11-30-65	219.9	1064.1	101
04N/16W-36P02S	1315.0	11-30-65	DRY		101
04N/16W-36Q01S	1330.0	11-30-65	149.2	1180.8	101
04N/16W-36R01S	1350.0	11-30-65	107.3	1242.7	101
04N/17W-01C01S	1060.0	9-27-65	17.5	1042.5	101
		11-30-65	15.0	1045.0	
04N/17W-02M01S	1200.0	11-30-65	44.0	1156.0	101
04N/17W-12B02S	1039.0	12-01-65	21.9	1017.1	101
04N/17W-12B03S	1028.5	7-25-65	47.5(1)	981.0	101
		11-25-65	17.5	1011.0	
		12-20-65	15.5	1013.0	
		4-13-66	7.5	1021.0	
04N/17W-12G01S	1020.6	11-30-65	27.6	993.0	101
04N/17W-12P01S	991.9	7-25-65	36.0(1)	955.9	101
		8-25-65	38.5(1)	953.4	
		9-25-65	39.0(1)	952.9	
		10-25-65	29.0	962.9	
		11-25-65	26.0	965.9	
		12-20-65	25.0	966.9	
		1-19-66	16.0	975.9	
		4-13-66	15.0	976.9	
04N/17W-12R01S	1012.0	7-25-65	38.0(1)	974.0	101
		8-25-65	39.0(1)	973.0	
		11-25-65	23.0	989.0	
		12-20-65	21.0	991.0	
		1-19-66	19.0	993.0	
		4-13-66	21.0	991.0	
04N/17W-13C01S	988.0	7-25-65	61.0(1)	927.0	101
		8-25-65	87.0(1)	901.0	
		9-25-65	78.0(1)	910.0	
		10-25-65	66.0(1)	922.0	
		11-25-65	18.0	970.0	
		12-20-65	16.0	972.0	
		1-19-66	19.0	969.0	
		5-18-66	16.0	972.0	
		6-15-66	18.0	970.0	
04N/17W-13C02S	983.8	7-06-65	30.5	953.3	101
		9-07-65	34.3	949.5	
		11-30-65	24.3	959.5	
		1-11-66	16.1	967.7	
		3-01-66	13.8	970.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0					
EASTERN HYDRO SUBAREA U-03.F1					
04N/17W-13C02S (CONT.)	983.8	5-03-66	15.4	968.4	101
04N/17W-13E01S	985.0	11-30-65	28.3	956.7	101
04N/17W-13J01S	1038.0	7-25-65	88.0	950.0	101
		8-25-65	88.0	950.0	
		9-25-65	90.0	948.0	
		10-25-65	88.0	950.0	
		11-25-65	86.0	952.0	
		12-20-65	86.0	952.0	
		1-19-66	81.0	957.0	
		4-13-66	85.0	953.0	
		6-15-66	84.0	954.0	
04N/17W-14Q02S	958.0	7-25-65	91.2(1)	866.8	101
		8-25-65	91.2(1)	866.8	
		9-25-65	91.2(1)	866.8	
		10-25-65	39.2	918.8	
		11-25-65	22.2	935.8	
		12-20-65	21.2	936.8	
		1-19-66	17.2	940.8	
		4-13-66	70.2(1)	887.8	
		6-15-66	19.2	938.8	
04N/17W-15N01S	996.0	11-30-65	FLOW		101
04N/17W-21C02S	1010.0	11-30-65	15.2	994.8	101
04N/17W-22C01S	875.0	11-30-65	1.4	873.6	101
04N/17W-22E01S	897.6	9-26-65	25.0(1)	872.6	101
		10-24-65	23.0(1)	874.6	
		11-25-65	6.0	891.6	
		12-20-65	5.0	892.6	
		1-19-66	.0	897.6	
		4-17-66	5.0	892.6	
		6-15-66	16.0(1)	881.6	
04N/17W-22E02S	900.0	7-26-65	22.0(1)	878.0	101
		9-25-65	25.0(1)	875.0	
		10-24-65	25.0(1)	875.0	
		11-25-65	8.0	892.0	
		12-20-65	7.0	893.0	
		1-19-66	2.0	898.0	
		4-13-66	19.0(1)	881.0	
		6-15-66	13.0	887.0	
04N/17W-22E03S	899.9	7-25-65	34.0(1)	865.9	101
		8-26-65	22.0	877.9	
		9-25-65	38.0(1)	861.9	
		10-24-65	22.0	877.9	
		11-25-65	13.0	886.9	
		12-20-65	9.0	890.9	
		1-19-66	3.0	896.9	
		4-13-66	7.0	892.9	
		6-15-66	23.0(1)	876.9	
04N/17W-23D01S	949.7	7-25-65	29.0	920.7	101
		8-25-65	56.0(1)	893.7	
		9-25-65	56.0(1)	893.7	
		10-22-65	48.0(1)	901.7	
		11-25-65	21.0	928.7	
		12-26-65	20.0	929.7	
		1-19-66	19.0	930.7	
		6-13-66	16.0	933.7	
04N/17W-23F01S	930.0	11-30-65	4.4	925.6	101
04N/17W-28E01S	865.8	7-06-65	13.3	852.5	101
		7-26-65	14.1	851.7	
		9-07-65	14.0	851.8	
		10-05-65	14.0	851.8	
		11-30-65	13.4	852.4	
		1-11-66	13.9	851.9	
		3-01-66	14.3	851.5	
		4-11-66	14.1	851.7	
		5-03-66	14.6	851.2	
		6-13-66	15.1	850.7	
04N/17W-28L01S	969.8	11-30-65	-.4	970.2	101
04N/17W-28L02S	971.5	11-30-65	-.5	972.0	101
04N/17W-30G01S	971.5	11-30-65	164.4	807.1	101
04N/18W-19P01S	810.0	7-16-65	361.3(2)	448.7	121
05N/14W-29P01S	2265.0	11-08-65	130.5	2134.5	101
05N/14W-30R01S	2190.0	11-08-65	333.5(5)	1856.5	101
05N/14W-30R02S	2040.0	11-08-65	84.2	1955.8	101
05N/14W-31C02S	1953.0	7-06-65	67.9	1885.1	101
		9-07-65	67.7	1885.3	
		11-08-65	66.7	1886.3	
		1-11-66	66.0	1887.0	
UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0					
EASTERN HYDRO SUBAREA U-03.F1					
05N/14W-31C02S (CONT.)	1953.0	3-01-66	64.2	1888.8	101
		5-03-66	65.1	1887.9	
05N/14W-31F04S	1950.0	11-08-65	82.3	1867.7	101
05N/15W-21Q01S	1628.0	11-10-65	30.5	1597.5	101
05N/15W-28F01S	1600.0	11-10-65	50.0	1550.0	101
05N/15W-28G01S	1625.0	11-10-65	57.4	1567.6	101
05N/15W-32R02S	1492.0	11-10-65	64.8	1427.2	101
05N/15W-33C02S	1550.0	7-06-65	61.7	1488.3	101
		9-07-65	49.5	1500.5	
		11-10-65	45.8	1504.2	
		1-11-66	43.1	1506.9	
		3-01-66	43.6	1506.4	
		5-03-66	37.7	1512.3	
05N/15W-33D02S	1552.0	7-06-65	64.5	1487.5	101
		9-07-65	51.9	1500.1	
		11-10-65	49.1	1502.9	
		1-11-66	46.1	1505.9	
		3-01-66	42.4	1509.6	
		5-03-66	38.1	1513.9	
05N/15W-33E03S	1531.0	11-10-65	51.7	1479.3	101
05N/15W-33E04S	1513.0	11-10-65	45.7	1467.3	101
05N/15W-33E05S	1528.0	11-10-65	47.9	1480.1	101
05N/15W-33E06S	1495.0	11-10-65	38.5	1456.5	101
05N/15W-33K01S	1610.0	11-10-65	88.4	1521.6	101
05N/16W-34P01S	1233.0	7-06-65	68.0	1165.0	101
		11-09-65	71.5	1161.5	
		1-11-66	57.5	1175.5	
		3-01-66	51.0	1182.0	
		5-03-66	50.0	1183.0	
05N/16W-34P02S	1235.0	7-06-65	71.1	1163.9	101
		9-07-65	72.0	1163.0	
		11-09-65	72.4	1162.6	
		1-11-66	58.4	1176.6	
		3-01-66	51.9	1183.1	
		5-03-66	49.8	1185.2	
05N/16W-36B02S	1474.0	11-09-65	39.9	1434.1	101
05N/17W-24B01S	1172.5	11-10-65	58.4	1114.1	101
05N/17W-24H01S	1170.0	11-10-65	DRY		101
05N/17W-24Q01S	1150.0	11-10-65	70.2	1079.8	101
05N/17W-25B08S	1150.0	11-10-65	71.7	1078.3	101
05N/17W-25G03S	1129.5	7-06-65	54.1	1075.4	101
		9-07-65	60.1	1069.4	
		11-10-65	57.9	1071.6	
		1-11-66	18.5	1111.0	
		3-01-66	22.9	1106.6	
		5-03-66	14.3	1115.2	
05N/17W-25G04S	1135.0	11-10-65	61.9	1073.1	101
05N/17W-25M02S	1235.0	11-30-65	121.8	1113.2	101
05N/17W-36A03S	1109.0	12-01-65	31.4	1077.6	101
05N/17W-36G03S	1090.0	12-01-65	13.9	1076.1	101
05N/17W-36H04S	1086.2	12-01-65	14.3	1071.9	101
05N/17W-36H05S	1099.6	12-01-65	24.2	1075.4	101
05N/17W-36J01S	1088.2	12-01-65	15.6	1072.6	101
05N/17W-36K02S	1087.0	11-30-65	30.6	1056.4	101
SIERRA PELONA HYDRO SUBAREA U-03.E4					
05N/14W-13C01S	2825.0	11-03-65	75.6	2749.4	101
05N/14W-14A01S	2825.0	11-03-65	45.8	2779.2	101
05N/14W-14A02S	2820.0	11-03-65	37.4	2782.6	101
05N/14W-14A03S	2850.0	11-03-65	82.1	2767.9	101
05N/14W-14F02S	2705.0	11-03-65	105.0	2600.0	101
05N/14W-22J01S	2575.0	11-03-65	94.4	2480.6	101

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT U-03.E0					
SIERRA PELONA HYDRO SUBAREA U-03.E4					
05N/14W-23E01S	2570.0	11-03-65	105.0	2465.0	101
05N/14W-23N02S	2525.0	11-03-65	52.6	2472.4	101
05N/14W-24C01S	2666.7	11-03-65	138.3	2528.4	101
05N/14W-25D01S	2659.0	11-03-65	30.2	2628.8	101
05N/14W-25D03S	2659.0	11-03-65	30.6	2628.4	101
05N/14W-26D02S	2500.0	11-03-65	38.2	2461.8	101
05N/14W-26E01S	2483.0	11-03-65	33.0(3)	2450.0	101
05N/14W-26E02S	2490.0	11-03-65	39.1	2450.9	101
05N/14W-27K01S	2478.0	11-03-65	23.3	2454.7	101
ACTON HYDRO SUBAREA U-03.E5					
04N/12W-02E02S	3520.0	11-02-65	155.1	3364.9	101
04N/12W-11G01S	3735.0	11-02-65	59.0	3676.0	101
04N/12W-05G01S	2945.0	12-01-65	119.1	2825.9	100
04N/12W-05K01S	2910.0	12-01-65	FLOW		100
04N/13W-01P02S	2615.5	9-21-65	45.3	2570.2	100
04N/13W-10Q01S	2455.0	9-20-65	36.2	2418.8	100
04N/13W-12C03S	2626.0	9-21-65	50.6	2575.4	100
04N/13W-01P01S	2640.0	9-21-65	57.7	2582.3	100
05N/12W-28F01S	3138.0	11-30-65	169.2	2968.8	100
05N/12W-28F03S	3150.0	11-30-65	197.1	2952.9	100
05N/12W-30C01S	3060.0	12-01-65	63.1	2996.9	100
05N/12W-30K03S	3200.0	12-01-65	166.8	3033.2	100
05N/12W-34R01S	3375.0	12-01-65	146.0	3229.0	100
05N/13W-25C02S	2967.0	11-30-65	201.9	2765.1	100
05N/13W-25L01S	2875.0	12-01-65	192.9	2682.1	100
05N/13W-25L02S	2896.0	12-01-65	174.7	2721.3	100
05N/13W-36J01S	2749.0	12-01-65	127.8	2621.2	100
05N/13W-36P02S	2710.0	11-30-65	99.2	2610.8	100
CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0					
WEST LAS POSAS HYDRO SUBAREA U-03.F1					
02N/21W-10M01S	329.6	9-17-65	258.5	71.1	121
		10-22-65	256.1	73.5	
		3-23-66	240.1	89.5	
		7-14-66	248.2	81.4	
02N/21W-11H02S	411.6	9-17-65	321.4(5)	90.2	121
		10-22-65	325.4(5)	86.2	
		3-23-66	317.4(5)	94.2	
		7-15-66	380.4(1)	31.2	
02N/21W-11J01S	385.8	7-01-65	(1)		121
		7-27-65	(1)		
		9-01-65	(1)		
		9-29-65	351.2	34.6	
		10-29-65	349.6	36.2	
		12-07-65	343.6	42.2	
		2-02-66	339.6	46.2	
		2-25-66	338.1	47.7	
		4-08-66	344.3	41.5	
		4-29-66	(1)		
		6-02-66	348.5	37.3	
		6-30-66	(1)		
		8-11-66	355.6	30.2	
		9-01-66	(1)		
		9-30-66	(9)		
02N/21W-12F01S	404.6	9-21-65	297.3	107.3	121
		10-25-65	297.6	107.0	
		3-23-66	291.8	112.8	
		7-15-66	304.5(2)	100.1	
02N/21W-12G01S	400.7	9-21-65	(3)		121
		10-25-65	(3)		
02N/21W-15A01S	308.5	9-17-65	320.0	-11.5	121
		10-22-65	323.9	-15.4	
		3-18-66	320.2	-11.7	
		7-14-66	352.2(1)	-43.7	
02N/21W-15B01S	312.6	9-17-65	(3)		121
		10-22-65	(3)		
		3-23-66	(3)		
		7-14-66	(8)		
		7-15-66	254.5	58.1	
02N/21W-15C02S	296.9	9-17-65	130.2	166.7	121
		10-22-65	130.2	166.7	
		3-23-66	129.5	167.4	
		7-15-66	128.2	168.7	
02N/21W-15M03S	263.0	7-21-65	(1)		121
		9-17-65	262.4	.6	
		10-22-65	263.5	-.5	
		3-23-66	(1)		
		7-14-66	(1)		
02N/21W-15N01S	280.0	7-21-65	277.2	2.8	121
		9-17-65	276.0	4.0	
		10-22-65	276.3	3.7	
		3-18-66	271.4	8.6	
		7-14-66	276.0	4.0	
02N/21W-15P01S	330.2	7-21-65	(2)		121
		9-17-65	(1)		
02N/21W-16J01S	259.4	7-21-65	85.8	173.6	121
		9-17-65	85.5	173.9	
		10-22-65	85.6	173.8	
		3-23-66	84.9	174.5	
		7-14-66	84.0	175.4	
02N/21W-16R01S	326.9	7-21-65	(3)		121
02N/21W-16R02S	335.4	7-27-65	337.6(5)	-2.2	121
		9-01-65	335.6(5)	-.2	
		9-29-65	335.6(5)	-.2	
		12-07-65	334.6(5)	.8	
		2-02-66	329.6(5)	5.8	
		2-25-66	331.6(5)	3.8	
		4-08-66	387.6(1)	-52.2	
		4-29-66	379.6(1)	-44.2	
		6-02-66	332.6(5)	2.8	
		6-30-66	332.6(5)	2.8	
		8-11-66	384.6(1)	-49.2	
		9-01-66	338.6(5)	-3.2	
02N/21W-20Q03S	112.1	8-12-65	(1)		121
		10-15-65	(1)		
		5-13-66	116.1	-4.0	
02N/21W-21H01S	279.0	7-21-65	(1)		121
		9-17-65	(1)		
		10-22-65	(1)		
		3-18-66	(1)		
		7-15-66	(1)		
02N/21W-21M01S	173.7	8-12-65	178.0	-4.3	121

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0					
WEST LAS POSAS HYDRO SUBAREA U-03.F1					
02N/21W-21M01S (CONT.)	173.7	10-15-65	176.0	-2.3	121
		5-13-66	168.6	5.1	
02N/21W-28A01S	268.0	7-21-65	289.4	-21.4	121
		9-17-65	287.2	-19.2	
		10-22-65	291.4	-23.4	
		3-18-66	284.9	-16.9	
		7-14-66	285.4	-17.4	
03N/21W-36P01S	553.4	9-17-65	333.7	219.7	121
		10-22-65	337.1	216.3	
		3-23-66	333.1	220.3	
		7-15-66	334.6	218.8	
EAST LAS POSAS HYDRO SUBAREA U-03.F2					
02N/19W-01B01S	692.4	9-23-65	(1)		121
		11-05-65	(1)		
		3-30-66	78.6	613.8	
		7-22-66	(1)		
02N/19W-01E01S	681.8	9-23-65	55.7	626.1	121
		11-05-65	54.7	627.1	
		3-30-66	52.2	629.6	
		7-22-66	53.3	628.5	
02N/19W-03A01S	582.3	9-23-65	(1)		121
		11-05-65	(1)		
		3-30-66	19.0	563.3	
		7-21-66	(1)		
02N/19W-03A03S	582.5	9-23-65	47.7	534.8	121
		11-05-65	49.7	532.8	
		3-30-66	(9)		
		7-21-66	(9)		
02N/19W-03A04S	577.6	9-23-65	41.5	536.1	121
		11-05-65	43.1	534.5	
		3-30-66	16.5	561.1	
		7-21-66	(7)		
02N/19W-03A05S	579.6	9-23-65	49.9(2)	529.7	121
		11-05-65	52.0(2)	527.6	
		3-30-66	16.5	563.1	
		7-21-66	35.4(2)	544.2	
02N/19W-03A06S	578.6	9-23-65	43.3	535.3	121
		11-05-65	45.4	533.2	
		3-30-66	19.8	558.8	
		7-21-66	22.3	556.3	
02N/19W-03A07S	581.8	7-01-65	48.1	533.7	121
		7-28-65	52.3	529.5	
		9-01-65	45.6	536.2	
		9-29-65	45.8	536.0	
		10-29-65	46.1	535.7	
		12-07-65	36.5	545.3	
		2-02-66	18.8	563.0	
		2-25-66	19.9	561.9	
		4-12-66	18.8	563.0	
		4-29-66	18.1	563.7	
		6-09-66	18.7	563.1	
		7-08-66	25.3(2)	556.5	
		8-12-66	19.5	562.3	
		9-07-66	17.9	563.9	
		9-30-66	18.1	563.7	
02N/19W-04K01S	526.7	7-01-65	162.4	364.3	121
		7-28-65	162.4	364.3	
		9-01-65	162.5	364.2	
		9-29-65	162.6	364.1	
		10-29-65	161.9	364.8	
		12-07-65	160.9	365.8	
		2-02-66	157.6	369.1	
		2-25-66	157.0	369.7	
		4-12-66	155.6	371.1	
		4-29-66	156.1	370.6	
		6-02-66	154.5	372.2	
		7-08-66	153.7	373.0	
		8-12-66	153.2	373.5	
		9-07-66	152.9	373.8	
		9-30-66	153.0	373.7	
02N/19W-05M01S	477.6	7-01-65	257.1	220.5	121
		7-27-65	258.3	219.3	
		9-01-65	257.8	219.8	
		9-29-65	257.9	219.7	
		12-07-65	258.1	219.5	
		2-02-66	257.5	220.1	
		2-25-66	256.5	221.1	
		4-12-66	256.8	220.8	
		4-29-66	257.6	220.0	
		6-02-66	257.4	220.2	
		7-07-66	257.8	219.8	
		8-12-66	258.2	219.4	
		9-01-66	273.8	203.8	
CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0					
EAST LAS POSAS HYDRO SUBAREA U-03.F2					
02N/19W-05M01S (CONT.)	477.6	9-30-66	262.3	215.3	121
02N/19W-05N01S	477.8	9-23-65	123.6	354.2	121
		11-05-65	123.3	354.5	
		3-25-66	120.9	356.9	
02N/19W-06E01S	615.0	9-22-65	369.2(1)	245.8	121
		10-26-65	(1)		
		3-24-66	362.2(1)	252.8	
		7-20-66	354.3	260.7	
02N/19W-06K02S	508.1	9-22-65	301.4(5)	206.7	121
		10-26-65	302.4(5)	205.7	
		3-25-66	314.4(1)	193.7	
		7-20-66	282.4(5)	225.7	
02N/19W-06N03S	442.8	9-22-65	95.0	347.8	121
		10-26-65	94.1	348.7	
		3-24-66	91.1	351.7	
		7-20-66	105.3	337.5	
02N/19W-06Q01S	452.1	9-22-65	107.5	344.6	121
		10-26-65	105.0	347.1	
		3-25-66	102.0	350.1	
		7-20-66	104.0(1)	348.1	
02N/19W-06R01S	470.4	9-22-65	DRY		121
		11-02-65	DRY		
		3-25-66	117.3	353.1	
		7-20-66	DRY		
02N/19W-06R02S	470.5	7-01-65	(1)		121
		7-27-65	(1)		
		8-27-65	120.0	350.5	
		9-29-65	120.9	349.6	
		10-28-65	120.0	350.5	
		12-07-65	119.5	351.0	
		2-02-66	118.4	352.1	
		2-25-66	118.2	352.3	
		4-12-66	116.8	353.7	
		4-29-66	116.5	354.0	
		6-02-66	116.1	354.4	
		7-07-66	(1)		
		8-12-66	117.1	353.4	
		9-01-66	118.9	351.6	
		9-30-66	116.6	353.9	
02N/19W-07A03S	457.0	9-22-65	107.4	349.6	121
		11-02-65	108.0	349.0	
		3-25-66	105.4	351.6	
		7-20-66	105.2	351.8	
02N/19W-07K01S	448.8	9-22-65	239.7	209.1	121
		11-02-65	238.3	210.5	
		3-25-66	(1)		
		7-20-66	241.0	207.8	
02N/19W-08G03S	491.4	9-23-65	147.3	344.1	121
		11-05-65	146.2	345.2	
		3-25-66	139.3	352.1	
		7-21-66	(1)		
02N/19W-08Q01S	517.4	9-23-65	149.4	368.0	121
		11-05-65	149.0	368.4	
		3-25-66	148.3	369.1	
		7-21-66	147.7	369.7	
02N/19W-08R01S	540.1	9-23-65	(1)		121
		11-05-65	200.5	339.6	
		3-30-66	191.2	348.9	
		7-21-66	(3)		
02N/19W-09B01S	522.7	11-05-65	136.3	386.4	121
		3-30-66	126.1	396.6	
		7-21-66	125.7	397.0	
02N/19W-09F02S	583.4	9-23-65	(7)		121
		11-05-65	(7)		
02N/19W-09N02S	551.2	9-23-65	214.2	337.0	121
		11-05-65	214.4	336.8	
		3-30-66	206.4	344.8	
		7-21-66	207.6	343.6	
02N/19W-09P02S	566.0	9-23-65	262.7	303.3	121
		11-05-65	260.7	305.3	
		3-30-66	260.2	305.8	
		7-21-66	260.5	305.5	
02N/19W-16C01S	642.2	9-23-65	216.8	425.4	121
		11-05-65	(1)		
		3-30-66	214.3	427.9	
		7-21-66	(1)		
02N/20W-01Q01S	451.7	9-22-65	98.8	352.9	121
		10-26-65	98.4	353.3	
		3-24-66	96.3	355.4	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
EAST LAS POSAS HYDRO SUBAREA U-03.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/20W-01Q01S (CONT.)	451.7	7-20-66	106.8(1)	344.9	121
02N/20W-02D02S	545.9	9-21-65	426.3	119.6	121
		10-26-65	428.3(1)	117.6	
		3-24-66	(1)		
		7-20-66	424.3	121.6	
02N/20W-02N02S	513.1	9-21-65	405.0	108.1	121
		10-26-65	392.0	121.1	
		3-24-66	375.0	138.1	
		7-20-66	381.0(2)	132.1	
02N/20W-04F01S	481.6	9-15-65	372.7(5)	108.9	121
		10-15-65	373.7(5)	107.9	
02N/20W-06R01S	557.1	9-17-65	151.5	405.6	121
		10-22-65	151.5	405.6	
		3-23-66	150.4	406.7	
		7-15-66	151.8	405.3	
02N/20W-08H01S	429.9	9-21-65	316.3(5)	113.6	121
		10-25-65	313.3(1)	116.6	
		3-23-66	309.3(5)	120.6	
		7-15-66	317.3(5)	112.6	
02N/20W-09J02S	387.6	9-21-65	256.7	130.9	121
		10-25-65	259.7	127.9	
		3-23-66	239.7	147.9	
		7-20-66	(1)		
02N/20W-10G01S	415.1	7-01-65	295.9	119.2	121
		7-27-65	298.1	117.0	
		8-31-65	308.6(1)	106.5	
		9-29-65	299.6	115.5	
		10-29-65	301.7	113.4	
		12-07-65	297.1	118.0	
		2-02-66	293.6	121.5	
		2-25-66	291.4	123.7	
		4-08-66	307.4	107.7	
		5-03-66	310.1(1)	105.0	
		6-02-66	320.6(1)	94.5	
		6-30-66	334.1(1)	81.0	
		8-11-66	306.6(1)	108.5	
		9-01-66	302.8	112.3	
02N/20W-10H01S	428.5	9-21-65	297.9(5)	130.6	121
		10-26-65	299.9(5)	128.6	
		3-24-66	290.9(5)	137.6	
		7-20-66	296.9(5)	131.6	
02N/20W-12G02S	420.0	7-01-65	85.2(2)	334.8	121
		7-27-65	(3)		
		9-01-65	83.4	336.6	
		9-29-65	83.1	336.9	
		10-29-65	82.6	337.4	
		12-07-65	79.8	340.2	
		2-02-66	78.0	342.0	
		2-25-66	77.5	342.5	
		4-12-66	77.0	343.0	
		4-29-66	76.9	343.1	
		6-02-66	83.9(2)	336.1	
		7-07-66	79.2	340.8	
		8-11-66	80.6	339.4	
		9-01-66	80.7	339.3	
		9-30-66	79.8	340.2	
02N/20W-12G03S	419.8	9-22-65	82.6	337.2	121
		10-26-65	81.8	338.0	
		3-24-66	77.2	342.6	
		7-20-66	(1)		
02N/20W-12H01S	426.9	9-22-65	85.8	341.1	121
		10-26-65	84.2	342.7	
		3-24-66	78.6	348.3	
		7-20-66	106.6(1)	320.3	
02N/20W-12H02S	428.9	9-22-65	86.7	342.2	121
		10-26-65	85.1	343.8	
		3-24-66	80.5	348.4	
		7-20-66	95.9(1)	333.0	
02N/20W-12J01S	428.7	9-22-65	221.5	207.2	121
		10-26-65	221.8	206.9	
		3-24-66	221.5	207.2	
		7-20-66	221.0	207.7	
02N/20W-16C01S	291.6	7-27-65	(1)		121
		9-01-65	228.4	63.2	
		9-29-65	224.6	67.0	
		10-29-65	218.3	73.3	
		12-07-65	210.9	80.7	
		2-02-66	202.9	88.7	
		2-25-66	198.9	92.7	
		4-08-66	207.4	84.2	
		4-29-66	216.4	75.2	
		6-02-66	214.4	77.2	
		6-30-66	229.8	61.8	

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
EAST LAS POSAS HYDRO SUBAREA U-03.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/20W-16C01S (CONT.)	291.6	8-11-66	236.9	54.7	121
		9-01-66	227.9	63.7	
		9-30-66	233.8	57.8	
02N/20W-17J03S	276.9	9-21-65	(3)		121
02N/20W-18A01S	374.6	9-21-65	361.0(1)	13.6	121
		10-25-65	361.0(1)	13.6	
		3-23-66	360.0(1)	14.6	
		7-15-66	359.0(1)	15.6	
03N/18W-28N02S	1070.0	8-23-65	55.0(2)	1015.0	121
		10-05-65	48.7(2)	1021.3	
		11-12-65	37.2	1032.8	
		5-11-66	38.0(2)	1032.0	
03N/18W-30R01S	985.0	8-23-65	(1)		121
		10-18-65	219.5	765.5	
		11-12-65	148.8	836.2	
		5-11-66	(9)		
03N/19W-28F03S	957.3	9-23-65	377.8	579.5	121
		11-02-65	378.0	579.3	
		3-25-66	377.8	579.5	
		7-21-66	379.8	577.5	
03N/19W-29E02S	852.0	9-22-65	234.4	617.6	121
		11-02-65	(1)		
		3-25-66	229.4	622.6	
		7-21-66	(1)		
03N/19W-29F07S	853.7	9-22-65	235.0	618.7	121
		11-02-65	(1)		
		3-25-66	(1)		
		7-21-66	(1)		
03N/19W-29K03S	850.8	9-23-65	219.5	631.3	121
		11-02-65	220.6	630.2	
		3-25-66	218.3	632.5	
		7-21-66	221.7	629.1	
03N/19W-29K05S	860.0	9-23-65	404.5(5)	455.5	121
		11-02-65	(1)		
		3-25-66	404.5(5)	455.5	
		7-21-66	460.5(1)	399.5	
03N/19W-29L02S	844.0	7-27-65	220.7	623.3	121
		8-31-65	222.6	621.4	
		9-29-65	224.5	619.5	
		10-28-65	224.8	619.2	
		12-07-65	220.8	623.2	
		2-02-66	217.0	627.0	
		2-25-66	215.2	628.8	
		4-12-66	220.5	623.5	
		4-29-66	221.5	622.5	
		6-02-66	223.3	620.7	
		7-07-66	225.5	618.5	
		8-12-66	228.0	616.0	
		9-07-66	232.5	611.5	
		9-30-66	230.0	614.0	
03N/19W-29L03S	835.1	9-22-65	227.2(1)	607.9	121
		11-02-65	214.2	620.9	
		3-25-66	209.2	625.9	
		7-21-66	231.2(1)	603.9	
03N/19W-29M02S	860.8	9-22-65	241.8(5)	619.0	121
		11-02-65	(1)		
		3-25-66	231.8(5)	629.0	
		7-21-66	(1)		
03N/19W-30E03S	860.0	7-27-65	567.0(1)	293.0	121
		8-31-65	563.0(1)	297.0	
		9-29-65	555.0(5)	305.0	
		10-28-65	569.0(1)	291.0	
		12-07-65	554.0(5)	306.0	
		2-02-66	550.0(5)	310.0	
		2-25-66	550.0(5)	310.0	
		4-12-66	555.0(5)	305.0	
		4-29-66	573.0(1)	287.0	
		6-02-66	556.0(5)	304.0	
		8-12-66	(7)		
		9-07-66	.0(1)	860.0	
03N/19W-30G01S	871.9	9-22-65	237.4	634.5	121
		11-02-65	236.1	635.8	
		3-25-66	238.1	633.8	
		7-21-66	(3)		
03N/19W-30K01S	862.2	7-27-65	235.5	626.7	121
		8-31-65	(1)		
		9-29-65	240.7	621.5	
		10-28-65	242.7	619.5	
		12-07-65	(1)		
		2-02-66	230.2	632.0	
		2-25-66	228.2	634.0	
		4-12-66	(1)		
		4-29-66	234.7	627.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
EAST LAS POSAS HYDRO SUBAREA U-03.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/19W-30K01S (CONT.)	862.2	6-02-66	236.6	625.6	121
		7-07-66	(1)		
		8-12-66	243.0	619.2	
		9-07-66	244.5	617.7	
		9-30-66	245.8	616.4	
03N/19W-30P01S	761.2	9-22-65	54.7	706.5	121
		3-25-66	56.5	704.7	
		7-21-66	54.3	706.9	
03N/19W-32C01S	800.0	7-27-65	540.0	260.0	121
		8-31-65	539.5	260.5	
		9-29-65	540.0	260.0	
		10-28-65	536.0	264.0	
		12-07-65	537.0	263.0	
		2-02-66	538.0	262.0	
		2-25-66	537.5	262.5	
		4-12-66	537.5	262.5	
		5-03-66	538.0	262.0	
		6-02-66	539.5	260.5	
		7-08-66	539.7	260.3	
		8-04-66	541.8	258.2	
		8-04-66	583.0(1)	217.0	
03N/19W-32H01S	812.2	7-27-65	512.0(5)	300.2	121
		8-31-65	587.0(1)	225.2	
		9-29-65	525.0(5)	287.2	
		10-28-65	507.0(5)	305.2	
		12-07-65	509.0(5)	303.2	
		1-10-66	512.0(5)	300.2	
		2-02-66	(1)		
		2-25-66	509.0(5)	303.2	
		4-12-66	511.0(5)	301.2	
		5-03-66	(7)		
		6-02-66	(7)		
		8-04-66	525.0(5)	287.2	
		8-04-66	587.0(1)	225.2	
03N/19W-32K01S	940.0	7-27-65	592.0(1)	348.0	121
		8-31-65	569.0(5)	371.0	
		9-29-65	569.0(5)	371.0	
		10-28-65	566.0(5)	374.0	
		12-07-65	595.0(1)	345.0	
		1-10-66	585.0(1)	355.0	
		2-02-66	569.0(5)	371.0	
		2-25-66	569.0(5)	371.0	
		4-12-66	585.0(1)	355.0	
		5-03-66	585.0(1)	355.0	
		6-02-66	588.0(1)	352.0	
		7-08-66	590.0(1)	350.0	
		8-04-66	590.0(1)	350.0	
		8-04-66	(1)		
		8-04-66	578.0(5)	362.0	
		8-04-66	603.0	337.0	
03N/19W-33K01S	745.5	7-27-65	(3)		121
		8-31-65	(3)		
03N/19W-33P01S	730.0	7-27-65	277.0	453.0	121
		8-31-65	273.2	456.8	
		9-29-65	278.8	451.2	
		10-29-65	277.4	452.6	
		12-07-65	277.9	452.1	
		2-02-66	278.4	451.6	
		2-25-66	278.4	451.6	
		4-12-66	277.4	452.6	
		4-29-66	277.9	452.1	
		6-02-66	278.4	451.6	
		7-08-66	278.4	451.6	
		8-12-66	278.4	451.6	
		9-07-66	277.9	452.1	
		9-30-66	277.9	452.1	
03N/19W-33P02S	746.5	7-27-65	296.4	450.1	121
		8-31-65	296.8	449.7	
		9-29-65	297.2	449.3	
		10-29-65	295.4	451.1	
		12-07-65	293.8	452.7	
		2-02-66	293.4	453.1	
		2-25-66	293.8	452.7	
		4-12-66	293.6	452.9	
		4-29-66	294.9	451.6	
		6-02-66	293.4	453.1	
		7-07-66	297.4	449.1	
		8-12-66	293.1	453.4	
		9-07-66	293.0	453.5	
		9-30-66	292.8	453.7	
03N/19W-33P03S	731.5	7-27-65	300.0	431.5	121
		8-31-65	322.0(1)	409.5	
		9-29-65	322.3	409.2	
		10-29-65	304.0	427.5	
		12-07-65	306.2	425.3	
		1-10-66	299.7	431.8	
		2-02-66	298.5	433.0	
		2-25-66	(1)		
		4-12-66	(9)		
		5-02-66	300.5	431.0	

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
EAST LAS POSAS HYDRO SUBAREA U-03.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/19W-33P03S (CONT.)	731.5	6-02-66	302.0	429.5	121
		7-07-66	300.9	430.6	
		8-04-66	300.3	431.2	
		8-04-66	311.5(1)	420.0	
		9-07-66	309.2(1)	422.3	
		9-30-66	300.6	430.9	
03N/19W-34R01S	590.1	9-23-65	53.7	536.4	121
		11-05-65	53.9	536.2	
		3-30-66	29.1	561.0	
		7-21-66	28.7	561.4	
03N/19W-35L01S	640.6	9-23-65	73.5	567.1	121
		11-05-65	83.5	557.1	
		3-30-66	84.1(2)	556.5	
		7-22-66	70.8	569.8	
03N/19W-35N02S	591.0	9-23-65	54.9	536.1	121
		11-05-65	55.0	536.0	
		3-30-66	27.9	563.1	
		7-21-66	36.9	554.1	
03N/20W-25J03S	778.4	9-21-65	115.2	663.2	121
		10-26-65	118.5(2)	659.9	
		3-24-66	118.7	659.7	
		7-20-66	119.6	658.8	
03N/20W-27G02S	844.5	9-17-65	153.9	690.6	121
		10-22-65	152.2	692.3	
		3-23-66	152.8	691.7	
		7-15-66	(1)		
03N/20W-27L01S	801.4	9-17-65	124.7	676.7	121
		10-22-65	124.7	676.7	
		3-23-66	124.1	677.3	
		7-15-66	124.6	676.8	
03N/20W-27L02S	795.3	9-17-65	(1)		121
		10-22-65	(1)		
		3-23-66	119.1	676.2	
		7-15-66	(7)		
03N/20W-28P01S	722.2	9-17-65	(1)		121
		10-22-65	(1)		
		3-23-66	63.2	659.0	
		7-15-66	63.2	659.0	
03N/20W-32F01S	739.3	9-17-65	118.1	621.2	121
		10-22-65	118.2	621.1	
		3-23-66	118.7	620.6	
		7-15-66	118.8	620.5	
03N/20W-32G01S	682.3	9-17-65	(1)		121
		10-22-65	(1)		
		3-23-66	103.6	578.7	
		7-15-66	(1)		
03N/20W-33C01S	684.8	9-17-65	(1)		121
		10-22-65	151.0	533.8	
		3-23-66	136.0	548.8	
		7-15-66	122.8	562.0	
03N/20W-33M02S	638.8	9-21-65	559.6(1)	79.2	121
		10-25-65	558.6(1)	80.2	
		3-23-66	562.6(1)	76.2	
		7-15-66	581.6(1)	57.2	
03N/20W-34F01S	660.0	9-15-65	543.0(5)	117.0	121
		10-15-65	546.0(5)	114.0	
03N/20W-34L01S	662.3	9-15-65	551.8(5)	110.5	121
		10-15-65	552.8(5)	109.5	
03N/20W-36G01S	609.7	9-21-65	349.3(5)	260.4	121
		10-26-65	346.3	263.4	
		3-24-66	317.3(1)	292.4	
		7-20-66	324.3(1)	285.4	
03N/20W-36N01S	572.2	9-21-65	292.0(5)	280.2	121
		10-26-65	308.4	263.8	
		3-24-66	304.0(1)	268.2	
		7-20-66	317.0(1)	255.2	

ARROYO SANTA ROSA HYDRO SUBAREA U-03.F3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/19W-19N01S	237.9	7-30-65	135.0	102.9	121
		9-01-65	135.3	102.6	
		9-29-65	136.3	101.6	
		11-02-65	135.5	102.4	
		12-07-65	131.0	106.9	
		2-03-66	126.0	111.9	
		2-25-66	119.8	118.1	
		4-12-66	119.0	118.9	
		5-04-66	118.6	119.3	
		6-09-66	127.0(2)	110.9	
		7-12-66	123.0	114.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0

ARROYO SANTA ROSA HYDRO SUBAREA U-03.F3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/19W-19N01S (CONT.)	237.9	8-12-66	123.0	114.9	121
		9-07-66	122.3	115.6	
02N/19W-20L01S	304.5	7-30-65	196.5	108.0	121
		9-01-65	197.5	107.0	
		9-29-65	195.5(5)	109.0	
		11-02-65	196.5(5)	108.0	
		12-07-65	191.5(5)	113.0	
		2-03-66	183.5(5)	121.0	
		2-25-66	182.5(5)	122.0	
		4-12-66	182.5(5)	122.0	
		5-04-66	181.5(5)	123.0	
		6-09-66	184.5(5)	120.0	
		7-12-66	193.5(5)	111.0	
		8-12-66	194.5	110.0	
		9-07-66	195.5	109.0	
02N/19W-21C02S	489.6	7-30-65	146.3	343.3	121
		9-01-65	144.3	345.3	
		9-29-65	148.7	340.9	
		11-02-65	148.5	341.1	
		12-07-65	145.3	344.3	
		2-03-66	147.9	341.7	
		2-25-66	150.3	339.3	
		4-12-66	150.3	339.3	
		5-04-66	146.7	342.9	
		6-09-66	137.0	352.6	
		7-12-66	145.7	343.9	
		8-12-66	143.2	346.4	
		9-07-66	139.8	349.8	
02N/20W-22H01S	281.6	7-09-65	226.7	54.9	121
		10-06-65	(1)		
		12-10-65	229.3	52.3	
		5-11-66	225.6	56.0	
02N/20W-23K01S	272.7	7-09-65	(1)		121
		10-06-65	(1)		
		12-13-65	202.1	70.6	
		5-11-66	(1)		
02N/20W-23L02S	298.1	7-09-65	238.9	59.2	121
		10-06-65	(1)		
		12-13-65	233.9	64.2	
		5-11-66	(1)		
02N/20W-23Q01S	226.2	7-09-65	(8)		121
		10-06-65	105.6	120.6	
		12-13-65	99.1	127.1	
		5-11-66	95.8	130.4	
02N/20W-23R01S	234.6	7-30-65	(1)		121
		9-01-65	153.4	81.2	
		9-29-65	151.4	83.2	
		11-02-65	(1)		
		12-07-65	149.8	84.8	
		2-03-66	125.4	109.2	
		2-25-66	116.0	118.6	
		4-12-66	114.0	120.6	
		5-04-66	(1)		
		6-09-66	(1)		
		7-12-66	123.6	111.0	
		8-12-66	(1)		
		9-07-66	126.9	107.7	
02N/20W-24E01S	353.2	7-09-65	(1)		121
		10-06-65	315.5(1)	37.7	
		12-13-65	284.5(5)	68.7	
		5-11-66	282.5(5)	70.7	
02N/20W-25C02S	226.1	7-09-65	156.4	69.7	121
		10-06-65	(1)		
		12-13-65	125.2	100.9	
		5-12-66	123.7	102.4	
02N/20W-25D01S	232.4	7-09-65	164.7	67.7	121
		10-06-65	150.1	82.3	
		12-13-65	136.7	95.7	
		5-12-66	(1)		
02N/20W-25D04S	220.5	7-09-65	130.7(2)	89.8	121
		10-06-65	128.9	91.6	
		12-13-65	117.2	103.3	
		5-12-66	109.4(2)	111.1	
02N/20W-25L01S	235.2	7-09-65	66.7	168.5	121
		10-06-65	61.5	173.7	
		12-10-65	61.5	173.7	
		5-12-66	64.9	170.3	
02N/20W-26R03S	205.5	7-09-65	114.4	91.1	121
		10-06-65	(1)		
		12-10-65	102.6	102.9	
		5-11-66	97.1	108.4	
02N/20W-26C02S	201.6	7-09-65	109.5	92.1	121
		10-06-65	106.4	95.2	
		12-10-65	(9)		

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0

ARROYO SANTA ROSA HYDRO SUBAREA U-03.F3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/20W-26C02S	201.6	5-11-66	(1)		121

CONEJO VALLEY HYDRO SUBAREA U-03.F4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/19W-06N01S	1241.1	10-08-65	38.5	1202.6	121
		3-17-66	37.5	1203.6	
01N/19W-07D01S	712.4	7-13-65	(7)		121
		2-09-66	DRY		
		5-20-66	(7)		
01N/19W-07F01S	635.6	7-14-65	49.6	586.0	121
		9-03-65	50.9	584.7	
		10-08-65	51.9	583.7	
		2-09-66	(9)		
		5-20-66	44.9	590.7	
01N/19W-07J03S	637.3	7-14-65	36.6	600.7	121
		9-10-65	36.9	600.4	
		10-12-65	38.0	599.3	
		2-11-66	17.8	619.5	
		6-15-66	21.2	616.1	
01N/19W-07J04S	642.5	7-15-65	41.3	601.2	121
		9-10-65	42.9	599.6	
		10-12-65	43.1	599.4	
		2-11-66	22.3	620.2	
		6-15-66	24.8	617.7	
01N/19W-07J07S	700.4	7-15-65	84.2	616.2	121
		9-10-65	76.4	624.0	
		10-12-65	76.0	624.4	
		2-11-66	55.7	644.7	
		6-15-66	47.1	653.3	
01N/19W-07K06S	647.4	7-14-65	33.1	614.3	121
		9-08-65	37.0	610.4	
		10-11-65	37.8	609.6	
		2-09-66	11.8	635.6	
		5-24-66	(6)		
01N/19W-07K07S	649.5	7-14-65	28.2	621.3	121
		9-08-65	32.2	617.3	
		10-11-65	32.9	616.6	
		2-09-66	7.0	642.5	
		5-25-66	(6)		
01N/19W-07K08S	653.1	7-15-65	13.4	639.7	121
		9-13-65	13.3	639.8	
		10-12-65	13.3	639.8	
		2-11-66	10.9	642.2	
		6-15-66	12.4	640.7	
01N/19W-07K09S	636.4	7-14-65	(1)		121
		9-10-65	(1)		
		10-12-65	(1)		
		2-11-66	19.7	616.7	
		6-15-66	(6)		
01N/19W-07K13S	656.3	7-14-65	(3)		121
		9-08-65	(3)		
		10-12-65	(3)		
		2-09-66	8.0	648.3	
		5-25-66	15.1	641.2	
01N/19W-07K14S	664.2	7-15-65	62.1	602.1	121
		9-10-65	64.0	600.2	
		10-12-65	63.8	600.4	
		2-11-66	42.1	622.1	
		6-15-66	45.8	618.4	
01N/19W-07K16S	634.6	7-14-65	(1)		121
		9-10-65	61.9	572.7	
		10-12-65	60.3	574.3	
		2-11-66	13.1	621.5	
		5-24-66	16.6	618.0	
01N/19W-07K17S	657.3	7-14-65	23.8	633.5	121
		9-08-65	23.4	633.9	
		10-11-65	24.1	633.2	
		2-09-66	13.6	643.7	
		5-25-66	17.1	640.2	
01N/19W-07M02S	648.6	7-13-65	43.0	605.6	121
		9-03-65	50.9	597.7	
		10-08-65	71.2	577.4	
		2-09-66	30.7	617.9	
		5-25-66	40.2	608.4	
01N/19W-07R01S	692.0	7-15-65	109.1	582.9	121
		9-10-65	107.6	584.4	
		10-12-65	107.1	584.9	
		2-11-66	65.4	626.6	
		6-15-66	63.4	628.6	
01N/19W-07R03S	691.3	7-15-65	96.0	595.3	121

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
CONEJO VALLEY HYDRO SUBAREA U-03.F4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01N/19W-07R03S	691.3	9-10-65	94.5	596.8	121
(CONT.)		10-12-65	94.0	597.3	
		2-11-66	62.5	628.8	
		6-15-66	68.0	623.3	
01N/19W-07R04S	691.8	7-15-65	79.0	612.8	121
		9-10-65	77.5	614.3	
		10-12-65	83.8	608.0	
		2-11-66	49.6	642.2	
		6-15-66	(4)		
01N/19W-08L01S	629.7	7-15-65	(3)		121
		9-13-65	(3)		
		10-12-65	(3)		
		2-11-66	36.7	593.0	
		6-15-66	(3)		
01N/19W-18A01S	810.3	7-14-65	25.6	784.7	121
		9-10-65	24.8	785.5	
		10-12-65	22.6	787.7	
		2-11-66	6.6	803.7	
		5-25-66	12.6	797.7	
01N/19W-18A02S	819.4	7-14-65	16.8	802.6	121
		9-10-65	17.4	802.0	
		10-12-65	16.7	802.7	
		2-11-66	7.1	812.3	
		5-25-66	13.1	806.3	
01N/19W-18B06S	711.1	7-28-65	23.1	688.0	121
		8-27-65	21.7	689.4	
		9-29-65	20.5	690.6	
		11-03-65	19.6	691.5	
		2-04-66	11.3	699.8	
		2-25-66	9.8	701.3	
		3-25-66	8.9	702.2	
		4-28-66	8.1	703.0	
01N/19W-18B17S	744.3	7-14-65	111.8	632.5	121
		9-08-65	121.3	623.0	
		10-08-65	62.8	681.5	
		2-09-66	53.8	690.5	
		5-25-66	46.8	697.5	
01N/19W-18C04S	763.8	7-14-65	10.1	753.7	121
		9-08-65	13.1	750.7	
		10-12-65	13.9	749.9	
		2-09-66	1.7	762.1	
		5-25-66	5.0	758.8	
01N/19W-18G03S	846.3	7-14-65	40.6	805.7	121
		9-10-65	40.4	805.9	
		10-08-65	40.6	805.7	
		2-11-66	26.6	819.7	
		6-15-66	33.1	813.2	
01N/19W-18G06S	926.8	7-14-65	42.0	884.8	121
		9-10-65	42.5	884.3	
		10-11-65	43.2	883.6	
		2-09-66	29.5	897.3	
		5-25-66	34.4	892.4	
01N/19W-18H01S	848.9	9-10-65	(7)		121
01N/19W-18H13S	927.8	7-14-65	45.6	882.2	121
		9-10-65	43.1	884.7	
		10-11-65	43.8	884.0	
		2-09-66	19.1	908.7	
		5-25-66	(9)		
01N/19W-18J01S	1008.6	7-14-65	(4)		121
		9-10-65	(4)		
01N/20W-03J01S	762.9	7-08-65	86.8(1)	676.1	121
		9-23-65	87.5	675.4	
		3-18-66	58.8	704.1	
01N/20W-11D03S	677.4	7-08-65	(3)		121
		9-23-65	DRY		
		3-18-66	DRY		
01N/20W-11J02S	654.6	7-13-65	(1)		121
		9-03-65	(1)		
		10-08-65	62.3	592.3	
		2-08-66	59.3	595.3	
		5-25-66	(1)		
01N/20W-11L02S	656.7	7-13-65	83.6(1)	573.1	121
		9-03-65	83.6(1)	573.1	
		10-08-65	(1)		
		2-08-66	78.1(1)	578.6	
		5-20-66	(1)		
01N/20W-11L04S	660.3	8-27-65	118.4(1)	541.9	121
		9-29-65	61.5	598.8	
		11-03-65	60.9	599.4	
		2-04-66	55.4	604.9	
		2-28-66	68.7(1)	591.6	

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
CONEJO VALLEY HYDRO SUBAREA U-03.F4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/20W-11L04S	660.3	3-25-66	79.7(1)	580.6	121
(CONT.)		4-28-66	(9)		
01N/20W-12F03S	642.2	7-28-65	68.7	573.5	121
		8-27-65	68.2	574.0	
		9-29-65	68.2	574.0	
		11-03-65	68.3	573.9	
		2-04-66	66.8	575.4	
		2-25-66	66.2	576.0	
		3-25-66	66.0	576.2	
		4-28-66	66.5	575.7	
01N/20W-12F04S	640.6	7-14-65	66.4	574.2	121
		9-03-65	66.2	574.4	
		10-08-65	66.2	574.4	
		5-25-66	64.7	575.9	
01N/20W-12F05S	640.8	7-14-65	65.9	574.9	121
		9-03-65	65.6	575.2	
		10-08-65	65.7	575.1	
		5-25-66	63.0	577.8	
01N/20W-12H01S	637.9	7-14-65	65.7	572.2	121
		9-03-65	65.5	572.4	
		10-08-65	62.8	575.1	
		2-09-66	57.5	580.4	
		5-25-66	56.6	581.3	
01N/20W-12K01S	637.9	7-13-65	71.9	566.0	121
		9-03-65	68.7	569.2	
		10-08-65	67.9	570.0	
		2-09-66	63.9	574.0	
		5-20-66	66.4	571.5	
01N/20W-12L02S	639.7	9-03-65	61.7	578.0	121
		10-08-65	61.1	578.6	
		2-08-66	59.5	580.2	
		5-20-66	51.3	588.4	
01N/20W-12L03S	639.8	7-13-65	63.2	576.6	121
		9-03-65	61.4	578.4	
		10-08-65	62.0	577.8	
		2-08-66	(7)		
01N/20W-12N02S	668.6	7-13-65	81.5	587.1	121
		9-03-65	82.3	586.3	
		10-08-65	82.4	586.2	
		2-08-66	79.3	589.3	
		5-20-66	70.3	598.3	
01N/20W-12N03S	675.5	7-13-65	52.2	623.3	121
		9-03-65	53.3	622.2	
		10-08-65	54.4	621.1	
		2-08-66	44.8	630.7	
		5-25-66	24.0	651.5	
01N/20W-13E01S	822.9	9-03-65	9.1	813.8	121
		10-08-65	(9)		
		2-08-66	4.3	818.6	
		5-20-66	5.3	817.6	
01N/20W-14B01S	692.2	7-13-65	39.5	652.7	121
		9-03-65	40.9	651.3	
		10-08-65	41.6	650.6	
		2-08-66	22.8	669.4	
		5-25-66	23.1	669.1	
01N/20W-14B02S	680.5	7-13-65	(3)		121
		9-03-65	(3)		
		10-08-65	(3)		
		2-08-66	(3)		
01N/20W-15J01S	708.1	7-08-65	(3)		121
		9-23-65	DRY		
		3-18-66	DRY		
01N/20W-15J02S	715.7	7-08-65	10.2	705.5	121
		9-23-65	10.3	705.4	
		3-18-66	7.2	708.5	
01N/20W-15J03S	693.9	7-28-65	20.1	673.8	121
		8-27-65	18.1	675.8	
		9-29-65	19.8	674.1	
		11-03-65	17.8	676.1	
		2-04-66	10.6	683.3	
		2-28-66	11.7	682.2	
		3-25-66	12.6	681.3	
		4-28-66	13.1	680.8	
02N/19W-28Q03S	778.3	7-15-65	72.7	705.6	121
		9-14-65	71.0	707.3	
		10-14-65	70.6	707.7	
		2-15-66	67.8	710.5	
		6-15-66	61.3	717.0	
02N/19W-33C02S	778.4	7-15-65	78.0	700.4	121
		9-14-65	72.2	706.2	
		10-14-65	72.0	706.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00					
CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0					
CONEJO VALLEY HYDRO SUBAREA U-03.F4					
02N/19W-33C02S (CONT.)	778.4	2-15-66	69.0	709.4	121
		6-15-66	63.2	715.2	
02N/19W-34D01S	810.0	7-15-65	177.0	633.0	121
		9-14-65	168.8	641.2	
		10-14-65	(2)		
		2-15-66	150.7	659.3	
		6-15-66	(2)		
02N/19W-35G01S	1029.2	7-28-65	192.7	836.5	121
		8-27-65	191.5	837.7	
		9-29-65	190.7	838.5	
		11-03-65	188.6	840.6	
		2-04-66	186.0	843.2	
		2-25-66	189.7	839.5	
		3-25-66	185.1	844.1	
		4-28-66	192.6	836.6	
TIERRA REJADA VALLEY HYOR SUBAREA U-03.F5					
02N/19W-11J01S	748.4	7-01-65	193.8	554.6	121
		7-30-65	202.2	546.2	
		9-01-65	201.8	546.6	
		9-29-65	207.2	541.2	
		11-02-65	206.3	542.1	
		12-07-65	(6)		
02N/19W-11J02S	717.2	9-24-65	163.2	554.0	121
		11-08-65	(1)		
		4-22-66	271.2(1)	446.0	
		7-22-66	161.9	555.3	
02N/19W-12N01S	688.8	9-24-65	186.6	502.2	121
		11-08-65	187.1	501.7	
		4-22-66	176.2	512.6	
		7-22-66	179.3	509.5	
02N/19W-12P01S	709.2	9-24-65	(3)		121
		11-08-65	(3)		
		4-22-66	165.6	543.6	
02N/19W-15H02S	622.0	7-30-65	234.8	387.2	121
		9-01-65	(3)		
		9-29-65	243.0	379.0	
		11-02-65	243.5	378.5	
		12-07-65	239.5	382.5	
		2-03-66	234.2	387.8	
		2-25-66	233.7	388.3	
		4-12-66	234.2	387.8	
		5-03-66	234.5	387.5	
		6-06-66	237.5	384.5	
		7-12-66	(5)		
		8-12-66	(5)		
		9-07-66	(5)		
GILLIBRAND HYDRO SUBAREA U-03.F6					
03N/17W-19M03S	1545.4	7-07-65	168.5(5)	1376.9	121
		8-26-65	172.5(5)	1372.9	
		10-01-65	167.5(5)	1377.9	
		11-12-65	167.5(5)	1377.9	
		5-06-66	235.5(1)	1309.9	
03N/18W-24E01S	1515.5	7-07-65	131.5	1384.0	121
		8-26-65	133.5	1382.0	
		10-01-65	135.3	1380.2	
		11-12-65	137.3	1378.2	
		5-06-66	(1)		
03N/18W-24H04S	1525.7	7-07-65	(1)		121
		8-26-65	(1)		
		10-01-65	(1)		
		11-12-65	(1)		
		5-06-66	(1)		
SIMI VALLEY HYDRO SUBAREA U-03.F7					
02N/17W-04N01S	1094.8	7-08-65	27.6	1067.2	121
		8-25-65	28.1	1066.7	
		10-01-65	28.2	1066.6	
		11-10-65	28.3	1066.5	
		5-06-66	24.1	1070.7	
02N/17W-05Q01S	1052.8	7-08-65	49.2	1003.6	121
		8-25-65	49.4	1003.4	
		10-01-65	49.4	1003.4	
		11-10-65	49.4	1003.4	
		5-06-66	40.0	1012.8	
02N/17W-06G01S	1079.2	8-26-65	39.8	1039.4	121
		10-01-65	40.9	1038.3	
		11-10-65	41.5	1037.7	
CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0					
SIMI VALLEY HYDRO SUBAREA U-03.F7					
02N/17W-06G01S (CONT.)	1079.2	5-06-66	(3)		121
		8-30-66	(3)		
02N/17W-06J01S	1039.4	7-08-65	78.4	961.0	121
		8-26-65	78.7	960.7	
		10-01-65	78.0	961.4	
		11-10-65	77.6	961.8	
		5-06-66	75.4	964.0	
		8-30-66	(9)		
02N/17W-08A01S	1057.2	7-01-65	46.3	1010.9	121
		7-28-65	46.1	1011.1	
		8-30-65	45.9	1011.3	
		9-30-65	48.4	1008.8	
		10-29-65	49.6	1007.6	
		12-08-65	46.5	1010.7	
		2-01-66	41.9	1015.3	
		3-04-66	39.2	1018.0	
		4-07-66	37.7	1019.5	
		5-04-66	37.2	1020.0	
		6-09-66	37.0	1020.2	
		7-12-66	37.0	1020.2	
		8-16-66	36.1	1021.1	
		9-14-66	37.5	1019.7	
02N/17W-08F01S	1010.5	7-08-65	25.8	984.7	121
		8-25-65	26.2	984.3	
		10-01-65	26.4	984.1	
		11-10-65	26.3	984.2	
		5-05-66	22.4	988.1	
02N/17W-08F03S	990.4	8-25-65	60.1	930.3	121
		10-01-65	59.9	930.5	
		11-09-65	59.5	930.9	
		4-26-66	55.1	935.3	
02N/17W-08H01S	1023.5	8-25-65	20.3	1003.2	121
		10-01-65	20.5	1003.0	
		11-09-65	20.8	1002.7	
		5-05-66	15.8	1007.7	
02N/17W-08J03S	1015.5	8-25-65	20.8	994.7	121
		10-01-65	20.5	995.0	
		11-09-65	21.0	994.5	
		4-26-66	17.0	998.5	
02N/17W-08M01S	987.4	7-01-65	68.4	919.0	121
		7-28-65	68.0	919.4	
		9-03-65	67.3	920.1	
		9-30-65	67.3	920.1	
		10-29-65	67.6	919.8	
		12-08-65	65.0	922.4	
		2-01-66	61.2	926.2	
		3-04-66	59.4	928.0	
		4-06-66	58.5	928.9	
		5-05-66	58.1	929.3	
		6-09-66	(9)		
		7-12-66	(9)		
02N/17W-08R01S	1005.7	8-25-65	12.6	993.1	121
		10-01-65	12.4	993.3	
		11-09-65	11.6	994.1	
		5-05-66	8.8	996.9	
02N/17W-09N02S	1045.1	7-08-65	27.3	1017.8	121
		8-25-65	28.3	1016.8	
		10-01-65	27.1	1018.0	
		11-09-65	27.4	1017.7	
		5-05-66	33.5	1011.6	
02N/17W-09N05S	1047.8	7-01-65	34.8	1013.0	121
		9-03-65	39.6	1008.2	
		9-30-65	35.2	1012.6	
		10-29-65	31.6	1016.2	
		12-08-65	21.7	1026.1	
		2-01-66	18.4	1029.4	
		3-04-66	15.6	1032.2	
		4-06-66	21.9	1025.9	
		5-04-66	22.6	1025.2	
		6-09-66	22.1	1025.7	
		7-12-66	25.1	1022.7	
		8-16-66	25.8	1022.0	
		9-14-66	23.2	1024.6	
02N/17W-09P07S	1046.6	8-25-65	19.6	1027.0	121
		10-01-65	19.8	1026.8	
		11-10-65	19.3	1027.3	
		5-05-66	9.5	1037.1	
02N/17W-10Q04S	1225.0	8-25-65	63.2	1161.8	121
		10-01-65	63.0	1162.0	
		11-10-65	63.7	1161.3	
		5-05-66	63.2	1161.8	
02N/17W-14D02S	1730.0	8-25-65	363.0	1367.0	121
		10-01-65	361.5	1368.5	
		11-10-65	361.0	1369.0	
		5-05-66	371.0	1409.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0

SIMI VALLEY HYDRO SUBAREA U-03.F7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/17W-15H01S	1435.0	8-25-65	198.6	1236.4	121
		10-01-65	197.5	1237.5	
		11-10-65	196.1	1238.9	
		5-05-66	178.1	1256.9	
02N/17W-16A04S	1077.0	7-08-65	60.8	1016.2	121
		8-25-65	62.2	1014.8	
		10-01-65	60.2	1016.8	
		11-10-65	60.5	1016.5	
		5-05-66	31.7	1045.3	
02N/17W-16G01S	1112.4	7-01-65	82.0	1030.4	121
		7-28-65	81.3	1031.1	
		8-30-65	81.0	1031.4	
		9-30-65	80.5	1031.9	
		10-29-65	80.1	1032.3	
		12-08-65	72.7	1039.7	
		2-01-66	54.5	1057.9	
		3-04-66	49.8	1062.6	
		4-06-66	45.7	1066.7	
		5-04-66	45.3	1067.1	
		6-09-66	45.5	1066.9	
		7-12-66	46.2	1066.2	
		8-16-66	47.3	1065.1	
		9-14-66	47.8	1064.6	
02N/17W-16J01S	1363.6	7-01-65	350.5	1013.1	121
		7-28-65	(9)		
		8-30-65	394.5	969.1	
		9-30-65	391.0	972.6	
		11-10-65	388.5	975.1	
		5-05-66	(7)		
02N/17W-16M02S	1217.7	8-25-65	386.2	831.5	121
		10-01-65	384.2	833.5	
		11-10-65	382.7	835.0	
		5-05-66	355.2	862.5	
02N/17W-17C01S	1067.1	7-08-65	49.5	1017.6	121
		8-25-65	50.4	1016.7	
		10-01-65	51.0	1016.1	
		11-10-65	48.4	1018.7	
		5-05-66	21.3	1045.8	
02N/18W-01L01S	991.3	7-07-65	(2)		121
		8-26-65	(2)		
		11-12-65	(2)		
02N/18W-01P01S	984.0	7-07-65	298.4	685.6	121
		8-26-65	299.4	684.6	
		11-12-65	301.4	682.6	
		5-06-66	293.6	690.4	
		8-30-66	292.1	691.9	
02N/18W-03L03S	960.0	7-06-65	(1)		121
		8-25-65	291.0	669.0	
		10-04-65	298.0	662.0	
		11-12-65	298.0	662.0	
		5-10-66	283.9	676.1	
02N/18W-04N01S	843.2	7-01-65	192.0	651.2	121
		7-30-65	196.5	646.7	
		8-30-65	192.0	651.2	
		9-30-65	191.2	652.0	
		11-02-65	190.3	652.9	
		12-08-65	188.0	655.2	
		2-01-66	173.0	670.2	
		3-04-66	172.0	671.2	
		4-07-66	174.0	669.2	
		5-05-66	175.8	667.4	
		6-09-66	177.0	666.2	
		8-17-66	176.0	667.2	
02N/18W-04P02S	852.0	7-06-65	160.8	691.2	121
		10-04-65	163.8	688.2	
		11-12-65	155.8	696.2	
		5-10-66	143.0	709.0	
02N/18W-07F03S	722.7	9-24-65	47.0	675.7	121
		11-08-65	47.9	674.8	
		4-22-66	43.4	679.3	
02N/18W-07G02S	711.0	9-24-65	34.5	676.5	121
		11-08-65	35.4	675.6	
		4-22-66	(3)		
02N/18W-07L01S	752.6	9-24-65	111.2	641.4	121
		11-08-65	(1)		
		4-22-66	49.2	703.4	
02N/18W-07P01S	812.7	9-24-65	28.3	784.4	121
		11-08-65	28.6	784.1	
		4-22-66	26.6	786.1	
02N/18W-08B01S	755.6	7-06-65	99.3	656.3	121
		9-01-65	99.8	655.8	
		10-04-65	101.1	654.5	

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0

SIMI VALLEY HYDRO SUBAREA U-03.F7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/18W-08B01S (CONT.)	755.6	5-10-66	86.3	669.3	121
02N/18W-08C02S	746.4	7-06-65	86.8	659.6	121
		9-01-65	87.2	659.2	
		10-04-65	89.0	657.4	
		5-11-66	77.6	668.8	
02N/18W-08J02S	762.7	7-01-65	106.5	656.2	121
		7-30-65	108.7	654.0	
		8-30-65	106.0	656.7	
		9-30-65	104.9	657.8	
		11-01-65	104.1	658.6	
		12-08-65	102.8	659.9	
		2-01-66	100.3	662.4	
		3-04-66	99.3	663.4	
		4-07-66	98.1	664.6	
		5-05-66	97.1	665.6	
		6-09-66	(6)		
02N/18W-08L01S	745.5	9-24-65	75.9	669.6	121
		11-09-65	74.9	670.6	
		4-26-66	69.0	676.5	
		7-22-66	68.8	676.7	
02N/18W-08P04S	752.1	7-28-65	86.4	665.7	121
		9-30-65	84.8	667.3	
		10-29-65	83.5	668.6	
		12-08-65	81.9	670.2	
		1-28-66	80.3	671.8	
		2-28-66	79.3	672.8	
		4-04-66	77.9	674.2	
		5-05-66	77.0	675.1	
		6-09-66	75.9	676.2	
		7-12-66	79.2	672.9	
		8-16-66	75.4	676.7	
		9-14-66	(9)		
02N/18W-09A02S	861.6	9-24-65	(1)		121
		11-09-65	(1)		
		4-26-66	(1)		
		7-22-66	(1)		
02N/18W-09C01S	859.3	7-30-65	214.0	645.3	121
		8-30-65	214.7	644.6	
		9-30-65	209.2	650.1	
		11-02-65	203.0	656.3	
		12-08-65	193.3	666.0	
		2-01-66	188.0	671.3	
		3-04-66	186.8	672.5	
		4-07-66	192.2	667.1	
		5-04-66	194.9	664.4	
		6-09-66	197.5	661.8	
		7-12-66	198.9	660.4	
		8-17-66	(6)		
02N/18W-09M01S	770.7	7-06-65	115.0	655.7	121
		9-01-65	115.8	654.9	
		5-11-66	101.5	669.2	
02N/18W-10A01S	923.5	7-07-65	233.1	690.4	121
		9-01-65	233.9	689.6	
		10-04-65	231.4	692.1	
		11-12-65	232.1	691.4	
		5-10-66	240.4	683.1	
02N/18W-10F01S	878.6	9-24-65	(3)		121
		11-09-65	(3)		
		4-26-66	(9)		
02N/18W-11B02S	951.9	7-01-65	263.3	688.6	121
		7-30-65	262.0	689.9	
		8-30-65	261.6	690.3	
		9-30-65	261.0	690.9	
		11-01-65	270.0	681.9	
		12-08-65	265.0	686.9	
		2-01-66	262.5	689.4	
		3-04-66	260.0	691.9	
		4-07-66	264.0	687.9	
		5-04-66	263.0	688.9	
		6-09-66	266.0	685.9	
		7-12-66	(1)		
		8-17-66	(1)		
		9-15-66	264.0	687.9	
02N/18W-11K08S	932.0	8-24-65	(2)		121
		10-01-65	(2)		
		11-09-65	(9)		
02N/18W-11L01S	919.2	8-24-65	241.2	678.0	121
		10-01-65	240.6	678.6	
		11-09-65	239.6	679.6	
		4-26-66	236.0	683.2	
02N/18W-12H01S	972.2	8-25-65	(3)		121
		10-01-65	(3)		
		11-09-65	(3)		
		4-26-66	(3)		

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0

SIMI VALLEY HYDRO SUBAREA U-03.F7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/18W-12L03S	947.6	7-01-65	198.0	749.6	121
		7-28-65	198.0	749.6	
		9-03-65	197.9	749.7	
		9-30-65	197.7	749.9	
		10-29-65	197.6	750.0	
		12-08-65	197.5	750.1	
		2-01-66	197.6	750.0	
		3-04-66	197.3	750.3	
		4-04-66	197.0	750.6	
		5-04-66	195.0	752.6	
		6-09-66	193.7	753.9	
		7-12-66	193.4	754.2	
		8-16-66	193.7	753.9	
		9-14-66	198.2	749.4	
02N/18W-14C01S	884.0	7-01-65	66.0	818.0	121
		7-28-65	66.2	817.8	
		9-03-65	65.8	818.2	
		9-30-65	66.9	817.1	
		10-29-65	67.3	816.7	
		12-08-65	56.2	827.8	
		1-28-66	52.0	832.0	
		2-28-66	52.4	831.6	
		4-04-66	53.6	830.4	
		5-04-66	54.3	829.7	
		6-09-66	55.3	828.7	
		7-12-66	56.1	827.9	
		8-16-66	57.0	827.0	
		9-14-66	57.6	826.4	
02N/18W-14C03S	883.2	8-24-65	73.1	810.1	121
		9-27-65	73.7	809.5	
		11-09-65	73.8	809.4	
		4-26-66	63.1	820.1	
		7-22-66	65.0	818.2	
02N/18W-15G02S	868.6	8-24-65	101.6	767.0	121
		9-27-65	100.9	767.7	
		11-09-65	101.2	767.4	
		4-26-66	100.5	768.1	
		7-22-66	99.7	768.9	
02N/18W-15L01S	869.2	8-24-65	102.3	766.9	121
		9-27-65	(1)		
		11-09-65	(1)		
		4-26-66	101.3	767.9	
		7-22-66	(1)		
02N/18W-16D05S	779.1	7-01-65	112.0	667.1	121
		7-28-65	111.2	667.9	
		9-30-65	108.9	670.2	
		10-29-65	106.5	672.6	
		12-08-65	102.2	676.9	
		1-28-66	100.6	678.5	
		2-28-66	99.3	679.8	
		4-04-66	98.2	680.9	
		5-04-66	97.4	681.7	
		6-09-66	100.9	678.2	
		7-12-66	95.2	683.9	
		8-16-66	94.1	685.0	
		9-14-66	93.0	686.1	
02N/18W-16J02S	837.3	8-24-65	91.7	745.6	121
		9-27-65	91.0	746.3	
		11-09-65	90.5	746.8	
		4-26-66	84.3	753.0	
		7-22-66	81.6	755.7	
02N/18W-18G01S	901.5	11-08-65	154.2	747.3	121
		4-22-66	139.8	761.7	
02N/18W-19A01S	820.3	9-24-65	46.8(1)	773.5	121
		11-08-65	43.0(1)	777.3	
		4-22-66	43.5(1)	776.8	
02N/18W-20D01S	819.5	9-24-65	45.2	774.3	121
		11-09-65	45.3	774.2	
		4-26-66	43.1	776.4	

THOUSAND OAKS HYDRO SUBAREA U-03.F8

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/19W-01K01S	1244.2	7-21-65	40.0(1)	1204.2	121
		10-08-65	38.0	1206.2	
		3-17-66	33.3(1)	1210.9	
01N/19W-02C01S	890.5	7-16-65	33.7	856.8	121
		10-06-65	33.1	857.4	
		3-25-66	25.1	865.4	
01N/19W-02L01S	945.2	7-28-65	102.3	842.9	121
		8-27-65	110.1	835.1	
		9-29-65	180.8(1)	764.4	
		11-03-65	97.8	847.4	
		2-04-66	92.7	852.5	
		2-25-66	95.3	849.9	

CALLEGUAS-CONFJU HYDRO SUBUNIT U-03.F0

THOUSAND OAKS HYDRO SUBAREA U-03.F8

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/19W-02L01S (CONT.)	945.2	3-25-66	90.0	855.2	121
		4-28-66	90.0	855.2	
01N/19W-02N02S	900.2	7-14-65	59.2	841.0	121
		10-06-65	55.2	845.0	
		3-25-66	45.2	855.0	
01N/19W-03E02S	807.9	9-14-65	122.6	685.3	121
		10-14-65	122.0	685.9	
		2-15-66	117.5	690.4	
		6-15-66	(2)		
01N/19W-03F01S	820.3	7-15-65	(2)		121
		9-14-65	86.9	733.4	
		10-14-65	83.5	736.8	
		2-15-66	76.2	744.1	
		5-24-66	70.9	749.4	
01N/19W-03L01S	821.7	7-15-65	64.8	756.9	121
		9-14-65	53.8	767.9	
		10-14-65	70.3	751.4	
		2-15-66	74.8	746.9	
		5-24-66	(3)		
		6-15-66	(7)		
01N/19W-03M01S	811.7	8-27-65	100.7	711.0	121
		9-29-65	100.0	711.7	
		11-03-65	99.0	712.7	
		2-04-66	96.4	715.3	
		2-25-66	95.1	716.6	
		3-25-66	94.1	717.6	
		4-28-66	93.7	718.0	
01N/19W-04L01S	779.7	9-14-65	DRY		121
		10-14-65	DRY		
		2-15-66	(6)		
01N/19W-08G05S	640.5	7-15-65	(3)		121
		9-13-65	(3)		
		10-12-65	(3)		
		2-11-66	110.6	529.9	
		6-15-66	(3)		
01N/19W-09G01S	751.0	7-15-65	(7)		121
		9-14-65	(7)		
01N/19W-09H02S	764.0	7-15-65	283.7	480.3	121
		9-14-65	278.2	485.8	
		10-12-65	278.0	486.0	
		10-14-65	277.8	486.2	
		2-15-66	272.2	491.8	
		6-15-66	268.7	495.3	
01N/19W-09Q02S	722.3	7-15-65	19.5	702.8	121
		9-13-65	20.9	701.4	
		10-12-65	21.3	701.0	
		2-11-66	13.0	709.3	
		5-24-66	13.4	708.9	
01N/19W-10E04S	750.6	9-14-65	360.8	389.8	121
		10-14-65	359.8	390.8	
		2-15-66	364.8	385.8	
		5-24-66	361.8	388.8	
01N/19W-10H02S	843.0	7-16-65	37.1	805.9	121
		10-06-65	37.7	805.3	
		3-25-66	32.1	810.9	
01N/19W-10J02S	852.7	10-06-65	70.7	782.0	121
		3-25-66	68.0	784.7	
01N/19W-10K02S	799.9	7-16-65	40.5	759.4	121
		10-06-65	40.0	759.9	
		3-25-66	36.4	763.5	
01N/19W-10L01S	789.2	7-16-65	34.7	754.5	121
		10-06-65	(9)		
		3-25-66	31.7	757.5	
01N/19W-10N08S	788.3	7-16-65	91.6	696.7	121
		10-06-65	84.1	704.2	
		3-25-66	(9)		
		7-25-66	(9)		
01N/19W-10N11S	805.5	7-16-65	DRY		121
		10-06-65	DRY		
		3-26-66	(9)		
01N/19W-10P09S	777.2	7-16-65	DRY		121
		10-06-65	DRY		
		3-25-66	43.7	733.5	
01N/19W-10P13S	762.0	7-16-65	DRY		121
		10-06-65	DRY		
		3-25-66	21.6	740.4	
01N/19W-10P15S	804.9	7-16-65	DRY		121
		10-06-65	DRY		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA CLARA-CALLEGUAS HYDRO UNIT U-03.00

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
THOUSAND OAKS HYDRO SUBAREA U-03.FB

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/19W-10P15S (CONT.)	804.9	3-25-66	DRY		121
01N/19W-10Q01S	780.1	7-16-65	(4)		121
		10-06-65	(4)		
		3-25-66	(4)		
01N/19W-11C01S	920.0	7-14-65	83.2	836.8	121
		10-06-65	80.5	839.5	
		3-25-66	(3)		
01N/19W-11N01S	815.7	7-14-65	30.4	785.3	121
		10-06-65	30.8	784.9	
		3-25-66	25.0	790.7	
01N/19W-11P08S	853.2	7-14-65	27.2	826.0	121
		10-06-65	26.4	826.8	
		3-24-66	17.0	836.2	
01N/19W-11Q01S	902.6	7-28-65	40.7	861.9	121
		8-27-65	41.0	861.6	
		9-29-65	41.4	861.2	
		11-03-65	41.7	860.9	
		2-04-66	32.1	870.5	
		2-28-66	32.7	869.9	
		3-25-66	34.8	867.8	
		4-28-66	36.2	866.4	
01N/19W-13B01S	996.1	7-21-65	50.2	945.9	121
		10-08-65	37.2	958.9	
		3-17-66	37.9	958.2	
01N/19W-14A05S	908.4	•7-14-65	(9)		121
		9-29-65	(9)		
		3-24-66	(6)		
01N/19W-14B01S	904.1	7-14-65	29.5	874.6	121
		9-29-65	30.3	873.8	
		3-24-66	24.5	879.6	
01N/19W-14C04S	843.6	10-06-65	17.3	826.3	121
		3-24-66	7.7	835.9	
01N/19W-14C06S	845.7	7-14-65	26.1	819.6	121
		10-06-65	18.3	827.4	
		3-24-66	1.4	844.3	
01N/19W-14G11S	881.3	7-14-65	59.0	822.3	121
		9-29-65	51.7	829.6	
		3-24-66	33.1	848.2	
01N/19W-14G12S	893.0	7-14-65	62.2	830.8	121
		9-29-65	56.5	836.5	
		3-24-66	38.8	854.2	
01N/19W-14K04S	907.9	7-14-65	88.7	819.2	121
		9-24-65	81.2	826.7	
		3-24-66	61.6	846.3	
01N/19W-14L01S	968.4	7-14-65	134.8	833.6	121
		9-24-65	134.7	833.7	
		3-24-66	(9)		
01N/19W-14R03S	905.7	7-28-65	85.6	820.1	121
		8-26-65	82.5	823.2	
		9-29-65	79.4	826.3	
		11-03-65	76.7	829.0	
		2-04-66	65.4	840.3	
		2-28-66	67.4	838.3	
		3-25-66	60.2	845.5	
		4-28-66	58.5	847.2	
01N/19W-14R04S	897.4	7-14-65	77.8	819.6	121
		9-24-65	70.3	827.1	
		3-24-66	51.1	846.3	
01N/19W-14R11S	909.5	7-14-65	74.2	835.3	121
		9-29-65	71.4	838.1	
		3-24-66	64.8	844.7	
01N/19W-14R13S	892.3	7-14-65	73.8	818.5	121
		9-24-65	66.4	825.9	
		3-24-66	46.9	845.4	
01N/19W-15A02S	816.5	7-16-65	118.7	697.8	121
		10-06-65	111.9	704.6	
		3-25-66	82.5	734.0	
		7-25-66	75.7	740.8	
01N/19W-15E01S	902.6	7-28-65	47.0(1)	855.6	121
		8-27-65	35.8	866.8	
		9-29-65	48.7	853.9	
		11-03-65	36.8	865.8	
		2-04-66	20.6	882.0	
		2-28-66	22.1	880.5	
		3-25-66	23.3(1)	879.3	
		4-28-66	21.7(1)	880.9	

CALLEGUAS-CONEJO HYDRO SUBUNIT U-03.F0
THOUSAND OAKS HYDRO SUBAREA U-03.FB

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/19W-16J01S	922.0	7-28-65	(4)		121
		8-27-65	(4)		
		9-29-65	(4)		
		11-03-65	(4)		
		2-04-66	(4)		
		2-28-66	(4)		
		3-25-66	(4)		
		4-28-66	(4)		
02N/18W-31K01S	1148.5	7-16-65	37.4	1111.1	121
		10-06-65	40.2	1108.3	
		3-25-66	(1)		
02N/19W-25Q01S	1219.6	7-16-65	54.2	1165.4	121
		10-06-65	53.9	1165.7	
		3-25-66	50.3	1169.3	
02N/19W-35H01S	1041.6	7-16-65	151.4	890.2	121
		10-06-65	149.6	892.0	
		3-25-66	144.9	896.7	
02N/19W-35J01S	1001.4	7-16-65	110.4	891.0	121
		10-06-65	108.6	892.8	
		3-25-66	104.0	897.4	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT U-04.00					
TOPANGA HYDRO SUBUNIT U-04.A0					
TOPANGA CANYON HYDRO SUBAREA U-04.A1					
01S/16W-18L02S	921.0	11-03-65	125.8	795.2	101
		4-13-66	78.5	842.5	
01S/16W-29001S	60.0	11-03-65	20.9	39.1	101
		4-13-66	6.2	53.8	
01S/16W-29002S	60.0	11-03-65	DRY		101
		4-13-66	2.2	57.8	
01S/16W-32G01S	17.5	11-03-65	22.1(4)	-4.6	101
		4-13-66	9.0(4)	8.5	
01S/16W-32G02S	16.0	11-03-65	17.5(2)	-1.5	101
		4-13-66	6.3	9.7	
PIEDRA GORDA CANYON HYDRO SUBAREA U-04.A4					
01S/17W-36U01S	825.0	11-09-65	381.9	443.1	101
01S/17W-36H02S	250.0	11-09-65	38.3	211.7	101
		4-13-66	36.8	213.2	
LAS FLORES CANYON HYDRO SUBAREA U-04.A5					
01S/17W-26E01S	325.0	11-09-65	FLOW		101
		4-13-66	FLOW		
MALIBU CREEK HYDRO SUBUNIT U-04.B0					
MALIBU CREEK HYDRO SUBAREA U-04.B1					
01S/17W-29E01S	80.0	11-08-65	11.6	68.4	101
		4-12-66	10.6	69.4	
01S/17W-29N01S	59.4	11-08-65	47.8	11.6	101
		4-12-66	18.7	40.7	
01S/17W-29N02S	63.8	11-08-65	37.7	26.1	101
		4-12-66	16.1	47.7	
01S/17W-29P01S	35.0	11-08-65	32.4	2.6	101
		4-12-66	20.1	14.9	
01S/17W-32F01S	19.7	11-08-65	16.8	2.9	101
		4-12-66	14.1	5.6	
01S/17W-32F02S	21.9	11-08-65	18.2	3.7	101
		4-12-66	15.5	6.4	
01S/17W-32F03S	16.3	11-08-65	13.6	2.7	101
		4-12-66	11.3	5.0	
01S/17W-32G01S	12.5	11-08-65	10.5	2.0	101
		4-12-66	8.6	3.9	
01S/17W-32L04S	16.0	11-08-65	13.2	2.8	101
		4-12-66	11.0	5.0	
01S/17W-32L05S	15.0	11-08-65	7.2	7.8	101
		4-12-66	5.6	9.4	
LAS VIRGENES CANYON HYDRO SUBAREA U-04.B2					
01N/17W-30P02S	703.0	11-03-65	67.1	635.9	101
		4-13-66	45.7	657.3	
01N/17W-31C01S	703.0	4-13-66	46.0	657.0	101
01N/18W-24J01S	1119.4	7-07-65	125.9	993.5	101
		8-05-65	134.0(2)	985.4	
		8-12-65	126.1	993.3	
		9-08-65	136.3	983.1	
		10-18-65	141.7	977.7	
		11-04-65	139.2	980.2	
		12-03-65	136.0	983.4	
		1-10-66	132.0	987.4	
		2-03-66	130.9	988.5	
		3-03-66	130.9	988.5	
		4-07-66	138.8	980.6	
		5-10-66	149.5	969.9	
01N/18W-24J02S	1106.4	7-07-65	115.9	990.5	101
		8-12-65	115.6	990.8	
		9-08-65	132.1	974.3	
		10-18-65	132.8	973.6	
		11-04-65	132.2	974.2	
		12-03-65	127.9	978.5	
		1-10-66	122.1	984.3	
		2-08-66	121.3	985.1	
		3-03-66	122.1	984.3	
		4-07-66	134.1	972.3	
		5-10-66	146.5	959.9	
LINDERO CANYON HYDRO SUBAREA U-04.B3					
01N/18W-08F01S	1203.7	7-21-65	28.6	1175.1	121
		10-08-65	28.7	1175.0	
		3-17-66	28.0	1175.7	
01N/18W-08J01S	1175.0	7-21-65	52.2	1122.8	121
		10-08-65	47.0	1128.0	
		3-17-66	38.0	1137.0	
01N/18W-08L01S	1100.0	7-21-65	21.1	1078.9	121
		10-08-65	21.3	1078.7	
		3-17-66	19.5	1080.5	
01N/18W-10D01S	1340.0	7-21-65	102.7	1237.3	121
		10-08-65	102.5	1237.5	
		3-17-66	(9)		
01N/18W-10H01S	1190.0	7-21-65	41.4	1148.6	121
		10-08-65	50.0(1)	1140.0	
		3-17-66	85.0(1)	1105.0	
01N/18W-13D01S	1150.0	7-21-65	(1)		121
		10-08-65	29.2	1120.8	
		3-17-66	23.8	1126.2	
01N/18W-17B01S	1350.0	7-21-65	51.0	1299.0	121
		10-08-65	51.3	1298.7	
		3-17-66	50.8	1299.2	
01N/18W-17F01S	1065.8	7-21-65	30.0(1)	1035.8	121

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT U-04.00					
MALIBU CREEK HYDRO SUBUNIT U-04.80					
LINDERO CANYON HYDRO SUBAREA U-04.83					
01N/18W-17F01S (CONT.)	1065.8	10-08-65	28.2(1)	1037.6	121
		3-17-66	23.0(1)	1042.8	
01N/18W-17G01S	1063.9	7-21-65	26.0	1037.9	121
		10-08-65	25.4	1038.5	
		3-17-66	17.7	1046.2	
01N/18W-17H01S	1400.0	7-21-65	(1)		121
		10-08-65	(1)		
		3-17-66	120.7(1)	1279.3	
RUSSELL VALLEY HYDRO SUBAREA U-04.85					
01N/19W-24A01S	967.5	8-27-65	60.9(1)	906.6	121
		9-29-65	60.2(1)	907.3	
		11-03-65	55.9(1)	911.6	
		2-04-66	46.2(1)	921.3	
		2-28-66	39.0	928.5	
		3-25-66	44.8(1)	922.7	
		4-28-66	42.6	924.9	
01N/19W-24M01S	904.7	7-21-65	53.5(1)	851.2	121
		10-06-65	55.1(1)	849.6	
		3-17-66	40.3	864.4	
01N/19W-26C01S	897.0	10-06-65	(1)		121
		3-14-66	(4)		
SHERWOOD HYDRO SUBAREA U-04.86					
01N/19W-19E03S	1129.8	9-23-65	DRY		121
		3-18-66	14.3	1115.5	
01N/19W-19F02S	1086.8	7-14-65	74.8	1012.0	121
		9-23-65	74.5	1012.3	
		3-18-66	40.5	1046.3	
01N/19W-19J01S	1016.5	7-14-65	47.9	968.6	121
		9-23-65	49.1	967.4	
		3-18-66	30.9	985.6	
01N/19W-19K01S	1064.9	7-14-65	88.3(4)	976.6	121
		9-23-65	87.3	977.6	
		3-18-66	38.1	1026.8	
01N/19W-19L01S	1100.0	7-14-65	112.1	987.9	121
		9-23-65	112.9	987.1	
		3-18-66	79.2	1020.8	
01N/19W-19L02S	1082.0	7-14-65	88.5	993.5	121
		9-23-65	89.0	993.0	
		3-18-66	54.4	1027.6	
01N/19W-19M01S	1088.0	7-08-65	105.2	982.8	121
		9-23-65	108.2	979.8	
		3-18-66	62.8	1025.2	
01N/19W-19R01S	1002.7	7-14-65	42.2	960.5	121
		9-24-65	45.4	957.3	
		3-24-66	13.3	989.4	
01N/19W-28A01S	963.3	7-28-65	21.1	942.2	121
		8-27-65	22.9	940.4	
		9-29-65	22.9	940.4	
		11-03-65	24.6	938.7	
		2-04-66	1.8	961.5	
		2-28-66	1.8	961.5	
		3-25-66	1.7	961.6	
		4-28-66	3.8	959.5	
01N/19W-28M01S	961.4	7-14-65	14.4	947.0	121
		9-24-65	17.8	943.6	
		3-24-66	4.0	957.4	
01N/19W-29D02S	994.6	7-14-65	40.1	954.5	121
		9-24-65	47.1(1)	947.5	
		3-24-66	8.8	985.8	
01N/19W-29D03S	989.1	9-24-65	41.9	947.2	121
		3-24-66	6.4	982.7	
01N/19W-29D05S	997.6	9-24-65	47.2	950.4	121
		3-24-66	10.5	987.1	
01N/19W-29E03S	996.1	7-14-65	73.2(4)	922.9	121
		9-24-65	99.5	896.6	
		3-24-66	10.5	985.6	
01N/19W-30A01S	998.2	7-28-65	(1)		121
		8-27-65	45.4	952.8	
		9-29-65	(1)		
		11-03-65	(1)		
		2-04-66	10.3	987.9	
		2-28-66	9.1	989.1	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU CREEK HYDRO SUBUNIT U-04.80					
SHERWOOD HYDRO SUBAREA U-04.86					
01N/19W-30A01S (CONT.)	998.2	3-25-66	9.4	988.8	121
		4-28-66	12.8	985.4	
01N/19W-30F06S	1057.1	9-23-65	57.9	999.2	121
		3-18-66	11.3	1045.8	
01N/20W-24H01S	1166.0	9-23-65	126.6(1)	1039.4	121
		3-18-66	68.9	1097.1	
01N/20W-24H02S	1126.0	7-08-65	84.5	1041.5	121
		9-23-65	74.5	1051.5	
		3-18-66	41.7	1084.3	
01N/20W-24R01S	1085.7	7-08-65	(1)		121
		9-23-65	(1)		
		3-18-66	82.4(1)	1003.3	
01N/20W-25A02S	1090.6	7-28-65	267.3	823.3	121
		8-27-65	273.8	816.8	
		9-29-65	246.3	844.3	
		11-03-65	(1)		
		2-04-66	152.3	938.3	
		2-28-66	132.0	958.6	
		3-25-66	134.6	956.0	
		4-28-66	198.8	891.8	
01N/20W-25C01S	1219.4	7-08-65	277.0	942.4	121
		9-23-65	290.0	929.4	
		3-18-66	205.3	1014.1	
01N/20W-25C02S	1163.4	7-08-65	207.2	956.2	121
		9-23-65	243.2	920.2	
		3-18-66	146.1	1017.3	
01N/20W-25D01S	1219.1	7-08-65	248.3	970.8	121
		9-23-65	256.3	962.8	
		3-18-66	61.1	1158.0	
01N/20W-25D02S	1187.3	7-08-65	252.9	934.4	121
		9-23-65	253.1	934.2	
		3-18-66	150.9	1036.4	
01N/20W-25E01S	1208.1	7-08-65	181.7	1026.4	121
		9-23-65	181.7	1026.4	
		3-18-66	87.4	1120.7	
01N/20W-25E02S	1203.4	7-08-65	187.8	1015.6	121
		9-23-65	189.0	1014.4	
		3-18-66	74.4	1129.0	
01N/20W-25F01S	1192.4	7-08-65	189.8	1002.6	121
		9-23-65	199.5	992.9	
		3-18-66	144.7	1047.7	
01N/20W-25H01S	1097.4	7-08-65	47.0	1050.4	121
		9-23-65	57.0	1040.4	
		3-18-66	23.6	1073.8	

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT					U-04.00
POINT DUME HYDRO SUBUNIT					U-04.C0
SOLSTICE CANYON HYDRO SUBAREA					U-04.C2
01S/18W-34H01S	125.0	11-09-65	45.0	80.0	101
		4-13-66	44.8	80.2	
RAMERA CANYON HYDRO SUBAREA					U-04.C5
01S/18W-32P01S	120.0	11-09-65	21.8	98.2	101
		4-13-66	15.3	104.7	
01S/18W-32P02S	135.0	11-09-65	23.9	111.1	101
		4-13-66	18.7	116.3	
02S/18W-05B01S	100.0	11-09-65	34.0(1)	66.0	101
		4-13-66	16.1	83.9	
02S/18W-05C01S	125.0	11-09-65	38.7	86.3	101
		4-13-66	28.9	96.1	
02S/18W-05C02S	100.0	11-09-65	9.2	90.8	101
		4-13-66	6.5	93.5	
02S/18W-05C03S	100.0	11-09-65	DRY		101
		4-13-66	6.5	93.5	
02S/18W-05C04S	100.0	11-09-65	27.4	72.6	101
		4-13-66	9.7	90.3	
02S/18W-05C05S	125.0	11-09-65	25.0	100.0	101
		4-13-66	11.5	113.5	
02S/18W-05E01S	200.0	11-09-65	75.2	124.8	101
		4-13-66	57.5	142.5	
ZUMA CANYON HYDRO SUBAREA					U-04.C6
01S/18W-31N01S	90.0	11-08-65	77.4	12.6	101
		4-12-66	32.6	57.4	
02S/18W-06E01S	66.6	11-08-65	56.1	10.5	101
		4-12-66	21.8	44.8	
02S/18W-06E02S	66.0	11-08-65	60.0	6.0	101
		4-12-66	25.8	40.2	
02S/18W-06M01S	54.0	11-08-65	43.4	10.6	101
		4-12-66	25.7	28.3	
02S/18W-06M02S	45.0	11-08-65	38.7(4)	6.3	101
		4-12-66	17.3	27.7	
TRANCAS CANYON HYDRO SUBAREA					U-04.C7
01S/19W-35P01S	25.0	11-08-65	22.4	2.6	101
		4-12-66	13.3	11.7	
01S/19W-35Q02S	23.0	11-08-65	16.5	6.5	101
		4-12-66	9.0	14.0	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CAMARILLO HYDRO SUBUNIT					U-04.D0
ENCINAL CANYON HYDRO SUBAREA					U-04.D1
01S/19W-29Q01S	690.0	4-12-66	254.8	435.2	101
LOS ALISOS CANYON HYDRO SUBAREA					U-04.D2
01S/19W-29P01S	275.0	11-08-65	13.2	261.8	101
		4-12-66	7.3	267.7	
NICHOLAS CANYON HYDRO SUBAREA					U-04.D3
01S/19W-30P01S	225.0	11-09-65	3.2	221.8	101
		4-12-66	4.4	220.6	
ARROYO SEQUIT HYDRO SUBAREA					U-04.D4
01S/20W-25E01S	54.0	11-09-65	25.6	28.4	101
		4-12-66	12.7	41.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/14W-19K02S	57.0	11-01-65	94.6	-37.6	101
		4-04-66	90.4	-33.4	
02S/14W-19K03S	57.0	11-01-65	100.6	-43.6	101
		4-04-66	96.3	-39.3	
02S/14W-19M02S	30.0	11-02-65	51.7	-21.7	101
		4-05-66	51.7	-21.7	
02S/14W-19M03S	30.0	11-02-65	DRY		101
		4-05-66	39.6	-9.6	
02S/14W-19P01S	37.0	11-02-65	DRY		101
		4-05-66	DRY		
02S/14W-19P02S	34.0	4-05-66	63.1	-29.1	101
02S/14W-19P03S	34.0	11-02-65	DRY		101
		4-05-66	DRY		
02S/14W-19D01S	48.9	11-02-65	89.0	-40.1	101
		4-05-66	87.1	-38.2	
02S/14W-27P02S	162.0	11-02-65	246.2	-84.2	101
		4-05-66	243.7	-81.7	
02S/15W-34F01S	60.8	8-18-65	60.2	.6	101
		11-23-65	59.5	1.3	
		3-03-66	60.5	.3	
		4-06-66	62.9	-2.1	
03S/13W-19D01S	70.0	4-04-66	112.3	-42.3	101
03S/13W-19D02S	81.0	4-04-66	119.3	-38.3	101
03S/13W-19J03S	72.3	4-12-66	115.6	-43.3	101
03S/13W-29A03S	70.7	4-12-66	116.4	-45.7	101
03S/13W-29C01S	57.8	4-12-66	100.9	-43.1	101
03S/13W-30H02S	41.2	4-12-66	78.0	-36.8	101
03S/13W-30D07S	30.5	4-12-66	69.7	-39.2	101
03S/13W-31B07S	27.0	4-12-66	78.6	-51.6	101
03S/13W-32C01S	34.9	4-12-66	70.9	-36.0	101
03S/13W-35A05S	27.3	11-29-65	67.5	-40.2	101
		4-11-66	65.3	-38.0	
03S/14W-03K01S	74.0	8-15-65	143.9(5)	-69.9	101
		9-15-65	144.9(5)	-70.9	
		10-15-65	140.9(5)	-66.9	
		11-01-65	151.9(5)	-77.9	
		12-01-65	137.9(5)	-63.9	
		1-15-66	132.9(5)	-58.9	
		2-15-66	134.9(5)	-60.9	
		3-15-66	142.9(5)	-68.9	
		4-15-66	137.9(5)	-63.9	
		5-15-66	142.9(5)	-68.9	
		6-15-66	150.9(5)	-76.9	
03S/14W-03K02S	76.0	7-15-65	148.7(5)	-72.7	101
		8-01-65	138.7(5)	-62.7	
		9-01-65	142.7(5)	-66.7	
		10-01-65	146.7(5)	-70.7	
		11-01-65	150.7(5)	-74.7	
		11-15-65	137.7(5)	-61.7	
		1-15-66	132.7(5)	-56.7	
		2-15-66	132.7(5)	-56.7	
		3-15-66	141.7(5)	-65.7	
		4-15-66	137.7(5)	-61.7	
		5-15-66	142.7(5)	-66.7	
		6-15-66	149.7(5)	-73.7	
03S/14W-04N01S	74.0	7-07-65	154.0(5)	-80.0	101
		8-15-65	156.0(5)	-82.0	
		9-15-65	163.0(5)	-89.0	
		10-07-65	166.0(5)	-92.0	
		11-01-65	163.0(5)	-89.0	
		12-07-65	149.0(5)	-75.0	
		12-15-65	147.0(5)	-73.0	
		1-15-66	151.0(5)	-77.0	
		2-15-66	155.0(5)	-81.0	
		3-15-66	154.0(5)	-80.0	
		4-15-66	156.0(5)	-82.0	
		5-15-66	163.0(5)	-89.0	
		6-15-66	166.0(5)	-92.0	
03S/14W-04N02S	74.0	7-06-65	157.5	-83.5	101
		8-02-65	163.8(4)	-89.8	
		9-07-65	165.1	-91.1	
		10-04-65	160.1	-86.1	
		11-01-65	161.1	-87.1	
		12-06-65	151.1	-77.1	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/14W-04N02S	74.0	1-12-66	151.7	-77.7	101
(CONT.)		2-08-66	153.2(4)	-79.2	
		3-01-66	153.1	-79.1	
		5-04-66	164.1	-90.1	
		6-01-66	165.0(4)	-91.0	
03S/14W-11D01S	116.0	7-06-65	164.4	-48.4	101
		8-02-65	164.3	-48.3	
		9-11-65	164.4	-48.4	
		10-02-65	164.7	-48.7	
		11-01-65	164.1	-48.1	
		12-06-65	163.5	-47.5	
		1-14-66	163.0	-47.0	
		2-05-66	162.9	-46.9	
		3-01-66	162.5	-46.5	
		4-02-66	162.5	-46.5	
		5-04-66	162.5	-46.5	
		6-01-66	162.3	-46.3	
03S/14W-11G02S	150.0	8-15-65	248.9(5)	-98.9	101
		9-15-65	251.9(5)	-101.9	
		10-15-65	247.9(5)	-97.9	
		11-01-65	248.9(5)	-98.9	
		11-21-65	237.9(5)	-87.9	
		1-15-66	238.9(5)	-88.9	
		2-15-66	238.9(5)	-88.9	
		3-15-66	243.9(5)	-93.9	
		4-15-66	246.9(5)	-96.9	
		5-15-66	247.9(5)	-97.9	
		6-15-66	254.9(5)	-104.9	
03S/14W-13B02S	126.0	7-15-65	222.0(5)	-96.0	101
		8-15-65	225.0(5)	-99.0	
		9-30-65	227.0(5)	-101.0	
		10-15-65	218.0(5)	-92.0	
		11-01-65	227.0(5)	-101.0	
		11-15-65	216.0(5)	-90.0	
		12-07-65	214.0(5)	-88.0	
		1-15-66	221.0(5)	-95.0	
		2-15-66	218.0(5)	-92.0	
		3-15-66	223.0(5)	-97.0	
		4-15-66	226.0(5)	-100.0	
		5-15-66	225.0(5)	-99.0	
		6-15-66	228.0(5)	-102.0	
03S/14W-13J03S	86.0	7-21-65	167.7(5)	-81.7	101
		8-21-65	177.5	-91.5	
		9-15-65	173.7(5)	-87.7	
		10-01-65	180.7(5)	-94.7	
		10-15-65	170.7(5)	-84.7	
		11-01-65	180.7(5)	-94.7	
		12-01-65	164.7(5)	-78.7	
		1-15-66	168.7(5)	-82.7	
		2-15-66	171.7(5)	-85.7	
		3-15-66	174.7(5)	-88.7	
		4-15-66	173.7(5)	-87.7	
		5-15-66	171.7(5)	-85.7	
		6-15-66	178.7(5)	-92.7	
03S/14W-14A01S	84.0	8-15-65	137.7(5)	-53.7	101
		9-07-65	138.7(5)	-54.7	
		10-01-65	138.7(5)	-54.7	
		11-01-65	134.7(5)	-50.7	
		12-07-65	129.7(5)	-45.7	
		12-31-65	129.7(5)	-45.7	
		4-07-66	136.7(5)	-52.7	
		5-07-66	136.7(5)	-52.7	
		6-01-66	137.7(5)	-53.7	
03S/14W-14D01S	50.0	8-15-65	135.0(5)	-85.0	101
		9-07-65	131.0(5)	-81.0	
		10-15-65	134.0(5)	-84.0	
		11-01-65	134.0(5)	-84.0	
		12-01-65	121.0(5)	-71.0	
		1-15-66	130.0(5)	-80.0	
		2-07-66	128.0(5)	-78.0	
		3-15-66	128.0(5)	-78.0	
		4-15-66	130.0(5)	-80.0	
		5-15-66	132.0(5)	-82.0	
		6-15-66	137.0(5)	-87.0	
03S/14W-15B01S	52.0	4-05-66	106.5	-54.5	101
03S/14W-17F02S	90.0	5-24-66	120.8	-30.8	101
03S/14W-18C01S	98.0	4-18-66	105.5	-7.5	101
03S/14W-18H01S	96.0	4-05-66	115.4	-19.4	101
03S/14W-19K01S	72.3	11-03-65	78.2	-5.9	101
		4-06-66	74.9	-2.6	
		4-06-66	74.9	-2.6	
03S/14W-21B02S	64.0	7-15-65	122.0(5)	-58.0	101
		8-07-65	124.0(5)	-60.0	
		9-01-65	124.0(5)	-60.0	
		1-15-66	114.0(5)	-50.0	
		4-15-66	116.0(5)	-52.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/14W-21B02S	64.0	5-15-66	116.0(5)	-52.0	101
(CONT.)		6-01-66	117.0(5)	-53.0	
03S/14W-21E01S	62.5	4-06-66	94.5	-32.0	101
03S/14W-21M01S	62.0	7-15-65	111.4(5)	-49.4	101
		8-07-65	111.4(5)	-49.4	
		9-15-65	112.4(5)	-50.4	
		10-15-65	109.4(5)	-47.4	
		11-01-65	111.4(5)	-49.4	
		11-21-65	104.4(5)	-42.4	
		12-01-65	106.4	-44.4	
		12-15-65	104.4(5)	-42.4	
		1-15-66	102.4(5)	-40.4	
		2-15-66	106.4(5)	-44.4	
		3-15-66	103.4(5)	-41.4	
		4-15-66	106.4(5)	-44.4	
		5-15-66	105.4(5)	-43.4	
		6-15-66	110.4(5)	-48.4	
03S/14W-22A01S	48.0	8-15-65	120.0(5)	-72.0	101
		9-15-65	116.0(5)	-68.0	
		10-15-65	115.0(5)	-67.0	
		11-01-65	118.0(5)	-70.0	
		1-15-66	110.0(5)	-62.0	
		2-15-66	110.0(5)	-62.0	
		3-15-66	110.0(5)	-62.0	
		4-15-66	109.0(5)	-61.0	
		5-15-66	110.0(5)	-62.0	
		6-07-66	113.0	-65.0	
03S/14W-22A02S	50.0	8-15-65	119.4(5)	-69.4	101
		9-15-65	115.4(5)	-65.4	
		10-15-65	113.4(5)	-63.4	
		11-15-65	115.4(5)	-65.4	
		12-15-65	111.4(5)	-61.4	
		1-15-66	107.4(5)	-57.4	
		2-15-66	107.4(5)	-57.4	
		3-15-66	107.4(5)	-57.4	
		4-15-66	105.4(5)	-55.4	
		5-15-66	106.4(5)	-56.4	
		6-15-66	114.4(5)	-64.4	
03S/14W-22K01S	50.0	8-02-65	108.0(5)	-58.0	101
		8-30-65	116.0(5)	-66.0	
		9-27-65	93.0(5)	-43.0	
		10-31-65	113.0(5)	-63.0	
		11-29-65	107.0(5)	-57.0	
		1-03-66	105.0(5)	-55.0	
03S/14W-22L01S	51.0	8-21-65	113.0(5)	-62.0	101
		9-07-65	109.0(5)	-58.0	
		10-01-65	111.0(5)	-60.0	
		10-15-65	105.0(5)	-54.0	
		11-01-65	108.0(5)	-57.0	
		1-15-66	101.0(5)	-50.0	
		2-07-66	104.0(5)	-53.0	
		3-15-66	103.0(5)	-52.0	
		4-15-66	102.0(5)	-51.0	
		5-15-66	101.0(5)	-50.0	
		6-15-66	106.0(5)	-55.0	
03S/14W-22Q01S	45.0	8-02-65	103.5(5)	-58.5	101
		9-27-65	99.5(5)	-54.5	
		11-01-65	104.5(5)	-59.5	
		11-29-65	109.5(5)	-64.5	
		1-03-66	105.5(5)	-60.5	
03S/14W-22R02S	52.0	8-02-65	103.0(5)	-51.0	101
		8-30-65	102.0(5)	-50.0	
		9-27-65	105.0(5)	-53.0	
		11-01-65	106.0(5)	-54.0	
		11-29-65	101.0(5)	-49.0	
		1-03-66	95.0(5)	-43.0	
03S/14W-23R02S	49.9	11-29-65	89.7	-39.8	101
		4-06-66	88.8	-38.9	
03S/14W-24F05S	55.0	11-29-65	95.4	-40.4	101
		4-06-66	94.3	-39.3	
03S/14W-25F03S	38.7	11-29-65	78.8	-40.1	101
		4-06-66	77.6	-38.9	
03S/14W-25K06S	30.0	4-11-66	69.2	-39.2	101
03S/14W-25P04S	22.0	7-07-65	121.0(5)	-99.0	101
		8-15-65	124.0(5)	-102.0	
		9-15-65	122.0(5)	-100.0	
		10-15-65	122.0(5)	-100.0	
		11-01-65	124.0(5)	-102.0	
		1-15-66	116.0(5)	-94.0	
		2-15-66	117.0(5)	-95.0	
		3-15-66	116.0(5)	-94.0	
		4-15-66	118.0(5)	-96.0	
		5-21-66	101.0(5)	-79.0	
03S/14W-25Q02S	20.6	11-12-65	4.7	15.9	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/14W-25Q02S	20.6	4-11-66	5.1	15.5	101
(CONT.)					
03S/14W-29D03S	87.9	8-27-65	105.3	-17.4	101
		8-27-65	105.3	-17.4	
		9-29-65	105.6	-17.7	
		9-29-65	105.6	-17.7	
		10-28-65	104.9	-17.0	
		10-28-65	104.9	-17.0	
03S/14W-29F01S	77.3	7-31-65	118.0(1)	-40.7	101
		8-31-65	101.0(5)	-23.7	
		9-30-65	113.0(1)	-35.7	
		10-31-65	100.0(5)	-22.7	
		12-31-65	98.0(5)	-20.7	
		2-28-66	98.0(5)	-20.7	
		4-30-66	98.0(5)	-20.7	
		6-30-66	93.0(5)	-15.7	
03S/14W-29J01S	95.0	7-31-65	134.7(1)	-39.7	101
		8-31-65	113.7(5)	-18.7	
		9-30-65	132.7(1)	-37.7	
		10-31-65	113.7(5)	-18.7	
		11-30-65	131.7(1)	-36.7	
		12-31-65	116.7(5)	-21.7	
		2-28-66	116.7(5)	-21.7	
		4-30-66	116.7(5)	-21.7	
		6-30-66	107.7(5)	-12.7	
03S/14W-29M01S	114.2	8-31-65	138.7(5)	-24.5	101
		10-31-65	138.7(5)	-24.5	
		12-31-65	138.7(5)	-24.5	
		2-28-66	138.7(5)	-24.5	
03S/14W-29N01S	112.8	8-31-65	143.0(5)	-30.2	101
		10-31-65	141.0(5)	-28.2	
		12-31-65	140.0(5)	-27.2	
		2-28-66	140.0(5)	-27.2	
		4-30-66	138.0(5)	-25.2	
		6-30-66	138.0(5)	-25.2	
03S/14W-30D01S	154.0	7-07-65	156.3	-2.3	101
		8-02-65	156.1	-2.1	
		9-07-65	155.1	-1.1	
		10-04-65	154.7	-.7	
		11-01-65	156.5	-2.5	
		12-06-65	153.5	.5	
		1-03-66	153.3	.7	
		2-07-66	92.4	61.6	
		3-01-66	151.9	2.1	
		4-04-66	149.8	4.2	
		5-03-66	151.4	2.6	
		6-06-66	152.4	1.6	
03S/14W-30D02S	116.7	9-21-65	123.7	-7.0	101
		3-16-66	122.3	-5.6	
		4-20-66	122.4	-5.7	
03S/14W-30E01S	156.5	11-26-65	155.8	.7	101
		4-11-66	153.6	2.9	
03S/14W-30F02S	180.0	4-11-66	184.7	-4.7	101
		4-20-66	184.6	-4.6	
03S/14W-30G01S	129.0	9-29-65	141.1	-12.1	101
		10-27-65	139.9	-10.9	
		11-23-65	139.1	-10.1	
		12-30-65	138.0	-9.0	
		1-28-66	137.9	-8.9	
		2-24-66	137.6	-8.6	
03S/14W-30H02S	126.0	8-30-65	144.5	-18.5	101
		9-29-65	144.3	-18.3	
03S/14W-30M02S	175.6	9-22-65	177.4	-1.8	101
		11-26-65	176.8	-1.2	
		4-19-66	173.1	2.5	
		4-28-66	173.5	2.1	
03S/14W-30M03S	226.0	7-28-65	223.5	2.5	101
		9-15-65	223.3	2.7	
		9-29-65	223.1	2.9	
		10-27-65	222.8	3.2	
		11-24-65	222.3	3.7	
		12-22-65	221.6	4.4	
		1-19-66	221.3	4.7	
		3-17-66	226.0	.0	
		4-19-66	220.0	6.0	
		4-28-66	220.5	5.5	
03S/14W-30N01S	182.1	11-30-65	183.1	-1.0	101
		4-19-66	178.5	3.6	
		5-04-66	179.2	2.9	
03S/14W-31A03S	92.3	11-03-65	104.2	-11.9	101
		4-06-66	99.2	-6.9	
03S/14W-31A04S	92.0	11-03-65	94.9	-2.9	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/14W-31A04S	92.0	4-06-66	100.0	-8.0	101
(CONT.)		5-03-66	99.2	-7.2	
03S/14W-31A07S	105.0	8-31-65	111.0(5)	-6.0	101
		10-31-65	110.0(5)	-5.0	
		12-31-65	103.0(5)	2.0	
		2-28-66	103.0(5)	2.0	
		4-30-66	90.0(5)	15.0	
		6-30-66	111.0(5)	-6.0	
03S/14W-31D01S	117.8	7-07-65	116.7	1.1	101
		7-14-65	116.5	1.3	
		7-21-65	116.3	1.5	
		7-28-65	116.2	1.6	
		8-04-65	116.0	1.8	
		8-11-65	116.0	1.8	
		8-18-65	116.3	1.5	
		8-25-65	120.0	-2.2	
		9-01-65	117.0	.8	
		9-08-65	116.5	1.3	
		9-15-65	116.5	1.3	
		9-22-65	116.5	1.3	
		9-29-65	116.4	1.4	
		10-06-65	116.2	1.6	
		10-13-65	116.5	1.3	
		10-20-65	117.0	.8	
		10-27-65	116.2	1.6	
		11-24-65	115.7	2.1	
		12-30-65	114.7	3.1	
		1-26-66	114.4	3.4	
		2-23-66	114.2	3.6	
		3-30-66	113.3	4.5	
		4-20-66	111.2	6.6	
		4-27-66	111.8	6.0	
		6-27-66	110.9	6.9	
03S/14W-31E02S	96.9	7-28-65	98.6	-1.7	101
		8-30-65	99.2	-2.3	
		9-29-65	99.1	-2.2	
		10-29-65	99.8	-2.9	
		11-03-65	100.3	-3.4	
		11-29-65	98.5	-1.6	
		12-30-65	97.6	-.7	
		1-27-66	97.2	-.3	
		2-28-66	94.8	2.1	
		3-10-66	92.8	4.1	
		3-17-66	102.1	-5.2	
		3-24-66	93.5	3.4	
		3-31-66	92.9	4.0	
		4-07-66	92.3	4.6	
		4-14-66	92.1	4.8	
		4-21-66	90.7	6.2	
		4-28-66	91.3	5.6	
		5-05-66	91.3	5.6	
		5-12-66	91.0	5.9	
		5-19-66	90.9	6.0	
		5-26-66	90.5	6.4	
		6-01-66	90.5	6.4	
		6-08-66	90.6	6.3	
		6-15-66	89.8	7.1	
		6-26-66	89.2	7.7	
03S/14W-31L02S	135.7	7-28-65	138.1	-2.4	101
		8-30-65	138.6	-2.9	
		9-20-65	139.2	-3.5	
		10-28-65	138.8	-3.1	
		11-26-65	138.4	-2.7	
		12-30-65	137.5	-1.8	
		1-27-66	137.1	-1.4	
		2-03-66	137.1	-1.4	
		3-24-66	133.1	2.6	
		3-31-66	132.4	3.3	
		4-07-66	131.9	3.8	
		4-14-66	131.3	4.4	
		4-21-66	130.2	5.5	
		4-28-66	129.9	5.8	
		5-05-66	130.4	5.3	
		5-13-66	129.5	6.2	
		5-26-66	129.0	6.7	
		6-01-66	129.0	6.7	
		6-08-66	129.3	6.4	
		6-26-66	127.6	8.1	
03S/14W-31L03S	169.0	7-28-65	170.5	-1.5	101
		8-02-65	170.9	-1.9	
		8-30-65	171.3	-2.3	
		9-29-65	171.5	-2.5	
		10-28-65	171.4	-2.4	
		11-26-65	171.1	-2.1	
		12-30-65	170.2	-1.2	
		1-26-66	169.9	-.9	
		2-23-66	169.1	-.1	
		3-09-66	165.3	3.7	
		3-17-66	174.6	-5.6	
		3-30-66	165.2	3.8	
		4-06-66	164.6	4.4	
		4-13-66	164.3	4.7	
		4-20-66	163.1	5.9	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/14W-31L03S	169.0	4-27-66	163.4	5.6	101
(CONT.)		5-04-66	163.6	5.4	
		5-11-66	163.3	5.7	
		5-18-66	163.1	5.9	
		5-25-66	162.8	6.2	
		6-01-66	162.7	6.3	
		6-08-66	163.0	6.0	
		6-15-66	162.0	7.0	
		6-27-66	161.3	7.7	
03S/14W-31L04S	161.0	7-19-65	163.6	-2.6	101
		7-28-65	163.3	-2.3	
		8-30-65	163.9	-2.9	
		9-29-65	163.9	-2.9	
		10-28-65	163.9	-2.9	
		11-03-65	165.0	-4.0	
		11-26-65	163.4	-2.4	
		1-27-66	162.0	-1.0	
		2-10-66	162.6	-1.6	
		2-23-66	161.6	-.6	
		3-31-66	158.0	3.0	
		4-21-66	156.1	4.9	
03S/14W-32A01S	94.9	7-31-65	169.3(1)	-74.4	101
		8-31-65	121.3(5)	-26.4	
		9-30-65	168.3(1)	-73.4	
		10-31-65	120.3(5)	-25.4	
		11-30-65	167.3(1)	-72.4	
		12-31-65	119.3(5)	-24.4	
		4-30-66	116.3(5)	-21.4	
		6-30-66	115.3(5)	-20.4	
03S/14W-32P02S	90.0	7-07-65	104.7	-14.7	101
		8-02-65	103.2	-13.2	
		9-07-65	103.6	-13.6	
		10-04-65	103.3	-13.3	
		11-01-65	103.2	-13.2	
		12-06-65	106.9	-16.9	
		1-03-66	100.3	-10.3	
		2-07-66	100.9	-10.9	
		3-01-66	100.8	-10.8	
		4-04-66	99.8	-9.8	
		5-03-66	99.1	-9.1	
		6-06-66	99.3	-9.3	
03S/14W-33J03S	78.0	11-03-65	104.3(8)	-26.3	101
		4-06-66	100.3(8)	-22.3	
03S/14W-33L01S	90.0	12-20-65	114.0	-24.0	101
		4-06-66	111.4	-21.4	
03S/14W-33R04S	78.5	11-03-65	103.7	-25.2	101
		4-06-66	99.8(8)	-21.3	
03S/14W-34D05S	72.5	11-03-65	108.0	-35.5	101
		4-06-66	103.8	-31.3	
03S/15W-01L01S	119.0	8-02-65	131.9	-12.9	101
		9-07-65	131.5	-12.5	
		10-04-65	131.9	-12.9	
		11-01-65	130.9	-11.9	
		12-06-65	130.4	-11.4	
		1-12-66	130.1	-11.1	
		2-08-66	129.6	-10.6	
		3-02-66	129.6	-10.6	
		3-11-66	129.6	-10.6	
		3-22-66	129.8	-10.8	
		4-04-66	129.4	-10.4	
		5-04-66	129.4	-10.4	
		6-01-66	129.4	-10.4	
03S/15W-02P01S	75.0	4-06-66	75.2	-.2	101
03S/15W-02P02S	77.5	4-06-66	78.5	-1.0	101
03S/15W-03A01S	71.5	5-02-66	68.6	2.9	101
03S/15W-03B03S	77.7	4-06-66	DRY		101
03S/15W-03H01S	66.8	4-06-66	61.6	5.2	101
03S/15W-03H02S	58.1	3-03-66	54.1	4.0	101
		4-06-66	53.3	4.8	
03S/15W-11M08S	42.0	11-23-65	41.1	.9	101
03S/15W-11M05S	30.0	11-23-65	26.4	3.6	101
		4-18-66	26.2	3.8	
03S/15W-11M06S	31.0	11-23-65	31.2	-.2	101
		4-18-66	30.6	.4	
03S/15W-11M07S	39.2	10-14-65	38.3	.9	101
		11-23-65	37.7	1.5	
		4-18-66	37.7	1.5	
03S/15W-11M08S	42.0	4-18-66	40.6	1.4	101

TABLE C-I

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/15W-11M12S (CONT.)	61.6	11-23-65	60.0	1.6	101
		4-18-66	61.0	.6	
03S/15W-11M15S	77.3	10-18-65	76.2	1.1	101
		11-23-65	75.9	1.4	
		4-18-66	75.5	1.8	
03S/15W-11Q01S	106.2	11-23-65	104.9	1.3	101
		4-18-66	104.1	2.1	
03S/15W-12G02S	107.6	4-20-66	110.8	-3.2	101
		5-25-66	110.4	-2.8	
		6-29-66	110.7	-3.1	
03S/15W-12H02S	127.1	7-06-65	140.6	-13.5	101
		8-02-65	139.9	-12.8	
		9-07-65	138.7	-11.6	
		10-04-65	138.0	-10.9	
		11-30-65	136.5	-9.4	
		1-12-66	135.8	-8.7	
		1-26-66	135.7	-8.6	
		2-08-66	135.1	-8.0	
		2-16-66	135.3	-8.2	
		2-23-66	135.1	-8.0	
		3-09-66	135.0	-7.9	
		3-16-66	135.1	-8.0	
		3-23-66	135.0	-7.9	
		3-30-66	134.9	-7.8	
		4-20-66	134.8	-7.7	
		4-28-66	134.7	-7.6	
		5-02-66	134.7	-7.6	
		5-25-66	134.5	-7.4	
		6-15-66	137.6	-10.5	
		6-29-66	135.9	-8.8	
03S/15W-12H03S	129.0	7-06-65	142.5	-13.5	101
		8-02-65	141.9	-12.9	
		9-07-65	140.8	-11.8	
		10-04-65	140.0	-11.0	
		11-30-65	138.7	-9.7	
		1-13-66	138.2	-9.2	
		1-20-66	138.1	-9.1	
		1-31-66	138.0	-9.0	
		2-09-66	137.2	-8.2	
		2-17-66	137.3	-8.3	
		3-07-66	137.7	-8.7	
		3-17-66	138.0	-9.0	
		3-24-66	136.7	-7.7	
		3-31-66	137.4	-8.4	
		4-14-66	136.7	-7.7	
		4-21-66	137.2	-8.2	
		4-28-66	137.2	-8.2	
		6-15-66	139.5	-10.5	
		6-26-66	138.2	-9.2	
03S/15W-13H04S	103.8	9-02-65	111.4	-7.6	101
		11-30-65	105.6	-1.8	
		1-05-66	104.7	-.9	
		1-31-66	104.4	-.6	
		2-28-66	103.6	.2	
		3-31-66	103.3	.5	
		4-21-66	103.2	.6	
03S/15W-13H05S	103.8	9-02-65	109.5	-5.7	101
		11-29-65	103.6	.2	
		1-05-66	102.6	1.2	
		1-31-66	102.4	1.4	
		2-28-66	101.6	2.2	
		3-31-66	101.0	2.8	
		4-21-66	100.1	3.7	
03S/15W-13H06S	103.8	9-02-65	109.8	-6.0	101
		11-29-65	104.4	-.6	
		1-05-66	103.5	.3	
		1-31-66	103.2	.6	
		2-28-66	102.5	1.3	
		3-31-66	100.5	3.3	
		4-21-66	101.9	1.9	
03S/15W-13H07S	103.8	9-03-65	109.8	-6.0	101
		11-29-65	104.5	-.7	
		1-05-66	103.6	.2	
		1-31-66	103.3	.5	
		2-28-66	102.6	1.2	
		3-31-66	102.4	1.4	
		4-21-66	103.4	.4	
03S/15W-13P01S	112.0	11-30-65	108.1	3.9	101
		1-06-66	107.6	4.4	
		1-26-66	107.5	4.5	
		2-09-66	107.0	5.0	
		2-23-66	107.2	4.8	
		3-30-66	107.0	5.0	
		4-20-66	106.8	5.2	
		5-25-66	106.8	5.2	
		6-29-66	107.8	4.2	
03S/15W-13R07S	155.7	11-29-65	154.7	1.0	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/15W-13R07S (CONT.)	155.7	1-04-66	153.5	2.2	101
		1-31-66	153.3	2.4	
		2-28-66	153.2	2.5	
		3-31-66	152.3	3.4	
		4-21-66	152.6	3.1	
03S/15W-13R08S	155.7	11-30-65	154.1	1.6	101
		1-04-66	153.1	2.6	
		1-31-66	152.9	2.8	
		2-28-66	151.9	3.8	
		3-31-66	151.5	4.2	
		4-21-66	152.0	3.7	
03S/15W-13R09S	155.7	9-01-65	159.9	-4.2	101
		11-29-65	154.8	.9	
		1-04-66	153.4	2.3	
		1-31-66	153.1	2.6	
		3-31-66	152.0	3.7	
		4-21-66	152.2	3.5	
03S/15W-14J01S	154.9	4-11-66	151.3	3.6	101
		4-20-66	151.2	3.7	
03S/15W-24K01S	123.3	11-26-65	120.2	3.1	101
		3-17-66	125.2	-1.9	
		4-19-66	118.5	4.8	
03S/15W-24M01S	93.0	7-08-65	87.6	5.4	101
		7-15-65	87.4	5.6	
		7-22-65	87.4	5.6	
		7-29-65	87.2	5.8	
		8-05-65	87.1	5.9	
		8-12-65	87.0	6.0	
		8-31-65	87.3	5.7	
		9-09-65	87.4	5.6	
		9-16-65	87.0	6.0	
		9-23-65	87.0	6.0	
		9-30-65	86.8	6.2	
		10-07-65	86.8	6.2	
		10-14-65	86.6	6.4	
		10-21-65	86.8	6.2	
		10-29-65	88.6	4.4	
		11-04-65	89.1	3.9	
		11-11-65	86.6	6.4	
		11-29-65	86.1	6.9	
		12-09-65	85.6	7.4	
		12-16-65	85.8	7.2	
		12-30-65	85.8	7.2	
		1-06-66	85.8	7.2	
		1-20-66	85.5	7.5	
		1-31-66	85.7	7.3	
		2-10-66	86.1	6.9	
		2-17-66	85.7	7.3	
		2-28-66	85.7	7.3	
		3-10-66	85.4	7.6	
		3-17-66	88.2	4.8	
		3-24-66	85.5	7.5	
		3-31-66	86.3	6.7	
		4-07-66	85.1	7.9	
		4-14-66	85.3	7.7	
		4-21-66	85.2	7.8	
		4-28-66	85.4	7.6	
		5-05-66	85.3	7.7	
		5-12-66	85.3	7.7	
		5-19-66	85.1	7.9	
		5-26-66	85.3	7.7	
		6-01-66	85.6	7.4	
		6-09-66	86.2	6.8	
		6-26-66	86.0	7.0	
03S/15W-24N01S	120.6	7-08-65	115.2	5.4	101
		7-22-65	114.1	6.5	
		7-29-65	113.9	6.7	
		8-05-65	113.8	6.8	
		8-12-65	114.2	6.4	
		8-19-65	113.7	6.9	
		8-31-65	114.3	6.3	
		9-16-65	113.9	6.7	
		9-23-65	113.7	6.9	
		9-30-65	113.7	6.9	
		10-07-65	113.6	7.0	
		10-14-65	113.5	7.1	
		10-21-65	113.6	7.0	
		10-28-65	115.0	5.6	
		11-04-65	116.4	4.2	
		11-11-65	113.6	7.0	
		11-29-65	113.0	7.6	
		12-09-65	112.7	7.9	
		12-16-65	113.4	7.2	
		12-30-65	112.8	7.8	
		1-06-66	112.8	7.8	
		1-20-66	112.6	8.0	
		2-10-66	112.4	8.2	
		2-17-66	111.8	8.8	
		2-28-66	112.8	7.8	
		3-10-66	112.6	8.0	
		3-25-66	112.7	7.9	
		4-08-66	112.5	8.1	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/15W-24N01S (CONT.)	120.6	4-15-66	112.3	8.3	101
		4-28-66	112.6	8.0	
		5-05-66	112.5	8.1	
		5-12-66	112.6	8.0	
		5-19-66	112.5	8.1	
		5-26-66	112.6	8.0	
		6-01-66	112.8	7.8	
		6-09-66	113.0	7.6	
		6-28-66	112.9	7.7	
03S/15W-24P01S	119.9	7-08-65	112.4	7.5	101
		7-22-65	112.2	7.7	
		7-29-65	112.0	7.9	
		8-05-65	111.9	8.0	
		8-12-65	111.9	8.0	
		8-19-65	111.8	8.1	
		8-27-65	115.8	4.1	
		9-09-65	112.0	7.9	
		9-16-65	112.0	7.9	
		9-23-65	111.8	8.1	
		9-30-65	111.7	8.2	
		10-07-65	111.6	8.3	
		10-14-65	111.5	8.4	
		10-21-65	111.6	8.3	
		10-28-65	114.0	5.9	
		11-04-65	115.5	4.4	
		11-11-65	111.5	8.4	
		11-29-65	111.1	8.8	
		12-09-65	110.7	9.2	
		12-16-65	111.3	8.6	
		12-30-65	110.8	9.1	
		1-06-66	110.7	9.2	
		1-20-66	110.6	9.3	
		1-31-66	110.7	9.2	
		2-10-66	111.2	8.7	
		2-17-66	110.8	9.1	
		2-28-66	110.8	9.1	
		3-10-66	110.5	9.4	
		3-17-66	114.6	5.3	
		3-24-66	110.6	9.3	
		3-31-66	110.9	9.0	
		4-07-66	110.2	9.7	
		4-14-66	111.3	8.6	
		4-21-66	110.2	9.7	
		4-28-66	110.5	9.4	
		5-05-66	110.4	9.5	
		5-12-66	110.4	9.5	
		5-19-66	110.7	9.2	
		5-26-66	110.5	9.4	
		6-01-66	111.2	8.7	
		6-09-66	111.0	8.9	
		6-26-66	110.7	9.2	
03S/15W-24P02S	162.9	11-26-65	158.1	4.8	101
		2-15-66	155.7	7.2	
		4-19-66	155.2	7.7	
03S/15W-25A03S	156.0	12-02-65	156.0	.0	101
		12-30-65	155.5	.5	
		2-02-66	155.2	.8	
		3-30-66	154.6	1.4	
		6-27-66	151.8	4.2	
03S/15W-25B01S	182.7	7-12-65	177.2	5.5	101
		11-26-65	175.9	6.8	
		12-06-65	175.8	6.9	
		2-10-66	175.1	7.6	
		4-19-66	174.9	7.8	
03S/15W-25B02S	126.5	9-16-65	124.1	2.4	101
		11-26-65	122.9	3.6	
		2-24-66	121.8	4.7	
		4-19-66	121.5	5.0	
03S/15W-25B03S	161.4	11-26-65	155.0	6.4	101
		2-15-66	155.3	6.1	
		4-19-66	159.0	2.4	
03S/15W-25C03S	112.9	11-29-65	105.6	7.3	101
		3-22-66	105.3	7.6	
		3-31-66	108.7	4.2	
		4-15-66	106.4	6.5	
		6-15-66	105.0	7.9	
03S/15W-25C04S	136.8	9-17-65	130.6	6.2	101
		11-26-65	129.7	7.1	
		3-15-66	131.8	5.0	
		4-19-66	128.7	8.1	
03S/15W-25C05S	103.8	11-26-65	97.9	5.9	101
		3-17-66	99.2	4.6	
		4-19-66	97.7	6.1	
03S/15W-25D01S	82.7	10-19-65	78.6	4.1	101
		11-26-65	77.9	4.8	
		4-19-66	78.0	4.7	
		5-17-66	78.2	4.5	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/15W-25D02S	22.6	8-26-65	18.5	4.1	101
		2-17-66	19.1	3.5	
		4-19-66	18.6	4.0	
03S/15W-25F01S	106.0	7-08-65	99.7	6.3	101
		7-15-65	99.3	6.7	
		7-22-65	99.5	6.5	
		7-29-65	99.3	6.7	
		8-05-65	98.5	7.5	
		8-12-65	99.1	6.9	
		8-19-65	99.0	7.0	
		8-31-65	99.5	6.5	
		9-09-65	99.4	6.6	
		9-16-65	99.2	6.8	
		9-23-65	99.1	6.9	
		9-30-65	99.1	6.9	
		10-07-65	99.0	7.0	
		10-14-65	98.9	7.1	
		10-21-65	100.1	5.9	
		10-28-65	100.7	5.3	
		11-04-65	102.5	3.5	
		11-11-65	98.7	7.3	
		11-29-65	98.7	7.3	
		12-09-65	98.4	7.6	
		12-16-65	98.3	7.7	
		12-30-65	98.3	7.7	
		1-06-66	98.2	7.8	
		1-20-66	98.1	7.9	
		1-31-66	98.2	7.8	
		2-10-66	97.9	8.1	
		2-17-66	98.8	7.2	
		2-28-66	98.2	7.8	
		3-10-66	98.0	8.0	
		3-17-66	101.9	4.1	
		3-24-66	97.7	8.3	
		3-31-66	100.3	5.7	
		4-07-66	97.8	8.2	
		4-14-66	98.0	8.0	
		4-21-66	97.9	8.1	
		4-28-66	98.1	7.9	
		5-05-66	98.2	7.8	
		5-12-66	98.1	7.9	
		5-19-66	98.1	7.9	
		5-26-66	98.1	7.9	
03S/15W-25F04S	99.0	7-08-65	92.9	6.1	101
		7-15-65	92.7	6.3	
		7-22-65	92.7	6.3	
		7-29-65	91.9	7.1	
		8-05-65	92.4	6.6	
		8-12-65	92.4	6.6	
		8-19-65	92.2	6.8	
		8-31-65	92.7	6.3	
		9-09-65	92.4	6.6	
		9-16-65	92.2	6.8	
		9-23-65	92.4	6.6	
		9-30-65	92.3	6.7	
		10-07-65	92.1	6.9	
		10-14-65	92.0	7.0	
		10-21-65	92.0	7.0	
		10-28-65	93.4	5.6	
		11-04-65	95.8	3.2	
		11-11-65	92.6	6.4	
		11-29-65	91.8	7.2	
		12-09-65	91.5	7.5	
		12-16-65	91.5	7.5	
		12-30-65	91.4	7.6	
		1-06-66	90.9	8.1	
		1-20-66	91.3	7.7	
		1-31-66	91.3	7.7	
		2-10-66	92.1	6.9	
		2-17-66	92.0	7.0	
		2-28-66	91.3	7.7	
		3-10-66	91.0	8.0	
		3-17-66	95.2	3.8	
		3-24-66	92.0	7.0	
		3-31-66	91.4	7.6	
		4-07-66	91.1	7.9	
		4-14-66	91.1	7.9	
		4-21-66	91.0	8.0	
		4-28-66	90.2	8.8	
		5-05-66	91.3	7.7	
		5-12-66	91.2	7.8	
		5-19-66	91.3	7.7	
		5-26-66	91.2	7.8	
		6-01-66	91.4	7.6	
		6-09-66	91.7	7.3	
		6-26-66	91.0	8.0	
03S/15W-25G03S	90.0	7-08-65	84.3	5.7	101
		7-15-65	84.0	6.0	
		7-22-65	84.1	5.9	
		7-29-65	83.9	6.1	
		8-05-65	83.8	6.2	
		8-12-65	84.3	5.7	
		8-19-65	83.6	6.4	
		8-31-65	83.9	6.1	
		9-09-65	83.5	6.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/15W-25G03S	90.0	9-16-65	83.7	6.3	101
(CONT.)		9-23-65	83.5	6.5	
		9-30-65	83.5	6.5	
		10-07-65	83.4	6.6	
		10-14-65	83.2	6.8	
		10-21-65	86.1	3.9	
		10-28-65	84.8	5.2	
		11-04-65	87.1	2.9	
		11-11-65	83.6	6.4	
		11-29-65	84.0	6.0	
		12-09-65	84.4	5.6	
		12-16-65	81.6	8.4	
		12-30-65	82.5	7.5	
		1-06-66	82.5	7.5	
		1-20-66	82.4	7.6	
		1-31-66	82.6	7.4	
		2-10-66	82.3	7.7	
		2-17-66	83.5	6.5	
		2-28-66	82.5	7.5	
		3-10-66	82.3	7.7	
		3-17-66	86.6	3.4	
		3-24-66	82.8	7.2	
		3-31-66	85.7	4.3	
		4-07-66	83.3	6.7	
		4-14-66	82.3	7.7	
		4-21-66	82.2	7.8	
		4-28-66	83.0	7.0	
		5-05-66	82.1	7.9	
		5-12-66	82.5	7.5	
		5-19-66	82.5	7.5	
		5-26-66	82.5	7.5	
		6-01-66	82.7	7.3	
		6-09-66	82.9	7.1	
		6-26-66	82.3	7.7	
03S/15W-25G04S	90.2	3-22-66	83.1	7.1	101
		3-31-66	82.8	7.4	
03S/15W-25G06S	115.3	9-17-65	109.4	5.9	101
		11-26-65	108.7	6.6	
		3-16-66	111.9	3.4	
		4-19-66	107.8	7.5	
03S/15W-25G07S	145.4	4-19-66	138.8	6.6	101
03S/15W-25G08S	73.7	11-26-65	66.6	7.1	101
		3-14-66	68.5	5.2	
		4-19-66	66.0	7.7	
03S/15W-25G09S	86.0	7-08-65	80.3	5.7	101
		7-15-65	81.1	4.9	
		7-22-65	80.2	5.8	
		7-29-65	79.9	6.1	
		8-05-65	79.9	6.1	
		8-12-65	80.3	5.7	
		8-19-65	79.8	6.2	
		8-31-65	79.9	6.1	
		9-09-65	79.8	6.2	
		9-16-65	79.7	6.3	
		9-23-65	79.6	6.4	
		9-30-65	79.5	6.5	
		10-07-65	79.4	6.6	
		10-14-65	79.3	6.7	
		10-21-65	82.2	3.8	
		10-28-65	81.1	4.9	
		11-04-65	83.2	2.8	
		11-11-65	79.9	6.1	
		11-29-65	80.0	6.0	
		12-09-65	79.0	7.0	
		12-16-65	78.6	7.4	
		12-30-65	78.5	7.5	
		1-06-66	78.3	7.7	
		1-20-66	78.2	7.8	
		1-31-66	78.4	7.6	
		2-10-66	78.6	7.4	
		2-17-66	79.4	6.6	
		2-28-66	78.3	7.7	
		3-10-66	78.0	8.0	
		3-17-66	87.5	-1.5	
		3-24-66	78.5	7.5	
		3-31-66	78.5	7.5	
		4-07-66	78.1	7.9	
		4-14-66	78.1	7.9	
		4-21-66	77.9	8.1	
		4-28-66	78.4	7.6	
		5-05-66	78.4	7.6	
		5-12-66	78.3	7.7	
		5-19-66	78.4	7.6	
		5-26-66	78.3	7.7	
		6-01-66	78.5	7.5	
		6-09-66	78.7	7.3	
		6-26-66	78.1	7.9	
03S/15W-25G10S	146.5	4-19-66	139.4	7.1	101
03S/15W-25H03S	209.1	7-14-65	205.7	3.4	101
		7-21-65	205.5	3.6	
		7-28-65	205.3	3.8	
03S/15W-25H03S	209.1	8-04-65	205.3	3.8	101
(CONT.)		8-11-65	205.1	4.0	
		8-18-65	205.1	4.0	
		8-25-65	207.9	1.2	
		9-01-65	205.4	3.7	
		9-08-65	205.2	3.9	
		9-15-65	205.1	4.0	
		9-22-65	205.1	4.0	
		9-29-65	204.8	4.3	
		10-06-65	204.5	4.6	
		10-13-65	204.6	4.5	
		10-20-65	204.8	4.3	
		10-27-65	204.4	4.7	
		11-24-65	204.3	4.8	
		12-30-65	203.5	5.6	
		1-17-66	203.3	5.8	
		3-15-66	205.5	3.6	
		4-19-66	203.1	6.0	
03S/15W-25K03S	90.0	7-08-65	85.0	5.0	101
		7-15-65	84.8	5.2	
		7-22-65	84.8	5.2	
		7-29-65	83.5	6.5	
		8-05-65	83.5	6.5	
		8-12-65	83.5	6.5	
		8-19-65	83.5	6.5	
		8-31-65	83.6	6.4	
		9-09-65	83.3	6.7	
		9-16-65	83.2	6.8	
		9-23-65	83.1	6.9	
		9-30-65	83.0	7.0	
		10-07-65	82.8	7.2	
		10-14-65	82.8	7.2	
		10-21-65	82.9	7.1	
		10-28-65	85.4	4.6	
		11-04-65	87.0	3.0	
		11-11-65	83.5	6.5	
		11-29-65	82.5	7.5	
		12-09-65	82.2	7.8	
		12-16-65	82.0	8.0	
		12-30-65	82.1	7.9	
		1-06-66	82.8	7.2	
		1-20-66	81.3	8.7	
		1-31-66	80.4	9.6	
		2-10-66	81.3	8.7	
		2-17-66	82.7	7.3	
		2-28-66	81.4	8.6	
		3-10-66	81.1	8.9	
		3-17-66	91.2	-1.2	
		3-24-66	81.9	8.1	
		3-31-66	82.5	7.5	
		4-07-66	81.2	8.8	
		4-14-66	81.1	8.9	
		4-21-66	81.0	9.0	
		4-28-66	82.1	7.9	
		5-05-66	81.6	8.4	
		5-12-66	81.6	8.4	
		5-19-66	81.5	8.5	
		5-26-66	81.5	8.5	
		6-01-66	81.6	8.4	
		6-09-66	81.9	8.1	
		6-26-66	81.2	8.8	
03S/15W-25K07S	135.4	11-26-65	129.4	6.0	101
		4-19-66	127.8	7.6	
		5-04-66	128.3	7.1	
03S/15W-25K14S	71.0	7-08-65	64.8	6.2	101
		7-15-65	64.6	6.4	
		7-22-65	64.6	6.4	
		7-29-65	64.3	6.7	
		8-05-65	64.3	6.7	
		8-12-65	64.1	6.9	
		8-19-65	64.3	6.7	
		8-31-65	64.5	6.5	
		9-09-65	64.2	6.8	
		9-16-65	64.1	6.9	
		9-23-65	64.0	7.0	
		9-30-65	63.8	7.2	
		10-07-65	63.7	7.3	
		10-14-65	63.6	7.4	
		10-21-65	63.0	8.0	
		10-28-65	66.5	4.5	
		11-08-65	67.2	3.8	
		11-17-65	64.1	6.9	
		11-29-65	63.3	7.7	
		12-09-65	63.2	7.8	
		12-16-65	62.9	8.1	
		12-30-65	62.8	8.2	
		1-06-66	62.7	8.3	
		1-20-66	62.2	8.8	
		1-31-66	62.5	8.5	
		2-10-66	62.1	8.9	
		2-17-66	64.0	7.0	
		2-28-66	62.6	8.4	
		3-10-66	62.2	8.8	
		3-17-66	71.3	-.3	
		3-24-66	63.0	8.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/15W-25K14S (CONT.)	71.0	3-31-66	62.7	8.3	101
		4-07-66	62.2	8.8	
		4-14-66	62.2	8.8	
		4-21-66	62.0	9.0	
		4-28-66	62.8	8.2	
		5-05-66	62.9	8.1	
		5-12-66	62.9	8.1	
		5-19-66	61.8	9.2	
		5-26-66	62.7	8.3	
		6-01-66	62.8	8.2	
		6-09-66	63.0	8.0	
		6-26-66	62.4	8.6	
03S/15W-25L01S	73.4	11-26-65	66.4	7.0	101
		3-14-66	67.7	5.7	
		4-19-66	65.8	7.6	
03S/15W-25L02S	94.4	8-24-65	90.1	4.3	101
		11-26-65	87.4	7.0	
		4-19-66	86.8	7.6	
		5-16-66	88.0	6.4	
03S/15W-25M01S	23.9	8-25-65	20.8	3.1	101
		5-18-66	19.6	4.3	
03S/15W-25P01S	73.0	10-20-65	69.6	3.4	101
		11-26-65	69.1	3.9	
		4-05-66	69.1	3.9	
		4-19-66	69.2	3.8	
03S/15W-25P02S	14.0	7-15-65	11.3	2.7	101
		5-19-66	11.1	2.9	
03S/15W-25Q03S	72.5	11-26-65	68.2	4.3	101
		3-17-66	69.1	3.4	
		4-05-66	69.3	3.2	
		4-19-66	66.2	6.3	
03S/15W-25R01S	137.8	11-26-65	130.5	7.3	101
		4-07-66	129.5	8.3	
		4-19-66	129.3	8.5	
03S/15W-25R02S	178.0	9-20-65	174.0	4.0	101
		11-26-65	172.9	5.1	
		4-07-66	174.9	3.1	
		4-19-66	171.0	7.0	
03S/15W-25R04S	70.6	7-07-65	62.5	8.1	101
		7-14-65	62.3	8.3	
		7-21-65	62.1	8.5	
		7-28-65	62.0	8.6	
		8-04-65	61.9	8.7	
		8-11-65	61.8	8.8	
		8-18-65	61.8	8.8	
		8-25-65	69.6	1.0	
		9-01-65	62.5	8.1	
		9-08-65	62.0	8.6	
		9-15-65	61.9	8.7	
		9-22-65	61.8	8.8	
		9-29-65	61.6	9.0	
		10-06-65	61.4	9.2	
		10-13-65	61.5	9.1	
		10-21-65	62.2	8.4	
		10-28-65	67.5	3.1	
		11-08-65	72.1	-1.5	
		11-17-65	61.3	9.3	
		11-29-65	59.6	11.0	
		12-09-65	60.4	10.2	
		12-16-65	60.1	10.5	
		12-30-65	60.1	10.5	
		1-06-66	60.1	10.5	
		1-13-66	59.8	10.8	
		1-20-66	59.6	11.0	
		1-31-66	59.7	10.9	
		2-10-66	59.4	11.2	
		2-17-66	62.7	7.9	
		2-28-66	62.5	8.1	
		3-10-66	61.8	8.8	
		3-17-66	69.1	1.5	
		3-24-66	60.7	9.9	
		3-31-66	61.3	9.3	
		4-07-66	60.8	9.8	
		4-14-66	60.5	10.1	
		4-21-66	60.4	10.2	
		4-28-66	62.9	7.7	
		5-05-66	63.1	7.5	
		5-12-66	63.0	7.6	
		5-19-66	63.0	7.6	
		5-26-66	62.9	7.7	
		6-01-66	63.0	7.6	
		6-08-66	63.1	7.5	
		6-15-66	62.8	7.8	
		6-28-66	62.4	8.2	
03S/15W-36A02S	64.2	7-08-65	60.8	3.4	101
		7-15-65	60.5	3.7	
		7-22-65	60.6	3.6	
		7-29-65	60.5	3.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/15W-36A02S (CONT.)	64.2	8-05-65	60.5	3.7	101
		8-12-65	60.5	3.7	
		8-19-65	60.6	3.6	
		8-31-65	61.0	3.2	
		9-09-65	61.1	3.1	
		9-16-65	61.3	2.9	
		9-23-65	61.0	3.2	
		9-30-65	61.0	3.2	
		10-14-65	61.1	3.1	
		10-21-65	61.0	3.2	
		10-28-65	63.0	1.2	
		11-08-65	64.3	-.1	
		11-17-65	60.6	3.6	
		11-29-65	59.9	4.3	
		12-09-65	59.6	4.6	
		12-16-65	59.6	4.6	
		12-30-65	59.4	4.8	
		1-06-66	59.3	4.9	
		1-13-66	59.2	5.0	
		1-20-66	60.0	4.2	
		1-31-66	59.3	4.9	
		2-10-66	59.0	5.2	
		2-17-66	61.2	3.0	
		2-28-66	58.9	5.3	
		3-10-66	58.9	5.3	
		3-17-66	65.5	-1.3	
		3-24-66	58.8	5.4	
		3-31-66	55.9	8.3	
		4-07-66	55.8	8.4	
		4-14-66	55.3	8.9	
		4-21-66	54.9	9.3	
		4-28-66	56.2	8.0	
		5-05-66	56.3	7.9	
		5-12-66	56.0	8.2	
		5-19-66	56.0	8.2	
		5-26-66	55.6	8.6	
		6-01-66	55.6	8.6	
		6-08-66	55.6	8.6	
		6-15-66	55.1	9.1	
		6-26-66	55.1	9.1	
03S/15W-36H03S	58.2	8-30-65	57.9	.3	101
		9-29-65	57.2	1.0	
		10-28-65	58.3	-.1	
		11-02-65	61.2	-3.0	
		11-29-65	56.2	2.0	
		12-30-65	55.6	2.6	
		1-27-66	55.2	3.0	
		2-28-66	54.4	3.8	
		3-10-66	53.4	4.8	
		3-17-66	61.0	-2.8	
		3-24-66	55.0	3.2	
		3-31-66	54.7	3.5	
		4-07-66	51.9	6.3	
		4-14-66	51.5	6.7	
		4-21-66	50.8	7.4	
		4-28-66	51.8	6.4	
		5-05-66	51.9	6.3	
		5-12-66	51.7	6.5	
		5-19-66	51.7	6.5	
		5-26-66	51.4	6.8	
		6-01-66	51.5	6.7	
		6-08-66	51.5	6.7	
		6-15-66	50.9	7.3	
		6-26-66	50.9	7.3	
04S/12W-30R01S	15.6	7-23-65	86.2	-70.6	101
		12-20-65	93.5	-77.9	
		4-22-66	94.2	-78.6	
04S/12W-31C01S	26.1	7-23-65	48.0	-21.9	101
		12-01-65	47.7	-21.6	
		3-30-66	48.2	-22.1	
		4-25-66	48.6	-22.5	
04S/12W-31H01S	36.3	12-01-65	60.6	-24.3	101
		4-08-66	61.4	-25.1	
		4-25-66	61.1	-24.8	
04S/12W-32G01S	38.0	7-30-65	40.5	-2.5	206
		8-20-65	41.1	-3.1	
		9-10-65	40.9	-2.9	
		10-01-65	40.2	-2.2	
		10-22-65	40.1	-2.1	
		11-12-65	46.3	-8.3	
		12-03-65	40.1	-2.1	
		12-23-65	42.2	-4.2	
		1-14-66	42.3	-4.3	
		3-18-66	44.2	-6.2	
		4-08-66	42.2	-4.2	
		4-29-66	42.3	-4.3	
		5-20-66	42.2	-4.2	
		6-10-66	42.4	-4.4	
04S/13W-02P01S	38.7	11-09-65	74.7(8)	-36.0	101
		4-18-66	72.6(8)	-33.9	
04S/13W-04H01S	15.0	11-12-65	74.9	-59.9	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/13W-04M01S (CONT.)	15.0	4-12-66	74.6	-59.6	101
04S/13W-05L01S	13.8	10-05-65	96.5	-82.7	101
		11-01-65	95.2	-81.4	
		12-06-65	94.5	-80.7	
		2-09-66	96.1(8)	-82.3	
		3-02-66	89.3(8)	-75.5	
		4-04-66	91.9(8)	-78.1	
		5-03-66	91.9(8)	-78.1	
		6-06-66	92.6(8)	-78.8	
04S/13W-07H01S	20.3	11-01-65	96.3(8)	-76.0	101
		1-03-66	20.3	.0	
		2-09-66	90.2(8)	-69.9	
		3-01-66	90.5	-70.2	
		4-04-66	92.0(8)	-71.7	
		6-06-66	93.0(8)	-72.7	
04S/13W-08G02S	8.9	4-11-66	44.6	-35.7	101
04S/13W-10H01S	31.9	7-30-65	63.4	-31.5	206
		8-20-65	64.2	-32.3	
		9-10-65	63.1	-31.2	
		10-01-65	62.1	-30.2	
		10-22-65	61.9	-30.0	
		11-12-65	62.2	-30.3	
		12-03-65	62.0	-30.1	
		12-23-65	61.3	-29.4	
		1-14-66	61.7	-29.8	
		2-04-66	61.1	-29.2	
		2-25-66	60.3	-28.4	
		3-18-66	64.0	-32.1	
		4-08-66	63.5	-31.6	
		4-29-66	63.0	-31.1	
		5-20-66	62.7	-30.8	
		6-10-66	62.3	-30.4	
04S/13W-10J08S	30.0	11-08-65	79.1	-49.1	101
		4-15-66	79.0	-49.0	
04S/13W-10J09S	30.0	4-15-66	62.7	-32.7	101
04S/13W-10L01S	28.0	4-15-66	16.2	11.8	101
04S/13W-11K01S	34.6	4-15-66	66.7	-32.1	101
04S/13W-11K03S	34.7	4-08-66	66.2	-31.5	101
04S/13W-11R01S	32.5	11-01-65	DRY		101
		4-11-66	DRY		
04S/13W-14A06S	5.0	8-04-65	32.6	-27.6	101
		8-19-65	31.4	-26.4	
		9-02-65	31.6	-26.6	
		9-30-65	31.8	-26.8	
		10-28-65	32.1	-27.1	
		1-13-66	32.3	-27.3	
		1-27-66	32.2	-27.2	
		3-10-66	32.0	-27.0	
		4-08-66	31.5	-26.5	
04S/13W-14H02S	33.0	8-04-65	DRY		101
		8-19-65	DRY		
		9-02-65	DRY		
		9-30-65	DRY		
		10-28-65	DRY		
		1-13-66	DRY		
		1-27-66	DRY		
		3-10-66	DRY		
		4-08-66	DRY		
04S/13W-14H05S	33.0	7-08-65	DRY		101
		8-04-65	DRY		
		8-19-65	DRY		
		9-02-65	DRY		
		9-30-65	DRY		
		10-28-65	DRY		
		1-13-66	DRY		
		1-27-66	DRY		
		3-10-66	DRY		
		4-08-66	DRY		
04S/13W-14J05S	41.0	11-01-65	DRY		101
		4-11-66	DRY		
04S/13W-14L01S	29.0	7-05-65	63.0	-34.0	206
		7-12-65	63.3	-34.3	
		7-19-65	63.3	-34.3	
		7-26-65	63.4	-34.4	
		8-02-65	63.3	-34.3	
		8-09-65	63.4	-34.4	
		8-16-65	63.4	-34.4	
		8-23-65	63.4	-34.4	
		8-30-65	63.5	-34.5	
		9-06-65	63.5	-34.5	
		9-13-65	63.5	-34.5	
		9-20-65	63.5	-34.5	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/13W-14L01S (CONT.)	29.0	9-27-65	63.6	-34.6	206
		10-04-65	63.6	-34.6	
		10-11-65	63.5	-34.5	
		10-18-65	63.6	-34.6	
		10-25-65	63.6	-34.6	
		11-01-65	63.6	-34.6	
		11-15-65	63.7	-34.7	
		11-22-65	63.6	-34.6	
		11-29-65	63.6	-34.6	
		12-06-65	63.7	-34.7	
		12-13-65	63.8	-34.8	
		12-20-65	63.8	-34.8	
		12-27-65	63.8	-34.8	
		1-03-66	63.8	-34.8	
		1-10-66	63.9	-34.9	
		1-17-66	63.8	-34.8	
		1-24-66	63.9	-34.9	
		1-31-66	63.9	-34.9	
		2-07-66	63.8	-34.8	
		2-14-66	64.0	-35.0	
		2-21-66	64.0	-35.0	
		2-28-66	64.1	-35.1	
		3-07-66	64.0	-35.0	
		3-14-66	64.0	-35.0	
		3-21-66	64.1	-35.1	
		3-28-66	64.1	-35.1	
		4-11-66	64.1	-35.1	
		4-18-66	64.2	-35.2	
		4-25-66	64.2	-35.2	
		5-02-66	64.2	-35.2	
		5-09-66	64.2	-35.2	
		5-16-66	64.3	-35.3	
		5-23-66	64.2	-35.2	
		5-31-66	64.3	-35.3	
		6-06-66	64.2	-35.2	
		6-13-66	64.3	-35.3	
		6-20-66	64.3	-35.3	
		6-27-66	64.4	-35.4	
04S/13W-14Q08S	25.9	4-18-66	19.7	6.2	101
04S/13W-15Q05S	25.0	11-08-65	68.7	-43.7	101
		4-15-66	68.7	-43.7	
04S/13W-16F02S	16.3	11-02-65	40.8	-24.5	101
		4-11-66	40.1	-23.8	
04S/13W-19J02S	44.3	7-07-65	113.3	-69.0	101
		8-02-65	113.4	-69.1	
		9-07-65	111.8	-67.5	
		10-04-65	111.0	-66.7	
		11-01-65	110.2	-65.9	
		12-06-65	109.2	-64.9	
		1-03-66	108.5	-64.2	
		2-08-66	107.7	-63.4	
		3-01-66	107.9	-63.6	
		4-04-66	110.0	-65.7	
		5-03-66	109.1	-64.8	
		6-06-66	111.2	-66.9	
04S/13W-21A01S	16.0	4-11-66	36.4	-20.4	101
04S/13W-21H03S	34.0	4-13-66	126.2	-92.2	101
04S/13W-22C03S	29.0	11-02-65	67.4	-38.4	101
		4-11-66	64.8	-35.8	
04S/13W-22C05S	18.2	11-02-65	54.4	-36.2	101
		4-11-66	55.1	-36.9	
04S/13W-22F03S	21.1	4-15-66	51.7	-30.6	101
04S/13W-22G01S	28.3	4-11-66	63.6	-35.3	101
04S/13W-22G05S	18.7	4-11-66	59.2	-40.5	101
		4-22-66	60.9	-42.2	
04S/13W-22K02S	17.7	11-02-65	DRY		101
		4-11-66	DRY		
04S/13W-22K05S	19.2	11-08-65	58.4(8)	-39.2	101
		4-15-66	124.5(3)	-105.3	
04S/13W-22K14S	17.1	4-15-66	36.0	-18.9	101
04S/13W-22K15S	17.3	4-15-66	52.9	-35.6	101
04S/13W-22K16S	17.0	4-15-66	30.3	-13.3	101
04S/13W-22K19S	16.3	4-15-66	39.2	-22.9	101
04S/13W-22K20S	15.8	11-08-65	DRY		101
04S/13W-22K21S	16.0	11-08-65	41.5	-25.5	101
04S/13W-22K30S	16.0	11-08-65	58.5	-42.5	101
04S/13W-22Q03S	15.3	12-21-65	105.3	-90.0	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/13W-22Q03S (CONT.)	15.3	4-18-66	107.4	-92.1	101
04S/13W-22Q04S	15.5	8-09-65	113.1	-97.6	101
		12-21-65	106.0	-90.5	
		4-18-66	108.0	-92.5	
04S/13W-22Q05S	15.9	12-21-65	52.1	-36.2	101
		4-18-66	56.1	-40.2	
04S/13W-22R04S	18.0	11-08-65	54.6	-36.6	101
		4-15-66	54.9	-36.9	
04S/13W-23A02S	35.7	12-23-65	68.0	-32.3	101
		4-01-66	69.7	-34.0	
		4-19-66	69.7	-34.0	
04S/13W-23B02S	24.5	7-12-65	118.8	-94.3	206
		7-19-65	121.6	-97.1	
		7-26-65	121.9	-97.4	
		8-02-65	122.6	-98.1	
		8-09-65	123.5	-99.0	
		8-16-65	123.5	-99.0	
		8-23-65	123.2	-98.7	
		8-30-65	124.0	-99.5	
		9-06-65	123.9	-99.4	
		9-13-65	123.3	-98.8	
		9-20-65	121.1	-96.6	
		9-27-65	120.7	-96.2	
		10-04-65	120.3	-95.8	
		10-11-65	118.8	-94.3	
		10-18-65	117.8	-93.3	
		10-25-65	119.9	-95.4	
		11-01-65	118.9	-94.4	
		11-15-65	118.1	-93.6	
		11-22-65	117.4	-92.9	
		11-29-65	116.9	-92.4	
		12-06-65	116.7	-92.2	
		12-13-65	116.3	-91.8	
		12-20-65	116.2	-91.7	
		12-27-65	113.8	-89.3	
		1-03-66	111.5	-87.0	
		1-10-66	112.3	-87.8	
		1-17-66	113.5	-89.0	
		1-24-66	114.1	-89.6	
		1-31-66	113.9	-89.4	
		2-07-66	114.5	-90.0	
		2-14-66	115.1	-90.6	
		2-21-66	115.1	-90.6	
		2-28-66	114.4	-89.9	
		3-07-66	114.5	-90.0	
		3-14-66	115.7	-91.2	
		3-21-66	117.5	-93.0	
		3-28-66	116.9	-92.4	
		4-11-66	117.1	-92.6	
		4-18-66	118.3	-93.8	
		4-25-66	118.1	-93.6	
		5-02-66	116.6	-92.1	
		5-09-66	116.2	-91.7	
		5-16-66	116.6	-92.1	
		5-23-66	116.1	-91.6	
		5-30-66	116.3	-91.8	
		6-06-66	115.3	-90.8	
		6-13-66	113.3	-88.8	
		6-20-66	113.0	-88.5	
		6-27-66	113.1	-88.6	
04S/13W-23H04S	35.6	4-11-66	DRY		101
04S/13W-23N03S	17.4	11-03-65	109.7	-92.3	101
		4-18-66	110.0	-92.6	
04S/13W-23N04S	17.4	11-03-65	52.1	-34.7	101
		4-18-66	51.4	-34.0	
04S/13W-23N05S	17.4	4-18-66	56.7	-39.3	101
04S/13W-23Q02S	19.3	11-08-65	DRY		101
		4-18-66	DRY		
04S/13W-24N04S	19.0	11-08-65	DRY		101
		4-18-66	DRY		
04S/13W-25F01S	13.1	7-20-65	41.4	-28.3	101
		12-20-65	42.6	-29.5	
		4-18-66	42.5	-29.4	
04S/13W-26A02S	32.0	7-26-65	129.4	-97.4	101
		12-23-65	123.4	-91.4	
		3-08-66	108.4	-76.4	
		4-18-66	124.3	-92.3	
04S/13W-26A03S	32.3	7-26-65	65.7	-33.4	101
		12-23-65	65.8	-33.5	
		3-08-66	66.1	-33.8	
		4-18-66	67.1	-34.8	
04S/13W-26A04S	31.8	7-26-65	63.0	-31.2	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/13W-26A04S (CONT.)	31.8	12-23-65	63.8	-32.0	101
		3-08-66	69.2	-37.4	
		4-18-66	64.2	-32.4	
04S/13W-26F05S	12.5	7-19-65	110.0	-97.5	101
		12-21-65	103.4	-90.9	
		3-22-66	105.9	-93.4	
		4-22-66	105.9	-93.4	
04S/13W-26F06S	12.9	7-19-65	52.7	-39.8	101
		12-21-65	51.4	-38.5	
		3-22-66	52.9	-40.0	
		4-22-66	53.1	-40.2	
04S/13W-26F07S	12.8	7-19-65	45.6	-32.8	101
		12-21-65	45.5	-32.7	
		3-22-66	46.9	-34.1	
		4-22-66	46.3	-33.5	
04S/13W-26P02S	10.3	7-09-65	39.2	-28.9	206
		7-30-65	40.5	-30.2	
		8-20-65	41.3	-31.0	
		9-10-65	41.6	-31.3	
		10-01-65	40.4	-30.1	
		10-22-65	40.6	-30.3	
		11-02-65	40.8	-30.5	
		12-03-65	40.5	-30.2	
		12-23-65	39.8	-29.5	
		1-14-66	40.6	-30.3	
		2-04-66	39.5	-29.2	
		2-25-66	39.1	-28.8	
		3-18-66	41.3	-31.0	
		4-08-66	40.8	-30.5	
		4-20-66	40.3	-30.0	
		5-20-66	40.4	-30.1	
		6-10-66	41.0	-30.7	
04S/13W-26R01S	27.3	12-23-65	61.0	-33.7	101
		3-03-66	59.7	-32.4	
		4-18-66	62.4	-35.1	
04S/13W-26R02S	28.0	12-23-65	122.0	-94.0	101
		3-03-66	118.5	-90.5	
		4-18-66	121.5	-93.5	
04S/13W-26R03S	27.4	12-23-65	58.4	-31.0	101
		3-03-66	59.0	-31.6	
		4-18-66	59.5	-32.1	
04S/13W-27A02S	17.0	11-01-65	52.1	-35.1	101
		4-05-66	52.3	-35.3	
04S/13W-27E01S	39.2	12-22-65	128.7	-89.5	101
		4-06-66	130.2	-91.0	
		4-19-66	130.3	-91.1	
04S/13W-27E02S	39.0	12-22-65	88.8	-49.8	101
		4-06-66	89.9	-50.9	
		4-19-66	91.4	-52.4	
04S/13W-27H01S	11.2	7-09-65	46.5	-35.3	206
		7-30-65	46.7	-35.5	
		8-20-65	47.7	-36.5	
		9-10-65	48.3	-37.1	
		10-01-65	45.4	-34.2	
		10-22-65	45.4	-34.2	
		11-12-65	45.8	-34.6	
		12-03-65	45.5	-34.3	
		12-23-65	45.5	-34.3	
		1-14-66	45.4	-34.2	
		2-04-66	45.3	-34.1	
		2-25-66	45.1	-33.9	
		3-18-66	46.1	-34.9	
		4-08-66	46.0	-34.8	
		4-29-66	45.2	-34.0	
		5-20-66	45.7	-34.5	
		6-10-66	46.7	-35.5	
04S/13W-27K02S	9.1	7-21-65	105.9	-96.8	101
		12-21-65	99.2	-90.1	
		4-01-66	100.5	-91.4	
		4-18-66	101.4	-92.3	
04S/13W-27K03S	13.8	11-01-65	63.1	-49.3	101
		4-18-66	63.4	-49.6	
04S/13W-27P02S	10.8	9-10-65	96.9	-86.1	101
		12-21-65	100.2	-89.4	
		4-21-66	101.4	-90.6	
04S/13W-27P03S	10.5	9-10-65	65.7	-55.2	101
		12-21-65	63.5	-53.0	
		4-25-66	64.9	-54.4	
04S/13W-27P04S	10.7	9-10-65	60.1	-49.4	101
		1-14-66	51.7	-41.0	
		4-21-66	52.6	-41.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/13W-27Q01S	9.2	11-02-65	48.8	-39.6	101
(CONT.)		4-11-66	49.7	-40.5	
		4-21-66	46.4	-37.2	
04S/13W-28N01S	46.1	7-07-65	95.4	-49.3	101
		8-02-65	95.6	-49.5	
		9-07-65	95.8	-49.7	
		10-05-65	95.9	-49.8	
		11-02-65	96.0	-49.9	
		12-07-65	96.0	-49.9	
		1-04-66	95.9	-49.8	
		2-08-66	95.7	-49.6	
		3-02-66	95.9	-49.8	
		4-05-66	95.9	-49.8	
		5-03-66	96.0	-49.9	
		6-08-66	96.1	-50.0	
04S/13W-28N02S	45.1	11-02-65	95.7	-50.6	101
		4-05-66	95.6	-50.5	
04S/13W-28N04S	36.0	9-15-65	120.7	-84.7	101
		12-01-65	116.2	-80.2	
		3-07-66	113.9	-77.9	
		4-20-66	117.6	-81.6	
04S/13W-28N05S	37.0	9-15-65	100.9	-63.9	101
		12-01-65	97.9	-60.9	
		3-07-66	97.1	-60.1	
		4-20-66	99.3	-62.3	
04S/13W-28N06S	37.0	9-15-65	98.7	-61.7	101
		12-01-65	95.5	-58.5	
		3-07-66	95.2	-58.2	
		4-20-66	97.3	-60.3	
04S/13W-28Q01S	26.1	11-05-65	70.5	-44.4	101
		4-13-66	69.6	-43.5	
04S/13W-29H01S	40.3	9-14-65	126.9	-86.6	101
		12-21-65	105.7	-65.4	
		2-23-66	121.5	-81.2	
		4-20-66	113.4	-73.1	
04S/13W-29H02S	40.0	9-14-65	113.2	-73.2	101
		12-21-65	110.4	-70.4	
		2-23-66	109.4	-69.4	
		4-20-66	111.2	-71.2	
04S/13W-29H03S	40.2	9-14-65	117.5	-77.3	101
		12-21-65	113.8	-73.6	
		2-23-66	113.0	-72.8	
		4-20-66	115.0	-74.8	
04S/13W-30G01S	37.1	10-05-65	105.0	-67.9	200
		10-25-65	104.4	-67.3	
		11-03-65	104.3	-67.2	
		12-07-65	103.5	-66.4	
		1-07-66	101.8	-64.7	
		2-08-66	104.3	-67.2	
		3-03-66	101.8	-64.7	
		5-02-66	106.3	-69.2	
04S/13W-30H02S	38.3	12-01-65	109.8	-71.5	101
		4-20-66	108.7	-70.4	
04S/13W-30H04S	38.1	12-01-65	106.6	-68.5	101
		4-20-66	106.4	-68.3	
04S/13W-30P01S	19.6	9-16-65	88.2	-68.6	101
		12-01-65	84.8	-65.2	
		3-02-66	84.6	-65.0	
		4-20-66	87.1	-67.5	
04S/13W-30P02S	20.0	9-16-65	88.6	-68.6	101
		12-01-65	85.1	-65.1	
		3-02-66	75.7	-55.7	
		4-20-66	87.6	-67.6	
04S/13W-30P03S	19.3	9-16-65	71.0	-51.7	101
		12-01-65	70.8	-51.5	
		4-04-66	70.8	-51.5	
		4-20-66	70.9	-51.6	
04S/13W-31E04S	22.0	7-07-65	92.4	-70.4	200
		8-06-65	92.8	-70.8	
		9-08-65	90.5	-68.5	
		10-05-65	89.8	-67.8	
		11-03-65	89.1	-67.1	
		12-07-65	88.2	-66.2	
		1-07-66	86.8	-64.8	
		2-08-66	86.7	-64.7	
		3-03-66	86.6	-64.6	
		5-02-66	88.5	-66.5	
		5-19-66	88.4	-66.4	101
		6-07-66	89.6	-67.6	200
04S/13W-31J01S	21.1	11-09-65	89.3	-68.2	101
		4-21-66	89.2	-68.1	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/13W-31J02S	21.4	11-09-65	87.4	-66.0	101
		4-21-66	86.5	-65.1	
04S/13W-31J03S	21.4	11-09-65	56.9	-35.5	101
		4-21-66	56.9	-35.5	
04S/13W-31N01S	43.4	7-13-65	112.3	-68.9	101
		12-22-65	108.2	-64.8	
		4-04-66	109.0	-65.6	
		4-22-66	109.5	-66.1	
04S/13W-31P01S	44.7	11-02-65	154.0(1)	-109.3	101
04S/13W-34A01S	8.8	8-06-65	106.2	-97.4	101
		12-21-65	99.3	-90.5	
		4-19-66	100.1	-91.3	
04S/13W-34A02S	8.5	8-06-65	44.7	-36.2	101
		1-14-66	44.8	-36.3	
		4-19-66	47.7	-39.2	
04S/13W-34A03S	6.9	8-06-65	51.2	-44.3	101
		12-21-65	51.4	-44.5	
		4-19-66	51.4	-44.5	
04S/13W-34A04S	8.3	10-13-65	42.9	-34.6	101
		12-21-65	41.6	-33.3	
		4-19-66	44.2	-35.9	
		6-17-66	46.0	-37.7	
04S/13W-34C02S	10.9	4-12-66	51.8	-40.9	101
		4-21-66	51.9	-41.0	
04S/13W-34M01S	3.4	9-13-65	84.3	-80.9	101
		12-22-65	80.8	-77.4	
		4-19-66	82.1	-78.7	
04S/13W-34M02S	3.6	9-13-65	37.5	-33.9	101
		12-22-65	37.0	-33.4	
		4-19-66	40.3	-36.7	
04S/13W-34M03S	4.6	9-13-65	57.0	-52.4	101
		12-22-65	55.7	-51.1	
		4-19-66	56.5	-51.9	
04S/13W-35B01S	9.4	7-09-65	40.3	-30.9	206
		7-30-65	39.1	-29.7	
		8-20-65	39.9	-30.5	
		9-10-65	40.4	-31.0	
		10-01-65	39.1	-29.7	
		10-22-65	39.2	-29.8	
		11-12-65	41.5	-32.1	
		12-03-65	40.1	-30.7	
		12-23-65	39.8	-30.4	
		1-14-66	39.9	-30.5	
		2-04-66	39.7	-30.3	
		2-25-66	39.4	-30.0	
		3-18-66	43.4	-34.0	
		4-08-66	41.7	-32.3	
		4-29-66	41.4	-32.0	
		5-20-66	41.7	-32.3	
		6-10-66	42.4	-33.0	
04S/13W-35B02S	6.7	8-05-65	103.1	-96.4	101
		12-23-65	97.5	-90.8	
		4-20-66	99.1	-92.4	
04S/13W-35B03S	6.7	8-05-65	44.9	-38.2	101
		12-23-65	45.5	-38.8	
		4-20-66	45.0	-38.3	
04S/13W-35B04S	6.7	8-05-65	37.5	-30.8	101
		12-23-65	37.7	-31.0	
		4-20-66	39.5	-32.8	
04S/13W-35J01S	22.7	11-02-65	57.7	-35.0	101
		4-18-66	60.7	-38.0	
04S/13W-35J02S	22.7	11-02-65	49.0	-26.3	101
		4-18-66	51.5	-28.8	
04S/13W-35M04S	10.1	8-13-65	40.8	-30.7	101
		12-21-65	39.4	-29.3	
		4-19-66	45.5	-35.4	
04S/13W-35M05S	10.1	8-13-65	50.6	-40.5	101
		12-21-65	49.3	-39.2	
		4-19-66	50.1	-40.0	
04S/13W-35M06S	10.1	12-21-65	47.3	-37.2	101
		4-19-66	49.4	-39.3	
04S/13W-35M07S	9.6	8-13-65	45.1	-35.5	101
		12-21-65	44.7	-35.1	
		4-19-66	43.3	-33.7	
04S/14W-05F01S	92.0	7-20-65	103.2	-11.2	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
04S/14W-05F01S (CONT.)	92.0	7-29-65	102.8	-10.8	101
		8-31-65	102.6	-10.6	
		9-15-65	103.0	-11.0	
		9-30-65	103.1	-11.1	
		10-28-65	103.0	-11.0	
		11-29-65	102.3	-10.3	
		12-30-65	103.3	-11.3	
		1-27-66	101.1	-9.1	
		2-04-66	101.7	-9.7	
		2-25-66	101.1	-9.1	
		3-30-66	99.2	-7.2	
		4-21-66	99.2	-7.2	
		6-15-66	99.3	-7.3	
04S/14W-05N05S	146.5	7-08-65	135.2	11.3	101
		7-15-65	135.1	11.4	
		7-22-65	135.4	11.1	
		7-29-65	134.7	11.8	
		8-05-65	134.6	11.9	
		8-12-65	134.6	11.9	
		8-19-65	133.6	12.9	
		8-31-65	139.6	6.9	
		9-09-65	140.8	5.7	
		9-16-65	140.3	6.2	
		9-23-65	140.5	6.0	
		9-30-65	140.5	6.0	
		10-07-65	140.9	5.6	
		10-14-65	141.0	5.5	
04S/14W-05N06S	145.7	7-08-65	149.3	-3.6	101
		7-15-65	148.9	-3.2	
		7-22-65	149.1	-3.4	
		7-29-65	148.7	-3.0	
		8-05-65	148.1	-2.4	
		8-12-65	148.0	-2.3	
		8-19-65	147.7	-2.0	
		8-31-65	148.7	-3.0	
		9-09-65	149.3	-3.6	
		9-16-65	149.7	-4.0	
		9-23-65	150.1	-4.4	
		9-30-65	150.1	-4.4	
		10-07-65	150.1	-4.4	
		10-14-65	151.0	-5.3	
		10-21-65	150.8	-5.1	
		10-29-65	150.3	-4.6	
		11-04-65	141.0	4.7	
		11-11-65	150.1	-4.4	
		11-29-65	149.6	-3.9	
		12-09-65	149.2	-3.5	
		12-16-65	149.3	-3.6	
		12-30-65	150.0	-4.3	
		1-06-66	149.6	-3.9	
		1-13-66	149.6	-3.9	
		1-20-66	150.3	-4.6	
		1-31-66	149.6	-3.9	
		2-10-66	149.5	-3.8	
		2-17-66	149.5	-3.8	
		2-28-66	149.2	-3.5	
		3-11-66	148.8	-3.1	
		3-24-66	148.6	-2.9	
		3-31-66	147.8	-2.1	
		4-04-66	147.6	-1.9	
		4-14-66	147.1	-1.4	
		4-21-66	146.8	-1.1	
		4-28-66	147.0	-1.3	
		5-05-66	147.1	-1.4	
		5-13-66	147.6	-1.9	
		5-26-66	147.9	-2.2	
		6-01-66	148.1	-2.4	
		6-08-66	148.1	-2.4	
		6-16-66	148.0	-2.3	
		6-26-66	147.4	-1.7	
04S/14W-06G02S	174.8	9-20-65	175.9	-1.1	101
		2-23-66	171.5	3.3	
		3-17-66	179.4	-4.6	
		4-18-66	169.1	5.7	
04S/14W-06G05S	163.0	7-28-65	162.9	.1	101
		8-30-65	164.1	-1.1	
		9-29-65	164.3	-1.3	
		10-28-65	164.3	-1.3	
		11-05-65	164.7	-1.7	
		11-26-65	164.1	-1.1	
		12-30-65	163.1	-.1	
		1-27-66	162.7	.3	
		2-28-66	160.5	2.5	
		3-10-66	158.6	4.4	
		3-17-66	169.0	-6.0	
		3-24-66	159.1	3.9	
		3-31-66	157.7	5.3	
		4-07-66	157.9	5.1	
		4-14-66	157.6	5.4	
		4-21-66	156.2	6.8	
		4-28-66	157.1	5.9	
		5-05-66	157.2	5.8	
		5-12-66	157.0	6.0	
		5-19-66	156.6	6.4	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-06G05S (CONT.)	163.0	5-26-66	156.6	6.4	101
		6-01-66	158.4	4.6	
		6-08-66	156.6	6.4	
		6-15-66	155.9	7.1	
		6-26-66	155.3	7.7	
04S/14W-06H01S	181.0	7-22-65	181.0	.0	101
		7-29-65	180.6	.4	
		8-30-65	181.9	-.9	
		9-13-65	182.1	-1.1	
		9-20-65	182.3	-1.3	
		10-28-65	182.2	-1.2	
		11-26-65	181.8	-.8	
		12-30-65	180.9	.1	
		1-27-66	180.4	.6	
		2-04-66	180.7	.3	
		2-23-66	179.8	1.2	
		3-30-66	177.9	3.1	
		4-21-66	177.1	3.9	
		6-15-66	176.6	4.4	
04S/14W-06J02S	141.1	11-30-65	133.3	7.8	101
04S/14W-06J04S	161.0	7-08-65	149.8	11.2	101
		7-15-65	149.7	11.3	
		7-22-65	149.7	11.3	
		7-29-65	148.3	12.7	
		8-05-65	149.3	11.7	
		8-12-65	149.3	11.7	
		8-19-65	149.3	11.7	
		8-31-65	153.9	7.1	
		9-09-65	153.8	7.2	
		9-16-65	154.3	6.7	
		9-23-65	154.4	6.6	
		9-30-65	154.5	6.5	
		10-07-65	154.7	6.3	
		10-14-65	154.7	6.3	
		10-21-65	154.9	6.1	
		10-29-65	154.9	6.1	
		11-04-65	155.0	6.0	
		11-11-65	154.5	6.5	
		11-29-65	154.2	6.8	
		12-09-65	153.6	7.4	
		12-16-65	155.4	5.6	
		12-30-65	153.2	7.8	
		1-06-66	153.4	7.6	
		1-13-66	153.6	7.4	
		1-20-66	153.3	7.7	
		1-31-66	153.8	7.2	
		2-10-66	154.0	7.0	
		2-17-66	154.0	7.0	
		2-28-66	153.7	7.3	
		3-11-66	153.1	7.9	
		3-23-66	153.6	7.4	
		3-31-66	152.7	8.3	
		4-07-66	152.3	8.7	
		4-14-66	152.8	8.2	
		4-21-66	151.5	9.5	
		4-28-66	153.7	7.3	
		5-05-66	153.7	7.3	
		5-13-66	155.0	6.0	
		5-26-66	154.7	6.3	
		6-01-66	154.7	6.3	
		6-08-66	154.7	6.3	
		6-16-66	154.4	6.6	
		6-26-66	154.9	6.1	
04S/14W-06J05S	159.8	7-08-65	165.6	-5.8	101
		7-15-65	165.5	-5.7	
		7-22-65	165.2	-5.4	
		7-29-65	164.8	-5.0	
		8-05-65	164.5	-4.7	
		8-12-65	164.4	-4.6	
		8-19-65	164.2	-4.4	
		8-31-65	165.1	-5.3	
		9-09-65	165.3	-5.5	
		9-16-65	165.6	-5.8	
		9-23-65	165.8	-6.0	
		9-30-65	165.8	-6.0	
		10-07-65	166.0	-6.2	
		10-14-65	165.9	-6.1	
		10-21-65	166.0	-6.2	
		10-29-65	166.0	-6.2	
		11-04-65	166.1	-6.3	
		11-11-65	165.8	-6.0	
		11-29-65	165.2	-5.4	
		12-09-65	164.8	-5.0	
		12-16-65	164.1	-4.3	
		12-30-65	165.0	-5.2	
		1-06-66	164.7	-4.9	
		1-13-66	164.5	-4.7	
		1-20-66	165.2	-5.4	
		1-31-66	164.7	-4.9	
		2-10-66	164.0	-4.2	
		2-17-66	164.7	-4.9	
		2-28-66	164.7	-4.9	
		3-11-66	163.8	-4.0	
		3-23-66	165.0	-5.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-06J05S	159.8	3-31-66	163.7	-3.9	101
(CONT.)		4-07-66	162.9	-3.1	
		4-14-66	162.9	-3.1	
		4-21-66	162.8	-3.0	
		4-28-66	163.0	-3.2	
		5-05-66	162.8	-3.0	
		5-13-66	163.0	-3.2	
		5-26-66	163.1	-3.3	
		6-01-66	163.1	-3.3	
		6-08-66	163.2	-3.4	
		6-16-66	163.0	-3.2	
		6-26-66	162.6	-2.8	
04S/14W-06J06S	139.4	7-08-65	131.3	8.1	101
		7-15-65	131.0	8.4	
		7-22-65	131.0	8.4	
		7-29-65	130.7	8.7	
		8-05-65	130.6	8.8	
		8-12-65	138.6	.8	
		8-19-65	130.5	8.9	
		8-31-65	133.7	5.7	
		9-09-65	133.7	5.7	
		9-16-65	134.0	5.4	
		9-23-65	134.2	5.2	
		9-30-65	134.2	5.2	
		10-07-65	134.4	5.0	
		10-14-65	134.8	4.6	
		10-21-65	134.6	4.8	
		10-29-65	135.7	3.7	
		11-04-65	135.8	3.6	
		11-11-65	135.3	4.1	
		11-29-65	134.1	5.3	
		12-09-65	133.5	5.9	
		12-16-65	133.4	6.0	
		12-30-65	133.4	6.0	
		1-06-66	133.1	6.3	
		1-13-66	132.3	7.1	
		1-20-66	133.0	6.4	
		1-31-66	133.4	6.0	
		2-10-66	133.7	5.7	
		2-17-66	133.7	5.7	
		2-28-66	133.6	5.8	
		3-11-66	132.7	6.7	
		3-23-66	133.1	6.3	
		3-31-66	132.3	7.1	
		4-07-66	131.8	7.6	
		4-14-66	131.3	8.1	
		4-21-66	131.1	8.3	
		4-28-66	132.6	6.8	
		5-05-66	132.7	6.7	
		5-13-66	133.5	5.9	
		5-26-66	133.3	6.1	
		6-01-66	133.4	6.0	
		6-08-66	133.4	6.0	
		6-16-66	132.9	6.5	
		6-26-66	132.4	7.0	
04S/14W-06J07S	139.4	7-08-65	146.0	-6.6	101
		7-15-65	145.6	-6.2	
		7-22-65	145.6	-6.2	
		7-29-65	145.1	-5.7	
		8-05-65	144.9	-5.5	
		8-12-65	144.8	-5.4	
		8-19-65	144.6	-5.2	
		8-31-65	145.4	-6.0	
		9-09-65	145.6	-6.2	
		9-16-65	145.8	-6.4	
		9-23-65	145.9	-6.5	
		9-30-65	145.9	-6.5	
		10-07-65	145.9	-6.5	
		10-14-65	145.9	-6.5	
		10-21-65	146.1	-6.7	
		10-29-65	146.0	-6.6	
		11-04-65	146.1	-6.7	
		11-11-65	145.9	-6.5	
		11-29-65	145.3	-5.9	
		12-09-65	144.8	-5.4	
		12-16-65	144.9	-5.5	
		12-30-65	144.5	-5.1	
		1-06-66	144.5	-5.1	
		1-13-66	143.6	-4.2	
		1-20-66	144.5	-5.1	
		1-28-66	144.6	-5.2	
		2-11-66	144.8	-5.4	
		2-18-66	144.8	-5.4	
		2-25-66	145.3	-5.9	
		3-11-66	144.4	-5.0	
		3-23-66	143.9	-4.5	
		4-01-66	143.4	-4.0	
		4-08-66	143.1	-3.7	
		4-15-66	142.8	-3.4	
		4-22-66	142.5	-3.1	
		4-29-66	142.6	-3.2	
		5-06-66	142.7	-3.3	
		5-13-66	142.8	-3.4	
		5-20-66	142.8	-3.4	
		5-27-66	142.9	-3.5	
		6-03-66	143.1	-3.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-06J07S	139.4	6-17-66	142.8	-3.4	101
(CONT.)		6-24-66	142.5	-3.1	
04S/14W-06J08S	141.1	7-08-65	129.4	11.7	101
		7-15-65	129.2	11.9	
		7-22-65	129.4	11.7	
		7-29-65	128.9	12.2	
		8-05-65	128.8	12.3	
		8-12-65	128.8	12.3	
		8-19-65	128.9	12.2	
		8-31-65	134.1	7.0	
		9-09-65	134.1	7.0	
		9-16-65	134.5	6.6	
		9-23-65	134.6	6.5	
		9-30-65	134.7	6.4	
		10-07-65	135.0	6.1	
		10-14-65	135.0	6.1	
		10-21-65	135.2	5.9	
		10-29-65	135.1	6.0	
		11-04-65	135.0	6.1	
		11-11-65	134.6	6.5	
		11-29-65	134.2	6.9	
		12-09-65	133.5	7.6	
		12-16-65	133.4	7.7	
		12-30-65	133.3	7.8	
		1-06-66	133.2	7.9	
		1-13-66	133.2	7.9	
		1-20-66	132.8	8.3	
		1-31-66	133.8	7.3	
		2-10-66	134.4	6.7	
		2-17-66	134.3	6.8	
		2-28-66	133.1	8.0	
		3-11-66	133.6	7.5	
		3-24-66	133.7	7.4	
		3-31-66	132.9	8.2	
		4-07-66	132.5	8.6	
		4-14-66	132.0	9.1	
		4-21-66	132.0	9.1	
		4-28-66	134.1	7.0	
		5-05-66	134.2	6.9	
		5-13-66	135.4	5.7	
		5-26-66	135.5	5.6	
		6-01-66	135.5	5.6	
		6-08-66	135.5	5.6	
		6-16-66	135.0	6.1	
		6-26-66	134.6	6.5	
04S/14W-06J09S	161.8	7-08-65	149.9	11.9	101
		7-15-65	149.8	12.0	
		7-22-65	149.9	11.9	
		7-29-65	149.5	12.3	
		8-05-65	149.5	12.3	
		8-12-65	149.5	12.3	
		8-19-65	149.5	12.3	
		8-31-65	154.8	7.0	
		9-09-65	154.8	7.0	
		9-16-65	155.2	6.6	
		9-23-65	155.3	6.5	
		9-30-65	155.3	6.5	
		10-07-65	155.6	6.2	
		10-14-65	155.7	6.1	
		10-21-65	155.8	6.0	
		10-29-65	155.8	6.0	
		11-04-65	155.7	6.1	
		11-11-65	155.3	6.5	
		11-29-65	155.0	6.8	
		12-09-65	154.4	7.4	
		12-16-65	154.2	7.6	
		12-30-65	154.0	7.8	
		1-06-66	154.2	7.6	
		1-13-66	154.3	7.5	
		1-20-66	154.1	7.7	
		1-31-66	154.6	7.2	
		2-10-66	154.9	6.9	
		2-17-66	154.8	7.0	
		2-28-66	154.2	7.6	
		3-11-66	153.8	8.0	
		3-23-66	154.3	7.5	
		3-31-66	153.4	8.4	
		4-07-66	153.0	8.8	
		4-14-66	153.1	8.7	
		4-21-66	152.4	9.4	
		4-28-66	154.7	7.1	
		5-05-66	154.8	7.0	
		5-13-66	156.3	5.5	
		5-26-66	156.0	5.8	
		6-01-66	156.2	5.6	
		6-08-66	156.2	5.6	
		6-16-66	155.6	6.2	
		6-26-66	155.1	6.7	
04S/14W-07C03S	62.2	8-30-65	63.2	-1.0	101
		9-30-65	63.4	-1.2	
		10-29-65	63.8	-1.6	
		11-19-65	64.5	-2.3	
		11-29-65	64.3	-2.1	
		12-01-65	64.3	-2.1	
		12-30-65	63.5	-1.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-07C03S (CONT.)	62.2	1-27-66	62.3	-.1	101
		2-25-66	63.0	-.8	
		3-30-66	62.4	-.2	
		4-19-66	59.8	2.4	
		6-21-66	58.3	3.9	
04S/14W-07F01S	65.0	7-29-65	64.4	.6	101
		8-05-65	64.8	.2	
		8-30-65	63.6	1.4	
		9-30-65	64.3	.7	
		10-29-65	64.8	.2	
		11-29-65	64.9	.1	
		12-01-65	64.9	.1	
		12-30-65	64.2	.8	
		1-27-66	63.3	1.7	
		2-25-66	62.7	2.3	
		3-30-66	62.4	2.6	
		4-19-66	60.9	4.1	
		5-25-66	61.5	3.5	
		6-21-66	60.6	4.4	
04S/14W-07J07S	143.0	7-29-65	153.1	-10.1	101
		8-30-65	151.6	-8.6	
04S/14W-07J08S	143.0	7-29-65	137.8	5.2	101
		8-30-65	136.9	6.1	
		9-30-65	137.7	5.3	
		10-29-65	138.8	4.2	
		11-29-65	139.2	3.8	
		12-30-65	138.0	5.0	
		1-27-66	137.2	5.8	
		2-25-66	136.7	6.3	
		3-30-66	136.7	6.3	
		4-21-66	135.2	7.8	
		5-25-66	136.5	6.5	
		6-13-66	136.6	6.4	
		6-23-66	136.1	6.9	
04S/14W-07K02S	87.0	7-29-65	86.3	.7	101
		8-30-65	85.6	1.4	
		9-15-65	85.8	1.2	
		10-29-65	86.5	.5	
		11-29-65	86.6	.4	
		12-30-65	85.9	1.1	
		1-27-66	84.9	2.1	
		2-08-66	85.0	2.0	
		2-25-66	84.4	2.6	
		3-30-66	84.1	2.9	
		4-21-66	83.5	3.5	
		5-25-66	83.5	3.5	
		6-23-66	83.0	4.0	
04S/14W-07P01S	47.7	7-29-65	48.3	-.6	101
		8-05-65	48.7	-1.0	
		8-30-65	46.5	1.2	
		9-30-65	46.7	1.0	
		11-29-65	47.2	.5	
		12-30-65	46.5	1.2	
		1-27-66	45.1	2.6	
		2-25-66	43.4	4.3	
		3-02-66	45.1	2.6	
		3-30-66	43.7	4.0	
		4-19-66	42.6	5.1	
04S/14W-07P02S	73.7	11-30-65	73.3	.4	101
		12-07-65	73.4	.3	
		4-19-66	71.4	2.3	
		6-23-66	71.9	1.8	
04S/14W-07P03S	73.6	11-30-65	72.6	1.0	101
		12-07-65	72.7	.9	
		4-19-66	67.8	5.8	
		6-23-66	67.9	5.7	
04S/14W-08B01S	97.0	7-29-65	103.6	-6.6	101
		8-30-65	102.9	-5.9	
		9-13-65	103.5	-6.5	
		9-30-65	103.7	-6.7	
		10-28-65	104.1	-7.1	
		11-29-65	103.3	-6.3	
		12-30-65	103.0	-6.0	
		1-27-66	102.2	-5.2	
		2-07-66	101.9	-4.9	
		2-25-66	101.7	-4.7	
		3-30-66	101.3	-4.3	
		4-21-66	100.1	-3.1	
04S/14W-08D02S	124.4	7-09-65	114.3	10.1	101
		7-16-65	114.1	10.3	
		7-23-65	114.5	9.9	
		7-30-65	113.8	10.6	
		8-06-65	113.5	10.9	
		8-13-65	113.4	11.0	
		8-20-65	113.5	10.9	
		8-27-65	115.8	8.6	
		9-03-65	116.6	7.8	
		9-10-65	116.9	7.5	
		9-17-65	117.3	7.1	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08D02S (CONT.)	124.4	9-24-65	117.6	6.8	101
		10-14-65	119.1	5.3	
		11-05-65	119.4	5.0	
		11-12-65	119.3	5.1	
		11-26-65	119.2	5.2	
		12-17-65	118.5	5.9	
		12-24-65	118.7	5.7	
		1-28-66	118.0	6.4	
		2-25-66	117.8	6.6	
		3-11-66	116.9	7.5	
		3-25-66	118.2	6.2	
		4-01-66	117.4	7.0	
		4-15-66	115.9	8.5	
		4-22-66	115.8	8.6	
		5-05-66	117.1	7.3	
		5-13-66	118.3	6.1	
		5-20-66	118.7	5.7	
		5-27-66	118.8	5.6	
		6-03-66	118.9	5.5	
		6-10-66	118.9	5.5	
		6-17-66	118.6	5.8	
		6-24-66	118.4	6.0	
04S/14W-08D06S	147.9	7-16-65	134.7	13.2	101
		7-23-65	134.8	13.1	
		7-30-65	134.3	13.6	
		8-06-65	133.8	14.1	
		8-13-65	133.7	14.2	
		8-20-65	134.1	13.8	
		8-27-65	136.3	11.6	
		9-10-65	137.7	10.2	
		9-17-65	138.1	9.8	
		9-24-65	138.5	9.4	
		10-08-65	140.6	7.3	
		10-22-65	141.5	6.4	
		10-29-65	141.6	6.3	
		11-05-65	141.7	6.2	
		11-17-65	141.4	6.5	
		11-26-65	141.5	6.4	
		12-10-65	140.9	7.0	
		12-17-65	140.6	7.3	
		12-24-65	141.7	6.2	
		1-07-66	141.8	6.1	
		1-14-66	141.8	6.1	
		1-21-66	141.2	6.7	
		1-28-66	141.8	6.1	
		2-11-66	140.4	7.5	
		2-18-66	139.8	8.1	
		2-25-66	139.8	8.1	
		3-11-66	139.2	8.7	
		3-25-66	140.6	7.3	
		4-01-66	139.9	8.0	
		4-08-66	139.3	8.6	
		4-15-66	138.6	9.3	
		4-22-66	139.0	8.9	
		4-29-66	139.4	8.5	
		5-06-66	140.2	7.7	
		5-13-66	140.9	7.0	
		5-20-66	141.4	6.5	
		5-27-66	141.6	6.3	
		6-03-66	143.3	4.6	
		6-10-66	141.8	6.1	
		6-17-66	141.6	6.3	
		6-24-66	141.3	6.6	
04S/14W-08D11S	138.2	7-15-65	125.0	13.2	101
		7-22-65	125.1	13.1	
		7-29-65	124.6	13.6	
		8-05-65	124.3	13.9	
		8-12-65	124.3	13.9	
		8-19-65	124.0	14.2	
		8-31-65	127.6	10.6	
		9-09-65	128.3	9.9	
		9-16-65	128.7	9.5	
		9-23-65	130.1	8.1	
		9-30-65	129.3	8.9	
		10-07-65	131.0	7.2	
		10-14-65	131.8	6.4	
		10-21-65	132.2	6.0	
		10-29-65	132.4	5.8	
		11-04-65	132.5	5.7	
		11-11-65	132.4	5.8	
		11-29-65	132.0	6.2	
		12-09-65	131.8	6.4	
		12-16-65	131.7	6.5	
		12-30-65	132.1	6.1	
		1-06-66	131.5	6.7	
		1-13-66	131.6	6.6	
		1-20-66	131.5	6.7	
		1-31-66	132.2	6.0	
		2-10-66	132.2	6.0	
		2-17-66	130.9	7.3	
		2-28-66	130.5	7.7	
		3-11-66	130.3	7.9	
		3-24-66	131.5	6.7	
		3-31-66	130.6	7.6	
		4-07-66	130.0	8.2	
		4-14-66	129.3	8.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08D11S	138.2	4-21-66	129.6	8.6	101
(CONT.)		4-28-66	129.8	8.4	
		5-05-66	130.1	8.1	
		5-13-66	131.7	6.5	
		5-20-66	133.6	4.6	
		5-27-66	133.6	4.6	
		6-02-66	132.7	5.5	
		6-09-66	132.7	5.5	
		6-16-66	132.5	5.7	
		6-27-66	132.1	6.1	
04S/14W-08D12S	139.7	7-15-65	146.8	-7.1	101
		7-22-65	146.7	-7.0	
		7-29-65	146.1	-6.4	
		8-05-65	145.6	-5.9	
		8-12-65	145.5	-5.8	
		8-19-65	145.1	-5.4	
		8-31-65	145.3	-5.6	
		9-09-65	144.5	-4.8	
		9-16-65	145.9	-6.2	
		9-23-65	147.1	-7.4	
		9-30-65	146.6	-6.9	
		10-07-65	145.0	-5.3	
		10-14-65	146.2	-6.5	
		10-21-65	146.2	-6.5	
		10-29-65	146.2	-6.5	
		11-04-65	146.3	-6.6	
		11-11-65	146.1	-6.4	
		11-29-65	145.6	-5.9	
		12-09-65	145.1	-5.4	
		12-16-65	146.0	-6.3	
		12-30-65	145.7	-6.0	
		1-07-66	145.4	-5.7	
		1-20-66	142.9	-3.2	
		1-31-66	142.7	-3.0	
		2-10-66	144.8	-5.1	
		2-17-66	144.5	-4.8	
		2-28-66	144.4	-4.7	
		3-11-66	143.7	-4.0	
		3-24-66	144.2	-4.5	
		3-31-66	143.7	-4.0	
		4-07-66	143.4	-3.7	
		4-14-66	141.8	-2.1	
		4-21-66	142.5	-2.8	
		4-28-66	142.5	-2.8	
		5-05-66	142.6	-2.9	
		5-13-66	142.8	-3.1	
		5-20-66	142.7	-3.0	
		5-27-66	142.9	-3.2	
		6-02-66	143.5	-3.8	
		6-09-66	143.5	-3.8	
		6-16-66	143.1	-3.4	
		6-27-66	142.9	-3.2	
04S/14W-08D13S	149.6	7-08-65	136.3	13.3	101
		7-15-65	136.2	13.4	
		7-22-65	136.1	13.5	
		7-29-65	135.7	13.9	
		8-12-65	135.4	14.2	
		8-19-65	135.1	14.5	
		8-31-65	138.2	11.4	
		9-09-65	139.0	10.6	
		9-16-65	139.3	10.3	
		9-23-65	139.7	9.9	
		9-30-65	139.9	9.7	
		10-07-65	141.8	7.8	
		10-14-65	142.6	7.0	
		10-21-65	143.1	6.5	
		10-29-65	143.2	6.4	
		11-04-65	143.4	6.2	
		11-11-65	143.2	6.4	
		11-29-65	142.9	6.7	
		12-09-65	142.5	7.1	
		12-16-65	143.3	6.3	
		12-30-65	143.8	5.8	
		1-06-66	143.1	6.5	
		1-13-66	143.7	5.9	
		1-20-66	143.5	6.1	
		1-31-66	143.2	6.4	
		2-10-66	141.0	8.6	
		2-17-66	141.6	8.0	
		2-28-66	141.2	8.4	
		3-11-66	140.9	8.7	
		3-26-66	142.3	7.3	
		4-07-66	141.0	8.6	
		4-14-66	140.3	9.3	
		4-21-66	140.7	8.9	
		4-28-66	141.0	8.6	
		5-05-66	141.2	8.4	
		5-12-66	142.3	7.3	
		5-20-66	142.9	6.7	
		5-27-66	143.1	6.5	
		6-02-66	143.6	6.0	
		6-09-66	143.4	6.2	
		6-16-66	143.1	6.5	
		6-27-66	142.8	6.8	
04S/14W-08D14S	146.6	7-08-65	132.2	14.4	101
04S/14W-08D14S	146.6	7-15-65	132.3	14.3	101
(CONT.)		7-22-65	132.0	14.6	
		7-30-65	131.7	14.9	
		8-05-65	131.2	15.4	
		8-12-65	131.0	15.6	
		8-19-65	130.9	15.7	
		8-31-65	133.8	12.8	
		9-09-65	134.6	12.0	
		9-16-65	135.0	11.6	
		9-23-65	135.4	11.2	
		9-30-65	135.6	11.0	
		10-07-65	137.6	9.0	
		10-14-65	138.3	8.3	
		10-22-65	138.9	7.7	
		10-29-65	139.0	7.6	
		11-04-65	139.2	7.4	
		11-12-65	140.2	6.4	
		11-29-65	138.8	7.8	
		12-09-65	138.4	8.2	
		12-16-65	138.5	8.1	
		12-30-65	138.9	7.7	
		1-06-66	138.5	8.1	
		1-13-66	138.0	8.6	
		1-20-66	137.6	9.0	
		1-31-66	139.2	7.4	
		2-10-66	137.0	9.6	
		2-17-66	137.4	9.2	
		2-28-66	137.1	9.5	
		3-10-66	136.8	9.8	
		3-17-66	141.7	4.9	
		3-24-66	138.1	8.5	
		3-31-66	137.3	9.3	
		4-07-66	136.7	9.9	
		4-14-66	136.1	10.5	
		4-21-66	136.6	10.0	
		4-28-66	136.7	9.9	
		5-05-66	137.0	9.6	
		5-12-66	138.0	8.6	
		5-20-66	138.8	7.8	
		5-27-66	138.9	7.7	
		6-02-66	138.2	8.4	
		6-09-66	139.1	7.5	
		6-16-66	139.0	7.6	
		6-27-66	138.6	8.0	
04S/14W-08D15S	146.4	7-09-65	154.1	-7.7	101
		7-16-65	153.7	-7.3	
		7-23-65	153.8	-7.4	
		7-30-65	153.3	-6.9	
		8-06-65	153.0	-6.6	
		8-13-65	152.4	-6.0	
		8-20-65	152.5	-6.1	
		8-27-65	152.1	-5.7	
		9-10-65	153.2	-6.8	
		9-17-65	152.8	-6.4	
		9-24-65	152.8	-6.4	
		10-08-65	152.8	-6.4	
		10-15-65	152.9	-6.5	
		10-22-65	152.9	-6.5	
		10-29-65	152.9	-6.5	
		11-05-65	152.9	-6.5	
		11-17-65	152.6	-6.2	
		11-26-65	152.4	-6.0	
		12-10-65	151.8	-5.4	
		12-17-65	152.6	-6.2	
		12-24-65	152.8	-6.4	
		1-07-66	151.9	-5.5	
		1-14-66	151.8	-5.4	
		1-21-66	151.8	-5.4	
		1-28-66	151.8	-5.4	
		2-11-66	151.1	-4.7	
		2-18-66	150.9	-4.5	
		2-25-66	150.8	-4.4	
		3-11-66	150.1	-3.7	
		3-25-66	150.7	-4.3	
		4-01-66	150.2	-3.8	
		4-08-66	149.9	-3.5	
		4-15-66	149.5	-3.1	
		4-22-66	149.0	-2.6	
		4-29-66	149.1	-2.7	
		5-06-66	149.1	-2.7	
		5-13-66	149.3	-2.9	
		5-20-66	149.3	-2.9	
		5-27-66	149.4	-3.0	
		6-02-66	149.7	-3.3	
		6-10-66	149.7	-3.3	
		6-17-66	149.5	-3.1	
		6-24-66	149.4	-3.0	
04S/14W-08D16S	137.0	7-15-65	124.3	12.7	101
		7-22-65	125.1	11.9	
		7-29-65	123.9	13.1	
		8-05-65	124.9	12.1	
		8-12-65	123.8	13.2	
		8-19-65	123.4	13.6	
		8-31-65	127.5	9.5	
		9-09-65	128.1	8.9	
		9-16-65	128.5	8.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08D16S (CONT.)	137.0	9-23-65	128.9	8.1	101
		9-30-65	129.0	8.0	
		10-07-65	130.5	6.5	
		10-14-65	131.7	5.3	
		10-21-65	131.4	5.6	
		10-29-65	131.6	5.4	
		11-04-65	131.5	5.5	
		11-11-65	131.2	5.8	
		11-29-65	130.9	6.1	
		12-09-65	130.4	6.6	
		12-16-65	130.2	6.8	
		12-30-65	130.4	6.6	
		1-06-66	129.8	7.2	
		1-13-66	129.5	7.5	
		1-20-66	129.6	7.4	
		1-31-66	130.0	7.0	
		2-10-66	129.7	7.3	
		2-17-66	129.8	7.2	
		2-28-66	129.2	7.8	
		3-11-66	129.2	7.8	
		3-24-66	130.1	6.9	
		3-31-66	129.2	7.8	
		4-07-66	128.7	8.3	
		4-14-66	128.0	9.0	
		4-21-66	128.0	9.0	
		4-28-66	128.8	8.2	
		5-05-66	129.3	7.7	
		5-13-66	130.0	7.0	
		5-20-66	131.4	5.6	
		5-27-66	131.5	5.5	
		6-02-66	131.3	5.7	
		6-09-66	131.7	5.3	
		6-16-66	131.3	5.7	
		6-27-66	130.9	6.1	
04S/14W-08D17S	138.1	7-15-65	143.8	-5.7	101
		7-22-65	144.3	-6.2	
		7-29-65	143.3	-5.2	
		8-05-65	142.9	-4.8	
		8-12-65	142.7	-4.6	
		8-19-65	142.4	-4.3	
		8-31-65	142.9	-4.8	
		9-09-65	143.3	-5.2	
		9-16-65	143.6	-5.5	
		9-23-65	143.8	-5.7	
		9-30-65	143.7	-5.6	
		10-07-65	143.8	-5.7	
		10-14-65	143.9	-5.8	
		10-21-65	143.9	-5.8	
		10-29-65	144.0	-5.9	
		11-04-65	144.0	-5.9	
		11-11-65	143.8	-5.7	
		11-29-65	143.2	-5.1	
		12-09-65	142.8	-4.7	
		12-16-65	143.3	-5.2	
		12-30-65	143.4	-5.3	
		1-06-66	143.0	-4.9	
		1-13-66	142.9	-4.8	
		1-20-66	142.7	-4.6	
		1-31-66	142.8	-4.7	
		2-10-66	142.4	-4.3	
		2-17-66	142.3	-4.2	
		2-28-66	142.5	-4.4	
		3-11-66	141.7	-3.6	
		3-24-66	142.0	-3.9	
		3-31-66	141.4	-3.3	
		4-04-66	141.2	-3.1	
		4-14-66	140.7	-2.6	
		4-21-66	140.3	-2.2	
		4-28-66	140.5	-2.4	
		5-05-66	140.4	-2.3	
		5-13-66	141.3	-3.2	
		5-20-66	139.8	-1.7	
		5-27-66	140.9	-2.8	
		6-02-66	141.2	-3.1	
		6-09-66	141.1	-3.0	
		6-16-66	141.0	-2.9	
		6-27-66	140.8	-2.7	
04S/14W-08E03S	135.7	7-29-65	125.0	10.7	101
		8-30-65	125.1	10.6	
		9-21-65	126.6	9.1	
		10-29-65	129.6	6.1	
		11-29-65	129.7	6.0	
		12-30-65	128.9	6.8	
		1-27-66	128.4	7.3	
		2-25-66	127.6	8.1	
		3-15-66	129.9	5.8	
		3-30-66	127.5	8.2	
		4-19-66	126.1	9.6	
		5-25-66	128.5	7.2	
		6-23-66	128.5	7.2	
04S/14W-08E04S	142.4	7-08-65	130.7	11.7	101
		7-15-65	130.9	11.5	
		7-22-65	130.5	11.9	
		7-29-65	130.2	12.2	
		8-05-65	128.5	13.9	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08E04S (CONT.)	142.4	8-12-65	129.2	13.2	101
		8-19-65	128.3	14.1	
		8-31-65	130.4	12.0	
		9-09-65	130.2	12.2	
		9-16-65	131.7	10.7	
		9-23-65	132.2	10.2	
		9-30-65	132.4	10.0	
		10-07-65	133.9	8.5	
		10-14-65	135.3	7.1	
		10-22-65	135.8	6.6	
		10-29-65	136.0	6.4	
		11-04-65	136.0	6.4	
		11-12-65	136.0	6.4	
		11-29-65	136.4	6.0	
		12-09-65	135.3	7.1	
		12-16-65	135.0	7.4	
		12-30-65	135.1	7.3	
		1-06-66	136.1	6.3	
		1-13-66	136.4	6.0	
		1-20-66	137.9	4.5	
		1-31-66	135.0	7.4	
		2-10-66	135.8	6.6	
		2-17-66	135.1	7.3	
		2-28-66	133.8	8.6	
		3-10-66	132.6	9.8	
		3-17-66	139.0	3.4	
		3-24-66	134.6	7.8	
		3-31-66	133.7	8.7	
		4-07-66	133.1	9.3	
		4-14-66	132.6	9.8	
		4-21-66	133.7	8.7	
		4-28-66	133.5	8.9	
		5-05-66	133.7	8.7	
		5-12-66	135.0	7.4	
		5-20-66	135.4	7.0	
		5-27-66	135.6	6.8	
		6-02-66	136.2	6.2	
		6-09-66	135.4	7.0	
		6-16-66	135.7	6.7	
		6-27-66	136.5	5.9	
04S/14W-08E05S	147.3	7-08-65	136.0	11.3	101
		7-15-65	136.0	11.3	
		7-22-65	135.6	11.7	
		7-29-65	135.4	11.9	
		8-05-65	134.4	12.9	
		8-12-65	134.2	13.1	
		8-19-65	134.5	12.8	
		8-31-65	135.9	11.4	
		9-09-65	137.3	10.0	
		9-16-65	137.1	10.2	
		9-23-65	137.7	9.6	
		9-30-65	137.9	9.4	
		10-07-65	139.9	7.4	
		10-14-65	140.3	7.0	
		10-21-65	140.8	6.5	
		10-29-65	140.8	6.5	
		11-04-65	140.9	6.4	
		11-11-65	140.9	6.4	
		11-18-65	140.9	6.4	
		11-29-65	141.0	6.3	
		12-09-65	140.4	6.9	
		12-16-65	139.8	7.5	
		12-30-65	139.8	7.5	
		1-06-66	139.5	7.8	
		1-13-66	138.7	8.6	
		1-20-66	139.9	7.4	
		1-31-66	139.3	8.0	
		2-10-66	139.1	8.2	
		2-17-66	139.6	7.7	
		2-28-66	140.4	6.9	
		3-10-66	138.2	9.1	
		3-17-66	143.6	3.7	
		3-24-66	138.3	9.0	
		3-31-66	138.5	8.8	
		4-07-66	137.9	9.4	
		4-14-66	137.2	10.1	
		4-21-66	137.6	9.7	
		4-28-66	137.1	10.2	
		5-05-66	138.1	9.2	
		5-12-66	139.5	7.8	
		5-20-66	140.1	7.2	
		5-27-66	140.2	7.1	
		6-02-66	140.6	6.7	
04S/14W-08E15S	143.3	7-08-65	130.0	13.3	101
		7-15-65	130.2	13.1	
		7-22-65	129.8	13.5	
		7-29-65	129.6	13.7	
		8-05-65	129.0	14.3	
		8-12-65	128.5	14.8	
		8-19-65	128.5	14.8	
		8-31-65	131.3	12.0	
		9-09-65	132.1	11.2	
		9-16-65	132.5	10.8	
		9-23-65	133.0	10.3	
		9-30-65	133.2	10.1	
		10-07-65	135.0	8.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08E15S (CONT.)	143.3	10-14-65	136.1	7.2	101
		10-22-65	136.5	6.8	
		10-29-65	136.5	6.8	
		11-04-65	136.7	6.6	
		11-12-65	136.7	6.6	
		11-29-65	136.4	6.9	
		12-09-65	135.9	7.4	
		12-16-65	135.9	7.4	
		12-30-65	136.0	7.3	
		1-06-66	135.8	7.5	
		1-13-66	135.6	7.7	
		1-20-66	135.7	7.6	
		1-31-66	135.7	7.6	
		2-10-66	135.8	7.5	
		2-17-66	134.7	8.6	
		2-28-66	134.4	8.9	
		3-10-66	134.2	9.1	
		3-17-66	139.5	3.8	
		3-24-66	135.2	8.1	
		3-31-66	134.5	8.8	
		4-07-66	134.0	9.3	
		4-14-66	130.3	13.0	
		4-21-66	133.8	9.5	
		4-28-66	133.4	9.9	
		5-05-66	134.3	9.0	
		5-12-66	135.5	7.8	
		5-20-66	135.9	7.4	
		5-27-66	135.8	7.5	
		6-02-66	136.5	6.8	
		6-09-66	136.5	6.8	
		6-16-66	136.3	7.0	
		6-27-66	136.8	6.5	
04S/14W-08E16S	142.3	7-15-65	131.0	11.3	101
		7-22-65	130.6	11.7	
		7-29-65	130.4	11.9	
		8-05-65	129.0	13.3	
		8-12-65	128.6	13.7	
		8-19-65	128.5	13.8	
		8-31-65	130.5	11.8	
		9-09-65	131.4	10.9	
		9-16-65	131.6	10.7	
		9-23-65	132.6	9.7	
		9-30-65	132.7	9.6	
		10-07-65	134.8	7.5	
		10-14-65	135.4	6.9	
		10-21-65	135.8	6.5	
		10-29-65	135.6	6.7	
		11-04-65	135.8	6.5	
		11-11-65	135.8	6.5	
		11-18-65	135.8	6.5	
		11-29-65	135.7	6.6	
		12-09-65	135.1	7.2	
		12-16-65	134.7	7.6	
		12-30-65	134.7	7.6	
		1-06-66	134.5	7.8	
		1-13-66	134.5	7.8	
		1-20-66	135.4	6.9	
		1-31-66	134.2	8.1	
		2-10-66	134.2	8.1	
		2-17-66	133.7	8.6	
		2-28-66	133.4	8.9	
		3-10-66	133.2	9.1	
		3-17-66	139.0	3.3	
		3-24-66	133.9	8.4	
		3-31-66	133.3	9.0	
		4-07-66	132.7	9.6	
		4-14-66	132.0	10.3	
		4-21-66	132.6	9.7	
		4-28-66	133.8	8.5	
		5-05-66	133.1	9.2	
		5-12-66	134.4	7.9	
		5-20-66	134.8	7.5	
		5-27-66	134.0	8.3	
		6-02-66	133.4	8.9	
		6-09-66	134.4	7.9	
		6-27-66	133.9	8.4	
04S/14W-08E17S	143.0	7-09-65	153.5	-10.5	101
		7-16-65	153.2	-10.2	
		7-23-65	153.1	-10.1	
		7-30-65	152.7	-9.7	
		8-06-65	152.1	-9.1	
		8-13-65	151.8	-8.8	
		8-20-65	151.7	-8.7	
		8-27-65	151.4	-8.4	
		9-10-65	152.4	-9.4	
		9-17-65	152.0	-9.0	
		9-24-65	152.0	-9.0	
		10-08-65	152.1	-9.1	
		10-15-65	152.3	-9.3	
		10-29-65	152.3	-9.3	
		11-05-65	152.1	-9.1	
		11-17-65	151.9	-8.9	
		11-26-65	151.7	-8.7	
		12-09-65	151.0	-8.0	
		12-17-65	151.3	-8.3	
		12-24-65	151.4	-8.4	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08E17S (CONT.)	143.0	1-07-66	150.6	-7.6	101
		1-14-66	150.4	-7.4	
		1-31-66	150.5	-7.5	
		2-10-66	150.0	-7.0	
		2-28-66	149.4	-6.4	
		3-10-66	148.9	-5.9	
		3-17-66	154.0	-11.0	
		3-24-66	148.4	-5.4	
		3-31-66	148.9	-5.9	
		4-07-66	148.0	-5.0	
		4-14-66	147.5	-4.5	
		4-21-66	147.8	-4.8	
		4-28-66	147.8	-4.8	
		5-05-66	147.7	-4.7	
		5-12-66	148.0	-5.0	
		5-20-66	147.8	-4.8	
		5-27-66	148.0	-5.0	
		6-02-66	148.4	-5.4	
		6-09-66	148.4	-5.4	
		6-16-66	148.3	-5.3	
		6-27-66	148.1	-5.1	
04S/14W-08E18S	150.0	7-15-65	138.6	11.4	101
		7-22-65	138.2	11.8	
		7-29-65	138.1	11.9	
		8-05-65	137.4	12.6	
		8-12-65	137.0	13.0	
		8-19-65	136.8	13.2	
		8-31-65	138.6	11.4	
		9-09-65	139.4	10.6	
		9-16-65	140.0	10.0	
		9-23-65	140.3	9.7	
		9-30-65	140.4	9.6	
		10-07-65	142.3	7.7	
		10-14-65	142.9	7.1	
		10-21-65	139.7	10.3	
		10-29-65	143.5	6.5	
		11-04-65	143.7	6.3	
		11-11-65	143.8	6.2	
		11-18-65	143.8	6.2	
		11-29-65	143.8	6.2	
		12-09-65	143.2	6.8	
		12-16-65	142.5	7.5	
		12-30-65	142.3	7.7	
		1-06-66	142.2	7.8	
		1-13-66	142.1	7.9	
		1-20-66	142.1	7.9	
		1-31-66	143.0	7.0	
		2-10-66	141.6	8.4	
		2-17-66	141.4	8.6	
		2-28-66	141.1	8.9	
		3-10-66	141.0	9.0	
		3-17-66	147.0	3.0	
		3-24-66	142.0	8.0	
		3-31-66	141.5	8.5	
		4-07-66	140.7	9.3	
		4-14-66	140.4	9.6	
		4-21-66	140.4	9.6	
		4-28-66	140.8	9.2	
		5-05-66	141.0	9.0	
		5-12-66	142.4	7.6	
		5-20-66	142.8	7.2	
		5-27-66	142.9	7.1	
		6-02-66	142.8	7.2	
		6-09-66	143.1	6.9	
		6-16-66	143.0	7.0	
		6-27-66	142.7	7.3	
04S/14W-08E19S	154.3	7-08-65	143.2	11.1	101
		7-15-65	142.9	11.4	
		7-22-65	142.4	11.9	
		8-05-65	141.7	12.6	
		8-12-65	141.3	13.0	
		8-19-65	141.1	13.2	
		8-31-65	142.9	11.4	
		9-09-65	143.8	10.5	
		9-16-65	144.8	9.5	
		9-23-65	144.7	9.6	
		9-30-65	144.7	9.6	
		10-07-65	146.5	7.8	
		10-14-65	147.4	6.9	
		10-21-65	147.4	6.9	
		10-29-65	148.0	6.3	
		11-04-65	148.2	6.1	
		11-11-65	148.3	6.0	
		11-18-65	148.5	5.8	
		11-29-65	148.5	5.8	
		12-09-65	147.7	6.6	
		12-16-65	146.9	7.4	
		12-30-65	146.7	7.6	
		1-06-66	146.6	7.7	
		1-13-66	146.7	7.6	
		1-20-66	146.5	7.8	
		1-31-66	146.5	7.8	
		2-10-66	146.0	8.3	
		2-17-66	146.0	8.3	
		2-28-66	145.8	8.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L 4 SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08E19S	154.3	3-10-66	145.3	9.0	101
(CONT.)		3-17-66	150.6	3.7	
		3-24-66	146.4	7.9	
		3-31-66	145.7	8.6	
		4-07-66	145.1	9.2	
		4-14-66	144.5	9.8	
		4-21-66	144.7	9.6	
		4-28-66	145.3	9.0	
		5-05-66	145.5	8.8	
		5-12-66	146.7	7.6	
		5-20-66	147.0	7.3	
		5-27-66	147.1	7.2	
		6-02-66	147.3	7.0	
		6-09-66	147.2	7.1	
		6-16-66	147.0	7.3	
		6-27-66	147.0	7.3	
04S/14W-08E20S	154.6	7-08-65	166.9	-12.3	101
		7-15-65	166.2	-11.6	
		7-22-65	165.9	-11.3	
		7-29-65	165.1	-10.5	
		8-05-65	165.0	-10.4	
		8-12-65	164.8	-10.2	
		8-19-65	164.4	-9.8	
		8-31-65	164.2	-9.6	
		9-09-65	164.6	-10.0	
		9-16-65	164.7	-10.1	
		9-23-65	164.6	-10.0	
		9-30-65	164.6	-10.0	
		10-07-65	164.6	-10.0	
		10-14-65	164.5	-9.9	
		10-21-65	164.5	-9.9	
		10-29-65	164.6	-10.0	
		11-04-65	164.6	-10.0	
		11-11-65	164.4	-9.8	
		11-18-65	164.2	-9.6	
		11-29-65	163.8	-9.2	
		12-09-65	163.4	-8.8	
		12-16-65	163.4	-8.8	
		12-30-65	163.3	-8.7	
		1-06-66	162.8	-8.2	
		1-13-66	162.8	-8.2	
		1-20-66	162.4	-7.8	
		1-31-66	162.4	-7.8	
		2-10-66	162.1	-7.5	
		2-17-66	161.8	-7.2	
		2-28-66	161.7	-7.1	
		3-17-66	165.3	-10.7	
		3-24-66	161.7	-7.1	
		3-31-66	161.2	-6.6	
		4-07-66	160.9	-6.3	
		4-14-66	160.6	-6.0	
		4-21-66	160.6	-6.0	
		4-28-66	160.0	-5.4	
		5-05-66	160.0	-5.4	
		5-12-66	160.2	-5.6	
		5-20-66	160.2	-5.6	
		5-27-66	160.1	-5.5	
		6-02-66	160.5	-5.9	
		6-09-66	160.7	-6.1	
		6-16-66	160.4	-5.8	
		6-27-66	160.4	-5.8	
04S/14W-08F01S	110.0	8-12-65	122.4	-12.4	101
		9-29-65	122.0	-12.0	
		10-27-65	122.5	-12.5	
		11-26-65	121.4	-11.4	
		12-21-65	120.6	-10.6	
		1-03-66	120.3	-10.3	
		3-29-66	118.6	-8.6	
		4-18-66	117.5	-7.5	
		6-22-66	118.3	-8.3	
04S/14W-08F04S	113.9	8-12-65	127.6	-13.7	101
		9-29-65	127.5	-13.6	
		10-27-65	127.7	-13.8	
		11-26-65	127.1	-13.2	
		12-21-65	126.8	-12.9	
		2-02-66	125.4	-11.5	
		3-16-66	126.9	-13.0	
		4-18-66	122.9	-9.0	
		6-22-66	122.5	-8.6	
04S/14W-08F05S	113.9	8-12-65	126.7	-12.8	101
		9-29-65	126.6	-12.7	
		10-27-65	126.5	-12.6	
		11-26-65	126.1	-12.2	
		12-21-65	125.4	-11.5	
		2-02-66	124.4	-10.5	
		3-16-66	126.4	-12.5	
		4-18-66	122.4	-8.5	
04S/14W-08F06S	113.9	7-29-65	127.9	-14.0	101
		8-12-65	126.7	-12.8	
		9-29-65	127.1	-13.2	
		10-27-65	126.9	-13.0	
		11-26-65	126.4	-12.5	
		12-21-65	125.6	-11.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08F06S	113.9	2-02-66	124.6	-10.7	101
(CONT.)		3-16-66	126.3	-12.4	
		3-29-66	123.4	-9.5	
		4-18-66	122.3	-8.4	
		5-25-66	122.2	-8.3	
		6-22-66	121.9	-8.0	
04S/14W-09G01S	97.0	7-29-65	112.6	-15.6	101
		8-30-65	111.3	-14.3	
		9-14-65	111.6	-14.6	
		9-30-65	111.5	-14.5	
		10-28-65	111.3	-14.3	
		11-29-65	110.5	-13.5	
		12-30-65	109.9	-12.9	
		1-27-66	108.9	-11.9	
		2-08-66	108.8	-11.8	
		2-25-66	108.3	-11.3	
		3-30-66	107.8	-10.8	
		4-21-66	106.7	-9.7	
		5-25-66	106.8	-9.8	
		6-23-66	106.5	-9.5	
04S/14W-08M02S	136.0	7-22-65	149.3	-13.3	101
		7-29-65	148.3	-12.3	
		8-05-65	148.6	-12.6	
		8-12-65	148.7	-12.7	
		8-19-65	148.4	-12.4	
		8-31-65	148.0	-12.0	
		9-09-65	147.9	-11.9	
		9-16-65	148.5	-12.5	
		9-23-65	147.7	-11.7	
		9-30-65	147.5	-11.5	
		10-07-65	147.5	-11.5	
		10-14-65	147.3	-11.3	
		10-21-65	147.3	-11.3	
		10-29-65	147.3	-11.3	
		11-04-65	147.3	-11.3	
		11-11-65	147.1	-11.1	
		11-18-65	146.8	-10.8	
		11-29-65	147.1	-11.1	
		12-09-65	145.2	-9.2	
		12-16-65	144.9	-8.9	
		12-30-65	144.9	-8.9	
		1-06-66	143.6	-7.6	
		1-20-66	144.2	-8.2	
		1-31-66	143.8	-7.8	
		2-10-66	143.8	-7.8	
		2-17-66	143.0	-7.0	
		2-28-66	143.0	-7.0	
		3-11-66	142.2	-6.2	
		3-18-66	144.7	-8.7	
		3-31-66	142.4	-6.4	
		4-14-66	141.7	-5.7	
		4-21-66	141.1	-5.1	
		4-28-66	141.6	-5.6	
		5-05-66	141.1	-5.1	
		5-12-66	141.3	-5.3	
		5-20-66	141.3	-5.3	
		5-27-66	139.3	-3.3	
		6-02-66	139.3	-3.3	
		6-09-66	141.4	-5.4	
		6-16-66	141.2	-5.2	
		6-27-66	141.4	-5.4	
04S/14W-08M03S	139.0	7-15-65	134.2	4.8	101
		7-22-65	133.7	5.3	
		7-29-65	133.6	5.4	
		8-05-65	132.6	6.4	
		8-12-65	132.4	6.6	
		8-19-65	132.1	6.9	
		8-31-65	131.8	7.2	
		9-09-65	132.2	6.8	
		9-16-65	132.4	6.6	
		9-23-65	132.6	6.4	
		9-30-65	132.6	6.4	
		10-07-65	133.1	5.9	
		10-14-65	132.4	6.6	
		10-21-65	133.6	5.4	
		10-29-65	133.8	5.2	
		11-04-65	133.9	5.1	
		11-11-65	143.7	-4.7	
		11-18-65	143.6	-4.6	
		11-29-65	143.4	-4.4	
		12-09-65	133.8	5.2	
		12-16-65	133.4	5.6	
		12-30-65	132.9	6.1	
		1-06-66	132.8	6.2	
		1-20-66	133.4	5.6	
		1-31-66	132.2	6.8	
		2-10-66	132.2	6.8	
		2-17-66	132.0	7.0	
		2-28-66	131.7	7.3	
		3-10-66	131.2	7.8	
		3-17-66	140.8	-1.8	
		3-24-66	132.9	6.1	
		3-31-66	132.1	6.9	
		4-07-66	131.9	7.1	
		4-14-66	131.9	7.1	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08M03S (CONT.)	139.0	4-21-66	130.6	8.4	101
		4-28-66	130.8	8.2	
		5-05-66	130.9	8.1	
		5-12-66	129.5	9.5	
		5-20-66	131.7	7.3	
		5-27-66	130.9	8.1	
		6-02-66	129.9	9.1	
		6-09-66	132.2	6.8	
		6-16-66	132.0	7.0	
		6-27-66	132.1	6.9	
04S/14W-08M06S	144.3	7-16-65	134.4	9.9	101
		7-23-65	134.1	10.2	
		8-06-65	132.9	11.4	
		8-13-65	133.0	11.3	
		8-20-65	133.0	11.3	
		8-27-65	133.3	11.0	
		9-10-65	134.1	10.2	
		9-17-65	135.7	8.6	
		9-24-65	134.5	9.8	
		10-08-65	136.5	7.8	
		10-22-65	137.0	7.3	
		10-29-65	138.2	6.1	
		11-05-65	138.2	6.1	
		11-19-65	138.4	5.9	
		11-26-65	139.3	5.0	
		12-10-65	136.9	7.4	
		12-17-65	137.9	6.4	
		12-24-65	136.6	7.7	
		1-07-66	136.2	8.1	
		1-14-66	136.1	8.2	
		1-31-66	136.5	7.8	
		2-10-66	136.7	7.6	
		2-17-66	136.5	7.8	
		2-28-66	137.1	7.2	
		3-10-66	138.0	6.3	
		3-17-66	142.5	1.8	
		3-24-66	136.8	7.5	
		3-31-66	135.9	8.4	
		4-07-66	135.3	9.0	
		4-14-66	134.6	9.7	
		4-21-66	134.8	9.5	
		4-28-66	135.4	8.9	
		5-05-66	135.5	8.8	
		5-12-66	136.3	8.0	
		5-20-66	137.0	7.3	
		5-27-66	137.2	7.1	
		6-02-66	137.3	7.0	
		6-09-66	137.2	7.1	
		6-16-66	136.9	7.4	
		6-27-66	137.3	7.0	
04S/14W-08M07S	152.5	7-15-65	142.3	10.2	101
		7-22-65	141.3	11.2	
		7-29-65	141.1	11.4	
		8-05-65	140.7	11.8	
		8-12-65	140.2	12.3	
		8-19-65	141.6	10.9	
		8-31-65	141.2	11.3	
		9-09-65	142.4	10.1	
		9-16-65	143.9	8.6	
		9-23-65	142.7	9.8	
		9-30-65	142.9	9.6	
		10-07-65	144.6	7.9	
		10-14-65	144.1	8.4	
		10-21-65	145.4	7.1	
		10-29-65	146.6	5.9	
		11-04-65	146.8	5.7	
		11-11-65	147.7	4.8	
		11-18-65	146.9	5.6	
		11-29-65	147.3	5.2	
		12-09-65	146.3	6.2	
		12-16-65	145.1	7.4	
		12-30-65	145.0	7.5	
		1-06-66	147.1	5.4	
		1-13-66	147.3	5.2	
		1-20-66	148.0	4.5	
		1-31-66	144.6	7.9	
		3-10-66	143.5	9.0	
		3-17-66	149.3	3.2	
		3-24-66	144.9	7.6	
		3-31-66	144.1	8.4	
		4-07-66	143.5	9.0	
		4-14-66	143.0	9.5	
		4-21-66	142.9	9.6	
		4-28-66	142.6	9.9	
		5-05-66	143.9	8.6	
		5-12-66	144.6	7.9	
		5-20-66	145.4	7.1	
		5-27-66	145.4	7.1	
		6-02-66	145.7	6.8	
		6-09-66	145.5	7.0	
		6-16-66	145.2	7.3	
		6-23-66	145.4	7.1	
04S/14W-08M11S	144.3	7-08-65	137.6	6.7	101
		7-15-65	137.1	7.2	
		7-22-65	136.7	7.6	
COASTAL PL OF LA CU HYDRO SUBUNIT U-05.A0					
WEST COAST HYDRO SUBAREA U-05.A2					
04S/14W-08M11S (CONT.)	144.3	7-30-65	134.1	10.2	101
		8-05-65	136.0	8.3	
		8-12-65	135.5	8.8	
		8-19-65	135.3	9.0	
		8-31-65	135.5	8.8	
		9-09-65	135.8	8.5	
		9-16-65	136.1	8.2	
		9-23-65	136.2	8.1	
		9-30-65	136.4	7.9	
		10-07-65	137.4	6.9	
		10-14-65	138.0	6.3	
		10-21-65	138.3	6.0	
		10-29-65	138.8	5.5	
		11-04-65	139.1	5.2	
		11-11-65	139.3	5.0	
		11-18-65	139.3	5.0	
		11-29-65	139.5	4.8	
		12-09-65	138.8	5.5	
		12-16-65	137.9	6.4	
		12-30-65	137.4	6.9	
		1-06-66	137.3	7.0	
		1-13-66	137.2	7.1	
		1-20-66	137.3	7.0	
		1-31-66	137.2	7.1	
		2-10-66	137.0	7.3	
		2-17-66	135.5	8.8	
		2-28-66	135.2	9.1	
		3-10-66	135.0	9.3	
		3-17-66	139.1	5.2	
		3-24-66	137.5	6.8	
		3-31-66	136.5	7.8	
		4-07-66	136.1	8.2	
		4-14-66	136.3	8.0	
		4-21-66	135.3	9.0	
		4-28-66	135.8	8.5	
		5-05-66	136.0	8.3	
		5-12-66	136.3	8.0	
		5-20-66	137.0	7.3	
		5-27-66	137.2	7.1	
		6-02-66	137.4	6.9	
		6-09-66	137.3	7.0	
		6-16-66	137.2	7.1	
		6-28-66	137.3	7.0	
04S/14W-08M12S	137.1	7-15-65	148.9	-11.8	101
		7-22-65	148.6	-11.5	
		7-29-65	148.4	-11.3	
		8-05-65	147.7	-10.6	
		8-12-65	147.4	-10.3	
		8-19-65	147.2	-10.1	
		8-31-65	146.8	-9.7	
		9-09-65	147.2	-10.1	
		9-16-65	147.3	-10.2	
		9-23-65	147.2	-10.1	
		9-30-65	147.2	-10.1	
		10-07-65	147.2	-10.1	
		10-14-65	147.1	-10.0	
		10-21-65	147.2	-10.1	
		10-29-65	147.2	-10.1	
		11-04-65	147.2	-10.1	
		11-11-65	147.0	-9.9	
		11-18-65	147.1	-10.0	
		11-29-65	146.9	-9.8	
		12-09-65	145.9	-8.8	
		12-16-65	145.9	-8.8	
		12-30-65	145.7	-8.6	
		1-06-66	145.3	-8.2	
		1-13-66	145.3	-8.2	
		1-20-66	146.2	-9.1	
		1-31-66	144.9	-7.8	
		2-10-66	144.5	-7.4	
		2-17-66	144.4	-7.3	
		2-28-66	144.2	-7.1	
		3-10-66	143.7	-6.6	
		3-17-66	147.9	-10.8	
		3-24-66	144.1	-7.0	
		3-31-66	143.1	-6.0	
		4-07-66	143.3	-6.2	
		4-14-66	142.7	-5.6	
		4-21-66	142.1	-5.0	
		4-28-66	142.6	-5.5	
		5-05-66	142.3	-5.2	
		5-12-66	142.6	-5.5	
		5-20-66	142.6	-5.5	
		5-27-66	142.6	-5.5	
		6-02-66	142.9	-5.8	
		6-09-66	142.9	-5.8	
		6-16-66	141.7	-4.6	
		6-27-66	142.6	-5.5	
04S/14W-08M13S	137.0	7-15-65	131.3	5.7	101
		7-22-65	130.6	6.4	
		7-29-65	131.1	5.9	
		8-05-65	129.9	7.1	
		8-12-65	129.5	7.5	
		8-19-65	129.7	7.3	
		8-31-65	129.3	7.7	
		9-09-65	129.7	7.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08M13S (CONT.)	137.0	9-16-65	130.4	6.6	101
		9-23-65	130.2	6.8	
		9-30-65	130.1	6.9	
		10-07-65	130.6	6.4	
		10-14-65	130.7	6.3	
		10-21-65	130.7	6.3	
		10-29-65	131.3	5.7	
		11-04-65	131.4	5.6	
		11-11-65	131.5	5.5	
		11-18-65	131.5	5.5	
		11-29-65	132.3	4.7	
		12-09-65	130.7	6.3	
		12-16-65	130.5	6.5	
		12-30-65	130.0	7.0	
		1-06-66	129.6	7.4	
		1-13-66	129.6	7.4	
		1-20-66	129.2	7.8	
		1-31-66	129.5	7.5	
		2-10-66	129.5	7.5	
		2-17-66	128.7	8.3	
		2-28-66	128.9	8.1	
		3-10-66	128.1	8.9	
		3-17-66	134.3	2.7	
		3-24-66	130.1	6.9	
		3-31-66	129.2	7.8	
		4-07-66	128.0	9.0	
		4-14-66	127.4	9.6	
		4-21-66	127.3	9.7	
		4-28-66	127.7	9.3	
		5-05-66	127.8	9.2	
		5-12-66	129.4	7.6	
		5-20-66	129.5	7.5	
		5-27-66	129.6	7.4	
		6-02-66	129.5	7.5	
		6-09-66	129.7	7.3	
		6-16-66	129.1	7.9	
		6-27-66	128.9	8.1	
04S/14W-08N03S	158.0	7-08-65	160.0	-2.0	101
		7-15-65	158.5	-.5	
		7-22-65	157.3	.7	
		7-29-65	158.2	-.2	
		8-05-65	156.4	1.6	
		8-12-65	156.1	1.9	
		8-19-65	156.1	1.9	
		8-31-65	154.7	3.3	
		9-09-65	154.5	3.5	
		9-16-65	154.4	3.6	
		9-23-65	154.4	3.6	
		9-30-65	154.2	3.8	
		10-07-65	154.0	4.0	
		10-14-65	153.5	4.5	
		10-21-65	153.4	4.6	
		10-29-65	154.1	3.9	
		11-04-65	154.1	3.9	
		11-11-65	154.3	3.7	
		11-18-65	154.1	3.9	
		11-29-65	153.3	4.7	
		12-09-65	152.6	5.4	
		12-16-65	152.5	5.5	
		12-30-65	152.2	5.8	
		1-06-66	151.7	6.3	
		1-13-66	151.5	6.5	
		1-20-66	151.6	6.4	
		1-31-66	150.5	7.5	
		2-10-66	150.3	7.7	
		2-17-66	150.1	7.9	
		2-28-66	149.9	8.1	
		3-10-66	149.7	8.3	
		3-17-66	158.1	-.1	
		3-24-66	151.3	6.7	
		3-31-66	150.2	7.8	
		4-07-66	149.9	8.1	
		4-14-66	149.4	8.6	
		4-21-66	149.3	8.7	
		4-28-66	149.4	8.6	
		5-05-66	149.6	8.4	
		5-12-66	150.9	7.1	
		5-20-66	151.0	7.0	
		5-27-66	150.8	7.2	
		6-02-66	150.7	7.3	
		6-09-66	151.2	6.8	
		6-16-66	150.2	7.8	
		6-27-66	149.9	8.1	
04S/14W-08N04S	160.0	7-08-65	175.3	-15.3	101
		7-15-65	174.0	-14.0	
		7-22-65	173.5	-13.5	
		7-29-65	173.7	-13.7	
		8-05-65	172.7	-12.7	
		8-12-65	173.1	-13.1	
		8-19-65	172.2	-12.2	
		8-31-65	171.6	-11.6	
		9-09-65	172.2	-12.2	
		9-16-65	172.1	-12.1	
		9-23-65	172.2	-12.2	
		9-30-65	172.1	-12.1	
		10-07-65	172.0	-12.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-08N04S (CONT.)	160.0	10-14-65	171.8	-11.8	101
		10-21-65	171.9	-11.9	
		10-29-65	171.8	-11.8	
		11-04-65	171.8	-11.8	
		11-11-65	171.7	-11.7	
		11-18-65	171.5	-11.5	
		11-29-65	171.2	-11.2	
		12-09-65	172.0	-12.0	
		12-16-65	173.1	-13.1	
		12-30-65	170.3	-10.3	
		1-06-66	170.3	-10.3	
		1-13-66	168.5	-8.5	
		1-20-66	168.2	-8.2	
		1-28-66	169.2	-9.2	
		2-11-66	168.9	-8.9	
		2-18-66	168.8	-8.8	
		2-25-66	168.4	-8.4	
		3-11-66	167.7	-7.7	
		3-18-66	172.2	-12.2	
		3-25-66	169.9	-9.9	
		4-01-66	169.9	-9.9	
		4-08-66	168.8	-8.8	
		4-15-66	166.7	-6.7	
		4-22-66	166.1	-6.1	
		4-29-66	166.1	-6.1	
		5-06-66	166.0	-6.0	
		5-13-66	166.1	-6.1	
		5-20-66	166.0	-6.0	
		5-27-66	166.0	-6.0	
		6-03-66	166.1	-6.1	
		6-10-66	165.9	-5.9	
		6-17-66	165.7	-5.7	
		6-24-66	165.5	-5.5	
04S/14W-08N05S	140.0	7-15-65	138.0	2.0	101
		7-22-65	136.0	4.0	
		7-29-65	136.6	3.4	
		8-05-65	135.9	4.1	
		8-12-65	135.8	4.2	
		8-19-65	136.0	4.0	
		8-31-65	133.9	6.1	
		9-09-65	133.8	6.2	
		9-16-65	133.8	6.2	
		9-23-65	133.8	6.2	
		9-30-65	133.8	6.2	
		10-07-65	133.2	6.8	
		10-14-65	132.4	7.6	
		10-21-65	132.5	7.5	
		10-29-65	133.9	6.1	
		11-04-65	134.1	5.9	
		11-11-65	134.8	5.2	
		11-18-65	134.8	5.2	
		11-29-65	132.5	7.5	
		12-09-65	131.8	8.2	
		12-16-65	131.8	8.2	
		12-30-65	131.6	8.4	
		1-06-66	131.0	9.0	
		1-13-66	131.0	9.0	
		1-20-66	129.2	10.8	
		1-28-66	129.4	10.6	
		2-11-66	129.3	10.7	
		2-18-66	129.1	10.9	
		2-25-66	128.7	11.3	
		3-11-66	127.7	12.3	
		3-18-66	137.5	2.5	
		3-25-66	128.3	11.7	
		4-01-66	127.4	12.6	
		4-08-66	129.0	11.0	
		4-15-66	129.2	10.8	
		4-22-66	128.6	11.4	
		4-29-66	129.2	10.8	
		5-06-66	129.8	10.2	
		5-13-66	130.8	9.2	
		5-20-66	131.0	9.0	
		5-27-66	129.8	10.2	
		6-03-66	130.7	9.3	
04S/14W-08P01S	108.0	7-27-65	126.1	-18.1	101
		8-30-65	124.5	-16.5	
		9-30-65	124.6	-16.6	
		10-28-65	124.0	-16.0	
		11-29-65	123.0	-15.0	
		12-30-65	121.9	-13.9	
		1-18-66	121.1	-13.1	
		1-27-66	121.1	-13.1	
		2-25-66	120.3	-12.3	
		3-30-66	119.5	-11.5	
		4-21-66	118.3	-10.3	
04S/14W-08P02S	108.0	8-30-65	123.3	-15.3	101
		9-30-65	123.2	-15.2	
		10-28-65	122.7	-14.7	
		11-08-65	122.7	-14.7	
		11-29-65	121.7	-13.7	
		12-30-65	120.8	-12.8	
		1-27-66	119.6	-11.6	
		2-10-66	118.5	-10.5	
		2-25-66	118.8	-10.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
04S/14W-08P02S (CONT.)	108.0	3-30-66	118.0	-10.0	101
		4-21-66	116.8	-8.8	
04S/14W-09Q01S	106.0	4-04-66	128.0	-22.0	101
04S/14W-12Q02S	18.0	4-12-66	64.5	-46.5	101
04S/14W-16F01S	81.0	8-31-65	110.6(5)	-29.6	101
		9-30-65	131.6(1)	-50.6	
		10-31-65	108.6(5)	-27.6	
		11-30-65	129.6(1)	-48.6	
		12-31-65	105.6(5)	-24.6	
		2-28-66	103.6(5)	-22.6	
		4-30-66	103.6(5)	-22.6	
		6-30-66	102.6(5)	-21.6	
04S/14W-17D01S	156.4	7-08-65	175.5	-19.1	101
		7-15-65	174.7	-18.3	
		7-22-65	174.3	-17.9	
		7-29-65	174.0	-17.6	
		8-05-65	173.4	-17.0	
		8-12-65	171.9	-15.5	
		8-31-65	172.2	-15.8	
		9-09-65	172.2	-15.8	
		9-16-65	171.9	-15.5	
		9-23-65	172.3	-15.9	
		9-30-65	172.3	-15.9	
		10-07-65	173.0	-16.6	
		10-14-65	172.0	-15.6	
		10-21-65	172.0	-15.6	
		10-29-65	171.8	-15.4	
		11-04-65	171.8	-15.4	
		11-11-65	169.9	-13.5	
		11-18-65	170.7	-14.3	
		11-29-65	167.5	-11.1	
		12-02-65	167.5	-11.1	
		12-09-65	167.5	-11.1	
		12-16-65	167.4	-11.0	
		12-30-65	165.2	-8.8	
		1-06-66	164.9	-8.5	
		1-13-66	164.8	-8.4	
		1-20-66	162.3	-5.9	
		1-31-66	164.8	-8.4	
		2-10-66	164.1	-7.7	
		2-17-66	164.1	-7.7	
		2-28-66	162.7	-6.3	
		3-02-66	163.8	-7.4	
		3-11-66	162.8	-6.4	
		3-24-66	164.1	-7.7	
		3-31-66	163.4	-7.0	
		4-07-66	162.9	-6.5	
		4-14-66	162.5	-6.1	
		4-21-66	161.9	-5.5	
		4-28-66	161.2	-4.8	
		5-05-66	162.1	-5.7	
		5-12-66	161.8	-5.4	
		5-20-66	162.8	-6.4	
		5-27-66	161.8	-5.4	
		6-02-66	162.2	-5.8	
		6-09-66	162.6	-6.2	
		6-16-66	162.1	-5.7	
		6-27-66	161.8	-5.4	
04S/14W-17D02S	156.4	7-22-65	153.0	3.4	101
		7-29-65	153.2	3.2	
		8-05-65	151.5	4.9	
		8-12-65	152.2	4.2	
		8-19-65	152.3	4.1	
		8-31-65	149.9	6.5	
		9-09-65	149.6	6.8	
		9-16-65	149.6	6.8	
		9-23-65	149.6	6.8	
		9-30-65	149.6	6.8	
		10-07-65	149.0	7.4	
		10-14-65	146.9	9.5	
		10-21-65	148.2	8.2	
		10-29-65	148.5	7.9	
		11-04-65	149.5	6.9	
		11-11-65	149.4	7.0	
		11-18-65	149.0	7.4	
		11-29-65	147.9	8.5	
		12-09-65	147.0	9.4	
		12-16-65	147.1	9.3	
		12-30-65	146.9	9.5	
		1-06-66	146.5	9.9	
		1-20-66	144.6	11.8	
		1-31-66	144.2	12.2	
		2-10-66	144.3	12.1	
		2-17-66	144.1	12.3	
		2-28-66	143.6	12.8	
		3-10-66	143.4	13.0	
		3-17-66	149.4	7.0	
		3-24-66	143.4	13.0	
		3-31-66	142.1	14.3	
		4-07-66	141.9	14.5	
		4-14-66	141.4	15.0	
		4-21-66	141.1	15.3	
		4-28-66	142.0	14.4	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-17D02S (CONT.)	156.4	5-05-66	141.6	14.8	101
		5-12-66	142.4	14.0	
		5-20-66	144.8	11.6	
		5-27-66	144.8	11.6	
		6-02-66	144.8	11.6	
		6-09-66	143.7	12.7	
		6-16-66	142.6	13.8	
		6-27-66	142.1	14.3	
04S/14W-17D03S	102.0	11-29-65	96.4	5.6	101
		4-21-66	109.4	-7.4	
04S/14W-17D04S	129.2	8-03-65	143.8	-14.6	101
		10-22-65	142.2	-13.0	
		11-29-65	141.0	-11.8	
		12-10-65	144.0	-14.8	
		2-25-66	140.9	-11.7	
		4-18-66	139.9	-10.7	
		6-27-66	138.2	-9.0	
04S/14W-17D05S	129.3	8-03-65	128.1	1.2	101
		10-22-65	126.9	2.4	
		11-29-65	125.4	3.9	
		12-10-65	126.3	3.0	
		2-25-66	124.7	4.6	
		4-18-66	122.0	7.3	
04S/14W-17D06S	129.1	8-03-65	132.7	-3.6	101
		10-22-65	128.2	.9	
		11-29-65	125.8	3.3	
		12-10-65	128.2	.9	
		2-25-66	125.1	4.0	
		4-18-66	124.2	4.9	
		6-27-66	123.3	5.8	
04S/14W-17D07S	105.2	10-25-65	100.8	4.4	101
		11-29-65	101.9	3.3	
		4-21-66	94.9	10.3	
04S/14W-17D08S	104.2	9-22-65	105.3	-1.1	101
		10-25-65	104.4	-.2	
		11-29-65	104.4	-.2	
		12-13-65	103.2	1.0	
		2-25-66	100.6	3.6	
		4-18-66	99.3	4.9	
		4-25-66	99.3	4.9	
04S/14W-17D10S	146.0	7-08-65	146.6	-.6	101
		7-15-65	145.6	.4	
		7-22-65	144.5	1.5	
		7-29-65	144.7	1.3	
		8-05-65	142.7	3.3	
		8-12-65	143.8	2.2	
		8-19-65	143.8	2.2	
		8-31-65	141.3	4.7	
		9-09-65	141.0	5.0	
		9-16-65	140.9	5.1	
		9-23-65	141.0	5.0	
		9-30-65	141.0	5.0	
		10-07-65	140.4	5.6	
		10-14-65	139.6	6.4	
		10-21-65	139.6	6.4	
		10-29-65	139.5	6.5	
		11-04-65	141.7	4.3	
		11-11-65	141.2	4.8	
		11-18-65	140.7	5.3	
		11-29-65	139.6	6.4	
		12-09-65	138.8	7.2	
		12-16-65	138.8	7.2	
		12-30-65	138.7	7.3	
		1-06-66	138.2	7.8	
		1-13-66	138.2	7.8	
		1-20-66	135.3	10.7	
		1-31-66	135.3	10.7	
		2-10-66	136.5	9.5	
		2-17-66	136.1	9.9	
		2-28-66	135.9	10.1	
		3-10-66	135.3	10.7	
		3-17-66	147.8	-1.8	
		3-24-66	136.0	10.0	
		3-31-66	134.8	11.2	
		4-04-66	135.2	10.8	
		4-14-66	134.3	11.7	
		4-21-66	134.0	12.0	
		4-28-66	134.8	11.2	
		5-05-66	134.7	11.3	
		5-12-66	136.5	9.5	
		5-20-66	136.6	9.4	
		5-27-66	136.4	9.6	
		6-02-66	136.1	9.9	
		6-09-66	136.5	9.5	
		6-16-66	135.5	10.5	
		6-27-66	135.0	11.0	
04S/14W-17E03S	137.2	7-15-65	154.1	-16.9	101
		7-22-65	153.4	-16.2	
		7-29-65	153.2	-16.0	
		8-05-65	153.2	-16.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-17E03S	137.2	8-12-65	153.2	-16.0	101
(CONT.)		8-19-65	153.0	-15.8	
		8-31-65	152.0	-14.8	
		9-09-65	152.6	-15.4	
		9-16-65	151.8	-14.6	
		9-23-65	152.0	-14.8	
		9-30-65	152.1	-14.9	
		10-07-65	151.9	-14.7	
		10-14-65	151.9	-14.7	
		10-21-65	151.8	-14.6	
		10-29-65	151.7	-14.5	
		11-04-65	151.8	-14.6	
		11-11-65	151.3	-14.1	
		11-18-65	150.8	-13.6	
		11-29-65	150.0	-12.8	
		12-09-65	149.7	-12.5	
		12-16-65	149.8	-12.6	
		12-30-65	149.3	-12.1	
		1-06-66	148.7	-11.5	
		1-13-66	148.6	-11.4	
		1-20-66	147.6	-10.4	
		2-04-66	144.9	-7.7	
		2-17-66	146.3	-9.1	
		2-28-66	146.6	-9.4	
		3-10-66	145.0	-7.8	
		3-17-66	149.6	-12.4	
		3-24-66	145.7	-8.5	
		3-31-66	144.6	-7.4	
		4-07-66	143.8	-6.6	
		4-14-66	143.8	-6.6	
		4-21-66	143.8	-6.6	
		4-28-66	144.8	-7.6	
		5-05-66	144.6	-7.4	
		5-12-66	143.6	-6.4	
		5-20-66	145.3	-8.1	
		5-27-66	143.6	-6.4	
		6-02-66	143.4	-6.2	
		6-09-66	144.8	-7.6	
		6-16-66	144.4	-7.2	
		6-27-66	144.5	-7.3	
04S/14W-17E04S	137.5	7-08-65	142.1	-4.6	101
		7-15-65	141.1	-3.6	
		7-22-65	140.3	-2.8	
		7-29-65	140.3	-2.8	
		8-05-65	139.0	-1.5	
		8-12-65	138.5	-1.0	
		8-19-65	138.4	-.9	
		8-31-65	137.0	.5	
		9-09-65	136.8	.7	
		9-16-65	136.7	.8	
		9-23-65	136.8	.7	
		9-30-65	136.4	1.1	
		10-07-65	135.6	1.9	
		10-14-65	134.1	3.4	
		10-21-65	132.8	4.7	
		10-29-65	135.9	1.6	
		11-04-65	135.6	1.9	
		11-11-65	135.0	2.5	
		11-18-65	132.8	4.7	
		11-29-65	131.0	6.5	
		12-02-65	132.7	4.8	
		12-09-65	132.7	4.8	
		12-16-65	131.1	6.4	
		12-30-65	130.6	6.9	
		1-06-66	130.3	7.2	
		1-13-66	130.2	7.3	
		1-20-66	130.2	7.3	
		2-04-66	127.5	10.0	
		2-17-66	127.0	10.5	
		2-28-66	127.1	10.4	
		3-10-66	126.8	10.7	
		3-17-66	132.0	5.5	
		3-24-66	127.1	10.4	
		3-31-66	125.6	11.9	
		4-07-66	124.6	12.9	
		4-14-66	124.0	13.5	
		4-21-66	124.0	13.5	
		4-28-66	124.9	12.6	
		5-05-66	125.2	12.3	
		5-12-66	126.7	10.8	
		5-20-66	125.8	11.7	
		5-27-66	127.0	10.5	
		6-02-66	126.7	10.8	
		6-09-66	126.8	10.7	
		6-16-66	125.7	11.8	
		6-27-66	125.3	12.2	
04S/14W-17E05S	137.4	7-15-65	147.4	-10.0	101
		7-22-65	147.1	-9.7	
		7-29-65	146.8	-9.4	
		8-05-65	145.4	-8.0	
		8-12-65	146.2	-8.8	
		8-19-65	145.9	-8.5	
		8-31-65	145.2	-7.8	
		9-09-65	144.7	-7.3	
		9-16-65	144.6	-7.2	
		9-23-65	144.5	-7.1	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-17E05S	137.4	9-30-65	144.2	-6.8	101
(CONT.)		10-07-65	143.9	-6.5	
		10-14-65	143.5	-6.1	
		10-21-65	143.3	-5.9	
		10-29-65	143.2	-5.8	
		11-04-65	142.9	-5.5	
		11-11-65	142.8	-5.4	
		11-18-65	142.5	-5.1	
		11-29-65	142.1	-4.7	
		12-02-65	142.0	-4.6	
		12-09-65	142.0	-4.6	
		12-16-65	141.8	-4.4	
		12-30-65	141.4	-4.0	
		1-06-66	141.0	-3.6	
		1-13-66	140.8	-3.4	
		1-20-66	140.8	-3.4	
		2-04-66	139.9	-2.5	
		2-17-66	139.9	-2.5	
		2-28-66	139.2	-1.8	
		3-10-66	138.9	-1.5	
		3-17-66	144.0	-6.6	
		3-24-66	139.2	-1.8	
		3-31-66	138.8	-1.4	
		4-07-66	138.0	-.6	
		4-14-66	136.0	1.4	
		4-21-66	136.0	1.4	
		4-28-66	137.0	.4	
		5-05-66	137.3	.1	
		5-12-66	137.3	.1	
		5-20-66	137.8	-.4	
		5-27-66	137.8	-.4	
		6-02-66	137.4	.0	
		6-27-66	136.9	.5	
04S/14W-17E06S	112.0	7-08-65	115.4	-3.4	101
		7-15-65	114.1	-2.1	
		7-22-65	113.6	-1.6	
		7-29-65	113.6	-1.6	
		8-05-65	112.5	-.5	
		8-12-65	112.5	-.5	
		8-19-65	112.6	-.6	
		8-31-65	109.9	2.1	
		9-09-65	109.6	2.4	
		9-16-65	109.5	2.5	
		9-23-65	109.6	2.4	
		9-30-65	110.2	1.8	
		10-07-65	108.8	3.2	
		10-14-65	107.1	4.9	
		10-21-65	107.0	5.0	
		10-29-65	107.7	4.3	
		11-04-65	108.0	4.0	
		11-11-65	107.6	4.4	
		11-18-65	107.2	4.8	
		11-29-65	106.3	5.7	
		12-09-65	105.7	6.3	
		12-16-65	105.7	6.3	
		12-30-65	105.5	6.5	
		1-06-66	105.1	6.9	
		1-13-66	106.0	6.0	
		1-20-66	105.2	6.8	
		1-31-66	103.2	8.8	
		2-10-66	103.4	8.6	
		2-17-66	102.2	9.8	
		2-28-66	101.7	10.3	
		3-10-66	99.6	12.4	
		3-17-66	114.6	-2.6	
		3-24-66	100.2	11.8	
		3-31-66	99.0	13.0	
		4-07-66	98.5	13.5	
		4-14-66	98.0	14.0	
		4-21-66	97.8	14.2	
		4-28-66	99.0	13.0	
		5-05-66	98.4	13.6	
		5-12-66	101.0	11.0	
		5-20-66	101.1	10.9	
		5-27-66	100.9	11.1	
		6-02-66	101.0	11.0	
		6-09-66	100.6	11.4	
		6-16-66	99.7	12.3	
		6-27-66	99.2	12.8	
04S/14W-17E07S	115.0	8-12-65	128.4	-13.4	101
		8-19-65	128.4	-13.4	
		8-31-65	127.3	-12.3	
		9-09-65	127.2	-12.2	
		9-16-65	127.0	-12.0	
		9-23-65	127.0	-12.0	
		9-30-65	127.0	-12.0	
		10-07-65	126.7	-11.7	
		10-14-65	127.8	-12.8	
		10-21-65	127.7	-12.7	
		10-29-65	127.5	-12.5	
		11-04-65	127.3	-12.3	
		11-11-65	127.1	-12.1	
		11-18-65	126.9	-11.9	
		11-29-65	126.2	-11.2	
		12-09-65	125.8	-10.8	
		12-16-65	125.8	-10.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
04S/14W-17E07S	115.0	12-30-65	125.5	-10.5	101
(CONT.)		1-06-66	125.1	-10.1	
		1-13-66	125.2	-10.2	
		1-20-66	124.5	-9.5	
		2-17-66	122.8	-7.8	
		2-28-66	122.1	-7.1	
		3-10-66	122.7	-7.7	
		3-17-66	127.0	-12.0	
		3-24-66	121.7	-6.7	
		3-31-66	120.8	-5.8	
		4-07-66	120.0	-5.0	
		4-14-66	119.3	-4.3	
		4-21-66	119.0	-4.0	
		4-28-66	118.7	-3.7	
		5-05-66	118.4	-3.4	
		5-12-66	118.9	-3.9	
		5-20-66	118.9	-3.9	
		5-27-66	118.8	-3.8	
		6-02-66	118.9	-3.9	
		6-09-66	119.0	-4.0	
		6-16-66	118.3	-3.3	
		6-27-66	119.1	-4.1	
04S/14W-17F01S	180.5	8-05-65	198.7	-18.2	101
		10-26-65	195.4	-14.9	
		11-29-65	194.1	-13.6	
		12-14-65	194.1	-13.6	
		2-28-66	191.9	-11.4	
		3-17-66	194.8	-14.3	
		4-18-66	189.5	-9.0	
04S/14W-17F02S	180.5	8-05-65	195.2	-14.7	101
		10-26-65	192.5	-12.0	
		11-29-65	191.2	-10.7	
		12-14-65	190.8	-10.3	
		2-28-66	187.7	-7.2	
		3-17-66	192.8	-12.3	
		4-18-66	184.7	-4.2	
04S/14W-17H01S	96.0	7-31-65	136.6(1)	-40.6	101
		8-31-65	113.6(5)	-17.6	
		9-30-65	132.6(1)	-36.6	
		10-31-65	112.6(5)	-16.6	
		11-30-65	131.6(1)	-35.6	
		12-31-65	109.6(5)	-13.6	
		2-28-66	107.6(5)	-11.6	
		4-30-66	106.6(5)	-10.6	
		6-30-66	104.6(5)	-8.6	
04S/14W-17H02S	92.0	7-31-65	125.5(1)	-33.5	101
		8-31-65	109.5(5)	-17.5	
		9-30-65	119.5(1)	-27.5	
		10-31-65	108.5(5)	-16.5	
		11-30-65	121.5(1)	-29.5	
		12-31-65	106.5(5)	-14.5	
		2-20-66	105.5(5)	-13.5	
		4-30-66	104.5(5)	-12.5	
		6-30-66	103.5(5)	-11.5	
04S/14W-17M01S	115.0	7-15-65	121.1	-6.1	101
		7-22-65	120.5	-5.5	
		7-29-65	120.4	-5.4	
		8-05-65	119.4	-4.4	
		8-12-65	119.5	-4.5	
		8-19-65	119.5	-4.5	
		8-31-65	117.2	-2.2	
		9-09-65	116.9	-1.9	
		9-16-65	116.6	-1.6	
		9-23-65	116.5	-1.5	
		9-30-65	116.2	-1.2	
		10-07-65	114.8	.2	
		10-14-65	112.9	2.1	
		10-21-65	112.9	2.1	
		10-29-65	113.2	1.8	
		11-04-65	113.3	1.7	
		11-11-65	113.0	2.0	
		11-18-65	112.6	2.4	
		11-29-65	111.7	3.3	
		12-09-65	111.1	3.9	
		12-16-65	111.1	3.9	
		12-30-65	110.8	4.2	
		1-06-66	110.4	4.6	
		1-13-66	110.0	5.0	
		1-20-66	110.1	4.9	
		1-31-66	107.3	7.7	
		2-10-66	107.9	7.1	
		2-17-66	107.5	7.5	
		2-28-66	107.1	7.9	
		3-10-66	109.5	5.5	
		3-17-66	118.2	-3.2	
		3-24-66	105.1	9.9	
		3-31-66	103.9	11.1	
		4-04-66	104.0	11.0	
		4-14-66	102.7	12.3	
		4-21-66	102.4	12.6	
		4-28-66	103.2	11.8	
		5-05-66	102.9	12.1	
		5-12-66	105.4	9.6	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-17M01S	115.0	5-20-66	105.4	9.6	101
(CONT.)		5-27-66	105.3	9.7	
		6-02-66	104.8	10.2	
		6-09-66	104.8	10.2	
		6-16-66	104.0	11.0	
		6-27-66	103.9	11.1	
04S/14W-17M02S	97.0	7-15-65	101.6	-4.6	101
		7-22-65	100.9	-3.9	
		7-29-65	100.8	-3.8	
		8-05-65	94.1	2.9	
		8-19-65	99.9	-2.9	
		8-31-65	97.6	-.6	
		9-09-65	97.5	-.5	
		9-16-65	97.3	-.3	
		9-23-65	97.4	-.4	
		9-30-65	97.4	-.4	
		10-07-65	97.8	-.8	
		10-14-65	93.7	3.3	
		10-21-65	93.9	3.1	
		10-29-65	94.3	2.7	
		11-04-65	94.6	2.4	
		11-11-65	94.2	2.8	
		11-18-65	94.0	3.0	
		11-29-65	93.1	3.9	
		12-09-65	92.4	4.6	
		12-16-65	92.3	4.7	
		12-30-65	92.0	5.0	
		1-06-66	91.6	5.4	
		1-13-66	91.5	5.5	
		1-20-66	89.3	7.7	
		1-31-66	88.7	8.3	
		2-10-66	89.0	8.0	
		2-17-66	87.5	9.5	
		2-28-66	88.1	8.9	
		3-10-66	86.4	10.6	
		3-17-66	99.5	-2.5	
		3-24-66	85.6	11.4	
		3-31-66	84.4	12.6	
		4-04-66	84.3	12.7	
		4-14-66	82.7	14.3	
		4-21-66	82.6	14.4	
		4-28-66	83.5	13.5	
		5-05-66	83.3	13.7	
		5-12-66	86.2	10.8	
		5-20-66	85.8	11.2	
		5-27-66	85.8	11.2	
		6-02-66	85.1	11.9	
		6-09-66	85.2	11.8	
		6-16-66	84.4	12.6	
		6-27-66	83.9	13.1	
04S/14W-17N02S	88.0	7-15-65	105.7	-17.7	101
		7-22-65	105.5	-17.5	
		7-29-65	105.5	-17.5	
		8-05-65	105.0	-17.0	
		8-12-65	104.9	-16.9	
		8-19-65	104.8	-16.8	
		8-31-65	103.9	-15.9	
		9-16-65	103.6	-15.6	
		9-23-65	103.7	-15.7	
		9-30-65	103.6	-15.6	
		10-07-65	103.4	-15.4	
		10-14-65	103.3	-15.3	
		10-21-65	103.3	-15.3	
		10-29-65	103.0	-15.0	
		11-04-65	102.9	-14.9	
		11-11-65	102.6	-14.6	
		11-18-65	102.5	-14.5	
		11-29-65	101.7	-13.7	
		12-09-65	101.3	-13.3	
		12-16-65	101.2	-13.2	
		12-30-65	101.0	-13.0	
		1-06-66	100.6	-12.6	
		1-13-66	100.7	-12.7	
		1-20-66	99.8	-11.8	
		1-28-66	99.6	-11.6	
		2-11-66	99.2	-11.2	
		2-18-66	99.0	-11.0	
		2-25-66	97.8	-9.8	
		3-11-66	97.5	-9.5	
		3-18-66	100.6	-12.6	
		3-25-66	96.8	-8.8	
		4-01-66	95.8	-7.8	
		4-08-66	94.5	-6.5	
		4-15-66	94.0	-6.0	
		4-22-66	93.4	-5.4	
		4-29-66	93.1	-5.1	
		5-06-66	92.8	-4.8	
		5-13-66	93.0	-5.0	
		5-20-66	93.2	-5.2	
		5-27-66	93.2	-5.2	
		6-03-66	92.8	-4.8	
		6-10-66	92.8	-4.8	
		6-17-66	92.6	-4.6	
		6-24-66	92.4	-4.4	
04S/14W-17N03S	95.0	7-08-65	110.6	-15.6	101

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-17N03S (CONT.)	95.0	7-15-65	107.3	-12.3	101
		7-22-65	107.0	-12.0	
		7-29-65	106.6	-11.6	
		8-05-65	106.0	-11.0	
		8-12-65	105.6	-10.6	
		8-19-65	105.4	-10.4	
		8-31-65	104.0	-9.0	
		9-09-65	103.4	-8.4	
		9-16-65	103.1	-8.1	
		9-23-65	103.3	-8.3	
		9-30-65	103.0	-8.0	
		10-07-65	102.7	-7.7	
		10-14-65	101.5	-6.5	
		10-21-65	103.0	-8.0	
		10-29-65	101.0	-6.0	
		11-04-65	101.2	-6.2	
		11-11-65	100.9	-5.9	
		11-18-65	100.7	-5.7	
		11-29-65	99.8	-4.8	
		12-09-65	99.4	-4.4	
		12-16-65	99.4	-4.4	
		12-30-65	99.0	-4.0	
		1-06-66	98.8	-3.8	
		1-13-66	98.7	-3.7	
		1-20-66	98.4	-3.4	
		1-31-66	94.6	.4	
		2-10-66	97.2	-2.2	
		2-17-66	97.0	-2.0	
		2-28-66	94.7	.3	
		3-11-66	93.4	1.6	
		3-24-66	90.1	4.9	
		3-31-66	88.3	6.7	
		4-07-66	86.5	8.5	
		4-14-66	85.6	9.4	
		4-21-66	84.8	10.2	
		4-28-66	86.0	9.0	
		5-05-66	84.4	10.6	
		5-12-66	85.6	9.4	
		5-20-66	85.8	9.2	
		5-27-66	85.9	9.1	
		6-02-66	85.9	9.1	
		6-09-66	84.6	10.4	
		6-16-66	84.3	10.7	
		6-27-66	83.9	11.1	
04S/14W-17P01S	75.0	7-29-65	93.9	-18.9	101
		8-30-65	92.4	-17.4	
		9-14-65	92.2	-17.2	
		9-30-65	92.0	-17.0	
		10-28-65	91.0	-16.0	
		11-29-65	89.6	-14.6	
		12-30-65	88.6	-13.6	
		1-27-66	87.3	-12.3	
		2-09-66	86.9	-11.9	
		2-25-66	85.9	-10.9	
		3-30-66	84.1	-9.1	
		4-21-66	82.0	-7.0	
04S/14W-17P02S	74.0	8-30-65	89.9	-15.9	101
		9-30-65	89.4	-15.4	
		10-28-65	88.4	-14.4	
		11-29-65	86.9	-12.9	
		12-30-65	86.0	-12.0	
		1-27-66	84.8	-10.8	
		2-09-66	84.5	-10.5	
		2-25-66	83.3	-9.3	
		3-30-66	81.1	-7.1	
		4-21-66	79.1	-5.1	
04S/14W-18A01S	147.9	8-04-65	167.4	-19.5	101
		11-29-65	164.0	-16.1	
		12-09-65	163.4	-15.5	
		3-07-66	160.7	-12.8	
		4-18-66	159.1	-11.2	
		4-25-66	159.1	-11.2	
		6-20-66	158.7	-10.8	
04S/14W-18A02S	147.7	11-29-65	145.7	2.0	101
		12-09-65	146.2	1.5	
		3-07-66	141.2	6.5	
		4-18-66	140.1	7.6	
		4-25-66	140.1	7.6	
		6-20-66	140.7	7.0	
04S/14W-18A03S	147.7	11-29-65	143.9	3.8	101
		12-09-65	143.3	4.4	
		3-07-66	139.3	8.4	
		4-18-66	137.8	9.9	
		4-25-66	137.8	9.9	
		6-20-66	136.2	11.5	
04S/14W-18A04S	91.0	9-23-65	107.3	-16.3	101
		3-08-66	102.3	-11.3	
		4-18-66	100.8	-9.8	
		6-01-66	100.7	-9.7	
04S/14W-18A05S	91.3	3-08-66	84.2	7.1	101
		4-18-66	83.2	8.1	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-18A05S (CONT.)	91.3	6-01-66	84.5	6.8	101
04S/14W-18A06S	91.1	3-08-66	86.0	5.1	101
		4-18-66	84.8	6.3	
		6-01-66	84.5	6.6	
04S/14W-18A07S	92.0	10-25-65	104.5	-12.5	101
		4-18-66	97.9	-5.9	
04S/14W-18A08S	92.0	10-25-65	89.6	2.4	101
		11-29-65	87.9	4.1	
		3-07-66	81.6	10.4	
		4-18-66	83.6	8.4	
		6-01-66	84.7	7.3	
04S/14W-18A09S	92.0	9-22-65	92.5	-.5	101
		10-25-65	91.0	1.0	
		11-29-65	90.4	1.6	
		3-07-66	86.0	6.0	
		4-18-66	84.7	7.3	
		6-01-66	84.3	7.7	
04S/14W-18B01S	87.0	11-30-65	85.3	1.7	101
		12-13-65	84.7	2.3	
		4-18-66	80.3	6.7	
		6-23-66	80.5	6.5	
04S/14W-18F01S	14.0	8-10-65	13.6	.4	101
		11-30-65	13.3	.7	
		3-01-66	14.5	-.5	
		4-19-66	12.0	2.0	
04S/14W-18H01S	147.3	9-27-65	160.3	-13.0	101
		11-29-65	158.2	-10.9	
		12-03-65	158.2	-10.9	
		2-28-66	153.3	-6.0	
		4-18-66	150.9	-3.6	
04S/14W-18H02S	147.2	9-27-65	147.1	.1	101
		11-29-65	144.6	2.6	
		12-03-65	144.6	2.6	
		2-28-66	141.5	5.7	
		4-18-66	139.0	8.2	
04S/14W-18H03S	146.6	12-03-65	143.6	3.0	101
		2-28-66	140.0	6.6	
		4-18-66	137.4	9.2	
04S/14W-18H04S	132.0	4-26-66	134.1	-2.1	101
04S/14W-18H05S	132.0	11-29-65	128.0	4.0	101
		4-21-66	120.6	11.4	
04S/14W-18H06S	132.0	11-29-65	129.4	2.6	101
		4-26-66	123.0	9.0	
04S/14W-18H07S	120.0	10-25-65	132.2	-12.2	101
		11-30-65	131.0	-11.0	
		4-21-66	125.1	-5.1	
04S/14W-18H08S	120.0	10-25-65	116.1	3.9	101
		11-30-65	116.2	3.8	
		4-21-66	109.1	10.9	
04S/14W-18H09S	120.0	10-25-65	116.0	4.0	101
		11-29-65	117.0	3.0	
		4-21-66	119.7	.3	
04S/14W-18J01S	133.0	12-08-65	131.9	1.1	101
		4-18-66	124.1	8.9	
		6-24-66	123.8	9.2	
04S/14W-18J02S	133.0	11-30-65	148.0	-15.0	101
		12-08-65	147.7	-14.7	
		4-18-66	139.3	-6.3	
04S/14W-18K01S	73.0	11-30-65	78.5	-5.5	101
		12-08-65	77.9	-4.9	
		4-18-66	69.6	3.4	
04S/14W-18P01S	47.5	9-30-65	58.5	-11.0	101
		11-30-65	56.2	-8.7	
		3-15-66	56.2	-8.7	
		4-21-66	56.4	-8.9	
04S/14W-18Q01S	100.0	8-11-65	104.7	-4.7	101
		11-30-65	99.9	.1	
		3-01-66	95.2	4.8	
		4-19-66	91.8	8.2	
		5-20-66	93.8	6.2	
		6-24-66	92.4	7.6	
04S/14W-18Q02S	101.0	8-11-65	105.0	-4.0	101
		11-30-65	103.5	-2.5	
		3-01-66	102.7	-1.7	
		4-19-66	101.9	-.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-18003S	103.0	11-30-65	109.5	-6.5	101
(CONT.)		3-01-66	106.1	-3.1	
		4-19-66	99.2	3.8	
		5-20-66	101.8	1.2	
		6-24-66	100.3	2.7	
04S/14W-20D02S	116.5	4-19-66	124.7	-8.2	101
04S/14W-20D03S	116.4	11-30-65	124.9	-8.5	101
		4-19-66	120.8	-4.4	
04S/14W-20D05S	116.5	4-19-66	120.2	-3.7	101
04S/14W-20D06S	125.0	7-08-65	139.6	-14.6	101
		7-15-65	138.5	-13.5	
		7-22-65	138.1	-13.1	
		7-29-65	137.7	-12.7	
		8-05-65	137.3	-12.3	
		8-12-65	135.9	-10.9	
		8-19-65	138.0	-13.0	
		8-31-65	135.7	-10.7	
		9-09-65	135.2	-10.2	
		9-16-65	134.9	-9.9	
		9-23-65	135.0	-10.0	
		9-30-65	134.8	-9.8	
		10-07-65	134.5	-9.5	
		10-14-65	133.7	-8.7	
		10-21-65	134.2	-9.2	
		10-29-65	133.2	-8.2	
		11-04-65	133.3	-8.3	
		11-11-65	133.0	-8.0	
		11-18-65	132.9	-7.9	
		11-29-65	132.0	-7.0	
		12-09-65	131.6	-6.6	
		12-16-65	131.5	-6.5	
		12-30-65	131.2	-6.2	
		4-07-66	119.4	5.6	
		4-14-66	118.5	6.5	
		4-21-66	117.6	7.4	
		4-28-66	117.6	7.4	
		5-05-66	117.3	7.7	
		5-12-66	118.1	6.9	
		5-20-66	119.0	6.0	
		5-27-66	119.3	5.7	
		6-02-66	118.0	7.0	
		6-09-66	117.5	7.5	
		6-16-66	117.2	7.8	
		6-27-66	116.8	8.2	
		7-21-66	117.2	7.8	
04S/14W-20D07S	120.0	7-08-65	141.6	-21.6	101
		7-15-65	140.6	-20.6	
		7-22-65	140.3	-20.3	
		7-29-65	140.1	-20.1	
		8-05-65	141.4	-21.4	
		8-12-65	139.6	-19.6	
		8-19-65	139.4	-19.4	
		8-31-65	138.6	-18.6	
		9-09-65	138.4	-18.4	
		9-16-65	138.1	-18.1	
		9-23-65	138.3	-18.3	
		9-30-65	138.1	-18.1	
		10-07-65	137.9	-17.9	
		10-14-65	137.7	-17.7	
		10-21-65	137.6	-17.6	
		10-29-65	137.3	-17.3	
		11-04-65	137.3	-17.3	
		11-11-65	137.0	-17.0	
		11-18-65	136.8	-16.8	
		11-29-65	135.9	-15.9	
		12-09-65	135.5	-15.5	
		12-16-65	135.3	-15.3	
		12-30-65	135.0	-15.0	
		4-07-66	128.9	-8.9	
		4-14-66	127.9	-7.9	
		4-21-66	127.3	-7.3	
		4-28-66	127.0	-7.0	
		5-05-66	126.7	-6.7	
		5-12-66	127.0	-7.0	
		5-20-66	127.1	-7.1	
		5-27-66	127.0	-7.0	
		6-02-66	126.7	-6.7	
		6-09-66	126.5	-6.5	
		6-16-66	126.3	-6.3	
		6-27-66	125.9	-5.9	
		7-21-66	126.4	-6.4	
04S/14W-20D08S	145.0	7-08-65	159.8	-14.8	101
		7-15-65	159.0	-14.0	
		7-22-65	158.6	-13.6	
		7-29-65	158.4	-13.4	
		8-05-65	157.9	-12.9	
		8-12-65	157.6	-12.6	
		8-19-65	157.4	-12.4	
		8-31-65	156.4	-11.4	
		9-09-65	155.9	-10.9	
		9-16-65	155.6	-10.6	
		9-23-65	155.7	-10.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-20D08S	145.0	9-30-65	155.6	-10.6	101
(CONT.)		10-07-65	155.4	-10.4	
		10-14-65	154.7	-9.7	
		10-21-65	154.6	-9.6	
		10-29-65	154.4	-9.4	
		11-04-65	154.0	-9.0	
		11-11-65	153.9	-8.9	
		11-18-65	153.7	-8.7	
		11-29-65	152.8	-7.8	
		12-09-65	152.3	-7.3	
		12-16-65	152.3	-7.3	
		12-30-65	152.1	-7.1	
		4-07-66	141.0	4.0	
		4-14-66	139.9	5.1	
		4-21-66	139.2	5.8	
		4-28-66	139.1	5.9	
		5-05-66	138.8	6.2	
		5-12-66	139.4	5.6	
		5-20-66	140.7	4.3	
		5-27-66	140.9	4.1	
		6-02-66	139.5	5.5	
		6-09-66	138.5	6.5	
		6-16-66	138.3	6.7	
		6-27-66	138.0	7.0	
		7-21-66	138.1	6.9	
045/14W-20E01S	157.0	7-15-65	178.5	-21.5	101
		7-22-65	178.5	-21.5	
		7-29-65	179.0	-22.0	
		8-05-65	178.3	-21.3	
		8-12-65	177.9	-20.9	
		8-19-65	177.6	-20.6	
		8-31-65	177.4	-20.4	
		9-09-65	176.7	-19.7	
		9-16-65	176.5	-19.5	
		9-23-65	176.3	-19.3	
		9-30-65	176.0	-19.0	
		10-07-65	176.8	-19.8	
		11-11-65	174.9	-17.9	
		11-18-65	174.5	-17.5	
		11-29-65	174.1	-17.1	
		12-09-65	173.6	-16.6	
		12-16-65	173.4	-16.4	
		12-30-65	172.9	-15.9	
		1-06-66	172.6	-15.6	
		1-13-66	172.4	-15.4	
		1-20-66	172.3	-15.3	
		1-31-66	171.8	-14.8	
		2-28-66	170.5	-13.5	
		3-17-66	169.9	-12.9	
		3-24-66	170.2	-13.2	
		3-31-66	169.8	-12.8	
		4-07-66	169.0	-12.0	
		4-14-66	167.7	-10.7	
		4-21-66	166.0	-9.0	
		4-28-66	165.0	-8.0	
		5-05-66	164.7	-7.7	
		5-12-66	164.6	-7.6	
		5-20-66	164.8	-7.8	
		5-27-66	164.7	-7.7	
		6-02-66	164.7	-7.7	
		6-09-66	164.7	-7.7	
		6-16-66	164.3	-7.3	
		6-27-66	163.8	-6.8	
04S/14W-20E02S	199.0	7-15-65	213.3	-14.3	101
		7-22-65	212.9	-13.9	
		7-29-65	212.5	-13.5	
		8-05-65	212.3	-13.3	
		8-12-65	211.9	-12.9	
		8-19-65	211.8	-12.8	
		8-31-65	210.8	-11.8	
		9-09-65	210.3	-11.3	
		9-16-65	210.0	-11.0	
		9-23-65	210.1	-11.1	
		9-30-65	210.0	-11.0	
		10-07-65	209.8	-10.8	
		10-14-65	209.1	-10.1	
		10-21-65	209.0	-10.0	
		10-29-65	209.2	-10.2	
		11-04-65	210.2	-11.2	
		11-11-65	208.4	-9.4	
		11-18-65	208.3	-9.3	
		11-29-65	207.3	-8.3	
		12-09-65	206.8	-7.8	
		12-16-65	206.7	-7.7	
		12-30-65	206.5	-7.5	
		1-06-66	207.3	-8.3	
		1-13-66	206.8	-7.8	
		1-20-66	206.3	-7.3	
		1-31-66	205.2	-6.2	
		2-10-66	204.6	-5.6	
		2-17-66	204.5	-5.5	
		2-28-66	203.6	-4.6	
		3-10-66	202.7	-3.7	
		3-17-66	207.7	-8.7	
		3-24-66	200.4	-1.4	
		3-31-66	198.0	1.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-20E02S (CONT.)	199.0	4-07-66	196.7	2.3	101
		4-14-66	195.6	3.4	
		4-21-66	194.9	4.1	
		4-28-66	194.7	4.3	
		5-05-66	194.5	4.5	
		5-12-66	195.1	3.9	
		5-20-66	196.5	2.5	
		5-27-66	196.2	2.8	
		6-02-66	194.6	4.4	
		6-09-66	195.2	3.8	
		6-16-66	194.2	4.8	
		6-27-66	194.2	4.8	
04S/14W-20G01S	90.9	9-28-65	115.9	-25.0	101
		11-30-65	113.6	-22.7	
		3-08-66	110.5	-19.6	
		4-19-66	108.1	-17.2	
04S/14W-20G02S	90.9	9-28-65	106.3	-15.4	101
		11-30-65	103.8	-12.9	
		3-08-66	98.6	-7.7	
		4-19-66	95.3	-4.4	
04S/14W-20G03S	90.1	9-28-65	103.2	-13.1	101
04S/14W-20G04S	89.9	9-28-65	100.4	-10.5	101
		11-30-65	99.4	-9.5	
		3-08-66	98.0	-8.1	
		4-19-66	96.4	-6.5	
04S/14W-21F01S	72.0	7-07-65	100.6	-28.6	101
		7-20-65	100.7	-28.7	
		8-02-65	100.5	-28.5	
		9-07-65	99.9	-27.9	
		10-04-65	99.4	-27.4	
		11-01-65	99.0	-27.0	
		11-30-65	86.9	-14.9	
		12-06-65	88.6	-16.6	
		12-13-65	88.5	-16.5	
		12-20-65	94.2	-22.2	
		12-27-65	90.3	-18.3	
		1-03-66	85.0	-13.0	
		1-10-66	86.8	-14.8	
		1-17-66	88.0	-16.0	
		2-07-66	85.9	-13.9	
		2-14-66	87.9	-15.9	
		2-23-66	89.3	-17.3	
		3-01-66	89.7	-17.7	
		3-14-66	90.6	-18.6	
		3-21-66	91.1	-19.1	
		3-28-66	90.4	-18.4	
		4-04-66	90.8	-18.8	
		4-20-66	90.9	-18.9	
		5-03-66	91.9	-19.9	
		5-16-66	90.8	-18.8	
		5-23-66	90.9	-18.9	
		5-31-66	90.9	-18.9	
		6-06-66	90.8	-18.8	
		6-13-66	90.8	-18.8	
		6-20-66	90.8	-18.8	
		6-28-66	90.8	-18.8	
04S/14W-21G01S	73.0	7-07-65	106.5	-33.5	101
		7-20-65	106.5	-33.5	
		8-02-65	106.5	-33.5	
		9-07-65	106.3	-33.3	
		10-04-65	106.0	-33.0	
		11-01-65	105.6	-32.6	
		11-30-65	100.6	-27.6	
		12-06-65	100.3	-27.3	
		12-13-65	99.6	-26.6	
		12-20-65	100.0	-27.0	
		12-27-65	100.6	-27.6	
		1-03-66	100.2	-27.2	
		1-10-66	100.2	-27.2	
		1-17-66	100.4	-27.4	
		1-24-66	100.6	-27.6	
		2-07-66	100.1	-27.1	
		2-14-66	101.0	-28.0	
		2-23-66	100.1	-27.1	
		3-01-66	100.2	-27.2	
		3-21-66	100.5	-27.5	
		3-28-66	100.4	-27.4	
		4-04-66	100.4	-27.4	
		4-20-66	100.3	-27.3	
		5-03-66	100.1	-27.1	
		5-16-66	100.1	-27.1	
		5-23-66	100.0	-27.0	
		5-31-66	100.0	-27.0	
		6-06-66	99.9	-26.9	
		6-13-66	99.8	-26.8	
		6-28-66	99.6	-26.6	
04S/14W-21H03S	73.0	7-07-65	106.0	-33.0	101
		7-20-65	105.6	-32.6	
		8-02-65	105.2	-32.2	
		9-07-65	104.1	-31.1	
		10-04-65	103.7	-30.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-21H03S (CONT.)	73.0	11-01-65	103.1	-30.1	101
		11-30-65	101.3	-28.3	
		12-06-65	101.2	-28.2	
		12-13-65	101.0	-28.0	
		12-20-65	100.8	-27.8	
		12-27-65	100.7	-27.7	
		1-03-66	100.1	-27.1	
		1-10-66	100.1	-27.1	
		1-17-66	100.0	-27.0	
		1-24-66	99.8	-26.8	
		2-08-66	99.1	-26.1	
		2-23-66	99.3	-26.3	
		3-01-66	99.1	-26.1	
		3-14-66	98.7	-25.7	
		4-04-66	98.5	-25.5	
		4-20-66	97.9	-24.9	
		5-03-66	97.7	-24.7	
		5-16-66	97.5	-24.5	
		5-23-66	97.5	-24.5	
		5-31-66	97.4	-24.4	
		6-06-66	97.3	-24.3	
		6-13-66	97.2	-24.2	
		6-20-66	97.1	-24.1	
		6-28-66	96.8	-23.8	
04S/14W-21L02S	70.9	7-20-65	101.0	-30.1	101
		8-02-65	100.6	-29.7	
		9-07-65	99.3	-28.4	
		10-04-65	99.2	-28.3	
		11-01-65	99.4	-28.5	
		11-30-65	96.4	-25.5	
		12-06-65	96.5	-25.6	
		12-13-65	96.0	-25.1	
		12-20-65	95.9	-25.0	
		12-27-65	97.1	-26.2	
		1-03-66	95.4	-24.5	
		1-10-66	95.1	-24.2	
		1-17-66	94.1	-23.2	
		1-24-66	94.9	-24.0	
		2-07-66	93.8	-22.9	
		2-14-66	94.3	-23.4	
		2-23-66	95.0	-24.1	
		3-01-66	94.1	-23.2	
		3-14-66	94.2(8)	-23.3	
		3-21-66	96.5(8)	-25.6	
		3-28-66	93.9(8)	-23.0	
		4-04-66	93.3(8)	-22.4	
		4-20-66	93.6(8)	-22.7	
		5-03-66	92.6(8)	-21.7	
		5-16-66	92.6(8)	-21.7	
		5-23-66	92.5(8)	-21.6	
		5-31-66	83.3(8)	-12.4	
		6-06-66	92.5(8)	-21.6	
		6-13-66	92.5(8)	-21.6	
		6-20-66	92.0	-21.1	
		6-28-66	93.2	-22.3	
04S/14W-22D01S	82.0	9-07-65	116.1	-34.1	101
		10-04-65	115.9	-33.9	
		11-01-65	115.5	-33.5	
		12-06-65	114.2	-32.2	
		1-03-66	113.3	-31.3	
		2-07-66	112.1	-30.1	
		3-01-66	112.8	-30.8	
		4-04-66	111.3	-29.3	
		5-03-66	111.0	-29.0	
		6-06-66	110.5	-28.5	
04S/14W-23N02S	113.1	12-20-65	176.7	-63.6	101
		4-20-66	164.7	-51.6	
04S/14W-24E01S	66.0	4-12-66	200.6(4)	-134.6	101
04S/14W-25B01S	65.0	8-02-65	115.9	-50.9	101
		9-07-65	116.0	-51.0	
		10-04-65	116.0	-51.0	
		11-01-65	116.0	-51.0	
		12-06-65	116.0	-51.0	
		1-03-66	115.9	-50.9	
		2-08-66	115.9	-50.9	
		3-01-66	115.8	-50.8	
		4-04-66	115.8	-50.8	
		5-03-66	115.8	-50.8	
		6-06-66	115.8	-50.8	
04S/14W-27B01S	81.0	4-12-66	123.3(8)	-42.3	101
04S/14W-35D05S	166.9	11-03-65	222.8	-55.9	101
		4-13-66	221.5	-54.6	
04S/14W-36G02S	40.5	11-05-65	104.7	-64.2	101
		4-22-66	103.2	-62.7	
04S/14W-36G03S	40.6	11-05-65	103.9	-63.3	101
		4-22-66	103.3	-62.7	
04S/14W-36G04S	41.0	11-05-65	99.3	-58.3	101
		4-22-66	102.3	-61.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/14W-36M01S	232.2	11-03-65	296.3	-64.1	101
		4-13-66	294.3	-62.1	
05S/12W-11G05S	16.8	10-04-65	29.7	-12.9	101
		1-28-66	28.9	-12.1	
		4-18-66	29.1	-12.3	
		6-10-66	30.0	-13.2	
05S/12W-11G06S	16.7	10-04-65	43.7	-27.0	101
		1-28-66	43.9	-27.2	
		4-18-66	44.0	-27.3	
		6-10-66	43.9	-27.2	
05S/13W-01A01S	35.7	7-16-65	60.7	-25.0	101
		12-01-65	61.9	-26.2	
		3-31-66	73.1	-37.4	
		4-25-66	72.5	-36.8	
05S/13W-02B01S	4.2	11-05-65	26.8	-22.6	101
		4-13-66	29.5	-25.3	
05S/13W-02G01S	3.2	11-30-65	13.8	-10.6	101
		4-20-66	15.4	-12.2	
05S/13W-02J03S	14.7	12-01-65	67.7	-53.0	101
		4-22-66	63.8	-49.1	
05S/13W-02J06S	15.0	2-16-66	66.0	-51.0	101
		4-14-66	121.0(1)	-106.0	
05S/13W-02K02S	22.7	11-05-65	58.4	-35.7	101
		4-13-66	48.5	-25.8	
05S/13W-02K03S	22.7	11-05-65	74.2	-51.5	101
		4-13-66	68.1	-45.4	
05S/13W-02K05S	22.7	11-05-65	73.7	-51.0	101
		4-13-66	68.0	-45.3	
05S/13W-03C01S	-11.8	11-08-65	27.1	-38.9	101
		4-21-66	31.1	-42.9	
05S/13W-03C02S	-8.9	11-08-65	30.5	-39.4	101
		4-21-66	34.4	-43.3	
05S/13W-03C04S	-8.2	11-08-65	32.2	-40.4	101
05S/13W-03C05S	-5.9	12-22-65	33.5	-39.4	101
05S/13W-03D03S	-6.0	11-08-65	29.2	-35.2	101
05S/13W-03D07S	-5.6	11-01-65	31.7	-37.3	101
		4-21-66	36.9	-42.5	
05S/13W-03D08S	-8.4	4-20-66	33.6	-42.0	101
05S/13W-03E01S	-5.9	4-21-66	33.7	-39.6	101
05S/13W-03E04S	-8.9	1-14-66	30.0	-38.9	101
05S/13W-03F01S	-10.7	11-08-65	26.1	-36.8	101
		12-01-65	25.0	-35.7	
		4-20-66	29.7	-40.4	
05S/13W-03P11S	-14.0	11-08-65	15.5	-29.5	101
		12-01-65	14.1	-28.1	
		4-21-66	20.5	-34.5	
05S/13W-03P12S	-13.7	11-08-65	15.8	-29.5	101
		4-21-66	22.1	-35.8	
05S/13W-03P13S	-10.0	12-22-65	18.6	-28.6	101
		4-20-66	25.8	-35.8	
05S/13W-03P14S	-10.0	11-08-65	20.3	-30.3	101
05S/13W-03P16S	-10.0	11-08-65	20.8	-30.8	101
05S/13W-03P17S	16.0	8-16-65	37.7	-21.7	101
		11-08-65	42.4	-26.4	
		4-21-66	39.6	-23.6	
05S/13W-03P18S	15.7	8-16-65	44.7	-29.0	101
		11-08-65	42.5	-26.8	
		4-21-66	41.1	-25.4	
05S/13W-03P19S	15.3	4-21-66	44.8	-29.5	101
05S/13W-03Q02S	.6	4-13-66	4.5	-3.9	101
05S/13W-04E01S	-.6	3-09-66	28.0	-28.6	101
		4-20-66	29.2	-29.8	
05S/13W-04E02S	-.2	12-22-65	23.0	-23.2	101
		3-09-66	25.1	-25.3	
		4-20-66	26.1	-26.3	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
WEST COAST HYDRO SUBAREA U-05.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/13W-05C01S	12.8	12-22-65	81.7	-68.9	101
		4-06-66	82.8	-70.0	
		4-22-66	82.9	-70.1	
05S/13W-05C02S	12.7	4-22-66	33.6	-20.9	101
05S/13W-06B01S	15.0	7-13-65	88.4	-73.4	101
		12-22-65	83.9	-68.9	
		4-20-66	85.2	-70.2	
05S/13W-06B02S	15.2	7-13-65	30.9	-15.7	101
		1-14-66	30.9	-15.7	
		4-20-66	31.2	-16.0	
05S/13W-06D01S	30.8	8-03-65	143.0(1)	-112.2	101
		9-07-65	142.0(1)	-111.2	
		10-04-65	142.0(1)	-111.2	
		11-02-65	144.0(1)	-113.2	
		2-09-66	141.0(1)	-110.2	
		6-08-66	139.0(1)	-108.2	
05S/13W-08P01S	9.3	7-12-65	28.0	-18.7	101
		11-08-65	28.1	-18.8	
		3-10-66	29.9	-20.6	
		4-21-66	30.6	-21.3	
05S/13W-09B02S	5.3	7-12-65	23.1	-17.8	101
		11-08-65	25.3	-20.0	
		3-10-66	26.6	-21.3	
		4-19-66	27.3	-22.0	
05S/13W-11C03S	8.7	11-30-65	23.0	-14.3	101
		4-19-66	22.8	-14.1	
05S/13W-11G01S	13.6	10-15-65	42.5	-28.9	101
		12-20-65	41.3	-27.7	
		3-09-66	45.6	-32.0	
		4-19-66	42.2	-28.6	
05S/13W-11G02S	14.1	12-20-65	47.2	-33.1	101
		3-09-66	59.0	-44.9	
		4-19-66	77.0	-62.9	
05S/13W-11H02S	21.4	11-17-65	164.3(1)	-142.9	101
05S/13W-11N02S	12.8	4-20-66	14.0	-1.2	101

SANTA MONICA HYDRO SUBAREA U-05.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/15W-23J01S	308.3	11-02-65	FLOW		101
01S/15W-25C01S	225.0	11-10-65	184.7	40.3	101
		4-04-66	186.3	38.7	
		11-21-66	185.2	39.8	
01S/15W-25K02S	193.3	11-01-65	121.5	71.8	101
		4-04-66	118.7	74.6	
01S/15W-29G01S	353.0	11-01-65	79.0	274.0	101
		4-04-66	75.2	277.8	
01S/15W-30M01S	324.0	11-01-65	69.1	254.9	101
		4-04-66	49.2	274.8	
01S/15W-32A01S	244.0	11-01-65	68.4	175.6	101
		4-04-66	65.3	178.7	
01S/15W-32A02S	240.0	11-01-65	63.4(2)	176.6	101
		4-04-66	87.1(2)	152.9	
01S/15W-33C01S	225.0	11-10-65	FLOW		101
		4-04-66	FLOW		
01S/16W-36K01S	265.0	11-03-65	102.4	162.6	101
		4-12-66	102.4	162.6	
02S/14W-07N01S	57.0	11-01-65	77.9	-20.9	101
		4-05-66	77.5	-20.5	
02S/14W-07P02S	54.5	11-01-65	69.9	-15.4	101
02S/14W-19C01S	40.7	11-02-65	85.2	-44.5	101
		4-04-66	80.7	-40.0	
02S/14W-19C02S	48.5	4-04-66	89.6	-41.1	101
02S/15W-01P02S	83.7	7-06-65	68.3	15.4	101
		8-02-65	68.2	15.5	
		9-07-65	68.1	15.6	
		10-04-65	68.0	15.7	
		11-01-65	68.4	15.3	
		12-06-65	68.4	15.3	
		1-12-66	68.4	15.3	
		2-08-66	68.3	15.4	
		3-01-66	68.1	15.6	
		4-04-66	67.9	15.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
SANTA MONICA HYDRO SUBAREA U-05.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/15W-01P02S (CONT.)	83.7	5-04-66	67.8	15.9	101
		6-01-66	67.7	16.0	
02S/15W-08M03S	104.6	11-01-65	DRY		101
		4-04-66	DRY		
02S/15W-11C07S	99.0	7-06-65	141.2	-42.2	101
		8-02-65	142.3	-43.3	
		9-07-65	140.9	-41.9	
		10-04-65	142.3	-43.3	
		11-01-65	145.0	-46.0	
		12-06-65	142.2	-43.2	
		1-12-66	135.6	-36.6	
		2-08-66	128.4	-29.4	
		3-01-66	143.0	-44.0	
		4-04-66	139.5	-40.5	
		5-04-66	143.3	-44.3	
		6-01-66	145.1	-46.1	
02S/15W-11E05S	93.0	7-07-65	135.3(5)	-42.3	101
		8-01-65	131.3(5)	-38.3	
		9-07-65	132.3(5)	-39.3	
		10-01-65	135.3(5)	-42.3	
		11-01-65	136.3(5)	-43.3	
		12-01-65	135.3(5)	-42.3	
		12-31-65	135.3(5)	-42.3	
		1-07-66	131.8	-38.8	
		2-01-66	128.8	-35.8	
		3-15-66	127.3(5)	-34.3	
		4-15-66	126.3(5)	-33.3	
		5-15-66	131.3(5)	-38.3	
		6-15-66	133.3(5)	-40.3	
02S/15W-11F05S	91.0	7-15-65	136.5(5)	-45.5	101
		8-15-65	137.5(5)	-46.5	
		9-15-65	136.5(5)	-45.5	
		10-15-65	137.5(5)	-46.5	
		11-01-65	136.5(5)	-45.5	
		12-01-65	136.5(5)	-45.5	
		1-07-66	132.0	-41.0	
		2-01-66	131.0	-40.0	
		3-15-66	129.5(5)	-38.5	
		4-15-66	129.5(5)	-38.5	
		5-15-66	132.5(5)	-41.5	
		6-15-66	134.5(5)	-43.5	
02S/15W-11F08S	92.5	7-15-65	137.0(5)	-44.5	101
		8-15-65	137.0(5)	-44.5	
		9-15-65	136.0(5)	-43.5	
		10-15-65	137.0(5)	-44.5	
		11-01-65	138.0(5)	-45.5	
		12-01-65	137.0(5)	-44.5	
		12-30-65	130.0(5)	-37.5	
		1-07-66	132.2	-39.7	
		2-01-66	131.2	-38.7	
		3-15-66	130.0(5)	-37.5	
		4-04-66	136.5	-44.0	
		4-15-66	131.0(5)	-38.5	
		5-15-66	134.0(5)	-41.5	
		6-15-66	135.0(5)	-42.5	
02S/15W-11J01S	54.0	11-01-65	90.8	-36.8	101
		4-05-66	88.6	-34.6	
02S/15W-11J03S	54.0	7-15-65	88.0(5)	-34.0	101
		8-15-65	88.0(5)	-34.0	
		9-15-65	88.0(5)	-34.0	
		10-15-65	87.0(5)	-33.0	
		11-01-65	88.0(5)	-34.0	
		12-01-65	87.0(5)	-33.0	
		12-30-65	85.0(5)	-31.0	
		1-15-66	87.0(5)	-33.0	
		2-15-66	87.0(5)	-33.0	
		3-15-66	87.0(5)	-33.0	
		6-15-66	87.0(5)	-33.0	
02S/15W-11J05S	56.0	7-14-65	90.1	-34.1	101
		8-15-65	89.0(5)	-33.0	
		9-15-65	89.0(5)	-33.0	
		10-15-65	89.0(5)	-33.0	
		11-01-65	88.0(5)	-32.0	
		12-01-65	88.0(5)	-32.0	
		12-30-65	86.0(5)	-30.0	
		1-07-66	87.0(5)	-31.0	
		2-15-66	88.0(5)	-32.0	
		3-15-66	88.0(5)	-32.0	
		6-15-66	88.0(5)	-32.0	
02S/15W-12B03S	76.0	11-06-65	77.1	-1.1	101
		4-05-66	72.4	3.6	
02S/15W-14Q02S	28.3	11-01-65	30.2	-1.9	101
		4-04-66	28.9(4)	-.6	
02S/15W-15F01S	34.0	7-06-65	29.8	4.2	101
		8-02-65	29.8	4.2	
		9-07-65	29.9	4.1	
		10-04-65	29.9	4.1	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
SANTA MONICA HYDRO SUBAREA U-05.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/15W-15F01S (CONT.)	34.0	11-01-65	30.0	4.0	101
		12-06-65	29.4	4.6	
		1-12-66	29.1	4.9	
		2-08-66	28.9	5.1	
		3-01-66	28.9	5.1	
		4-04-66	29.0	5.0	
		5-04-66	29.2	4.8	
		6-01-66	29.1	4.9	
02S/15W-22A07S	15.0	11-03-65	13.4	1.6	101
		4-06-66	12.2	2.8	
02S/15W-22B08S	23.0	11-01-65	23.0	.0	101
		4-04-66	22.0	1.0	
02S/15W-22B09S	20.0	11-03-65	21.3	-1.3	101
		4-06-66	20.4	-.4	
02S/15W-22E03S	10.0	10-13-65	8.0	2.0	101
		11-23-65	7.2	2.8	
02S/15W-22E04S	10.0	10-13-65	7.9	2.1	101
		11-23-65	6.5	3.5	
02S/15W-22E05S	10.0	10-13-65	8.1	1.9	101
		11-23-65	6.1	3.9	
02S/15W-22G01S	10.5	11-03-65	8.0	2.5	101
		4-06-66	7.2	3.3	
02S/15W-22R03S	10.8	10-11-65	12.7	-1.9	101
		11-23-65	11.9	-1.1	
02S/15W-23A02S	16.7	11-02-65	19.0	-2.3	101
		4-06-66	17.6	-.9	
02S/15W-23A03S	17.4	11-02-65	19.5	-2.1	101
		4-06-66	18.3	-.9	
02S/15W-23C01S	20.6	11-03-65	21.9	-1.3	101
		4-04-66	20.7	-.1	
02S/15W-23C05S	20.0	11-03-65	22.7	-2.7	101
		4-04-66	21.5	-1.5	
02S/15W-23C07S	16.5	11-03-65	17.5	-1.0	101
		4-06-66	16.5	.0	
02S/15W-23G04S	15.5	11-02-65	16.7	-1.2	101
		4-06-66	15.7	-.2	
02S/15W-23J07S	14.5	11-02-65	19.1	-4.6	101
		4-06-66	18.0	-3.5	
02S/15W-23M05S	10.0	11-03-65	7.6	2.4	101
		4-06-66	7.1	2.9	
02S/15W-23N01S	9.3	11-01-65	10.6(4)	-1.3	101
		4-04-66	7.4	1.9	
02S/15W-23Q04S	10.6	11-03-65	13.8	-3.2	101
		4-06-66	13.0	-2.4	
02S/15W-23R01S	11.3	11-03-65	15.2	-3.9	101
		4-06-66	14.1	-2.8	
02S/15W-27L01S	2.2	10-08-65	.6	1.6	101
02S/15W-27L02S	3.0	10-08-65	2.5	.5	101
02S/15W-28J01S	10.0	11-03-65	7.4	2.6	101
		4-06-66	7.3	2.7	
02S/15W-28Q01S	10.0	10-08-65	6.8	3.2	101
		11-23-65	8.0	2.0	
02S/15W-28R01S	5.0	11-03-65	2.5	2.5	101
		4-06-66	1.8	3.2	
02S/15W-28R02S	10.1	11-03-65	7.7	2.4	101
		4-06-66	7.3	2.8	

HOLLYWOOD HYDRO SUBAREA U-05.A4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/14W-10N01S	289.0	7-06-65	22.1	266.9	101
		8-02-65	22.2	266.8	
		9-07-65	22.2	266.8	
		10-04-65	22.3	266.7	
		11-01-65	22.4	266.6	
		12-06-65	20.6	268.4	
		1-12-66	20.5	268.5	
		2-08-66	20.4	268.6	
		3-01-66	20.5	268.5	
		4-04-66	21.0	268.0	
		5-04-66	21.3	267.7	
		6-01-66	21.5	267.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
HOLLYWOOD HYDRO SUBAREA U-05.A4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/14W-14E01S	280.0	11-03-65	20.5	259.5	101
		5-18-66	19.5	260.5	
01S/14W-14E02S	280.0	11-05-65	21.9	258.1	101
		5-18-66	21.5	258.5	
01S/14W-17E02S	188.0	7-22-65	161.0(5)	27.0	101
		8-05-65	163.0(5)	25.0	
		10-14-65	165.0(5)	23.0	
		12-10-65	170.0(5)	18.0	
		1-06-66	172.0(5)	16.0	
		2-17-66	171.0(5)	17.0	
		3-03-66	172.0(5)	16.0	
		4-08-66	172.0(5)	16.0	
		5-12-66	169.0(5)	19.0	
01S/14W-17E03S	188.0	7-01-65	167.5(5)	20.5	101
		7-22-65	195.5(5)	-7.5	
		9-02-65	195.5(5)	-7.5	
		9-16-65	198.5(5)	-10.5	
		10-14-65	198.5(5)	-10.5	
		10-28-65	190.5(5)	-2.5	
		12-10-65	226.5(5)	-38.5	
		1-06-66	235.5(5)	-47.5	
		2-17-66	227.5(5)	-39.5	
		3-03-66	228.5(5)	-40.5	
		4-08-66	244.5(5)	-56.5	
		5-12-66	233.5(5)	-45.5	
01S/14W-18A01S	300.0	11-02-65	FLOW		101
		4-04-66	FLOW		
01S/14W-18H02S	190.0	7-01-65	170.0(5)	20.0	101
		7-22-65	182.0(5)	8.0	
		9-02-65	182.0(5)	8.0	
		9-16-65	184.0(5)	6.0	
		10-14-65	184.0(5)	6.0	
		10-28-65	190.0(5)	.0	
		12-10-65	190.0(5)	.0	
		1-06-66	202.0(5)	-12.0	
		1-19-66	201.0(5)	-11.0	
		2-17-66	202.0(5)	-12.0	
		3-03-66	195.0(5)	-5.0	
		4-08-66	202.0(5)	-12.0	
		5-12-66	200.0(5)	-10.0	
01S/14W-18J01S	177.0	11-02-65	132.1	44.9	101
01S/14W-18J02S	178.0	7-01-65	175.5(5)	2.5	101
		9-02-65	175.5(5)	2.5	
		9-16-65	179.5(5)	-1.5	
		10-14-65	179.5(5)	-1.5	
		10-28-65	192.5(5)	-14.5	
		12-10-65	213.5(5)	-35.5	
		1-06-66	214.5(5)	-36.5	
		2-17-66	213.5(5)	-35.5	
		3-07-66	215.5(5)	-37.5	
		4-08-66	215.5(5)	-37.5	
		5-12-66	215.5(5)	-37.5	
01S/14W-18J04S	182.5	7-01-65	120.5(5)	62.0	101
		7-22-65	127.5(5)	55.0	
		10-14-65	127.5(5)	55.0	
		10-28-65	199.5(5)	-17.0	
		12-10-65	212.5(5)	-30.0	
		1-06-66	225.5(5)	-43.0	
		2-17-66	216.5(5)	-34.0	
		3-07-66	217.5(5)	-35.0	
		4-08-66	232.5(5)	-50.0	
		5-12-66	222.5(5)	-40.0	
01S/14W-18K01S	190.0	7-01-65	152.0(5)	38.0	101
		7-22-65	160.0(5)	30.0	
		9-30-65	160.0(5)	30.0	
		10-14-65	200.0(5)	-10.0	
		10-28-65	200.0(5)	-10.0	
		12-10-65	247.0(5)	-57.0	
		1-06-66	235.0(5)	-45.0	
		3-03-66	240.0(5)	-50.0	
01S/14W-19D04S	235.0	7-01-65	147.0(5)	88.0	101
		7-22-65	147.0(5)	88.0	
		8-05-65	148.0(5)	87.0	
		10-28-65	148.0(5)	87.0	
		12-10-65	225.0(5)	10.0	
		1-06-66	241.0(5)	-6.0	
		3-03-66	254.0(5)	-19.0	
		4-08-66	253.0(5)	-18.0	
		5-12-66	235.0(5)	.0	
01S/14W-19D05S	230.0	7-01-65	146.0(5)	84.0	101
		10-28-65	146.0(5)	84.0	
		11-02-65	193.0(5)	37.0	
		12-10-65	218.0(5)	12.0	
		1-06-66	232.0(5)	-2.0	
		3-03-66	244.0(5)	-14.0	
		4-08-66	248.0(5)	-18.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
HOLLYWOOD HYDRO SUBAREA U-05.A4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/15W-12N02S	465.0	7-01-65	65.5(5)	399.5	101
		7-22-65	66.5(5)	398.5	
		8-05-65	66.5(5)	398.5	
		8-19-65	68.5(5)	396.5	
		9-30-65	68.5(5)	396.5	
		10-14-65	65.5(5)	399.5	
		10-28-65	65.5(5)	399.5	
		12-10-65	58.5(5)	406.5	
		1-06-66	63.5(5)	401.5	
		1-19-66	64.5(5)	400.5	
		2-17-66	65.5(5)	399.5	
		3-03-66	65.5(5)	399.5	
		5-12-66	64.5(5)	400.5	

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/12W-06H01S	569.2	8-02-65	28.1	541.1	101
		9-01-65	28.2	541.0	
		10-04-65	27.5	541.7	
		11-01-65	27.4	541.8	
		12-01-65	25.9	543.3	
		1-04-66	25.2	544.0	
		2-01-66	24.7	544.5	
		3-02-66	24.5	544.7	
		4-04-66	24.3	544.9	
		5-03-66	24.2	545.0	
		6-01-66	24.6	544.6	
01S/12W-33P02S	255.5	7-30-65	303.0	-47.5	101
		8-31-65	302.0	-46.5	
		10-31-65	305.0	-49.5	
		12-31-65	301.0	-45.5	
		1-31-66	300.0	-44.5	
		2-28-66	299.0	-43.5	
		4-30-66	302.0	-46.5	
		5-31-66	303.0	-47.5	
		6-30-66	303.0	-47.5	
01S/13W-12K01S	180.0	11-09-65	227.9	-47.9	101
		4-06-66	224.6	-44.6	
01S/13W-15H01S	352.3	7-30-65	52.3	300.0	200
		8-25-65	52.3	300.0	
		9-28-65	52.3	300.0	
		10-19-65	52.3	300.0	
		11-19-65	52.4	299.9	
		12-21-65	51.4	300.9	
		1-19-66	50.7	301.6	
		2-23-66	50.2	302.1	
		3-23-66	50.2	302.1	
01S/13W-15R02S	321.3	7-29-65	32.8	288.5	200
		8-25-65	32.8	288.5	
		9-28-65	32.8	288.5	
		10-19-65	32.8	288.5	
		11-19-65	32.2	289.1	
		12-21-65	31.1	290.2	
		1-19-66	31.1	290.2	
		2-23-66	31.1	290.2	
		3-23-66	31.1	290.2	
01S/13W-15R03S	322.1	7-29-65	29.5	292.6	200
		8-25-65	29.5	292.6	
		9-28-65	29.5	292.6	
		10-19-65	29.5	292.6	
		11-19-65	29.3	292.8	
		12-21-65	29.1	293.0	
		1-19-66	28.6	293.5	
		2-23-66	28.2	293.9	
		3-23-66	28.1	294.0	
01S/13W-22R01S	296.3	7-06-65	34.5	261.8	101
		8-03-65	34.5	261.8	
		9-15-65	34.7	261.6	
		10-05-65	34.6	261.7	
		11-02-65	34.7	261.6	
		12-07-65	34.0	262.3	
		1-04-66	28.3	268.0	
		2-08-66	33.6	262.7	
		3-02-66	33.8	262.5	
		4-05-66	34.0	262.3	
		5-04-66	34.2	262.1	
		6-13-66	34.3	262.0	
01S/13W-23N01S	301.0	11-10-65	24.1	276.9	101
		4-07-66	22.7	278.3	
01S/13W-27G01S	282.5	11-30-65	30.9	251.6	200
01S/13W-27Q02S	268.0	11-10-65	54.7	213.3	101
		4-07-66	51.9	216.1	
01S/13W-32F01S	233.0	11-12-65	148.5	84.5	101
		4-08-66	148.6	84.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0					
CENTRAL HYDRO SUBAREA U-05.A5					
01S/13W-32J01S (CONT.)	242.3	4-07-66	56.1	186.2	101
01S/13W-33A01S	250.0	11-09-65	103.0	147.0	101
		4-07-66	103.0	147.0	
01S/13W-35F01S	523.8	7-23-65	6.6	517.2	200
		8-25-65	7.4	516.4	
		9-29-65	6.1	517.7	
		10-20-65	6.4	517.4	
		11-19-65	5.7	518.1	
		12-21-65	4.2	519.6	
		1-19-66	2.5	521.3	
		2-23-66	2.8	521.0	
		3-23-66	3.1	520.7	
		4-20-66	4.1	519.7	
01S/14W-19J04S	159.0	7-01-65	155.5(5)	3.5	101
		8-19-65	155.5(5)	3.5	
		12-10-65	155.5(5)	3.5	
		1-06-66	163.5(5)	-4.5	
		1-19-66	164.5(5)	-5.5	
		3-03-66	138.5(5)	20.5	
		4-08-66	177.5(5)	-18.5	
		5-12-66	172.5(5)	-13.5	
01S/14W-19R05S	152.0	7-01-65	151.0(5)	1.0	101
		7-22-65	151.0(5)	1.0	
		8-05-65	169.0(5)	-17.0	
		9-02-65	169.0(5)	-17.0	
		9-16-65	161.0(5)	-9.0	
		10-14-65	161.0(5)	-9.0	
		10-28-65	153.0(5)	-1.0	
		12-10-65	154.0(5)	-2.0	
		1-06-66	171.0(5)	-19.0	
		1-19-66	169.0(5)	-17.0	
		3-03-66	124.0(5)	28.0	
		4-08-66	176.0(5)	-24.0	
		5-12-66	161.0(5)	-9.0	
01S/14W-20M02S	145.0	11-05-65	150.3	-5.3	101
		4-13-66	148.5	-3.5	
01S/14W-29D02S	129.7	7-06-65	151.7	-22.0	101
		8-02-65	152.1	-22.4	
		9-07-65	153.7	-24.0	
		10-04-65	157.2	-27.5	
		11-01-65	153.7	-24.0	
		12-06-65	153.6	-23.9	
		1-12-66	153.5	-23.8	
		2-08-66	152.6	-22.9	
		3-01-66	152.0	-22.3	
		4-04-66	153.8	-24.1	
		5-04-66	155.0	-25.3	
		6-01-66	156.0	-26.3	
01S/14W-29D03S	127.0	7-01-65	159.5(5)	-32.5	101
		8-05-65	159.5(5)	-32.5	
		8-19-65	156.5(5)	-29.5	
		9-02-65	156.5(5)	-29.5	
		9-16-65	154.5(5)	-27.5	
		10-28-65	154.5(5)	-27.5	
01S/14W-30G01S	151.2	11-02-65	25.7	125.5	101
		4-04-66	22.5	128.7	
01S/14W-32D01S	98.6	11-02-65	75.2	23.4	101
		4-05-66	70.3	28.3	
01S/14W-32K02S	91.0	7-01-65	74.0(5)	17.0	101
		7-22-65	69.0(5)	22.0	
		9-02-65	69.0(5)	22.0	
		9-16-65	74.0(5)	17.0	
		12-10-65	74.0(5)	17.0	
		2-17-66	84.0(5)	7.0	
01S/14W-32L01S	91.5	7-06-65	39.2	52.3	101
		8-02-65	39.3	52.2	
		9-07-65	39.3	52.2	
		10-04-65	39.4	52.1	
		11-01-65	39.5	52.0	
		12-06-65	39.1	52.4	
		1-12-66	40.0	51.5	
		2-08-66	37.6	53.9	
		3-01-66	36.9	54.6	
		4-04-66	37.2	54.3	
		5-04-66	36.7	54.8	
		6-01-66	36.3	55.2	
01S/14W-32M05S	88.0	7-01-65	182.4(5)	-94.4	101
		7-22-65	182.4(5)	-94.4	
		8-05-65	182.4(5)	-94.4	
		10-14-65	184.4(5)	-96.4	
		10-28-65	187.4(5)	-99.4	
		12-10-65	187.4(5)	-99.4	
		1-06-66	185.4(5)	-97.4	
		1-19-66	186.4(5)	-98.4	
		2-17-66	147.4(5)	-59.4	
COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0					
CENTRAL HYDRO SUBAREA U-05.A5					
01S/14W-32M05S (CONT.)	88.0	3-07-66	163.4(5)	-75.4	101
		4-08-66	169.4(5)	-81.4	
		5-12-66	177.4(5)	-89.4	
01S/14W-32M06S	90.0	7-22-65	187.0(5)	-97.0	101
		8-05-65	189.0(5)	-99.0	
		9-02-65	189.0(5)	-99.0	
		9-16-65	190.0(5)	-100.0	
		9-30-65	190.0(5)	-100.0	
		10-14-65	189.0(5)	-99.0	
		10-28-65	189.0(5)	-99.0	
		12-10-65	191.0(5)	-101.0	
		1-06-66	189.0(5)	-99.0	
		1-19-66	190.0(5)	-100.0	
		3-07-66	167.0(5)	-77.0	
		4-08-66	174.0(5)	-84.0	
		5-12-66	176.0(5)	-86.0	
02S/11W-06F01S	205.0	7-21-65	12.5	192.5	101
		8-03-65	12.7	192.3	
		9-17-65	13.4	191.6	
		10-20-65	12.3	192.7	
		11-02-65	11.6	193.4	
		1-11-66	10.1	194.9	
		4-04-66	9.7	195.3	
02S/11W-06G02S	207.0	7-14-65	11.8	195.2	733
		7-26-65	12.6	194.4	
		8-23-65	14.1	192.9	
		9-27-65	13.9	193.1	
		10-25-65	13.8	193.2	
		11-29-65	12.9	194.1	
		12-27-65	12.8	194.2	
		1-24-66	12.7	194.3	
		2-28-66	12.6	194.4	
		3-30-66	11.9	195.1	
		4-04-66	12.0	195.0	
		4-25-66	12.8	194.2	
		5-23-66	12.5	194.5	
		6-27-66	13.9	193.1	
02S/11W-06K01S	196.0	7-14-65	8.6	187.4	101
		7-26-65	9.0	187.0	
		8-09-65	10.2	185.8	
		8-23-65	11.7	184.3	
		9-13-65	13.2	182.8	
		9-27-65	11.1	184.9	
		10-11-65	10.4	185.6	
		10-26-65	10.8	185.2	
		11-08-65	9.5	186.5	
02S/11W-06Q01S	195.1	7-14-65	13.4	181.7	101
		7-26-65	14.2	180.9	
		8-23-65	17.0	178.1	
		9-27-65	18.6	176.5	
		10-26-65	17.8	177.3	
		11-30-65	8.9	186.2	
		12-27-65	11.7	183.4	
		1-24-66	7.4	187.7	
		2-28-66	11.9	183.2	
		4-04-66	12.0	183.1	
		4-25-66	12.2	182.9	
		5-23-66	12.5	182.6	
		6-27-66	12.4	182.7	
02S/11W-06R02S	200.5	7-14-65	16.5	184.0	101
		7-26-65	17.0	183.5	
		8-23-65	19.4	181.1	
		9-27-65	21.4	179.1	
		10-26-65	22.2	178.3	
		11-30-65	13.8	186.7	
		12-27-65	15.4	185.1	
		1-24-66	13.0	187.5	
		2-28-66	13.6	186.9	
		4-04-66	13.8	186.7	
		4-25-66	14.6	185.9	
		5-23-66	14.7	185.8	
		6-27-66	14.6	185.9	
02S/11W-07B01S	196.0	7-14-65	22.8	173.2	733
		7-26-65	23.2	172.8	
		8-23-65	25.6	170.4	
		9-27-65	28.2	167.8	
		10-25-65	37.9	158.1	
		11-29-65	21.3	174.7	
		12-27-65	22.0	174.0	
		1-28-66	19.4	176.6	
		2-28-66	20.9	175.1	
		3-30-66	21.5	174.5	
		4-04-66	21.5	174.5	
		4-25-66	21.8	174.2	
		5-23-66	21.2	174.8	
		6-27-66	21.5	174.5	
02S/11W-07B03S	197.5	7-21-65	17.0	180.5	101
		8-31-65	24.0	173.5	
		9-17-65	21.0	176.5	
		10-18-65	22.0	175.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-07B03S	197.5	11-17-65	21.0	176.5	101
(CONT.)		12-17-65	16.0	181.5	
		1-13-66	17.0	180.5	
		2-19-66	18.0	179.5	
		3-17-66	17.0	180.5	
		4-13-66	17.0	180.5	
		5-19-66	17.0	180.5	
02S/11W-07B05S	198.0	7-21-65	23.0	175.0	101
		8-31-65	27.0	171.0	
		9-17-65	27.0	171.0	
		10-18-65	28.0	170.0	
		11-17-65	27.0	171.0	
		12-17-65	22.0	176.0	
		1-14-66	23.0	175.0	
		2-18-66	22.0	176.0	
		3-17-66	18.0	180.0	
		4-13-66	22.0	176.0	
		5-19-66	8.0	190.0	
02S/11W-07C04S	188.8	7-14-65	8.9	179.9	101
		7-26-65	10.9	177.9	
		8-23-65	14.7	174.1	
		9-27-65	15.7	173.1	
		10-26-65	13.6	175.2	
		11-30-65	6.0	182.8	
		12-27-65	9.8	179.0	
		1-24-66	5.6	183.2	
		2-28-66	9.1	179.7	
		4-04-66	10.2	178.6	
		4-25-66	8.6	180.2	
		5-23-66	9.5	179.3	
		6-27-66	9.6	179.2	
02S/11W-07D02S	193.0	7-14-65	21.3	171.7	101
		7-26-65	21.8	171.2	
		8-23-65	25.2	167.8	
		9-27-65	26.4	166.6	
		10-26-65	27.0	166.0	
		11-30-65	22.8	170.2	
		12-27-65	21.8	171.2	
		1-24-66	18.5	174.5	
		2-28-66	19.6	173.4	
		4-04-66	20.8	172.2	
		4-25-66	20.8	172.2	
		5-23-66	19.5	173.5	
		6-27-66	20.3	172.7	
02S/11W-07D04S	187.6	7-14-65	8.4	179.2	101
		7-26-65	10.2	177.4	
		8-23-65	15.3	172.3	
		9-27-65	16.1	171.5	
		10-26-65	13.9	173.7	
		11-30-65	6.3	181.3	
		12-27-65	10.5	177.1	
		2-28-66	9.4	178.2	
		4-04-66	10.7	176.9	
		4-25-66	8.4	179.2	
		5-23-66	9.7	177.9	
		6-27-66	9.9	177.7	
02S/11W-07D06S	193.0	10-26-65	27.1	165.9	101
		12-27-65	23.5	169.5	
		1-24-66	20.4	172.6	
02S/11W-07D07S	186.0	7-14-65	7.3	178.7	101
		7-26-65	8.8	177.2	
		8-23-65	14.4	171.6	
		9-27-65	15.1	170.9	
		10-26-65	12.7	173.3	
		11-30-65	5.3	180.7	
		12-27-65	9.4	176.6	
		1-24-66	5.4	180.6	
		2-28-66	8.3	177.7	
		4-04-66	9.8	176.2	
		4-25-66	7.3	178.7	
		5-23-66	8.5	177.5	
		6-27-66	8.7	177.3	
02S/11W-07D08S	191.1	7-14-65	11.3	179.8	101
		7-26-65	13.4	177.7	
		8-23-65	17.8	173.3	
		9-27-65	18.8	172.3	
		10-26-65	16.5	174.6	
		11-30-65	8.5	182.6	
		12-27-65	12.5	178.6	
		2-28-66	11.3	179.8	
		4-04-66	12.7	178.4	
		4-25-66	10.9	180.2	
		5-23-66	12.4	178.7	
		6-27-66	12.6	178.5	
02S/11W-07H01S	193.1	7-14-65	13.2	179.9	101
		7-26-65	14.6	178.5	
		8-09-65	17.5	175.6	
		8-23-65	17.6	175.5	
		9-13-65	20.5	172.6	
		9-27-65	18.4	174.7	
COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0 CENTRAL HYDRO SUBAREA U-05.A5					
02S/11W-07H01S	193.1	10-11-65	22.1	171.0	101
(CONT.)		10-26-65	20.7	172.4	
		11-08-65	22.3	170.8	
		11-30-65	18.7	174.4	
		12-06-65	17.8	175.3	
		12-27-65	17.3	175.8	
		1-24-66	15.1	178.0	
		2-08-66	14.7	178.4	
		2-28-66	14.6	178.5	
		3-14-66	14.0	179.1	
		4-04-66	13.8	179.3	
		4-25-66	13.4	179.7	
		5-09-66	12.7	180.4	
		5-23-66	11.8	181.3	
		6-06-66	12.3	180.8	
		6-27-66	12.5	180.6	
02S/11W-07J01S	187.0	7-26-65	6.5	180.5	101
		8-23-65	9.5	177.5	
		9-13-65	11.5	175.5	
		10-18-65	11.5	175.5	
		11-15-65	13.5	173.5	
		12-20-65	10.5	176.5	
		1-10-66	9.5	177.5	
		1-24-66	8.5	178.5	
		2-21-66	6.5	180.5	
		3-21-66	5.5	181.5	
		4-25-66	5.5	181.5	
		5-23-66	4.5	182.5	
		6-13-66	4.5	182.5	
02S/11W-07M04S	186.0	9-01-65	32.6	153.4	101
		10-28-65	34.9	151.1	
		11-30-65	29.5	156.5	
		12-31-65	27.6	158.4	
		1-31-66	24.3	161.7	
		2-28-66	23.5	162.5	
		3-31-66	16.9	169.1	
		4-30-66	24.0	162.0	
		5-31-66	23.9	162.1	
		6-30-66	26.9	159.1	
02S/11W-07P01S	184.5	7-26-65	23.5	161.0	101
		8-23-65	27.4	157.1	
		9-27-65	DRY		
		10-26-65	DRY		
		11-30-65	29.4	155.1	
		12-27-65	26.2	158.3	
		1-24-66	23.8	160.7	
		2-28-66	22.3	162.2	
		4-04-66	22.1	162.4	
		4-25-66	21.9	162.6	
		5-23-66	21.0	163.5	
		6-27-66	21.1	163.4	
02S/11W-07P02S	185.0	7-26-65	23.1	161.9	733
		8-23-65	23.9	161.1	
		9-27-65	31.5	153.5	
		10-25-65	31.2	153.8	
		11-29-65	27.1	157.9	
		12-27-65	24.9	160.1	
		1-24-66	22.6	162.4	
		2-28-66	20.9	164.1	
		3-30-66	21.2	163.8	
		4-04-66	21.2	163.8	
		4-25-66	21.1	163.9	
		5-23-66	20.8	164.2	
		6-27-66	20.6	164.4	
02S/11W-07R01S	183.5	7-26-65	16.8	166.7	101
		8-23-65	18.4	165.1	
		9-27-65	19.2	164.3	
		10-26-65	20.3	163.2	
		11-30-65	20.1	163.4	
		12-27-65	19.7	163.8	
		1-24-66	17.2	166.3	
		2-28-66	14.3	169.2	
		4-04-66	13.3	170.2	
		4-25-66	12.6	170.9	
		5-23-66	12.1	171.4	
		6-27-66	13.0	170.5	
02S/11W-08N01S	202.0	7-14-65	26.2	175.8	733
		7-26-65	26.9	175.1	
		8-23-65	27.6	174.4	
		9-27-65	31.5	170.5	
		10-25-65	32.5	169.5	
		11-29-65	33.4(4)	168.6	
		12-27-65	32.2	169.8	
		1-24-66	23.8	178.2	
		2-28-66	27.2	174.8	
		3-30-66	26.6	175.4	
		4-04-66	26.3	175.7	
		4-25-66	26.1	175.9	
		5-23-66	25.6	176.4	
		6-27-66	26.2	175.8	
02S/11W-18B02S	185.0	7-14-65	20.2	164.8	733

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-18H02S (CONT.)	185.0	7-26-65	21.3	163.7	733
		8-23-65	22.3	162.7	
		9-27-65	29.8	155.2	
		10-25-65	30.4	154.6	
		11-29-65	21.4	163.6	
		12-27-65	19.8	165.2	
		1-24-66	23.8	161.2	
		2-28-66	19.6	165.4	
		3-30-66	23.3	161.7	
		4-04-66	20.9	164.1	
		4-25-66	20.4	164.6	
		5-23-66	20.0	165.0	
		6-27-66	20.8	164.2	
02S/11W-18C03S	180.5	7-06-65	31.8	148.7	101
		7-27-65	33.3	147.2	
		9-01-65	40.4	140.1	
		10-05-65	43.1	137.4	
		10-28-65	41.9	138.6	
		11-30-65	37.2	143.3	
		12-31-65	34.3	146.2	
		1-31-66	31.5	149.0	
		2-28-66	29.5	151.0	
		3-31-66	28.8	151.7	
		4-30-66	28.1	152.4	
		5-30-66	29.8	150.7	
		6-30-66	29.6	150.9	
02S/11W-18H01S	211.5	7-27-65	56.1	155.4	101
		8-23-65	59.2	152.3	
		9-27-65	61.7	149.8	
		10-26-65	62.0	149.5	
		11-30-65	59.6	151.9	
		12-28-65	59.2	152.3	
		1-24-66	56.9	154.6	
		2-28-66	54.4	157.1	
		4-04-66	53.6	157.9	
		4-25-66	32.9	178.6	
		5-23-66	53.0	158.5	
		6-28-66	53.7	157.8	
02S/11W-18K02S	178.0	7-27-65	41.0	137.0	101
		8-23-65	38.8	139.2	
		9-27-65	49.2	128.8	
		10-26-65	46.5	131.5	
		11-30-65	44.1	133.9	
		12-28-65	41.6	136.4	
		1-24-66	40.1	137.9	
		2-28-66	38.5	139.5	
		4-04-66	35.7	142.3	
		4-25-66	33.4	144.6	
		5-23-66	36.6	141.4	
		6-28-66	36.5	141.5	
02S/11W-18K03S	173.0	7-26-65	52.3	120.7	101
		8-23-65	46.3	126.7	
		9-27-65	49.3	123.7	
		10-18-65	51.3	121.7	
		10-25-65	47.3	125.7	
		11-22-65	45.3	127.7	
		12-13-65	40.3	132.7	
		1-03-66	38.3	134.7	
		1-31-66	36.3	136.7	
		2-21-66	33.3	139.7	
		3-21-66	33.3	139.7	
		4-25-66	32.3	140.7	
		5-23-66	32.3	140.7	
		6-20-66	33.3	139.7	
02S/11W-18L08S	173.6	7-14-65	35.4	138.2	101
		7-27-65	40.8	132.8	
		8-23-65	37.7	135.9	
		9-27-65	45.8	127.8	
		10-27-65	46.3	127.3	
		11-30-65	39.0	134.6	
		12-28-65	37.6	136.0	
		1-24-66	33.9	139.7	
		2-28-66	32.3	141.3	
		4-04-66	29.5	144.1	
		4-25-66	30.0	143.6	
		5-24-66	31.6	142.0	
		6-28-66	34.6	139.0	
02S/11W-18M03S	177.0	7-14-65	34.2	142.8	101
		7-27-65	36.1	140.9	
		8-23-65	42.3	134.7	
		9-27-65	48.7	128.3	
		11-09-65	44.2	132.8	
		11-30-65	40.3	136.7	
		12-28-65	37.2	139.8	
		1-24-66	31.7	145.3	
		2-27-66	31.8	145.2	
		4-04-66	30.9	146.1	
		4-25-66	29.3	147.7	
		5-23-66	30.0	147.0	
		6-28-66	30.4	146.6	
02S/11W-18Q01S	175.0	7-21-65	42.5(5)	132.5	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-18Q01S (CONT.)	175.0	8-31-65	49.5(5)	125.5	101
		9-17-65	51.5(5)	123.5	
		10-18-65	49.5(5)	125.5	
		11-17-65	46.5(5)	128.5	
		12-17-65	43.5(5)	131.5	
		1-14-66	42.5(5)	132.5	
		2-18-66	36.5(5)	138.5	
		3-17-66	36.5(5)	138.5	
		4-13-66	37.5(5)	137.5	
		5-19-66	36.5(5)	138.5	
02S/11W-18Q05S	175.5	7-21-65	35.2(5)	140.3	101
		8-31-65	44.2(5)	131.3	
		9-17-65	49.2(5)	126.3	
		10-18-65	45.2(5)	130.3	
		11-17-65	45.2(5)	130.3	
		12-17-65	42.2(5)	133.3	
		1-14-66	42.2(5)	133.3	
		2-18-66	39.2(5)	136.3	
		3-17-66	39.2(5)	136.3	
		4-13-66	40.2(5)	135.3	
		5-19-66	39.2(5)	136.3	
02S/11W-18Q06S	170.0	7-21-65	42.5(5)	127.5	101
		8-31-65	50.5(5)	119.5	
		9-17-65	52.5(5)	117.5	
		10-18-65	49.5(5)	120.5	
		11-17-65	47.5(5)	122.5	
		12-17-65	42.5(5)	127.5	
		1-14-66	42.5(5)	127.5	
		2-18-66	36.5(5)	133.5	
		3-17-66	36.5(5)	133.5	
		4-13-66	37.5(5)	132.5	
		5-19-66	36.5(5)	133.5	
02S/11W-19C01S	170.3	7-14-65	9.7	160.6	101
		7-27-65	20.1	150.2	
		8-23-65	27.5	142.8	
		9-27-65	4.7	165.6	
		10-26-65	15.2	155.1	
		11-30-65	20.7	149.6	
		12-28-65	24.0	146.3	
		1-24-66	23.1	147.2	
		2-28-66	12.4	157.9	
		4-04-66	3.8	166.5	
		4-25-66	13.9	156.4	
		5-24-66	11.5	158.8	
		6-28-66	12.4	157.9	
02S/11W-19D06S	165.0	7-27-65	DRY		101
		8-23-65	DRY		
		9-27-65	6.4	158.6	
		10-26-65	DRY		
		11-30-65	DRY		
		12-28-65	DRY		
		1-27-66	16.7(3)	148.3	
		2-28-66	14.9	150.1	
		4-04-66	5.1	159.9	
		4-25-66	17.2	147.8	
		5-24-66	17.1	147.9	
		6-28-66	14.3	150.7	
02S/11W-19E01S	166.5	7-05-65	19.0	147.5	733
		7-14-65	18.5	148.0	
		7-26-65	25.0	141.5	
		8-02-65	29.0	137.5	
		8-09-65	30.9	135.6	
		8-16-65	33.1	133.4	
		8-23-65	34.8	131.7	
		8-30-65	36.0	130.5	
		9-06-65	45.0	121.5	
		9-13-65	39.5	127.0	
		9-20-65	28.2	138.3	
		9-27-65	18.2	148.3	
		10-04-65	21.0	145.5	
		10-11-65	28.5	138.0	
		10-18-65	29.3	137.2	
		10-25-65	26.8	139.7	
		11-01-65	24.0	142.5	
		11-08-65	31.0	135.5	
		11-15-65	30.1	136.4	
		11-22-65	28.1	138.4	
		11-29-65	27.9	138.6	
		12-06-65	28.3	138.2	
		12-13-65	27.8	138.7	
		12-20-65	28.1	138.4	
		12-27-65	29.1	137.4	
		1-03-66	29.3	137.2	
		1-10-66	29.1	137.4	
		1-17-66	26.3	140.2	
		1-24-66	26.7	139.8	
		1-31-66	27.7	138.8	
		2-07-66	20.9	145.6	
		2-14-66	16.8	149.7	
		2-21-66	16.0	150.5	
		2-28-66	18.9	147.6	
		3-07-66	20.7	145.8	
		3-14-66	13.9	152.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-19E01S	166.5	3-21-66	17.7	148.8	733
(CONT.)		3-28-66	19.3	147.2	
		4-04-66	12.5	154.0	
		4-11-66	12.2	154.3	
		4-18-66	14.5	152.0	
		4-25-66	18.6	147.9	
		5-02-66	15.3	151.2	
		5-09-66	17.9	148.6	
		5-16-66	16.3	150.2	
		5-23-66	18.4	148.1	
		5-30-66	12.8	153.7	
		6-06-66	15.7	150.8	
		6-13-66	17.5	149.0	
		6-20-66	14.0	152.5	
		6-27-66	16.0	150.5	
02S/11W-19E07S	161.3	7-14-65	16.9	144.4	101
		7-27-65	20.6	140.7	
		8-23-65	30.5	130.8	
		9-27-65	26.5	134.8	
		10-26-65	27.2	134.1	
		11-30-65	27.7	133.6	
		12-28-65	27.2	134.1	
		1-24-66	24.7	136.6	
		2-28-66	15.9	145.4	
		4-04-66	13.9	147.4	
		4-25-66	15.1	146.2	
		5-24-66	16.2	145.1	
		6-28-66	12.8	148.5	
02S/11W-19E08S	160.2	7-27-65	7.1	153.1	101
		8-23-65	10.3	149.9	
		10-26-65	7.4	152.8	
		11-30-65	6.5	153.7	
		12-28-65	7.6	152.6	
		1-24-66	1.0	159.2	
		2-28-66	5.2	155.0	
		4-25-66	4.8	155.4	
		5-24-66	6.5	153.7	
		6-28-66	4.4	155.8	
02S/11W-19E09S	160.9	7-14-65	15.9	145.0	101
		7-27-65	16.4	144.5	
		8-23-65	25.4	135.5	
		9-27-65	18.8	142.1	
		10-26-65	27.9	133.0	
		11-30-65	27.5	133.4	
		12-28-65	27.2	133.7	
		1-24-66	25.1	135.8	
		2-28-66	14.6	146.3	
		4-04-66	11.7	149.2	
		4-25-66	11.8	149.1	
		5-24-66	14.1	146.8	
		6-28-66	11.3	149.6	
02S/11W-19E10S	165.0	7-14-65	DRY		101
		7-23-65	DRY		
		9-27-65	DRY		
		10-26-65	DRY		
		11-30-65	DRY		
		12-28-65	DRY		
		1-24-66	12.9	152.1	
		2-28-66	DRY		
		4-04-66	11.6(3)	153.4	
		4-25-66	12.9	152.1	
		5-24-66	DRY		
		6-28-66	DRY		
02S/11W-19E13S	168.4	7-14-65	11.9	156.5	101
		7-27-65	9.9	158.5	
		8-23-65	10.8	157.6	
		9-27-65	12.6	155.8	
		10-26-65	11.6	156.8	
		11-30-65	11.7	156.7	
		12-28-65	11.6	156.8	
		1-24-66	11.4	157.0	
		2-28-66	10.6	157.8	
		4-04-66	8.3	160.1	
		4-25-66	10.9	157.5	
		5-24-66	10.8	157.6	
		6-28-66	10.8	157.6	
02S/11W-19F01S	159.0	11-04-65	45.6	113.4	101
		4-04-66	32.2	126.8	
02S/11W-19F02S	168.0	7-21-65	37.0(5)	131.0	101
		8-31-65	46.0(5)	122.0	
		9-17-65	45.0(5)	123.0	
		10-18-65	44.0(5)	124.0	
		11-17-65	42.0(5)	126.0	
		12-17-65	37.0(5)	131.0	
		1-14-66	35.0(5)	133.0	
		2-18-66	32.0(5)	136.0	
		3-17-66	33.0(5)	135.0	
		4-13-66	29.0(5)	139.0	
		5-19-66	33.0(5)	135.0	
02S/11W-19F06S	164.0	7-21-65	37.5(5)	126.5	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-19F06S	164.0	8-31-65	47.5(5)	116.5	101
(CONT.)		9-17-65	45.5(5)	118.5	
		10-18-65	44.5(5)	119.5	
		11-17-65	41.5(5)	122.5	
		12-17-65	36.5(5)	127.5	
		1-14-66	34.5(5)	129.5	
		2-18-66	31.5(5)	132.5	
		3-17-66	31.5(5)	132.5	
		4-13-66	28.0(5)	136.0	
		5-19-66	32.0(5)	132.0	
02S/11W-19H01S	170.0	7-14-65	28.2	141.8	733
		7-26-65	29.1	140.9	
		8-23-65	30.1	139.9	
		9-27-65	33.2	136.8	
		10-25-65	32.4	137.6	
		11-29-65	31.8	138.2	
		12-27-65	31.8	138.2	
		1-24-66	31.8	138.2	
		2-28-66	29.2	140.8	
		3-28-66	27.4	142.6	
		4-04-66	26.8	143.2	
		4-25-66	25.7	144.3	
		5-23-66	24.6	145.4	
		6-27-66	23.3	146.7	
02S/11W-19J02S	166.2	7-14-65	35.1	131.1	101
		7-27-65	34.8	131.4	
		8-23-65	35.9	130.3	
		9-27-65	38.1	128.1	
		10-26-65	37.3	128.9	
		11-30-65	37.1	129.1	
		12-28-65	37.5	128.7	
		1-24-66	36.4	129.8	
		2-28-66	34.2	132.0	
		4-04-66	32.3	133.9	
		4-25-66	30.6	135.6	
		5-23-66	31.7	134.5	
		6-28-66	28.4	137.8	
02S/11W-19L01S	158.0	7-19-65	25.4	132.6	101
		8-16-65	36.2	121.8	
		9-13-65	42.8	115.2	
		10-01-65	36.3	121.7	
		11-12-65	35.4	122.6	
		12-17-65	30.0	128.0	
		1-17-66	29.5	128.5	
		2-21-66	22.2	135.8	
		3-02-66	20.8	137.2	
		5-13-66	20.6	137.4	
02S/11W-19L02S	160.6	11-04-65	29.2	131.4	101
		4-04-66	15.4	145.2	
02S/11W-19M01S	160.0	8-02-65	38.0	122.0	101
		11-04-65	49.2	110.8	
		4-04-66	34.9	125.1	
02S/11W-19M03S	160.0	7-14-65	17.1	142.9	733
02S/11W-29E01S	150.5	7-15-65	53.2(5)	97.3	101
		8-16-65	56.2(5)	94.3	
		9-15-65	59.2(5)	91.3	
		10-18-65	59.2(5)	91.3	
		11-20-65	55.2(5)	95.3	
		12-15-65	53.2(5)	97.3	
		1-20-66	49.2(5)	101.3	
		2-15-66	46.2(5)	104.3	
		3-07-66	48.3	102.2	
		4-30-66	45.2(5)	105.3	
		5-31-66	45.2(5)	105.3	
02S/11W-29L01S	153.0	7-14-65	35.3	117.7	101
		7-27-65	34.4	118.6	
		8-23-65	33.6	119.4	
		9-27-65	31.0	122.0	
		10-26-65	33.5	119.5	
		11-30-65	33.2	119.8	
		12-28-65	33.4(3)	119.6	
		1-24-66	33.1	119.9	
		2-28-66	31.1	121.9	
		4-04-66	30.8	122.2	
		4-25-66	29.0	124.0	
		5-23-66	29.7	123.3	
		6-28-66	27.2	125.8	
02S/11W-30D01S	158.5	7-14-65	28.5	130.0	101
		7-27-65	35.7	122.8	
		8-09-65	40.2	118.3	
		9-27-65	38.3	120.2	
		10-11-65	40.2	118.3	
		10-26-65	37.1	121.4	
		11-08-65	43.1	115.4	
		11-30-65	38.1	120.4	
		12-06-65	37.8	120.7	
		12-28-65	37.8	120.7	
		1-10-66	35.3	123.2	
		1-24-66	34.9	123.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L 4 SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.45

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-30D01S (CONT.)	158.5	2-07-66	33.6	124.9	101
		2-28-66	28.9	129.6	
		3-14-66	27.5	131.0	
		4-04-66	27.5	131.0	
		4-25-66	30.1	128.4	
		5-09-66	26.7	131.8	
		5-23-66	25.8	132.7	
		6-06-66	24.1	134.4	
		6-28-66	25.9	132.6	
02S/11W-30G01S	156.4	7-27-65	33.4	123.0	101
		8-23-65	37.8	118.6	
		9-27-65	40.5	115.9	
		10-26-65	37.9	118.5	
		11-30-65	37.8	118.6	
		12-28-65	36.9	119.5	
		1-24-66	34.5	121.9	
		2-28-66	33.2	123.2	
		4-04-66	29.7	126.7	
		4-25-66	29.0	127.4	
		5-23-66	27.9	128.5	
		6-28-66	26.2	130.2	
02S/11W-30M01S	151.5	7-27-65	39.1	112.4	101
		8-09-65	41.7	109.8	
		8-23-65	44.8	106.7	
		9-13-65	50.6	100.9	
		9-27-65	48.0	103.5	
		10-11-65	45.3	106.2	
		10-26-65	44.8	106.7	
		11-08-65	45.8	105.7	
		11-30-65	43.9	107.6	
		12-06-65	43.1	108.4	
		12-28-65	41.9	109.6	
		1-10-66	40.0	111.5	
		1-24-66	39.3	112.2	
		2-07-66	38.2	113.3	
		2-28-66	36.1	115.4	
		3-14-66	34.3	117.2	
		4-04-66	34.4	117.1	
		4-25-66	34.2	117.3	
		5-09-66	32.5	119.0	
		5-23-66	31.4	120.1	
		6-06-66	29.5	122.0	
		6-28-66	31.2	120.3	
02S/11W-30N05S	150.0	4-11-66	35.2	114.8	101
02S/11W-31B04S	155.0	7-14-65	51.7	103.3	101
		7-27-65	54.7	100.3	
		8-23-65	52.7	102.3	
		9-27-65	51.8	103.2	
		10-26-65	55.9	99.1	
		11-29-65	55.5	99.5	
		12-28-65	54.2	100.8	
		1-24-66	52.7	102.3	
		2-28-66	52.5	102.5	
		4-04-66	49.6	105.4	
		4-25-66	48.3	106.7	
		5-23-66	47.0	108.0	
		6-28-66	45.1	109.9	
02S/11W-32J04S	144.0	11-03-65	45.3	98.7	101
		4-04-66	33.2	110.8	
02S/11W-32M01S	151.0	11-04-65	17.9	133.1	101
		4-04-66	DRY		
02S/11W-32Q03S	153.0	11-03-65	73.4	79.6	101
		4-04-66	73.2	79.8	
02S/11W-33E02S	148.0	7-08-65	39.1	108.9	733
		7-29-65	38.5	109.5	
		8-19-65	38.0	110.0	
		9-30-65	39.6	108.4	
		10-21-65	39.0	109.0	
		11-11-65	37.5	110.5	
		12-02-65	36.7	111.3	
		12-24-65	36.0	112.0	
		1-13-66	35.4	112.6	
		2-03-66	34.5	113.5	
		2-24-66	33.5	114.5	
		3-17-66	33.2	114.8	
		4-07-66	33.5	114.5	
		4-28-66	32.6	115.4	
		5-19-66	32.7	115.3	
		6-30-66	34.9	113.1	
02S/11W-33M01S	140.3	7-20-65	89.5	50.8	101
		9-22-65	95.5	44.8	
		11-23-65	90.5	49.8	
		1-18-66	84.5(5)	55.8	
		3-21-66	84.5(5)	55.8	
		5-23-66	82.5(5)	57.8	
02S/11W-35R01S	255.0	11-23-65	222.0(5)	33.0	101
		3-21-66	218.0(5)	37.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.45

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-01J01S	193.8	7-14-65	15.9	177.9	101
		7-26-65	16.4	177.4	
		8-23-65	20.1	173.7	
		9-27-65	20.2	173.6	
		10-26-65	18.1	175.7	
		11-30-65	8.3	185.5	
		12-27-65	14.5	179.3	
		1-24-66	8.8	185.0	
		2-28-66	13.9	179.9	
		4-04-66	16.1	177.7	
		4-25-66	16.2	177.6	
		5-23-66	15.0	178.8	
		6-27-66	15.2	178.6	
02S/12W-01M01S	297.0	11-09-65	69.0	228.0	101
		4-07-66	57.3	239.7	
02S/12W-01P02S	203.0	7-01-65	63.0	140.0	101
		9-27-65	45.9	157.1	
		12-01-65	36.4	166.6	
		3-14-66	37.5	165.5	
		5-02-66	36.2	166.8	
		5-23-66	37.5	165.5	
		6-27-66	45.1(1)	157.9	
02S/12W-01P03S	218.0	8-31-65	64.0(5)	154.0	101
		9-28-65	70.0(5)	148.0	
		11-02-65	67.0(5)	151.0	
		11-30-65	64.0(5)	154.0	
		1-04-66	57.0(5)	161.0	
		2-01-66	54.0(5)	164.0	
		3-01-66	50.0(5)	168.0	
		4-05-66	52.0(5)	166.0	
		5-03-66	62.0(5)	156.0	
		5-31-66	64.0(5)	154.0	
02S/12W-01R01S	186.0	7-14-65	8.4	177.6	101
		7-26-65	8.8	177.2	
		8-09-65	10.3	175.7	
		8-23-65	13.3	172.7	
		9-13-65	13.7	172.3	
		9-27-65	13.7	172.3	
		10-11-65	13.8	172.2	
		10-26-65	10.5	175.5	
		11-08-65	8.6	177.4	
		11-30-65	2.5	183.5	
		12-06-65	10.2	175.8	
		12-27-65	7.4	178.6	
		1-10-66	.2	185.8	
		1-24-66	1.9	184.1	
		2-08-66	5.4	180.6	
		2-28-66	6.6	179.4	
		3-14-66	8.1	177.9	
		4-04-66	8.7	177.3	
		4-25-66	8.7	177.3	
		5-09-66	7.0	179.0	
		5-23-66	7.0	179.0	
		6-06-66	5.9	180.1	
02S/12W-01R02S	186.6	8-31-65	14.0(5)	172.6	101
		9-17-65	18.0(5)	168.6	
		10-18-65	17.0(5)	169.6	
		11-17-65	11.0(5)	175.6	
		12-17-65	11.0(5)	175.6	
		1-14-66	9.0(5)	177.6	
		2-18-66	11.0(5)	175.6	
		3-17-66	13.0(5)	173.6	
		4-13-66	13.0(5)	173.6	
		5-19-66	11.0(5)	175.6	
02S/12W-01R06S	189.0	7-21-65	17.6	171.4	101
		8-31-65	21.6	167.4	
		9-17-65	23.6	165.4	
		10-18-65	22.6	166.4	
		11-17-65	18.6	170.4	
		12-17-65	15.6(5)	173.4	
		1-14-66	13.6(5)	175.4	
		2-18-66	15.6(5)	173.4	
		3-17-66	17.6(5)	171.4	
		4-13-66	17.6(5)	171.4	
		5-19-66	15.6(5)	173.4	
02S/12W-01R07S	186.3	8-23-65	12.5	173.8	101
		9-27-65	8.3	178.0	
		10-26-65	6.9	179.4	
		2-28-66	5.7	180.6	
		4-04-66	7.8	178.5	
		5-23-66	5.4	180.9	
		6-27-66	5.1	181.2	
02S/12W-01R09S	188.4	7-14-65	10.4	178.0	101
		7-26-65	11.5	176.9	
		8-23-65	16.5	171.9	
		9-27-65	17.1	171.3	
		10-26-65	13.1	175.3	
		11-30-65	6.3	182.1	
		12-27-65	11.3	177.1	
		1-24-66	5.8	182.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-01B09S	188.4	2-28-66	10.1	178.3	101
(CONT.)		4-04-66	12.1	176.3	
		4-25-66	11.0	177.4	
		5-23-66	10.5	177.9	
		6-27-66	10.7	177.7	
02S/12W-04C01S	245.8	7-30-65	293.0	-47.2	101
		8-31-65	294.0	-48.2	
		9-30-65	295.0	-49.2	
		10-31-65	295.0	-49.2	
		11-30-65	295.0	-49.2	
		12-31-65	293.0	-47.2	
		1-31-66	292.0	-46.2	
		2-28-66	290.0	-44.2	
		4-30-66	291.0	-45.2	
		5-31-66	291.0	-45.2	
		6-30-66	289.0	-43.2	
02S/12W-04E02S	228.0	8-31-65	244.0	-16.0	101
		9-30-65	244.0	-16.0	
		10-31-65	245.0	-17.0	
		11-30-65	245.0	-17.0	
		12-31-65	241.0	-13.0	
		1-31-66	239.0	-11.0	
		2-28-66	237.0	-9.0	
02S/12W-04E03S	227.6	7-30-65	206.0	21.6	101
		8-31-65	205.0	22.6	
		9-30-65	205.0	22.6	
		10-31-65	205.0	22.6	
		12-31-65	205.0	22.6	
		1-31-66	205.0	22.6	
		2-28-66	205.0	22.6	
		3-30-66	205.0	22.6	
		4-30-66	205.0	22.6	
		5-31-66	205.0	22.6	
		6-30-66	203.0	24.6	
02S/12W-05B01S	259.5	7-30-65	247.0	12.5	101
		8-31-65	245.0	14.5	
		9-30-65	245.0	14.5	
		10-31-65	247.0	12.5	
		11-30-65	247.0	12.5	
		12-31-65	243.0	16.5	
		1-31-66	242.0	17.5	
		2-28-66	242.0	17.5	
		3-31-66	241.0	18.5	
		4-30-66	242.0	17.5	
		5-31-66	241.0	18.5	
		6-30-66	243.0	16.5	
02S/12W-05J01S	203.0	8-31-65	241.3	-38.3	101
		10-31-65	244.3	-41.3	
		12-31-65	237.3	-34.3	
		2-28-66	234.3	-31.3	
		4-30-66	239.3	-36.3	
		5-31-66	240.3	-37.3	
		6-30-66	239.3	-36.3	
02S/12W-05P01S	197.5	7-30-65	222.0	-24.5	101
		8-31-65	222.0	-24.5	
		9-30-65	220.0	-22.5	
		10-31-65	223.0	-25.5	
		11-30-65	217.0	-19.5	
		12-31-65	215.0	-17.5	
		1-31-66	219.0	-21.5	
		2-28-66	215.0	-17.5	
		3-31-66	216.0	-18.5	
		4-30-66	219.0	-21.5	
		5-31-66	215.0	-17.5	
		6-30-66	218.0	-20.5	
02S/12W-05P02S	196.0	5-31-66	236.2	-40.2	101
02S/12W-06K01S	210.0	11-08-65	236.8	-26.8	101
		4-06-66	347.6	-137.6	
02S/12W-06K04S	210.5	11-08-65	231.0	-20.5	101
		4-06-66	242.5	-32.0	
02S/12W-06M01S	224.9	7-30-65	265.0	-40.1	101
		8-31-65	267.0	-42.1	
		9-30-65	264.0	-39.1	
		10-31-65	264.0	-39.1	
		11-30-65	265.0	-40.1	
		12-31-65	260.0	-35.1	
		1-31-66	260.0	-35.1	
		2-28-66	254.9	-30.0	
		3-31-66	260.0	-35.1	
		4-30-66	260.0	-35.1	
		5-31-66	259.0	-34.1	
		6-30-66	259.0	-34.1	
02S/12W-06P01S	200.4	7-30-65	265.0	-64.6	101
		8-31-65	269.0	-68.6	
		9-30-65	264.0	-63.6	
		10-31-65	267.0	-66.6	
		11-30-65	259.0	-58.6	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-06P01S	200.4	12-31-65	254.0	-53.6	101
(CONT.)		1-31-66	256.0	-55.6	
		2-28-66	253.0	-52.6	
		5-31-66	267.0	-66.6	
		6-30-66	264.0	-63.6	
02S/12W-06P02S	205.2	7-30-65	268.0	-62.8	101
		8-31-65	271.0	-65.8	
		9-30-65	261.0	-55.8	
		10-31-65	266.0	-60.8	
		11-30-65	254.0	-48.8	
		12-31-65	250.0	-44.8	
		1-31-66	253.0	-47.8	
		2-28-66	250.0	-44.8	
		3-31-66	275.0	-69.8	
		4-30-66	264.0	-58.8	
		5-31-66	271.0	-65.8	
		6-30-66	261.0	-55.8	
02S/12W-06P03S	196.0	7-30-65	243.0	-47.0	101
		8-31-65	253.0	-57.0	
		9-30-65	248.0	-52.0	
		10-31-65	250.0	-54.0	
		11-30-65	241.0	-45.0	
		12-31-65	239.0	-43.0	
		1-31-66	238.0	-42.0	
		2-28-66	236.0	-40.0	
		3-31-66	259.0	-63.0	
		4-30-66	242.6	-46.6	
		5-31-66	251.0	-55.0	
		6-30-66	246.0	-50.0	
02S/12W-06P04S	195.0	7-30-65	251.5	-56.5	101
		8-31-65	243.5	-48.5	
		9-30-65	239.5	-44.5	
		10-31-65	241.5	-46.5	
		11-30-65	234.5	-39.5	
		12-31-65	232.5	-37.5	
		1-31-66	229.5	-34.5	
		4-30-66	237.5	-42.5	
		5-31-66	245.5	-50.5	
		6-30-66	241.5	-46.5	
02S/12W-07C01S	188.6	4-30-66	219.0	-30.4	101
02S/12W-07C02S	185.8	8-31-65	246.0	-60.2	101
		10-31-65	244.0	-58.2	
		12-31-65	230.0	-44.2	
		2-28-66	228.0	-42.2	
		4-30-66	232.0	-46.2	
		5-31-66	243.0	-57.2	
		6-30-66	240.0	-54.2	
02S/12W-07C03S	193.0	10-31-65	258.9	-65.9	101
		12-31-65	246.9	-53.9	
		2-28-66	243.9	-50.9	
		4-30-66	248.9	-55.9	
		6-30-66	253.9	-60.9	
02S/12W-07D01S	182.5	8-31-65	249.0	-66.5	101
		10-31-65	246.0	-63.5	
		12-31-65	236.0	-53.5	
		2-28-66	233.0	-50.5	
		4-30-66	243.0	-60.5	
		5-31-66	241.0	-58.5	
		6-30-66	239.0	-56.5	
02S/12W-07G01S	168.0	8-31-65	214.2	-46.2	101
		10-31-65	216.2	-48.2	
		12-31-65	206.2	-38.2	
		2-28-66	202.2	-34.2	
		4-30-66	200.2	-32.2	
		5-31-66	212.2	-44.2	
		6-30-66	210.2	-42.2	
02S/12W-07Q02S	160.4	8-31-65	198.0	-37.6	101
		9-30-65	194.0	-33.6	
		10-31-65	196.0	-35.6	
		11-30-65	194.0	-33.6	
		12-31-65	187.0	-26.6	
		1-31-66	184.0	-23.6	
		2-28-66	182.0	-21.6	
		4-30-66	187.0	-26.6	
		5-31-66	189.0	-28.6	
		6-30-66	191.0	-30.6	
02S/12W-08B01S	180.8	7-30-65	203.0	-22.2	101
		8-31-65	205.0	-24.2	
		9-30-65	202.0	-21.2	
		10-31-65	207.0	-26.2	
		11-30-65	200.0	-19.2	
		12-31-65	198.0	-17.2	
		1-31-66	198.0	-17.2	
		2-28-66	195.0	-14.2	
02S/12W-08C01S	174.0	10-31-65	217.8	-43.8	101
		12-31-65	210.8	-36.8	
		2-28-66	203.8	-29.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-08C01S (CONT.)	174.0	4-30-66	213.8	-39.8	101
		5-31-66	209.8	-35.8	
		6-30-66	211.8	-37.8	
02S/12W-08F01S	161.0	10-31-65	198.4	-37.4	101
		12-31-65	188.4	-27.4	
		2-28-66	183.4	-22.4	
		4-30-66	192.4	-31.4	
		5-31-66	193.4	-32.4	
		6-30-66	190.4	-29.4	
02S/12W-08K01S	157.5	8-31-65	170.0	-12.5	101
		9-30-65	168.0	-10.5	
		10-31-65	173.0	-15.5	
		11-30-65	168.0	-10.5	
		12-31-65	162.0	-4.5	
02S/12W-08P01S	148.4	8-31-65	173.0	-24.6	101
		10-31-65	176.0	-27.6	
		12-31-65	166.0	-17.6	
		2-28-66	161.0	-12.6	
		4-30-66	170.0	-21.6	
		5-31-66	170.0	-21.6	
		6-30-66	171.0	-22.6	
02S/12W-09M02S	160.0	8-12-65	199.6(1)	-39.6	101
		8-31-65	156.6	3.4	
		10-31-65	152.6	7.4	
		12-31-65	145.6	14.4	
		2-28-66	143.6	16.4	
		4-30-66	145.6	14.4	
		5-31-66	143.6	16.4	
		6-30-66	145.6	14.4	
02S/12W-10J01S	193.1	7-30-65	98.0	95.1	101
		8-31-65	103.0	90.1	
		9-30-65	106.0	87.1	
		10-31-65	106.0	87.1	
		11-30-65	101.0	92.1	
		12-31-65	98.0	95.1	
		1-31-66	96.0	97.1	
		2-28-66	93.0	100.1	
		4-30-66	94.0	99.1	
		5-31-66	93.0	100.1	
		6-30-66	93.0	100.1	
02S/12W-10K03S	193.0	10-31-65	109.0	84.0	101
		12-31-65	102.0	91.0	
		2-28-66	97.0	96.0	
		4-30-66	95.0	98.0	
		5-31-66	95.0	98.0	
		6-30-66	93.0	100.0	
02S/12W-10Q02S	187.0	7-12-65	101.8	85.2	733
		7-19-65	100.7	86.3	
		7-26-65	103.1	83.9	
		8-02-65	104.1	82.9	
		8-09-65	105.3	81.7	
		8-16-65	105.3	81.7	
		8-23-65	107.3	79.7	
		8-30-65	108.0	79.0	
		9-06-65	108.0	79.0	
		9-13-65	109.9	77.1	
		9-20-65	101.0	86.0	
		9-27-65	109.2	77.8	
		10-04-65	109.6	77.4	
		10-11-65	109.4	77.6	
		10-18-65	108.7	78.3	
		10-25-65	109.4	77.6	
		11-01-65	109.4	77.6	
		11-08-65	107.3	79.7	
		11-15-65	106.7	80.3	
		11-22-65	104.7	82.3	
		11-29-65	103.9	83.1	
		12-06-65	103.6	83.4	
		12-13-65	102.7	84.3	
		12-20-65	101.9	85.1	
		12-27-65	101.4	85.6	
		1-03-66	100.7	86.3	
		1-10-66	100.2	86.8	
		1-17-66	99.6	87.4	
		1-24-66	99.0	88.0	
		1-31-66	98.5	88.5	
		2-07-66	97.7	89.3	
		2-14-66	95.9	91.1	
		2-21-66	95.9	91.1	
		2-28-66	95.9	91.1	
		3-07-66	95.7	91.3	
		3-14-66	96.2	90.8	
		3-21-66	96.0	91.0	
		3-28-66	96.2	90.8	
		4-04-66	96.1	90.9	
		4-11-66	95.6	91.4	
		4-18-66	95.5	91.5	
		4-25-66	95.3	91.7	
		5-02-66	95.3	91.7	
		5-09-66	95.0	92.0	
		5-16-66	95.2	91.8	
02S/12W-10Q02S (CONT.)	187.0	5-23-66	95.2	91.8	713
		5-31-66	95.3	91.7	
		6-06-66	95.5	91.5	
		6-13-66	93.8	93.2	
		6-20-66	93.6	93.4	
		6-27-66	93.7	93.3	
02S/12W-11R03S	179.0	7-15-65	47.2	131.8	101
		10-25-65	63.0	116.0	
		1-24-66	41.1	137.9	
		4-06-66	40.3	138.7	
02S/12W-12A01S	185.0	7-21-65	21.0	164.0	101
		8-31-65	24.0	161.0	
		9-17-65	23.0	162.0	
		10-18-65	22.0	163.0	
		11-17-65	20.0	165.0	
		12-17-65	17.0(5)	168.0	
		1-14-66	13.0(5)	172.0	
		2-18-66	14.0(5)	171.0	
		3-17-66	16.0(5)	169.0	
		4-13-66	17.0(5)	168.0	
		5-19-66	17.0(5)	168.0	
02S/12W-12A03S	185.0	11-02-65	8.0	177.0	101
		4-11-66	9.8	175.2	
02S/12W-12A05S	186.0	7-21-65	19.0	167.0	101
		8-31-65	25.0	161.0	
		9-17-65	25.0	161.0	
		10-18-65	24.0	162.0	
		11-17-65	21.0	165.0	
		12-17-65	18.0(5)	168.0	
		1-14-66	16.0(5)	170.0	
		2-18-66	15.0(5)	171.0	
		3-17-66	17.0(5)	169.0	
		4-13-66	18.0(5)	168.0	
		5-19-66	20.0(5)	166.0	
02S/12W-12A06S	181.0	7-14-65	6.9	174.1	101
		7-26-65	8.6	172.4	
		8-23-65	11.5	169.5	
		9-27-65	14.8	166.2	
		10-26-65	8.9	172.1	
		11-30-65	3.0	178.0	
		12-27-65	9.7	171.3	
		1-24-66	2.5	178.5	
		2-28-66	6.3	174.7	
		4-04-66	7.5	173.5	
		4-25-66	4.3	176.7	
		5-23-66	5.2	175.8	
		6-27-66	5.7	175.3	
02S/12W-12E02S	200.0	7-28-65	65.0(5)	135.0	101
		8-30-65	73.0(5)	127.0	
		9-30-65	80.0(5)	120.0	
		10-31-65	65.0(5)	135.0	
		11-30-65	58.0(5)	142.0	
		12-24-65	56.0(5)	144.0	
		1-25-66	63.0(5)	137.0	
		2-28-66	59.0(5)	141.0	
		3-21-66	54.0(5)	146.0	
		4-24-66	61.0(5)	139.0	
		5-31-66	55.0(5)	145.0	
		6-26-66	64.0(5)	136.0	
02S/12W-12E05S	200.0	11-29-65	77.0(5)	123.0	101
		12-29-65	76.0(5)	124.0	
		1-29-66	78.0(5)	122.0	
		2-28-66	75.0(5)	125.0	
		3-30-66	77.0(5)	123.0	
		4-30-66	78.0(5)	122.0	
		5-31-66	77.0(5)	123.0	
		6-22-66	77.0(5)	123.0	
02S/12W-12E06S	205.0	8-27-65	83.0(5)	122.0	101
		9-28-65	89.0(5)	116.0	
		10-31-65	92.0(5)	113.0	
		11-23-65	85.0(5)	120.0	
		12-30-65	83.0(5)	122.0	
		1-25-66	77.0(5)	128.0	
		2-24-66	74.0(5)	131.0	
		3-31-66	78.0(5)	127.0	
		4-21-66	78.0(5)	127.0	
		5-26-66	80.0(5)	125.0	
		6-30-66	83.0(5)	122.0	
02S/12W-12F04S	177.0	7-26-65	18.2	158.8	101
		8-23-65	24.1	152.9	
		9-27-65	29.1	147.9	
		10-26-65	21.0	156.0	
		12-27-65	19.7	157.3	
		1-24-66	12.5	164.5	
		2-28-66	15.2	161.8	
		4-04-66	17.2	159.8	
		5-23-66	13.6	163.4	
		6-27-66	16.5	160.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-12H06S (CONT.)	185.0	8-23-65	24.7	160.3	733
		9-27-65	23.9	161.1	
		10-25-65	30.1	154.9	
		11-29-65	25.6	159.4	
		12-27-65	23.7	161.3	
02S/12W-12M02S	211.0	7-26-65	72.0(5)	139.0	101
		8-28-65	76.0(5)	135.0	
		9-29-65	81.0(5)	130.0	
		10-30-65	81.0(5)	130.0	
		11-30-65	75.0(5)	136.0	
		12-31-65	70.0(5)	141.0	
		3-31-66	78.0(5)	133.0	
		4-25-66	77.0(5)	134.0	
		5-28-66	77.0(5)	134.0	
		6-30-66	76.0(5)	135.0	
02S/12W-12N01S	173.0	7-21-65	27.5(5)	145.5	101
		8-31-65	40.5(5)	132.5	
		9-17-65	44.5(5)	128.5	
		10-18-65	39.5(5)	133.5	
		11-17-65	32.5(5)	140.5	
		12-17-65	27.5(5)	145.5	
		1-14-66	23.5(5)	149.5	
		2-18-66	22.5(5)	150.5	
		3-17-66	22.5(5)	150.5	
		4-13-66	21.5(5)	151.5	
		5-19-66	21.5(5)	151.5	
02S/12W-12R01S	181.0	7-14-65	29.7	151.3	733
		7-26-65	31.0	150.0	
		8-23-65	32.2	148.8	
		9-27-65	31.9	149.1	
		10-25-65	41.9	139.1	
		11-29-65	35.9	145.1	
		12-27-65	33.9	147.1	
		1-24-66	31.9	149.1	
		3-09-66	30.2	150.8	
		3-30-66	27.1	153.9	
		4-04-66	27.0	154.0	
		4-25-66	25.1	155.9	
		5-23-66	24.9	156.1	
		6-09-66	26.2	154.8	
		6-27-66	26.3	154.7	
02S/12W-13B02S	177.0	7-14-65	27.8	149.2	101
		7-26-65	30.4	146.6	
		8-23-65	38.9	138.1	
		9-27-65	46.3	130.7	
		10-26-65	40.4	136.6	
		11-30-65	29.8	147.2	
		12-27-65	26.7	150.3	
		1-24-66	24.4	152.6	
		2-28-66	25.3	151.7	
		4-04-66	24.4	152.6	
		4-25-66	22.0	155.0	
		5-23-66	23.3	153.7	
		6-27-66	24.7	152.3	
02S/12W-13C01S	170.0	7-14-65	25.2	144.8	101
		7-26-65	33.6	136.4	
		8-23-65	44.1	125.9	
		9-27-65	52.4	117.6	
		10-25-65	45.5	124.5	
		11-29-65	21.3	148.7	
		12-27-65	16.6	153.4	
		1-24-66	17.5	152.5	
		2-28-66	26.3	143.7	
		4-04-66	15.5	154.5	
		4-25-66	15.6	154.4	
		5-23-66	22.3	147.7	
		6-27-66	22.8	147.2	
02S/12W-13E01S	177.0	7-05-65	16.2	160.8	733
		7-12-65	29.5	147.5	
		7-19-65	32.1	144.9	
		7-26-65	38.4	138.6	101
		8-02-65	42.4	134.6	733
		8-09-65	45.7	131.3	
		8-16-65	48.6	128.4	
		8-23-65	51.1	125.9	101
		8-30-65	53.3	123.7	733
		9-06-65	55.4	121.6	
		9-13-65	57.3	119.7	
		9-20-65	58.2	118.8	
		9-27-65	58.0	119.0	
		10-04-65	41.4	135.6	
		10-11-65	33.5	143.5	
		10-18-65	42.4	134.6	
		10-25-65	47.9	129.1	
		11-01-65	25.1	151.9	
		11-08-65	34.0	143.0	
		11-15-65	18.4	158.6	
		11-22-65	21.6	155.4	
		11-29-65	19.8	157.2	101
		12-06-65	27.5	149.5	733
		12-13-65	16.9	160.1	
		12-20-65	23.4	153.6	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-13E01S (CONT.)	177.0	12-27-65	14.3	162.7	101
		1-03-66	16.7	160.3	
		1-10-66	18.3	158.7	733
		1-17-66	22.5	154.5	
		1-24-66	16.1	160.9	101
		1-31-66	18.4	158.6	733
		2-07-66	15.5	161.5	101
		2-14-66	22.3	154.7	
		2-21-66	23.8	153.2	
		2-28-66	29.1	147.9	
		3-07-66	18.3	158.7	
		3-14-66	14.4	162.6	733
		3-21-66	25.2	151.8	
		3-28-66	25.1	151.9	
		4-04-66	12.5	164.5	101
		4-11-66	12.4	164.6	733
		4-18-66	20.4	156.6	
		4-25-66	10.8	166.2	
		5-02-66	21.3	155.7	
		5-09-66	19.0	158.0	101
		5-16-66	25.4	151.6	
		5-23-66	21.1	155.9	
		5-30-66	27.1	149.9	733
		6-06-66	15.5	161.5	101
		6-13-66	11.4	165.6	
		6-20-66	11.9	165.1	
		6-27-66	25.9	151.1	
02S/12W-13E02S	169.7	7-14-65	21.2	148.5	101
		7-26-65	52.2	117.5	
		8-23-65	44.3	125.4	
		9-27-65	56.3	113.4	
		10-25-65	45.1	124.6	
		11-29-65	12.6	157.1	
		12-27-65	6.1	163.6	
		2-28-66	23.7	146.0	
		3-07-66	14.9	154.8	
		4-07-66	11.3	158.4	
		4-25-66	7.4	162.3	
		5-23-66	16.8	152.9	
		6-27-66	19.3	150.4	
02S/12W-13F06S	167.0	7-13-65	24.4	142.6	101
		7-26-65	29.7	137.3	
		8-02-65	32.9	134.1	
		8-09-65	35.8	131.2	
		8-16-65	38.2	128.8	
		8-23-65	40.5	126.5	
		9-07-65	45.2	121.8	
		9-14-65	46.9	120.1	
		9-21-65	48.5	118.5	
		10-08-65	20.5	146.5	
		10-18-65	36.5	130.5	
		10-25-65	40.0	127.0	
		11-08-65	26.4	140.6	
		11-17-65	10.7	156.3	
		11-29-65	13.2	153.8	
		12-13-65	11.4	155.6	
		12-20-65	18.9	148.1	
		12-27-65	8.1	158.9	
		1-03-66	9.1	157.9	
		1-10-66	14.1	152.9	
		1-17-66	16.7	150.3	
		1-24-66	10.4	156.6	
		2-08-66	10.7	156.3	
		2-18-66	12.8	154.2	
		2-25-66	20.4	146.6	
		3-07-66	13.1	153.9	
		3-14-66	8.0	159.0	
		3-21-66	18.0	149.0	
		3-28-66	18.1	148.9	
		4-04-66	6.9	160.1	
		4-18-66	15.6	151.4	
		4-25-66	8.9	158.1	
		5-09-66	11.3	155.7	
		5-16-66	18.8	148.2	
		5-23-66	17.9	149.1	
		6-06-66	8.8	158.2	
		6-13-66	19.4	147.6	
		6-20-66	5.8	161.2	
		6-27-66	18.2	148.8	
02S/12W-13J02S	174.0	12-01-65	43.7	130.3	101
		12-28-65	39.5	134.5	
		1-24-66	37.9	136.1	
		2-28-66	32.3	141.7	
		4-04-66	31.0	143.0	
		4-25-66	29.4	144.6	
		5-25-66	28.1	145.9	
02S/12W-13L05S	174.0	7-06-65	45.6	128.4	101
		7-30-65	53.1	120.9	
		9-01-65	59.9	114.1	
		10-05-65	61.0	113.0	
		10-28-65	60.4	113.6	
		11-30-65	45.8	128.2	
		12-31-65	43.2	130.8	
		1-31-66	42.0	132.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L 4 SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-13L05S (CONT.)	174.0	2-28-66	41.4	132.6	101
		3-31-66	40.7	133.3	
		4-30-66	41.6	132.4	
		5-31-66	42.9	131.1	
		6-30-66	46.0	128.0	
02S/12W-13M01S	166.1	7-14-65	53.2	112.9	101
		7-26-65	56.0	110.1	
		8-10-65	53.1	113.0	
		8-23-65	62.8	103.3	
		9-27-65	67.8	98.3	
		10-25-65	65.2	100.9	
		11-29-65	55.5	110.6	
		12-27-65	51.6	114.5	
		1-24-66	49.4	116.7	
		2-28-66	49.2	116.9	
		4-04-66	48.1	118.0	
		4-25-66	46.7	119.4	
		5-23-66	47.7	118.4	
		6-27-66	47.8	118.3	
02S/12W-13M02S	165.1	7-26-65	53.4	111.7	101
		8-10-65	57.2	107.9	
		8-23-65	59.8	105.3	
		9-27-65	65.5	99.6	
		11-25-65	62.3	102.8	
		12-27-65	45.9	119.2	
		1-24-66	43.8	121.3	
		2-28-66	44.9	120.2	
		4-04-66	43.8	121.3	
		4-25-66	42.3	122.8	
		6-27-66	44.7	120.4	
02S/12W-13M03S	165.2	7-14-65	41.2	124.0	101
		7-26-65	47.3	117.9	
		8-10-65	52.8	112.4	
		8-23-65	56.3	108.9	
		9-27-65	62.2	103.0	
		10-25-65	54.7	110.5	
		11-29-65	42.0	123.2	
		12-27-65	35.9	129.3	
		1-24-66	32.2	133.0	
		2-28-66	36.3	128.9	
		4-04-66	30.9	134.3	
		4-25-66	28.5	136.7	
		5-23-66	32.9	132.3	
		6-27-66	33.6	131.6	
02S/12W-13M04S	165.4	7-14-65	32.1	133.3	101
		7-26-65	37.8	127.6	
		8-10-65	44.2	121.2	
		8-23-65	48.8	116.6	
		9-27-65	56.3	109.1	
		10-25-65	44.7	120.7	
		11-29-65	30.2	135.2	
		12-27-65	21.0	144.4	
		1-24-66	18.1	147.3	
		2-28-66	36.8	128.6	
		4-04-66	16.8	148.6	
		4-25-66	14.0	151.4	
		5-23-66	21.1	144.3	
		6-27-66	24.7	140.7	
02S/12W-14B08S	169.0	8-24-65	58.3	110.7	101
		9-27-65	63.4	105.6	
		10-25-65	60.6	108.4	
		12-27-65	39.6	129.4	
		1-24-66	35.8	133.2	
		2-28-66	38.2	130.8	
		4-04-66	35.4	133.6	
		6-28-66	38.3	130.7	
02S/12W-14E01S	194.7	7-14-65	92.2	102.5	101
		7-26-65	92.6	102.1	
		8-09-65	95.3	99.4	
		8-23-65	100.2	94.5	
		9-13-65	102.4	92.3	
		9-27-65	104.5	90.2	
		10-11-65	103.4	91.3	
		10-25-65	101.6	93.1	
		11-08-65	102.3	92.4	
		11-29-65	100.2	94.5	
		12-06-65	99.7	95.0	
		12-28-65	95.3	99.4	
		1-10-66	93.6	101.1	
		1-24-66	90.8	103.9	
		2-07-66	88.3	106.4	
		2-28-66	86.2	108.5	
		3-14-66	86.0	108.7	
		4-04-66	85.5	109.2	
		4-25-66	83.0	111.7	
		5-09-66	82.4	112.3	
		5-23-66	82.1	112.6	
		6-06-66	82.2	112.5	
		6-27-66	83.0	111.7	
02S/12W-14J01S	165.0	7-13-65	28.3	136.7	101
		7-26-65	36.0	129.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-14J01S (CONT.)	165.0	8-02-65	40.0	125.0	101
		8-09-65	43.3	121.7	
		8-16-65	46.2	118.8	
		8-23-65	DRY		
		9-07-65	DRY		
		9-21-65	DRY		
		10-11-65	27.2	137.8	
		10-18-65	30.3	134.7	
		10-25-65	39.9	125.1	
		11-08-65	41.6	123.4	
		11-17-65	29.5	135.5	
		11-29-65	26.4	138.6	
		12-13-65	8.9	156.1	
		12-20-65	16.7	148.3	
		12-27-65	15.4	149.6	
		1-03-66	19.0	146.0	
		1-10-66	7.0	158.0	
		1-17-66	13.5	151.5	
		1-24-66	7.9	157.1	
		2-07-66	4.3	160.7	
		2-14-66	10.0	155.0	
		2-21-66	16.2	148.8	
		2-28-66	16.9	148.1	
		3-07-66	6.2	158.8	
		3-14-66	15.0	150.0	
		3-21-66	19.0	146.0	
		3-28-66	13.9	151.1	
		4-04-66	8.6	156.4	
		4-18-66	7.5	157.5	
		4-25-66	1.8	163.2	
		5-09-66	17.0	148.0	
		5-16-66	14.2	150.8	
		5-23-66	12.6	152.4	
		6-06-66	21.2	143.8	
		6-13-66	8.8	156.2	
		6-20-66	18.5	146.5	
		6-27-66	22.2	142.8	
02S/12W-14J03S	168.1	7-14-65	27.0	141.1	101
		7-26-65	34.6	133.5	
		8-23-65	DRY		
		9-27-65	DRY		
		10-25-65	41.5	126.6	
		11-29-65	22.6	145.5	
		12-27-65	10.6	157.5	
		1-14-66	10.6	157.5	
		1-24-66	8.9	159.2	
		2-08-66	6.2	161.9	
		2-18-66	14.3	153.8	
		2-25-66	20.9	147.2	
		3-07-66	5.8	162.3	
		3-14-66	11.5	156.6	
		3-21-66	18.2	149.9	
		3-28-66	18.9	149.2	
		4-04-66	7.6	160.5	
		4-18-66	11.6	156.5	
		4-25-66	5.3	162.8	
		5-09-66	14.8	153.3	
		5-16-66	19.1	149.0	
		5-23-66	12.9	155.2	
		6-06-66	20.8	147.3	
		6-13-66	6.1	162.0	
		6-20-66	13.3	154.8	
		6-27-66	20.2	147.9	
02S/12W-14K02S	165.0	7-14-65	36.5	128.5	101
		7-26-65	DRY		
		8-23-65	DRY		
		9-27-65	DRY		
		11-29-65	DRY		
		12-27-65	28.6	136.4	
		1-24-66	15.6	149.4	
		2-08-66	13.6	151.4	
		2-18-66	17.7	147.3	
		2-25-66	22.6	142.4	
		3-07-66	26.9	138.1	
		3-14-66	17.9	147.1	
		3-21-66	26.3	138.7	
		3-28-66	23.8	141.2	
		4-18-66	13.4	151.6	
		4-25-66	11.0	154.0	
		5-09-66	23.5	141.5	
		5-16-66	14.7	150.3	
		5-23-66	19.4	145.6	
		6-06-66	24.0	141.0	
		6-13-66	25.2	139.8	
		6-20-66	26.2	138.8	
		6-27-66	26.3	138.7	
02S/12W-14P01S	158.1	7-13-65	40.4	117.7	101
		7-26-65	45.2	112.9	
		8-02-65	47.9	110.2	
		8-09-65	50.3	107.8	
		8-16-65	52.7	105.4	
		8-23-65	55.0	103.1	
		9-07-65	59.5	98.6	
		9-14-65	61.4	96.7	
		9-21-65	63.3	94.8	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
02S/12W-14P01S	158.1	10-11-65	39.1	119.0	101
(CONT.)		10-18-65	35.9	122.2	
		10-25-65	46.0	112.1	
		11-08-65	53.5	104.6	
		11-17-65	54.2	103.9	
		11-29-65	43.5	114.6	
		12-13-65	34.3	123.8	
		12-20-65	35.9	122.2	
		12-27-65	34.4	123.7	
		1-17-66	25.6	132.5	
		1-24-66	21.1	137.0	
		2-07-66	19.2	138.9	
		2-14-66	19.0	139.1	
		2-21-66	23.3	134.8	
		2-28-66	27.0	131.1	
		3-07-66	30.7	127.4	
		3-14-66	22.0	136.1	
		3-21-66	28.6	129.5	
		3-28-66	31.0	127.1	
		4-04-66	21.5	136.6	
		4-18-66	18.5	139.6	
		4-25-66	14.9	143.2	
		5-09-66	25.7	132.4	
		5-16-66	18.3	139.8	
		5-23-66	22.9	135.2	
		6-06-66	22.6	135.5	
		6-13-66	27.0	131.1	
		6-20-66	26.6	131.5	
		6-27-66	29.2	128.9	
02S/12W-14Q04S	151.7	7-14-65	36.7	115.0	101
		7-26-65	41.3	110.4	
		8-23-65	51.9	99.8	
		9-27-65	57.0	94.7	
		10-25-65	42.9	108.8	
		11-29-65	36.8	114.9	
		12-27-65	23.6	128.1	
		1-24-66	16.1	135.6	
		2-08-66	13.1	138.6	
		2-18-66	18.5	133.2	
		2-25-66	23.3	128.4	
		3-07-66	26.9	124.8	
		3-14-66	20.5	131.2	
		3-21-66	24.6	127.1	
		3-28-66	27.4	124.3	
		4-04-66	17.9	133.8	
		4-18-66	15.2	136.5	
		4-25-66	9.7	142.0	
		5-09-66	22.5	129.2	
		5-16-66	17.5	134.2	
		5-23-66	19.8	131.9	
		6-06-66	22.3	129.4	
		6-13-66	25.7	126.0	
		6-20-66	24.5	127.2	
		6-27-66	26.9	124.8	
02S/12W-14R06S	162.2	7-14-65	30.8	131.4	101
		7-26-65	35.8	126.4	
		8-23-65	47.3	114.9	
		9-07-65	52.4	109.8	
		9-27-65	55.6	106.6	
		10-25-65	40.0	122.2	
		11-17-65	43.9	118.3	
		11-29-65	29.1	133.1	
		12-20-65	21.5	140.7	
		12-27-65	15.5	146.7	
		1-03-66	16.3	145.9	
		1-24-66	11.9	150.3	
		2-08-66	8.5	153.7	
		2-18-66	15.5	146.7	
		2-25-66	20.0	142.2	
		3-07-66	18.5	143.7	
		3-14-66	16.2	146.0	
		3-21-66	19.2	143.0	
		3-28-66	22.5	139.7	
		4-04-66	11.5	150.7	
		4-18-66	11.6	150.6	
		4-25-66	7.1	155.1	
		5-09-66	18.0	144.2	
		5-16-66	17.9	144.3	
		5-23-66	15.9	146.3	
		6-06-66	21.3	140.9	
		6-13-66	20.0	142.2	
		6-20-66	20.0	142.2	
		6-27-66	22.3	139.9	
02S/12W-15J03S	187.0	11-02-65	129.4	57.6	101
02S/12W-15N01S	157.9	4-05-66	88.1	69.8	101
02S/12W-15Q01S	176.0	7-14-65	88.4	87.6	101
		7-26-65	89.6	86.4	
		8-23-65	92.8	83.2	
		9-27-65	98.9	77.1	
		10-25-65	100.4	75.6	
		11-29-65	100.6	75.4	
		12-28-65	97.5	78.5	
		1-24-66	93.2	82.8	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-15Q01S	176.0	2-26-66	86.3	89.7	101
(CONT.)		4-04-66	84.7	91.3	
		5-02-66	83.0	93.0	
		5-23-66	82.0	94.0	
		6-27-66	81.2	94.8	
02S/12W-16D01S	181.7	1-13-66	164.1	17.6	733
		2-24-66	163.0	18.7	
		4-07-66	166.5	15.2	
		4-28-66	163.3	18.4	
		5-19-66	164.1	17.6	
		6-30-66	162.8	18.9	
02S/12W-16F02S	143.4	7-29-65	107.7	35.7	733
		8-02-65	101.3	42.1	
		8-09-65	105.6	37.8	
		8-19-65	108.3	35.1	
		9-09-65	112.8	30.6	
		9-30-65	114.0	29.4	
		10-21-65	113.6	29.8	
		11-11-65	113.0	30.4	
		12-02-65	114.0	29.4	
		12-23-65	112.9	30.5	
		1-13-66	105.2	38.2	
		2-03-66	106.3	37.1	
		2-24-66	106.0	37.4	
		3-17-66	107.4	36.0	
		4-07-66	110.1	33.3	
		4-28-66	102.5	40.9	
		5-19-66	105.0	38.4	
		6-30-66	102.8	40.6	
02S/12W-16H01S	159.5	7-30-65	122.0(5)	37.5	101
		8-31-65	125.0(5)	34.5	
		9-30-65	126.0(5)	33.5	
		10-31-65	126.0(5)	33.5	
		11-30-65	122.0(5)	37.5	
		12-31-65	119.0(5)	40.5	
		1-31-66	117.0(5)	42.5	
		2-28-66	113.0(5)	46.5	
		3-31-66	113.0(5)	46.5	
		4-30-66	115.0(5)	44.5	
		5-31-66	113.0(5)	46.5	
		6-30-66	113.0(5)	46.5	
02S/12W-16L01S	151.0	8-31-65	124.2(5)	26.8	101
		10-31-65	125.2(5)	25.8	
		12-31-65	118.2(5)	32.8	
		2-28-66	114.2(5)	36.8	
		4-30-66	119.2(2)	31.8	
		5-31-66	120.2(2)	30.8	
		6-30-66	121.2(2)	29.8	
02S/12W-16N01S	141.0	7-14-65	118.4	22.6	101
		7-26-65	118.5	22.5	
		8-23-65	120.2	20.8	
		9-27-65	121.5	19.5	
		10-25-65	122.4	18.6	
		11-29-65	118.0	23.0	
		12-28-65	114.8	26.2	
		5-02-66	117.2	23.8	
		5-23-66	110.3	30.7	
		6-27-66	111.2	29.8	
02S/12W-16Q01S	151.0	8-31-65	117.5	33.5	101
		10-31-65	120.5	30.5	
		12-31-65	113.5	37.5	
		2-28-66	108.5	42.5	
		4-30-66	117.5(2)	33.5	
		5-31-66	115.5(2)	35.5	
		6-30-66	117.5(2)	33.5	
02S/12W-17C01S	144.1	8-31-65	162.9	-18.8	101
		10-31-65	162.9	-18.8	
		12-31-65	150.9	-6.8	
		2-28-66	145.9	-1.8	
		4-30-66	151.9	-7.8	
		5-31-66	152.9	-8.8	
		6-30-66	152.9	-8.8	
02S/12W-17D01S	145.5	7-30-65	167.0	-21.5	101
		8-31-65	163.0	-17.5	
		9-30-65	161.0	-15.5	
		10-31-65	167.0	-21.5	
		11-30-65	155.0	-9.5	
		12-31-65	153.0	-7.5	
		1-31-66	153.0	-7.5	
		2-28-66	150.0	-4.5	
		3-31-66	156.0	-10.5	
02S/12W-17D02S	146.0	10-31-65	172.9	-26.9	101
		12-31-65	164.9	-18.9	
		2-28-66	160.9	-14.9	
		4-30-66	164.9	-18.9	
		5-31-66	163.9	-17.9	
		6-30-66	164.9	-18.9	
02S/12W-17M01S	145.0	11-02-65	157.0	-12.0	101

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-17M01S (CONT.)	145.0	4-05-66	149.8	-4.8	101
02S/12W-17Q01S	138.0	7-31-65	169.0	-31.0	101
		8-31-65	157.0	-19.0	
		9-30-65	157.0	-19.0	
		10-31-65	157.0	-19.0	
		11-02-65	133.0	5.0	
		12-02-65	122.0	16.0	
		1-31-66	127.0(5)	11.0	
		2-28-66	122.0(5)	16.0	
		3-31-66	122.0(5)	16.0	
		4-30-66	122.0(5)	16.0	
		5-31-66	122.0(5)	16.0	
02S/12W-19C01S	147.5	11-10-65	177.5	-30.0	101
		4-08-66	173.2	-25.7	
		4-26-66	175.0	-27.5	
02S/12W-19M01S	143.0	11-09-65	151.3	-8.3	101
		4-08-66	146.7	-3.7	
02S/12W-20E02S	139.0	11-02-65	149.5	-10.5	101
		4-05-66	140.4	-1.4	
02S/12W-20K02S	133.0	7-31-65	137.2(5)	-4.2	101
		8-31-65	137.2(5)	-4.2	
		9-30-65	137.2(5)	-4.2	
		10-31-65	135.2(5)	-2.2	
		11-02-65	133.2(5)	-.2	
		12-02-65	124.2(5)	8.8	
		1-31-66	124.2(5)	8.8	
		2-28-66	129.2(5)	3.8	
		3-31-66	129.2(5)	3.8	
		4-30-66	127.2(5)	5.8	
		5-31-66	129.2(5)	3.8	
02S/12W-20K03S	133.0	11-02-65	137.1	-4.1	101
		4-05-66	126.0	7.0	
02S/12W-20M03S	139.0	4-05-66	146.0	-7.0	101
02S/12W-20R01S	131.0	8-02-65	128.7(5)	2.3	101
		8-30-65	139.7(5)	-8.7	
		9-27-65	128.7(5)	2.3	
		11-01-65	128.7(5)	2.3	
		11-29-65	125.7(5)	5.3	
		1-03-66	121.7(5)	9.3	
		1-31-66	118.7(5)	12.3	
		2-28-66	116.7(5)	14.3	
		4-04-66	119.7(5)	11.3	
		5-02-66	111.7(5)	19.3	
		5-31-66	120.7(5)	10.3	
02S/12W-21B05S	151.2	7-31-65	123.4(5)	27.8	101
		8-31-65	123.4(5)	27.8	
		9-30-65	123.4(5)	27.8	
		10-31-65	123.4(5)	27.8	
		11-02-65	123.4(5)	27.8	
		12-02-65	123.4(5)	27.8	
		1-31-66	123.4(5)	27.8	
		2-28-66	123.4(5)	27.8	
		4-30-66	123.4(5)	27.8	
		5-31-66	123.4(5)	27.8	
02S/12W-21G02S	151.2	10-31-65	127.6(5)	23.6	101
		11-02-65	114.6(5)	36.6	
		12-02-65	109.6(5)	41.6	
		1-31-66	107.6(5)	43.6	
		2-28-66	109.6(5)	41.6	
		3-31-66	109.6(5)	41.6	
		4-30-66	109.6(5)	41.6	
		5-31-66	107.6(5)	43.6	
02S/12W-21G03S	152.5	7-31-65	134.1(5)	18.4	101
		8-31-65	138.1(5)	14.4	
		9-30-65	138.1(5)	14.4	
		10-31-65	138.1(5)	14.4	
		11-02-65	173.1(5)	-20.6	
		12-02-65	168.1(5)	-15.6	
		1-31-66	168.1(5)	-15.6	
		2-28-66	168.1(5)	-15.6	
		3-31-66	168.1(5)	-15.6	
		4-30-66	174.1(5)	-21.6	
		5-31-66	163.1(5)	-10.6	
02S/12W-21H01S	160.0	7-14-65	102.6	57.4	101
		7-26-65	103.6	56.4	
		8-23-65	106.6	53.4	
		9-27-65	110.1	49.9	
		10-25-65	110.5	49.5	
		11-29-65	108.8	51.2	
		12-28-65	105.7	54.3	
		1-24-66	101.8	58.2	
		2-28-66	97.5	62.5	
		4-04-66	96.6	63.4	
		4-25-66	95.5	64.5	
		5-23-66	94.2	65.8	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-21H01S (CONT.)	160.0	6-27-66	95.8	64.2	101
02S/12W-21J01S	155.0	9-27-65	126.5(5)	28.5	101
		11-01-65	127.5(5)	27.5	
		11-29-65	117.5(5)	37.5	
		1-03-66	115.5(5)	39.5	
		1-31-66	116.5(5)	38.5	
		2-28-66	115.5(5)	39.5	
		4-04-66	117.5(5)	37.5	
		5-02-66	118.5(5)	36.5	
		5-31-66	112.5(5)	42.5	
02S/12W-21K02S	149.0	8-02-65	162.7(5)	-13.7	101
		9-27-65	167.7(5)	-18.7	
		11-01-65	162.7(5)	-13.7	
		1-31-66	127.7(5)	21.3	
		2-28-66	127.7(5)	21.3	
		4-04-66	131.7(5)	17.3	
		5-02-66	132.7(5)	16.3	
		5-31-66	131.7(5)	17.3	
02S/12W-21N01S	140.0	7-31-65	111.0	29.0	101
		8-31-65	114.0	26.0	
		9-30-65	115.0	25.0	
		10-31-65	117.0	23.0	
		11-30-65	122.0	18.0	
		12-31-65	118.0	22.0	
		1-31-66	117.0	23.0	
		2-28-66	116.0(5)	24.0	
		3-31-66	117.0(5)	23.0	
		4-22-66	105.0(5)	35.0	
		5-31-66	104.0(5)	36.0	
		6-30-66	105.0(5)	35.0	
02S/12W-21N02S	137.0	7-14-65	110.5	26.5	101
		7-26-65	110.7	26.3	
		8-23-65	111.7	25.3	
		8-31-65	112.5	24.5	
		9-27-65	113.0	24.0	
		10-25-65	113.7	23.3	
		11-30-65	120.5	16.5	
		12-28-65	113.6	23.4	
		1-24-66	109.0	28.0	
		1-31-66	115.5	21.5	
		2-28-66	106.5	30.5	
		3-31-66	115.5(5)	21.5	
		4-04-66	106.9	30.1	
		4-25-66	106.9	30.1	
		5-23-66	106.0	31.0	
		5-31-66	105.5(5)	31.5	
		6-27-66	105.5	31.5	
02S/12W-21N03S	139.0	7-31-65	124.5	14.5	101
		8-31-65	125.5	13.5	
		9-30-65	125.5	13.5	
		10-31-65	126.5	12.5	
		11-30-65	126.5	12.5	
		12-31-65	123.5	15.5	
		1-31-66	119.5	19.5	
		2-28-66	122.5(5)	16.5	
		3-31-66	123.5(5)	15.5	
		4-30-66	116.5(5)	22.5	
		5-31-66	114.5(5)	24.5	
		6-30-66	117.5(5)	21.5	
02S/12W-21Q01S	147.0	7-14-65	107.1	39.9	101
		7-26-65	107.2	39.8	
		8-09-65	109.0	38.0	
		8-23-65	110.1	36.9	
		9-13-65	112.0	35.0	
		9-27-65	112.4	34.6	
		10-11-65	112.4	34.6	
		10-25-65	113.0	34.0	
		11-08-65	112.8	34.2	
		11-29-65	108.9	38.1	
		12-06-65	108.3	38.7	
		12-28-65	104.8	42.2	
		1-10-66	104.2	42.8	
		1-24-66	102.5	44.5	
		2-07-66	100.6	46.4	
		2-28-66	99.4	47.6	
		3-14-66	99.3	47.7	
		4-04-66	100.1	46.9	
		4-25-66	99.4	47.6	
		5-09-66	98.8	48.2	
		5-23-66	98.6	48.4	
		6-06-66	98.4	48.6	
		6-27-66	98.7	48.3	
02S/12W-22G01S	174.9	7-14-65	89.4	85.5	101
		7-26-65	91.5	83.4	
		8-23-65	96.9	78.0	
		9-27-65	102.2	72.7	
		10-25-65	100.0	74.9	
		11-29-65	98.9	76.0	
		12-28-65	94.4	80.5	
		1-24-66	89.3	85.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-22G01S (CONT.)	174.9	2-26-66	82.0	92.9	101
		4-04-66	81.9	93.0	
		4-25-66	79.1	95.8	
		5-23-66	78.5	96.4	
		6-27-66	78.3	96.6	
02S/12W-22J01S	175.0	11-04-65	96.7	78.3	101
		4-05-66	76.1	98.9	
02S/12W-23A01S	163.8	7-26-65	50.3	113.5	101
		8-23-65	58.6	105.2	
		9-27-65	63.5	100.3	
		10-25-65	57.1	106.7	
		11-29-65	52.4	111.4	
		12-28-65	46.2	117.6	
		1-24-66	40.7	123.1	
		2-28-66	39.8	124.0	
		4-04-66	37.8	126.0	
		4-25-66	34.1	129.7	
		5-23-66	37.0	126.8	
		6-27-66	38.8	125.0	
02S/12W-23B04S	164.0	7-21-65	68.1(5)	95.9	101
		8-31-65	74.1(5)	89.9	
		9-17-65	79.1(5)	84.9	
		10-18-65	74.1(5)	89.9	
		11-17-65	70.1(5)	93.9	
		12-17-65	63.1(5)	100.9	
		1-14-66	61.1(5)	102.9	
		2-18-66	65.1(5)	98.9	
		3-17-66	60.1(5)	103.9	
		4-13-66	59.1	104.9	
		5-19-66	59.1	104.9	
02S/12W-23B08S	161.0	8-31-65	74.0(5)	87.0	101
		9-17-65	78.0(5)	83.0	
		10-18-65	74.0(5)	87.0	
		11-17-65	70.0(5)	91.0	
		12-17-65	64.0(5)	97.0	
		1-14-66	61.0(5)	100.0	
		2-18-66	55.0(5)	106.0	
		3-17-66	59.0(5)	102.0	
		4-13-66	60.0(5)	101.0	
		5-19-66	59.0(5)	102.0	
02S/12W-23E03S	158.0	7-14-65	27.7	130.3	101
		7-26-65	30.4	127.6	
		8-23-65	35.3	122.7	
		9-27-65	33.7	124.3	
		10-25-65	36.9	121.1	
		11-29-65	31.0	127.0	
		12-27-65	34.4	123.6	
		1-24-66	30.0	128.0	
		2-08-66	31.5	126.5	
		2-18-66	25.7	132.3	
		2-25-66	31.8	126.2	
		3-07-66	34.3	123.7	
		3-14-66	33.8	124.2	
		3-21-66	38.5	119.5	
		3-28-66	36.1	121.9	
		4-04-66	35.8	122.2	
		4-18-66	24.6	133.4	
		4-25-66	29.0	129.0	
		5-09-66	33.1	124.9	
		5-16-66	31.4	126.6	
		5-23-66	32.0	126.0	
		6-06-66	30.4	127.6	
		6-13-66	33.2	124.8	
		6-20-66	29.4	128.6	
		6-27-66	37.2	120.8	
02S/12W-23K01S	161.0	7-14-65	56.4	104.6	101
		7-26-65	59.0	102.0	
		8-09-65	62.9	98.1	
		8-23-65	66.4	94.6	
		9-13-65	72.1	88.9	
		9-27-65	77.0	84.0	
		10-11-65	63.9	97.1	
		10-25-65	64.7	96.3	
		11-08-65	67.6	93.4	
		11-29-65	59.6	101.4	
		12-06-65	65.5	95.5	
		12-28-65	54.9	106.1	
		1-10-66	55.5	105.5	
		1-24-66	47.4	113.6	
		2-07-66	53.7	107.3	
		2-28-66	45.0	116.0	
		3-14-66	48.7	112.3	
		4-04-66	44.5	116.5	
		4-25-66	40.8	120.2	
		5-09-66	43.5	117.5	
		5-23-66	43.1	117.9	
		6-06-66	42.4	118.6	
		6-27-66	45.9	115.1	
02S/12W-23M03S	142.0	7-13-65	43.1	98.9	101
		7-26-65	46.3	95.7	
		8-02-65	47.9	94.1	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-23M03S (CONT.)	142.0	8-09-65	49.5	92.5	101
		8-16-65	51.1	90.9	
		8-23-65	52.7	89.3	
		9-07-65	56.1	85.9	
		9-14-65	57.5	84.5	
		9-21-65	58.4	83.6	
		10-11-65	49.2	92.8	
		10-18-65	47.0	95.0	
		10-25-65	50.0	92.0	
		11-08-65	55.2	86.8	
		11-19-65	34.6	107.4	
		11-29-65	38.3	103.7	
		12-13-65	36.1	105.9	
		12-20-65	30.2	111.8	
		12-27-65	39.3	102.7	
		1-03-66	37.9	104.1	
		1-10-66	29.5	112.5	
		1-17-66	21.1	120.9	
		1-24-66	26.5	115.5	
		2-07-66	23.3	118.7	
		2-14-66	11.8	130.2	
		2-21-66	19.8	122.2	
		2-28-66	15.1	126.9	
		3-07-66	23.3	118.7	
		3-14-66	18.8	123.2	
		3-21-66	26.8	115.2	
		3-28-66	18.7	123.3	
		4-04-66	23.6	118.4	
		4-18-66	11.4	130.6	
		4-25-66	17.2	124.8	
		5-09-66	19.6	122.4	
		5-16-66	16.7	125.3	
		5-23-66	13.0	129.0	
		6-06-66	19.9	122.1	
		6-13-66	18.6	123.4	
		6-20-66	15.2	126.8	
		6-27-66	24.6	117.4	
02S/12W-23M04S	138.4	7-26-65	7.2	131.2	101
		8-23-65	6.8	131.6	
		10-25-65	11.7	126.7	
		12-27-65	1.1	137.3	
		4-04-66	.2	138.2	
		4-25-66	.0	138.4	
		6-27-66	.1	138.3	
02S/12W-23N02S	146.7	7-13-65	62.3	84.4	101
		7-26-65	64.8	81.9	
		8-02-65	66.4	80.3	
		8-09-65	67.7	79.0	
		8-16-65	68.9	77.8	
		8-23-65	70.0	76.7	
		9-07-65	72.4	74.3	
		9-14-65	73.8	72.9	
		9-21-65	74.6	72.1	
		10-11-65	70.1	76.6	
		10-18-65	69.7	77.0	
		10-25-65	70.9	75.8	
		11-08-65	72.7	74.0	
		11-17-65	72.1	74.6	
		11-29-65	63.5	83.2	
		12-13-65	61.7	85.0	
		12-20-65	60.3	86.4	
		12-27-65	62.2	84.5	
		1-03-66	60.8	85.9	
		1-10-66	56.4	90.3	
		1-17-66	52.9	93.8	
		1-24-66	54.4	92.3	
		2-07-66	51.7	95.0	
		2-14-66	47.8	98.9	
		2-21-66	50.4	96.3	
		2-28-66	48.1	98.6	
		3-07-66	51.7	95.0	
		3-14-66	48.6	98.1	
		3-21-66	52.7	94.0	
		3-28-66	50.3	96.4	
		4-04-66	51.2	95.5	
		4-18-66	46.9	99.8	
		4-25-66	48.3	98.4	
		5-09-66	48.9	97.8	
		5-16-66	48.2	98.5	
		5-23-66	48.2	98.5	
		6-06-66	48.5	98.2	
		6-13-66	49.1	97.6	
		6-20-66	46.8	99.9	
		6-27-66	50.4	96.3	
02S/12W-23P04S	156.0	7-19-65	62.0	94.0	101
		9-21-65	70.0	86.0	
		11-09-65	71.1	84.9	
		11-29-65	68.0	88.0	
		1-17-66	59.5(1)	96.5	
		3-17-66	57.5(1)	98.5	
		5-23-66	53.0(5)	103.0	
02S/12W-24A05S	168.8	7-14-65	32.9	135.9	101
		10-26-65	44.4	124.4	
		11-30-65	41.4	127.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-24A05S (CONT.)	168.8	12-28-65	39.3	129.5	101
		1-24-66	36.6	132.2	
		2-28-66	30.7	138.1	
		4-04-66	29.1	139.7	
		4-25-66	28.3	140.5	
		5-23-66	29.4	139.4	
02S/12W-24E06S	164.0	7-06-65	43.0	121.0	101
		7-30-65	56.0	108.0	
		9-01-65	57.0	107.0	
		10-05-65	57.0	107.0	
		10-28-65	55.0	109.0	
		11-30-65	51.0	113.0	
		12-31-65	48.0	116.0	
		1-31-66	42.0	122.0	
		2-28-66	40.0	124.0	
		3-31-66	38.0	126.0	
		4-30-66	37.0	127.0	
		5-31-66	37.0	127.0	
		6-30-66	53.0	111.0	
02S/12W-24K01S	164.0	7-14-65	39.7	124.3	101
		7-27-65	42.2	121.8	
		8-23-65	49.9	114.1	
		9-27-65	53.7	110.3	
		10-26-65	50.9	113.1	
		11-30-65	48.9	115.1	
		12-28-65	45.8	118.2	
		1-24-66	42.7	121.3	
		2-28-66	36.9	127.1	
		4-04-66	35.4	128.6	
		4-25-66	34.6	129.4	
		5-23-66	34.9	129.1	
		6-28-66	33.7	130.3	
02S/12W-24M03S	160.1	7-02-65	47.3	112.8	101
		7-12-65	48.2	111.9	733
		7-19-65	49.1	111.0	
		7-26-65	50.4	109.7	101
		8-02-65	52.3	107.8	
		8-09-65	54.4	105.7	733
		8-16-65	56.0	104.1	101
		8-23-65	53.7	106.4	
		8-30-65	59.6	100.5	733
		9-02-65	60.3	99.8	101
		9-13-65	63.0	97.1	
		9-20-65	63.6	96.5	733
		9-27-65	63.2	96.9	
		10-04-65	61.1	99.0	
		10-11-65	59.5	100.6	
		10-18-65	58.5	101.6	
		10-25-65	59.1	101.0	
		11-01-65	59.3	100.8	
		11-08-65	60.0	100.1	
		11-15-65	60.0	100.1	
		11-22-65	57.6	102.5	
		11-29-65	56.1	104.0	
		12-02-65	55.6	104.5	101
		12-09-65	54.3	105.8	
		12-16-65	52.7	107.4	
		12-27-65	51.0	109.1	
		1-03-66	50.8	109.3	733
		1-10-66	49.4	110.7	
		1-17-66	48.3	111.8	101
		1-24-66	47.3	112.8	
		2-03-66	46.0	114.1	
		2-10-66	44.7	115.4	
		2-17-66	43.8	116.3	
		2-24-66	43.5	116.6	
		3-03-66	43.4	116.7	
		3-10-66	43.2	116.9	
		3-17-66	42.2	117.9	
		3-24-66	43.3	116.8	
		3-31-66	43.0	117.1	
		4-04-66	42.5	117.6	733
		4-11-66	41.1	119.0	
		4-18-66	40.3	119.8	
		4-25-66	40.3	119.8	101
		5-02-66	40.1	120.0	733
		5-09-66	40.4	119.7	101
		5-16-66	40.3	119.8	733
		5-23-66	40.4	119.7	
		5-30-66	40.2	119.9	
		6-02-66	40.4	119.7	101
		6-09-66	40.5	119.6	
		6-16-66	40.3	119.8	
		6-23-66	40.6	119.5	
		6-30-66	41.9	118.2	
02S/12W-24M08S	159.2	7-02-65	45.1	114.1	101
		7-12-65	45.9	113.3	733
		7-19-65	46.8	112.4	
		7-26-65	47.7	111.5	101
		8-02-65	49.0	110.2	
		8-09-65	50.9	108.3	733
		8-16-65	52.6	106.6	101
		8-23-65	54.5	104.7	
		8-30-65	56.2	103.0	733

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-24M08S (CONT.)	159.2	9-02-65	57.2	102.0	101
		9-13-65	60.0	99.2	
		9-20-65	61.6	97.6	
		9-27-65	62.3	96.9	
		10-04-65	60.9	98.3	
		10-11-65	59.0	100.2	
		10-18-65	57.9	101.3	101
		10-25-65	57.8	101.4	
		11-01-65	57.8	101.4	733
		11-08-65	59.1	100.1	
		11-15-65	59.3	99.9	101
		11-22-65	57.0	102.2	733
		11-29-65	55.6	103.6	101
		12-02-65	55.0	104.2	
		12-09-65	53.8	105.4	
		12-16-65	52.1	107.1	
		12-27-65	50.1	109.1	
		1-03-66	50.2	109.0	733
		1-10-66	48.9	110.3	101
		1-17-66	47.5	111.7	
		1-24-66	46.5	112.7	
		2-03-66	45.1	114.1	
		2-10-66	43.8	115.4	
		2-17-66	42.8	116.4	
		2-24-66	42.7	116.5	
		3-03-66	42.5	116.7	
		3-10-66	42.3	116.9	
		3-17-66	41.5	117.7	
		3-24-66	42.1	117.1	
		3-31-66	41.8	117.4	
		4-04-66	41.3	117.9	733
		4-11-66	40.4	118.8	
		4-18-66	39.4	119.8	
		4-25-66	39.0	120.2	
		5-02-66	38.6	120.6	
		5-09-66	38.9	120.3	101
		5-16-66	38.8	120.4	733
		5-23-66	38.9	120.3	
		5-30-66	38.8	120.4	
		6-02-66	38.6	120.6	101
		6-09-66	38.8	120.4	
		6-16-66	38.8	120.4	
		6-23-66	38.9	120.3	
		6-30-66	39.5	119.7	
02S/12W-25A01S	155.4	7-14-65	28.6	126.8	101
		7-27-65	35.3	120.1	
		8-23-65	44.1	111.3	
		9-27-65	39.0	116.4	
		10-27-65	38.0	117.4	
		11-30-65	38.6	116.8	
		12-28-65	37.2	118.2	
		1-24-66	33.2	122.2	
		2-28-66	29.2	126.2	
		4-04-66	27.9	127.5	
		4-25-66	30.3	125.1	
		5-23-66	25.5	129.9	
		6-28-66	26.3	129.1	
02S/12W-25C08S	153.0	7-14-65	46.6	106.4	101
		7-27-65	47.1	105.9	
		8-23-65	55.0	98.0	
		9-27-65	50.0	103.0	
		10-26-65	56.5	96.5	
		11-30-65	54.5	98.5	
		12-28-65	50.2	102.8	
		1-24-66	46.8	106.2	
		2-28-66	43.5	109.5	
		4-04-66	42.2(3)	110.8	
		4-26-66	41.7	111.3	
		5-25-66	40.0	113.0	
		6-29-66	40.3	112.7	
02S/12W-25E06S	154.0	7-19-65	60.0	94.0	101
		9-21-65	68.0	86.0	
		11-29-65	64.0	90.0	
		1-17-66	58.0(5)	96.0	
		3-17-66	57.0(5)	97.0	
		5-23-66	54.0(5)	100.0	
02S/12W-25E10S	156.0	7-06-65	51.0(5)	105.0	101
		7-30-65	54.0(5)	102.0	
		9-01-65	61.0(5)	95.0	
		10-05-65	59.0(5)	97.0	
		10-28-65	63.0(5)	93.0	
		11-30-65	58.0(5)	98.0	
		12-31-65	56.0(5)	100.0	
		1-31-66	50.0(5)	106.0	
		2-28-66	49.0(5)	107.0	
		3-31-66	48.0(5)	108.0	
		4-30-66	48.0(5)	108.0	
		5-31-66	43.0(5)	113.0	
		6-30-66	48.0(5)	108.0	
02S/12W-25G01S	155.0	7-21-65	37.0(5)	118.0	101
		8-31-65	49.0(5)	106.0	
		9-17-65	50.0(5)	105.0	
		10-18-65	46.0(5)	109.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-25G01S	155.0	11-17-65	46.0(5)	109.0	101
(CONT.)		12-17-65	41.0(5)	114.0	
		1-14-66	39.0(5)	116.0	
		2-18-66	34.0(5)	121.0	
		3-17-66	34.0(5)	121.0	
		4-13-66	32.0(5)	123.0	
		5-19-66	32.0(5)	123.0	
02S/12W-25G02S	155.0	7-21-65	42.0(5)	113.0	101
		8-31-65	55.0(5)	100.0	
		9-17-65	55.0(5)	100.0	
		10-18-65	52.0(5)	103.0	
		11-17-65	51.0(5)	104.0	
		12-17-65	45.0(5)	110.0	
		1-14-66	44.0(5)	111.0	
		2-18-66	40.0(5)	115.0	
		3-17-66	40.0(5)	115.0	
		4-13-66	38.0(5)	117.0	
		5-19-66	37.0(5)	118.0	
02S/12W-25M01S	152.0	8-03-65	71.5(5)	80.5	101
		10-01-65	72.5(5)	79.5	
		11-01-65	71.5(5)	80.5	
		11-29-65	69.5(5)	82.5	
		1-03-66	68.5(5)	83.5	
		1-31-66	58.5(5)	93.5	
		2-28-66	58.5(5)	93.5	
		4-08-66	60.5(5)	91.5	
		5-31-66	58.5(5)	93.5	
02S/12W-25M09S	151.0	7-14-65	59.6	91.4	733
		7-26-65	59.8	91.2	
		8-23-65	60.4	90.6	
		9-27-65	60.6	90.4	
		10-25-65	61.9	89.1	
		11-29-65	60.2	90.8	
		12-27-65	58.4	92.6	
		1-24-66	58.8	92.2	
		2-28-66	58.6	92.4	
		3-28-66	56.9	94.1	
		4-04-66	56.5	94.5	
		4-25-66	55.8	95.2	
		5-23-66	53.1	97.9	
		6-27-66	53.6	97.4	
02S/12W-25P07S	146.0	7-27-65	60.2	85.8	101
		8-23-65	58.6	87.4	
		9-27-65	57.1	88.9	
		10-26-65	59.3	86.7	
		11-30-65	56.8	89.2	
		12-28-65	54.2	91.8	
		1-24-66	49.5	96.5	
		2-28-66	48.1	97.9	
		4-04-66	47.8	98.2	
		4-25-66	46.3	99.7	
		5-25-66	45.5	100.5	
		6-29-66	43.9	102.1	
02S/12W-25Q05S	146.0	7-19-65	144.4(1)	1.6	101
		8-11-65	143.4(1)	2.6	
		9-21-65	143.4(1)	2.6	
		11-29-65	146.4(1)	-.4	
		1-17-66	144.4(1)	1.6	
		3-17-66	66.4(5)	79.6	
		5-23-66	126.4(1)	19.6	
02S/12W-26E03S	145.0	8-02-65	84.0(5)	61.0	101
		9-27-65	96.0(5)	49.0	
		11-01-65	96.0(5)	49.0	
		11-29-65	90.0(5)	55.0	
		1-03-66	84.0(5)	61.0	
		1-31-66	81.0(5)	64.0	
		2-20-66	80.0(5)	65.0	
		4-04-66	80.0(5)	65.0	
		5-31-66	71.0(5)	74.0	
02S/12W-26F01S	148.0	7-14-65	67.6	80.4	101
		7-26-65	69.4	78.6	
		8-23-65	74.7	73.3	
		9-27-65	76.0	72.0	
		10-25-65	76.1	71.9	
		11-29-65	71.2	76.8	
		12-28-65	68.3	79.7	
		1-24-66	63.0	85.0	
		2-28-66	59.0	89.0	
		4-04-66	59.5	88.5	
		4-25-66	58.0	90.0	
		5-23-66	57.5	90.5	
		6-27-66	58.0	90.0	
02S/12W-26L02S	148.0	7-14-65	64.1	83.9	101
		7-26-65	64.4	83.6	
		8-23-65	66.4	81.6	
		9-27-65	70.9	77.1	
		10-25-65	71.8	76.2	
		11-29-65	66.1	81.9	
		1-24-66	67.2	80.8	
		2-28-66	66.0	82.0	
02S/12W-26L02S	148.0	4-04-66	61.3	86.7	101
(CONT.)		4-25-66	59.1	88.9	
		5-23-66	57.5	90.5	
		6-27-66	56.0	92.0	
02S/12W-26P06S	142.0	7-21-65	91.4	50.6	101
		8-15-65	88.4	53.6	
		9-15-65	90.0(5)	52.0	
		10-07-65	87.0(5)	55.0	
		11-01-65	87.0(5)	55.0	
		12-01-65	87.0(5)	55.0	
		12-15-65	82.0(5)	60.0	
		1-15-66	81.0(5)	61.0	
		2-07-66	81.0(5)	61.0	
		3-15-66	76.0(5)	66.0	
		4-15-66	77.0(5)	65.0	
		5-21-66	76.4	65.6	
		6-21-66	78.4	63.6	
02S/12W-26Q01S	141.0	8-30-65	119.0(5)	22.0	101
		10-01-65	121.0(5)	20.0	
		11-01-65	121.0(5)	20.0	
		11-29-65	119.0(5)	22.0	
		1-03-66	116.0(5)	25.0	
		1-31-66	109.0(5)	32.0	
		2-28-66	100.0(5)	41.0	
		4-04-66	99.0(5)	42.0	
		5-31-66	103.0(5)	38.0	
02S/12W-27B02S	149.0	7-14-65	78.0	71.0	101
		7-26-65	79.6	69.4	
		8-23-65	83.6	65.4	
		9-27-65	86.0	63.0	
		10-25-65	86.2	62.8	
		11-29-65	81.6	67.4	
		12-28-65	78.1	70.9	
		1-24-66	74.8	74.2	
		2-28-66	68.6	80.4	
		4-04-66	69.9	79.1	
		4-25-66	67.6	81.4	
		5-23-66	67.2	81.8	
		6-27-66	69.9	79.1	
02S/12W-27B03S	149.0	11-04-65	88.9	60.1	101
		4-05-66	68.1	80.9	
02S/12W-27C01S	156.0	7-14-65	88.6	67.4	101
		7-26-65	89.7	66.3	
		8-23-65	93.7	62.3	
		9-27-65	96.1	59.9	
		10-25-65	96.2	59.8	
		11-29-65	95.1	60.9	
		12-28-65	88.5	67.5	
		1-24-66	84.7	71.3	
		2-28-66	80.0	76.0	
		4-04-66	81.4(4)	74.6	
		4-25-66	79.1(4)	76.9	
		5-23-66	78.5	77.5	
		6-27-66	81.4	74.6	
02S/12W-27F01S	141.4	7-14-65	81.7	59.7	101
		7-26-65	82.7	58.7	
		8-23-65	85.2	56.2	
		9-27-65	94.4	47.0	
		10-25-65	88.6	52.8	
		11-29-65	96.9	44.5	
		12-27-65	84.9	56.5	
		1-24-66	81.0	60.4	
		2-08-66	78.0	63.4	
		2-18-66	75.9	65.5	
		2-25-66	75.1	66.3	
		3-07-66	74.1	67.3	
		3-14-66	73.6	67.8	
		3-21-66	73.6	67.8	
		3-28-66	74.0	67.4	
		4-04-66	78.4	63.0	
		4-18-66	72.6	68.8	
		4-25-66	72.1	69.3	
		5-09-66	72.0	69.4	
		5-16-66	72.0	69.4	
		5-23-66	72.4	69.0	
		6-06-66	72.1	69.3	
		6-20-66	72.1	69.3	
		6-27-66	72.1	69.3	
02S/12W-27G05S	139.0	7-22-65	92.0(5)	47.0	101
		8-23-65	94.0(5)	45.0	
		9-20-65	93.0(5)	46.0	
		10-20-65	102.0(5)	37.0	
		11-20-65	95.0(5)	44.0	
02S/12W-27H01S	146.0	7-31-65	95.0(5)	51.0	101
		8-31-65	100.0(5)	46.0	
		9-30-65	103.0(5)	43.0	
		10-31-65	103.0(5)	43.0	
		11-30-65	105.0(5)	41.0	
		12-31-65	95.0(5)	51.0	
		2-28-66	87.0(5)	59.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-27Q01S	137.0	7-14-65	84.8	52.2	101
		7-26-65	84.8	52.2	
		8-23-65	87.8	49.2	
		9-27-65	92.2	44.8	
		10-25-65	89.1	47.9	
		11-29-65	86.7	50.3	
		12-28-65	83.3	53.7	
		1-24-66	75.2	61.8	
		2-28-66	73.0	64.0	
		4-04-66	75.6	61.4	
		4-25-66	75.6	61.4	
		5-23-66	74.8	62.2	
		6-27-66	73.9	63.1	
02S/12W-27Q03S	136.6	7-14-65	81.6	55.0	101
		7-26-65	75.6	61.0	
		9-27-65	77.3	59.3	
		10-25-65	77.8	58.8	
		1-24-66	71.1	65.5	
		2-28-66	70.5	66.1	
		5-02-66	68.5	68.1	
		5-23-66	67.7	68.9	
		6-27-66	66.3	70.3	
02S/12W-28A04S	142.0	8-02-65	138.0(5)	4.0	101
		8-30-65	143.0(5)	-1.0	
		9-27-65	146.0(5)	-4.0	
		11-01-65	145.0(5)	-3.0	
		11-29-65	135.0(5)	7.0	
		1-03-66	133.0(5)	9.0	
		1-31-66	132.0(5)	10.0	
		2-28-66	124.0(5)	18.0	
		4-04-66	109.0(5)	33.0	
		5-02-66	109.0(5)	33.0	
		5-31-66	110.0(5)	32.0	
02S/12W-28G01S	134.5	7-14-65	99.8	34.7	101
		7-26-65	101.7	32.8	
		8-23-65	100.4	34.1	
		9-27-65	101.7	32.8	
		1-24-66	94.7	39.8	
		2-28-66	91.9	42.6	
		4-04-66	91.0	43.5	
		4-25-66	90.9	43.6	
		5-23-66	90.0	44.5	
		6-27-66	98.5	36.0	
02S/12W-28J06S	135.0	7-24-65	101.0(1)	34.0	101
		8-21-65	105.0(1)	30.0	
		9-24-65	113.0(1)	22.0	
		10-29-65	120.0(1)	15.0	
		11-30-65	104.0(1)	31.0	
		12-06-65	104.0	31.0	
		4-05-66	103.0(5)	32.0	
02S/12W-28J07S	135.0	7-14-65	94.4	40.6	101
		7-26-65	95.3	39.7	
		8-23-65	98.0	37.0	
		9-27-65	99.9	35.1	
		10-25-65	99.7	35.3	
		11-29-65	95.4	39.6	
		12-28-65	91.4	43.6	
		1-24-66	93.0	42.0	
		2-28-66	86.8	48.2	
		4-04-66	87.3	47.7	
		4-25-66	87.3	47.7	
		5-23-66	86.9	48.1	
		6-27-66	86.5	48.5	
02S/12W-28K01S	127.5	7-15-65	96.3(5)	31.2	101
		8-15-65	97.3(5)	30.2	
		9-15-65	98.3(5)	29.2	
		10-07-65	99.3(5)	28.2	
		11-01-65	99.3(5)	28.2	
		12-01-65	99.3(5)	28.2	
		12-15-65	97.3(5)	30.2	
		1-15-66	93.3(5)	34.2	
		2-15-66	89.3(5)	38.2	
		3-15-66	90.3(5)	37.2	
		4-15-66	92.3(5)	35.2	
		5-15-66	91.3(5)	36.2	
		6-15-66	91.3(5)	36.2	
02S/12W-28N03S	120.0	7-15-65	104.0(5)	16.0	101
		8-15-65	107.0(5)	13.0	
		9-07-65	109.0(5)	11.0	
		10-01-65	109.0(5)	11.0	
		11-01-65	98.3	21.7	
		12-01-65	98.0	22.0	
		12-15-65	102.0(5)	18.0	
		1-15-66	98.0(5)	22.0	
		2-15-66	96.0(5)	24.0	
		3-15-66	99.0(5)	21.0	
		4-15-66	99.3	20.7	
		5-15-66	99.3	20.7	
		6-21-66	99.3	20.7	
02S/12W-28Q01S	129.0	10-31-65	102.0	27.0	101
		11-09-65	101.6	27.4	
		11-30-65	98.0	31.0	
		12-30-65	94.0	35.0	
		1-31-66	91.0	38.0	
		2-28-66	90.0	39.0	
		3-31-66	92.0	37.0	
		4-30-66	97.0	32.0	
		5-31-66	98.0	31.0	
02S/12W-29A02S	128.3	11-02-65	118.3	10.0	101
		4-05-66	112.6	15.7	
02S/12W-29A04S	130.0	11-02-65	118.1	11.9	101
		4-05-66	112.3	17.7	
02S/12W-29J01S	122.0	7-21-65	110.0(5)	12.0	101
		8-15-65	109.5	12.5	
		9-15-65	110.0(5)	12.0	
		10-15-65	110.0(5)	12.0	
		11-01-65	110.0(5)	12.0	
		12-01-65	110.0(5)	12.0	
		12-15-65	105.0(5)	17.0	
		1-15-66	101.0(5)	21.0	
		2-15-66	101.0(5)	21.0	
		3-15-66	100.0(5)	22.0	
		4-15-66	98.5	23.5	
		5-15-66	98.5	23.5	
		6-21-66	99.5	22.5	
02S/12W-29K02S	121.4	11-02-65	DRY		101
		4-05-66	DRY		
02S/12W-29M05S	118.0	7-15-65	131.0	-13.0	101
		8-15-65	126.0	-8.0	
		9-15-65	121.0	-3.0	
		10-15-65	117.0(5)	1.0	
		11-01-65	118.0(5)	.0	
		11-30-65	118.0	.0	
		12-31-65	107.0	11.0	
		1-15-66	108.0(5)	10.0	
		2-15-66	108.0(5)	10.0	
		3-15-66	108.0(5)	10.0	
		4-15-66	108.0(5)	10.0	
		6-07-66	106.0(5)	12.0	
		6-15-66	110.0(5)	8.0	
02S/12W-29P06S	116.0	7-14-65	105.6	10.4	733
		7-26-65	105.4	10.6	
		8-23-65	105.6	10.4	
		9-27-65	105.6	10.4	
		10-25-65	106.9	9.1	
		11-29-65	107.4	8.6	
		12-27-65	107.0	9.0	
		1-24-66	106.8	9.2	
		2-28-66	105.7	10.3	
		3-28-66	100.5	15.5	
		4-04-66	100.4	15.6	
		4-25-66	101.5	14.5	
		5-23-66	101.9	14.1	
		6-27-66	102.2	13.8	
02S/12W-30G03S	124.0	8-15-65	152.1(5)	-28.1	101
		9-30-65	153.1(5)	-29.1	
		10-15-65	149.1(5)	-25.1	
		11-01-65	149.1(5)	-25.1	
		12-01-65	142.1(5)	-18.1	
		12-15-65	170.1(5)	-46.1	
		1-15-66	162.1(5)	-38.1	
		2-15-66	149.1(5)	-25.1	
		3-15-66	152.1(5)	-28.1	
		4-15-66	146.5	-22.5	
		5-15-66	155.1(5)	-31.1	
		6-15-66	155.1(5)	-31.1	
02S/12W-30H02S	127.0	11-09-65	130.5	-3.5	101
		4-08-66	145.5(1)	-18.5	
02S/12W-30N01S	125.0	4-08-66	102.5	22.5	101
02S/12W-31D01S	122.0	7-18-65	131.3(5)	-9.3	101
		8-06-65	133.3(5)	-11.3	
		9-08-65	135.3(5)	-13.3	
		10-04-65	135.3(5)	-13.3	
		11-09-65	137.3(5)	-15.3	
		12-05-65	137.3(5)	-15.3	
		1-05-66	138.3(5)	-16.3	
		2-01-66	132.3(5)	-10.3	
		3-01-66	129.3(5)	-7.3	
		4-01-66	127.3(5)	-5.3	
		5-01-66	129.3(5)	-7.3	
		6-01-66	131.3(5)	-9.3	
02S/12W-31M02S	111.0	12-20-65	124.2	-13.2	101
		2-01-66	112.0(5)	-1.0	
		3-01-66	112.0(5)	-1.0	
		4-01-66	117.0(5)	-6.0	
		4-26-66	122.4(8)	-11.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-31M02S (CONT.)	111.0	5-01-66	118.0(5)	-7.0	101
02S/12W-31N01S	107.0	11-09-65	112.5	-5.5	101
		4-08-66	106.5	.5	
02S/12W-33B01S	123.0	8-02-65	94.0(5)	29.0	101
		9-27-65	94.0(5)	29.0	
		11-01-65	95.0(5)	28.0	
		11-29-65	89.0(5)	34.0	
		1-03-66	85.0(5)	38.0	
		1-31-66	84.0(5)	39.0	
		2-28-66	84.0(5)	39.0	
		4-04-66	86.0(5)	37.0	
		5-02-66	85.0(5)	38.0	
		5-31-66	87.0(5)	36.0	
02S/12W-33B04S	126.2	7-08-65	97.3	28.9	733
		7-29-65	98.9	27.3	
		8-19-65	100.2	26.0	
		9-09-65	95.7	30.5	
		9-30-65	98.3	27.9	
		10-21-65	98.3	27.9	
		11-11-65	97.8	28.4	
		12-02-65	91.8	34.4	
		12-23-65	89.2	37.0	
		1-13-66	87.2	39.0	
		2-03-66	86.6	39.6	
		2-24-66	85.6	40.6	
		3-17-66	86.3	39.9	
		4-07-66	87.1	39.1	
		4-28-66	87.8	38.4	
		5-19-66	93.6	32.6	
		6-09-66	93.1	33.1	
		6-28-66	85.8	40.4	
02S/12W-33C02S	121.2	11-02-65	DRY		101
		4-05-66	DRY		
02S/12W-33D02S	118.0	7-14-65	93.7	24.3	101
		7-26-65	93.7	24.3	
		8-23-65	93.8	24.2	
		9-27-65	93.7	24.3	
		10-25-65	93.6	24.4	
		11-29-65	92.3	25.7	
		12-28-65	90.8	27.2	
		1-24-66	90.0	28.0	
		2-28-66	84.3	33.7	
		4-04-66	83.7	34.3	
		4-25-66	88.1	29.9	
		5-23-66	88.2	29.8	
		6-27-66	88.0	30.0	
02S/12W-33L01S	117.7	11-02-65	111.1	6.6	101
		4-05-66	92.8	24.9	
02S/12W-33L03S	115.6	11-02-65	83.8	31.8	101
		4-05-66	81.3	34.3	
02S/12W-33M01S	114.5	8-02-65	101.2(5)	13.3	101
		8-30-65	102.2(5)	12.3	
		9-27-65	101.2(5)	13.3	
		11-01-65	102.2(5)	12.3	
		11-29-65	101.2(5)	13.3	
		1-03-66	99.2(5)	15.3	
		1-31-66	100.2(5)	14.3	
		2-28-66	100.2(5)	14.3	
		4-04-66	105.2(5)	9.3	
		5-02-66	103.2(5)	11.3	
		5-31-66	104.2(5)	10.3	
02S/12W-33P02S	114.0	7-26-65	84.4	29.6	101
		8-23-65	83.8	30.2	
		9-27-65	83.4	30.6	
		10-25-65	82.9	31.1	
		11-29-65	82.3	31.7	
		12-28-65	81.9	32.1	
		1-24-66	80.6	33.4	
		2-28-66	80.9	33.1	
		4-04-66	80.3	33.7	
		4-25-66	79.9	34.1	
		5-23-66	79.2	34.8	
		6-27-66	78.5	35.5	
02S/12W-34A01S	134.5	7-14-65	70.0	64.5	101
		7-26-65	69.8	64.7	
		8-09-65	72.9	61.6	
		8-23-65	70.2	64.3	
		9-27-65	71.8	62.7	
		10-11-65	72.3	62.2	
		10-25-65	72.9	61.6	
		11-08-65	73.0	61.5	
		11-29-65	69.5	65.0	
		12-06-65	73.1	61.4	
		12-28-65	70.6	63.9	
		1-10-66	71.4	63.1	
		1-24-66	70.4	64.1	
		2-07-66	69.3	65.2	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-34A01S (CONT.)	134.5	2-28-66	68.2	66.3	101
		3-14-66	66.1	68.4	
		4-04-66	64.7	69.8	
		4-25-66	65.5	69.0	
		5-09-66	62.9	71.6	
		5-23-66	62.5	72.0	
		6-06-66	61.8	72.7	
		6-27-66	63.0	71.5	
02S/12W-34G01S	129.0	7-31-65	88.0(5)	41.0	101
		8-31-65	96.0(5)	33.0	
		9-30-65	98.0(5)	31.0	
		10-31-65	98.0(5)	31.0	
		11-30-65	98.0(5)	31.0	
		12-31-65	88.0(5)	41.0	
		1-31-66	86.0(5)	43.0	
		2-28-66	83.0(5)	46.0	
		3-31-66	88.0(5)	41.0	
		4-30-66	86.0(5)	43.0	
		5-31-66	90.0(5)	39.0	
02S/12W-34P01S	124.0	8-31-65	97.0(5)	27.0	101
		9-30-65	104.0(5)	20.0	
		10-31-65	104.0(5)	20.0	
		11-30-65	104.0(5)	20.0	
		12-31-65	99.0(5)	25.0	
		1-31-66	99.0(5)	25.0	
		2-28-66	99.0(5)	25.0	
		4-30-66	90.0(5)	34.0	
		5-31-66	90.0(5)	34.0	
02S/12W-34R01S	129.4	9-27-65	99.4(5)	30.0	101
		11-01-65	94.4(5)	35.0	
		11-29-65	87.4(5)	42.0	
		1-03-66	84.4(5)	45.0	
		2-01-66	85.4(5)	44.0	
		3-01-66	81.4(5)	48.0	
		4-04-66	83.4(5)	46.0	
		5-03-66	84.4(5)	45.0	
		5-31-66	83.4(5)	46.0	
02S/12W-35C01S	145.0	7-14-65	75.6	69.4	101
		7-26-65	76.4	68.6	
		8-23-65	78.2	66.8	
		9-27-65	83.5	61.5	
		10-25-65	83.2	61.8	
		11-29-65	79.3	65.7	
		1-24-66	77.0	68.0	
		2-28-66	76.1	68.9	
		4-04-66	76.9	68.1	
		4-25-66	69.2	75.8	
		5-23-66	68.2	76.8	
		6-27-66	69.0	76.0	
02S/12W-35D02S	142.5	7-21-65	91.7	50.8	101
		8-15-65	98.7	43.8	
		9-15-65	94.6(5)	47.9	
		10-15-65	91.6(5)	50.9	
		11-01-65	91.6(5)	50.9	
		12-01-65	91.6(5)	50.9	
		12-15-65	87.7	54.8	
		1-15-66	78.6(5)	63.9	
		2-07-66	78.6(5)	63.9	
		3-07-66	81.7	60.8	
		4-15-66	81.7	60.8	
		5-01-66	81.7	60.8	
		5-21-66	81.7	60.8	
		6-21-66	81.7	60.8	
02S/12W-35F01S	136.5	7-14-65	73.8	62.7	101
		7-26-65	76.2	60.3	
		8-23-65	72.1	64.4	
		9-13-65	71.5	65.0	
		9-27-65	77.0	59.5	
		10-25-65	74.7	61.8	
		11-29-65	72.0	64.5	
		2-28-66	66.0	70.5	
		4-04-66	66.9	69.6	
		4-25-66	67.7	68.8	
		5-23-66	66.1	70.4	
		6-27-66	63.4	73.1	
02S/12W-35H12S	142.5	7-14-65	63.7	78.8	101
		7-27-65	64.5	78.0	
		8-23-65	67.4	75.1	
		10-26-65	72.9	69.6	
		11-30-65	71.4	71.1	
		12-28-65	69.5	73.0	
		1-24-66	62.8	79.7	
		2-28-66	60.9	81.6	
		4-04-66	61.7	80.8	
		4-25-66	57.9	84.6	
		5-23-66	55.3	87.2	
02S/12W-35K01S	138.0	8-03-65	93.5(5)	44.5	101
		8-31-65	102.5(5)	35.5	
		10-01-65	99.5(5)	38.5	
		11-01-65	110.5(5)	27.5	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12W-35K01S	138.0	11-29-65	99.5(5)	38.5	101
(CONT.)		1-03-66	97.5(5)	40.5	
		1-31-66	96.5(5)	41.5	
		2-28-66	92.5(5)	45.5	
		4-04-66	95.5(5)	42.5	
		5-03-66	97.5(5)	40.5	
		5-31-66	96.5(5)	41.5	
02S/12W-35P01S	129.0	8-03-65	97.0(5)	32.0	101
		9-27-65	97.0(5)	32.0	
		11-01-65	95.0(5)	34.0	
		11-29-65	89.0(5)	40.0	
		1-03-66	86.0(5)	43.0	
		2-01-66	85.0(5)	44.0	
		3-01-66	75.0(5)	54.0	
		4-01-66	76.0(5)	53.0	
		5-31-66	75.0(5)	54.0	
02S/12W-36H01S	139.0	7-14-65	36.9	102.1	101
		7-27-65	48.9	90.1	
		10-27-65	45.9	93.1	
		12-01-65	43.9	95.1	
		12-28-65	40.7	98.3	
		1-24-66	35.9	103.1	
		2-28-66	35.1	103.9	
		4-04-66	35.6	103.4	
		4-25-66	36.5	102.5	
		6-29-66	31.6	107.4	
02S/12W-36G01S	134.0	7-14-65	34.9	99.1	101
		7-27-65	41.1	92.9	
		8-23-65	49.1	84.9	
		9-27-65	53.9	80.1	
		10-26-65	46.8	87.2	
		11-30-65	45.6	88.4	
		12-28-65	42.7	91.3	
		1-24-66	34.6	99.4	
		2-28-66	33.2	100.8	
		4-04-66	37.7	96.3	
		4-25-66	38.0	96.0	
		5-25-66	27.4	106.6	
		6-29-66	33.2	100.8	
02S/12W-36L03S	134.0	7-14-65	36.2	97.8	101
		7-27-65	40.7	93.3	
		8-23-65	41.1	92.9	
		9-27-65	40.8	93.2	
		10-26-65	47.4	86.6	
		11-30-65	35.7	98.3	
		12-28-65	48.5	85.5	
		1-24-66	43.5	90.5	
		2-28-66	40.9	93.1	
		4-04-66	43.4(3)	90.6	
		4-25-66	36.8	97.2	
		5-23-66	29.0	105.0	
		6-29-66	31.8	102.2	
02S/12W-36R02S	133.5	7-19-65	58.0	75.5	101
		8-11-65	61.7	71.8	
		9-21-65	65.0	68.5	
		11-29-65	65.0	68.5	
		1-17-66	60.0	73.5	
		3-17-66	58.0	75.5	
		5-23-66	58.0	75.5	
02S/13W-01K01S	197.5	11-08-65	242.8	-45.3	101
		4-06-66	236.6	-39.1	
02S/13W-01N01S	196.0	11-08-65	255.8	-59.8	101
		4-08-66	251.4	-55.4	
02S/13W-02M01S	252.0	11-08-65	512.0(1)	-260.0	101
		4-07-66	519.0(1)	-267.0	
02S/13W-04D01S	230.8	11-09-65	285.3(6)	-54.5	101
		4-07-66	284.2	-53.4	
02S/13W-05A01S	227.0	11-09-65	281.5	-54.5	101
		4-07-66	281.3	-54.3	
02S/13W-05B01S	224.0	11-12-65	287.8	-63.8	101
		4-07-66	294.4	-70.4	
02S/13W-05G01S	219.0	11-10-65	286.1	-67.1	101
		4-07-66	288.4	-69.4	
02S/13W-06R02S	195.0	11-09-65	289.6	-94.6	101
		4-07-66	256.7	-61.7	
02S/13W-10A01S	214.2	7-06-65	293.6	-79.4	101
		8-03-65	300.0	-85.8	
		9-15-65	298.3	-84.1	
		10-05-65	301.6	-87.4	
		11-02-65	285.7	-71.5	
		12-07-65	285.5	-71.3	
		1-04-66	296.8	-82.6	
		2-08-66	296.4	-82.2	
		3-02-66	296.2	-82.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/13W-10A01S	214.2	4-05-66	303.2	-89.0	101
(CONT.)		5-04-66	303.9	-89.7	
		6-08-66	300.6	-86.4	
02S/13W-10A03S	230.6	11-10-65	309.7	-79.1	101
		4-05-66	308.0	-77.4	
02S/13W-10A04S	226.0	11-12-65	307.5	-81.5	101
		4-05-66	313.7	-87.7	
02S/13W-10B01S	224.5	11-10-65	306.4	-81.9	101
		4-12-66	315.6	-91.1	
02S/13W-10M01S	206.0	7-15-65	269.7(5)	-63.7	101
		8-15-65	268.7(5)	-62.7	
		9-30-65	269.4	-63.4	
		10-15-65	282.7(5)	-76.7	
		11-07-65	262.7(5)	-56.7	
		12-01-65	262.7(5)	-56.7	
		12-15-65	277.7(5)	-71.7	
		1-15-66	282.7(5)	-76.7	
		2-07-66	282.7(5)	-76.7	
		3-15-66	287.7(5)	-81.7	
		4-15-66	282.7(5)	-76.7	
		5-15-66	287.7(5)	-81.7	
		6-15-66	287.7(5)	-81.7	
02S/13W-10P04S	203.8	7-02-65	283.3(5)	-79.5	101
		9-03-65	291.3(5)	-87.5	
		10-01-65	291.3(5)	-87.5	
		11-01-65	281.3(5)	-77.5	
		12-03-65	291.3(5)	-87.5	
		1-02-66	276.3(5)	-72.5	
		2-04-66	283.3(5)	-79.5	
		3-06-66	277.3(5)	-73.5	
		4-03-66	281.3(5)	-77.5	
		5-01-66	279.3(5)	-75.5	
		6-05-66	281.3(5)	-77.5	
02S/13W-10P05S	202.0	7-02-65	290.6(5)	-88.6	101
		8-08-65	280.6(5)	-78.6	
		9-06-65	280.6(5)	-78.6	
		10-01-65	286.6(5)	-84.6	
		11-01-65	286.6(5)	-84.6	
		12-17-65	291.6(5)	-89.6	
		1-02-66	278.6(5)	-76.6	
		2-04-66	288.6(5)	-86.6	
		3-06-66	282.6(5)	-80.6	
		4-05-66	284.6(5)	-82.6	
		5-01-66	280.6(5)	-78.6	
		6-05-66	286.6(5)	-84.6	
02S/13W-10P06S	200.9	7-05-65	288.2(5)	-87.3	101
		8-01-65	291.2(5)	-90.3	
		9-03-65	296.2(5)	-95.3	
		10-03-65	284.2(5)	-83.3	
		11-08-65	284.2(5)	-83.3	
		12-04-65	286.2(5)	-85.3	
		2-06-66	282.2(5)	-81.3	
		3-04-66	291.2(5)	-90.3	
		4-03-66	294.2(5)	-93.3	
		5-01-66	283.2(5)	-82.3	
		6-17-66	296.2(5)	-95.3	
02S/13W-10R05S	199.7	8-03-65	208.4	-8.7	101
		9-15-65	213.2	-13.5	
		10-05-65	213.7	-14.0	
		11-02-65	208.7	-9.0	
		12-07-65	208.4	-8.7	
		1-04-66	207.5	-7.8	
		2-08-66	207.1	-7.4	
		3-02-66	207.9	-8.2	
		4-05-66	208.6	-8.9	
		5-04-66	208.3	-8.6	
		6-08-66	208.2	-8.5	
02S/13W-10R06S	199.7	11-08-65	282.2	-82.5	101
		4-07-66	288.2	-88.5	
02S/13W-11E03S	208.7	7-06-65	273.5	-64.8	101
		8-03-65	273.6	-64.9	
		9-15-65	274.0	-65.3	
		10-04-65	273.9	-65.2	
		11-02-65	273.4	-64.7	
		12-07-65	272.6	-63.9	
		1-04-66	272.3	-63.6	
		2-08-66	271.5	-62.8	
		3-02-66	271.3	-62.6	
		4-05-66	271.1	-62.4	
		5-04-66	271.2	-62.5	
		6-08-66	270.9	-62.2	
02S/13W-11E04S	208.0	8-01-65	296.0(5)	-88.0	101
		9-06-65	295.0(5)	-87.0	
		10-03-65	298.0(5)	-90.0	
		11-07-65	296.0(5)	-88.0	
		12-05-65	294.0(5)	-86.0	
		1-02-66	290.0(5)	-82.0	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
02S/13W-11E04S	208.0	2-06-66	293.0(5)	-85.0	101
(CONT.)		3-06-66	293.0(5)	-85.0	
		4-03-66	296.0(5)	-88.0	
		5-01-66	295.0(5)	-87.0	
		6-05-66	295.0(5)	-87.0	
02S/13W-11G06S	199.0	11-10-65	302.3	-103.3	101
		4-06-66	300.4	-101.4	
02S/13W-11L03S	197.6	7-06-65	205.9(3)	-8.3	101
		8-03-65	205.9(3)	-8.3	
		9-15-65	206.0	-8.4	
		10-05-65	206.3	-8.7	
		11-02-65	205.9	-8.3	
		12-07-65	206.0	-8.4	
		2-08-66	206.1	-8.5	
		3-02-66	205.8	-8.2	
		4-05-66	205.9	-8.3	
		5-04-66	205.9	-8.3	
		6-08-66	205.8	-8.2	
02S/13W-11N05S	200.0	4-07-66	279.4	-79.4	101
02S/13W-11P02S	200.0	11-12-65	280.2	-80.2	101
		4-07-66	293.7	-93.7	
02S/13W-11R02S	189.8	7-02-65	268.2(5)	-78.4	101
		8-01-65	260.2(5)	-70.4	
		9-03-65	272.2(5)	-82.4	
		10-01-65	273.2(5)	-83.4	
		11-01-65	260.2(5)	-70.4	
		12-03-65	266.2(5)	-76.4	
		1-02-66	256.2(5)	-66.4	
		2-04-66	264.2(5)	-74.4	
		3-06-66	264.2(5)	-74.4	
		4-03-66	258.2(5)	-68.4	
		5-01-66	258.2(5)	-68.4	
		6-05-66	256.2(5)	-66.4	
02S/13W-11R03S	188.7	7-02-65	296.3(5)	-107.6	101
		8-01-65	267.3(5)	-78.6	
		9-03-65	300.3(5)	-111.6	
		10-03-65	271.3(5)	-82.6	
		11-01-65	276.3(5)	-87.6	
		12-05-65	266.3(5)	-77.6	
		1-02-66	264.3(5)	-75.6	
		2-06-66	269.3(5)	-80.6	
		3-06-66	270.3(5)	-81.6	
		4-03-66	278.3(5)	-89.6	
		5-01-66	277.3(5)	-88.6	
		6-05-66	269.3(5)	-80.6	
02S/13W-11R04S	187.8	7-05-65	264.3(5)	-76.5	101
		8-01-65	267.3(5)	-79.5	
		9-06-65	267.3(5)	-79.5	
		10-03-65	261.3(5)	-73.5	
		11-01-65	278.3(5)	-90.5	
		12-03-65	291.3(5)	-103.5	
		1-02-66	277.3(5)	-89.5	
		2-04-66	289.3(5)	-101.5	
		3-06-66	271.3(5)	-83.5	
		4-03-66	279.3(5)	-91.5	
		5-01-66	277.3(5)	-89.5	
		6-05-66	271.3(5)	-83.5	
02S/13W-12A01S	185.2	8-31-65	254.0	-68.8	101
		10-31-65	254.0	-68.8	
		12-31-65	237.0	-51.8	
		2-28-66	237.0	-51.8	
		4-30-66	244.0	-58.8	
		5-31-66	243.0	-57.8	
		6-30-66	244.0	-58.8	
02S/13W-12C01S	185.0	4-06-66	254.1	-69.1	101
02S/13W-12H03S	187.0	4-06-66	214.7	-27.7	101
02S/13W-13A01S	168.5	4-06-66	212.2	-43.7	101
02S/13W-13F01S	167.7	8-31-65	234.0(5)	-66.3	101
		9-30-65	234.0(5)	-66.3	
		10-31-65	234.0(5)	-66.3	
		2-28-66	252.0(5)	-84.3	
		3-31-66	250.0(5)	-82.3	
		4-30-66	250.0(5)	-82.3	
		5-31-66	250.0(5)	-82.3	
02S/13W-13H01S	162.2	8-31-65	189.0(5)	-26.8	101
		10-31-65	199.0(5)	-36.8	
		11-02-65	199.0(5)	-36.8	
		12-02-65	189.0(5)	-26.8	
		1-31-66	189.0(5)	-26.8	
		2-28-66	189.0(5)	-26.8	
		3-31-66	189.0(5)	-26.8	
		4-30-66	189.0(5)	-26.8	
		5-31-66	192.0(5)	-29.8	
02S/13W-14A01S	187.0	7-02-65	267.4(5)	-80.4	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/13W-14A01S	187.0	8-01-65	245.4(5)	-58.4	101
(CONT.)		9-03-65	271.4(5)	-84.4	
		10-01-65	268.4(5)	-81.4	
		11-07-65	247.4(5)	-60.4	
		12-03-65	262.4(5)	-75.4	
		1-02-66	245.4(5)	-58.4	
		2-04-66	261.4(5)	-74.4	
		3-06-66	249.4(5)	-62.4	
		4-03-66	257.4(5)	-70.4	
		5-01-66	257.4(5)	-70.4	
		6-05-66	249.4(5)	-62.4	
02S/13W-14H01S	180.7	7-02-65	231.8(5)	-51.1	101
		8-01-65	230.8(5)	-50.1	
		9-03-65	232.8(5)	-52.1	
		10-01-65	230.8(5)	-50.1	
		11-08-65	228.8(5)	-48.1	
		12-03-65	224.8(5)	-44.1	
		1-02-66	218.8(5)	-38.1	
		2-04-66	222.8(5)	-42.1	
		3-06-66	220.8(5)	-40.1	
		4-03-66	224.8(5)	-44.1	
		5-01-66	224.8(5)	-44.1	
		6-05-66	226.8(5)	-46.1	
02S/13W-14H02S	185.0	7-05-65	253.8(5)	-68.8	101
		8-13-65	266.8(5)	-81.8	
		9-03-65	265.8(5)	-80.8	
		10-01-65	262.8(5)	-77.8	
		11-07-65	257.8(5)	-72.8	
		12-03-65	262.8(5)	-77.8	
		1-02-66	249.8(5)	-64.8	
		2-13-66	263.8(5)	-78.8	
		3-27-66	269.8(5)	-84.8	
		4-03-66	256.8(5)	-71.8	
		5-16-66	257.8(5)	-72.8	
		6-12-66	257.8(5)	-72.8	
02S/13W-14H03S	187.0	7-05-65	263.9(5)	-76.9	101
		8-01-65	261.9(5)	-74.9	
		9-06-65	255.9(5)	-68.9	
		10-03-65	256.9(5)	-69.9	
		11-01-65	263.9(5)	-76.9	
		12-05-65	255.9(5)	-68.9	
		1-02-66	250.9(5)	-63.9	
		2-04-66	267.9(5)	-80.9	
		3-06-66	266.9(5)	-79.9	
		4-03-66	262.9(5)	-75.9	
		5-01-66	269.9(5)	-82.9	
		6-05-66	265.9(5)	-78.9	
02S/13W-15C01S	195.0	4-07-66	185.6	9.4	101
02S/13W-15L01S	190.0	11-03-65	86.5	103.5	101
		4-13-66	85.8	104.2	
02S/13W-16Q06S	175.0	7-07-65	175.4	-.4	200
		8-06-65	175.6	-.6	
		9-08-65	175.8	-.8	
		10-05-65	176.0	-1.0	
		11-03-65	176.1	-1.1	
		12-07-65	175.8	-.8	
		1-07-66	175.8	-.8	
		2-08-66	175.6	-.6	
		3-03-66	175.9	-.9	
		4-06-66	176.2	-1.2	
		5-02-66	176.1	-1.1	
		6-07-66	176.1	-1.1	
02S/13W-16Q07S	176.0	7-07-65	213.0	-37.0	200
		8-06-65	214.0	-38.0	
		9-08-65	213.8	-37.8	
		10-05-65	215.7	-39.7	
		11-03-65	215.1	-39.1	
		12-07-65	212.3	-36.3	
		1-07-66	211.4	-35.4	
		2-08-66	210.2	-34.2	
		3-03-66	212.2	-36.2	
		4-06-66	212.8	-36.8	
		5-02-66	212.0	-36.0	
		6-07-66	211.3	-35.3	
02S/13W-20J03S	158.0	1-17-66	158.0	.0	101
02S/13W-20R02S	154.0	11-03-65	129.0	25.0	101
		4-13-66	128.1	25.9	
02S/13W-20R03S	152.0	7-01-65	193.5(5)	-41.5	101
		8-01-65	195.5(5)	-43.5	
		9-01-65	194.5(5)	-42.5	
		10-01-65	196.5(5)	-44.5	
		11-01-65	195.5(5)	-43.5	
		12-01-65	192.5(5)	-40.5	
		1-01-66	193.5(5)	-41.5	
		2-01-66	192.5(5)	-40.5	
		3-01-66	195.5(5)	-43.5	
		4-01-66	202.5(5)	-50.5	
		4-13-66	253.5(5)	-101.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/13W-20R04S	156.0	7-01-65	189.0(5)	-33.0	101
		8-01-65	189.0(5)	-33.0	
		9-01-65	191.0(5)	-35.0	
		10-01-65	194.0(5)	-38.0	
		11-01-65	192.0(5)	-36.0	
		12-01-65	189.0(5)	-33.0	
		1-01-66	188.0(5)	-32.0	
		2-01-66	188.0(5)	-32.0	
		3-01-66	189.0(5)	-33.0	
		4-01-66	193.0(5)	-37.0	
02S/13W-21E01S	166.0	7-21-65	222.1	-56.1	101
		8-21-65	224.1	-58.1	
		9-15-65	224.1	-58.1	
		10-15-65	222.9(5)	-56.9	
		10-30-65	222.9(5)	-56.9	
		11-07-65	217.9(5)	-51.9	
		12-15-65	221.9(5)	-55.9	
		1-15-66	218.9(5)	-52.9	
		2-15-66	219.9(5)	-53.9	
		3-15-66	222.9(5)	-56.9	
		4-15-66	217.9(5)	-51.9	
		5-21-66	220.1	-54.1	
		6-15-66	219.1	-53.1	
02S/13W-21K04S	164.7	11-03-65	203.5	-38.8	101
		4-13-66	198.7(2)	-34.0	
02S/13W-21Q08S	183.6	11-03-65	220.6	-37.0	101
		4-13-66	217.9	-34.3	
02S/13W-22D07S	178.0	8-15-65	254.0(5)	-76.0	101
		9-30-65	255.4	-77.4	
02S/13W-22P02S	162.0	7-01-65	247.0(5)	-85.0	101
		8-01-65	247.0(5)	-85.0	
		9-01-65	238.0(5)	-76.0	
		10-01-65	239.0(5)	-77.0	
		11-01-65	234.0(5)	-72.0	
		1-01-66	230.0(5)	-68.0	
		2-01-66	233.0(5)	-71.0	
		3-01-66	232.0(5)	-70.0	
		4-01-66	234.0(5)	-72.0	
		5-01-66	233.0(5)	-71.0	
		6-01-66	235.0(5)	-73.0	
02S/13W-23A02S	162.1	7-08-65	162.6	-.5	733
		7-29-65	162.8	-.7	
		8-19-65	163.0	-.9	
		9-09-65	165.4	-3.3	
		9-30-65	166.0	-3.9	
		10-21-65	165.9	-3.8	
		11-11-65	165.5	-3.4	
		12-02-65	163.9	-1.8	
		12-23-65	162.0	.1	
		1-13-66	161.4	.7	
		2-03-66	161.3	.8	
		2-24-66	160.9	1.2	
		3-17-66	161.3	.8	
		4-07-66	161.8	.3	
		4-29-66	162.0	.1	
		5-19-66	162.3	-.2	
		6-30-66	163.2	-1.1	
02S/13W-23D05S	178.0	8-01-65	247.3(5)	-69.3	101
		9-01-65	250.3(5)	-72.3	
		10-01-65	236.3(5)	-58.3	
		11-01-65	230.3(5)	-52.3	
		1-01-66	228.3(5)	-50.3	
		2-01-66	228.3(5)	-50.3	
		3-01-66	228.3(5)	-50.3	
		4-01-66	232.3(5)	-54.3	
		5-01-66	232.3(5)	-54.3	
		6-01-66	238.3(5)	-60.3	
02S/13W-23H01S	154.0	7-01-65	211.1(5)	-57.1	101
		8-01-65	212.1(5)	-58.1	
		9-01-65	207.1(5)	-53.1	
		10-01-65	205.1(5)	-51.1	
		11-01-65	197.1(5)	-43.1	
		1-01-66	192.1(5)	-38.1	
		2-01-66	195.1(5)	-41.1	
		3-01-66	194.1(5)	-40.1	
		4-01-66	201.1(5)	-47.1	
		5-01-66	200.1(5)	-46.1	
		6-01-66	199.1(5)	-45.1	
02S/13W-23J02S	145.7	7-01-65	198.1(5)	-52.4	101
		8-01-65	197.1(5)	-51.4	
		9-01-65	198.1(5)	-52.4	
		10-01-65	194.1(5)	-48.4	
		11-15-65	187.1(5)	-41.4	
		1-01-66	182.1(5)	-36.4	
		2-01-66	183.1(5)	-37.4	
		3-01-66	183.1(5)	-37.4	
		4-01-66	188.1(5)	-42.4	
		5-01-66	189.1(5)	-43.4	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/13W-23J02S (CONT.)	145.7	6-01-66	189.1(5)	-43.4	101
02S/13W-24Q02S	146.0	7-21-65	188.6	-42.6	101
		8-15-65	189.0(5)	-43.0	
		9-07-65	184.0(5)	-38.0	
		10-21-65	189.0(5)	-43.0	
		11-01-65	189.0(5)	-43.0	
		12-01-65	181.0(5)	-35.0	
		12-15-65	177.0(5)	-31.0	
		1-15-66	173.0(5)	-27.0	
		2-15-66	173.0(5)	-27.0	
		3-15-66	174.0(5)	-28.0	
		5-07-66	179.0(5)	-33.0	
		6-01-66	179.0(5)	-33.0	
		6-21-66	182.6	-36.6	
02S/13W-25D03S	140.0	7-01-65	186.6(5)	-46.6	101
		8-01-65	184.6(5)	-44.6	
		9-01-65	197.6(5)	-57.6	
		10-01-65	182.6(5)	-42.6	
		11-01-65	175.6(5)	-35.6	
		1-01-66	171.6(5)	-31.6	
		2-01-66	171.6(5)	-31.6	
		3-01-66	171.6(5)	-31.6	
		4-01-66	175.6(5)	-35.6	
		5-01-66	176.6(5)	-36.6	
		6-01-66	178.6(5)	-38.6	
02S/13W-25D04S	142.7	8-01-65	209.0(5)	-66.3	101
		9-01-65	208.0(5)	-65.3	
		10-01-65	206.0(5)	-63.3	
		11-01-65	198.0(5)	-55.3	
		1-01-66	192.0(5)	-49.3	
		2-01-66	195.0(5)	-52.3	
		3-01-66	195.0(5)	-52.3	
		4-01-66	199.0(5)	-56.3	
		5-01-66	205.0(5)	-62.3	
		6-01-66	200.0(5)	-57.3	
02S/13W-25D05S	140.7	7-03-65	141.5(5)	-.8	101
		8-01-65	141.5(5)	-.8	
		9-02-65	142.5(5)	-1.8	
		10-07-65	143.5(5)	-2.8	
		11-11-65	143.5(5)	-2.8	
		12-16-65	143.5(5)	-2.8	
		1-01-66	143.5(5)	-2.8	
		2-03-66	144.5(5)	-3.8	
		3-01-66	145.5(5)	-4.8	
		4-01-66	146.5(5)	-5.8	
		5-01-66	148.5(5)	-7.8	
		6-01-66	150.5(5)	-9.8	
02S/13W-25H01S	137.0	7-06-65	164.7(5)	-27.7	101
		8-09-65	172.7(5)	-35.7	
		9-07-65	163.7(5)	-26.7	
		10-04-65	169.7(5)	-32.7	
		11-01-65	167.7(5)	-30.7	
		12-06-65	157.7(5)	-20.7	
		1-03-66	149.7(5)	-12.7	
		2-07-66	148.7(5)	-11.7	
		2-14-66	149.7(5)	-12.7	
		4-04-66	155.7(5)	-18.7	
		5-02-66	162.7(5)	-25.7	
		6-06-66	159.7(5)	-22.7	
02S/13W-25H03S	136.0	7-06-65	140.5(5)	-4.5	101
		1-13-66	133.5(5)	2.5	
		2-07-66	133.5(5)	2.5	
		4-04-66	145.5(5)	-9.5	
		5-02-66	145.5(5)	-9.5	
		6-06-66	145.5(5)	-9.5	
02S/13W-25Q01S	125.0	7-01-65	157.7(5)	-32.7	101
		8-01-65	157.7(5)	-32.7	
		9-01-65	156.7(5)	-31.7	
		10-01-65	154.7(5)	-29.7	
		11-01-65	146.7(5)	-21.7	
		1-01-66	140.7(5)	-15.7	
		2-01-66	140.7(5)	-15.7	
		3-01-66	141.7(5)	-16.7	
		4-01-66	146.7(5)	-21.7	
		5-01-66	146.7(5)	-21.7	
		6-01-66	145.7(5)	-20.7	
02S/13W-27B07S	157.0	7-31-65	226.5(5)	-69.5	101
		8-31-65	224.5(5)	-67.5	
		9-30-65	217.5(5)	-60.5	
		10-31-65	219.5(5)	-62.5	
		11-30-65	215.5(5)	-58.5	
		12-31-65	216.5(5)	-59.5	
		1-31-66	214.5(5)	-57.5	
		2-28-66	212.5(5)	-55.5	
		3-31-66	216.5(5)	-59.5	
		4-30-66	219.5(5)	-62.5	
		5-31-66	214.5(5)	-57.5	
		6-30-66	220.5(5)	-63.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/13W-27B11S (CONT.)	157.0	4-13-66	137.8(2)	19.2	101
02S/13W-27B19S	157.0	7-31-65	225.5(5)	-68.5	101
		8-31-65	225.5(5)	-68.5	
		9-30-65	217.5(5)	-60.5	
		10-31-65	219.5(5)	-62.5	
		11-30-65	215.5(5)	-58.5	
		12-31-65	219.5(5)	-62.5	
02S/13W-27E04S	142.5	7-15-65	181.0(5)	-38.5	101
		8-15-65	183.0(5)	-40.5	
		9-15-65	186.0(5)	-43.5	
		10-07-65	187.0(5)	-44.5	
		11-01-65	187.0(5)	-44.5	
		12-01-65	184.0(5)	-41.5	
		12-15-65	179.0(5)	-36.5	
		1-15-66	176.0(5)	-33.5	
		2-15-66	176.0(5)	-33.5	
		3-15-66	180.0(5)	-37.5	
		4-15-66	179.0(5)	-36.5	
		5-15-66	177.0(5)	-34.5	
		6-21-66	179.4	-36.9	
02S/13W-28G01S	142.0	7-01-65	184.4	-42.4	101
		8-01-65	188.3(5)	-46.3	
		9-15-65	193.3(5)	-51.3	
		10-01-65	197.3(5)	-55.3	
		11-01-65	188.3(5)	-46.3	
		12-01-65	188.3(5)	-46.3	
		12-15-65	181.3(5)	-39.3	
		1-15-66	182.3(5)	-40.3	
		2-15-66	183.3(5)	-41.3	
		3-15-66	184.3(5)	-42.3	
		4-15-66	188.3(5)	-46.3	
		5-15-66	174.3(5)	-32.3	
		6-15-66	180.3(5)	-38.3	
02S/13W-28G02S	142.0	7-01-65	198.3(5)	-56.3	101
		7-21-65	208.3(5)	-66.3	
		8-15-65	208.3(5)	-66.3	
		9-01-65	202.3(5)	-60.3	
		10-01-65	197.8	-55.8	
		11-01-65	189.3(5)	-47.3	
		12-01-65	189.3(5)	-47.3	
		12-15-65	200.3(5)	-58.3	
		1-15-66	193.3(5)	-51.3	
		2-15-66	184.3(5)	-42.3	
		3-15-66	184.3(5)	-42.3	
		4-15-66	187.3(5)	-45.3	
		5-15-66	188.3(5)	-46.3	
		6-21-66	190.3(5)	-48.3	
02S/13W-28G03S	142.0	7-15-65	187.4(5)	-45.4	101
		8-15-65	190.4(5)	-48.4	
		9-15-65	192.4(5)	-50.4	
		10-07-65	194.4(5)	-52.4	
		11-01-65	186.4(5)	-44.4	
		12-01-65	188.4(5)	-46.4	
		12-15-65	181.4(5)	-39.4	
		1-15-66	179.4(5)	-37.4	
		2-15-66	178.4(5)	-36.4	
		3-15-66	183.4(5)	-41.4	
		4-15-66	184.4(5)	-42.4	
		5-15-66	181.7	-39.7	
		6-07-66	186.7	-44.7	
02S/13W-28H01S	142.0	7-15-65	119.0(5)	23.0	101
		8-21-65	121.0(5)	21.0	
		9-15-65	119.0(5)	23.0	
		10-15-65	119.0(5)	23.0	
		11-01-65	119.0(5)	23.0	
		12-01-65	119.0(5)	23.0	
		12-15-65	119.0(5)	23.0	
		1-15-66	119.0(5)	23.0	
		2-15-66	119.0(5)	23.0	
		3-15-66	119.0(5)	23.0	
		4-15-66	119.0(5)	23.0	
		5-15-66	119.0(5)	23.0	
		6-21-66	119.6	22.4	
02S/13W-31C02S	132.9	11-02-65	192.4	-59.5	101
		4-05-66	191.5	-58.6	
02S/13W-32C04S	130.0	7-07-65	202.3	-72.3	200
		8-06-65	203.0	-73.0	
		9-08-65	202.7	-72.7	
		10-05-65	201.8	-71.8	
		11-03-65	201.8	-71.8	
		12-07-65	199.4	-69.4	
		1-07-66	197.2	-67.2	
		2-08-66	196.7	-66.7	
		3-03-66	195.9	-65.9	
		4-06-66	197.1	-67.1	
		5-02-66	197.6	-67.6	
		6-07-66	197.6	-67.6	
02S/13W-32R06S	118.0	10-28-65	205.0(5)	-87.0	200

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/13W-32R06S (CONT.)	118.0	3-24-66	283.0	-165.0	200
02S/13W-32R08S	117.0	4-13-66	197.0(5)	-80.0	200
02S/13W-32R09S	117.0	11-03-65	200.2	-83.2	200
		12-07-65	197.3	-80.3	
		1-07-66	195.7	-78.7	
		2-08-66	194.7	-77.7	
		3-03-66	191.1	-74.1	
		4-06-66	192.0	-75.0	
		5-02-66	192.3	-75.3	
		6-07-66	192.8	-75.8	
02S/13W-34D01S	126.1	7-01-65	113.0(5)	13.1	101
		8-01-65	113.0(5)	13.1	
		9-01-65	114.0(5)	12.1	
		10-01-65	114.0(5)	12.1	
		11-01-65	113.0(5)	13.1	
		1-15-66	111.0(5)	15.1	
		2-01-66	112.0(5)	14.1	
		3-01-66	112.0(5)	14.1	
		4-01-66	112.0(5)	14.1	
		5-01-66	113.0(5)	13.1	
		6-01-66	112.0(5)	14.1	
02S/13W-34D02S	130.3	7-01-65	116.0(5)	14.3	101
		8-01-65	116.0(5)	14.3	
		9-01-65	120.0(5)	10.3	
		10-01-65	121.0(5)	9.3	
		11-01-65	119.0(5)	11.3	
		12-01-65	118.0(5)	12.3	
		1-01-66	116.0(5)	14.3	
		2-01-66	117.0(5)	13.3	
		3-01-66	118.0(5)	12.3	
		4-01-66	117.0(5)	13.3	
		5-01-66	118.0(5)	12.3	
		6-01-66	118.0(5)	12.3	
02S/13W-34D03S	127.1	7-01-65	111.5(5)	15.6	101
		8-01-65	111.5(5)	15.6	
		9-01-65	112.5(5)	14.6	
		10-01-65	112.5(5)	14.6	
		11-01-65	111.5(5)	15.6	
		12-01-65	111.5(5)	15.6	
		1-01-66	111.5(5)	15.6	
		2-01-66	111.5(5)	15.6	
		3-01-66	111.5(5)	15.6	
		4-01-66	111.5(5)	15.6	
		5-01-66	111.5(5)	15.6	
		6-01-66	111.5(5)	15.6	
02S/13W-34D04S	127.0	7-01-65	111.7(5)	15.3	101
		8-01-65	111.7(5)	15.3	
		9-01-65	113.7(5)	13.3	
		10-01-65	113.7(5)	13.3	
		11-01-65	113.7(5)	13.3	
		12-01-65	111.7(5)	15.3	
		1-01-66	110.7(5)	16.3	
		2-01-66	109.7(5)	17.3	
		3-01-66	110.7(5)	16.3	
		4-01-66	110.7(5)	16.3	
		5-01-66	111.7(5)	15.3	
		6-01-66	111.7(5)	15.3	
02S/13W-35A01S	121.0	12-21-65	136.5	-15.5	101
		4-13-66	143.6(4)	-22.6	
02S/13W-36B01S	122.0	7-01-65	130.8(5)	-8.8	101
		8-01-65	140.8(5)	-18.8	
		9-01-65	135.8(5)	-13.8	
		10-01-65	141.8(5)	-19.8	
		11-01-65	136.8(5)	-14.8	
		12-01-65	127.8(5)	-5.8	
		2-02-66	123.8(5)	-1.8	
		3-02-66	121.8(5)	.2	
		4-02-66	131.8(5)	-9.8	
		5-02-66	119.8(5)	2.2	
02S/13W-36F01S	120.0	8-01-65	140.5(5)	-20.5	101
		9-01-65	136.5(5)	-16.5	
		10-01-65	144.5(5)	-24.5	
		11-01-65	138.5(5)	-18.5	
		12-01-65	128.5(5)	-8.5	
		2-01-66	125.5	-5.5	
02S/13W-36F02S	120.0	8-01-65	149.0(5)	-29.0	101
		9-01-65	134.0(5)	-14.0	
		10-01-65	147.0(5)	-27.0	
		11-01-65	141.0(5)	-21.0	
		12-01-65	134.0(5)	-14.0	
		2-01-66	117.0(5)	3.0	
		3-01-66	131.0(5)	-11.0	
		4-01-66	137.0(5)	-17.0	
		5-01-66	134.0(5)	-14.0	
02S/13W-36Q01S	114.0	10-01-65	135.0(5)	-21.0	101
		11-01-65	130.0(5)	-16.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/13W-36Q01S	114.0	12-01-65	121.0(5)	-7.0	101
(CONT.)		4-13-66	127.1	-13.1	
		5-01-66	121.0(5)	-7.0	
02S/13W-36R01S	115.4	10-01-65	139.3(5)	-23.9	101
		11-01-65	133.3(5)	-17.9	
		12-01-65	123.3(5)	-7.9	
		5-01-66	126.3(5)	-10.9	
02S/14W-03K01S	110.0	7-10-65	159.9	-49.9	101
		8-07-65	160.0	-50.0	
		9-11-65	160.1	-50.1	
		10-02-65	160.3	-50.3	
		11-06-65	146.3	-36.3	
		12-04-65	146.4	-36.4	
		1-08-66	146.2	-36.2	
		2-05-66	146.2	-36.2	
		3-05-66	146.1	-36.1	
		4-02-66	146.2	-36.2	
		5-07-66	149.2	-39.2	
		6-04-66	150.7	-40.7	
		6-15-66	161.9	-51.9	
02S/14W-03K03S	110.0	8-13-65	163.5	-53.5	101
		9-11-65	163.6	-53.6	
		10-02-65	163.7	-53.7	
		11-06-65	163.5	-53.5	
		12-04-65	162.4	-52.4	
		1-08-66	162.9	-52.9	
		2-05-66	162.7	-52.7	
		3-05-66	162.4	-52.4	
		4-02-66	162.1	-52.1	
		5-07-66	161.5	-51.5	
		6-04-66	161.8	-51.8	
02S/14W-03Q01S	110.7	7-10-65	148.6	-37.9	101
		8-07-65	151.4	-40.7	
		9-11-65	153.7	-43.0	
		10-02-65	155.0	-44.3	
		11-06-65	156.9	-46.2	
		12-04-65	132.8	-22.1	
		1-08-66	128.6	-17.9	
		2-05-66	133.6	-22.9	
		3-05-66	134.0	-23.3	
		4-02-66	138.1	-27.4	
		5-07-66	143.5	-32.8	
		6-04-66	145.9	-35.2	
02S/14W-04N01S	105.0	3-15-66	172.1	-67.1	101
		4-05-66	165.3	-60.3	
02S/14W-05B03S	82.0	7-01-65	173.0(5)	-91.0	101
		7-22-65	173.0(5)	-91.0	
		8-05-65	175.0(5)	-93.0	
		8-19-65	175.0(5)	-93.0	
		9-01-65	172.0(5)	-90.0	
		12-10-65	172.0(5)	-90.0	
		2-03-66	165.0(5)	-83.0	
02S/14W-05C03S	80.0	11-03-65	162.4(5)	-82.4	101
		3-07-66	160.4(5)	-80.4	
		5-12-66	158.4(5)	-78.4	
02S/14W-05C04S	85.0	7-15-65	169.0(5)	-84.0	101
		8-15-65	169.0(5)	-84.0	
		9-15-65	169.0(5)	-84.0	
		10-15-65	168.0(5)	-83.0	
		11-01-65	168.0(5)	-83.0	
		12-01-65	167.0(5)	-82.0	
		12-30-65	168.0(5)	-83.0	
		1-07-66	167.0(5)	-82.0	
		2-15-66	161.0(5)	-76.0	
		3-15-66	158.0(5)	-73.0	
		4-15-66	158.0(5)	-73.0	
		5-15-66	159.0(5)	-74.0	
		6-15-66	159.0(5)	-74.0	
02S/14W-05D08S	88.0	7-15-65	168.0(5)	-80.0	101
		8-15-65	168.0(5)	-80.0	
		9-15-65	167.0(5)	-79.0	
		10-15-65	167.0(5)	-79.0	
		11-01-65	168.0(5)	-80.0	
		12-01-65	167.0(5)	-79.0	
		12-30-65	166.0(5)	-78.0	
		1-15-66	165.0(5)	-77.0	
		2-21-66	160.0(5)	-72.0	
		3-15-66	158.0(5)	-70.0	
		4-04-66	158.8	-70.8	
		4-15-66	159.0(5)	-71.0	
		5-15-66	161.0(5)	-73.0	
		6-15-66	159.0(5)	-71.0	
02S/14W-10Q02S	126.3	7-28-65	193.3(5)	-67.0	101
		8-29-65	195.3(5)	-69.0	
		9-29-65	196.3(5)	-70.0	
		10-26-65	193.3(5)	-67.0	
		12-01-65	193.3	-67.0	
		12-28-65	191.3(5)	-65.0	

COASTAL PL OF LA CO HYDRD SUBUNIT U-05.A0
CENTRAL HYDRD SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/14W-10Q02S	126.3	1-28-66	191.3(5)	-65.0	101
(CONT.)		2-23-66	191.3(5)	-65.0	
		3-30-66	190.3(5)	-64.0	
		4-26-66	191.3(5)	-65.0	
		5-29-66	194.3(5)	-68.0	
02S/14W-14C01S	129.9	7-30-65	196.1(5)	-66.2	101
		8-29-65	196.1(5)	-66.2	
		9-28-65	194.1(5)	-64.2	
		10-26-65	195.1(5)	-65.2	
		11-29-65	193.1(5)	-63.2	
		12-27-65	192.1(5)	-62.2	
		1-29-66	192.1(5)	-62.2	
		2-26-66	191.1(5)	-61.2	
		3-30-66	191.1(5)	-61.2	
		4-25-66	192.1(5)	-62.2	
		5-30-66	191.1(5)	-61.2	
02S/14W-14C02S	130.7	7-29-65	196.0(5)	-65.3	101
		8-27-65	195.0(5)	-64.3	
		9-29-65	198.0(5)	-67.3	
		10-27-65	196.0(5)	-65.3	
		11-30-65	193.0(5)	-62.3	
		12-27-65	193.0(5)	-62.3	
		1-28-66	193.0(5)	-62.3	
		2-23-66	193.0(5)	-62.3	
		3-30-66	193.0(5)	-62.3	
		4-27-66	193.0(5)	-62.3	
		5-30-66	193.0(5)	-62.3	
02S/14W-14C05S	129.7	7-28-65	193.0(5)	-63.3	101
		8-30-65	195.0(5)	-65.3	
		9-28-65	196.0(5)	-66.3	
		10-26-65	194.0(5)	-64.3	
		11-29-65	189.0(5)	-59.3	
		12-27-65	191.0(5)	-61.3	
		1-28-66	188.0(5)	-58.3	
		2-23-66	188.0(5)	-58.3	
		3-30-66	188.0(5)	-58.3	
		4-26-66	188.0(5)	-58.3	
		5-28-66	194.0(5)	-64.3	
02S/14W-14F02S	101.0	7-30-65	167.1	-66.1	101
		7-30-65	164.8(5)	-63.8	
		8-29-65	165.8(5)	-64.8	
		9-30-65	165.8(5)	-64.8	
		10-26-65	165.8(5)	-64.8	
		12-27-65	164.8(5)	-63.8	
		1-30-66	164.8(5)	-63.8	
		2-25-66	164.8(5)	-63.8	
		3-31-66	163.8(5)	-62.8	
		4-25-66	164.8(5)	-63.8	
		5-30-66	164.8(5)	-63.8	
02S/14W-15A01S	122.3	7-29-65	185.8(5)	-63.5	101
		8-29-65	185.8(5)	-63.5	
		9-28-65	185.8(5)	-63.5	
		12-01-65	187.0	-64.7	
		3-31-66	175.2	-52.9	
		4-29-66	174.9	-52.6	
		5-28-66	170.5	-48.2	
		6-28-66	179.1	-56.8	
02S/14W-22A02S	166.8	11-02-65	219.3	-52.5	101
		4-05-66	218.3	-51.5	
02S/14W-23C02S	159.0	7-14-65	DRY		101
		7-26-65	DRY		
		8-23-65	DRY		
		9-27-65	DRY		
		10-25-65	DRY		
		11-29-65	DRY		
		12-27-65	DRY		
		2-08-66	25.0	134.0	
		2-18-66	26.5	132.5	
		2-25-66	31.0	128.0	
		3-07-66	37.7	121.3	
		3-14-66	27.2	131.8	
		3-21-66	33.3	125.7	
		3-28-66	33.5	125.5	
		4-04-66	26.7	132.3	
		4-18-66	22.6	136.4	
		4-25-66	21.0	138.0	
		5-09-66	29.9	129.1	
		5-16-66	25.7	133.3	
		5-23-66	28.9	130.1	
		6-06-66	26.0	133.0	
		6-13-66	31.4	127.6	
		6-20-66	28.9	130.1	
		6-27-66	33.8	125.2	
02S/14W-23H02S	136.7	7-08-65	234.5(1)	-97.8	101
		7-15-65	234.5(1)	-97.8	
		7-22-65	235.5(1)	-98.8	
		7-30-65	235.5(1)	-98.8	
		8-05-65	235.5(1)	-98.8	
		8-12-65	235.5(1)	-98.8	
		8-26-65	235.5(1)	-98.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.45

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/14W-23H02S (CONT.)	136.7	9-02-65	235.5(1)	-98.8	101
		9-10-65	235.5(1)	-98.8	
		9-17-65	235.5(1)	-98.8	
		9-24-65	235.5(1)	-98.8	
		10-07-65	236.5(1)	-99.8	
		10-14-65	236.5(1)	-99.8	
		10-22-65	236.5(1)	-99.8	
		11-04-65	236.5(1)	-99.8	
		1-09-66	236.5(1)	-99.8	
		2-06-66	235.5(1)	-98.8	
		3-06-66	235.5(1)	-98.8	
		4-03-66	235.5(1)	-98.8	
02S/14W-23H06S	135.7	7-08-65	263.5(1)	-127.8	101
		7-15-65	263.5(1)	-127.8	
		7-22-65	263.0(1)	-127.3	
		7-30-65	263.0(1)	-127.3	
		8-05-65	263.0(1)	-127.3	
		8-12-65	263.5(1)	-127.8	
		8-26-65	263.0(1)	-127.3	
		9-02-65	262.5(1)	-126.8	
		9-10-65	263.0(1)	-127.3	
		9-17-65	262.5(1)	-126.8	
		9-24-65	262.5(1)	-126.8	
		10-07-65	263.5(1)	-127.8	
		10-14-65	263.5(1)	-127.8	
		10-22-65	263.5(1)	-127.8	
		10-29-65	262.5(1)	-126.8	
		11-04-65	262.5(1)	-126.8	
		1-09-66	259.5(1)	-123.8	
		2-06-66	258.0(1)	-122.3	
		3-06-66	256.5(1)	-120.8	
		4-03-66	255.5(1)	-119.8	
02S/14W-24G01S	138.6	11-02-65	98.8	39.8	101
		4-05-66	98.6	40.0	
03S/11W-01P01S	264.0	8-03-65	223.5	40.5	101
		9-01-65	229.5	34.5	
		10-04-65	232.5	31.5	
		10-30-65	213.5	50.5	
		12-01-65	223.5	40.5	
		1-03-66	222.5	41.5	
		1-18-66	214.5	49.5	
		2-01-66	219.5	44.5	
		3-01-66	213.5	50.5	
		3-21-66	216.5	47.5	
		4-01-66	218.5	45.5	
		5-02-66	219.5	44.5	
		5-23-66	212.5	51.5	
		6-01-66	211.5	52.5	
		6-30-66	223.5	40.5	
03S/11W-01P02S	266.0	7-20-65	35.0	231.0	101
		9-22-65	35.0	231.0	
		11-23-65	34.0	232.0	
		1-18-66	37.0	229.0	
		3-21-66	38.0	228.0	
		5-23-66	61.0(1)	205.0	
03S/11W-02K01S	216.0	7-26-65	195.7	20.3	101
		9-22-65	201.0	15.0	
		11-23-65	216.0	.0	
		1-18-66	188.0(5)	28.0	
		3-21-66	188.0(5)	28.0	
		5-23-66	185.0(5)	31.0	
03S/11W-02Q01S	214.0	7-27-65	245.9(1)	-31.9	101
		9-22-65	189.0	25.0	
		11-23-65	181.0	33.0	
		1-18-66	177.0(5)	37.0	
		3-21-66	236.0(1)	-22.0	
		5-23-66	175.0(5)	39.0	
03S/11W-04H02S	150.0	11-03-65	56.4	93.6	101
		4-04-66	47.5	102.5	
03S/11W-05B03S	161.5	7-14-65	57.7	103.8	101
		7-27-65	58.1	103.4	
		8-23-65	60.2	101.3	
		9-27-65	61.8	99.7	
		10-26-65	60.2	101.3	
		11-30-65	59.5	102.0	
		12-28-65	59.2	102.3	
		1-24-66	58.8	102.7	
		2-28-66	58.0	103.5	
		4-04-66	58.2	103.3	
		4-25-66	57.2	104.3	
		5-23-66	57.0	104.5	
		6-28-66	56.5	105.0	
03S/11W-05H03S	161.0	7-20-65	64.0	97.0	101
		9-22-65	64.0	97.0	
		11-23-65	64.0	97.0	
		1-18-66	64.0	97.0	
		3-21-66	62.0	99.0	
		5-23-66	62.0	99.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/11W-05N04S	151.0	12-07-65	122.8(3)	28.2	101
		4-11-66	115.4(3)	35.6	
03S/11W-05R02S	171.0	7-14-65	90.7	80.3	101
		7-27-65	90.6	80.4	
		8-23-65	90.9	80.1	
		9-27-65	90.7	80.3	
		10-26-65	91.2	79.8	
		11-30-65	90.3	80.7	
		12-28-65	89.5	81.5	
		1-24-66	86.9	84.1	
		2-28-66	87.6	83.4	
		4-04-66	87.1	83.9	
		4-25-66	66.9	104.1	
		5-23-66	86.4	84.6	
		6-28-66	85.8	85.2	
03S/11W-06K04S	135.9	7-14-65	99.5	36.4	101
		7-27-65	99.2	36.7	
		8-16-65	98.5	37.4	
		8-23-65	98.6	37.3	
		9-27-65	98.8	37.1	
		10-26-65	98.3	37.6	
		11-29-65	97.8	38.1	
		12-28-65	97.4	38.5	
		1-24-66	97.0	38.9	
		2-28-66	95.9	40.0	
		4-04-66	94.8	41.1	
		4-25-66	94.8	41.1	
		5-23-66	94.1	41.8	
		6-28-66	93.6	42.3	
03S/11W-06P02S	129.0	7-08-65	100.7	28.3	733
		7-29-65	102.5	26.5	
		8-19-65	104.0	25.0	
		9-30-65	105.3	23.7	
		10-21-65	104.5	24.5	
		11-11-65	98.2	30.8	
		12-02-65	102.1	26.9	
		12-23-65	100.4	28.6	
		1-13-66	98.6	30.4	
		2-03-66	97.4	31.6	
		2-24-66	96.4	32.6	
		3-17-66	95.4	33.6	
		4-07-66	94.4	34.6	
		4-28-66	94.0	35.0	
		5-19-66	94.5	34.5	
		6-30-66	96.7	32.3	
03S/11W-07B02S	123.0	7-14-65	102.3	20.7	101
		7-27-65	96.1	26.9	
		8-23-65	101.2	21.8	
		9-27-65	102.1	20.9	
		10-26-65	101.6	21.4	
		11-29-65	99.6	23.4	
		12-28-65	99.9	23.1	
		1-24-66	99.5	23.5	
		2-28-66	97.0	26.0	
		4-04-66	96.5	26.5	
		4-25-66	96.5	26.5	
		5-23-66	98.1	24.9	
		6-28-66	96.1	26.9	
03S/11W-07C08S	116.0	7-19-65	101.0	15.0	101
		9-21-65	92.0	24.0	
		11-29-65	86.0	30.0	
		1-17-66	85.0(5)	31.0	
		3-17-66	217.0(1)	-101.0	
		5-23-66	82.0(5)	34.0	
03S/11W-07E01S	116.0	7-15-65	98.1(5)	17.9	101
		8-15-65	108.1(5)	7.9	
		9-15-65	108.1(5)	7.9	
		10-07-65	101.1(5)	14.9	
		11-07-65	102.1(5)	13.9	
		12-15-65	96.1(5)	19.9	
		1-15-66	94.1(5)	21.9	
		2-15-66	93.1(5)	22.9	
		3-15-66	100.1(5)	15.9	
		4-21-66	97.1(5)	18.9	
		5-15-66	97.1(5)	18.9	
		6-21-66	96.1(5)	19.9	
03S/11W-07E02S	117.0	7-07-65	98.0(5)	19.0	101
		8-15-65	103.0(5)	14.0	
		9-07-65	100.0(5)	17.0	
		10-01-65	102.0(5)	15.0	
		11-07-65	96.0(5)	21.0	
		12-01-65	92.0(5)	25.0	
		1-15-66	88.0(5)	29.0	
		2-15-66	86.0(5)	31.0	
		3-21-66	88.0(5)	29.0	
		4-15-66	86.0(5)	31.0	
		5-15-66	86.0(5)	31.0	
		6-15-66	86.0(5)	31.0	
03S/11W-07H02S	125.0	11-04-65	102.8	22.2	101
		4-04-66	97.3	27.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GAHRIFL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/11W-07J01S	125.0	7-14-65	119.0	6.0	733
		7-26-65	119.2	5.8	
		8-23-65	119.3	5.7	
		9-27-65	119.1	5.9	
		10-25-65	118.9	6.1	
		11-29-65	115.5	9.5	
		12-27-65	114.9	10.1	
		1-24-66	114.7	10.3	
		2-28-66	116.0	9.0	
		3-28-66	115.6	9.4	
		4-04-66	115.6	9.4	
		4-25-66	115.7	9.3	
		5-23-66	116.0	9.0	
		6-27-66	113.8	11.2	
03S/11W-07P02S	109.0	7-08-65	100.2	8.8	733
		7-29-65	101.9	7.1	
		8-19-65	102.6	6.4	
		9-30-65	104.1	4.9	
		10-21-65	103.6	5.4	
		11-11-65	104.2	4.8	
		12-02-65	101.4	7.6	
		12-23-65	100.6	8.4	
		1-13-66	99.5	9.5	
		2-03-66	99.2	9.8	
		2-24-66	98.7	10.3	
		3-17-66	96.4	12.6	
		4-07-66	95.4	13.6	
		4-28-66	96.3	12.7	
		5-19-66	97.1	11.9	
		6-30-66	97.9	11.1	
03S/11W-07P03S	107.5	11-04-65	100.9	6.6	101
		4-04-66	96.5	11.0	
03S/11W-08H01S	160.0	7-15-65	137.5(5)	22.5	101
		8-21-65	141.5(5)	18.5	
		9-15-65	140.5(5)	19.5	
		10-15-65	139.5(5)	20.5	
		11-01-65	139.5(5)	20.5	
		12-01-65	136.5(5)	23.5	
		2-15-66	130.5(5)	29.5	
		3-07-66	130.5(5)	29.5	
		4-15-66	129.5(5)	30.5	
		5-21-66	129.5(5)	30.5	
		6-15-66	130.5(5)	29.5	
03S/11W-09G01S	154.0	11-03-65	122.1	31.9	101
		5-02-66	118.4	35.6	
03S/11W-09J01S	114.0	11-03-65	98.0	16.0	101
		4-04-66	85.3	28.7	
03S/11W-09N01S	99.0	7-14-65	76.1	22.9	733
		7-26-65	76.2	22.8	
		8-23-65	76.4	22.6	
		9-27-65	76.5	22.5	
		10-25-65	76.8	22.2	
		11-29-65	77.2	21.8	
		12-27-65	78.7	20.3	
		1-24-66	78.5	20.5	
		2-28-66	82.9	16.1	
		3-28-66	83.7	15.3	
		4-04-66	84.0	15.0	
		4-25-66	84.3	14.7	
		5-23-66	84.9	14.1	
		6-27-66	85.7	13.3	
03S/11W-10N01S	144.0	7-09-65	117.8	26.2	733
		7-30-65	122.6	21.4	
		8-20-65	124.8	19.2	
		10-01-65	126.8	17.2	
		10-22-65	127.1	16.9	
		11-12-65	126.9	17.1	
		12-03-65	108.5	35.5	
		12-24-65	106.9	37.1	
		1-14-66	105.9	38.1	
		2-04-66	106.3	37.7	
		2-25-66	106.9	37.1	
		3-18-66	109.5	34.5	
		4-08-66	104.0	40.0	
		4-29-66	106.9	37.1	
		5-20-66	105.0	39.0	
03S/11W-10N02S	145.0	12-06-65	74.8	70.2	101
		12-28-65	73.1	71.9	
		1-24-66	71.4	73.6	
03S/11W-13D01S	283.6	7-20-65	260.2	23.4	101
		10-14-65	257.2	26.4	
		12-06-65	259.2	24.4	
		2-03-66	255.2	28.4	
03S/11W-14H04S	268.5	11-03-65	237.0	31.5	101
		5-02-66	232.1	36.4	
03S/11W-14N02S	161.5	11-04-65	139.2(3)	22.3	101
03S/11W-14N02S (CONT.)	161.5	4-05-66	129.6(8)	31.9	101
03S/11W-14R02S	220.0	12-07-65	183.5	36.5	101
		4-04-66	179.9	40.1	
03S/11W-15G01S	161.0	7-20-65	160.0	1.0	101
		10-14-65	166.0	-5.0	
		11-03-65	134.7	26.3	
		12-06-65	146.0	15.0	
		2-03-66	140.0	21.0	
		4-04-66	123.6	37.4	
03S/11W-15P01S	125.0	7-01-65	106.5	18.5	101
		8-02-65	101.5	23.5	
		9-01-65	105.5	19.5	
		10-01-65	105.5	19.5	
		11-01-65	105.5	19.5	
		12-01-65	110.5	14.5	
		1-03-66	96.5	28.5	
		1-31-66	93.5(5)	31.5	
		3-01-66	93.5(5)	31.5	
		4-01-66	96.5(5)	28.5	
		5-01-66	101.5(5)	23.5	
		6-01-66	98.5(5)	26.5	
03S/11W-16B01S	103.0	7-06-65	95.3	7.7	101
		8-02-65	95.7	7.3	
		8-30-65	96.1	6.9	
		9-07-65	96.2	6.8	
		9-28-65	87.3(5)	15.7	
		10-04-65	96.2	6.8	
		11-01-65	97.8	5.2	
		11-30-65	87.3(5)	15.7	
		12-01-65	95.6	7.4	
		12-27-65	94.8	8.2	
		1-04-66	87.3(5)	15.7	
		1-31-66	94.1	8.9	
		2-01-66	94.3(5)	8.7	
		3-01-66	94.3(5)	8.7	
		4-04-66	93.1	9.9	
		5-02-66	93.3	9.7	
		5-31-66	93.5	9.5	
		6-01-66	94.3(5)	8.7	
03S/11W-16F01S	110.0	11-04-65	104.8	5.2	101
		4-05-66	103.2	6.8	
03S/11W-16F03S	110.0	11-04-65	95.6	14.4	101
		4-05-66	82.8	27.2	
03S/11W-16H02S	105.0	8-03-65	129.5(5)	-24.5	101
		8-31-65	124.5(5)	-19.5	
		9-28-65	118.5(5)	-13.5	
		11-02-65	123.5(5)	-18.5	
		11-30-65	116.5(5)	-11.5	
		1-04-66	113.5(5)	-8.5	
		2-01-66	99.5(5)	5.5	
		3-01-66	98.5(5)	6.5	
		4-08-66	100.5(5)	4.5	
		5-04-66	108.5(5)	-3.5	
		6-01-66	101.5(5)	3.5	
03S/11W-16M02S	90.0	11-04-65	80.1	9.9	101
		4-05-66	79.9(8)	10.1	
03S/11W-16N02S	85.0	11-03-65	89.3	-4.3	101
		4-04-66	83.7	1.3	
03S/11W-17M03S	96.0	8-03-65	108.5(5)	-12.5	101
		8-31-65	103.5(5)	-7.5	
		9-28-65	102.5(5)	-6.5	
		11-02-65	101.5(5)	-5.5	
		11-30-65	98.5(5)	-2.5	
		1-04-66	102.5(5)	-6.5	
		2-01-66	96.5(5)	-.5	
		3-01-66	94.5(5)	1.5	
		4-05-66	101.5(5)	-5.5	
		5-04-66	103.5(5)	-7.5	
		6-01-66	99.5(5)	-3.5	
03S/11W-18B04S	88.0	8-15-65	105.2(5)	-17.2	101
		9-15-65	105.2(5)	-17.2	
		10-15-65	100.2(5)	-12.2	
		11-15-65	95.2(5)	-7.2	
		12-15-65	93.2(5)	-5.2	
03S/11W-18G04S	102.0	7-21-65	99.0(5)	3.0	101
		8-15-65	104.0(5)	-2.0	
		9-15-65	101.0(5)	1.0	
		10-15-65	100.0(5)	2.0	
		11-01-65	101.0(5)	1.0	
		12-01-65	97.0(5)	5.0	
		1-15-66	95.0(5)	7.0	
		2-15-66	93.0(5)	9.0	
		3-15-66	86.0(5)	16.0	
		4-15-66	95.0(5)	7.0	
		5-07-66	96.0(5)	6.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/11W-18G04S (CONT.)	102.0	6-21-66	97.0(5)	5.0	101
03S/11W-18G05S	100.5	7-15-65	98.5(5)	2.0	101
		8-15-65	104.5(5)	-4.0	
		9-15-65	99.5(5)	1.0	
		10-15-65	99.5(5)	1.0	
		11-07-65	101.5(5)	-1.0	
		12-01-65	96.5(5)	4.0	
		12-15-65	95.5(5)	5.0	
		1-15-66	93.5(5)	7.0	
		2-15-66	92.5(5)	8.0	
		3-15-66	93.5(5)	7.0	
		4-15-66	94.5(5)	6.0	
		5-15-66	94.5(5)	6.0	
		6-15-66	95.5(5)	5.0	
03S/11W-18L01S	96.0	7-15-65	116.4(5)	-20.4	101
		8-15-65	118.4(5)	-22.4	
		9-15-65	122.4(5)	-26.4	
		10-15-65	119.4(5)	-23.4	
		11-15-65	111.4(5)	-15.4	
		12-15-65	95.4(5)	.6	
03S/11W-18L02S	95.5	7-15-65	105.8(5)	-10.3	101
		8-15-65	108.8(5)	-13.3	
		9-15-65	106.8(5)	-11.3	
		10-15-65	105.8(5)	-10.3	
		11-03-65	101.4	-5.9	
		11-15-65	98.8(5)	-3.3	
		12-15-65	89.8(5)	5.7	
03S/11W-18M01S	96.0	8-03-65	113.0(5)	-17.0	101
		9-28-65	113.0(5)	-17.0	
		11-02-65	113.0(5)	-17.0	
		11-30-65	107.0(5)	-11.0	
		1-04-66	103.0(5)	-7.0	
		2-02-66	107.0(5)	-11.0	
		3-01-66	100.0(5)	-4.0	
		4-05-66	105.0(5)	-9.0	
		5-03-66	107.0(5)	-11.0	
		6-01-66	110.0(5)	-14.0	
03S/11W-18Q04S	93.5	7-09-65	97.7	-4.2	733
		7-30-65	97.0	-3.5	
		8-20-65	97.0	-3.5	
		10-01-65	96.9	-3.4	
		10-22-65	96.7	-3.2	
		11-12-65	96.6	-3.1	
		12-03-65	96.8	-3.3	
		12-24-65	96.9	-3.4	
		1-14-66	97.1	-3.6	
		2-04-66	97.1	-3.6	
		2-25-66	96.9	-3.4	
		3-18-66	97.9	-4.4	
		4-08-66	98.4	-4.9	
		5-19-66	102.0	-8.5	
		6-30-66	104.0	-10.5	
03S/11W-19A02S	87.0	8-03-65	104.5(5)	-17.5	101
		9-28-65	103.5(5)	-16.5	
		11-02-65	102.5(5)	-15.5	
		11-30-65	89.5(5)	-2.5	
		1-04-66	100.5(5)	-13.5	
		2-01-66	85.5(5)	1.5	
		3-01-66	83.5(5)	3.5	
		4-05-66	93.5(5)	-6.5	
		5-04-66	94.5(5)	-7.5	
		6-01-66	97.5(5)	-10.5	
03S/11W-19A03S	87.0	8-03-65	104.0(5)	-17.0	101
		9-28-65	103.0(5)	-16.0	
		11-02-65	102.0(5)	-15.0	
		11-30-65	89.0(5)	-2.0	
		1-04-66	100.0(5)	-13.0	
		2-01-66	85.0(5)	2.0	
		3-01-66	83.0(5)	4.0	
		4-05-66	93.0(5)	-6.0	
		5-04-66	94.0(5)	-7.0	
		6-01-66	93.0(5)	-6.0	
03S/11W-19A04S	87.7	11-03-65	DRY		101
		4-04-66	DRY		
03S/11W-19E02S	86.0	8-03-65	103.2(5)	-17.2	101
		8-31-65	103.2(5)	-17.2	
		9-28-65	105.2(5)	-19.2	
		11-02-65	105.2(5)	-19.2	
		11-30-65	105.2(5)	-19.2	
		1-04-66	92.2(5)	-6.2	
		2-01-66	82.2(5)	3.8	
		3-01-66	92.2(5)	-6.2	
		4-05-66	94.2(5)	-8.2	
		5-03-66	100.2(5)	-14.2	
		6-01-66	100.2(5)	-14.2	
03S/11W-19J02S	76.5	8-03-65	90.0(5)	-13.5	101
		9-28-65	92.0(5)	-15.5	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/11W-19J02S (CONT.)	76.5	11-02-65	88.0(5)	-11.5	101
		11-30-65	84.0(5)	-7.5	
		2-01-66	78.0(5)	-1.5	
		3-01-66	80.0(5)	-3.5	
		4-05-66	84.0(5)	-7.5	
		5-04-66	86.0(5)	-9.5	
		6-01-66	88.0(5)	-11.5	
03S/11W-19Q01S	71.0	8-03-65	94.5(5)	-23.5	101
		8-31-65	96.5(5)	-25.5	
		10-04-65	95.5(5)	-24.5	
		11-02-65	84.5(5)	-13.5	
		11-30-65	79.5(5)	-8.5	
		1-04-66	74.5(5)	-3.5	
		2-01-66	73.5(5)	-2.5	
		3-01-66	74.5(5)	-3.5	
		4-05-66	76.5(5)	-5.5	
		5-04-66	81.5(5)	-10.5	
		6-01-66	82.5(5)	-11.5	
03S/11W-20A01S	82.0	12-07-65	83.0	-1.0	101
		4-11-66	81.7	.3	
03S/11W-20C01S	80.0	8-03-65	92.0(5)	-12.0	101
		8-31-65	93.0(5)	-13.0	
		9-28-65	89.0(5)	-9.0	
		11-02-65	88.0(5)	-8.0	
		11-30-65	86.0(5)	-6.0	
		1-04-66	84.0(5)	-4.0	
		2-01-66	82.0(5)	-2.0	
		3-01-66	82.0(5)	-2.0	
		4-05-66	83.0(5)	-3.0	
		5-04-66	82.0(5)	-2.0	
		6-01-66	84.0(5)	-4.0	
03S/11W-20F01S	79.0	11-08-65	84.8	-5.8	101
		4-11-66	82.9	-3.9	
03S/11W-20J01S	77.0	11-08-65	90.4	-13.4	101
		11-08-65	100.9(4)	-23.9	
		4-11-66	88.0(2)	-11.0	
		4-11-66	86.3(4)	-9.3	
03S/11W-21B01S	92.0	11-03-65	9.1	82.9	101
		4-04-66	9.2	82.8	
03S/11W-21D03S	81.4	11-03-65	87.8	-6.4	101
		4-04-66	82.1	-.7	
03S/11W-21N04S	75.0	11-03-65	87.4	-12.4	101
		4-11-66	83.9	-8.9	
03S/11W-22K01S	83.0	7-20-65	89.8	-6.8	101
		10-14-65	78.8	4.2	
		12-06-65	81.8	1.2	
		2-03-66	69.8(5)	13.2	
03S/11W-22L01S	85.0	7-20-65	76.5	8.5	101
		10-14-65	66.5	18.5	
		12-06-65	60.5	24.5	
		2-03-66	54.5(5)	30.5	
03S/11W-27G03S	64.0	7-22-65	60.8	3.2	102
		8-25-65	65.3	-1.3	
		9-30-65	63.1	.9	
		10-28-65	66.9	-2.9	
		11-08-65	61.3	2.7	101
		11-28-65	49.9	14.1	102
		1-07-66	44.0	20.0	
		2-21-66	42.6	21.4	
		3-22-66	45.1	18.9	
		4-13-66	48.6	15.4	101
		4-27-66	53.5	10.5	102
		5-24-66	64.6	-.6	
		6-16-66	67.7	-3.7	
		7-26-66	72.2	-8.2	
		8-31-66	75.1	-11.1	
		9-28-66	66.1	-2.1	
03S/11W-27L01S	62.0	7-20-65	120.0(1)	-58.0	101
		10-14-65	114.0(1)	-52.0	
		12-06-65	50.0	12.0	
		2-03-66	46.0	16.0	
03S/11W-27N01S	58.0	11-03-65	63.2	-5.2	101
		4-11-66	57.7	.3	
03S/11W-27R02S	65.1	7-22-65	69.1	-4.0	102
		8-24-65	72.9	-7.8	
		9-30-65	65.7	-.6	
		10-28-65	64.8	.3	
		11-29-65	54.4	10.7	
		1-13-66	50.7	14.4	
		2-21-66	(1)		
		3-22-66	61.6	3.5	
		4-27-66	66.6	-1.5	
		5-24-66	67.3	-2.2	
		6-16-66	74.9	-9.8	

TABLE C-I

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/11W-27R02S (CONT.)	65.1	7-26-66	73.1	-8.0	102
		8-31-66	75.6	-10.5	
03S/11W-28H02S	63.0	11-03-65	74.9	-11.9	101
		4-11-66	69.5	-6.5	
03S/11W-28Q06S	74.0	7-22-65	(1)		102
		8-24-65	(1)		
		9-30-65	(1)		
		10-28-65	(1)		
		11-29-65	(1)		
		1-07-66	86.6	-12.6	
		2-21-66	82.9	-8.9	
		3-22-66	(1)		
		4-27-66	83.9	-9.9	
		5-24-66	(1)		
		6-16-66	90.9	-16.9	
		7-26-66	(1)		
		8-31-66	(1)		
		9-28-66	(1)		
03S/11W-28E02S	68.0	11-08-65	84.6	-16.6	101
		4-11-66	79.1	-11.1	
03S/11W-28K01S	62.0	11-03-65	76.9	-14.9	101
		4-11-66	70.8	-8.8	
03S/11W-28L01S	65.0	11-03-65	73.2	-8.2	101
		4-11-66	65.2(2)	-.2	
03S/11W-28N01S	62.5	7-08-65	82.0	-19.5	733
		7-29-65	83.1	-20.6	
		8-19-65	84.1	-21.6	
		9-09-65	83.1	-20.6	
		9-30-65	83.1	-20.6	
		10-21-65	79.1	-16.6	
		11-11-65	79.0	-16.5	
		12-02-65	60.3	2.2	
		12-23-65	71.4	-8.9	
		1-13-66	70.7	-8.2	
		2-03-66	70.2	-7.7	
		2-24-66	69.7	-7.2	
		3-17-66	69.6	-7.1	
		4-07-66	70.7	-8.2	
		4-28-66	72.3	-9.8	
		5-19-66	72.7	-10.2	
		6-30-66	75.7	-13.2	
03S/11W-28P02S	59.7	7-22-65	76.7	-17.0	102
		8-25-65	77.2	-17.5	
		9-30-65	77.4	-17.7	
		10-28-65	75.9	-16.2	
		11-29-65	73.6	-13.9	
		1-07-66	76.3	-16.6	
		2-21-66	68.3	-8.6	
		3-22-66	68.4	-8.7	
		4-27-66	70.0	-10.3	
		5-24-66	71.1	-11.4	
		6-16-66	72.1	-12.4	
		7-26-66	74.6	-14.9	
		8-31-66	75.1	-15.4	
03S/11W-29R01S	65.0	11-08-65	72.6	-7.6	101
		4-11-66	69.9	-4.9	
03S/11W-29R02S	57.0	12-06-65	80.0(1)	-23.0	101
		12-27-65	72.0(1)	-15.0	
		4-11-66	72.0(2)	-15.0	
03S/11W-30Q01S	71.0	11-08-65	80.3	-9.3	101
		4-13-66	75.5	-4.5	
03S/11W-30K02S	65.0	4-13-66	71.7(4)	-6.7	101
03S/11W-31C02S	58.0	7-08-65	82.5	-24.5	733
		7-29-65	83.5	-25.5	
		8-19-65	85.1	-27.1	
		9-09-65	82.4	-24.4	
		9-30-65	79.7	-21.7	
		10-21-65	78.4	-20.4	
		11-11-65	77.5	-19.5	
		12-02-65	70.8	-12.8	
		12-23-65	69.2	-11.2	
		1-13-66	67.8	-9.8	
		2-03-66	67.2	-9.2	
		2-24-66	66.8	-8.8	
		3-17-66	69.3	-11.3	
		4-07-66	71.6	-13.6	
		4-29-66	75.7	-17.7	
		5-19-66	78.1	-20.1	
		6-30-66	80.8	-22.8	
03S/11W-31M03S	51.5	7-15-65	81.0	-29.5	101
		8-15-65	76.0(5)	-24.5	
		9-15-65	74.0(5)	-22.5	
		10-15-65	71.0(5)	-19.5	
		11-01-65	71.0(5)	-19.5	
		11-21-65	62.0(5)	-10.5	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/11W-31M03S (CONT.)	51.5	12-15-65	58.0(5)	-6.5	101
		1-15-66	55.0(5)	-3.5	
		2-15-66	55.0(5)	-3.5	
		3-15-66	56.0(5)	-4.5	
		4-15-66	64.0(5)	-12.5	
		5-15-66	67.0(5)	-15.5	
		6-21-66	71.0(5)	-19.5	
03S/11W-32A01S	60.0	11-03-65	80.8	-20.8	101
		4-11-66	71.7	-11.7	
03S/11W-32K02S	50.0	11-03-65	74.6	-24.6	101
		4-11-66	63.0	-13.0	
03S/11W-32R03S	46.2	7-08-65	73.7	-27.5	733
		7-29-65	77.5	-31.3	
		8-19-65	76.1	-29.9	
		9-09-65	75.2	-29.0	
		9-30-65	73.0	-26.8	
		11-11-65	72.0	-25.8	
		12-02-65	60.9	-14.7	
		12-23-65	57.9	-11.7	
		1-13-66	56.0	-9.8	
		2-03-66	55.6	-9.4	
		2-24-66	55.0	-8.8	
		3-17-66	57.4	-11.2	
		4-07-66	58.6	-12.4	
		4-29-66	64.2	-18.0	
		5-19-66	65.0	-18.8	
		6-30-66	70.0	-23.8	
03S/11W-32R04S	47.0	11-03-65	73.4	-26.4	101
		4-11-66	59.8	-12.8	
03S/11W-32R06S	47.0	7-22-65	76.9	-29.9	102
		8-24-65	77.1	-30.1	
		9-30-65	73.8	-26.8	
		10-28-65	73.7	-26.7	
		11-29-65	62.1	-15.1	
		1-13-66	57.8	-10.8	
		2-21-66	56.5	-9.5	
		3-22-66	61.2	-14.2	
		4-27-66	68.6	-21.6	
		5-24-66	67.3	-20.3	
		6-16-66	69.4	-22.4	
		7-26-66	77.3	-30.3	
		8-31-66	77.1	-30.1	
03S/11W-33B02S	57.0	11-03-65	72.3	-15.3	101
		4-11-66	62.7	-5.7	
03S/11W-33F04S	53.0	11-03-65	71.8	-18.8	101
		4-11-66	60.9	-7.9	
03S/12W-01A04S	130.0	7-14-65	63.7	66.3	101
		7-27-65	63.7	66.3	
		8-23-65	64.3	65.7	
		9-27-65	65.1	64.9	
		10-26-65	67.9	62.1	
		11-30-65	65.7	64.3	
		12-28-65	65.8	64.2	
		1-24-66	64.6	65.4	
		2-28-66	63.5	66.5	
		4-04-66	60.5	69.5	
		4-25-66	59.9	70.1	
		5-23-66	58.7	71.3	
		6-28-66	57.6	72.4	
03S/12W-01A06S	136.0	7-12-65	77.9	58.1	733
		8-02-65	80.3	55.7	
		8-30-65	81.9	54.1	
		9-11-65	81.1	54.9	
		9-20-65	80.7	55.3	
		10-25-65	80.7	55.3	
		11-22-65	79.3	56.7	
		12-13-65	77.7	58.3	
		1-03-66	66.9	69.1	
		1-24-66	67.6	68.4	
		2-14-66	57.1	78.9	
		3-07-66	56.6	79.4	
		3-28-66	64.9	71.1	
		4-18-66	67.1	68.9	
		5-09-66	66.1	69.9	
		5-30-66	62.1	73.9	
		6-20-66	64.5	71.5	
03S/12W-01B01S	128.5	11-03-65	79.6	48.9	101
		4-05-66	72.2	56.3	
03S/12W-01D01S	127.0	7-14-65	62.1	64.9	101
		7-27-65	68.2	58.8	
		8-16-65	67.5	59.5	
		8-23-65	69.2	57.8	
		9-27-65	68.9	58.1	
		10-26-65	68.4	58.6	
		11-30-65	68.9	58.1	
		12-28-65	66.0	61.0	
		1-24-66	61.7	65.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-01D01S (CONT.)	127.0	2-28-66	60.5	66.5	101
		4-04-66	61.2	65.8	
		4-25-66	58.8	68.2	
		5-23-66	54.0	73.0	
03S/12W-01E03S	125.0	7-19-65	105.0	20.0	101
		9-21-65	103.0	22.0	
		11-29-65	111.0	14.0	
		1-17-66	106.0	19.0	
		3-17-66	100.0	25.0	
		5-23-66	160.0(1)	-35.0	
03S/12W-01F06S	127.6	7-14-65	77.1	50.5	101
		7-27-65	76.9	50.7	
		8-23-65	79.3	48.3	
		9-27-65	81.0	46.6	
		10-26-65	81.7	45.9	
		11-30-65	77.3	50.3	
		12-28-65	75.1	52.5	
		1-24-66	72.6	55.0	
		2-28-66	72.9	54.7	
		4-04-66	72.9	54.7	
		4-25-66	72.9	54.7	
		5-23-66	69.9	57.7	
03S/12W-01K01S	125.0	8-03-65	90.0	35.0	101
		9-01-65	85.0	40.0	
		10-04-65	86.0	39.0	
		10-30-65	86.0	39.0	
		12-01-65	84.0	41.0	
		1-03-66	82.0	43.0	
		1-17-66	82.0(5)	43.0	
		2-01-66	80.0(5)	45.0	
		3-01-66	80.0(5)	45.0	
		3-17-66	80.0(5)	45.0	
		4-01-66	78.0(5)	47.0	
		5-02-66	78.0(5)	47.0	
		5-23-66	75.0(5)	50.0	
		6-01-66	76.0(5)	49.0	
		6-30-66	75.0(5)	50.0	
03S/12W-01K02S	122.0	7-14-65	84.7	37.3	101
		7-27-65	83.6	38.4	
		8-23-65	84.5	37.5	
		9-27-65	83.1	38.9	
		10-26-65	85.2	36.8	
		11-30-65	84.7	37.3	
		12-28-65	83.9	38.1	
		1-24-66	82.8	39.2	
		2-28-66	81.2	40.8	
		4-04-66	80.1	41.9	
		4-25-66	79.6	42.4	
		5-23-66	79.5	42.5	
		6-29-66	81.4	40.6	
03S/12W-01L03S	120.0	7-14-65	83.9	36.1	101
		7-27-65	84.7	35.3	
		8-23-65	82.9	37.1	
		9-27-65	81.4	38.6	
		10-26-65	86.3	33.7	
		11-29-65	80.5	39.5	
		12-28-65	78.5	41.5	
		1-24-66	76.5	43.5	
		2-28-66	76.9	43.1	
		4-04-66	78.0	42.0	
		4-25-66	78.6	41.4	
		5-23-66	76.0	44.0	
		6-29-66	75.4	44.6	
03S/12W-01M04S	119.0	7-14-65	88.9	30.1	101
		7-27-65	89.8	29.2	
		8-23-65	90.3	28.7	
		9-27-65	89.7	29.3	
		10-25-65	88.4	30.6	
		11-29-65	82.7	36.3	
		12-28-65	80.6	38.4	
		1-24-66	78.5	40.5	
		2-28-66	78.9	40.1	
		4-04-66	80.7	38.3	
		4-25-66	81.5	37.5	
		5-23-66	79.1	39.9	
		6-28-66	82.5	36.5	
03S/12W-01N05S	118.0	7-19-65	114.5(1)	3.5	101
		9-21-65	116.5(1)	1.5	
		11-29-65	89.5	28.5	
		1-17-66	84.5	33.5	
		3-17-66	82.5	35.5	
		5-23-66	109.5(1)	8.5	
03S/12W-02C02S	130.0	7-14-65	79.8	50.2	101
		7-26-65	82.7	47.3	
		8-23-65	78.4	51.6	
		9-27-65	82.4	47.6	
		10-25-65	79.5	50.5	
		11-29-65	77.8	52.2	
		1-24-66	73.1	56.9	
		5-23-66	71.4	58.6	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-02C02S (CONT.)	130.0	6-27-66	70.5	59.5	101
03S/12W-02F01S	127.5	11-03-65	86.6	40.9	101
		4-05-66	78.7	48.8	
03S/12W-02H04S	119.5	8-03-65	92.0(5)	27.5	101
		9-27-65	95.0(5)	24.5	
		11-01-65	92.0(5)	27.5	
		11-29-65	90.0(5)	29.5	
		1-03-66	89.0(5)	30.5	
		2-01-66	87.0(5)	32.5	
		3-01-66	85.0(5)	34.5	
		4-04-66	85.0(5)	34.5	
		5-03-66	87.0(5)	32.5	
		5-31-66	88.0(5)	31.5	
03S/12W-02J06S	122.3	7-14-65	81.8	40.5	101
		7-27-65	82.1	40.2	
		8-09-65	83.4	38.9	
		8-23-65	84.5	37.8	
		9-27-65	83.3	39.0	
		10-11-65	84.6	37.7	
		10-26-65	85.2	37.1	
		11-08-65	85.0	37.3	
		11-29-65	82.5	39.8	
		12-06-65	81.4	40.9	
		12-28-65	79.8	42.5	
		1-10-66	78.5	43.8	
		1-24-66	77.4	44.9	
		2-07-66	76.8	45.5	
		2-28-66	76.2	46.1	
		3-14-66	74.7	47.6	
		4-04-66	77.8(3)	44.5	
		4-25-66	76.8	45.5	
		5-09-66	77.1	45.2	
		5-23-66	75.1	47.2	
		6-06-66	74.3	48.0	
		6-29-66	74.0	48.3	
03S/12W-02R01S	115.5	7-15-65	88.0(5)	27.5	101
		8-15-65	92.0(5)	23.5	
		9-21-65	99.0(5)	16.5	
		10-15-65	92.0(5)	23.5	
		11-01-65	93.0(5)	22.5	
		12-01-65	87.0(5)	28.5	
		1-15-66	84.0(5)	31.5	
		2-15-66	82.0(5)	33.5	
		3-21-66	86.0(5)	29.5	
		4-15-66	85.0(5)	30.5	
		5-15-66	86.0(5)	29.5	
		6-15-66	84.0(5)	31.5	
03S/12W-03J01S	118.0	7-31-65	95.4(5)	22.6	101
		8-31-65	103.4(5)	14.6	
		9-30-65	95.4(5)	22.6	
		10-31-65	95.4(5)	22.6	
		11-30-65	87.4(5)	30.6	
		12-31-65	98.4(5)	19.6	
		1-31-66	87.4(5)	30.6	
		2-28-66	87.4(5)	30.6	
		3-31-66	93.4(5)	24.6	
		4-30-66	95.4(5)	22.6	
		5-31-66	95.4(5)	22.6	
03S/12W-03M01S	113.0	7-31-65	99.0	14.0	101
		9-30-65	99.0	14.0	
		10-31-65	106.0	7.0	
		11-30-65	90.0	23.0	
		12-06-65	89.3	23.7	
		1-31-66	87.0	26.0	
03S/12W-04D02S	113.0	7-31-65	100.0	13.0	101
		9-30-65	106.0	7.0	
		10-31-65	102.0	11.0	
		11-30-65	96.0	17.0	
		12-01-65	111.0	2.0	
		1-31-66	96.0	17.0	
		2-28-66	96.0(5)	17.0	
		3-31-66	96.0(5)	17.0	
		4-30-66	97.0(5)	16.0	
		5-31-66	95.0(5)	18.0	
03S/12W-04P01S	110.0	7-14-65	88.0	22.0	101
		7-26-65	87.9	22.1	
		8-23-65	89.1	20.9	
		9-27-65	87.7	22.3	
		10-25-65	87.4	22.6	
		11-29-65	87.2	22.8	
		12-28-65	86.7	23.3	
		1-24-66	86.3	23.7	
		2-28-66	86.3	23.7	
		4-04-66	85.2	24.8	
		4-25-66	85.5	24.5	
		5-23-66	84.7	25.3	
		6-27-66	84.4	25.6	
03S/12W-04Q02S	112.0	7-31-65	103.0	9.0	101

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-04Q02S (CONT.)	112.0	9-30-65	102.0	10.0	101
		10-31-65	101.0	11.0	
		11-30-65	97.0	15.0	
		4-30-66	107.0	5.0	
		5-31-66	105.0	7.0	
03S/12W-05A01S	109.0	8-02-65	128.0(5)	-19.0	101
		9-27-65	124.0(5)	-15.0	
		11-01-65	125.0(5)	-16.0	
		11-29-65	114.0(5)	-5.0	
		1-03-66	124.0(5)	-15.0	
		1-31-66	104.0(5)	5.0	
		2-28-66	105.0(5)	4.0	
		4-04-66	109.0(5)	.0	
		5-02-66	114.0(5)	-5.0	
		5-31-66	114.0(5)	-5.0	
03S/12W-05B06S	108.0	8-02-65	83.5(5)	24.5	101
		8-30-65	83.5(5)	24.5	
		9-27-65	83.5(5)	24.5	
		11-01-65	83.5(5)	24.5	
		11-29-65	82.5(5)	25.5	
		1-03-66	78.5(5)	29.5	
		1-31-66	79.5(5)	28.5	
		2-28-66	78.5(5)	29.5	
		4-04-66	31.5(5)	26.5	
		5-02-66	81.5(5)	26.5	
		5-31-66	80.5(5)	27.5	
03S/12W-05D02S	105.0	7-14-65	85.0	20.0	101
		7-26-65	85.1	19.9	
		8-23-65	85.4	19.6	
		9-27-65	85.1	19.9	
		10-25-65	84.9	20.1	
		11-29-65	87.7	17.3	
		12-28-65	82.4	22.6	
		1-24-66	83.6	21.4	
		2-28-66	81.4	23.6	
		4-04-66	81.6	23.4	
		4-25-66	81.7	23.3	
		5-23-66	81.2	23.8	
		6-27-66	81.1	23.9	
03S/12W-05H06S	105.5	7-15-65	82.3	23.2	101
		7-26-65	82.3	23.2	
		8-23-65	82.2	23.3	
		9-27-65	83.4	22.1	
		10-25-65	81.7	23.8	
		11-29-65	81.6	23.9	
		12-28-65	81.3	24.2	
		1-24-66	81.0	24.5	
		2-28-66	80.5	25.0	
		4-04-66	80.1	25.4	
		4-25-66	80.0	25.5	
		5-23-66	79.4	26.1	
		6-27-66	79.3	26.2	
03S/12W-05M01S	99.0	8-02-65	95.5(5)	3.5	101
		9-27-65	109.5(5)	-10.5	
		11-01-65	97.5(5)	1.5	
		11-29-65	87.5(5)	11.5	
		1-03-66	81.5(5)	17.5	
		1-31-66	83.5(5)	15.5	
		2-28-66	83.5(5)	15.5	
		4-04-66	90.5(5)	8.5	
		5-02-66	91.5(5)	7.5	
		5-31-66	89.5(5)	9.5	
03S/12W-05R01S	102.0	7-15-65	99.0(5)	3.0	101
		8-15-65	102.0(5)	.0	
		9-15-65	104.0(5)	-2.0	
		10-07-65	106.0(5)	-4.0	
		11-01-65	104.0(5)	-2.0	
		11-30-65	109.0(5)	-7.0	
		12-15-65	93.0(5)	9.0	
		1-15-66	92.0(5)	10.0	
		2-15-66	91.0(5)	11.0	
		3-15-66	93.0(5)	9.0	
		4-15-66	98.0(5)	4.0	
		5-15-66	95.0(5)	7.0	
		6-15-66	98.0(5)	4.0	
03S/12W-06B03S	102.0	7-01-65	110.0(5)	-8.0	101
		8-01-65	119.0(5)	-17.0	
		9-01-65	114.0(5)	-12.0	
		10-01-65	121.0(5)	-19.0	
		11-01-65	115.0(5)	-13.0	
		12-01-65	109.0(5)	-7.0	
		2-01-66	113.0(5)	-11.0	
		3-01-66	106.0(5)	-4.0	
		4-01-66	109.0(5)	-7.0	
		5-01-66	108.0(5)	-6.0	
03S/12W-06D01S	106.0	11-01-65	114.5(5)	-8.5	101
		12-01-65	93.5(5)	12.5	
		5-01-66	105.5(5)	.5	
03S/12W-06D02S	109.0	7-01-65	121.0(5)	-12.0	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-06D02S (CONT.)	109.0	8-01-65	129.0(5)	-20.0	101
		9-01-65	125.0(5)	-16.0	
		10-01-65	133.0(5)	-24.0	
		11-01-65	125.0(5)	-16.0	
		12-01-65	116.0(5)	-7.0	
		2-01-66	113.0(5)	-4.0	
		3-01-66	114.0(5)	-5.0	
		4-01-66	119.0(5)	-10.0	
		5-01-66	119.0(5)	-10.0	
03S/12W-06D03S	107.0	7-01-65	123.0(5)	-16.0	101
		8-01-65	132.0(5)	-25.0	
		9-01-65	125.0(5)	-18.0	
		10-01-65	134.0(5)	-27.0	
		11-01-65	125.0(5)	-18.0	
		12-01-65	120.0(5)	-13.0	
		2-01-66	112.0(5)	-5.0	
		3-01-66	111.0(5)	-4.0	
		4-01-66	117.0(5)	-10.0	
		5-01-66	119.0(5)	-12.0	
03S/12W-06D04S	107.0	8-01-65	126.0(5)	-19.0	101
		9-01-65	120.0(5)	-13.0	
		10-01-65	131.0(5)	-24.0	
		11-01-65	125.0(5)	-18.0	
		12-01-65	112.0(5)	-5.0	
		2-01-66	108.0(5)	-1.0	
		3-01-66	113.0(5)	-6.0	
		4-01-66	118.0(5)	-11.0	
		5-01-66	113.0(5)	-6.0	
03S/12W-06E01S	105.0	7-01-65	122.0(5)	-17.0	101
		8-01-65	134.0(5)	-29.0	
		9-01-65	126.0(5)	-21.0	
		10-01-65	135.0(5)	-30.0	
		11-01-65	127.0(5)	-22.0	
		12-01-65	120.0(5)	-15.0	
		2-01-66	116.0(5)	-11.0	
		3-01-66	118.0(5)	-13.0	
		4-01-66	122.0(5)	-17.0	
		5-01-66	122.0(5)	-17.0	
03S/12W-07C02S	93.0	11-06-65	DRY		101
		4-08-66	DRY		
03S/12W-07C04S	92.0	7-07-65	112.5(5)	-20.5	101
		8-04-65	114.5(5)	-22.5	
		9-01-65	123.5(5)	-31.5	
		10-06-65	113.5(5)	-21.5	
		11-03-65	108.5(5)	-16.5	
		12-01-65	100.5(5)	-8.5	
		1-05-66	94.5(5)	-2.5	
		2-02-66	94.5(5)	-2.5	
		3-02-66	96.5(5)	-4.5	
		4-06-66	101.5(5)	-9.5	
		5-04-66	103.5(5)	-11.5	
		6-01-66	101.5(5)	-9.5	
03S/12W-07L03S	85.0	11-09-65	71.2(8)	13.8	101
		4-08-66	69.5(8)	15.5	
03S/12W-07Q04S	84.6	11-09-65	DRY		101
		4-08-66	DRY		
03S/12W-07Q05S	83.0	7-15-65	76.2(5)	6.8	101
		8-07-65	75.2(5)	7.8	
		9-01-65	74.2(5)	8.8	
		10-15-65	72.2(5)	10.8	
		11-07-65	71.2(5)	11.8	
		11-21-65	72.2(5)	10.8	
		12-15-65	74.2(5)	8.8	
		1-15-66	71.2(5)	11.8	
		2-15-66	71.2(5)	11.8	
		3-15-66	72.2(5)	10.8	
		4-15-66	77.2(5)	5.8	
		5-15-66	73.2(5)	9.8	
		6-15-66	77.2(5)	5.8	
03S/12W-08C01S	97.3	7-14-65	77.8	19.5	733
		7-26-65	77.6	19.7	
		8-23-65	77.9	19.4	
		9-27-65	77.9	19.4	
		10-25-65	77.9	19.4	
		11-29-65	78.0	19.3	
		12-27-65	76.1	21.2	
		1-24-66	77.3	20.0	
		2-28-66	75.5	21.8	
		3-28-66	75.3	22.0	
		4-04-66	75.2	22.1	
		4-25-66	76.5	20.8	
		5-23-66	75.9	21.4	
		6-27-66	75.4	21.9	
03S/12W-08C04S	92.0	11-02-65	20.9	71.1	101
		4-05-66	DRY		
03S/12W-08D01S	96.0	8-02-65	81.5(5)	14.5	101
		8-30-65	81.5(5)	14.5	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-08D01S	96.0	9-27-65	81.5(5)	14.5	101
(CONT.)		11-01-65	81.5(5)	14.5	
		11-29-65	81.5(5)	14.5	
		1-03-66	77.5(5)	18.5	
		1-31-66	81.5(5)	14.5	
		2-28-66	80.5(5)	15.5	
		4-04-66	80.5(5)	15.5	
		5-02-66	77.5(5)	18.5	
		5-31-66	80.5(5)	15.5	
03S/12W-08D03S	95.6	7-14-65	77.9	17.7	733
		7-26-65	77.7	17.9	
		8-23-65	78.0	17.6	
		9-27-65	77.9	17.7	
		10-25-65	78.2	17.4	
		11-29-65	78.4	17.2	
		12-27-65	76.5	19.1	
		1-24-66	76.5	19.1	
		2-28-66	75.8	19.8	
		3-28-66	75.5	20.1	
		4-04-66	75.4	20.2	
		4-25-66	76.0	19.6	
		5-23-66	76.3	19.3	
		6-27-66	76.2	19.4	
03S/12W-08F01S	88.8	3-07-66	80.6	8.2	101
03S/12W-08L03S	92.0	7-05-65	77.3	14.7	733
		7-12-65	77.2	14.8	
		7-19-65	77.3	14.7	
		7-26-65	77.1	14.9	
		8-02-65	77.4	14.6	
		8-09-65	77.7	14.3	
		8-16-65	78.2	13.8	
		8-23-65	77.6	14.4	
		8-30-65	77.5	14.5	
		9-06-65	77.2	14.8	
		9-13-65	77.3	14.7	
		9-20-65	77.0	15.0	
		9-27-65	77.3	14.7	
		10-04-65	78.0	14.0	
		10-11-65	76.9	15.1	
		10-18-65	77.3	14.7	
		10-25-65	78.7	13.3	
		11-01-65	77.5	14.5	
		11-08-65	76.9	15.1	
		11-15-65	76.4	15.6	
		11-22-65	75.9	16.1	
		11-29-65	76.0	16.0	
		12-06-65	75.9	16.1	
		12-13-65	75.6	16.4	
		12-20-65	75.4	16.6	
		12-27-65	75.5	16.5	
		1-03-66	75.4	16.6	
		1-10-66	75.3	16.7	
		1-17-66	75.1	16.9	
		1-24-66	75.2	16.8	
		1-31-66	75.6	16.4	
		2-07-66	74.6	17.4	
		2-14-66	74.8	17.2	
		2-21-66	75.6	16.4	
		2-28-66	75.5	16.5	
		3-07-66	93.0	-1.0	
		3-14-66	74.8	17.2	
		3-21-66	75.1	16.9	
		3-28-66	75.2	16.8	
		4-04-66	74.9	17.1	
		4-11-66	74.5	17.5	
		4-18-66	74.7	17.3	
		4-25-66	76.1	15.9	
		5-02-66	75.2	16.8	
		5-09-66	74.9	17.1	
		5-16-66	75.2	16.8	
		5-23-66	76.2	15.8	
		5-30-66	75.9	16.1	
		6-06-66	77.3	14.7	
		6-13-66	75.8	16.2	
		6-20-66	75.7	16.3	
		6-27-66	76.0	16.0	
03S/12W-08M02S	88.0	8-15-65	77.2(5)	10.8	101
		9-15-65	77.2(5)	10.8	
		10-15-65	76.2(5)	11.8	
		11-01-65	75.2(5)	12.8	
		11-15-65	77.2(5)	10.8	
		12-01-65	75.2(5)	12.8	
		12-15-65	75.2(5)	12.8	
		1-15-66	74.2(5)	13.8	
		2-15-66	74.2(5)	13.8	
		3-15-66	75.2(5)	12.8	
		4-15-66	75.2(5)	12.8	
		5-15-66	75.2(5)	12.8	
		6-15-66	76.2(5)	11.8	
03S/12W-09B01S	107.0	7-31-65	107.0(5)	.0	101
		8-31-65	107.0(5)	.0	
		9-30-65	107.0(5)	.0	
		10-31-65	109.0(5)	-2.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-09B01S	107.0	11-30-65	112.0(5)	-5.0	101
(CONT.)		12-31-65	109.0(5)	-2.0	
		1-31-66	109.0(5)	-2.0	
		2-28-66	97.0(5)	10.0	
		3-31-66	100.0(5)	7.0	
		4-30-66	111.0(5)	-4.0	
		5-31-66	97.0(5)	10.0	
03S/12W-09B02S	106.0	7-12-65	99.7	6.3	733
		7-19-65	100.8	5.2	
		8-16-65	101.8	4.2	
		8-23-65	102.2	3.8	
		8-30-65	101.5	4.5	
		9-06-65	100.7	5.3	
		9-13-65	101.9	4.1	
		9-20-65	101.3	4.7	
		9-27-65	108.0	-2.0	
		10-04-65	103.2	2.8	
		10-11-65	100.5	5.5	
		10-18-65	100.1	5.9	
		10-25-65	102.3	3.7	
		11-01-65	100.1	5.9	
		11-08-65	99.0	7.0	
		11-15-65	96.3	9.7	
		11-22-65	93.7	12.3	
		11-29-65	92.7	13.3	
		12-06-65	92.2	13.8	
		12-13-65	91.1	14.9	
		12-20-65	90.0	16.0	
		1-03-66	88.7	17.3	
		1-10-66	87.1	18.9	
		1-17-66	88.1	17.9	
		1-24-66	88.3	17.7	
		1-31-66	87.4	18.6	
		2-07-66	85.8	20.2	
		2-14-66	86.7	19.3	
		2-21-66	87.7	18.3	
		2-28-66	90.0(2)	16.0	
		3-07-66	87.0	19.0	
		3-14-66	85.1	20.9	
		3-21-66	86.4	19.6	
		3-28-66	86.9	19.1	
		4-04-66	92.1	13.9	
		4-11-66	91.2	14.8	
		4-18-66	92.6	13.4	
		4-25-66	95.1	10.9	
		5-02-66	94.2	11.8	
		5-09-66	93.2	12.8	
		5-16-66	93.0	13.0	
		5-23-66	97.6(4)	8.4	
		5-30-66	92.7	13.3	
		6-06-66	93.2	12.8	
		6-20-66	93.2	12.8	
		6-27-66	94.0	12.0	
03S/12W-09D05S	105.0	8-30-65	106.3	-1.3	101
		9-21-65	104.3	.7	
		10-07-65	103.0(5)	2.0	
		11-07-65	101.0(5)	4.0	
		12-01-65	101.0(5)	4.0	
		12-15-65	93.0(5)	12.0	
		1-15-66	88.0(5)	17.0	
		2-15-66	87.0(5)	18.0	
		3-15-66	91.0(5)	14.0	
		4-15-66	94.3	10.7	
		5-21-66	94.3	10.7	
		6-15-66	94.0(5)	11.0	
03S/12W-09E03S	99.0	8-03-65	94.5(5)	4.5	101
		8-31-65	94.5(5)	4.5	
		9-27-65	94.5(5)	4.5	
		11-01-65	94.5(5)	4.5	
		11-29-65	94.5(5)	4.5	
		1-03-66	94.5(5)	4.5	
		2-01-66	93.5(5)	5.5	
		2-28-66	92.5(5)	6.5	
		4-05-66	92.5(5)	6.5	
		5-03-66	83.5(5)	15.5	
		6-01-66	80.5(5)	18.5	
03S/12W-09G01S	103.0	8-03-65	110.0(5)	-7.0	101
		8-31-65	110.0(5)	-7.0	
		9-27-65	111.0(5)	-8.0	
		11-01-65	105.0(5)	-2.0	
		11-29-65	100.0(5)	3.0	
		1-03-66	90.0(5)	13.0	
		1-31-66	94.0(5)	9.0	
		2-28-66	94.0(5)	9.0	
		4-05-66	97.0(5)	6.0	
		5-02-66	100.0(5)	3.0	
		6-01-66	100.0(5)	3.0	
03S/12W-09G02S	103.0	7-26-65	87.8	15.2	101
		8-23-65	87.9	15.1	
		9-27-65	88.8	14.2	
		10-25-65	87.6	15.4	
		11-29-65	87.1(1)	15.9	
		12-28-65	87.0	16.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-09G02S	103.0	1-24-66	86.1	16.9	101
(CONT.)		2-28-66	87.4	15.6	
		4-04-66	87.8(2)	15.2	
		4-25-66	86.5	16.5	
		5-23-66	84.7	18.3	
		6-27-66	84.4	18.6	
03S/12W-10C02S	107.0	4-18-66	82.5	24.5	101
03S/12W-10C03S	106.0	8-03-65	86.5(5)	19.5	101
		8-31-65	83.5(5)	22.5	
		9-27-65	85.5(5)	20.5	
		11-01-65	83.5(5)	22.5	
		11-29-65	80.5(5)	25.5	
		1-03-66	78.5(5)	27.5	
		2-01-66	78.5(5)	27.5	
		3-01-66	76.5(5)	29.5	
		4-04-66	81.5(5)	24.5	
		5-31-66	83.5(5)	22.5	
03S/12W-10K02S	100.0	7-26-65	83.1	16.9	733
		8-23-65	83.3	16.7	
		9-27-65	84.1	15.9	
		10-25-65	83.7	16.3	
		11-29-65	82.5	17.5	
		12-27-65	81.9	18.1	
		1-24-66	81.5	18.5	
		2-28-66	80.6	19.4	
		3-28-66	80.2	19.8	
		4-04-66	80.1	19.9	
		4-25-66	80.0	20.0	
		5-23-66	80.0	20.0	
		6-27-66	80.4	19.6	
03S/12W-10N03S	94.0	8-03-65	103.5(5)	-9.5	101
		9-27-65	92.5(5)	1.5	
		11-02-65	102.5(5)	-8.5	
		11-30-65	82.5(5)	11.5	
		1-03-66	77.5(5)	16.5	
		1-31-66	77.5(5)	16.5	
		2-28-66	77.5(5)	16.5	
		3-01-66	76.5(5)	17.5	
		4-04-66	81.5(5)	12.5	
		5-03-66	87.5(5)	6.5	
		5-31-66	89.5(5)	4.5	
03S/12W-11B04S	109.0	11-03-65	89.8	19.2	101
		4-05-66	83.9	25.1	
03S/12W-11B06S	115.0	7-26-65	87.6	27.4	101
		8-23-65	87.4	27.6	
		9-27-65	87.1	27.9	
		10-25-65	87.0	28.0	
		11-29-65	86.5	28.5	
		12-28-65	85.5	29.5	
		1-24-66	79.4	35.6	
		2-28-66	78.7	36.3	
		4-04-66	82.9	32.1	
		4-25-66	82.5	32.5	
		5-23-66	82.0	33.0	
03S/12W-11E01S	107.0	9-28-65	96.3(5)	10.7	101
		11-02-65	92.3(5)	14.7	
		11-30-65	91.3(5)	15.7	
		1-04-66	96.3(5)	10.7	
		2-01-66	96.3(5)	10.7	
		3-01-66	96.3(5)	10.7	
		4-05-66	87.3(5)	19.7	
		5-03-66	88.3(5)	18.7	
		6-01-66	90.3(5)	16.7	
03S/12W-11F10S	110.0	7-26-65	97.2	12.8	101
		8-23-65	98.9	11.1	
		9-27-65	98.6	11.4	
		10-25-65	96.7	13.3	
		11-29-65	94.4	15.6	
		12-28-65	93.8	16.2	
		1-24-66	88.0	22.0	
		2-28-66	87.6	22.4	
		4-04-66	89.7	20.3	
		4-25-66	85.4	24.6	
		5-23-66	89.1	20.9	
		6-27-66	89.4	20.6	
03S/12W-11K06S	105.0	8-31-65	101.5(5)	3.5	101
		9-28-65	107.5(5)	-2.5	
		11-02-65	97.5(5)	7.5	
		11-30-65	86.5(5)	18.5	
		1-04-66	84.5(5)	20.5	
		2-01-66	85.5(5)	19.5	
		3-01-66	89.5(5)	15.5	
		4-05-66	97.5(5)	7.5	
		5-03-66	90.5(5)	14.5	
		6-01-66	93.5(5)	11.5	
03S/12W-11M11S	103.0	4-05-66	82.8	20.2	101
03S/12W-11P01S	104.0	7-14-65	84.0	20.0	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-11P01S	104.0	7-26-65	84.0	20.0	101
(CONT.)		8-23-65	84.1	19.9	
		9-27-65	84.3	19.7	
		10-25-65	83.9	20.1	
		11-29-65	82.9	21.1	
		12-28-65	83.1	20.9	
		1-24-66	82.5	21.5	
		2-28-66	82.7	21.3	
		4-04-66	80.9	23.1	
		4-25-66	80.6	23.4	
		5-23-66	80.2	23.8	
		6-27-66	79.7	24.3	
03S/12W-12A02S	116.0	7-15-65	104.3(5)	11.7	101
		8-15-65	105.3(5)	10.7	
		9-21-65	108.3(5)	7.7	
		10-15-65	104.3(5)	11.7	
		11-01-65	103.3(5)	12.7	
		12-01-65	99.3(5)	16.7	
		1-07-66	95.0	21.0	
		3-07-66	94.3(5)	21.7	
		4-30-66	104.0	12.0	
		5-15-66	92.3(5)	23.7	
		6-21-66	101.0	15.0	
03S/12W-12E03S	113.0	11-03-65	92.4	20.6	101
		4-05-66	85.9	27.1	
03S/12W-12G04S	112.0	7-14-65	97.3	14.7	101
		7-27-65	98.2	13.8	
		8-23-65	98.1	13.9	
		9-27-65	98.9	13.1	
		10-25-65	97.8	14.2	
		11-29-65	92.7	19.3	
		12-28-65	90.7	21.3	
		1-24-66	89.4	22.6	
		2-28-66	89.3	22.7	
		4-04-66	90.6	21.4	
		4-25-66	92.8	19.2	
		5-23-66	90.9	21.1	
		6-28-66	91.4	20.6	
03S/12W-13A02S	104.0	8-15-65	100.5(5)	3.5	101
		9-15-65	100.5(5)	3.5	
		10-15-65	95.5(5)	8.5	
		11-01-65	97.5(5)	6.5	
		12-01-65	91.5(5)	12.5	
		1-15-66	88.5(5)	15.5	
		2-07-66	86.5(5)	17.5	
		3-15-66	88.5(5)	15.5	
		4-15-66	100.5(5)	3.5	
		5-15-66	99.5(5)	4.5	
		6-15-66	101.5(5)	2.5	
03S/12W-13B04S	104.0	8-01-65	102.5	1.5	101
		8-21-65	98.9(5)	5.1	
		9-15-65	101.9(5)	2.1	
		10-01-65	101.9(5)	2.1	
		10-15-65	95.9(5)	8.1	
		11-01-65	96.9(5)	7.1	
		12-01-65	90.9(5)	13.1	
		1-15-66	86.9(5)	17.1	
		2-15-66	86.9(5)	17.1	
		3-15-66	87.9(5)	16.1	
		4-15-66	89.9(5)	14.1	
		5-15-66	88.9(5)	15.1	
		6-21-66	92.9(5)	11.1	
03S/12W-13B06S	104.0	8-21-65	103.5(5)	.5	101
		9-15-65	105.5(5)	-1.5	
		10-15-65	100.5(5)	3.5	
		11-01-65	101.5(5)	2.5	
		12-01-65	95.5(5)	8.5	
		1-15-66	91.5(5)	12.5	
		2-15-66	90.5(5)	13.5	
		3-15-66	92.5(5)	11.5	
		4-07-66	92.5(5)	11.5	
		5-15-66	95.5(5)	8.5	
		6-21-66	95.5(5)	8.5	
03S/12W-13C06S	101.0	11-03-65	DRY		101
		4-06-66	DRY		
03S/12W-13F01S	98.0	9-28-65	101.8(5)	-3.8	101
		11-02-65	105.8(5)	-7.8	
		11-30-65	97.8(5)	.2	
		1-04-66	96.8(5)	1.2	
		2-01-66	94.8(5)	3.2	
		3-01-66	91.8(5)	6.2	
		4-05-66	92.8(5)	5.2	
		5-03-66	98.8(5)	-.8	
		6-01-66	98.8(5)	-.8	
03S/12W-13K03S	89.0	4-06-66	87.9	1.1	101
03S/12W-13L01S	92.0	4-06-66	83.7	8.3	101
03S/12W-13Q01S	89.0	11-03-65	93.3	-4.3	101

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-13Q01S (CONT.)	89.0	4-06-66	90.6	-1.6	101
03S/12W-14A04S	96.0	11-03-65	88.4	7.6	101
		4-06-66	85.5	10.5	
03S/12W-14C06S	97.5	8-31-65	96.0(5)	1.5	101
		9-28-65	93.0(5)	4.5	
		11-02-65	92.0(5)	5.5	
		11-30-65	86.0(5)	11.5	
		1-04-66	82.0(5)	15.5	
		2-01-66	81.0(5)	16.5	
		3-01-66	81.0(5)	16.5	
		4-05-66	83.0(5)	14.5	
		5-03-66	91.0(5)	6.5	
		6-01-66	89.0(5)	8.5	
03S/12W-14F01S	91.0	9-28-65	94.7(5)	-3.7	101
		11-02-65	93.7(5)	-2.7	
		11-30-65	85.7(5)	5.3	
		1-04-66	81.7(5)	9.3	
		2-01-66	80.7(5)	10.3	
		3-01-66	80.7(5)	10.3	
		4-05-66	84.7(5)	6.3	
		5-03-66	91.7(5)	-.7	
		6-01-66	87.7(5)	3.3	
03S/12W-14F03S	93.3	8-02-65	83.6	9.7	101
		8-30-65	83.9	9.4	
		9-02-65	84.0	9.3	
		10-04-65	84.0	9.3	
		11-01-65	83.8	9.5	
		12-01-65	83.4	9.9	
		12-27-65	77.8	15.5	
		1-31-66	81.7	11.6	
		3-07-66	81.1	12.2	
		4-04-66	80.7	12.6	
		5-02-66	80.3	13.0	
		5-31-66	80.5	12.8	
03S/12W-14J01S	89.0	8-03-65	90.0(5)	-1.0	101
		9-28-65	89.0(5)	.0	
		11-02-65	88.0(5)	1.0	
		11-30-65	83.0(5)	6.0	
		1-04-66	78.0(5)	11.0	
		2-01-66	78.0(5)	11.0	
		3-01-66	79.0(5)	10.0	
		4-05-66	81.0(5)	8.0	
		5-03-66	85.0(5)	4.0	
		6-01-66	86.0(5)	3.0	
03S/12W-15A03S	93.0	8-03-65	101.0(5)	-8.0	101
		8-31-65	102.0(5)	-9.0	
		9-28-65	97.0(5)	-4.0	
		11-02-65	92.0(5)	1.0	
		11-30-65	84.0(5)	9.0	
		1-04-66	83.0(5)	10.0	
		2-01-66	79.0(5)	14.0	
		3-01-66	78.0(5)	15.0	
		4-05-66	83.0(5)	10.0	
		5-03-66	87.0(5)	6.0	
		6-01-66	86.0(5)	7.0	
03S/12W-15M01S	86.5	7-08-65	80.2	6.3	733
		7-29-65	81.0	5.5	
		8-19-65	83.0	3.5	
		9-09-65	80.8	5.7	
		9-30-65	81.9	4.6	
		10-21-65	80.9	5.6	
		11-11-65	80.4	6.1	
		12-02-65	79.5	7.0	
		12-23-65	78.9	7.6	
		1-13-66	77.4	9.1	
		2-03-66	76.9	9.6	
		2-24-66	76.4	10.1	
		3-17-66	76.9	9.6	
		4-07-66	76.6	9.9	
		4-28-66	77.2	9.3	
		5-19-66	77.5	9.0	
		6-30-66	77.7	8.8	
03S/12W-15N02S	87.0	8-03-65	83.0(5)	4.0	101
		8-31-65	83.0(5)	4.0	
		9-28-65	83.0(5)	4.0	
		11-02-65	82.0(5)	5.0	
		11-30-65	80.0(5)	7.0	
		1-04-66	80.0(5)	7.0	
		2-01-66	78.0(5)	9.0	
		3-01-66	79.0(5)	8.0	
		4-05-66	79.0(5)	8.0	
		5-03-66	81.0(5)	6.0	
		6-01-66	80.0(5)	7.0	
03S/12W-16F03S	95.0	8-03-65	77.0(5)	18.0	101
		8-31-65	77.0(5)	18.0	
		9-28-65	77.0(5)	18.0	
		11-02-65	76.0(5)	19.0	
		11-29-65	73.0(5)	22.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-16F03S (CONT.)	95.0	1-03-66	72.0(5)	23.0	101
		2-01-66	71.0(5)	24.0	
		3-01-66	69.0(5)	26.0	
		4-05-66	70.0(5)	25.0	
		5-03-66	71.0(5)	24.0	
		6-01-66	69.0(5)	26.0	
03S/12W-16H01S	92.0	8-03-65	93.5(5)	-1.5	101
		8-31-65	93.5(5)	-1.5	
		9-28-65	93.5(5)	-1.5	
		11-02-65	93.5(5)	-1.5	
		11-30-65	81.5(5)	10.5	
		1-03-66	80.5(5)	11.5	
		2-01-66	78.5(5)	13.5	
		3-01-66	74.5(5)	17.5	
		4-05-66	82.5(5)	9.5	
		5-03-66	86.5(5)	5.5	
		6-01-66	85.5(5)	6.5	
03S/12W-17A01S	87.0	7-15-65	74.2(5)	12.8	101
		8-15-65	74.2(5)	12.8	
		9-01-65	78.2(5)	8.8	
		10-01-65	74.2(5)	12.8	
		11-01-65	75.2(5)	11.8	
		12-01-65	73.2(5)	13.8	
		12-15-65	73.2(5)	13.8	
		1-15-66	73.2(5)	13.8	
		2-15-66	73.2(5)	13.8	
		3-15-66	73.2(5)	13.8	
		4-15-66	73.2(5)	13.8	
		5-15-66	73.2(5)	13.8	
		6-15-66	73.2(5)	13.8	
03S/12W-17A02S	87.0	7-15-65	91.0(5)	-4.0	101
		8-15-65	122.0(1)	-35.0	
		9-15-65	91.0(5)	-4.0	
		10-15-65	91.0(5)	-4.0	
		11-07-65	91.2	-4.2	
		12-01-65	97.0(1)	-10.0	
		1-07-66	77.2	9.8	
		2-21-66	77.0(5)	10.0	
		3-01-66	79.0(5)	8.0	
		6-01-66	86.2	.8	
03S/12W-17K01S	80.3	8-03-65	71.3(5)	9.0	101
		8-31-65	69.3(5)	11.0	
		9-28-65	77.3(5)	3.0	
		11-02-65	76.3(5)	4.0	
		11-30-65	69.3(5)	11.0	
		1-03-66	67.3(5)	13.0	
		2-01-66	69.3(5)	11.0	
		3-01-66	67.3(5)	13.0	
		4-05-66	68.3(5)	12.0	
		5-03-66	69.3(5)	11.0	
		6-01-66	70.3(5)	10.0	
03S/12W-17P03S	77.0	4-06-66	19.2	57.8	101
03S/12W-18H03S	79.0	8-02-65	61.0(5)	18.0	101
		8-30-65	62.0(5)	17.0	
		9-27-65	66.0(5)	13.0	
		11-01-65	62.0(5)	17.0	
		11-29-65	58.0(5)	21.0	
		1-03-66	50.0(5)	29.0	
		1-31-66	52.0(5)	27.0	
		2-28-66	53.0(5)	26.0	
		4-04-66	58.0(5)	21.0	
		5-02-66	58.0(5)	21.0	
		5-31-66	59.0(5)	20.0	
03S/12W-18H04S	77.0	8-02-65	72.5(5)	4.5	101
		8-30-65	72.5(5)	4.5	
		9-27-65	73.5(5)	3.5	
		11-01-65	72.5(5)	4.5	
		11-29-65	68.5(5)	8.5	
		1-03-66	60.5(5)	16.5	
		1-31-66	62.5(5)	14.5	
		2-28-66	63.5(5)	13.5	
		4-04-66	67.5(5)	9.5	
		5-02-66	69.5(5)	7.5	
		5-31-66	68.5(5)	8.5	
03S/12W-18J02S	77.0	11-09-65	66.4	10.6	101
		4-11-66	64.5	12.5	
03S/12W-18L01S	70.0	8-02-65	66.5(5)	3.5	101
		8-30-65	70.5(5)	-.5	
		9-28-65	72.5(5)	-2.5	
		11-01-65	71.5(5)	-1.5	
		11-29-65	69.5(5)	.5	
		1-03-66	67.5(5)	2.5	
		1-31-66	69.5(5)	.5	
		2-28-66	68.5(5)	1.5	
		4-04-66	68.5(5)	1.5	
		5-02-66	68.5(5)	1.5	
		5-31-66	70.5(5)	-.5	
03S/12W-19C01S	72.0	8-02-65	64.5(5)	7.5	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-19C01S (CONT.)	72.0	9-27-65	64.5(5)	7.5	101
		11-01-65	64.5(5)	7.5	
		11-29-65	63.5(5)	8.5	
		1-03-66	60.5(5)	11.5	
		2-28-66	61.5(5)	10.5	
		4-04-66	61.5(5)	10.5	
		5-31-66	66.5(5)	5.5	
03S/12W-19C03S	72.8	8-02-65	33.6(5)	39.2	101
		10-01-65	33.6(5)	39.2	
		11-29-65	33.6(5)	39.2	
		1-03-66	33.6(5)	39.2	
		2-28-66	33.6(5)	39.2	
		4-04-66	33.6(5)	39.2	
		5-31-66	33.6(5)	39.2	
03S/12W-19F06S	71.0	11-09-65	DRY		101
		4-18-66	DRY		
03S/12W-19G01S	70.9	7-09-65	60.2	10.7	733
		7-30-65	60.5	10.4	
		8-20-65	60.7	10.2	
		9-10-65	61.2	9.7	
		10-01-65	61.1	9.8	
		10-22-65	61.4	9.5	
		11-09-65	60.3	10.6	101
		12-03-65	60.3	10.6	733
		12-24-65	61.0	9.9	
		1-14-66	60.8	10.1	
		2-04-66	60.4	10.5	
		2-25-66	60.5	10.4	
		3-18-66	60.3	10.6	
		4-08-66	60.1	10.8	
		4-18-66	60.2	10.7	101
		4-29-66	60.1	10.8	733
		5-20-66	60.1	10.8	
03S/12W-19P05S	64.0	11-02-65	116.5	-52.5	101
		11-09-65	102.9	-38.9	
		1-06-66	77.5	-13.5	
		2-25-66	95.5	-31.5	
		3-25-66	102.5	-38.5	
		4-18-66	76.5	-12.5	
		4-29-66	106.5	-42.5	
		6-24-66	106.5	-42.5	
03S/12W-19Q02S	67.0	11-09-65	14.0	53.0	101
		4-18-66	DRY		
03S/12W-19R03S	66.0	8-03-65	69.0(5)	-3.0	101
		8-31-65	63.0(5)	3.0	
		9-28-65	67.0(5)	-1.0	
		11-02-65	67.0(5)	-1.0	
		11-30-65	63.0(5)	3.0	
		1-04-66	67.0(5)	-1.0	
		2-01-66	66.0(5)	.0	
		3-01-66	65.0(5)	1.0	
		4-05-66	64.0(5)	2.0	
		5-04-66	68.0(5)	-2.0	
		6-01-66	67.0(5)	-1.0	
03S/12W-21B01S	86.0	8-03-65	87.0(5)	-1.0	101
		8-31-65	86.0(5)	.0	
		9-28-65	86.0(5)	.0	
		11-02-65	88.0(5)	-2.0	
		11-30-65	84.0(5)	2.0	
		1-04-66	84.0(5)	2.0	
		2-01-66	81.0(5)	5.0	
		3-01-66	84.0(5)	2.0	
		4-05-66	83.0(5)	3.0	
		5-03-66	85.0(5)	1.0	
		6-01-66	84.0(5)	2.0	
03S/12W-21E01S	77.0	8-03-65	73.0(5)	4.0	101
		8-31-65	73.0(5)	4.0	
		9-28-65	73.0(5)	4.0	
		11-02-65	73.0(5)	4.0	
		11-30-65	72.0(5)	5.0	
		1-04-66	70.0(5)	7.0	
		2-01-66	70.0(5)	7.0	
		3-01-66	66.0(5)	11.0	
		4-05-66	65.0(5)	12.0	
		5-03-66	68.0(5)	9.0	
		6-01-66	67.0(5)	10.0	
03S/12W-21G04S	79.0	11-01-65	75.9	3.1	101
		4-06-66	72.5	6.5	
03S/12W-21H01S	76.0	8-03-65	80.0(5)	-4.0	101
		8-31-65	80.0(5)	-4.0	
		9-28-65	80.0(5)	-4.0	
		11-02-65	78.0(5)	-2.0	
		11-30-65	76.0(5)	.0	
		1-04-66	74.0(5)	2.0	
		2-01-66	72.0(5)	4.0	
		3-01-66	74.0(5)	2.0	
		4-05-66	75.0(5)	1.0	
		5-03-66	78.0(5)	-2.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-21H01S (CONT.)	76.0	6-01-66	78.0(5)	-2.0	101
03S/12W-21Q01S	70.0	7-09-65	86.8	-16.8	733
		7-30-65	89.1	-19.1	
		8-20-65	90.5	-20.5	
		9-10-65	87.1	-17.1	
		10-01-65	87.5	-17.5	
		10-22-65	85.5	-15.5	
		11-12-65	81.5	-11.5	
		12-03-65	71.6	-1.6	
		12-24-65	69.8	.2	
		1-14-66	66.7	3.3	
		2-04-66	66.4	3.6	
		2-25-66	68.4	1.6	
		3-18-66	70.7	-.7	
		4-08-66	73.3	-3.3	
		4-29-66	78.4	-8.4	
		5-20-66	78.1	-8.1	
03S/12W-21Q02S	70.5	11-01-65	DRY		101
		4-06-66	12.2	58.3	
03S/12W-21Q03S	71.0	7-01-65	72.0(5)	-1.0	101
		8-01-65	71.0(5)	.0	
		9-01-65	71.0(5)	.0	
		10-01-65	71.0(5)	.0	
		11-01-65	67.0(5)	4.0	
		12-01-65	67.0(5)	4.0	
		1-01-66	65.0(5)	6.0	
		2-01-66	66.0(5)	5.0	
		3-01-66	66.0(5)	5.0	
		4-01-66	70.0(5)	1.0	
		5-31-66	69.0(5)	2.0	
03S/12W-22A01S	83.0	8-03-65	93.3(5)	-10.3	101
		9-28-65	93.3(5)	-10.3	
		11-02-65	90.3(5)	-7.3	
		11-30-65	81.3(5)	1.7	
		1-03-66	80.3(5)	2.7	
		2-01-66	78.3(5)	4.7	
		3-01-66	74.3(5)	8.7	
		4-05-66	82.3(5)	.7	
		5-03-66	86.3(5)	-3.3	
		6-01-66	85.3(5)	-2.3	
03S/12W-22F01S	75.0	7-30-65	100.0(1)	-25.0	101
		8-27-65	100.0(1)	-25.0	
		9-29-65	83.0(5)	-8.0	
		10-29-65	98.0(1)	-23.0	
		11-30-65	73.0(5)	2.0	
		12-31-65	73.0(5)	2.0	
		1-28-66	71.0(5)	4.0	
		2-06-66	71.0(5)	4.0	
		3-29-66	88.0(5)	-13.0	
		4-20-66	88.0(5)	-13.0	
		5-31-66	88.0(5)	-13.0	
03S/12W-22G02S	81.0	7-24-65	124.0(1)	-43.0	101
		8-27-65	126.0(1)	-45.0	
		9-29-65	127.0(1)	-46.0	
		10-29-65	124.0(1)	-43.0	
		11-26-65	114.0(1)	-33.0	
		12-30-65	111.0(1)	-30.0	
		1-31-66	108.0(1)	-27.0	
		2-06-66	107.0(1)	-26.0	
		3-15-66	83.0(5)	-2.0	
		4-20-66	105.0(1)	-24.0	
		5-31-66	109.0(1)	-28.0	
03S/12W-22G03S	81.0	7-30-65	77.0(5)	4.0	101
		8-27-65	77.0(5)	4.0	
		9-27-65	77.0(5)	4.0	
		10-29-65	79.0(5)	2.0	
		11-29-65	75.0(5)	6.0	
		12-29-65	75.0(5)	6.0	
		1-28-66	75.0(5)	6.0	
		2-06-66	75.0(5)	6.0	
		3-24-66	77.0(5)	4.0	
		4-25-66	88.0(5)	-7.0	
		5-31-66	123.0(1)	-42.0	
03S/12W-22H01S	82.0	7-08-65	79.4	2.6	733
		7-29-65	80.5	1.5	
		8-19-65	81.3	.7	
		9-09-65	79.2	2.8	
		10-01-65	79.0	3.0	
		10-21-65	78.8	3.2	
		11-11-65	79.4	2.6	
		12-02-65	76.7	5.3	
		12-23-65	75.3	6.7	
		1-13-66	72.7	9.3	
		2-03-66	72.1	9.9	
		2-24-66	71.8	10.2	
		3-17-66	74.7	7.3	
		4-07-66	74.9	7.1	
		4-29-66	76.4	5.6	
		5-19-66	77.5	4.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-22P02S	75.0	7-01-65	82.0(5)	-7.0	101
		8-01-65	81.0(5)	-6.0	
		9-01-65	80.0(5)	-5.0	
		10-01-65	79.0(5)	-4.0	
		11-01-65	76.0(5)	-1.0	
		12-01-65	74.0(5)	1.0	
		1-01-66	73.0(5)	2.0	
		2-01-66	74.0(5)	1.0	
		3-01-66	75.0(5)	.0	
		4-01-66	79.0(5)	-4.0	
		5-31-66	78.0(5)	-3.0	
03S/12W-23C03S	85.5	7-09-65	85.6	-.1	733
		7-30-65	86.2	-.7	
		8-20-65	83.7	1.8	
		9-10-65	84.0	1.5	
		10-01-65	83.6	1.9	
		10-22-65	82.2	3.3	
		11-12-65	83.0	2.5	
		12-03-65	81.9	3.6	
		12-24-65	81.7	3.8	
		1-14-66	81.1	4.4	
		2-04-66	79.0	6.5	
		2-25-66	77.4	8.1	
		5-11-66	79.6	5.9	
		5-19-66	79.6	5.9	
		6-30-66	82.7	2.8	
03S/12W-23D03S	84.0	7-29-65	87.0(5)	-3.0	101
		8-27-65	87.0(5)	-3.0	
		9-31-65	87.0(5)	-3.0	
		10-28-65	87.0(5)	-3.0	
		11-29-65	81.0(5)	3.0	
		12-30-65	79.0(5)	5.0	
		2-06-66	90.0(5)	-6.0	
		3-21-66	79.0(5)	5.0	
		4-25-66	91.0(5)	-7.0	
		5-31-66	92.0(5)	-8.0	
03S/12W-23E02S	82.0	11-15-65	79.0(5)	3.0	101
		2-05-66	77.0(5)	5.0	
03S/12W-23E03S	82.0	8-03-65	78.5(5)	3.5	101
		8-31-65	80.5(5)	1.5	
		9-20-65	78.5(5)	3.5	
		11-02-65	80.5(5)	1.5	
		11-30-65	78.5(5)	3.5	
		1-04-66	75.5(5)	6.5	
		2-01-66	74.5(5)	7.5	
		3-01-66	73.5(5)	8.5	
		4-05-66	74.5(5)	7.5	
		5-03-66	76.5(5)	5.5	
		6-01-66	77.5(5)	4.5	
03S/12W-23E05S	82.5	7-29-65	93.0(5)	-10.5	101
		8-27-65	96.0(5)	-13.5	
		9-30-65	96.0(5)	-13.5	
		10-26-65	96.0(5)	-13.5	
		11-30-65	83.0(5)	-.5	
		12-29-65	83.0(5)	-.5	
		1-28-66	76.0(5)	6.5	
		2-06-66	76.0(5)	6.5	
		3-03-66	75.0(5)	7.5	
		3-30-66	80.0(5)	2.5	
		4-15-66	82.0(5)	.5	
		5-31-66	88.0(5)	-5.5	
03S/12W-23R01S	76.0	8-03-65	80.0(5)	-4.0	101
		8-31-65	78.0(5)	-2.0	
		9-28-65	77.0(5)	-1.0	
		11-02-65	77.0(5)	-1.0	
		11-30-65	71.0(5)	5.0	
		1-04-66	75.0(5)	1.0	
		2-01-66	73.0(5)	3.0	
		3-01-66	73.0(5)	3.0	
		4-05-66	76.0(5)	.0	
		5-03-66	77.0(5)	-1.0	
		6-01-66	77.0(5)	-1.0	
03S/12W-23R02S	75.0	11-01-65	16.5	58.5	101
		4-05-66	13.2	61.8	
03S/12W-24B01S	87.0	8-03-65	88.5(5)	-1.5	101
		8-31-65	91.5(5)	-4.5	
		9-28-65	93.5(5)	-6.5	
		11-02-65	88.5(5)	-1.5	
		11-30-65	86.5(5)	.5	
		1-04-66	84.5(5)	2.5	
		2-01-66	83.5(5)	3.5	
		3-01-66	83.5(5)	3.5	
		4-05-66	83.5(5)	3.5	
		5-03-66	85.5(5)	1.5	
		6-01-66	84.5(5)	2.5	
03S/12W-24D01S	85.0	8-03-65	91.0(5)	-6.0	101
		8-31-65	90.0(5)	-5.0	
		9-28-65	88.0(5)	-3.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-24D01S	85.0	11-02-65	86.0(5)	-1.0	101
(CONT.)		11-30-65	78.0(5)	7.0	
		1-04-66	75.0(5)	10.0	
		2-01-66	73.0(5)	12.0	
		3-01-66	72.0(5)	13.0	
		4-05-66	76.0(5)	9.0	
		5-03-66	74.0(5)	11.0	
		6-01-66	84.0(5)	1.0	
03S/12W-24D04S	84.0	11-03-65	DRY		101
		4-06-66	DRY		
03S/12W-24F01S	76.0	8-03-65	83.0(5)	-7.0	101
		8-31-65	84.0(5)	-8.0	
		9-28-65	85.0(5)	-9.0	
		11-02-65	84.0(5)	-8.0	
		11-30-65	79.0(5)	-3.0	
		1-04-66	80.0(5)	-4.0	
		2-01-66	79.0(5)	-3.0	
		3-01-66	79.0(5)	-3.0	
		4-05-66	79.0(5)	-3.0	
		5-03-66	81.0(5)	-5.0	
		6-01-66	80.0(5)	-4.0	
03S/12W-24K01S	82.0	8-03-65	83.5(5)	-1.5	101
		8-31-65	80.5(5)	1.5	
		9-28-65	81.5(5)	.5	
		11-02-65	82.5(5)	-.5	
		11-30-65	77.5(5)	4.5	
		1-04-66	81.5(5)	.5	
		2-01-66	84.5(5)	-2.5	
		3-01-66	90.5(5)	-8.5	
		4-05-66	88.5(5)	-6.5	
		5-03-66	91.5(5)	-9.5	
		6-01-66	89.5(5)	-7.5	
03S/12W-25C01S	70.5	11-01-65	88.3	-17.8	101
		4-05-66	76.5	-6.0	
03S/12W-25H01S	68.0	11-08-65	78.2	-10.2	101
		4-13-66	73.4(4)	-5.4	
03S/12W-26C02S	74.0	7-29-65	89.0(5)	-15.0	101
		8-27-65	89.0(5)	-15.0	
		9-30-65	89.0(5)	-15.0	
		10-29-65	89.0(5)	-15.0	
		11-29-65	81.0(5)	-7.0	
		12-29-65	81.0(5)	-7.0	
		1-28-66	81.0(5)	-7.0	
		2-06-66	81.0(5)	-7.0	
		3-21-66	83.0(5)	-9.0	
		4-20-66	76.0(5)	-2.0	
		5-31-66	82.0(5)	-8.0	
03S/12W-26D03S	74.0	7-06-65	86.1	-12.1	101
		8-02-65	90.2	-16.2	
		8-30-65	92.9	-18.9	
		9-07-65	93.2	-19.2	
		11-01-65	91.4	-17.4	
		12-01-65	84.3	-10.3	
		12-27-65	77.4	-3.4	
		1-31-66	73.0	1.0	
		3-07-66	71.9	2.1	
		5-02-66	77.6	-3.6	
		5-31-66	80.6	-6.6	
03S/12W-26K01S	65.0	12-03-65	71.5	-6.5	101
		4-05-66	69.4(4)	-4.4	
03S/12W-26L03S	67.0	7-29-65	131.0(1)	-64.0	101
		8-27-65	131.0(1)	-64.0	
		9-24-65	102.0(5)	-35.0	
		10-16-65	100.0(5)	-33.0	
		11-30-65	93.0(5)	-26.0	
		12-31-65	88.0(5)	-21.0	
		1-20-66	96.0(5)	-29.0	
		2-06-66	141.0(1)	-74.0	
		3-25-66	89.0(5)	-22.0	
		4-26-66	96.0(5)	-29.0	
		5-27-66	97.0(5)	-30.0	
03S/12W-26N02S	63.0	7-19-65	95.0(5)	-32.0	101
03S/12W-26N03S	63.0	7-30-65	79.0(5)	-16.0	101
		8-27-65	79.0(5)	-16.0	
		9-20-65	82.0(5)	-19.0	
		10-29-65	82.0(5)	-19.0	
		11-30-65	74.0(5)	-11.0	
		12-30-65	71.0(5)	-8.0	
		1-31-66	68.0(5)	-5.0	
		2-06-66	68.0(5)	-5.0	
		3-24-66	68.0(5)	-5.0	
		4-21-66	71.0(5)	-8.0	
		5-31-66	74.0(5)	-11.0	
03S/12W-27C02S	71.0	8-01-65	95.0(5)	-24.0	101
		9-01-65	90.0(5)	-19.0	
		10-01-65	89.0(5)	-18.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-27C02S	71.0	11-01-65	74.0(5)	-3.0	101
(CONT.)		12-01-65	73.0(5)	-2.0	
		1-01-66	69.0(5)	2.0	
		2-01-66	71.0(5)	.0	
		3-01-66	77.0(5)	-6.0	
		4-01-66	84.0(5)	-13.0	
		5-31-66	83.0(5)	-12.0	
03S/12W-27G01S	71.0	7-01-65	80.0(5)	-9.0	101
		8-01-65	79.0(5)	-8.0	
		9-01-65	78.0(5)	-7.0	
		10-01-65	77.0(5)	-6.0	
		11-01-65	73.0(5)	-2.0	
		12-01-65	69.0(5)	2.0	
		1-01-66	72.0(5)	-1.0	
		2-01-66	72.0(5)	-1.0	
		3-01-66	71.0(5)	.0	
		4-01-66	74.0(5)	-3.0	
		5-31-66	75.0(5)	-4.0	
03S/12W-27M01S	66.0	8-01-65	71.0(5)	-5.0	101
		9-01-65	72.0(5)	-6.0	
		10-01-65	66.0(5)	.0	
		11-01-65	62.0(5)	4.0	
		12-01-65	61.0(5)	5.0	
		1-01-66	61.0(5)	5.0	
		2-01-66	61.0(5)	5.0	
		3-01-66	62.0(5)	4.0	
		4-01-66	65.0(5)	1.0	
		5-31-66	64.0(5)	2.0	
03S/12W-27R01S	62.0	9-29-65	133.5(1)	-71.5	101
		1-31-66	72.5(5)	-10.5	
		2-06-66	72.5	-10.5	
		3-21-66	119.5(1)	-57.5	
		4-11-66	121.5(1)	-59.5	
		5-31-66	127.5(1)	-65.5	
03S/12W-28H02S	67.0	7-01-65	75.0(5)	-8.0	101
		8-01-65	74.0(5)	-7.0	
		9-01-65	72.0(5)	-5.0	
		10-01-65	70.0(5)	-3.0	
		11-01-65	66.0(5)	1.0	
		12-01-65	64.0(5)	3.0	
		1-01-66	73.0(5)	-6.0	
		2-01-66	64.0(5)	3.0	
		3-01-66	65.0(5)	2.0	
		5-31-66	68.0(5)	-1.0	
03S/12W-28H03S	67.0	7-01-65	74.0(5)	-7.0	101
		8-01-65	73.0(5)	-6.0	
		9-01-65	71.0(5)	-4.0	
		10-01-65	69.0(5)	-2.0	
		11-01-65	65.0(5)	2.0	
		12-01-65	63.0(5)	4.0	
		1-01-66	72.0(5)	-5.0	
		2-01-66	63.0(5)	4.0	
		3-01-66	64.0(5)	3.0	
		4-01-66	68.0(5)	-1.0	
		5-31-66	67.0(5)	.0	
03S/12W-28J02S	64.0	8-01-65	65.0(5)	-1.0	101
		9-01-65	64.0(5)	.0	
		10-01-65	56.0(5)	8.0	
		11-01-65	53.0(5)	11.0	
		12-01-65	53.0(5)	11.0	
		1-01-66	52.0(5)	12.0	
		2-01-66	53.0(5)	11.0	
		3-01-66	53.0(5)	11.0	
		4-01-66	57.0(5)	7.0	
		5-31-66	54.0(5)	10.0	
03S/12W-28P04S	59.0	11-02-65	DRY		101
		4-06-66	DRY		
03S/12W-28Q01S	63.0	7-01-65	72.0(5)	-9.0	101
		8-01-65	71.0(5)	-8.0	
		9-01-65	72.0(5)	-9.0	
		10-01-65	67.0(5)	-4.0	
		11-01-65	63.0(5)	.0	
		12-01-65	62.0(5)	1.0	
		1-01-66	61.0(5)	2.0	
		2-01-66	62.0(5)	1.0	
		3-01-66	63.0(5)	.0	
		4-01-66	67.0(5)	-4.0	
		5-31-66	65.0(5)	-2.0	
03S/12W-29J01S	63.0	7-09-65	61.8	1.2	733
		7-30-65	63.8	-.8	
		8-20-65	64.9	-1.9	
		9-10-65	59.4	3.6	
		10-01-65	60.9	2.1	
		10-22-65	60.7	2.3	
		11-12-65	60.4	2.6	
		12-03-65	57.9	5.1	
		12-24-65	55.6	7.4	
		1-14-66	55.2	7.8	
		2-04-66	54.4	8.6	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-29J01S	63.0	2-25-66	53.3	9.7	733
(CONT.)		3-18-66	54.7	8.3	
		4-08-66	56.7	6.3	
		4-29-66	59.7	3.3	
		5-20-66	60.5	2.5	
03S/12W-29M01S	62.5	4-11-66	56.8	5.7	101
03S/12W-29M02S	63.0	4-11-66	56.9	6.1	101
03S/12W-30C03S	64.0	11-02-65	109.5(1)	-45.5	101
		1-06-66	69.5(1)	-5.5	
		4-18-66	76.9	-12.9	
		5-27-66	96.5	-32.5	
03S/12W-30E01S	60.0	4-18-66	60.0	.0	101
03S/12W-30G01S	60.0	11-09-65	39.6	20.4	101
		4-18-66	36.0	24.0	
03S/12W-30K02S	59.0	11-09-65	77.4	-18.4	101
		4-18-66	69.8	-10.8	
03S/12W-30P03S	56.5	11-09-65	DRY		101
		4-18-66	DRY		
03S/12W-31E03S	51.7	7-05-65	98.9	-47.2	206
		7-12-65	100.5	-48.8	
		7-19-65	100.2	-48.5	
		7-26-65	101.5	-49.8	
		8-02-65	102.1	-50.4	
		8-09-65	103.1	-51.4	
		8-16-65	104.6	-52.9	
		8-23-65	106.0	-54.3	
		8-30-65	106.8	-55.1	
		9-06-65	106.5	-54.8	
		9-13-65	106.0	-54.3	
		9-20-65	106.4	-54.7	
		9-27-65	106.1	-54.4	
		10-04-65	104.6	-52.9	
		10-11-65	104.2	-52.5	
		10-18-65	100.9	-49.2	
		10-25-65	102.1	-50.4	
		11-01-65	99.2	-47.5	
		11-15-65	97.8	-46.1	
		11-22-65	96.7	-45.0	
		11-29-65	92.9	-41.2	
		12-06-65	91.6	-39.9	
		12-13-65	89.8	-38.1	
		12-20-65	88.7	-37.0	
		12-27-65	88.4	-36.7	
		1-03-66	86.3	-34.6	
		1-10-66	85.1	-33.4	
		1-17-66	85.6	-33.9	
		1-24-66	84.7	-33.0	
		1-31-66	84.7	-33.0	
		2-07-66	83.9	-32.2	
		2-14-66	83.6	-31.9	
		2-21-66	81.4	-29.7	
		2-28-66	82.6	-30.9	
		3-07-66	81.5	-29.8	
		3-14-66	83.6	-31.9	
		3-21-66	83.3	-31.6	
		3-28-66	83.4	-31.7	
		4-04-66	82.3	-30.6	
		4-11-66	82.7	-31.0	
		4-18-66	84.1	-32.4	
		4-25-66	84.7	-33.0	
		5-02-66	86.0	-34.3	
		5-09-66	85.4	-33.7	
		5-16-66	86.5	-34.8	
		5-23-66	86.0	-34.3	
		5-31-66	87.1	-35.4	
		6-06-66	87.9	-36.2	
		6-13-66	93.2	-41.5	
		6-20-66	93.6	-41.9	
		6-27-66	98.7	-47.0	
03S/12W-32L01S	52.2	11-02-65	53.8	-1.6	101
03S/12W-32Q01S	51.6	7-26-65	54.6	-3.0	101
		8-16-65	53.9	-2.3	
		9-20-65	53.7	-2.1	
		10-18-65	52.7	-1.1	
		11-15-65	52.0	-.4	
		12-20-65	49.2	2.4	
		1-24-66	48.8	2.8	
		2-21-66	44.9	6.7	
		3-21-66	48.5	3.1	
		4-25-66	50.9	.7	
		5-23-66	51.3	.3	
		6-20-66	52.1	-.5	
03S/12W-33A01S	62.0	7-16-65	80.0(5)	-18.0	101
		8-15-65	81.0(5)	-19.0	
		9-15-65	76.0(5)	-14.0	
		10-15-65	75.0(5)	-13.0	
		11-15-65	66.0(5)	-4.0	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-33A01S	62.0	12-15-65	64.0(5)	-2.0	101
(CONT.)		1-30-66	67.0(5)	-5.0	
		2-25-66	69.0(5)	-7.0	
		3-25-66	67.0(5)	-5.0	
		4-25-66	71.0(5)	-9.0	
		5-31-66	67.0(5)	-5.0	
03S/12W-33A03S	62.0	11-02-65	57.6	4.4	101
		4-11-66	79.0	-17.0	
03S/12W-33A04S	61.0	4-11-66	79.9	-18.9	101
03S/12W-33A05S	62.0	8-01-65	64.0(5)	-2.0	101
		9-01-65	64.0(5)	-2.0	
		10-01-65	61.0(5)	1.0	
		11-01-65	57.0(5)	5.0	
		12-01-65	57.0(5)	5.0	
		1-01-66	56.0(5)	6.0	
		2-01-66	57.0(5)	5.0	
		3-01-66	57.0(5)	5.0	
		4-01-66	61.0(5)	1.0	
		5-31-66	60.0(5)	2.0	
03S/12W-33A06S	63.0	7-15-65	166.6(1)	-103.6	101
		8-26-65	95.6(5)	-32.6	
		9-15-65	93.6(5)	-30.6	
		10-12-65	85.6(5)	-22.6	
		11-15-65	78.6(5)	-15.6	
		12-20-65	79.6(5)	-16.6	
		1-30-66	70.6(5)	-7.6	
		2-01-66	75.6(5)	-12.6	
		3-29-66	67.6(5)	-4.6	
		4-18-66	77.6(5)	-14.6	
		5-25-66	81.6(5)	-18.6	
03S/12W-33F02S	56.0	4-11-66	51.4	4.6	101
03S/12W-33G02S	60.0	8-01-65	97.4(5)	-37.4	101
		9-01-65	100.4(5)	-40.4	
		10-01-65	94.4(5)	-34.4	
		11-01-65	76.4(5)	-16.4	
		12-01-65	78.4(5)	-18.4	
		1-01-66	71.4(5)	-11.4	
		2-01-66	73.4(5)	-13.4	
		3-01-66	76.4(5)	-16.4	
		4-01-66	88.4(5)	-28.4	
		5-31-66	88.4(5)	-28.4	
03S/12W-33R01S	48.0	8-15-65	63.5(5)	-15.5	101
		9-15-65	59.5(5)	-11.5	
		10-15-65	56.5(5)	-8.5	
		11-15-65	57.5(5)	-9.5	
		12-15-65	52.5(5)	-4.5	
		1-30-66	57.5(5)	-9.5	
		2-28-66	51.5(5)	-3.5	
		3-28-66	51.5(5)	-3.5	
		4-28-66	53.5(5)	-5.5	
		5-31-66	55.5(5)	-7.5	
03S/12W-33R04S	56.0	7-15-65	154.0(1)	-98.0	101
		8-30-65	111.0(5)	-55.0	
		9-19-65	95.0(5)	-39.0	
		10-17-65	88.0(5)	-32.0	
		11-20-65	83.0(5)	-27.0	
		12-20-65	83.0(5)	-27.0	
		1-30-66	67.0(5)	-11.0	
		2-25-66	69.0(5)	-13.0	
		3-25-66	77.0(5)	-21.0	
		4-21-66	85.0(5)	-29.0	
		5-31-66	91.0(5)	-35.0	
03S/12W-34A01S	62.4	11-01-65	DRY		101
		4-05-66	DRY		
03S/12W-34C01S	63.0	7-01-65	94.0(5)	-31.0	101
		8-01-65	93.0(5)	-30.0	
		9-01-65	91.0(5)	-28.0	
		10-01-65	91.0(5)	-28.0	
		11-01-65	79.0(5)	-16.0	
		12-01-65	70.0(5)	-7.0	
		1-01-66	69.0(5)	-6.0	
		2-01-66	68.0(5)	-5.0	
		3-01-66	79.0(5)	-16.0	
		4-01-66	77.0(5)	-14.0	
		5-31-66	87.0(5)	-24.0	
03S/12W-34D01S	62.0	8-01-65	74.0(5)	-12.0	101
		9-01-65	72.0(5)	-10.0	
		10-01-65	72.0(5)	-10.0	
		11-01-65	65.0(5)	-3.0	
		12-01-65	65.0(5)	-3.0	
		1-01-66	64.0(5)	-2.0	
		2-01-66	66.0(5)	-4.0	
		3-01-66	65.0(5)	-3.0	
		4-01-66	69.0(5)	-7.0	
		5-31-66	66.0(5)	-4.0	
03S/12W-34F01S	62.0	7-15-65	148.0(1)	-86.0	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/12W-34F01S	62.0	8-15-65	155.0(1)	-93.0	101
(CONT.)		9-15-65	149.0(1)	-87.0	
		10-15-65	91.0(5)	-29.0	
		11-16-65	84.0(5)	-22.0	
		3-25-66	76.0(5)	-14.0	
		4-20-66	82.0(5)	-20.0	
		5-14-66	76.0(5)	-14.0	
03S/12W-34F03S	62.0	11-02-65	71.2	-9.2	101
		4-11-66	63.6	-1.6	
03S/12W-34G01S	62.0	7-30-65	86.3	-24.3	733
		8-20-65	88.1	-26.1	
		9-10-65	85.1	-23.1	
		10-01-65	83.2	-21.2	
		10-22-65	83.1	-21.1	
		11-12-65	83.0	-21.0	
		12-03-65	67.7	-5.7	
		12-24-65	66.9	-4.9	
		1-14-66	64.2	-2.2	
		2-04-66	63.8	-1.8	
		2-25-66	63.2	-1.2	
		3-18-66	67.8	-5.8	
		4-08-66	70.8	-8.8	
		4-29-66	77.8	-15.8	
		5-20-66	77.6	-15.6	
03S/12W-34H02S	59.5	4-11-66	62.4	-2.9	101
03S/12W-35C01S	64.0	4-05-66	70.3	-6.3	101
03S/12W-35D02S	61.0	7-30-65	50.9	10.1	733
		8-20-65	51.4	9.6	
		9-10-65	50.6	10.4	
		10-01-65	47.9	13.1	
		10-22-65	46.4	14.6	
		11-12-65	46.0	15.0	
		12-03-65	44.6	16.4	
		12-24-65	42.4	18.6	
		1-14-66	41.8	19.2	
		2-04-66	41.5	19.5	
		2-25-66	41.2	19.8	
		3-18-66	46.8	14.2	
		4-08-66	47.3	13.7	
		4-29-66	51.4	9.6	
		5-20-66	48.8	12.2	
03S/12W-35L02S	56.0	11-02-65	68.3	-12.3	101
		4-05-66	64.1(4)	-8.1	
03S/12W-35P01S	53.0	11-02-65	DRY		101
		4-05-66	DRY		
03S/12W-36C01S	61.0	4-05-66	45.4	15.6	101
03S/13W-01G01S	106.0	7-01-65	120.0(5)	-14.0	101
		8-01-65	127.0(5)	-21.0	
		9-01-65	123.0(5)	-17.0	
		10-01-65	130.0(5)	-24.0	
		11-01-65	124.0(5)	-18.0	
		12-01-65	115.0(5)	-9.0	
		2-01-66	111.0(5)	-5.0	
		3-01-66	112.0(5)	-6.0	
		4-01-66	117.0(5)	-11.0	
		5-01-66	117.0(5)	-11.0	
03S/13W-01P03S	94.0	11-02-65	DRY		101
		4-14-66	DRY		
03S/13W-02A02S	106.2	7-07-65	49.3	56.9	101
		8-30-65	68.4	37.8	
		9-15-65	67.1	39.1	
		10-05-65	68.7	37.5	
		11-02-65	69.1	37.1	
		12-07-65	67.4	38.8	
		1-04-66	67.9	38.3	
		2-08-66	67.6	38.6	
		3-02-66	66.6	39.6	
		4-05-66	68.0	38.2	
		5-04-66	68.1	38.1	
		6-08-66	68.1	38.1	
03S/13W-02B01S	100.0	11-02-65	77.3	22.7	101
		4-13-66	76.2	23.8	
03S/13W-02M01S	98.4	7-07-65	74.5	23.9	101
		8-03-65	74.8	23.6	
		9-15-65	75.4	23.0	
		10-05-65	75.4	23.0	
		11-02-65	75.5	22.9	
		12-07-65	75.5	22.9	
		1-04-66	75.0	23.4	
		2-08-66	74.7	23.7	
		3-02-66	74.7	23.7	
		4-05-66	75.2	23.2	
		5-04-66	75.3	23.1	
		6-08-66	75.2	23.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.45

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/13W-02Q01S (CONT.)	97.0	8-04-65	80.0(5)	17.0	101
		9-01-65	80.0(5)	17.0	
		10-06-65	80.0(5)	17.0	
		11-24-65	80.0(5)	17.0	
		12-01-65	79.0(5)	18.0	
		1-05-66	79.0(5)	18.0	
		2-02-66	79.0(5)	18.0	
		3-02-66	79.0(5)	18.0	
		4-06-66	81.0(5)	16.0	
		5-04-66	80.0(5)	17.0	
		6-01-66	79.0(5)	18.0	
03S/13W-03E01S	104.0	11-03-65	62.6	41.4	101
		4-13-66	62.4	41.6	
03S/13W-03R01S	98.5	4-14-66	144.2(3)	-45.7	101
		5-11-66	148.0(5)	-49.5	
		6-01-66	148.0(5)	-49.5	
03S/13W-04D01S	115.0	3-24-66	258.0(1)	-143.0	200
03S/13W-06R01S	131.0	7-07-65	209.0	-78.0	101
		8-06-65	208.9	-77.9	
		9-08-65	208.8	-77.8	
		10-05-65	208.7	-77.7	
		11-03-65	208.7	-77.7	
		12-07-65	207.9	-76.9	
		1-07-66	207.6	-76.6	200
		5-02-66	205.7	-74.7	
03S/13W-09A01S	93.0	8-30-65	137.0(5)	-44.0	101
		10-05-65	138.0(5)	-45.0	
		11-01-65	134.0(5)	-41.0	
		11-29-65	129.0(5)	-36.0	
		1-03-66	119.0(5)	-26.0	
		1-31-66	130.0(5)	-37.0	
		2-28-66	121.0(5)	-28.0	
		4-04-66	125.0(5)	-32.0	
		5-31-66	128.0(5)	-35.0	
03S/13W-09K01S	81.7	8-30-65	169.0(5)	-87.3	101
		9-27-65	170.0(5)	-88.3	
		11-01-65	172.0(5)	-90.3	
		11-29-65	160.0(5)	-78.3	
		1-03-66	164.0(5)	-82.3	
		1-31-66	164.0(5)	-82.3	
		2-28-66	158.0(5)	-76.3	
		4-04-66	163.0(5)	-81.3	
		5-31-66	163.0(5)	-81.3	
03S/13W-09R01S	86.0	7-09-65	128.8	-42.8	733
		7-30-65	132.0	-46.0	
		8-20-65	134.0	-48.0	
		9-10-65	134.6	-48.6	
		10-01-65	134.1	-48.1	
		10-22-65	134.1	-48.1	
		11-12-65	134.0	-48.0	
		12-03-65	126.0	-40.0	
		12-24-65	123.9	-37.9	
		1-14-66	123.8	-37.8	
		2-04-66	123.5	-37.5	
		2-25-66	123.0	-37.0	
		3-18-66	122.8	-36.8	
		4-04-66	125.8	-39.8	
		4-29-66	127.1	-41.1	
		5-20-66	127.7	-41.7	
03S/13W-10G01S	85.0	7-01-65	131.0(5)	-46.0	101
		8-01-65	131.0(5)	-46.0	
		9-15-65	132.0(5)	-47.0	
		10-26-65	132.0(5)	-47.0	
		2-01-66	119.0(5)	-34.0	
		5-01-66	127.0(5)	-42.0	
03S/13W-10G02S	85.0	8-01-65	131.5(5)	-46.5	101
		9-01-65	132.5(5)	-47.5	
		10-01-65	132.5(5)	-47.5	
		11-01-65	130.5(5)	-45.5	
		12-01-65	126.5(5)	-41.5	
		1-01-66	127.5(5)	-42.5	
		2-01-66	128.5(5)	-43.5	
		5-01-66	124.5(5)	-39.5	
		6-01-66	128.5(5)	-43.5	
03S/13W-10L02S	86.0	11-03-65	135.5(5)	-49.5	101
03S/13W-11B02S	88.0	4-14-66	113.9	-25.9	101
03S/13W-11C01S	88.5	7-07-65	127.3(5)	-38.8	101
		8-04-65	145.5(5)	-57.0	
		9-01-65	131.5(5)	-43.0	
		10-06-65	127.5(5)	-39.0	
		11-03-65	119.5(5)	-31.0	
		12-01-65	115.5(5)	-27.0	
		1-05-66	111.5(5)	-23.0	
		2-02-66	112.5(5)	-24.0	
		3-02-66	113.5(5)	-25.0	
		4-06-66	118.5(5)	-30.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.45

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/13W-11C01S (CONT.)	88.5	5-04-66	117.5(5)	-29.0	101
		6-01-66	117.5(5)	-29.0	
03S/13W-11E01S	85.0	7-07-65	125.0(5)	-40.0	101
		8-04-65	127.0(5)	-42.0	
		9-01-65	127.0(5)	-42.0	
		10-06-65	129.0(5)	-44.0	
		10-20-65	136.0	-51.0	
		11-03-65	130.0(5)	-45.0	
		12-22-65	115.0(5)	-30.0	
		1-05-66	114.0(5)	-29.0	
		2-02-66	118.0(5)	-33.0	
		3-02-66	116.0(5)	-31.0	
		4-06-66	135.0	-50.0	
		5-04-66	122.0(5)	-37.0	
		6-01-66	130.0(5)	-45.0	
03S/13W-11K01S	86.4	11-04-65	67.0	19.4	101
		4-14-66	65.0(5)	21.4	
03S/13W-12A01S	94.0	4-08-66	106.4(8)	-12.4	101
03S/13W-12E04S	89.0	8-04-65	111.0(5)	-22.0	101
		10-06-65	105.0(5)	-16.0	
		11-03-65	100.0(5)	-11.0	
		12-01-65	92.0(5)	-3.0	
		1-05-66	88.0(5)	1.0	
		2-02-66	90.0(5)	-1.0	
		3-02-66	90.0(5)	-1.0	
		4-06-66	95.0(5)	-6.0	
		5-04-66	96.0(5)	-7.0	
		6-01-66	93.0(5)	-4.0	
03S/13W-12J01S	85.0	7-07-65	94.0(5)	-9.0	101
		8-04-65	96.0(5)	-11.0	
		9-01-65	96.0(5)	-11.0	
		10-06-65	114.0(5)	-29.0	
		11-17-65	89.0(5)	-4.0	
		12-01-65	85.0(5)	.0	
		1-05-66	110.0(5)	-25.0	
		2-02-66	94.0(5)	-9.0	
		3-02-66	105.0(5)	-20.0	
		4-06-66	108.0(5)	-23.0	
		5-04-66	110.0(5)	-25.0	
		6-01-66	98.0(5)	-13.0	
03S/13W-12Q01S	82.5	7-07-65	142.0(5)	-59.5	101
		8-04-65	151.0(5)	-68.5	
		9-01-65	164.0(5)	-81.5	
		10-06-65	118.0(5)	-35.5	
		10-20-65	122.0	-39.5	
		11-03-65	115.0(5)	-32.5	
		12-01-65	103.0(5)	-20.5	
		1-05-66	112.0(5)	-29.5	
		2-02-66	116.0(5)	-33.5	
		3-02-66	107.0(5)	-24.5	
		4-06-66	127.0	-44.5	
		5-04-66	115.0(5)	-32.5	
		6-01-66	112.0(5)	-29.5	
03S/13W-13D01S	79.0	7-07-65	112.0(5)	-33.0	101
		8-04-65	115.0(5)	-36.0	
		9-01-65	115.0(5)	-36.0	
		10-06-65	114.0(5)	-35.0	
		11-03-65	110.0(5)	-31.0	
		12-08-65	101.0(5)	-22.0	
		1-05-66	98.0(5)	-19.0	
		2-02-66	101.0(5)	-22.0	
		3-02-66	102.0(5)	-23.0	
		4-06-66	106.0(5)	-27.0	
		5-04-66	107.0(5)	-28.0	
		6-01-66	105.0(5)	-26.0	
03S/13W-13F01S	77.5	11-03-65	67.8	9.7	101
03S/13W-13F04S	78.5	8-30-65	107.5(5)	-29.0	101
		9-27-65	108.5(5)	-30.0	
		11-01-65	107.5(5)	-29.0	
		11-29-65	98.5(5)	-20.0	
		1-03-66	98.5(5)	-20.0	
		1-31-66	98.5(5)	-20.0	
		2-28-66	98.5(5)	-20.0	
		4-04-66	101.5(5)	-23.0	
		5-02-66	105.5(5)	-27.0	
		5-31-66	103.5(5)	-25.0	
03S/13W-13F07S	78.0	4-14-66	17.2	60.8	101
03S/13W-13G01S	79.0	8-02-65	74.0(5)	5.0	101
		8-30-65	76.0(5)	3.0	
		9-27-65	76.0(5)	3.0	
		11-01-65	78.0(5)	1.0	
		11-29-65	79.0(5)	.0	
		1-03-66	78.0(5)	1.0	
		1-31-66	77.0(5)	2.0	
		2-28-66	78.0(5)	1.0	
		4-04-66	78.0(5)	1.0	
		5-31-66	79.0(5)	.0	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/13W-13J01S	80.0	8-30-65	75.0(5)	5.0	101
		9-27-65	75.0(5)	5.0	
		11-01-65	74.0(5)	6.0	
		11-29-65	73.0(5)	7.0	
		1-03-66	73.0(5)	7.0	
		1-31-66	71.0(5)	9.0	
		2-28-66	71.0(5)	9.0	
		4-04-66	71.0(5)	9.0	
		5-02-66	72.0(5)	8.0	
		5-31-66	72.0(5)	8.0	
03S/13W-13M01S	76.0	8-31-65	115.0	-39.0	101
		9-30-65	117.0	-41.0	
		10-31-65	107.1	-31.1	
		11-30-65	105.0	-29.0	
		12-31-65	97.0	-21.0	
03S/13W-13M02S	74.0	7-31-65	147.5(1)	-73.5	101
		8-31-65	148.0(1)	-74.0	
		9-30-65	152.0(1)	-78.0	
		10-31-65	110.0	-36.0	
		11-30-65	102.0	-28.0	
		12-31-65	98.0	-24.0	
		1-31-66	97.0	-23.0	
		2-28-66	98.0	-24.0	
		3-31-66	101.0	-27.0	
		4-30-66	106.0	-32.0	
		5-31-66	104.0	-30.0	
		6-30-66	106.0	-32.0	
03S/13W-13P01S	78.2	8-30-65	64.4(5)	13.8	101
		9-27-65	64.4(5)	13.8	
		11-01-65	62.4(5)	15.8	
		11-29-65	62.4(5)	15.8	
		1-03-66	62.4(5)	15.8	
		1-31-66	65.4(5)	12.8	
		2-28-66	61.4(5)	16.8	
		4-04-66	61.4(5)	16.8	
		5-02-66	61.4(5)	16.8	
		5-31-66	61.4(5)	16.8	
03S/13W-13R02S	77.0	9-27-65	99.5(5)	-22.5	101
		11-01-65	106.5(5)	-29.5	
		11-29-65	105.5(5)	-28.5	
		1-03-66	102.5(5)	-25.5	
		1-31-66	95.5(5)	-18.5	
		2-28-66	108.5(5)	-31.5	
		4-04-66	111.5(5)	-34.5	
		5-02-66	126.5(5)	-49.5	
		5-31-66	123.5(5)	-46.5	
03S/13W-14M01S	73.0	4-14-66	108.6	-35.6	101
03S/13W-15C02S	79.0	10-31-65	136.5(5)	-57.5	101
		3-31-66	131.5(5)	-52.5	
03S/13W-15G01S	75.0	3-31-66	123.0(5)	-48.0	101
03S/13W-15M03S	80.0	4-14-66	128.0	-48.0	101
03S/13W-15M05S	77.0	3-31-66	124.5(5)	-47.5	101
03S/13W-15R01S	71.5	8-31-65	136.0(1)	-64.5	101
		9-30-65	137.0(1)	-65.5	
		10-31-65	119.0	-47.5	
		11-30-65	129.0(1)	-57.5	
		12-31-65	126.0(1)	-54.5	
		1-31-66	129.0(1)	-57.5	
		2-28-66	127.0(1)	-55.5	
		3-31-66	129.0(1)	-57.5	
		4-30-66	131.0(1)	-59.5	
		5-31-66	115.0	-43.5	
		6-30-66	116.0	-44.5	
03S/13W-16A01S	81.0	8-30-65	133.0(5)	-52.0	101
		9-27-65	131.0(5)	-50.0	
		11-01-65	133.0(5)	-52.0	
		11-29-65	131.0(5)	-50.0	
		1-03-66	123.0(5)	-42.0	
		1-31-66	127.0(5)	-46.0	
		2-28-66	124.0(5)	-43.0	
		4-04-66	126.0(5)	-45.0	
		5-02-66	128.0(5)	-47.0	
03S/13W-16D01S	95.0	4-14-66	168.8	-73.8	101
03S/13W-16E01S	93.5	8-31-65	191.0(1)	-97.5	101
		9-30-65	191.0(1)	-97.5	
		10-31-65	191.0(1)	-97.5	
		11-30-65	193.0(1)	-99.5	
		12-31-65	192.0(1)	-98.5	
		1-31-66	189.0(1)	-95.5	
		2-28-66	191.0(1)	-97.5	
		3-31-66	193.0(1)	-99.5	
		4-30-66	195.0(1)	-101.5	
		5-31-66	195.0(1)	-101.5	
		6-30-66	196.0(1)	-102.5	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/13W-16H01S	83.0	4-13-66	DRY		101
03S/13W-16H02S	82.0	8-21-65	144.4(5)	-62.4	101
		9-15-65	144.4(5)	-62.4	
		10-15-65	145.4(5)	-63.4	
		11-07-65	145.4(5)	-63.4	
		12-07-65	141.4(5)	-59.4	
		12-31-65	141.4(5)	-59.4	
		1-15-66	138.4(5)	-56.4	
		2-15-66	138.4(5)	-56.4	
		3-15-66	139.4(5)	-57.4	
		4-15-66	140.4(5)	-58.4	
		5-15-66	140.4(5)	-58.4	
		6-15-66	142.0	-60.0	
03S/13W-16N06S	107.0	12-21-65	168.7	-61.7	101
		4-14-66	158.2	-51.2	
03S/13W-17Q02S	121.0	11-03-65	191.9	-70.9	101
03S/13W-20H07S	108.0	12-20-65	169.2	-61.2	101
		4-13-66	167.1	-59.1	
03S/13W-20H08S	107.0	8-15-65	187.0(5)	-80.0	101
		9-15-65	185.0(5)	-78.0	
		10-15-65	184.0(5)	-77.0	
		11-01-65	186.0(5)	-79.0	
		11-30-65	178.0(5)	-71.0	
		12-30-65	179.0(5)	-72.0	
		1-07-66	178.5	-71.5	
		2-15-66	177.0(5)	-70.0	
		3-15-66	178.0(5)	-71.0	
		4-15-66	194.0(5)	-87.0	
		5-15-66	182.0(5)	-75.0	
		6-01-66	181.0(5)	-74.0	
03S/13W-21A01S	80.0	8-30-65	138.5(5)	-58.5	101
		9-27-65	139.5(5)	-59.5	
		11-01-65	139.5(5)	-59.5	
		11-29-65	137.5(5)	-57.5	
		1-03-66	135.5(5)	-55.5	
		1-31-66	135.5(5)	-55.5	
		2-28-66	135.5(5)	-55.5	
		4-04-66	133.5(5)	-53.5	
		5-31-66	135.5(5)	-55.5	
03S/13W-21B01S	85.0	8-30-65	148.5(5)	-63.5	101
		9-27-65	149.5(5)	-64.5	
		11-01-65	148.5(5)	-63.5	
		11-29-65	138.5(5)	-53.5	
		1-03-66	136.5(5)	-51.5	
		2-28-66	136.5(5)	-51.5	
		4-04-66	137.5(5)	-52.5	
		5-02-66	138.5(5)	-53.5	
03S/13W-21C06S	95.0	8-30-65	178.5(5)	-83.5	101
		9-27-65	178.5(5)	-83.5	
		11-01-65	178.5(5)	-83.5	
		11-29-65	172.5(5)	-77.5	
		1-03-66	168.5(5)	-73.5	
		2-28-66	180.5(5)	-85.5	
		4-04-66	171.5(5)	-76.5	
		5-02-66	175.5(5)	-80.5	
03S/13W-21R01S	91.8	7-30-65	177.9	-86.1	733
		8-20-65	177.3	-85.5	
		9-10-65	177.6	-85.8	
		10-01-65	173.1	-81.3	
		10-22-65	173.0	-81.2	
		11-12-65	172.8	-81.0	
		12-03-65	164.8	-73.0	
		12-24-65	163.8	-72.0	
		1-14-66	163.0	-71.2	
		2-04-66	162.2	-70.4	
		2-25-66	161.3	-69.5	
		3-18-66	166.0	-74.2	
		4-08-66	165.4	-73.6	
		4-29-66	173.6	-81.8	
		5-20-66	174.4	-82.6	
03S/13W-21R03S	93.0	9-27-65	174.0(5)	-81.0	101
		11-01-65	174.0(5)	-81.0	
		11-29-65	168.0(5)	-75.0	
		1-03-66	136.0(5)	-43.0	
		2-28-66	167.0(5)	-74.0	
		4-04-66	168.0(5)	-75.0	
		5-31-66	170.0(5)	-77.0	
03S/13W-22H02S	68.5	8-15-65	136.5(1)	-68.0	101
		8-31-65	137.5(1)	-69.0	
		9-30-65	138.5(1)	-70.0	
		10-31-65	137.0(1)	-68.5	
		11-15-65	112.5	-44.0	
		12-31-65	130.5(1)	-62.0	
		1-31-66	131.5(1)	-63.0	
		2-28-66	132.5(1)	-64.0	
		3-31-66	134.5(1)	-66.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L 4 SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/13W-22H02S (CONT.)	68.5	4-30-66	136.5(1)	-68.0	101
		5-31-66	135.5(1)	-67.0	
		6-30-66	138.5(1)	-70.0	
03S/13W-22H07S	68.5	7-31-65	220.8(1)	-152.3	101
		8-31-65	134.8	-66.3	
		9-30-65	133.3	-64.8	
		10-31-65	133.3	-64.8	
		11-30-65	119.8	-51.3	
		12-31-65	115.8	-47.3	
		1-31-66	119.8	-51.3	
		2-28-66	118.8	-50.3	
		3-31-66	185.8	-117.3	
		4-30-66	124.8	-56.3	
		5-31-66	124.8	-56.3	
		6-30-66	131.8	-63.3	
03S/13W-22Q04S	70.1	7-31-65	208.0(1)	-137.9	101
		8-15-65	212.0(1)	-141.9	
		9-30-65	140.0	-69.9	
		10-15-65	139.0	-68.9	
		11-30-65	134.0	-63.9	
		12-31-65	132.0	-61.9	
		1-31-66	134.0	-63.9	
		2-28-66	132.0	-61.9	
		3-31-66	136.0	-65.9	
		4-30-66	141.0	-70.9	
		5-31-66	206.0(1)	-135.9	
		6-30-66	209.0(1)	-138.9	
03S/13W-23J04S	67.0	4-18-66	27.7	39.3	101
03S/13W-23R02S	66.3	7-30-65	67.9	-1.6	733
		8-20-65	68.5	-2.2	
		9-10-65	68.9	-2.6	
		10-01-65	69.1	-2.8	
		10-22-65	69.0	-2.7	
		11-12-65	68.6	-2.3	
		12-03-65	67.3	-1.0	
		12-24-65	67.4	-1.1	
		1-14-66	67.2	-.9	
		2-04-66	67.2	-.9	
		2-25-66	67.2	-.9	
		3-18-66	67.6	-1.3	
		4-08-66	67.0	-.7	
		4-29-66	66.6	-.3	
		5-20-66	66.8	-.5	
03S/13W-24D01S	70.7	8-31-65	63.4	7.3	101
		9-30-65	64.4	6.3	
		10-31-65	64.4	6.3	
		11-30-65	64.4	6.3	
		12-31-65	63.4	7.3	
		1-31-66	63.4	7.3	
		2-28-66	62.4	8.3	
		3-31-66	62.4	8.3	
		4-30-66	63.4	7.3	
		5-31-66	64.4	6.3	
		6-30-66	64.4	6.3	
03S/13W-24Q03S	64.8	7-30-65	83.6	-18.8	733
		8-20-65	86.4	-21.6	
		9-10-65	83.7	-18.9	
		10-01-65	85.0	-20.2	
		10-22-65	84.6	-19.8	
		11-12-65	84.2	-19.4	
		12-03-65	77.3	-12.5	
		12-24-65	75.3	-10.5	
		1-14-66	74.9	-10.1	
		2-04-66	74.8	-10.0	
		3-18-66	76.0	-11.2	
		4-08-66	77.2	-12.4	
		4-29-66	79.7	-14.9	
		5-20-66	80.4	-15.6	
03S/13W-24Q07S	65.0	11-09-65	66.4	-1.4	101
		4-18-66	65.7	-.7	
03S/13W-25Q04S	64.0	9-27-65	72.0(5)	-8.0	101
		10-31-65	70.0(5)	-6.0	
		11-29-65	68.0(5)	-4.0	
		1-03-66	65.0(5)	-1.0	
		2-28-66	64.0(5)	.0	
		4-04-66	65.0(5)	-1.0	
		5-31-66	68.0(5)	-4.0	
03S/13W-25G02S	63.0	9-27-65	120.6(5)	-57.6	101
		11-01-65	121.6(5)	-58.6	
		11-29-65	118.6(5)	-55.6	
		2-28-66	109.6(5)	-46.6	
		4-04-66	111.6(5)	-48.6	
		4-20-66	115.8(4)	-52.8	
		5-31-66	115.6(5)	-52.6	
03S/13W-25P02S	52.5	4-18-66	21.3	31.2	101
03S/13W-25Q02S	57.1	4-18-66	88.7	-31.6	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/13W-26C01S	62.6	8-31-65	131.0	-68.4	101
		9-30-65	131.0	-68.4	
		10-30-65	129.0	-66.4	
		11-30-65	118.0	-55.4	
		12-31-65	116.0	-53.4	
		1-31-66	120.0	-57.4	
		2-28-66	158.5(1)	-95.9	
		3-31-66	116.0	-53.4	
		4-30-66	125.5	-62.9	
		5-31-66	165.0(1)	-102.4	
		6-30-66	173.0(1)	-110.4	
03S/13W-26J03S	59.3	7-09-65	70.6	-11.3	206
		7-30-65	68.1	-8.8	
		8-20-65	68.8	-9.5	
		9-10-65	68.3	-9.0	
		10-01-65	67.7	-8.4	
		10-22-65	67.1	-7.8	
		11-12-65	68.2	-8.9	
		12-03-65	67.8	-8.5	
		12-23-65	66.3	-7.0	
		1-14-66	66.8	-7.5	
		2-04-66	66.2	-6.9	
		2-25-66	65.7	-6.4	
		3-18-66	67.4	-8.1	
		4-08-66	67.1	-7.8	
		4-29-66	68.1	-8.8	
		5-20-66	67.6	-8.3	
		6-10-66	67.7	-8.4	
03S/13W-26M01S	61.0	8-31-65	159.3	-98.3	101
		9-30-65	157.3	-96.3	
		10-31-65	155.3	-94.3	
		11-30-65	148.3	-87.3	
		12-31-65	148.3	-87.3	
		1-31-66	151.3	-90.3	
		2-28-66	149.3	-88.3	
		3-31-66	149.3	-88.3	
		4-30-66	153.3	-92.3	
		5-31-66	148.3	-87.3	
		6-30-66	159.3	-98.3	
03S/13W-26P01S	57.5	11-12-65	DRY		101
		4-18-66	DRY		
03S/13W-27E02S	89.3	8-15-65	184.0	-94.7	101
		9-31-65	180.0	-90.7	
		10-31-65	179.5	-90.2	
		11-30-65	172.0	-82.7	
		12-31-65	171.0	-81.7	
		1-31-66	173.0(5)	-83.7	
		2-28-66	174.0(5)	-84.7	
		4-30-66	179.0(5)	-89.7	
		5-31-66	175.5(5)	-86.2	
		6-30-66	245.0(1)	-155.7	
03S/13W-27G01S	68.2	8-31-65	165.0(5)	-96.8	101
		9-30-65	239.0(1)	-170.8	
		10-31-65	239.0(1)	-170.8	
		11-30-65	149.0(5)	-80.8	
		12-31-65	151.0(5)	-82.8	
		1-31-66	215.0(1)	-146.8	
		2-28-66	218.0(1)	-149.8	
		3-31-66	218.0(1)	-149.8	
		4-30-66	225.0(1)	-156.8	
		5-31-66	224.0(1)	-155.8	
		6-30-66	234.0(1)	-165.8	
03S/13W-28G04S	96.0	4-13-66	169.3	-73.3	101
03S/13W-33A02S	146.0	11-12-65	251.5	-105.5	101
		4-13-66	238.1	-92.1	
03S/13W-33A03S	146.0	4-13-66	241.4	-95.4	101
03S/13W-33B01S	155.8	4-13-66	239.3	-83.5	101
03S/13W-34H01S	132.0	4-18-66	256.5	-124.5	101
03S/13W-34H02S	130.0	11-12-65	247.8	-117.8	101
		4-19-66	242.8	-112.8	
03S/13W-35A02S	55.0	11-09-65	79.0	-24.0	101
		4-18-66	75.0	-20.0	
03S/14W-01F03S	225.0	4-05-66	277.1	-52.1	101
04S/11W-05C02S	44.0	11-03-65	73.2	-29.2	101
		4-11-66	55.7	-11.7	
04S/11W-06F01S	46.0	11-03-65	75.6	-29.6	101
		4-06-66	64.5	-18.5	
04S/11W-06N03S	44.0	4-06-66	58.8(4)	-14.8	101
04S/11W-06P01S	41.6	7-08-65	72.7	-31.1	733
		7-18-65	71.7	-30.1	102
		7-19-65	72.5	-30.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/11W-06P01S (CONT.)	41.6	7-26-65	72.6	-31.0	102
		7-29-65	74.0	-32.4	733
		8-03-65	75.8	-34.2	102
		8-09-65	74.5	-32.9	
		8-19-65	74.8	-33.2	733
		8-24-65	74.5	-32.9	102
		8-30-65	74.3	-32.7	
		9-09-65	74.5	-32.9	733
		9-13-65	73.0	-31.4	102
		9-20-65	69.4	-27.8	
		9-27-65	70.3	-28.7	
		9-30-65	71.7	-30.1	733
		10-11-65	68.5	-26.9	102
		10-18-65	68.9	-27.3	
		10-21-65	70.9	-29.3	733
		10-25-65	71.8	-30.2	102
		11-01-65	71.5	-29.9	
		11-08-65	(1)		
		11-11-65	69.5	-27.9	733
		11-29-65	56.6	-15.0	102
		12-02-65	50.8	-9.2	733
		12-13-65	44.5	-2.9	102
		12-23-65	52.6	-11.0	733
		12-27-65	52.5	-10.9	102
		1-03-66	52.4	-10.8	
		1-13-66	52.0	-10.4	733
		1-17-66	52.0	-10.4	102
		1-24-66	52.9	-11.3	
		1-31-66	51.8	-10.2	
		2-03-66	51.5	-9.9	733
		2-07-66	50.8	-9.2	102
		2-15-66	50.8	-9.2	
		2-21-66	51.2	-9.6	
		2-24-66	51.1	-9.5	733
		2-28-66	52.7	-11.1	102
		3-07-66	53.8	-12.2	
		3-14-66	54.9	-13.3	
		3-17-66	54.7	-13.1	733
		3-21-66	56.0	-14.4	102
		3-28-66	54.1	-12.5	
		4-04-66	56.3	-14.7	
		4-07-66	58.5	-16.9	733
		4-12-66	58.8	-17.2	102
		4-26-66	62.1	-20.5	
		4-29-66	63.4	-21.8	733
		5-03-66	65.1	-23.5	102
		5-10-66	64.0	-22.4	
		5-17-66	(1)		
		5-19-66	66.2	-24.6	733
		5-24-66	64.0	-22.4	102
		6-07-66	67.6	-26.0	
		6-14-66	68.5	-26.9	
		6-21-66	69.5	-27.9	
		6-28-66	71.0	-29.4	
		6-30-66	71.7	-30.1	733
		7-05-66	71.2	-29.6	102
		7-12-66	74.9	-33.3	
		7-19-66	74.3	-32.7	
		7-26-66	75.5	-33.9	
		8-02-66	72.6	-31.0	
		8-09-66	74.1	-32.5	
		8-16-66	76.2	-34.6	
		8-23-66	75.1	-33.5	
		8-30-66	72.9	-31.3	
		9-06-66	73.1	-31.5	
		9-13-66	71.5	-29.9	
		9-20-66	69.3	-27.7	
04S/11W-07A01S	44.5	11-03-65	74.8	-30.3	101
		4-06-66	64.0	-19.5	
04S/11W-07H01S	38.0	4-06-66	54.5	-16.5	101
04S/11W-07L01S	33.5	7-07-65	71.5(5)	-38.0	101
		7-15-65	64.5(5)	-31.0	
		8-21-65	66.5(5)	-33.0	
		9-21-65	61.5(5)	-28.0	
		10-15-65	59.5(5)	-26.0	
		11-01-65	61.5(5)	-28.0	
		12-01-65	49.5(5)	-16.0	
		12-15-65	46.5(5)	-13.0	
		1-15-66	45.5(5)	-12.0	
		2-15-66	44.5(5)	-11.0	
		3-15-66	46.5(5)	-13.0	
		4-15-66	51.5(5)	-18.0	
		5-15-66	54.5(5)	-21.0	
		6-15-66	60.5(5)	-27.0	
04S/11W-07L02S	33.5	8-15-65	66.0(5)	-32.5	101
		9-15-65	66.0(5)	-32.5	
		10-15-65	60.0(5)	-26.5	
		11-07-65	59.0(5)	-25.5	
		12-01-65	48.0(5)	-14.5	
		1-21-66	47.0(5)	-13.5	
		2-15-66	45.0(5)	-11.5	
		3-15-66	47.0(5)	-13.5	
		4-15-66	52.0(5)	-18.5	
		5-15-66	55.0(5)	-21.5	
04S/11W-07L02S (CONT.)	33.5	6-15-66	61.0(5)	-27.5	101
04S/11W-07N01S	31.0	8-31-65	64.0(5)	-33.0	101
		9-28-65	65.0(5)	-34.0	
		11-02-65	55.0(5)	-24.0	
		11-30-65	53.0(5)	-22.0	
		1-04-66	49.0(5)	-18.0	
		2-01-66	44.0(5)	-13.0	
		3-01-66	43.0(5)	-12.0	
		4-05-66	51.0(5)	-20.0	
		5-04-66	57.0(5)	-26.0	
		6-01-66	59.0(5)	-28.0	
04S/11W-07P02S	33.0	8-31-65	60.0(5)	-27.0	101
		9-28-65	49.0(5)	-16.0	
		11-02-65	58.0(5)	-25.0	
		11-30-65	52.0(5)	-19.0	
		1-04-66	38.0(5)	-5.0	
		2-01-66	36.0(5)	-3.0	
		3-01-66	33.0(5)	.0	
		4-05-66	34.0(5)	-1.0	
		5-04-66	32.0(5)	1.0	
		6-01-66	30.0(5)	3.0	
04S/11W-08E02S	35.0	4-06-66	61.9	-26.9	101
04S/11W-18A01S	33.0	4-06-66	47.8	-14.8	101
04S/11W-18J01S	31.0	4-11-66	34.0	-3.0	101
04S/11W-18P01S	26.4	7-09-65	49.6	-23.2	206
		7-30-65	51.4	-25.0	
		8-20-65	54.7	-28.3	
		9-10-65	56.5	-30.1	
		10-01-65	37.9	-11.5	
		10-22-65	40.9	-14.5	
		11-12-65	39.3	-12.9	
		12-03-65	30.2	-3.8	
		12-23-65	26.3	.1	
		1-14-66	23.7	2.7	
		2-04-66	24.1	2.3	
		2-25-66	23.1	3.3	
		3-18-66	24.8	1.6	
		4-08-66	29.6	-3.2	
		4-29-66	46.2	-19.8	
		5-20-66	48.9	-22.5	
		6-10-66	50.8	-24.4	
04S/12W-01D01S	50.5	4-06-66	57.5(4)	-7.0	101
04S/12W-02H01S	50.0	7-09-65	76.0	-26.0	733
		7-30-65	77.8	-27.8	
		8-20-65	88.6	-38.6	
		9-10-65	81.2	-31.2	
		10-01-65	79.7	-29.7	
		10-22-65	77.7	-27.7	
		11-12-65	76.5	-26.5	
		12-03-65	56.6	-6.6	
		12-24-65	54.1	-4.1	200
		1-14-66	53.0	-3.0	733
		2-04-66	53.2	-3.2	
		2-25-66	52.8	-2.8	
		3-18-66	68.7(1)	-18.7	
		4-08-66	63.4	-13.4	
		4-29-66	65.3	-15.3	
		5-20-66	66.8	-16.8	
04S/12W-02K01S	48.0	7-26-65	92.0(5)	-44.0	101
		8-24-65	99.0(5)	-51.0	
		9-21-65	98.0(5)	-50.0	
		10-20-65	63.0(5)	-15.0	
		11-02-65	65.6	-17.6	
		11-20-65	63.0(5)	-15.0	
		12-20-65	61.0(5)	-13.0	
		1-30-66	57.0(5)	-9.0	
		2-25-66	55.0(5)	-7.0	
		3-25-66	52.0(5)	-4.0	
		4-11-66	58.0	-10.0	
		4-25-66	54.0(5)	-6.0	
		5-31-66	52.0(5)	-4.0	
04S/12W-02Q01S	47.0	7-21-65	59.0(5)	-12.0	101
		8-21-65	55.0(5)	-8.0	
		9-25-65	198.0(1)	-151.0	
		10-20-65	212.0(1)	-165.0	
		11-21-65	36.0(5)	11.0	
		12-20-65	18.0(5)	29.0	
		1-30-66	15.0(5)	32.0	
		2-25-66	140.0(1)	-93.0	
		3-25-66	25.0(5)	22.0	
		4-25-66	182.0(1)	-135.0	
		5-31-66	41.0(5)	6.0	
04S/12W-03D01S	54.0	7-15-65	108.2(5)	-54.2	101
		8-15-65	106.2(5)	-52.2	
		9-15-65	105.2(5)	-51.2	
		10-15-65	93.2(5)	-39.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-03D01S (CONT.)	54.0	11-15-65	85.2(5)	-31.2	101
		12-15-65	75.2(5)	-21.2	
		1-30-66	68.2(5)	-14.2	
		2-28-66	71.2(5)	-17.2	
		3-25-66	79.2(5)	-25.2	
		4-25-66	96.2(5)	-42.2	
		5-30-66	90.2(5)	-36.2	
04S/12W-03E01S	53.0	8-15-65	89.0(5)	-36.0	101
		9-18-65	80.0(5)	-27.0	
		10-25-65	85.0(5)	-32.0	
		11-27-65	76.0(5)	-23.0	
		12-15-65	70.0(5)	-17.0	
		1-30-66	155.0(1)	-102.0	
		2-25-66	157.0(1)	-104.0	
		3-25-66	74.0(5)	-21.0	
		4-17-66	76.0(5)	-23.0	
		5-13-66	79.0(5)	-26.0	
04S/12W-03H01S	55.0	8-12-65	96.0(5)	-41.0	101
		9-06-65	89.0(5)	-34.0	
		10-17-65	74.0(5)	-19.0	
		11-15-65	92.0(5)	-37.0	
		12-24-65	73.0	-18.0	
		1-23-66	71.0(5)	-16.0	
		2-25-66	94.0(5)	-39.0	
		3-27-66	64.0(5)	-9.0	
		4-20-66	68.0(5)	-13.0	
		5-31-66	153.0(1)	-98.0	
04S/12W-04J03S	53.0	7-15-65	163.0(1)	-110.0	101
		8-15-65	162.0(1)	-109.0	
		9-15-65	94.0(5)	-41.0	
		10-12-65	82.0(5)	-29.0	
		11-23-65	75.0(5)	-22.0	
		12-14-65	83.0(5)	-30.0	
		1-27-66	76.0(5)	-23.0	
		2-10-66	84.0(5)	-31.0	
		3-27-66	72.0(5)	-19.0	
		4-26-66	73.0(5)	-20.0	
		5-06-66	85.0(5)	-32.0	
04S/12W-05H01S	50.0	11-02-65	52.3	-2.3	101
		4-06-66	49.8	.2	
04S/12W-05H02S	50.0	7-05-65	53.7	-3.7	206
		7-12-65	54.3	-4.3	
		7-19-65	54.7	-4.7	
		7-26-65	55.0	-5.0	
		8-02-65	55.4	-5.4	
		8-09-65	54.6	-4.6	
		8-16-65	55.1	-5.1	
		8-23-65	55.3	-5.3	
		8-30-65	55.2	-5.2	
		9-06-65	55.4	-5.4	
		9-13-65	55.0	-5.0	
		9-20-65	55.0	-5.0	
		9-27-65	54.5	-4.5	
		10-04-65	54.9	-4.9	
		10-11-65	54.6	-4.6	
		10-18-65	54.5	-4.5	
		10-25-65	54.6	-4.6	
		11-01-65	54.7	-4.7	
		11-15-65	54.3	-4.3	
		11-22-65	53.8	-3.8	
		11-29-65	53.5	-3.5	
		12-06-65	53.2	-3.2	
		12-13-65	53.0	-3.0	
		12-20-65	52.9	-2.9	
		12-27-65	52.8	-2.8	
		1-03-66	52.6	-2.6	
		1-10-66	52.5	-2.5	
		1-17-66	52.4	-2.4	
		1-24-66	52.2	-2.2	
		1-31-66	52.0	-2.0	
		2-07-66	51.8	-1.8	
		2-14-66	51.8	-1.8	
		2-21-66	51.2	-1.2	
		2-28-66	51.2	-1.2	
		3-07-66	51.3	-1.3	
		3-14-66	51.3	-1.3	
		3-21-66	51.3	-1.3	
		3-28-66	51.4	-1.4	
		4-08-66	51.3	-1.3	
		4-18-66	51.6	-1.6	
		4-25-66	52.0	-2.0	
		5-02-66	52.2	-2.2	
		5-09-66	52.3	-2.3	
		5-16-66	52.4	-2.4	
		5-23-66	52.4	-2.4	
		5-31-66	53.1	-3.1	
		6-06-66	52.7	-2.7	
		6-13-66	52.8	-2.8	
		6-20-66	53.1	-3.1	
		6-27-66	53.4	-3.4	
04S/12W-06D01S	49.2	8-16-65	90.9	-41.7	101
		9-20-65	79.9	-30.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-06D01S (CONT.)	49.2	10-18-65	79.5	-30.3	101
		11-22-65	77.6	-28.4	
		12-20-65	76.1	-26.9	
		1-31-66	73.8	-24.6	
		2-28-66	24.5	24.7	
		3-28-66	71.9	-22.7	
		4-25-66	24.0	25.2	
		5-30-66	77.4	-28.2	
		6-20-66	77.7	-28.5	
04S/12W-06D02S	48.0	8-16-65	51.6	-3.6	101
		9-20-65	50.4	-2.4	
		10-17-65	50.3	-2.3	
		11-22-65	50.3	-2.3	
		12-20-65	50.2	-2.2	
		1-24-66	50.2	-2.2	
		2-28-66	50.2	-2.2	
		3-28-66	50.2	-2.2	
		4-25-66	50.9	-2.9	
		5-30-66	51.6	-3.6	
		6-20-66	51.5	-3.5	
04S/12W-06D03S	46.3	8-16-65	129.7(1)	-83.4	101
		9-06-65	98.2	-51.9	
		10-18-65	111.7(1)	-65.4	
		11-15-65	110.9(1)	-64.6	
		12-27-65	82.7	-36.4	
		1-24-66	93.6	-47.3	
		2-21-66	92.3	-46.0	
		3-21-66	100.3(1)	-54.0	
		4-25-66	97.9(1)	-51.6	
		5-30-66	114.0(1)	-67.7	
		6-20-66	114.3(1)	-68.0	
04S/12W-06J01S	47.0	8-03-65	106.5	-59.5	101
		9-21-65	103.0	-56.0	
		10-26-65	114.5	-67.5	
		11-23-65	109.6	-62.6	
		12-21-65	106.7	-59.7	
		1-18-66	102.3	-55.3	
		2-22-66	93.1	-46.1	
		3-22-66	96.1	-49.1	
		4-26-66	102.2	-55.2	
		5-24-66	106.9	-59.9	
		6-21-66	115.5	-68.5	
04S/12W-06J02S	45.9	7-20-65	107.6	-61.7	101
		8-24-65	114.0	-68.1	
		9-28-65	106.8	-60.9	
		10-26-65	181.4(1)	-135.5	
		11-30-65	179.2(1)	-133.3	
		12-28-65	172.4(1)	-126.5	
		1-25-66	171.4(1)	-125.5	
		2-22-66	154.6(1)	-108.7	
		3-22-66	166.5(1)	-120.6	
		4-26-66	174.3(1)	-128.4	
		5-24-66	87.6	-41.7	
		6-21-66	101.4	-55.5	
04S/12W-06K01S	47.7	8-24-65	111.3	-63.6	101
		9-07-65	112.0	-64.3	
		10-12-65	113.5	-65.8	
		11-23-65	112.3	-64.6	
		12-21-65	107.1	-59.4	
		1-25-66	103.0	-55.3	
		2-22-66	98.8	-51.1	
		3-22-66	95.4	-47.7	
		4-19-66	99.2	-51.5	
		5-24-66	106.8	-59.1	
		6-21-66	115.3	-67.6	
04S/12W-06K02S	47.1	7-20-65	153.1(1)	-106.0	101
		8-24-65	165.7(1)	-118.6	
		9-21-65	162.9(1)	-115.8	
		10-26-65	101.3	-54.2	
		11-23-65	98.7	-51.6	
		12-21-65	89.7	-42.6	
		1-25-66	83.7	-36.6	
		2-22-66	80.4	-33.3	
		3-22-66	83.1	-36.0	
		4-19-66	84.1	-37.0	
		5-17-66	87.9	-40.8	
		6-21-66	99.0	-51.9	
04S/12W-06K04S	46.6	7-20-65	101.9	-55.3	101
		8-24-65	108.2	-61.6	
		9-28-65	108.8	-62.2	
		10-26-65	103.3	-56.7	
		11-23-65	93.0	-46.4	
		12-21-65	87.8	-41.2	
		1-25-66	83.5	-36.9	
		2-22-66	79.7	-33.1	
		3-22-66	81.7	-35.1	
		4-19-66	82.9	-36.3	
		5-17-66	85.4	-38.8	
		6-21-66	98.4	-51.8	
04S/12W-06K05S	45.0	11-09-65	DRY		101

TABLE C-I

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-06K05S (CONT.)	45.0	4-18-66	DRY		101
04S/12W-08B01S	42.0	2-25-66	80.0(5)	-38.0	101
		3-25-66	81.0(5)	-39.0	
		4-25-66	88.0(5)	-46.0	
		5-25-66	91.0(5)	-49.0	
04S/12W-08F01S	67.0	7-15-65	117.0(5)	-50.0	101
		8-15-65	124.0(5)	-57.0	
		9-15-65	126.0(5)	-59.0	
		10-15-65	112.0(5)	-45.0	
		11-15-65	110.0(5)	-43.0	
		12-15-65	101.0(5)	-34.0	
		1-30-66	97.0(5)	-30.0	
		2-25-66	93.0(5)	-26.0	
		3-25-66	97.0(5)	-30.0	
		4-25-66	98.0(5)	-31.0	
		5-25-66	99.0(5)	-32.0	
04S/12W-08N02S	70.0	7-09-65	131.0	-61.0	733
		7-30-65	143.4	-73.4	
		8-20-65	145.6	-75.6	
		9-10-65	146.4	-76.4	
		10-01-65	145.9	-75.9	
		10-22-65	144.7	-74.7	
		11-12-65	144.2	-74.2	
		12-03-65	132.4	-62.4	
		12-24-65	123.9	-53.9	
		1-14-66	124.0	-54.0	
		2-04-66	123.7	-53.7	
		2-25-66	123.2	-53.2	
		3-18-66	118.6	-48.6	
		4-08-66	118.6	-48.6	
		4-29-66	124.6	-54.6	
		5-20-66	128.6	-58.6	
04S/12W-08P06S	69.5	7-15-65	128.4(5)	-58.9	101
		8-15-65	134.4(5)	-64.9	
		9-15-65	127.4(5)	-57.9	
		10-15-65	127.4(5)	-57.9	
		11-15-65	126.4(5)	-56.9	
		12-15-65	119.4(5)	-49.9	
		1-30-66	114.4(5)	-44.9	
		2-25-66	105.4(5)	-35.9	
		3-25-66	107.4(5)	-37.9	
		4-25-66	114.4(5)	-44.9	
		5-25-66	116.4(5)	-46.9	
04S/12W-08R01S	58.0	7-16-65	108.0(5)	-50.0	101
		8-20-65	123.0(5)	-65.0	
		9-17-65	116.0(5)	-58.0	
		10-15-65	116.0(5)	-58.0	
		11-19-65	114.0(5)	-56.0	
		12-17-65	110.0(5)	-52.0	
		1-28-66	103.0(5)	-45.0	
		2-25-66	98.0(5)	-40.0	
		3-25-66	95.0(5)	-37.0	
		4-29-66	100.0(5)	-42.0	
		5-27-66	109.0(5)	-51.0	
04S/12W-09C01S	49.0	4-06-66	18.7	30.3	101
04S/12W-10A02S	52.0	7-25-65	103.8(5)	-51.8	101
		8-29-65	107.8(5)	-55.8	
		9-25-65	99.8(5)	-47.8	
		10-26-65	96.8(5)	-44.8	
		11-20-65	80.8	-28.8	
		12-25-65	66.8(5)	-14.8	
		1-30-66	67.8(5)	-15.8	
		2-28-66	68.8(5)	-16.8	
		3-25-66	77.8(5)	-25.8	
		4-30-66	95.8(5)	-43.8	
		5-31-66	95.8(5)	-43.8	
04S/12W-10G01S	47.0	11-25-65	80.0(5)	-33.0	101
		12-10-65	115.0(1)	-68.0	
		1-30-66	82.0(5)	-35.0	
		2-08-66	108.0(1)	-61.0	
		3-29-66	117.0(1)	-70.0	
		4-09-66	60.0(5)	-13.0	
04S/12W-10H01S	46.0	8-20-65	127.0(1)	-81.0	101
		9-20-65	120.0(1)	-74.0	
		10-20-65	118.0(1)	-72.0	
		11-20-65	104.0(1)	-58.0	
		12-20-65	106.0(1)	-60.0	
		1-20-66	106.0(1)	-60.0	
		2-08-66	103.0(1)	-57.0	
		3-16-66	71.0(5)	-25.0	
		4-25-66	113.0(1)	-67.0	
		5-16-66	83.0(5)	-37.0	
04S/12W-10H03S	46.5	7-27-65	128.0(5)	-81.5	101
		8-19-65	86.0(5)	-39.5	
		9-20-65	75.0(5)	-28.5	
		10-20-65	73.0(5)	-26.5	
		11-20-65	62.0(5)	-15.5	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-10H03S (CONT.)	46.5	12-20-65	59.0(5)	-12.5	101
		1-30-66	66.0(5)	-19.5	
		2-28-66	59.0(5)	-12.5	
		3-04-66	64.0(5)	-17.5	
		4-30-66	124.0(1)	-77.5	
		5-31-66	131.0(1)	-84.5	
04S/12W-10J02S	45.5	7-25-65	92.0(5)	-46.5	101
		8-22-65	96.0(5)	-50.5	
		9-26-65	92.0(5)	-46.5	
		10-10-65	90.0(5)	-44.5	
		11-26-65	91.0(5)	-45.5	
		12-20-65	95.0(5)	-49.5	
		1-30-66	92.0(5)	-46.5	
		2-26-66	90.0(5)	-44.5	
		3-30-66	95.0(5)	-49.5	
		4-10-66	96.0(5)	-50.5	
		5-30-66	96.0(5)	-50.5	
04S/12W-11B03S	42.0	8-20-65	84.0(5)	-42.0	101
		9-20-65	71.0(5)	-29.0	
		10-20-65	73.0(5)	-31.0	
		11-20-65	75.0(5)	-33.0	
		12-20-65	59.0(5)	-17.0	
		1-30-66	61.0(5)	-19.0	
		2-25-66	61.0(5)	-19.0	
		3-25-66	62.0(5)	-20.0	
		4-26-66	69.0(5)	-27.0	
		5-31-66	73.0(5)	-31.0	
04S/12W-11B04S	47.7	11-02-65	DRY		101
		4-06-66	DRY		
04S/12W-12J01S	40.0	7-31-65	78.2	-38.2	101
		8-21-65	77.8(5)	-37.8	
		9-21-65	78.2	-38.2	
		10-30-65	75.2	-35.2	
		11-15-65	65.8(5)	-25.8	
		12-15-65	56.8(5)	-16.8	
		1-15-66	55.8(5)	-15.8	
		2-15-66	54.8(5)	-14.8	
		3-07-66	54.2	-14.2	
		4-01-66	61.2	-21.2	
		5-15-66	72.8(5)	-32.8	
		6-15-66	68.8(5)	-28.8	
04S/12W-13C01S	33.5	7-20-65	70.7	-37.2	101
		8-24-65	77.9	-44.4	
		9-21-65	69.1	-35.6	
		10-19-65	59.7	-26.2	
		11-16-65	59.4	-25.9	
		12-21-65	49.4	-15.9	
		1-25-66	54.7	-21.2	
		2-22-66	50.9	-17.4	
		3-22-66	58.3	-24.8	
		4-26-66	64.0	-30.5	
		5-24-66	69.3	-35.8	
		6-21-66	70.9	-37.4	
04S/12W-13C02S	36.5	7-30-65	79.8	-43.3	101
		8-20-65	82.0	-45.5	
		9-10-65	99.3	-62.8	
		10-22-65	61.3	-24.8	
		11-12-65	57.6	-21.1	
		12-23-65	43.2	-6.7	
		1-14-66	43.9	-7.4	
04S/12W-13C03S	33.0	7-20-65	83.6	-50.6	101
		8-24-65	88.6	-55.6	
		9-21-65	81.0	-48.0	
		10-26-65	64.8	-31.8	
		11-23-65	53.8	-20.8	
		12-14-65	46.1	-13.1	
		1-18-66	43.1	-10.1	
		2-22-66	44.2	-11.2	
		3-22-66	48.9	-15.9	
		4-26-66	143.4(1)	-110.4	
		5-31-66	168.4(1)	-135.4	
		6-21-66	81.2	-48.2	
04S/12W-13D01S	36.1	7-30-65	97.5	-61.4	101
		8-20-65	99.7	-63.6	
		9-10-65	96.7	-60.6	
		10-01-65	91.1	-55.0	
		11-12-65	61.7	-25.6	
		12-23-65	45.9	-9.8	
		1-14-66	45.5	-9.4	
		2-25-66	46.4	-10.3	
		3-18-66	48.3	-12.2	
		4-29-66	86.1	-50.0	
		5-20-66	89.4	-53.3	
		6-10-66	89.3	-53.2	
04S/12W-13D03S	36.0	7-20-65	161.2(1)	-125.2	101
		8-10-65	167.8(1)	-131.8	
		9-14-65	92.4	-56.4	
		10-19-65	66.3	-30.3	
		11-16-65	61.4	-25.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-13D03S (CONT.)	36.0	12-21-65	48.4	-12.4	101
		1-18-66	49.0	-13.0	
		2-22-66	49.8	-13.8	
		3-22-66	53.2	-17.2	
		4-26-66	82.2	-46.2	
		5-24-66	87.7	-51.7	
		6-21-66	164.4(1)	-128.4	
04S/12W-13G01S	35.0	7-09-65	73.9	-38.9	206
		7-30-65	76.3	-41.3	101
		8-20-65	72.2	-37.2	
		9-10-65	82.6	-47.6	
		10-01-65	75.5	-40.5	206
		10-22-65	64.6	-29.6	101
		11-12-65	56.1	-21.1	
		12-03-65	46.4	-11.4	206
		12-23-65	40.6	-5.6	101
		1-14-66	39.4	-4.4	206
		2-04-66	38.8	-3.8	
		2-25-66	39.4	-4.4	
		3-18-66	43.1	-8.1	
		4-08-66	61.0	-26.0	
		4-29-66	78.6	-43.6	
		5-20-66	80.8	-45.8	
		6-10-66	81.5	-46.5	
04S/12W-13J02S	28.0	7-09-65	70.1	-42.1	206
		7-30-65	59.2	-31.2	101
		8-20-65	54.6	-26.6	
		9-10-65	74.9	-46.9	
		10-01-65	67.8	-39.8	206
		10-22-65	56.4	-28.4	101
		11-12-65	47.8	-19.8	
		12-03-65	38.8	-10.8	206
		12-23-65	32.7	-4.7	101
		1-14-66	32.1	-4.1	206
		2-04-66	32.7	-4.7	
		2-25-66	33.4	-5.4	
		3-18-66	37.0	-9.0	
		4-08-66	55.4	-27.4	
		4-29-66	73.6	-45.6	
		5-20-66	74.6	-46.6	
		6-10-66	75.4	-47.4	
04S/12W-13N01S	28.5	7-20-65	96.3	-67.8	101
		8-10-65	98.8	-70.3	
		9-21-65	93.7	-65.2	
		10-26-65	77.5	-49.0	
		11-16-65	71.5	-43.0	
		12-14-65	58.8	-30.3	
		2-21-66	49.0	-20.5	
		3-21-66	65.3	-36.8	
		4-25-66	68.1	-39.6	
		5-23-66	67.0	-38.5	
		6-20-66	69.9	-41.4	
04S/12W-13N02S	29.0	8-16-65	69.3	-40.3	101
		9-20-65	64.4	-35.4	
		10-18-65	61.4	-32.4	
		10-25-65	110.6(1)	-81.6	
		11-29-65	48.1(1)	-19.1	
		12-20-65	52.0(1)	-23.0	
		1-24-66	43.6(1)	-14.6	
		2-21-66	48.2	-19.2	
		3-21-66	101.4(1)	-72.4	
		4-25-66	105.1(1)	-76.1	
		5-30-66	105.5(1)	-76.5	
		6-20-66	110.5(1)	-81.5	
04S/12W-13P01S	37.3	7-28-65	74.0	-36.7	101
		10-19-65	66.7	-29.4	
		1-03-66	52.6	-15.3	
		4-18-66	64.5	-27.2	
		5-12-66	64.5	-27.2	
04S/12W-14A02S	36.0	7-20-65	78.5	-42.5	101
		8-24-65	80.0	-44.0	
		9-14-65	133.9(1)	-97.9	
		10-05-65	76.9	-40.9	
		11-16-65	60.0	-24.0	
		12-14-65	64.6	-28.6	
		1-25-66	128.6(1)	-92.6	
		2-15-66	58.6	-22.6	
		3-15-66	60.6	-24.6	
		4-19-66	60.0	-24.0	
		5-17-66	132.4(1)	-96.4	
		6-21-66	78.3	-42.3	
04S/12W-14A03S	34.4	7-09-65	52.0	-17.6	206
		7-30-65	56.2	-21.8	
		8-20-65	58.0	-23.6	
		9-10-65	57.2	-22.8	
		10-01-65	56.8	-22.4	
		10-22-65	55.3	-20.9	
		11-12-65	54.2	-19.8	
		12-03-65	51.1	-16.7	
		12-23-65	49.1	-14.7	
		1-14-66	47.7	-13.3	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-14A03S (CONT.)	34.4	2-04-66	48.0	-13.6	206
		2-25-66	49.1	-14.7	
		3-18-66	48.6	-14.2	
		4-08-66	50.1	-15.7	
		4-29-66	51.6	-17.2	
		5-20-66	53.0	-18.6	
		6-10-66	53.5	-19.1	
04S/12W-14B01S	39.0	7-20-65	81.7	-42.7	101
		8-24-65	85.4	-46.4	
		9-14-65	90.4	-51.4	
		10-19-65	76.1	-37.1	
		11-23-65	65.0	-26.0	
		12-21-65	66.8	-27.8	
		1-25-66	71.8	-32.8	
		2-15-66	68.5	-29.5	
		3-15-66	64.6	-25.6	
		4-19-66	69.3	-30.3	
		5-17-66	75.5	-36.5	
		6-21-66	79.7	-40.7	
04S/12W-14C01S	44.0	8-20-65	90.1	-46.1	101
		9-10-65	82.7	-38.7	
		10-22-65	79.1	-35.1	
		11-12-65	73.9	-29.9	
		12-23-65	68.7	-24.7	
		1-14-66	69.6	-25.6	
		2-25-66	74.8	-30.8	
		3-18-66	68.6	-24.6	
		4-29-66	77.1	-33.1	
		5-20-66	79.5	-35.5	
		6-10-66	80.7	-36.7	
04S/12W-14C02S	46.0	8-24-65	116.9(1)	-70.9	101
		9-21-65	117.1(1)	-71.1	
		10-26-65	117.6(1)	-71.6	
		11-23-65	112.8(1)	-66.8	
		12-21-65	72.0	-26.0	
		1-18-66	68.1	-22.1	
		2-15-66	63.4	-17.4	
		3-15-66	62.2	-16.2	
		4-19-66	102.2(1)	-56.2	
		5-17-66	106.3(1)	-60.3	
		6-21-66	112.0(1)	-66.0	
04S/12W-14C06S	36.2	8-24-65	80.5	-44.3	101
		9-28-65	72.0	-35.8	
		10-26-65	75.3	-39.1	
		11-30-65	60.7	-24.5	
		12-07-65	127.1(1)	-90.9	
		1-25-66	127.0(1)	-90.8	
		2-15-66	124.1(1)	-87.9	
		3-15-66	62.7	-26.5	
		4-19-66	65.3	-29.1	
		5-17-66	71.3	-35.1	
		6-21-66	74.7	-38.5	
04S/12W-14D01S	46.0	8-24-65	97.8	-51.8	101
		9-14-65	99.2	-53.2	
		10-19-65	95.4	-49.4	
		11-23-65	92.5	-46.5	
		12-14-65	81.2	-35.2	
		1-25-66	68.6	-22.6	
		2-14-66	63.5	-17.5	
		3-15-66.	62.4	-16.4	
		4-19-66	81.9	-35.9	
		5-17-66	86.4	-40.4	
		6-21-66	93.1	-47.1	
04S/12W-14D02S	52.7	7-30-65	90.6	-37.9	733
		8-20-65	95.3	-42.6	
		9-10-65	91.4	-38.7	
		10-01-65	88.4	-35.7	
		10-22-65	86.7	-34.0	
		11-12-65	86.4	-33.7	
		12-03-65	80.7	-28.0	
		12-24-65	78.1	-25.4	200
		1-14-66	75.6	-22.9	733
		2-04-66	75.3	-22.6	
		2-25-66	74.5	-21.8	
		3-18-66	80.6	-27.9	
		4-08-66	80.4	-27.7	
		4-29-66	84.0	-31.3	
		5-20-66	88.2	-35.5	
04S/12W-14K01S	29.7	7-26-65	69.1	-39.4	101
		8-30-65	74.9	-45.2	
		9-20-65	66.2	-36.5	
		10-18-65	65.5	-35.8	
		11-01-65	64.4	-34.7	
		12-20-65	50.3	-20.6	
		1-24-66	51.8	-22.1	
		2-21-66	53.1	-23.4	
		3-21-66	61.5	-31.8	
		4-25-66	63.6	-33.9	
		5-23-66	65.4	-35.7	
		6-20-66	68.4	-38.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-14P01S (CONT.)	28.0	8-24-65	71.1	-43.1	101
		9-21-65	70.7	-42.7	
		10-26-65	73.3	-45.3	
		11-23-65	59.4	-31.4	
		12-21-65	53.6	-25.6	
		1-25-66	49.2	-21.2	
		2-22-66	47.5	-19.5	
		3-22-66	43.2	-15.2	
		4-19-66	54.6	-26.6	
		5-17-66	59.8	-31.8	
		6-21-66	65.5	-37.5	
04S/12W-14R01S	20.0	7-26-65	60.0	-40.0	101
		8-30-65	65.7	-45.7	
		9-20-65	55.5	-35.5	
		10-25-65	60.3	-40.3	
		11-15-65	44.3	-24.3	
		12-20-65	37.2	-17.2	
		1-24-66	39.2	-19.2	
		2-14-66	37.7	-17.7	
		3-14-66	47.8	-27.8	
		4-18-66	50.8	-30.8	
		5-16-66	57.4	-37.4	
		6-20-66	58.3	-38.3	
04S/12W-15H01S	40.0	7-20-65	87.7	-47.7	101
		8-24-65	93.2	-53.2	
		9-28-65	89.5	-49.5	
		10-26-65	91.1	-51.1	
		11-23-65	87.6	-47.6	
		12-21-65	76.3	-36.3	
		1-25-66	72.5	-32.5	
		2-15-66	65.5	-25.5	
		3-15-66	64.2	-24.2	
		4-19-66	76.5	-36.5	
		5-17-66	81.2	-41.2	
		6-21-66	88.0	-48.0	
04S/12W-15H02S	40.0	7-30-65	58.1	-18.1	206
		8-20-65	59.8	-19.8	
		9-10-65	59.5	-19.5	
		10-01-65	57.7	-17.7	
		10-22-65	56.7	-16.7	
		11-12-65	55.9	-15.9	
		12-03-65	52.9	-12.9	
		12-23-65	51.5	-11.5	
		1-14-66	50.1	-10.1	
		2-04-66	51.3	-11.3	
		2-25-66	52.3	-12.3	
		3-18-66	51.8	-11.8	
		4-08-66	52.8	-12.8	
		4-29-66	54.2	-14.2	
		5-20-66	54.9	-14.9	
		6-10-66	55.7	-15.7	
04S/12W-15C01S	40.0	4-06-66	19.1	20.9	101
04S/12W-15K03S	37.0	8-16-65	80.4	-43.4	101
		9-20-65	76.7	-39.7	
		10-25-65	76.3	-39.3	
		11-22-65	71.4	-34.4	
		12-13-65	62.9	-25.9	
		1-24-66	57.9	-20.9	
		2-14-66	57.7	-20.7	
		3-14-66	60.0	-23.0	
		4-18-66	63.7	-26.7	
		5-16-66	67.3	-30.3	
		6-20-66	72.5	-35.5	
04S/12W-16C01S	46.5	4-06-66	DRY		101
04S/12W-16J01S	34.0	7-26-65	75.4	-41.4	101
		8-16-65	84.7	-50.7	
		9-13-65	80.0	-46.0	
		10-25-65	76.8	-42.8	
		11-15-65	71.8	-37.8	
		12-20-65	61.0	-27.0	
		1-24-66	63.7	-29.7	
		2-14-66	62.8	-28.8	
		3-14-66	68.4	-34.4	
		4-18-66	67.7	-33.7	
		5-16-66	67.9	-33.9	
		6-20-66	76.7	-42.7	
04S/12W-16R01S	31.9	7-26-65	71.8	-39.9	101
		8-17-65	78.8	-46.9	
		9-20-65	75.3	-43.4	
		10-18-65	71.5	-39.6	
		11-16-65	69.3	-37.4	
		12-14-65	61.9	-30.0	
		1-24-66	103.9(1)	-72.0	
		2-21-66	106.7(1)	-74.8	
		3-21-66	109.1(1)	-77.2	
		4-18-66	104.4(1)	-72.5	
		5-16-66	111.2(1)	-79.3	
		6-20-66	112.6(1)	-80.7	
04S/12W-17E01S	66.0	7-20-65	160.9(1)	-94.9	101

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-17E01S (CONT.)	66.0	8-24-65	168.4(1)	-102.4	101
		9-28-65	123.9	-57.9	
		10-26-65	124.4	-58.4	
		11-23-65	118.7	-52.7	
		12-28-65	111.1	-45.1	
		1-25-66	109.8	-43.8	
		2-22-66	101.3	-35.3	
		3-22-66	104.5	-38.5	
		4-26-66	111.4	-45.4	
		5-31-66	119.3	-53.3	
		6-21-66	127.9	-61.9	
04S/12W-17N01S	57.0	7-20-65	113.5	-56.5	101
		8-24-65	119.9	-62.9	
		9-07-65	119.5	-62.5	
		10-26-65	110.2	-53.2	
		11-23-65	99.7	-42.7	
		12-28-65	92.3	-35.3	
		1-25-66	90.9	-33.9	
		2-22-66	86.8	-29.8	
		3-22-66	90.5	-33.5	
		4-24-66	93.6	-36.6	
		5-24-66	96.3	-39.3	
		6-21-66	119.1	-62.1	
04S/12W-17N02S	56.0	7-20-65	110.6	-54.6	101
		8-03-65	113.2(2)	-57.2	206
		8-24-65	117.5	-61.5	101
		9-07-65	115.9(2)	-59.9	206
		9-07-65	115.9	-59.9	101
		10-05-65	107.5	-51.5	206
		10-26-65	107.6	-51.6	101
		11-02-65	104.0	-48.0	206
		11-23-65	95.4	-39.4	101
		12-27-65	93.6	-37.6	206
		12-28-65	89.7	-33.7	101
		1-04-66	88.5	-32.5	206
		1-25-66	89.0	-33.0	101
		2-08-66	85.8	-29.8	206
		2-22-66	94.1	-38.1	101
		3-08-66	86.6	-30.6	206
		3-22-66	88.3	-32.3	101
		4-05-66	88.6	-32.6	206
		4-19-66	89.9	-33.9	101
		5-03-66	92.3	-36.3	206
		5-24-66	93.4	-37.4	101
		6-07-66	113.7(2)	-57.7	206
		6-21-66	117.2	-61.2	101
		7-05-66	120.0(2)	-64.0	206
		8-02-66	113.2(2)	-57.2	
		9-06-66	116.7(2)	-60.7	
04S/12W-17P01S	50.0	7-09-65	100.1	-50.1	206
		7-30-65	94.5	-44.5	
		8-20-65	98.3	-48.3	
		9-10-65	105.6	-55.6	
		10-01-65	95.7	-45.7	
		10-22-65	92.8	-42.8	
		11-12-65	95.8	-45.8	
		12-03-65	91.9	-41.9	
		12-23-65	93.7	-43.7	
		1-14-66	92.6	-42.6	
		2-04-66	91.7	-41.7	
		2-25-66	90.3	-40.3	
		3-18-66	94.0	-44.0	
		4-08-66	93.2	-43.2	
		4-29-66	94.7	-44.7	
		5-20-66	93.8	-43.8	
		6-10-66	97.2	-47.2	
04S/12W-17P04S	46.0	7-20-65	100.8	-54.8	101
		8-10-65	105.7	-59.7	
		9-07-65	106.7	-60.7	
		10-26-65	99.0	-53.0	
		11-23-65	90.0	-44.0	
		12-21-65	82.7	-36.7	
		1-25-66	79.7	-33.7	
		2-22-66	75.4	-29.4	
		3-22-66	79.8	-33.8	
		4-19-66	81.6	-35.6	
		5-24-66	85.3	-39.3	
		6-21-66	136.8(1)	-90.8	
04S/12W-17Q01S	47.2	7-20-65	105.2	-58.0	101
		8-24-65	110.5	-63.3	
		9-07-65	110.2	-63.0	
		10-26-65	102.8	-55.6	
		11-23-65	94.7	-47.5	
		12-21-65	90.2	-43.0	
		1-25-66	85.7	-38.5	
		2-22-66	79.0	-31.8	
		3-22-66	82.6	-35.4	
		4-19-66	86.8	-39.6	
		5-17-66	90.2	-43.0	
		6-21-66	110.1	-62.9	
04S/12W-18R01S	63.0	7-20-65	119.3	-56.3	101
		8-24-65	125.6	-62.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.40
CENTRAL HYDRO SUBAREA U-05.45

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-18R01S	63.0	9-07-65	124.6	-61.6	101
(CONT.)		10-26-65	117.7	-54.7	
		11-23-65	108.5	-45.5	
		12-21-65	102.2	-39.2	
		1-25-66	98.8	-35.8	
		2-22-66	94.7	-31.7	
		3-22-66	97.7	-34.7	
		4-26-66	101.8	-38.8	
		5-24-66	103.9	-40.9	
		6-21-66	119.9	-56.9	
04S/12W-19A01S	71.0	1-06-66	138.0(1)	-67.0	101
		2-25-66	133.0	-62.0	
		3-25-66	144.0	-73.0	
		4-29-66	134.0	-63.0	
		5-27-66	132.0	-61.0	
		6-24-66	132.0	-61.0	
04S/12W-20G01S	34.1	8-24-65	107.4	-73.3	101
		9-07-65	105.8	-71.7	
		10-26-65	101.4	-67.3	
		11-23-65	90.8	-56.7	
		12-21-65	83.4	-49.3	
		1-25-66	79.7	-45.6	
		2-22-66	76.8	-42.7	
		3-22-66	79.9	-45.8	
		4-19-66	81.4	-47.3	
		5-17-66	84.6	-50.5	
		6-21-66	108.1	-74.0	
04S/12W-21F01S	29.0	7-05-65	88.8	-59.8	206
		7-12-65	84.1	-55.1	
		7-19-65	90.0	-61.0	
		7-26-65	87.9	-58.9	
		8-02-65	92.7	-63.7	
		8-09-65	93.2	-64.2	
		8-16-65	96.4	-67.4	
		8-23-65	97.1	-68.1	
		8-30-65	98.2	-69.2	
		9-06-65	92.9	-63.9	
		9-13-65	96.5	-67.5	
		9-20-65	87.1	-58.1	
		9-27-65	92.2	-63.2	
		10-04-65	91.3	-62.3	
		10-11-65	91.4	-62.4	
		10-18-65	88.2	-59.2	
		10-25-65	92.6	-63.6	
		11-01-65	92.5	-63.5	
		11-15-65	90.8	-61.8	
		11-22-65	88.8	-59.8	
		11-29-65	87.6	-58.6	
		12-06-65	85.1	-56.1	
		12-13-65	82.7	-53.7	
		12-20-65	81.0	-52.0	
		12-27-65	79.6	-50.6	
		1-03-66	78.4	-49.4	
		1-10-66	76.7	-47.7	
		1-17-66	77.1	-48.1	
		1-24-66	77.4	-48.4	
		1-31-66	75.2	-46.2	
		2-07-66	62.9	-33.9	
		2-14-66	58.9	-29.9	
		2-21-66	56.7	-27.7	
		2-28-66	55.3	-26.3	
		3-07-66	63.6	-34.6	
		3-14-66	64.8	-35.8	
		3-21-66	65.7	-36.7	
		3-28-66	66.2	-37.2	
		4-08-66	66.5	-37.5	
		4-18-66	77.0	-48.0	
		4-25-66	80.0	-51.0	
		5-02-66	81.7	-52.7	
		5-09-66	76.3	-47.3	
		5-16-66	82.6	-53.6	
		5-23-66	84.3	-55.3	
		5-31-66	85.7	-56.7	
		6-06-66	88.0	-59.0	
		6-13-66	89.9	-60.9	
		6-20-66	91.4	-62.4	
		6-27-66	92.8	-63.8	
04S/12W-21J04S	36.7	7-20-65	160.6(1)	-123.9	101
		8-31-65	173.9(1)	-137.2	
		9-14-65	110.0	-73.3	
		10-12-65	167.9(1)	-131.2	
		11-23-65	171.2(1)	-134.5	
		12-21-65	167.9(1)	-131.2	
		1-25-66	170.0	-133.3	
		2-15-66	66.7	-30.0	
		3-15-66	161.1(1)	-124.4	
		4-19-66	168.7(1)	-132.0	
		5-17-66	173.3(1)	-136.6	
		6-21-66	185.4(1)	-148.7	
04S/12W-21M02S	31.7	7-20-65	88.5	-56.8	101
		8-31-65	95.7	-64.0	
		9-07-65	91.4	-59.7	
		10-12-65	84.7	-53.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.40
CENTRAL HYDRO SUBAREA U-05.45

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-21M02S	31.7	11-23-65	76.8	-45.1	101
(CONT.)		12-21-65	70.6	-38.9	
		1-25-66	68.2	-36.5	
		2-15-66	63.8	-32.1	
		3-15-66	91.0	-59.3	
		4-19-66	70.6	-38.9	
		5-17-66	73.2	-41.5	
		6-21-66	93.3	-61.6	
04S/12W-21M04S	30.1	8-24-65	88.0	-57.9	101
		9-21-65	88.2	-58.1	
		10-26-65	81.1	-51.0	
		11-30-65	68.0	-37.9	
		12-21-65	64.3	-34.2	
		1-25-66	58.8	-28.7	
		2-15-66	57.0	-26.9	
		3-15-66	62.3	-32.2	
		4-19-66	81.8	-51.7	
		5-24-66	67.9	-37.8	
		6-21-66	86.5	-56.4	
04S/12W-21M05S	36.7	8-10-65	91.6	-54.9	101
		9-07-65	92.2	-55.5	
		10-12-65	83.4	-46.7	
		11-16-65	81.1	-44.4	
		12-21-65	70.2	-33.5	
		1-25-66	69.0	-32.3	
		2-15-66	65.8	-29.1	
		3-15-66	69.4	-32.7	
		4-19-66	71.1	-34.4	
		5-17-66	73.8	-37.1	
		6-21-66	92.2	-55.5	
04S/12W-22L01S	22.8	7-09-65	48.8	-26.0	206
		7-30-65	52.0	-29.2	
		8-20-65	56.3	-33.5	
		9-10-65	54.1	-31.3	
		10-01-65	51.7	-28.9	
		10-22-65	51.5	-28.7	
		11-12-65	50.7	-27.9	
		12-03-65	44.7	-21.9	
		12-23-65	43.4	-20.6	
		1-14-66	42.9	-20.1	
		2-04-66	45.1	-22.3	
		2-25-66	46.9	-24.1	
		3-18-66	48.4	-25.6	
		4-08-66	49.4	-26.6	
		4-29-66	50.8	-28.0	
		5-20-66	51.9	-29.1	
		6-10-66	50.6	-27.8	
04S/12W-22M01S	26.0	7-09-65	56.1	-30.1	733
		7-30-65	60.3	-34.3	
		8-20-65	61.9	-35.9	
		9-10-65	62.4	-36.4	
		10-01-65	61.6	-35.6	
		10-22-65	60.7	-34.7	
		11-12-65	60.1	-34.1	
		12-03-65	51.3	-25.3	
		12-24-65	50.8	-24.8	
		1-14-66	50.7	-24.7	
		2-04-66	50.6	-24.6	
		2-25-66	50.2	-24.2	
		4-08-66	62.3	-36.3	
		4-29-66	63.8	-37.8	
		5-20-66	65.5	-39.5	
04S/12W-23C01S	30.7	8-24-65	71.8	-41.1	101
		9-28-65	63.8	-33.1	
		10-26-65	114.0(1)	-83.3	
		11-23-65	53.2	-22.5	
		12-21-65	49.9	-19.2	
		1-25-66	48.2	-17.5	
		2-22-66	41.0	-10.3	
		3-22-66	59.2	-28.5	
		4-19-66	43.2	-12.5	
		5-17-66	60.8	-30.1	
		6-21-66	65.0	-34.3	
04S/12W-23K02S	17.9	7-26-65	55.2	-37.3	101
		8-30-65	58.1	-40.2	
		9-20-65	57.3	-39.4	
		10-25-65	60.4	-42.5	
		11-22-65	45.4	-27.5	
		12-20-65	53.5	-35.6	
		1-24-66	38.8	-20.9	
		2-21-66	34.1	-16.2	
		3-21-66	37.0	-19.1	
		4-18-66	43.0	-25.1	
		5-16-66	49.0	-31.1	
		6-20-66	54.4	-36.5	
04S/12W-23K03S	19.6	7-26-65	52.7	-33.1	101
		8-30-65	59.3	-39.7	
		9-27-65	52.1	-32.5	
		10-25-65	74.6(1)	-55.0	
		11-08-65	67.4(1)	-47.8	
		12-06-65	35.7	-16.1	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-23K03S (CONT.)	19.6	1-24-66	31.4	-11.8	101
		2-21-66	58.1(1)	-38.5	
		3-21-66	62.2(1)	-42.6	
		4-25-66	44.8	-25.2	
		5-23-66	63.4(1)	-43.8	
		6-20-66	67.1(1)	-47.5	
04S/12W-24B01S	25.5	7-09-65	45.1	-19.6	733
		7-30-65	46.8	-21.3	
		8-20-65	47.6	-22.1	
		9-10-65	47.8	-22.3	
		10-01-65	46.8	-21.3	
		10-22-65	45.7	-20.2	
		11-12-65	45.3	-19.8	
		12-03-65	39.8	-14.3	
		12-24-65	37.9	-12.4	200
		1-14-66	37.8	-12.3	733
		2-04-66	37.5	-12.0	
		2-25-66	36.4	-10.9	
		3-18-66	37.0	-11.5	
		4-08-66	38.0	-12.5	
		4-29-66	40.4	-14.9	
		5-20-66	41.8	-16.3	
04S/12W-24J01S	24.0	11-03-65	46.9	-22.9	101
		4-05-66	40.9	-16.9	
04S/12W-24L05S	24.0	7-09-65	47.4	-23.4	733
		7-30-65	63.0	-39.0	
		8-20-65	65.6	-41.6	
		9-10-65	66.4	-42.4	
		10-01-65	64.8	-40.8	
		10-22-65	63.9	-39.9	
		11-12-65	63.0	-39.0	
		12-03-65	40.1	-16.1	
		12-24-65	39.0	-15.0	200
		1-14-66	38.3	-14.3	733
		2-04-66	38.0	-14.0	
		2-25-66	37.4	-13.4	
		3-18-66	49.7	-25.7	
		4-08-66	45.4	-21.4	
		4-29-66	49.8	-25.8	
		5-20-66	51.7	-27.7	
04S/12W-24M02S	22.0	8-23-65	62.0	-40.0	101
		9-20-65	52.9	-30.9	
		10-25-65	57.2	-35.2	
		11-22-65	41.6	-19.6	
		12-20-65	35.5	-13.5	
		1-24-66	31.8	-9.8	
		2-21-66	43.0	-21.0	
		3-21-66	48.4	-26.4	
		4-25-66	45.1	-23.1	
		5-23-66	44.8	-22.8	
		6-20-66	49.5	-27.5	
04S/12W-24M03S	26.5	8-31-65	63.7	-37.2	102
		10-01-65	52.8	-26.3	
		10-29-65	55.2	-28.7	
		12-02-65	44.2	-17.7	
		1-07-66	33.0	-6.5	
		2-23-66	43.9	-17.4	
		3-23-66	50.9	-24.4	
		4-28-66	54.7	-28.2	
		5-26-66	56.0	-29.5	
		6-28-66	51.8	-25.3	
		7-27-66	57.5	-31.0	
		8-29-66	60.5	-34.0	
		9-14-66	66.3	-39.8	
04S/12W-24M04S	22.7	8-23-65	59.5	-36.8	101
		9-06-65	55.6	-32.9	
		10-25-65	58.9	-36.2	
		11-22-65	41.1	-18.4	
		12-20-65	36.9	-14.2	
		1-24-66	32.0	-9.3	
		2-21-66	41.0	-18.3	
		3-21-66	44.1	-21.4	
		4-25-66	44.5	-21.8	
		5-23-66	44.9	-22.2	
		6-20-66	49.6	-26.9	
04S/12W-24M08S	21.6	7-26-65	79.8(1)	-58.2	101
		8-23-65	85.3(1)	-63.7	
		9-20-65	53.2	-31.6	
		10-18-65	49.6	-28.0	
		11-22-65	39.2	-17.6	
		12-20-65	34.3	-12.7	
		1-17-66	32.0	-10.4	
		2-21-66	68.3(1)	-46.7	
		3-28-66	41.2	-19.6	
		4-25-66	46.8	-25.2	
		5-30-66	45.1	-23.5	
		6-20-66	49.8	-28.2	
04S/12W-24Q01S	24.0	7-28-65	53.5	-29.5	101
		10-18-65	46.9	-22.9	
		1-03-66	31.0	-7.0	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-24Q01S (CONT.)	24.0	4-18-66	44.7	-20.7	101
		5-24-66	46.9	-22.9	
04S/12W-25E01S	15.7	7-26-65	74.0(1)	-58.3	101
		8-23-65	51.6	-35.9	
		9-06-65	44.6	-28.9	
		10-25-65	78.3(1)	-62.6	
		11-22-65	33.7	-18.0	
		12-20-65	65.7(5)	-50.0	
		1-17-66	41.1	-25.4	
		2-15-66	45.7	-30.0	
		3-18-66	61.8(1)	-46.1	
		4-19-66	36.8	-21.1	
		5-20-66	68.4(1)	-52.7	
		6-21-66	78.1(1)	-62.4	
04S/12W-25P01S	26.9	10-18-65	37.0	-10.1	101
		10-18-65	37.0	-10.1	
		1-03-66	33.7	-6.8	
		1-03-66	33.7	-6.8	
		2-21-66	32.7	-5.8	
		2-21-66	32.7	-5.8	
		3-30-66	32.9	-6.0	
		3-30-66	32.9	-6.0	
		4-20-66	33.5	-6.6	
		4-20-66	33.5	-6.6	
		5-04-66	33.9	-7.0	
		5-04-66	33.9	-7.0	
		5-11-66	34.1	-7.2	
		5-11-66	34.1	-7.2	
		5-18-66	34.2	-7.3	
		5-18-66	34.2	-7.3	
		5-25-66	34.3	-7.4	
		5-25-66	34.3	-7.4	
		6-08-66	34.5	-7.6	
		6-08-66	34.5	-7.6	
		6-15-66	34.7	-7.8	
		6-15-66	34.7	-7.8	
		6-22-66	34.8	-7.9	
		6-22-66	34.8	-7.9	
		6-29-66	34.9	-8.0	
		6-29-66	34.9	-8.0	
04S/12W-26F02S	16.0	7-09-65	37.8	-21.8	206
		7-30-65	41.4	-25.4	
		8-20-65	50.2	-34.2	
		9-10-65	47.7	-31.7	
		10-01-65	42.7	-26.7	
		10-22-65	44.2	-28.2	
		11-12-65	40.3	-24.3	
		12-03-65	33.2	-17.2	
		12-23-65	31.0	-15.0	101
		1-14-66	30.1	-14.1	206
		2-04-66	32.5	-16.5	
		2-25-66	36.6	-20.6	
		3-18-66	39.8	-23.8	
		4-08-66	39.9	-23.9	
		4-29-66	42.5	-26.5	
		5-20-66	43.3	-27.3	
		6-10-66	41.8	-25.8	
04S/12W-26G01S	15.0	7-09-65	34.0	-19.0	206
		7-30-65	40.4	-25.4	
		8-20-65	48.1	-33.1	
		9-10-65	45.2	-30.2	
		10-01-65	39.8	-24.8	
		10-22-65	41.3	-26.3	
		11-12-65	37.3	-22.3	
		12-03-65	30.4	-15.4	
		12-23-65	26.6	-11.6	
		1-14-66	25.5	-10.5	
		2-04-66	27.9	-12.9	
		2-25-66	32.2	-17.2	
		3-18-66	35.3	-20.3	
		4-08-66	34.9	-19.9	
		4-29-66	37.4	-22.4	
		5-20-66	38.3	-23.3	
		6-10-66	37.6	-22.6	
04S/12W-26G02S	14.0	4-05-66	17.7	-3.7	101
04S/12W-26M01S	16.6	7-09-65	42.1	-25.5	206
		7-30-65	48.2	-31.6	
		8-20-65	55.4	-38.8	
		9-10-65	53.2	-36.6	
		10-01-65	48.6	-32.0	
		10-22-65	47.4	-30.8	
		11-12-65	43.6	-27.0	
		12-03-65	36.3	-19.7	
		12-23-65	33.1	-16.5	101
		1-14-66	31.0	-14.4	206
		2-04-66	33.0	-16.4	
		2-25-66	36.0	-19.4	
		3-18-66	38.2	-21.6	
		4-08-66	39.0	-22.4	
		4-29-66	40.7	-24.1	
		5-20-66	41.9	-25.3	
		6-10-66	43.2	-26.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-28H01S	23.4	7-20-65	84.4	-61.0	101
		9-14-65	91.2	-67.8	
		10-12-65	86.8	-63.4	
		11-15-65	86.8	-63.4	
		12-21-65	75.2	-51.8	
		1-25-66	71.2	-47.8	
		2-15-66	48.0	-24.6	
		3-15-66	49.8	-26.4	
		4-19-66	72.2	-48.8	
		5-17-66	77.4	-54.0	
		6-21-66	85.2	-61.8	
04S/12W-28H06S	22.7	7-20-65	83.6	-60.9	101
		8-17-65	89.9	-67.2	
		9-14-65	89.9	-67.2	
		10-19-65	85.6	-62.9	
		11-15-65	84.6	-61.9	
		12-14-65	76.2	-53.5	
		1-25-66	70.2	-47.5	
		2-15-66	42.6	-19.9	
		3-15-66	49.0	-26.3	
		4-19-66	68.7	-46.0	
		5-17-66	76.4	-53.7	
		6-21-66	84.6	-61.9	
04S/12W-28H08S	22.8	7-12-65	46.8	-24.0	206
		7-19-65	47.5	-24.7	
		7-26-65	48.1	-25.3	
		8-02-65	49.0	-26.2	
		8-09-65	49.9	-27.1	
		8-16-65	51.4	-28.6	
		8-23-65	50.7	-27.9	
		8-30-65	51.0	-28.2	
		9-06-65	50.9	-28.1	
		9-13-65	50.2	-27.4	
		9-27-65	49.5	-26.7	
		10-04-65	49.6	-26.8	
		10-11-65	49.4	-26.6	
		10-18-65	48.9	-26.1	
		10-25-65	49.3	-26.5	
		11-01-65	49.6	-26.8	
		11-15-65	47.9	-25.1	
		11-22-65	46.0	-23.2	
		11-29-65	45.2	-22.4	
		12-06-65	44.6	-21.8	
		12-13-65	44.3	-21.5	
		12-20-65	43.9	-21.1	
		12-27-65	43.5	-20.7	
		1-03-66	43.1	-20.3	
		1-10-66	42.7	-19.9	
		1-17-66	43.3	-20.5	
		1-24-66	43.9	-21.1	
		1-31-66	44.0	-21.2	
		2-07-66	44.1	-21.3	
		2-14-66	44.6	-21.8	
		2-21-66	44.7	-21.9	
		2-28-66	45.1	-22.3	
		3-07-66	45.4	-22.6	
		3-14-66	45.5	-22.7	
		3-21-66	46.0	-23.2	
		3-28-66	46.5	-23.7	
		4-08-66	46.4	-23.6	
		4-18-66	46.3	-23.5	
		4-25-66	47.0	-24.2	
		5-02-66	47.4	-24.6	
		5-09-66	48.1	-25.3	
		5-16-66	47.5	-24.7	
		5-23-66	47.9	-25.1	
		5-31-66	47.9	-25.1	
		6-06-66	47.3	-24.5	
		6-13-66	47.4	-24.6	
		6-20-66	47.6	-24.8	
		6-27-66	48.3	-25.5	
04S/12W-28H09S	21.4	7-12-65	62.1	-40.7	206
		7-19-65	64.1	-42.7	
		7-26-65	67.2	-45.8	
		8-02-65	67.2	-45.8	
		8-09-65	68.7	-47.3	
		8-16-65	72.3	-50.9	
		8-23-65	71.2	-49.8	
		8-30-65	72.4	-51.0	
		9-06-65	70.9	-49.5	
		9-13-65	72.2	-50.8	
		9-20-65	71.6	-50.2	
		9-27-65	72.5	-51.1	
		10-04-65	66.0	-44.6	
		10-11-65	63.2	-41.8	
		10-18-65	61.8	-40.4	
		10-25-65	66.3	-44.9	
		11-01-65	63.4	-42.0	
		11-15-65	59.2	-37.8	
		11-22-65	55.8	-34.4	
		11-29-65	53.8	-32.4	
		12-06-65	52.0	-30.6	
		12-13-65	51.3	-29.9	
		12-20-65	49.9	-28.5	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-28H09S (CONT.)	21.4	12-27-65	48.7	-27.3	206
		1-03-66	47.4	-26.0	
		1-10-66	46.6	-25.2	
		1-17-66	47.7	-26.3	
		1-24-66	47.6	-26.2	
		1-31-66	47.2	-25.8	
		2-07-66	46.3	-24.9	
		2-14-66	45.4	-24.0	
		2-21-66	56.5	-35.1	
		2-28-66	46.5	-25.1	
		3-07-66	47.9	-26.5	
		3-14-66	48.7	-27.3	
		3-21-66	50.1	-28.7	
		3-28-66	50.2	-28.8	
		4-08-66	50.2	-28.8	
		4-18-66	51.3	-29.9	
		4-25-66	52.7	-31.3	
		5-02-66	53.6	-32.2	
		5-09-66	53.9	-32.5	
		5-23-66	54.9	-33.5	
		5-31-66	57.4	-36.0	
		6-06-66	64.4	-43.0	
		6-13-66	66.4	-45.0	
		6-20-66	67.6	-46.2	
		6-27-66	69.4	-48.0	
04S/12W-28H12S	21.9	7-20-65	147.7(1)	-125.8	101
		8-31-65	156.2(1)	-134.3	
		9-14-65	156.5(1)	-134.6	
		10-12-65	154.9(1)	-133.0	
		11-15-65	156.4(1)	-134.5	
		12-14-65	150.3(1)	-128.4	
		1-18-66	147.4(1)	-125.5	
		2-15-66	46.1	-24.2	
		3-15-66	47.5	-25.6	
		4-19-66	144.3(1)	-122.4	
		5-20-66	149.1(1)	-127.2	
		6-21-66	155.8(1)	-133.9	
04S/12W-28J02S	19.8	4-06-66	18.3	1.5	101
04S/12W-34J02S	79.0	11-02-65	99.5	-20.5	101
		4-06-66	90.7	-11.7	
04S/12W-34N01S	79.0	4-20-66	95.5	-16.5	101
		6-10-66	98.9	-19.9	
04S/12W-35A01S	11.0	8-27-65	28.5	-17.5	101
		10-01-65	23.1	-12.1	
		10-20-65	23.3	-12.3	
		12-01-65	19.1	-8.1	
		12-22-65	16.7	-5.7	
		1-27-66	15.8	-4.8	
		2-21-66	18.4	-7.4	
		3-29-66	21.2	-10.2	
		4-19-66	23.0	-12.0	
		5-11-66	24.4	-13.4	
		5-26-66	24.5	-13.5	
		6-22-66	26.0	-15.0	
04S/12W-35C01S	10.6	7-30-65	35.3	-24.7	206
		8-20-65	39.4	-28.8	
		9-10-65	37.2	-26.6	
		10-01-65	33.6	-23.0	
		10-22-65	34.7	-24.1	
		11-12-65	32.8	-22.2	
		12-03-65	24.7	-14.1	
		12-23-65	22.9	-12.3	101
		1-14-66	21.3	-10.7	206
		2-04-66	22.3	-11.7	
		2-25-66	25.6	-15.0	
		3-18-66	28.2	-17.6	
		4-08-66	28.9	-18.3	
		4-29-66	30.6	-20.0	
		5-20-66	32.7	-22.1	
		6-10-66	32.6	-22.0	
04S/12W-35C02S	11.8	7-05-65	24.0	-12.2	206
		7-12-65	25.1	-13.3	
		7-19-65	25.8	-14.0	
		7-26-65	26.2	-14.4	
		8-02-65	27.4	-15.6	
		8-09-65	28.7	-16.9	
		8-16-65	29.3	-17.5	
		8-23-65	29.5	-17.7	
		8-30-65	29.8	-18.0	
		9-06-65	29.4	-17.6	
		9-13-65	29.0	-17.2	
		9-26-65	27.5	-15.7	
		10-04-65	26.8	-15.0	
		10-11-65	26.1	-14.3	
		10-18-65	25.9	-14.1	
		10-25-65	27.1	-15.3	
		11-01-65	26.4	-14.6	
		11-15-65	24.8	-13.0	
		11-22-65	24.1	-12.3	
		11-29-65	21.6	-9.8	
		12-06-65	20.7	-8.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-35C02S (CONT.)	11.8	12-13-65	20.0	-8.2	206
		12-20-65	19.2	-7.4	
		12-27-65	19.2	-7.4	
		1-03-66	18.6	-6.8	
		1-10-66	18.0	-6.2	
		1-17-66	17.5	-5.7	
		1-24-66	17.1	-5.3	
		1-31-66	16.8	-5.0	
		2-07-66	19.2	-7.4	
		2-14-66	19.2	-7.4	
		2-21-66	19.0	-7.2	
		2-28-66	21.4	-9.6	
		3-07-66	22.1	-10.3	
		3-14-66	22.3	-10.5	
		3-21-66	22.6	-10.8	
		3-28-66	22.9	-11.1	
		4-08-66	22.1	-10.3	
		4-18-66	23.8	-12.0	
		4-25-66	24.3	-12.5	
		5-02-66	24.9	-13.1	
		5-09-66	25.2	-13.4	
		5-16-66	25.6	-13.8	
		5-23-66	26.5	-14.7	
		5-31-66	25.0	-13.2	
		6-06-66	25.3	-13.5	
		6-13-66	27.0	-15.2	
		6-20-66	27.4	-15.6	
		6-27-66	27.5	-15.7	
04S/12W-35E01S	10.1	7-29-65	24.1	-14.0	101
		8-19-65	26.6	-16.5	
		8-27-65	26.9	-16.8	
		9-27-65	25.1	-15.0	
		10-29-65	25.4	-15.3	
		12-02-65	21.6	-11.5	
		12-28-65	19.7	-9.6	
		1-05-66	19.1	-9.0	
		4-22-66	22.4	-12.3	
		5-09-66	24.3	-14.2	
		6-06-66	25.1	-15.0	
04S/12W-35H01S	10.9	10-04-65	35.9	-25.0	101
		1-31-66	22.3	-11.4	
		4-19-66	30.1	-19.2	
		5-04-66	32.8	-21.9	
04S/12W-35H02S	10.1	7-30-65	18.8	-8.7	101
		8-27-65	19.9	-9.8	
		10-01-65	19.0	-8.9	
		10-28-65	18.8	-8.7	
		12-01-65	17.7	-7.6	
		12-22-65	16.8	-6.7	
		1-27-66	16.3	-6.2	
		2-21-66	15.9	-5.8	
		3-29-66	16.4	-6.3	
		4-19-66	16.6	-6.5	
		5-04-66	17.0	-6.9	
		5-26-66	17.2	-7.1	
		6-22-66	17.4	-7.3	
04S/12W-35H04S	10.7	8-27-65	28.0	-17.3	101
		10-01-65	22.7	-12.0	
		10-28-65	26.9	-16.2	
		12-01-65	21.5	-10.8	
		12-22-65	19.0	-8.3	
		1-27-66	18.5	-7.8	
		2-21-66	20.3	-9.6	
		3-29-66	23.2	-12.5	
		4-19-66	24.4	-13.7	
		5-04-66	25.3	-14.6	
		5-26-66	26.3	-15.6	
		6-22-66	27.7	-17.0	
04S/12W-35H05S	9.0	7-29-65	30.9	-21.9	101
		8-27-65	35.6	-26.6	
		9-30-65	31.3	-22.3	
		10-04-65	32.2	-23.2	
		10-28-65	32.1	-23.1	
		12-01-65	21.0	-12.0	
		12-22-65	18.9	-9.9	
		1-27-66	18.5	-9.5	
		2-28-66	23.7	-14.7	
		3-29-66	25.6	-16.6	
		4-19-66	26.2	-17.2	
		5-31-66	28.1	-19.1	
		6-10-66	29.0	-20.0	
		6-22-66	30.0	-21.0	
04S/12W-35J01S	9.0	7-07-65	17.6	-8.6	101
		7-14-65	18.7	-9.7	
		7-21-65	19.8	-10.8	
		7-28-65	20.3	-11.3	
		8-04-65	21.4	-12.4	
		8-17-65	24.5	-15.5	
		8-26-65	24.7	-15.7	
		9-03-65	27.5	-18.5	
		9-15-65	25.7	-16.7	
		9-24-65	23.2	-14.2	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-35J01S (CONT.)	9.0	10-06-65	23.1	-14.1	101
		10-15-65	21.7	-12.7	
		10-26-65	24.4	-15.4	
		11-04-65	23.6	-14.6	
		11-18-65	20.3	-11.3	
		12-02-65	18.9	-9.9	
		12-17-65	17.6	-8.6	
		12-28-65	16.3	-7.3	
		1-26-66	16.1	-7.1	
		3-29-66	20.8	-11.8	
		4-22-66	22.2	-13.2	
		5-31-66	23.0	-14.0	
		6-28-66	24.2	-15.2	
04S/12W-35J02S	9.0	7-07-65	18.5	-9.5	101
		7-14-65	18.8	-9.8	
		7-21-65	19.4	-10.4	
		7-28-65	19.8	-10.8	
		8-04-65	20.7	-11.7	
		8-11-65	23.3	-14.3	
		8-26-65	24.6	-15.6	
		9-03-65	26.9	-17.9	
		9-15-65	25.3	-16.3	
		9-24-65	23.0	-14.0	
		10-06-65	22.7	-13.7	
		10-15-65	20.3	-11.3	
		10-26-65	23.6	-14.6	
		11-04-65	22.9	-13.9	
		11-18-65	17.4	-8.4	
		12-02-65	17.2	-8.2	
		12-17-65	17.3	-8.3	
		12-28-65	16.7	-7.7	
		1-26-66	16.4	-7.4	
		2-18-66	17.6	-8.6	
		3-29-66	20.5	-11.5	
		4-22-66	21.8	-12.8	
		5-31-66	22.8	-13.8	
		6-28-66	23.9	-14.9	
04S/12W-35J03S	9.0	7-14-65	13.9	-4.9	101
		7-21-65	14.2	-5.2	
		7-28-65	14.4	-5.4	
		8-04-65	14.9	-5.9	
		8-11-65	16.6	-7.6	
		8-26-65	16.4	-7.4	
		9-03-65	18.3	-9.3	
		9-15-65	17.2	-8.2	
		9-24-65	15.0	-6.0	
		10-06-65	14.7	-5.7	
		10-15-65	13.4	-4.4	
		10-26-65	14.8	-5.8	
		11-04-65	14.7	-5.7	
		11-18-65	13.1	-4.1	
		12-02-65	12.1	-3.1	
		12-17-65	11.4	-2.4	
		12-28-65	10.6	-1.6	
		1-26-66	9.7	-.7	
		2-18-66	10.6	-1.6	
		3-29-66	13.0	-4.0	
		4-22-66	13.4	-4.4	
		5-31-66	14.4	-5.4	
		6-28-66	15.3	-6.3	
04S/12W-35J05S	9.0	7-13-65	15.0	-6.0	101
		7-20-65	15.7	-6.7	
		7-27-65	16.1	-7.1	
		8-03-65	17.2	-8.2	
		8-10-65	20.2	-11.2	
		8-17-65	21.0	-12.0	
		8-26-65	19.7	-10.7	
		9-03-65	24.7	-15.7	
		9-15-65	22.8	-13.8	
		9-24-65	20.4	-11.4	
		10-05-65	20.1	-11.1	
		10-15-65	18.7	-9.7	
		10-26-65	21.5	-12.5	
		11-04-65	20.5	-11.5	
		11-18-65	17.1	-8.1	
		12-02-65	15.2	-6.2	
		12-17-65	13.6	-4.6	
		12-28-65	12.4	-3.4	
		1-26-66	12.1	-3.1	
		2-03-66	12.1	-3.1	
		2-23-66	15.6	-6.6	
		3-29-66	18.5	-9.5	
		4-22-66	19.6	-10.6	
		5-25-66	21.1	-12.1	
		6-28-66	23.9	-14.9	
04S/12W-35J06S	9.0	7-13-65	19.8	-10.8	101
		7-20-65	21.4	-12.4	
		7-27-65	21.9	-12.9	
		8-03-65	23.4	-14.4	
		8-10-65	25.9	-16.9	
		8-17-65	27.0	-18.0	
		8-25-65	25.4	-16.4	
		9-03-65	32.0	-23.0	
		9-15-65	29.5	-20.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
04S/12W-35J06S	9.0	9-24-65	27.3	-18.3	101
(CONT.)		10-05-65	27.5	-18.5	
		10-15-65	25.4	-16.4	
		10-26-65	28.5	-19.5	
		11-04-65	27.6	-18.6	
		11-18-65	23.0	-14.0	
		12-02-65	19.6	-10.6	
		12-17-65	17.7	-8.7	
		12-28-65	16.4	-7.4	
		1-26-66	14.1	-5.1	
		2-03-66	15.8	-6.8	
		2-23-66	22.2	-13.2	
		3-29-66	25.5	-16.5	
		4-22-66	25.9	-16.9	
		5-24-66	28.3	-19.3	
		6-28-66	29.0	-20.0	
04S/12W-35J07S	10.0	7-13-65	20.4	-10.4	101
		7-20-65	21.7	-11.7	
		7-27-65	22.0	-12.0	
		8-03-65	23.4	-13.4	
		8-10-65	26.3	-16.3	
		8-17-65	27.0	-17.0	
		8-24-65	25.2	-15.2	
		9-10-65	24.7	-14.7	
		9-21-65	23.1	-13.1	
		9-29-65	20.8	-10.8	
		10-05-65	24.2	-14.2	
		10-15-65	21.8	-11.8	
		10-26-65	25.0	-15.0	
		11-03-65	24.1	-14.1	
		11-18-65	20.0	-10.0	
		12-01-65	17.1	-7.1	
		12-17-65	15.5	-5.5	
		12-28-65	14.2	-4.2	
		1-27-66	14.1	-4.1	
		2-14-66	15.4	-5.4	
		3-28-66	22.2	-12.2	
		4-22-66	22.7	-12.7	
		5-26-66	24.6	-14.6	
		6-30-66	23.8	-13.8	
04S/12W-35K01S	9.0	7-14-65	19.1	-10.1	101
		7-22-65	19.6	-10.6	
		8-04-65	21.0	-12.0	
		8-12-65	23.1	-14.1	
		8-19-65	23.7	-14.7	
		9-03-65	24.9	-15.9	
		9-14-65	23.3	-14.3	
		9-22-65	21.6	-12.6	
		9-29-65	20.5	-11.5	
		10-15-65	20.4	-11.4	
		10-27-65	22.7	-13.7	
		11-03-65	19.6	-10.6	
		11-19-65	19.0	-10.0	
		12-01-65	17.5	-8.5	
		12-17-65	16.4	-7.4	
		12-28-65	15.4	-6.4	
		1-05-66	14.7	-5.7	
		4-19-66	19.6	-10.6	
		5-16-66	20.9	-11.9	
04S/12W-35K03S	9.0	7-07-65	19.4	-10.4	101
		7-14-65	19.5	-10.5	
		7-21-65	19.5	-10.5	
		7-28-65	19.9	-10.9	
		8-04-65	21.0	-12.0	
		8-18-65	24.3	-15.3	
		8-31-65	24.5	-15.5	
		9-07-65	23.4	-14.4	
		9-14-65	23.4	-14.4	
		9-21-65	21.1	-12.1	
		9-29-65	19.7	-10.7	
		10-05-65	20.9	-11.9	
		10-21-65	19.7	-10.7	
		11-03-65	21.2	-12.2	
		11-19-65	18.5	-9.5	
		12-01-65	16.5	-7.5	
		12-28-65	14.6	-5.6	
		4-19-66	19.7	-10.7	
		6-13-66	22.0	-13.0	
04S/12W-35K04S	9.0	7-07-65	20.6	-11.6	101
		7-14-65	20.7	-11.7	
		7-21-65	21.4	-12.4	
		7-28-65	21.7	-12.7	
		8-04-65	22.8	-13.8	
		8-18-65	25.4	-16.4	
		8-31-65	25.7	-16.7	
		9-07-65	24.8	-15.8	
		9-14-65	25.0	-16.0	
		9-21-65	23.1	-14.1	
		9-29-65	21.7	-12.7	
		10-05-65	22.4	-13.4	
		10-21-65	22.1	-13.1	
		11-03-65	23.0	-14.0	
		11-19-65	20.7	-11.7	
		12-01-65	19.2	-10.2	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-35K04S	9.0	12-21-65	17.6	-8.6	101
(CONT.)		12-28-65	18.0	-9.0	
		4-19-66	21.3	-12.3	
		6-13-66	22.9	-13.9	
04S/12W-35K05S	9.0	7-07-65	15.1	-6.1	101
		7-14-65	15.3	-6.3	
		7-21-65	15.5	-6.5	
		7-28-65	15.6	-6.6	
		8-04-65	15.9	-6.9	
		8-18-65	18.2	-9.2	
		8-31-65	17.8	-8.8	
		9-07-65	17.6	-8.6	
		9-14-65	17.5	-8.5	
		9-21-65	16.2	-7.2	
		9-29-65	15.5	-6.5	
		10-05-65	15.5	-6.5	
		10-21-65	15.0	-6.0	
		11-03-65	15.4	-6.4	
		11-19-65	14.3	-5.3	
		12-01-65	13.2	-4.2	
		12-21-65	12.2	-3.2	
		12-28-65	11.6	-2.6	
		4-19-66	13.7	-4.7	
		6-13-66	15.2	-6.2	
04S/12W-35K06S	9.0	7-01-65	14.6	-5.6	101
		7-13-65	16.3	-7.3	
		7-20-65	16.8	-7.8	
		7-27-65	17.2	-8.2	
		8-03-65	18.3	-9.3	
		8-10-65	20.4	-11.4	
		8-17-65	21.2	-12.2	
		8-24-65	20.5	-11.5	
		8-31-65	22.3	-13.3	
		9-07-65	20.7	-11.7	
		9-14-65	20.6	-11.6	
		9-21-65	18.8	-9.8	
		9-28-65	18.4	-9.4	
		10-05-65	18.8	-9.8	
		10-15-65	17.5	-8.5	
		10-27-65	19.8	-10.8	
		11-03-65	18.7	-9.7	
		11-10-65	18.5	-9.5	
		11-17-65	16.4	-7.4	
		11-30-65	14.7	-5.7	
		12-03-65	14.9	-5.9	
		12-16-65	13.3	-4.3	
		12-28-65	12.2	-3.2	
		1-04-66	11.7	-2.7	
		1-11-66	11.5	-2.5	
		1-18-66	11.8	-2.8	
		1-25-66	11.9	-2.9	
		2-01-66	11.7	-2.7	
		2-15-66	12.6	-3.6	
		2-23-66	13.3	-4.3	
		3-02-66	14.4	-5.4	
		3-09-66	15.0	-6.0	
		3-16-66	15.6	-6.6	
		3-23-66	16.4	-7.4	
		3-30-66	15.8	-6.8	
		4-06-66	16.5	-7.5	
		4-13-66	16.5	-7.5	
		4-20-66	16.9	-7.9	
		4-27-66	18.0	-9.0	
		5-03-66	17.8	-8.8	
		5-10-66	18.3	-9.3	
		5-17-66	18.3	-9.3	
		5-24-66	18.5	-9.5	
		6-01-66	18.3	-9.3	
		6-08-66	18.6	-9.6	
		6-21-66	19.4	-10.4	
		6-28-66	19.3	-10.3	
04S/12W-35K07S	9.0	7-01-65	19.1	-10.1	101
		7-13-65	22.6	-13.6	
		7-20-65	24.5	-15.5	
		7-27-65	24.8	-15.8	
		8-03-65	26.4	-17.4	
		8-10-65	28.7	-19.7	
		8-17-65	30.2	-21.2	
		8-24-65	29.5	-20.5	
		8-31-65	29.9	-20.9	
		9-07-65	28.8	-19.8	
		9-14-65	27.7	-18.7	
		9-21-65	26.2	-17.2	
		9-28-65	25.4	-16.4	
		10-05-65	26.4	-17.4	
		10-15-65	24.3	-15.3	
		10-27-65	27.3	-18.3	
		11-03-65	26.3	-17.3	
		11-10-65	25.3	-16.3	
		11-17-65	22.5	-13.5	
		11-30-65	18.6	-9.6	
		12-03-65	18.8	-9.8	
		12-16-65	17.5	-8.5	
		12-28-65	16.0	-7.0	
		1-04-66	15.7	-6.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-35K07S (CONT.)	9.0	1-11-66	15.1	-6.1	101
		1-18-66	15.9	-6.9	
		1-25-66	16.3	-7.3	
		2-01-66	16.3	-7.3	
		2-15-66	18.0	-9.0	
		2-23-66	19.4	-10.4	
		3-02-66	20.8	-11.8	
		3-09-66	21.6	-12.6	
		3-16-66	21.9	-12.9	
		3-23-66	23.2	-14.2	
		3-30-66	22.5	-13.5	
		4-06-66	23.2	-14.2	
		4-13-66	23.0	-14.0	
		4-20-66	23.4	-14.4	
		4-27-66	25.3	-16.3	
		5-03-66	25.1	-16.1	
		5-10-66	25.8	-16.8	
		5-17-66	25.1	-16.1	
		5-24-66	25.9	-16.9	
		6-01-66	25.1	-16.1	
		6-08-66	25.4	-16.4	
		6-21-66	26.2	-17.2	
		6-28-66	26.7	-17.7	
04S/12W-35M01S	60.0	4-06-66	72.1	-12.1	101
04S/12W-35P01S	57.0	7-13-65	67.4	-10.4	101
		7-20-65	67.2	-10.2	
		7-27-65	67.2	-10.2	
		8-03-65	67.2	-10.2	
		8-11-65	68.5	-11.5	
		8-24-65	67.7	-10.7	
		9-07-65	68.0	-11.0	
		9-14-65	68.0	-11.0	
		9-21-65	68.1	-11.1	
		9-28-65	68.0	-11.0	
		10-05-65	68.0	-11.0	
		10-15-65	67.8	-10.8	
		10-25-65	67.9	-10.9	
		11-02-65	68.7	-11.7	
		11-09-65	67.9	-10.9	
		11-17-65	68.3	-11.3	
		11-30-65	67.6	-10.6	
		12-06-65	67.5	-10.5	
		12-15-65	67.1	-10.1	
		12-28-65	66.9	-9.9	
		1-26-66	65.9	-8.9	
		2-16-66	65.2	-8.2	
		3-29-66	66.3	-9.3	
		4-22-66	65.4	-8.4	
		5-26-66	66.1	-9.1	
		6-14-66	66.4	-9.4	
		6-21-66	66.6	-9.6	
04S/12W-35P02S	57.0	7-13-65	61.4	-4.4	101
		7-20-65	61.2	-4.2	
		7-27-65	61.4	-4.4	
		8-03-65	61.7	-4.7	
		8-11-65	62.7	-5.7	
		8-24-65	62.5	-5.5	
		9-07-65	63.0	-6.0	
		9-14-65	62.6	-5.6	
		9-21-65	61.9	-4.9	
		9-28-65	63.3	-6.3	
		10-05-65	61.9	-4.9	
		10-15-65	61.6	-4.6	
		10-25-65	62.3	-5.3	
		11-02-65	64.0	-7.0	
		11-17-65	64.2	-7.2	
		11-30-65	62.4	-5.4	
		12-15-65	61.8	-4.8	
		12-28-65	61.0	-4.0	
		1-26-66	60.6	-3.6	
		2-16-66	60.6	-3.6	
		3-29-66	62.0	-5.0	
		4-22-66	62.5	-5.5	
		6-13-66	60.5	-3.5	
		6-21-66	60.7	-3.7	
04S/12W-35Q01S	19.6	8-31-65	27.9	-8.3	102
		10-01-65	21.7	-2.1	
		10-29-65	25.1	-5.5	
		12-01-65	19.2	.4	
		1-07-66	17.7	1.9	
		1-28-66	18.4	1.2	101
		2-23-66	22.5	-2.9	102
		3-23-66	24.2	-4.6	
		4-19-66	24.6	-5.0	101
		4-28-66	25.8	-6.2	102
		5-26-66	25.6	-6.0	
		7-01-66	26.2	-6.6	
		7-27-66	27.8	-8.2	
		8-29-66	27.6	-8.0	
		9-14-66	26.5	-6.9	
04S/12W-35Q02S	21.3	4-19-66	26.7	-5.4	101
		5-06-66	26.6	-5.3	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-35R03S	9.0	7-28-65	19.9	-10.9	101
		8-27-65	25.8	-16.8	
		9-29-65	20.3	-11.3	
		10-06-65	21.9	-12.9	
		10-29-65	23.0	-14.0	
		12-01-65	17.9	-8.9	
		12-22-65	15.5	-6.5	
		1-27-66	15.2	-6.2	
		2-18-66	16.8	-7.8	
		3-29-66	20.0	-11.0	
		4-22-66	21.3	-12.3	
		5-11-66	22.3	-13.3	
		5-26-66	22.5	-13.5	
		6-22-66	23.8	-14.8	
04S/12W-35R04S	9.3	7-06-65	13.9	-4.6	101
		7-13-65	13.9	-4.6	
		7-20-65	14.6	-5.3	
		7-27-65	14.9	-5.6	
		8-03-65	15.8	-6.5	
		8-10-65	19.3	-10.0	
		8-17-65	19.9	-10.6	
		8-24-65	18.4	-9.1	
		9-01-65	21.3	-12.0	
		9-10-65	19.0	-9.7	
		9-21-65	17.5	-8.2	
		9-29-65	15.5	-6.2	
		10-05-65	17.5	-8.2	
		10-19-65	16.1	-6.8	
		10-27-65	19.2	-9.9	
		11-03-65	17.8	-8.5	
		11-18-65	15.1	-5.8	
		12-01-65	13.4	-4.1	
		12-17-65	11.9	-2.6	
		12-28-65	10.5	-1.2	
		1-10-66	9.5	-.2	
		1-28-66	9.5	-.2	
		2-17-66	10.3	-1.0	
		3-28-66	14.1	-4.8	
		4-22-66	15.2	-5.9	
		5-05-66	15.3	-6.0	
		5-27-66	15.8	-6.5	
		6-30-66	16.9	-7.6	
04S/12W-35R09S	8.0	7-13-65	15.4	-7.4	101
		7-20-65	16.5	-8.5	
		7-27-65	16.8	-8.8	
		8-03-65	18.1	-10.1	
		8-10-65	20.8	-12.8	
		8-17-65	21.8	-13.8	
		8-24-65	19.9	-11.9	
		9-01-65	21.6	-13.6	
		9-10-65	19.5	-11.5	
		9-21-65	18.1	-10.1	
		9-29-65	15.6	-7.6	
		10-05-65	18.5	-10.5	
		10-19-65	16.7	-8.7	
		10-27-65	19.9	-11.9	
		11-03-65	19.3	-11.3	
		11-18-65	15.7	-7.7	
		12-01-65	13.1	-5.1	
		12-17-65	11.8	-3.8	
		12-28-65	10.6	-2.6	
		1-10-66	9.6	-1.6	
		1-27-66	11.6	-3.6	
		2-17-66	13.1	-5.1	
		3-28-66	18.0	-10.0	
		4-22-66	18.6	-10.6	
		5-05-66	19.4	-11.4	
		5-27-66	20.0	-12.0	
		6-30-66	20.9	-12.9	
04S/12W-35R10S	9.0	7-06-65	12.7	-3.7	101
		7-13-65	12.8	-3.8	
		7-20-65	12.9	-3.9	
		7-27-65	13.1	-4.1	
		8-03-65	13.5	-4.5	
		8-27-65	17.3	-8.3	
		9-01-65	17.8	-8.8	
		9-10-65	15.6	-6.6	
		9-21-65	13.8	-4.8	
		9-29-65	12.7	-3.7	
		10-05-65	13.6	-4.6	
		10-19-65	12.7	-3.7	
		10-27-65	14.7	-5.7	
		11-03-65	13.3	-4.3	
		11-18-65	12.3	-3.3	
		12-01-65	11.4	-2.4	
		12-17-65	10.7	-1.7	
		12-28-65	9.9	-.9	
		1-10-66	9.3	-.3	
		1-27-66	9.5	-.5	
		2-17-66	10.2	-1.2	
		3-28-66	13.0	-4.0	
		4-22-66	13.7	-4.7	
		5-05-66	14.0	-5.0	
		5-27-66	14.0	-5.0	
		6-30-66	14.6	-5.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-35R11S	9.0	7-13-65	16.4	-7.4	101
		7-20-65	17.0	-8.0	
		7-27-65	17.3	-8.3	
		8-03-65	18.4	-9.4	
		8-10-65	21.6	-12.6	
		8-17-65	22.2	-13.2	
		8-24-65	21.1	-12.1	
		9-10-65	22.0	-13.0	
		9-21-65	20.4	-11.4	
		9-29-65	18.9	-9.9	
		10-05-65	20.6	-11.6	
		10-19-65	19.4	-10.4	
		10-26-65	22.4	-13.4	
		11-03-65	20.9	-11.9	
		11-18-65	18.3	-9.3	
		12-01-65	16.7	-7.7	
		12-17-65	15.5	-6.5	
		12-28-65	14.1	-5.1	
		1-27-66	14.3	-5.3	
		2-17-66	15.6	-6.6	
		3-28-66	19.3	-10.3	
		4-22-66	20.1	-11.1	
		5-26-66	20.8	-11.8	
		6-30-66	21.7	-12.7	
04S/12W-35R16S	9.0	7-06-65	11.3	-2.3	101
		7-13-65	11.3	-2.3	
		7-20-65	11.3	-2.3	
		7-27-65	11.5	-2.5	
		8-03-65	12.2	-3.2	
		8-10-65	12.9	-3.9	
		8-17-65	13.6	-4.6	
		8-31-65	17.1	-8.1	
		9-07-65	15.5	-6.5	
		9-14-65	15.8	-6.8	
		9-21-65	12.8	-3.8	
		9-28-65	12.7	-3.7	
		10-05-65	12.2	-3.2	
		10-15-65	11.6	-2.6	
		10-22-65	11.8	-2.8	
		11-02-65	12.2	-3.2	
		11-09-65	12.6	-3.6	
		11-18-65	11.0	-2.0	
		11-30-65	9.5	-.5	
		12-08-65	9.2	-.2	
		12-17-65	7.6	1.4	
		12-28-65	7.1	1.9	
		1-26-66	7.6	1.4	
		2-24-66	8.6	.4	
		3-28-66	11.9	-2.9	
		4-22-66	12.2	-3.2	
		5-27-66	13.4	-4.4	
		6-23-66	14.9	-5.9	
04S/12W-35R17S	9.0	7-13-65	9.5	-.5	101
		7-20-65	9.5	-.5	
		7-27-65	9.4	-.4	
		8-03-65	10.6	-1.6	
		8-10-65	11.7	-2.7	
		8-17-65	14.6	-5.6	
		8-31-65	15.0	-6.0	
		9-07-65	14.2	-5.2	
		9-14-65	15.6	-6.6	
		9-21-65	11.2	-2.2	
		9-28-65	11.0	-2.0	
		10-05-65	10.7	-1.7	
		10-15-65	10.1	-1.1	
		10-26-65	13.0	-4.0	
		11-02-65	10.8	-1.8	
		11-09-65	11.3	-2.3	
		11-18-65	9.1	-.1	
		11-30-65	7.7	1.3	
		12-08-65	7.2	1.8	
		12-17-65	7.4	1.6	
		12-28-65	6.1	2.9	
		1-26-66	6.0	3.0	
		2-24-66	7.8	1.2	
		3-31-66	10.6	-1.6	
		4-22-66	12.6	-3.6	
		5-27-66	12.8	-3.8	
		6-21-66	14.6	-5.6	
04S/12W-35R18S	9.0	7-06-65	16.4	-7.4	101
		7-13-65	16.2	-7.2	
		7-20-65	16.8	-7.8	
		7-27-65	17.0	-8.0	
		8-03-65	18.4	-9.4	
		8-10-65	20.0	-11.0	
		8-17-65	21.9	-12.9	
		8-31-65	24.8	-15.8	
		9-07-65	22.5	-13.5	
		9-14-65	23.5	-14.5	
		9-21-65	19.5	-10.5	
		9-28-65	19.3	-10.3	
		10-05-65	19.5	-10.5	
		10-15-65	18.1	-9.1	
		10-26-65	21.6	-12.6	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-35R18S (CONT.)	9.0	11-02-65	19.5	-10.5	101
		11-09-65	19.5	-10.5	
		11-18-65	16.8	-7.8	
		11-30-65	14.9	-5.9	
		12-08-65	14.6	-5.6	
		12-17-65	13.2	-4.2	
		12-28-65	11.7	-2.7	
		1-26-66	11.3	-2.3	
		2-01-66	10.9	-1.9	
		2-24-66	12.0	-3.0	
		3-31-66	15.2	-6.2	
		4-22-66	16.9	-7.9	
		5-27-66	17.5	-8.5	
		6-09-66	17.8	-8.8	
		6-23-66	18.3	-9.3	
04S/12W-35R19S	9.0	7-06-65	21.8	-12.8	101
		7-13-65	22.8	-13.8	
		7-20-65	24.0	-15.0	
		7-27-65	24.5	-15.5	
		8-03-65	25.9	-16.9	
		8-10-65	28.6	-19.6	
		8-17-65	29.9	-20.9	
		8-24-65	28.1	-19.1	
		8-31-65	30.3	-21.3	
		9-07-65	28.6	-19.6	
		9-14-65	28.1	-19.1	
		9-21-65	25.9	-16.9	
		9-28-65	27.4	-18.4	
		10-05-65	27.9	-18.9	
		10-15-65	25.3	-16.3	
		10-26-65	28.2	-19.2	
		11-02-65	27.3	-18.3	
		11-09-65	26.3	-17.3	
		11-18-65	23.0	-14.0	
		11-30-65	19.5	-10.5	
		12-08-65	19.0	-10.0	
		12-17-65	17.7	-8.7	
		12-28-65	16.3	-7.3	
		1-26-66	16.1	-7.1	
		2-24-66	18.9	-9.9	
		3-01-66	20.5	-11.5	
		3-31-66	23.8	-14.8	
		4-22-66	24.3	-15.3	
		5-27-66	26.1	-17.1	
		6-20-66	26.4	-17.4	
04S/12W-36C01S	15.9	7-30-65	31.0	-15.1	206
		7-30-65	31.0	-15.1	
		8-20-65	35.1	-19.2	
		9-10-65	32.9	-17.0	
		9-10-65	32.9	-17.0	
		10-01-65	29.3	-13.4	
		10-01-65	29.3	-13.4	
		10-22-65	30.3	-14.4	
		10-22-65	30.3	-14.4	
		11-12-65	28.4	-12.5	
		11-12-65	28.4	-12.5	
		12-03-65	21.3	-5.4	
		12-03-65	21.3	-5.4	
		12-23-65	20.8	-4.9	101
		1-14-66	17.4	-1.5	206
		1-14-66	17.4	-1.5	
		2-04-66	18.5	-2.6	
		2-04-66	18.5	-2.6	
		2-25-66	21.7	-5.8	
		2-25-66	21.7	-5.8	
		3-18-66	24.3	-8.4	
		3-18-66	24.3	-8.4	
		4-08-66	25.0	-9.1	
		4-08-66	25.0	-9.1	
		4-29-66	27.0	-11.1	
		4-29-66	27.0	-11.1	
		5-20-66	29.0	-13.1	
		5-20-66	29.0	-13.1	
		6-10-66	29.7	-13.8	
		6-10-66	29.7	-13.8	
04S/12W-36E01S	24.7	7-29-65	39.0	-14.3	101
		8-24-65	43.2	-18.5	
		9-28-65	38.1	-13.4	
		10-22-65	37.8	-13.1	
		12-01-65	30.7	-6.0	
		12-23-65	28.4	-3.7	
		12-31-65	27.2	-2.5	
		4-19-66	35.5	-10.8	
04S/12W-36E02S	24.7	7-29-65	34.2	-9.5	101
		8-24-65	35.1	-10.4	
		9-28-65	34.4	-9.7	
		10-22-65	34.0	-9.3	
		12-01-65	32.4	-7.7	
		12-23-65	31.8	-7.1	
		12-31-65	31.2	-6.5	
		2-21-66	30.5	-5.8	
		3-25-66	31.1	-6.4	
		4-19-66	31.0	-6.3	
		5-27-66	32.2	-7.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-36E02S	24.7	6-21-66	32.6	-7.9	101
(CONT.)					
04S/12W-36M01S	22.3	7-29-65	37.7	-15.4	101
		8-24-65	39.6	-17.3	
		9-28-65	36.0	-13.7	
		10-22-65	34.7	-12.4	
		12-01-65	28.8	-6.5	
		12-23-65	26.8	-4.5	
		3-25-66	34.0	-11.7	
		4-19-66	33.1	-10.8	
04S/12W-36M02S	22.1	7-29-65	33.9	-11.8	101
		8-24-65	37.8	-15.7	
		9-28-65	35.6	-13.5	
		10-22-65	34.1	-12.0	
		12-01-65	30.3	-8.2	
		12-23-65	27.6	-5.5	
		3-25-66	33.4	-11.3	
		4-19-66	34.3	-12.2	
04S/12W-36M03S	22.1	7-29-65	29.4	-7.3	101
		8-24-65	33.5	-11.4	
		9-28-65	30.5	-8.4	
		10-22-65	28.9	-6.8	
		12-01-65	25.3	-3.2	
		12-23-65	22.5	-.4	
		3-25-66	28.0	-5.9	
		4-19-66	28.9	-6.8	
04S/12W-36M04S	22.3	7-29-65	30.5	-8.2	101
		8-24-65	30.8	-8.5	
		9-28-65	30.6	-8.3	
		10-22-65	30.3	-8.0	
		12-01-65	28.9	-6.6	
		12-23-65	28.4	-6.1	
		2-21-66	27.7	-5.4	
		3-25-66	27.8	-5.5	
		4-20-66	28.7	-6.4	
		4-27-66	28.8	-6.5	
		5-03-66	28.9	-6.6	
		5-10-66	28.9	-6.6	
		5-17-66	29.0	-6.7	
		5-24-66	29.0	-6.7	
		6-01-66	29.0	-6.7	
		6-08-66	29.2	-6.9	
		6-21-66	29.4	-7.1	
		6-28-66	29.5	-7.2	
04S/12W-36N02S	11.0	7-07-65	18.7	-7.7	101
		7-21-65	19.2	-8.2	
		7-28-65	19.7	-8.7	
		8-04-65	21.1	-10.1	
		8-11-65	24.5	-13.5	
		8-18-65	25.1	-14.1	
		8-25-65	23.8	-12.8	
		9-01-65	25.8	-14.8	
		9-14-65	25.1	-14.1	
		9-22-65	22.3	-11.3	
		9-29-65	21.3	-10.3	
		10-06-65	22.5	-11.5	
		10-22-65	22.0	-11.0	
		11-03-65	23.4	-12.4	
		11-10-65	22.3	-11.3	
		11-19-65	19.5	-8.5	
		12-02-65	18.4	-7.4	
		12-17-65	17.0	-6.0	
		12-28-65	15.5	-4.5	
		1-27-66	15.6	-4.6	
		2-11-66	16.2	-5.2	
		2-18-66	17.1	-6.1	
		3-29-66	20.6	-9.6	
		4-22-66	21.7	-10.7	
		5-26-66	22.6	-11.6	
		6-14-66	23.9	-12.9	
		6-22-66	23.2	-12.2	
04S/12W-36N03S	11.0	7-07-65	14.5	-3.5	101
		7-21-65	15.6	-4.6	
		7-28-65	15.8	-4.8	
		8-04-65	16.6	-5.6	
		8-11-65	19.5	-8.5	
		8-18-65	19.8	-8.8	
		8-25-65	19.0	-8.0	
		9-01-65	20.6	-9.6	
		9-14-65	19.6	-8.6	
		9-22-65	16.0	-5.0	
		9-29-65	15.4	-4.4	
		10-06-65	16.2	-5.2	
		10-22-65	15.6	-4.6	
		11-03-65	15.1	-4.1	
		11-10-65	15.5	-4.5	
		11-19-65	13.8	-2.8	
		12-02-65	13.2	-2.2	
		12-17-65	12.1	-1.1	
		12-28-65	10.9	.1	
		1-27-66	11.0	.0	
		2-11-66	11.7	-.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-36N03S	11.0	2-18-66	12.9	-1.9	101
(CONT.)		3-29-66	15.9	-4.9	
		4-22-66	16.5	-5.5	
		5-26-66	17.4	-6.4	
		6-14-66	18.5	-7.5	
		6-22-66	18.6	-7.6	
04S/12W-36N04S	11.0	7-07-65	12.6	-1.6	101
		7-21-65	13.0	-2.0	
		7-28-65	13.1	-2.1	
		8-04-65	13.7	-2.7	
		8-11-65	15.9	-4.9	
		8-18-65	15.4	-4.4	
		8-25-65	15.6	-4.6	
		9-01-65	17.2	-6.2	
		9-14-65	15.8	-4.8	
		9-22-65	12.8	-1.8	
		9-29-65	12.4	-1.4	
		10-06-65	12.2	-1.2	
		10-22-65	11.7	-.7	
		11-03-65	11.8	-.8	
		11-10-65	12.2	-1.2	
		11-19-65	10.8	.2	
		12-02-65	9.9	1.1	
		12-17-65	9.0	2.0	
		12-28-65	7.7	3.3	
		1-27-66	8.3	2.7	
		2-11-66	9.0	2.0	
		2-18-66	8.4	2.6	
		3-29-66	11.4	-.4	
		4-22-66	12.0	-1.0	
		5-26-66	14.0	-3.0	
		6-14-66	14.2	-3.2	
		6-22-66	14.3	-3.3	
04S/13W-01F01S	44.5	7-26-65	103.4	-58.9	101
		8-23-65	105.1	-60.6	
		9-13-65	104.2	-59.7	
		10-18-65	102.9	-58.4	
		11-22-65	99.4	-54.9	
		12-20-65	93.6	-49.1	
		1-31-66	91.3	-46.8	
		2-21-66	90.9	-46.4	
		3-14-66	93.5	-49.0	
		4-18-66	94.4	-49.9	
		5-23-66	95.0	-50.5	
		6-20-66	98.4	-53.9	
04S/13W-11R06S	28.4	4-11-66	DRY		101
04S/13W-12A01S	38.7	8-23-65	95.8	-57.1	101
		9-20-65	94.8	-56.1	
		10-18-65	94.1	-55.4	
		11-08-65	93.7	-55.0	
		12-13-65	87.8	-49.1	
		1-03-66	86.7	-48.0	
04S/13W-12B02S	40.0	4-18-66	14.1	25.9	101
04S/13W-12E01S	33.0	7-30-65	131.5	-98.5	206
		8-20-65	131.6	-98.6	
		9-10-65	132.1	-99.1	
		10-01-65	129.4	-96.4	
		10-22-65	129.5	-96.5	
		11-12-65	131.8	-98.8	
		12-03-65	127.4	-94.4	
		12-23-65	122.6	-89.6	
		1-14-66	124.2	-91.2	
		2-04-66	124.5	-91.5	
		2-25-66	123.8	-90.8	
		3-18-66	124.9	-91.9	
		4-08-66	124.3	-91.3	
		4-29-66	123.8	-90.8	
		5-20-66	125.6	-92.6	
		6-10-66	122.5	-89.5	
04S/13W-12E04S	34.0	8-04-65	63.2	-29.2	101
		8-19-65	64.2	-30.2	
		9-02-65	64.4	-30.4	
		9-30-65	64.1	-30.1	
		10-28-65	63.8	-29.8	
		1-13-66	63.0	-29.0	
		1-27-66	63.1	-29.1	
		3-10-66	63.1	-29.1	
		4-08-66	63.3	-29.3	
		4-25-66	64.1	-30.1	
04S/13W-12E09S	27.2	7-08-65	16.2	11.0	101
		8-04-65	17.2	10.0	
		8-19-65	17.6	9.6	
		9-02-65	18.0	9.2	
		9-30-65	16.9	10.3	
		10-28-65	17.7	9.5	
		1-13-66	11.8	15.4	
		1-27-66	14.1	13.1	
		3-10-66	13.7	13.5	
		4-08-66	13.7	13.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/13W-12F01S (CONT.)	85.2	4-18-66	127.7	-42.5	101
04S/13W-12K01S	90.0	7-12-65	144.1	-54.1	206
		7-19-65	144.6	-54.6	
		7-26-65	145.9	-55.9	
		8-02-65	146.7	-56.7	
		8-09-65	147.6	-57.6	
		8-16-65	149.7	-59.7	
		8-23-65	151.0	-61.0	
		8-30-65	152.0	-62.0	
		9-06-65	152.5	-62.5	
		9-13-65	152.0	-62.0	
		9-20-65	149.8	-59.8	
		9-27-65	148.1	-58.1	
		10-04-65	148.2	-58.2	
		10-11-65	148.6	-58.6	
		10-18-65	148.7	-58.7	
		10-25-65	149.2	-59.2	
		11-01-65	149.3	-59.3	
		11-08-65	149.2	-59.2	
		11-23-65	147.8	-57.8	
		12-06-65	147.3	-57.3	
		12-13-65	145.2	-55.2	
		12-20-65	143.9	-53.9	
		12-27-65	142.7	-52.7	
		1-03-66	141.4	-51.4	
		1-10-66	140.2	-50.2	
		1-17-66	139.2	-49.2	
		1-24-66	138.9	-48.9	
		1-31-66	138.6	-48.6	
		2-07-66	138.0	-48.0	
		2-14-66	135.7	-45.7	
		2-21-66	132.8	-42.8	
		2-28-66	133.8	-43.8	
		3-07-66	130.7	-40.7	
		3-14-66	130.8	-40.8	
		3-21-66	131.0	-41.0	
		3-28-66	131.1	-41.1	
		4-04-66	131.3	-41.3	
		4-11-66	131.4	-41.4	
		4-18-66	132.3	-42.3	
		4-25-66	133.7	-43.7	
		5-02-66	134.9	-44.9	
		5-09-66	135.8	-45.8	
		5-16-66	136.5	-46.5	
		5-23-66	137.4	-47.4	
		5-30-66	138.8	-48.8	
		6-06-66	140.4	-50.4	
		6-13-66	142.7	-52.7	
		6-20-66	144.5	-54.5	
		6-27-66	145.9	-55.9	
04S/13W-12M01S	28.0	7-08-65	57.8	-29.8	101
		8-04-65	58.1	-30.1	
		8-19-65	58.4	-30.4	
		9-02-65	58.5	-30.5	
		9-30-65	58.9	-30.9	
		10-28-65	59.1	-31.1	
		1-13-66	57.8	-29.8	
		1-27-66	58.6	-30.6	
		3-10-66	58.8	-30.8	
		4-08-66	57.7	-29.7	
04S/13W-12M04S	38.0	11-08-65	131.1	-93.1	101
		4-18-66	126.4 (4)	-88.4	
04S/13W-12N01S	28.0	7-08-65	20.0	8.0	101
		8-04-65	20.6	7.4	
		8-19-65	20.9	7.1	
		9-02-65	21.2	6.8	
		9-30-65	20.7	7.3	
		10-28-65	20.8	7.2	
		1-13-66	17.0	11.0	
		1-27-66	18.0	10.0	
		3-10-66	17.7	10.3	
		4-08-66	17.7	10.3	
04S/13W-13D01S	25.0	4-08-66	116.0	-91.0	101
05S/12W-01E01S	9.0	8-18-65	28.6	-19.6	101
		10-22-65	26.0	-17.0	
		2-16-66	15.4	-6.4	
		4-19-66	21.5	-12.5	
		6-02-66	24.2	-15.2	
05S/12W-01E02S	9.0	7-07-65	14.7	-5.7	101
		7-14-65	14.5	-5.5	
		7-26-65	15.7	-6.7	
		8-02-65	16.4	-7.4	
		8-11-65	17.5	-8.5	
		8-18-65	18.3	-9.3	
		8-30-65	17.6	-8.6	
		9-08-65	18.0	-9.0	
		9-20-65	16.8	-7.8	
		9-29-65	16.1	-7.1	
		10-06-65	16.4	-7.4	
		10-15-65	15.7	-6.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-01E02S (CONT.)	9.0	10-26-65	16.5	-7.5	101
		11-04-65	16.4	-7.4	
		12-01-65	12.9	-3.9	
		12-17-65	11.8	-2.8	
		12-27-65	10.8	-1.8	
		1-25-66	10.5	-1.5	
		2-21-66	11.1	-2.1	
		3-25-66	13.4	-4.4	
		4-19-66	14.4	-5.4	
		5-24-66	14.5	-5.5	
		6-02-66	17.9	-8.9	
		6-22-66	16.8	-7.8	
05S/12W-01E03S	9.0	7-07-65	17.5	-8.5	101
		7-14-65	17.8	-8.8	
		7-26-65	18.8	-9.8	
		8-02-65	19.1	-10.1	
		8-11-65	19.4	-10.4	
		8-18-65	19.9	-10.9	
		8-30-65	20.2	-11.2	
		9-08-65	20.4	-11.4	
		9-20-65	19.9	-10.9	
		9-29-65	19.5	-10.5	
		10-06-65	19.8	-10.8	
		10-15-65	19.6	-10.6	
		10-26-65	19.8	-10.8	
		11-04-65	19.8	-10.8	
		12-01-65	17.8	-8.8	
		12-17-65	17.3	-8.3	
		12-27-65	16.6	-7.6	
		1-25-66	16.2	-7.2	
		2-21-66	16.3	-7.3	
		3-25-66	17.5	-8.5	
		4-19-66	17.9	-8.9	
		5-24-66	18.0	-9.0	
		6-02-66	15.6	-6.6	
		6-22-66	18.4	-9.4	
05S/12W-02A04S	21.0	7-06-65	26.4	-5.4	101
		7-14-65	26.9	-5.9	
		7-26-65	28.7	-7.7	
		8-02-65	30.2	-9.2	
		8-10-65	34.2	-13.2	
		8-23-65	33.4	-12.4	
		8-30-65	36.4	-15.4	
		9-07-65	35.3	-14.3	
		9-14-65	34.6	-13.6	
		9-30-65	30.8	-9.8	
		10-05-65	32.3	-11.3	
		10-15-65	30.1	-9.1	
		10-22-65	31.0	-10.0	
		11-01-65	31.9	-10.9	
		11-09-65	31.5	-10.5	
		11-18-65	28.7	-7.7	
		12-02-65	25.5	-4.5	
		12-21-65	23.1	-2.1	
		1-26-66	22.6	-1.6	
		2-25-66	25.7	-4.7	
		3-24-66	30.4	-9.4	
		4-20-66	29.5	-8.5	
		5-26-66	31.3	-10.3	
		6-30-66	33.2	-12.2	
05S/12W-02A05S	20.9	7-06-65	13.0	7.9	101
		7-14-65	12.2	8.7	
		7-26-65	13.1	7.8	
		8-02-65	14.3	6.6	
		8-10-65	20.7	.2	
		8-23-65	20.6	.3	
		8-30-65	27.3	-6.4	
		9-07-65	24.8	-3.9	
		9-14-65	26.6	-5.7	
		10-05-65	21.2	-.3	
		10-22-65	21.4	-.5	
		11-01-65	22.1	-1.2	
		12-21-65	15.2	5.7	
		1-26-66	15.2	5.7	
		2-25-66	17.2	3.7	
		3-24-66	21.5	-.6	
		4-20-66	22.0	-1.1	
		5-26-66	22.9	-2.0	
		6-30-66	25.0	-4.1	
05S/12W-02A09S	8.0	7-06-65	7.7	.3	101
		7-13-65	4.3	3.7	
		7-20-65	4.8	3.2	
		7-27-65	5.0	3.0	
		8-02-65	5.8	2.2	
		8-10-65	8.3	-.3	
		8-18-65	9.0	-1.0	
		8-30-65	10.9	-2.9	
		9-08-65	9.4	-1.4	
		9-15-65	10.5	-2.5	
		9-23-65	6.9	1.1	
		10-05-65	6.2	1.8	
		10-15-65	6.0	2.0	
		10-26-65	7.8	.2	
		11-04-65	9.0	-1.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02A09S (CONT.)	8.0	11-18-65	6.3	1.7	101
		11-30-65	5.5	2.5	
		12-06-65	5.1	2.9	
		12-15-65	4.1	3.9	
		12-27-65	2.0	6.0	
		1-04-66	1.4	6.6	
		1-13-66	1.8	6.2	
		1-25-66	3.0	5.0	
		2-01-66	3.2	4.8	
		2-15-66	4.0	4.0	
		3-03-66	4.6	3.4	
		3-23-66	5.9	2.1	
		3-30-66	6.1	1.9	
		4-06-66	6.6	1.4	
		4-13-66	8.5	-.5	
		4-20-66	7.1	.9	
		4-27-66	8.4	-.4	
		5-04-66	8.0	.0	
		5-18-66	8.7	-.7	
		5-25-66	8.6	-.6	
		6-08-66	10.3	-2.3	
		6-15-66	10.7	-2.7	
		6-22-66	10.8	-2.8	
		6-29-66	10.6	-2.6	
05S/12W-02A10S	8.0	7-06-65	7.8	.2	101
		7-13-65	4.0	4.0	
		7-20-65	4.9	3.1	
		7-27-65	5.2	2.8	
		8-02-65	5.8	2.2	
		8-10-65	8.6	-.6	
		8-18-65	8.9	-.9	
		8-30-65	10.8	-2.8	
		9-15-65	10.6	-2.6	
		9-23-65	6.9	1.1	
		10-05-65	6.3	1.7	
		10-15-65	6.1	1.9	
		10-26-65	8.0	.0	
		11-04-65	9.1	-1.1	
		11-18-65	6.3	1.7	
		11-30-65	5.5	2.5	
		12-06-65	5.2	2.8	
		12-15-65	4.2	3.8	
		12-27-65	2.1	5.9	
		1-04-66	1.3	6.7	
		1-13-66	1.9	6.1	
		1-25-66	2.9	5.1	
		2-01-66	3.1	4.9	
		2-15-66	4.1	3.9	
		3-03-66	4.9	3.1	
		3-16-66	5.8	2.2	
		3-23-66	6.1	1.9	
		3-30-66	6.3	1.7	
		4-06-66	6.9	1.1	
		4-13-66	8.6	-.6	
		4-20-66	7.4	.6	
		4-27-66	8.5	-.5	
		5-04-66	8.2	-.2	
		5-18-66	8.9	-.9	
		5-25-66	8.8	-.8	
		6-08-66	10.5	-2.5	
		6-15-66	10.9	-2.9	
		6-22-66	10.9	-2.9	
		6-29-66	10.8	-2.8	
05S/12W-02A11S	8.0	7-06-65	8.9	-.9	101
		7-13-65	8.1	-.1	
		7-20-65	8.5	-.5	
		7-27-65	9.1	-1.1	
		8-02-65	10.1	-2.1	
		8-10-65	14.7	-6.7	
		8-18-65	15.7	-7.7	
		8-30-65	17.2	-9.2	
		9-08-65	15.9	-7.9	
		9-15-65	17.1	-9.1	
		9-23-65	13.0	-5.0	
		10-05-65	12.4	-4.4	
		10-15-65	11.4	-3.4	
		10-26-65	15.1	-7.1	
		11-04-65	14.2	-6.2	
		11-18-65	10.2	-2.2	
		11-30-65	8.5	-.5	
		12-06-65	8.4	-.4	
		12-15-65	7.1	.9	
		12-27-65	5.2	2.8	
		1-04-66	4.4	3.6	
		1-13-66	5.1	2.9	
		1-25-66	5.5	2.5	
		2-01-66	5.5	2.5	
		2-15-66	6.9	1.1	
		3-03-66	9.8	-1.8	
		3-16-66	10.4	-2.4	
		3-23-66	13.0	-5.0	
		3-30-66	12.3	-4.3	
		4-06-66	13.3	-5.3	
		4-13-66	14.3	-6.3	
		4-20-66	14.3	-6.3	
		4-27-66	15.8	-7.8	
05S/12W-02A11S (CONT.)	8.0	5-04-66	15.2	-7.2	101
		5-18-66	16.1	-8.1	
		5-25-66	15.5	-7.5	
		6-08-66	16.8	-8.8	
		6-15-66	17.2	-9.2	
		6-22-66	17.4	-9.4	
		6-29-66	17.0	-9.0	
05S/12W-02A12S	8.0	7-06-65	15.2	-7.2	101
		7-13-65	16.0	-8.0	
		7-20-65	16.5	-8.5	
		7-27-65	18.0	-10.0	
		8-02-65	19.5	-11.5	
		8-10-65	22.0	-14.0	
		8-18-65	23.4	-15.4	
		8-30-65	24.2	-16.2	
		9-08-65	22.5	-14.5	
		9-15-65	22.5	-14.5	
		9-23-65	20.4	-12.4	
		10-05-65	20.0	-12.0	
		10-15-65	17.9	-9.9	
		10-26-65	20.8	-12.8	
		11-04-65	19.8	-11.8	
		11-18-65	15.9	-7.9	
		11-30-65	12.8	-4.8	
		12-06-65	12.4	-4.4	
		12-15-65	11.2	-3.2	
		12-27-65	9.7	-1.7	
		1-04-66	9.1	-1.1	
		1-13-66	9.0	-1.0	
		1-25-66	9.6	-1.6	
		2-01-66	9.7	-1.7	
		2-15-66	11.1	-3.1	
		3-03-66	14.0	-6.0	
		3-16-66	15.2	-7.2	
		3-23-66	16.5	-8.5	
		3-30-66	16.1	-8.1	
		4-06-66	17.0	-9.0	
		4-13-66	16.8	-8.8	
		4-20-66	16.9	-8.9	
		4-27-66	18.7	-10.7	
		5-04-66	18.6	-10.6	
		5-18-66	18.9	-10.9	
		5-25-66	19.2	-11.2	
		6-03-66	19.3	-11.3	
		6-15-66	19.9	-11.9	
		6-22-66	20.5	-12.5	
		6-29-66	20.4	-12.4	
05S/12W-02A15S	11.0	7-06-65	5.0	6.0	101
		7-13-65	4.2	6.8	
		7-20-65	4.7	6.3	
		7-27-65	4.8	6.2	
		8-02-65	5.9	5.1	
		8-13-65	13.0	-2.0	
		8-27-65	16.9	-5.9	
		9-01-65	18.3	-7.3	
		9-08-65	13.0	-2.0	
		9-22-65	10.4	.6	
		10-06-65	10.8	.2	
		10-15-65	8.7	2.3	
		10-26-65	12.3	-1.3	
		11-03-65	12.0	-1.0	
		11-18-65	7.8	3.2	
		12-02-65	8.9	2.1	
		12-15-65	4.8	6.2	
		12-28-65	3.8	7.2	
		1-05-66	2.8	8.2	
		1-12-66	3.2	7.8	
		1-25-66	4.2	6.8	
		2-01-66	4.0	7.0	
		2-17-66	5.6	5.4	
		3-02-66	8.9	2.1	
		3-09-66	9.4	1.6	
		3-16-66	9.7	1.3	
		3-23-66	10.6	.4	
		3-30-66	10.0	1.0	
		4-06-66	10.8	.2	
		4-13-66	11.7	-.7	
		4-20-66	11.7	-.7	
		4-27-66	13.4	-2.4	
		5-03-66	12.8	-1.8	
		5-11-66	13.8	-2.8	
		5-18-66	15.6	-4.6	
		5-25-66	13.3	-2.3	
		6-08-66	14.7	-3.7	
		6-15-66	15.1	-4.1	
		6-22-66	15.1	-4.1	
		6-29-66	14.4	-3.4	
05S/12W-02A16S	11.0	7-06-65	14.1	-3.1	101
		7-13-65	13.1	-2.1	
		7-20-65	12.9	-1.9	
		7-27-65	12.6	-1.6	
		8-02-65	17.4	-6.4	
		8-13-65	20.3	-9.3	
		8-27-65	15.8	-4.8	
		9-01-65	26.8	-15.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02A16S (CONT.)	11.0	9-08-65	24.3	-13.3	101
		9-22-65	17.5	-6.5	
		10-06-65	15.8	-4.8	
		10-15-65	12.5	-1.5	
		10-26-65	20.0	-9.0	
		11-03-65	17.6	-6.6	
		11-18-65	9.4	1.6	
		12-02-65	12.1	-1.1	
		12-15-65	6.9	4.1	
		12-30-65	5.6	5.4	
		1-05-66	9.0	2.0	
		1-12-66	9.2	1.8	
		1-25-66	11.1	-.1	
		2-01-66	10.9	.1	
		2-17-66	12.1	-1.1	
		3-02-66	14.4	-3.4	
		3-09-66	13.1	-2.1	
		3-16-66	17.3	-6.3	
		3-23-66	20.7	-9.7	
		3-30-66	20.0	-9.0	
		4-06-66	20.7	-9.7	
		4-13-66	20.5	-9.5	
		4-20-66	20.6	-9.6	
		4-27-66	22.4	-11.4	
		5-02-66	22.5	-11.5	
		5-11-66	23.3	-12.3	
		5-18-66	23.6	-12.6	
		5-25-66	23.4	-12.4	
		6-08-66	23.6	-12.6	
		6-15-66	24.2	-13.2	
		6-22-66	24.7	-13.7	
		6-29-66	24.4	-13.4	
05S/12W-02B01S	11.4	7-09-65	5.0	6.4	206
		7-30-65	6.3	5.1	
		8-20-65	10.2	1.2	
		9-10-65	10.9	.5	
		10-01-65	7.1	4.3	
		10-22-65	7.7	3.7	
		11-12-65	7.7	3.7	
		12-03-65	7.0	4.4	
		12-23-65	3.9	7.5	
		1-14-66	3.2	8.2	
		2-04-66	4.6	6.8	
		2-25-66	7.4	4.0	
		3-18-66	10.3	1.1	
		4-08-66	10.9	.5	
		4-29-66	12.8	-1.4	
		5-20-66	13.8	-2.4	
		6-10-66	13.8	-2.4	
05S/12W-02B08S	9.0	8-25-65	30.4	-21.4	101
		10-06-65	29.3	-20.3	
		2-15-66	17.4	-8.4	
		4-19-66	23.0	-14.0	
05S/12W-02B09S	9.0	7-07-65	11.0	-2.0	101
		7-14-65	9.8	-.8	
		7-21-65	10.3	-1.3	
		7-28-65	10.6	-1.6	
		8-04-65	11.5	-2.5	
		8-11-65	15.1	-6.1	
		8-18-65	15.8	-6.8	
		8-25-65	11.8	-2.8	
		9-07-65	13.2	-4.2	
		9-14-65	13.1	-4.1	
		9-22-65	12.4	-3.4	
		9-29-65	10.4	-1.4	
		10-04-65	10.7	-1.7	
		10-21-65	10.4	-1.4	
		11-02-65	13.8	-4.8	
		11-10-65	13.5	-4.5	
		11-19-65	10.6	-1.6	
		12-01-65	8.7	.3	
		12-22-65	6.5	2.5	
		1-11-66	6.2	2.8	
		1-26-66	6.6	2.4	
		2-21-66	8.5	.5	
		3-29-66	12.3	-3.3	
		4-19-66	12.7	-3.7	
		5-12-66	14.6	-5.6	
		5-27-66	14.7	-5.7	
		6-27-66	15.4	-6.4	
05S/12W-02H12S	9.0	7-07-65	10.5	-1.5	101
		7-14-65	9.6	-.6	
		7-21-65	9.8	-.8	
		7-28-65	10.0	-1.0	
		8-04-65	10.7	-1.7	
		8-11-65	14.1	-5.1	
		8-18-65	14.7	-5.7	
		8-25-65	11.9	-2.9	
		9-07-65	13.0	-4.0	
		9-14-65	13.4	-4.4	
		9-22-65	11.1	-2.1	
		9-29-65	10.2	-1.2	
		10-04-65	10.5	-1.5	
		10-15-65	9.9	-.9	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02H12S (CONT.)	9.0	10-25-65	13.5	-4.5	101
		11-02-65	12.4	-3.4	
		11-10-65	12.4	-3.4	
		11-19-65	10.0	-1.0	
		12-01-65	9.3	-.3	
		12-22-65	6.4	2.6	
		1-11-66	5.8	3.2	
		1-26-66	6.3	2.7	
		2-15-66	7.1	1.9	
		3-29-66	11.2	-2.2	
		4-19-66	11.8	-2.8	
		5-24-66	13.7	-4.7	
		6-27-66	13.6	-4.6	
05S/12W-02B13S	8.8	7-07-65	28.7	-19.9	101
		7-14-65	28.4	-19.6	
		7-21-65	28.1	-19.3	
		7-28-65	28.2	-19.4	
		8-04-65	28.4	-19.6	
		8-11-65	29.0	-20.2	
		8-18-65	29.5	-20.7	
		8-30-65	29.5	-20.7	
		9-07-65	29.4	-20.6	
		9-14-65	29.4	-20.6	
		9-21-65	28.7	-19.9	
		9-29-65	28.6	-19.8	
		10-06-65	28.8	-20.0	
		10-15-65	27.2	-18.4	
		10-25-65	29.2	-20.4	
		11-02-65	28.7	-19.9	
		11-10-65	29.0	-20.2	
		11-18-65	28.8	-20.0	
		12-01-65	27.7	-18.9	
		12-17-65	27.1	-18.3	
		12-28-65	26.7	-17.9	
		2-14-66	26.5	-17.7	
		4-06-66	27.7	-18.9	
		4-19-66	27.9	-19.1	
05S/12W-02B14S	10.0	7-06-65	3.8	6.2	101
		7-13-65	3.8	6.2	
		7-20-65	4.2	5.8	
		7-27-65	4.3	5.7	
		8-04-65	5.5	4.5	
		8-11-65	11.1	-1.1	
		8-18-65	11.1	-1.1	
		8-26-65	9.0	1.0	
		9-07-65	11.6	-1.6	
		9-14-65	13.1	-3.1	
		9-21-65	8.2	1.8	
		9-28-65	8.4	1.6	
		10-05-65	9.0	1.0	
		10-14-65	7.3	2.7	
		10-26-65	11.5	-1.5	
		11-03-65	10.3	-.3	
		11-18-65	6.9	3.1	
		12-07-65	5.4	4.6	
		12-15-65	4.7	5.3	
		12-28-65	3.1	6.9	
		1-05-66	2.3	7.7	
		1-12-66	2.3	7.7	
		1-25-66	3.7	6.3	
		2-01-66	2.9	7.1	
		2-17-66	4.6	5.4	
		3-02-66	7.6	2.4	
		3-09-66	8.3	1.7	
		3-16-66	8.4	1.6	
		3-23-66	9.3	.7	
		3-30-66	8.9	1.1	
		4-06-66	9.7	.3	
		4-13-66	10.4	-.4	
		4-20-66	10.4	-.4	
		4-27-66	11.6	-1.6	
		5-04-66	11.2	-1.2	
		5-18-66	12.6	-2.6	
		5-25-66	12.1	-2.1	
		6-08-66	12.8	-2.8	
		6-15-66	13.1	-3.1	
		6-22-66	13.2	-3.2	
		6-29-66	12.5	-2.5	
05S/12W-02B15S	10.0	7-06-65	12.0	-2.0	101
		7-13-65	12.9	-2.9	
		7-20-65	13.8	-3.8	
		7-27-65	14.1	-4.1	
		8-04-65	15.6	-5.6	
		8-11-65	19.2	-9.2	
		8-18-65	19.3	-9.3	
		8-26-65	17.8	-7.8	
		9-07-65	18.8	-8.8	
		9-14-65	18.8	-8.8	
		9-21-65	16.0	-6.0	
		9-28-65	15.7	-5.7	
		10-05-65	17.0	-7.0	
		10-14-65	14.0	-4.0	
		10-26-65	17.4	-7.4	
		11-03-65	16.7	-6.7	
		11-18-65	13.2	-3.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
05S/12W-02B15S (CONT.)	10.0	12-07-65	10.3	-.3	101
		12-15-65	9.3	.7	
		12-28-65	7.6	2.4	
		1-05-66	6.9	3.1	
		1-12-66	6.9	3.1	
		1-25-66	7.6	2.4	
		2-01-66	7.6	2.4	
		2-17-66	9.1	.9	
		3-02-66	12.3	-2.3	
		3-09-66	12.7	-2.7	
		3-16-66	12.9	-2.9	
		3-23-66	14.1	-4.1	
		3-30-66	13.8	-3.8	
		4-06-66	14.3	-4.3	
		4-13-66	14.1	-4.1	
		4-20-66	14.2	-4.2	
		4-27-66	15.9	-5.9	
		5-04-66	15.6	-5.6	
		5-18-66	16.7	-6.7	
		5-25-66	16.8	-6.8	
		6-08-66	16.6	-6.6	
		6-15-66	17.2	-7.2	
		6-22-66	17.4	-7.4	
		6-29-66	16.9	-6.9	
05S/12W-02B16S	10.8	7-06-65	8.4	2.4	101
		7-13-65	8.1	2.7	
		7-20-65	8.4	2.4	
		7-27-65	8.3	2.5	
		8-02-65	9.4	1.4	
		8-11-65	13.4	-2.6	
		8-24-65	12.1	-1.3	
		9-01-65	15.4	-4.6	
		9-08-65	12.1	-1.3	
		9-20-65	11.5	-.7	
		9-28-65	10.1	.7	
		10-05-65	10.7	.1	
		10-14-65	9.5	1.3	
		10-22-65	11.3	-.5	
		11-01-65	12.0	-1.2	
		11-09-65	12.9	-2.1	
		11-18-65	10.1	.7	
		12-01-65	8.4	2.4	
		12-15-65	7.3	3.5	
		12-28-65	5.6	5.2	
		1-05-66	4.8	6.0	
		1-12-66	5.4	5.4	
		1-25-66	6.1	4.7	
		2-03-66	5.8	5.0	
		2-17-66	7.1	3.7	
		3-03-66	10.4	.4	
		3-16-66	11.0	-.2	
		3-23-66	11.7	-.9	
		3-30-66	11.5	-.7	
		4-01-66	11.7	-.9	
		4-13-66	12.2	-1.4	
		4-20-66	12.4	-1.6	
		4-27-66	13.6	-2.8	
		5-04-66	13.1	-2.3	
		5-18-66	14.3	-3.5	
		5-25-66	14.1	-3.3	
		6-08-66	14.3	-3.5	
		6-15-66	14.8	-4.0	
		6-22-66	14.9	-4.1	
		6-29-66	14.6	-3.8	
05S/12W-02B17S	10.8	7-06-65	8.4	2.4	101
		7-13-65	12.1	-1.3	
		7-20-65	12.4	-1.6	
		7-27-65	12.4	-1.6	
		8-02-65	13.7	-2.9	
		8-11-65	16.8	-6.0	
		8-24-65	15.1	-4.3	
		9-01-65	17.9	-7.1	
		9-08-65	14.8	-4.0	
		9-22-65	14.3	-3.5	
		10-05-65	13.5	-2.7	
		10-14-65	12.3	-1.5	
		10-26-65	16.1	-5.3	
		11-02-65	16.2	-5.4	
		11-09-65	15.9	-5.1	
		11-18-65	13.4	-2.6	
		12-01-65	10.7	.1	
		12-15-65	9.8	1.0	
		12-28-65	8.2	2.6	
		1-05-66	7.4	3.4	
		1-12-66	7.9	2.9	
		1-25-66	8.6	2.2	
		2-03-66	8.5	2.3	
		2-17-66	9.8	1.0	
		3-03-66	12.8	-2.0	
		3-16-66	13.8	-3.0	
		3-23-66	14.6	-3.8	
		3-30-66	14.3	-3.5	
		4-01-66	14.6	-3.8	
		4-13-66	14.7	-3.9	
		4-20-66	15.0	-4.2	
		4-27-66	16.5	-5.7	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02B17S (CONT.)	10.8	5-04-66	15.9	-5.1	101
		5-18-66	16.9	-6.1	
		5-25-66	17.2	-6.4	
		6-08-66	16.7	-5.9	
		6-15-66	17.1	-6.3	
		6-22-66	17.6	-6.8	
		6-29-66	17.3	-6.5	
05S/12W-02C01S	25.0	8-31-65	34.2	-9.2	102
		10-01-65	30.9	-5.9	
		10-29-65	32.5(4)	-7.5	
		11-19-65	29.4	-4.4	101
		12-01-65	32.2	-7.2	102
		1-07-66	29.4	-4.4	
		1-26-66	26.2	-1.2	101
		2-08-66	26.2	-1.2	
		2-21-66	26.8	-1.8	
		2-23-66	30.9	-5.9	102
		3-23-66	32.7	-7.7	
		3-30-66	28.9	-3.9	101
		4-19-66	29.3	-4.3	
		4-28-66	35.9	-10.9	102
		5-25-66	29.7	-4.7	101
		5-26-66	33.3	-8.3	102
		6-21-66	28.7	-3.7	101
		6-28-66	32.6	-7.6	102
		7-27-66	34.9	-9.9	
		8-29-66	34.5	-9.5	
		9-14-66	33.8	-8.8	
05S/12W-02C06S	18.0	7-06-65	21.6	-3.6	101
		7-13-65	22.3	-4.3	
		7-20-65	22.1	-4.1	
		7-27-65	22.1	-4.1	
		8-03-65	22.2	-4.2	
		8-17-65	22.8	-4.8	
		8-24-65	20.9	-2.9	
		8-31-65	23.5	-5.5	
		9-08-65	23.7	-5.7	
		9-21-65	22.7	-4.7	
		9-28-65	22.3	-4.3	
		10-05-65	21.9	-3.9	
		10-15-65	21.7	-3.7	
		10-26-65	22.2	-4.2	
		11-02-65	22.3	-4.3	
		11-09-65	22.3	-4.3	
		11-17-65	22.1	-4.1	
		11-30-65	21.5	-3.5	
		12-07-65	21.3	-3.3	
		12-15-65	21.2	-3.2	
		12-28-65	20.7	-2.7	
		1-04-66	20.6	-2.6	
		1-11-66	20.4	-2.4	
		1-18-66	20.2	-2.2	
		1-25-66	20.3	-2.3	
		2-01-66	19.6	-1.6	
		2-15-66	20.5	-2.5	
		2-23-66	20.8	-2.8	
		3-02-66	20.8	-2.8	
		3-09-66	21.2	-3.2	
		3-16-66	21.3	-3.3	
		3-23-66	21.4	-3.4	
		3-30-66	21.5	-3.5	
		4-06-66	21.6	-3.6	
		4-13-66	21.8	-3.8	
		4-20-66	21.8	-3.8	
		4-27-66	22.1	-4.1	
		5-04-66	22.1	-4.1	
		5-11-66	22.2	-4.2	
		5-18-66	22.1	-4.1	
		6-01-66	22.1	-4.1	
		6-08-66	22.2	-4.2	
		6-15-66	22.2	-4.2	
		6-22-66	22.3	-4.3	
		6-29-66	22.2	-4.2	
05S/12W-02C07S	18.0	7-06-65	20.7	-2.7	101
		7-13-65	21.3	-3.3	
		7-20-65	22.8	-4.8	
		7-27-65	22.8	-4.8	
		8-03-65	24.0	-6.0	
		8-10-65	26.3	-8.3	
		8-17-65	26.9	-8.9	
		8-24-65	25.1	-7.1	
		8-31-65	27.2	-9.2	
		9-07-65	25.8	-7.8	
		9-14-65	25.6	-7.6	
		9-21-65	23.8	-5.8	
		9-28-65	23.7	-5.7	
		10-05-65	23.9	-5.9	
		10-15-65	22.9	-4.9	
		10-26-65	25.2	-7.2	
		11-02-65	25.6	-7.6	
		11-09-65	25.3	-7.3	
		11-17-65	23.6	-5.6	
		11-30-65	21.3	-3.3	
		12-07-65	20.9	-2.9	
		12-15-65	20.5	-2.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02C07S (CONT.)	18.0	12-28-65	18.9	-.9	101
		1-04-66	18.3	-.3	
		1-11-66	18.6	-.6	
		1-18-66	18.8	-.8	
		1-25-66	19.0	-1.0	
		2-01-66	18.9	-.9	
		2-15-66	20.1	-2.1	
		2-23-66	20.5	-2.5	
		3-02-66	22.2	-4.2	
		3-09-66	22.8	-4.8	
		3-16-66	23.0	-5.0	
		3-23-66	23.8	-5.8	
		3-30-66	23.6	-5.6	
		4-06-66	23.9	-5.9	
		4-13-66	23.9	-5.9	
		4-20-66	24.3	-6.3	
		4-27-66	25.5	-7.5	
		5-04-66	24.0	-6.0	
		5-11-66	24.5	-6.5	
		5-18-66	24.6	-6.6	
		5-31-66	23.9	-5.9	
		6-08-66	24.1	-6.1	
		6-15-66	24.5	-6.5	
		6-22-66	24.9	-6.9	
		6-29-66	24.7	-6.7	
05S/12W-02C08S	16.0	7-06-65	20.8	-4.8	101
		7-13-65	20.8	-4.8	
		7-21-65	20.9	-4.9	
		8-02-65	21.0	-5.0	
		8-11-65	21.1	-5.1	
		8-24-65	21.4	-5.4	
		8-31-65	21.5	-5.5	
		9-08-65	21.6	-5.6	
		9-20-65	21.4	-5.4	
		9-28-65	21.3	-5.3	
		10-05-65	21.1	-5.1	
		10-14-65	21.0	-5.0	
		10-25-65	20.9	-4.9	
		11-02-65	21.1	-5.1	
		11-09-65	21.7	-5.7	
		11-17-65	21.8	-5.8	
		11-30-65	21.5	-5.5	
		12-06-65	21.3	-5.3	
		12-15-65	21.1	-5.1	
		12-28-65	20.8	-4.8	
		1-03-66	20.6	-4.6	
		1-12-66	20.4	-4.4	
		1-19-66	20.2	-4.2	
		2-03-66	20.3	-4.3	
		2-15-66	20.1	-4.1	
		3-03-66	20.1	-4.1	
		3-16-66	20.3	-4.3	
		3-23-66	20.3	-4.3	
		3-30-66	20.5	-4.5	
		4-06-66	20.6	-4.6	
		4-13-66	20.6	-4.6	
		4-20-66	20.8	-4.8	
		4-27-66	20.8	-4.8	
		5-04-66	21.0	-5.0	
		5-18-66	21.0	-5.0	
		5-25-66	21.1	-5.1	
		6-08-66	20.8	-4.8	
		6-15-66	20.8	-4.8	
		6-22-66	20.9	-4.9	
		6-29-66	21.0	-5.0	
05S/12W-02C09S	16.0	7-06-65	15.7	.3	101
		7-13-65	19.3	-3.3	
		7-21-65	19.7	-3.7	
		8-02-65	20.1	-4.1	
		8-11-65	21.1	-5.1	
		8-24-65	20.8	-4.8	
		8-31-65	21.4	-5.4	
		9-08-65	21.0	-5.0	
		9-22-65	20.3	-4.3	
		10-05-65	20.0	-4.0	
		10-14-65	19.5	-3.5	
		10-25-65	20.3	-4.3	
		11-02-65	22.5	-6.5	
		11-09-65	22.9	-6.9	
		11-17-65	22.2	-6.2	
		11-30-65	21.0	-5.0	
		12-06-65	20.7	-4.7	
		12-15-65	20.4	-4.4	
		12-28-65	19.5	-3.5	
		1-19-66	19.0	-3.0	
		2-03-66	18.9	-2.9	
		2-15-66	19.4	-3.4	
		3-03-66	20.2	-4.2	
		3-16-66	20.7	-4.7	
		3-23-66	20.8	-4.8	
		3-30-66	20.8	-4.8	
		4-06-66	21.0	-5.0	
		4-13-66	20.9	-4.9	
		4-20-66	21.3	-5.3	
		4-27-66	21.8	-5.8	
		5-04-66	21.6	-5.6	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02C09S (CONT.)	16.0	5-18-66	21.5	-5.5	101
		5-25-66	21.7	-5.7	
		6-08-66	19.0	-3.0	
		6-15-66	19.2	-3.2	
		6-22-66	19.4	-3.4	
		6-29-66	19.4	-3.4	
05S/12W-02D04S	15.0	7-06-65	18.1	-3.1	101
		7-13-65	18.6	-3.6	
		7-20-65	18.4	-3.4	
		7-27-65	18.3	-3.3	
		8-03-65	18.3	-3.3	
		8-11-65	18.2	-3.2	
		8-24-65	15.8	-.8	
		9-01-65	19.2	-4.2	
		9-08-65	18.2	-3.2	
		9-22-65	16.4	-1.4	
		10-05-65	16.0	-1.0	
		10-14-65	15.3	-.3	
		10-26-65	16.4	-1.4	
		11-02-65	16.3	-1.3	
		11-09-65	16.0	-1.0	
		11-17-65	15.3	-.3	
		11-30-65	15.3	-.3	
		12-07-65	14.9	.1	
		12-15-65	15.2	-.2	
		12-28-65	14.2	.8	
		1-03-66	15.0	.0	
		1-12-66	15.1	-.1	
		1-25-66	15.1	-.1	
		2-03-66	14.6	.4	
		2-16-66	15.0	.0	
		3-03-66	15.8	-.8	
		3-16-66	16.0	-1.0	
		3-23-66	16.2	-1.2	
		3-30-66	16.2	-1.2	
		4-01-66	15.9	-.9	
		4-13-66	16.7	-1.7	
		4-20-66	16.7	-1.7	
		4-27-66	16.5	-1.5	
		5-04-66	17.1	-2.1	
		5-18-66	17.2	-2.2	
		5-25-66	16.9	-1.9	
		6-08-66	17.3	-2.3	
		6-22-66	17.2	-2.2	
		6-29-66	16.9	-1.9	
05S/12W-02D05S	15.0	7-06-65	15.9	-.9	101
		7-13-65	16.3	-1.3	
		7-20-65	16.9	-1.9	
		7-27-65	16.9	-1.9	
		8-03-65	18.1	-3.1	
		8-11-65	21.2	-6.2	
		8-26-65	19.0	-4.0	
		9-01-65	21.8	-6.8	
		9-08-65	18.3	-3.3	
		9-20-65	17.2	-2.2	
		9-28-65	17.0	-2.0	
		10-05-65	17.4	-2.4	
		10-14-65	16.2	-1.2	
		10-26-65	19.6	-4.6	
		11-02-65	19.7	-4.7	
		11-09-65	19.5	-4.5	
		11-17-65	17.6	-2.6	
		11-30-65	15.5	-.5	
		12-07-65	15.2	-.2	
		12-15-65	14.6	.4	
		12-28-65	13.0	2.0	
		1-03-66	12.3	2.7	
		1-12-66	12.6	2.4	
		1-25-66	13.1	1.9	
		2-03-66	13.4	1.6	
		2-16-66	14.2	.8	
		3-03-66	16.9	-1.9	
		3-16-66	17.7	-2.7	
		3-23-66	18.3	-3.3	
		3-30-66	18.1	-3.1	
		4-01-66	18.4	-3.4	
		4-13-66	18.8	-3.8	
		4-20-66	18.9	-3.9	
		4-27-66	20.2	-5.2	
		5-04-66	19.5	-4.5	
		5-18-66	20.3	-5.3	
		5-25-66	20.3	-5.3	
		6-08-66	20.3	-5.3	
		6-22-66	21.0	-6.0	
		6-29-66	20.7	-5.7	
05S/12W-02D06S	15.0	7-06-65	17.4	-2.4	101
		7-13-65	17.5	-2.5	
		7-20-65	18.3	-3.3	
		7-27-65	18.4	-3.4	
		8-03-65	19.6	-4.6	
		8-11-65	22.8	-7.8	
		8-26-65	20.4	-5.4	
		9-01-65	23.5	-8.5	
		9-08-65	20.2	-5.2	
		9-20-65	18.9	-3.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
05S/12W-02D06S	15.0	9-28-65	18.7	-3.7	101
(CONT.)		10-05-65	19.1	-4.1	
		10-14-65	17.7	-2.7	
		10-26-65	21.3	-6.3	
		11-02-65	21.9	-6.9	
		11-09-65	21.4	-6.4	
		11-17-65	19.1	-4.1	
		11-30-65	16.2	-1.2	
		12-07-65	15.9	-.9	
		12-15-65	15.3	-.3	
		12-28-65	13.7	1.3	
		1-03-66	13.1	1.9	
		1-12-66	13.3	1.7	
		1-25-66	14.0	1.0	
		2-03-66	14.2	.8	
		2-16-66	15.3	-.3	
		3-03-66	18.1	-3.1	
		3-16-66	19.0	-4.0	
		3-23-66	19.8	-4.8	
		3-30-66	19.6	-4.6	
		4-01-66	19.9	-4.9	
		4-13-66	19.8	-4.8	
		4-20-66	20.1	-5.1	
		4-27-66	21.7	-6.7	
		5-04-66	20.9	-5.9	
		5-18-66	21.7	-6.7	
		5-25-66	22.0	-7.0	
		6-08-66	21.7	-6.7	
		6-22-66	22.5	-7.5	
		6-29-66	22.3	-7.3	
05S/12W-02F01S	8.1	11-02-65	15.0	-6.9	101
05S/12W-02F03S	8.0	8-26-65	33.0	-25.0	101
		10-18-65	26.6	-18.6	
		1-12-66	21.9	-13.9	
		4-19-66	17.3	-9.3	
05S/12W-02F04S	10.0	8-26-65	23.0	-13.0	101
		10-18-65	20.5	-10.5	
		1-12-66	14.3	-4.3	
		4-19-66	20.9	-10.9	
05S/12W-02F11S	8.0	7-07-65	19.1	-11.1	101
		7-14-65	18.5	-10.5	
		7-21-65	19.3	-11.3	
		7-28-65	18.8	-10.8	
		8-04-65	19.4	-11.4	
		8-11-65	19.4	-11.4	
		8-18-65	19.8	-11.8	
		8-25-65	19.5	-11.5	
		9-03-65	19.7	-11.7	
		9-15-65	19.2	-11.2	
		9-28-65	18.4	-10.4	
		10-06-65	19.1	-11.1	
		10-15-65	18.7	-10.7	
		10-25-65	20.1	-12.1	
		11-04-65	19.2	-11.2	
		12-01-65	18.0	-10.0	
		12-08-65	17.5	-9.5	
		12-21-65	18.0	-10.0	
		12-28-65	17.2	-9.2	
		1-06-66	14.8	-6.8	
		1-27-66	17.5	-9.5	
		2-21-66	17.9	-9.9	
		3-29-66	20.9	-12.9	
		4-19-66	18.7	-10.7	
		5-27-66	19.1	-11.1	
		6-01-66	18.1	-10.1	
		6-27-66	19.0	-11.0	
05S/12W-02F12S	9.5	7-07-65	19.2	-9.7	101
		7-14-65	18.7	-9.2	
		7-21-65	19.3	-9.8	
		7-28-65	18.6	-9.1	
		8-04-65	19.2	-9.7	
		8-11-65	19.0	-9.5	
		8-18-65	19.3	-9.8	
		8-25-65	19.1	-9.6	
		9-03-65	18.8	-9.3	
		9-15-65	18.3	-8.8	
		9-28-65	17.8	-8.3	
		10-06-65	18.5	-9.0	
		10-15-65	18.0	-8.5	
		10-25-65	19.5	-10.0	
		11-04-65	18.6	-9.1	
		12-01-65	17.4	-7.9	
		12-08-65	16.9	-7.4	
		12-21-65	18.0	-8.5	
		12-28-65	17.0	-7.5	
		1-06-66	15.3	-5.8	
		1-27-66	17.3	-7.8	
		2-21-66	17.7	-8.2	
		3-29-66	20.3	-10.8	
		4-19-66	18.4	-8.9	
		5-27-66	18.7	-9.2	
		6-01-66	17.6	-8.1	
		6-27-66	18.4	-8.9	

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02F13S	10.0	7-07-65	20.9	-10.9	101
		7-14-65	20.8	-10.8	
		7-27-65	20.9	-10.9	
		8-03-65	20.8	-10.8	
		8-11-65	21.1	-11.1	
		8-18-65	21.4	-11.4	
		8-25-65	21.3	-11.3	
		9-01-65	21.5	-11.5	
		9-14-65	21.3	-11.3	
		9-21-65	21.0	-11.0	
		9-28-65	20.9	-10.9	
		10-06-65	20.9	-10.9	
		10-14-65	20.6	-10.6	
		10-25-65	21.0	-11.0	
		11-01-65	20.9	-10.9	
		11-09-65	21.1	-11.1	
		11-17-65	20.8	-10.8	
		11-30-65	20.2	-10.2	
		12-06-65	20.0	-10.0	
		12-15-65	19.9	-9.9	
		12-28-65	19.4	-9.4	
		1-05-66	16.5	-6.5	
		1-12-66	18.8	-8.8	
		1-19-66	19.5	-9.5	
		2-03-66	19.5	-9.5	
		2-16-66	19.5	-9.5	
		3-03-66	19.8	-9.8	
		3-16-66	19.9	-9.9	
		3-23-66	19.9	-9.9	
		3-30-66	20.1	-10.1	
		4-06-66	19.9	-9.9	
		4-13-66	19.8	-9.8	
		4-20-66	20.1	-10.1	
		4-27-66	20.4	-10.4	
		5-04-66	20.3	-10.3	
		5-11-66	20.4	-10.4	
		5-18-66	20.4	-10.4	
		5-25-66	20.5	-10.5	
		6-08-66	20.5	-10.5	
		6-15-66	20.6	-10.6	
		6-22-66	20.7	-10.7	
		6-29-66	20.6	-10.6	
05S/12W-02G04S	9.6	11-19-65	17.8	-8.2	101
		4-19-66	17.7	-8.1	
05S/12W-02G05S	9.0	7-27-65	30.7	-21.7	101
		11-19-65	29.8	-20.8	
		2-08-66	27.3	-18.3	
		4-19-66	30.2	-21.2	
05S/12W-02G06S	9.0	4-22-66	29.2	-20.2	101
05S/12W-02G08S	10.1	11-02-65	18.7	-8.6	101
		11-09-65	18.7	-8.6	
05S/12W-02G10S	9.2	11-02-65	17.9	-8.7	101
05S/12W-02G11S	10.2	11-02-65	17.7	-7.5	101
		11-09-65	18.1	-7.9	
05S/12W-02G19S	9.9	7-06-65	21.4	-11.5	101
		7-13-65	21.4	-11.5	
		7-20-65	22.5	-12.6	
		7-27-65	22.7	-12.8	
		8-03-65	23.0	-13.1	
		8-10-65	23.2	-13.3	
		8-17-65	24.1	-14.2	
		8-24-65	24.1	-14.2	
		9-03-65	25.1	-15.2	
		9-10-65	24.2	-14.3	
		9-22-65	23.7	-13.8	
		10-05-65	23.6	-13.7	
		10-15-65	23.2	-13.3	
		10-26-65	23.8	-13.9	
		11-02-65	23.7	-13.8	
		11-09-65	23.7	-13.8	
		11-17-65	21.4	-11.5	
		11-30-65	22.1	-12.2	
		12-07-65	22.0	-12.1	
		12-15-65	21.7	-11.8	
		12-28-65	20.9	-11.0	
		1-04-66	18.0	-8.1	
		1-13-66	20.6	-10.7	
		1-26-66	20.8	-10.9	
		2-03-66	21.0	-11.1	
		2-16-66	21.4	-11.5	
		2-23-66	21.5	-11.6	
		3-02-66	21.9	-12.0	
		3-09-66	22.2	-12.3	
		3-16-66	22.6	-12.7	
		3-24-66	22.7	-12.8	
		4-06-66	23.0	-13.1	
		4-13-66	23.0	-13.1	
		4-20-66	23.1	-13.2	
		4-27-66	23.4	-13.5	
		5-04-66	23.5	-13.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0

CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02G19S	9.9	5-11-66	23.3	-13.4	101
(CONT.)		5-18-66	23.2	-13.3	
		5-25-66	23.4	-13.5	
		6-08-66	23.6	-13.7	
		6-15-66	23.9	-14.0	
		6-22-66	23.9	-14.0	
		6-29-66	23.9	-14.0	
05S/12W-02H08S	19.9	7-06-65	26.9	-7.0	101
		7-14-65	26.8	-6.9	
		7-26-65	28.0	-8.1	
		8-02-65	28.5	-8.6	
		8-10-65	30.7	-10.8	
		8-23-65	31.9	-12.0	
		8-30-65	31.9	-12.0	
		9-07-65	31.4	-11.5	
		9-14-65	31.6	-11.7	
		9-30-65	28.7	-8.8	
		10-04-65	29.3	-9.4	
		10-15-65	28.6	-8.7	
		10-25-65	29.9	-10.0	
		11-01-65	29.3	-9.4	
		11-09-65	29.3	-9.4	
		11-18-65	26.8	-6.9	
		12-01-65	27.0	-7.1	
		12-20-65	25.7	-5.8	
		12-27-65	24.8	-4.9	
		1-13-66	24.6	-4.7	
		1-26-66	25.2	-5.3	
		2-23-66	26.3	-6.4	
		3-24-66	28.6	-8.7	
		4-06-66	28.5	-8.6	
		4-13-66	28.5	-8.6	
		4-20-66	28.9	-9.0	
		4-27-66	29.8	-9.9	
		5-04-66	29.6	-9.7	
		5-11-66	29.5	-9.6	
		5-18-66	30.0	-10.1	
		5-25-66	29.7	-9.8	
		6-01-66	29.9	-10.0	
		6-08-66	30.4	-10.5	
		6-15-66	30.8	-10.9	
		6-22-66	30.9	-11.0	
		6-29-66	30.8	-10.9	
05S/12W-02H09S	19.9	7-06-65	28.3	-8.4	101
		7-14-65	28.3	-8.4	
		7-26-65	29.3	-9.4	
		8-02-65	29.5	-9.6	
		8-10-65	30.2	-10.3	
		8-23-65	30.6	-10.7	
		8-30-65	30.4	-10.5	
		9-07-65	31.1	-11.2	
		9-14-65	30.8	-10.9	
		9-30-65	30.0	-10.1	
		10-04-65	30.0	-10.1	
		10-15-65	29.7	-9.8	
		10-25-65	30.0	-10.1	
		11-01-65	31.8	-11.9	
		11-09-65	30.1	-10.2	
		11-18-65	29.3	-9.4	
		12-01-65	28.7	-8.8	
		12-20-65	28.1	-8.2	
		12-27-65	27.6	-7.7	
		1-13-66	27.7	-7.8	
		1-26-66	27.6	-7.7	
		2-23-66	27.9	-8.0	
		3-24-66	28.9	-9.0	
		4-06-66	29.1	-9.2	
		4-13-66	29.2	-9.3	
		4-20-66	29.4	-9.5	
		4-27-66	29.6	-9.7	
		5-04-66	29.8	-9.9	
		5-11-66	29.4	-9.5	
		5-18-66	29.5	-9.6	
		5-25-66	29.6	-9.7	
		6-01-66	29.7	-9.8	
		6-08-66	30.0	-10.1	
		6-15-66	30.2	-10.3	
		6-22-66	30.2	-10.3	
		6-29-66	30.2	-10.3	
05S/12W-02H10S	19.4	7-07-65	32.9	-13.5	101
		7-19-65	33.7	-14.3	
		7-26-65	34.2	-14.8	
		8-04-65	34.5	-15.1	
		8-18-65	35.3	-15.9	
		9-07-65	35.0	-15.6	
		9-14-65	35.7	-16.3	
		9-22-65	35.2	-15.8	
		9-29-65	34.8	-15.4	
		10-06-65	35.5	-16.1	
		10-15-65	34.8	-15.4	
		10-26-65	35.5	-16.1	
		11-02-65	35.7	-16.3	
		11-09-65	35.5	-16.1	
		11-18-65	34.9	-15.5	
		11-30-65	33.9	-14.5	
05S/12W-02H10S	19.4	12-07-65	33.7	-14.3	101
(CONT.)		12-22-65	32.8	-13.4	
		1-17-66	32.5	-13.1	
		1-26-66	32.5	-13.1	
		2-21-66	32.7	-13.3	
		3-25-66	33.9	-14.5	
		4-20-66	34.3	-14.9	
		5-17-66	33.6	-14.2	
		5-24-66	33.8	-14.4	
		6-29-66	34.7	-15.3	
05S/12W-02H11S	19.2	7-07-65	39.0	-19.8	101
		7-14-65	39.6	-20.4	
		7-26-65	42.6	-23.4	
		8-02-65	42.8	-23.6	
		8-10-65	43.1	-23.9	
		8-23-65	43.6	-24.4	
		8-31-65	43.9	-24.7	
		9-07-65	44.3	-25.1	
		9-14-65	43.8	-24.6	
		9-30-65	42.9	-23.7	
		10-04-65	43.6	-24.4	
		10-15-65	43.3	-24.1	
		10-25-65	43.2	-24.0	
		11-01-65	43.8	-24.6	
		11-09-65	43.6	-24.4	
		11-18-65	43.2	-24.0	
		12-01-65	42.1	-22.9	
		12-22-65	41.0	-21.8	
		2-23-66	42.0	-22.8	
		4-06-66	42.9	-23.7	
		4-19-66	43.1	-23.9	
05S/12W-02J02S	9.9	7-30-65	24.6	-14.7	206
		8-20-65	28.2	-18.3	
		9-10-65	29.1	-19.2	
		10-01-65	26.6	-16.7	
		10-28-65	26.4	-16.5	
		11-12-65	25.6	-15.7	
		12-03-65	19.2	-9.3	
		12-23-65	17.3	-7.4	101
		1-14-66	14.7	-4.8	206
		2-04-66	14.3	-4.4	
		2-25-66	16.2	-6.3	
		3-18-66	17.1	-7.2	
		4-08-66	19.9	-10.0	
		6-10-66	21.9	-12.0	
05S/12W-02J03S	6.0	12-11-65	20.5	-14.5	206
05S/12W-02P01S	4.8	9-01-65	25.3	-20.5	101
		11-19-65	21.5	-16.7	
		4-19-66	16.3	-11.5	
05S/12W-02P05S	5.0	11-02-65	10.1	-5.1	101
		4-11-66	8.5	-3.5	
05S/12W-02P07S	4.2	8-30-65	23.0	-18.8	101
		11-19-65	20.9	-16.7	
		4-19-66	18.1	-13.9	
05S/12W-02Q01S	5.2	7-06-65	13.1	-7.9	101
		7-13-65	13.3	-8.1	
		7-20-65	14.2	-9.0	
		7-27-65	14.5	-9.3	
		8-03-65	14.6	-9.4	
		8-10-65	14.6	-9.4	
		8-17-65	15.0	-9.8	
		8-24-65	15.1	-9.9	
		9-03-65	15.0	-9.8	
		9-14-65	14.9	-9.7	
		9-22-65	14.7	-9.5	
		10-05-65	14.7	-9.5	
		10-15-65	14.5	-9.3	
		10-26-65	14.6	-9.4	
		11-02-65	14.9	-9.7	
		11-09-65	14.7	-9.5	
		11-23-65	14.7	-9.5	
		11-30-65	13.1	-7.9	
		12-07-65	13.0	-7.8	
		12-21-65	12.7	-7.5	
		12-28-65	12.7	-7.5	
		1-04-66	11.8	-6.6	
		1-13-66	12.6	-7.4	
		1-26-66	12.8	-7.6	
		2-01-66	12.8	-7.6	
		2-16-66	12.6	-7.4	
		2-23-66	12.9	-7.7	
		3-02-66	13.3	-8.1	
		3-09-66	13.3	-8.1	
		3-16-66	13.6	-8.4	
		3-24-66	13.7	-8.5	
		4-06-66	13.7	-8.5	
		4-13-66	13.8	-8.6	
		4-20-66	14.0	-8.8	
		4-27-66	14.1	-8.9	
		5-04-66	14.1	-8.9	
		5-11-66	14.0	-8.8	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

COASTAL PL OF LA CO HYDRO SUBUNIT U-05.A0
CENTRAL HYDRO SUBAREA U-05.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-02Q01S (CONT.)	5.2	5-18-66	14.0	-8.8	101
		5-25-66	14.0	-8.8	
		6-08-66	14.2	-9.0	
		6-15-66	14.3	-9.1	
		6-22-66	14.3	-9.1	
		6-29-66	14.3	-9.1	
05S/12W-02R01S	17.9	7-07-65	36.9	-19.0	101
		7-14-65	37.1	-19.2	
		7-26-65	42.7	-24.8	
		8-02-65	43.0	-25.1	
		8-10-65	43.3	-25.4	
		8-23-65	43.9	-26.0	
		8-31-65	43.9	-26.0	
		9-07-65	42.4	-24.5	
		9-14-65	42.1	-24.2	
		9-30-65	41.7	-23.8	
		10-04-65	42.6	-24.7	
		10-15-65	41.8	-23.9	
		10-25-65	42.0	-24.1	
		11-01-65	42.2	-24.3	
		11-09-65	42.0	-24.1	
		11-18-65	41.5	-23.6	
		12-01-65	40.7	-22.8	
		12-20-65	40.0	-22.1	
		12-27-65	39.8	-21.9	
		2-14-66	40.5	-22.6	
		4-06-66	41.7	-23.8	
		4-19-66	41.9	-24.0	
05S/12W-02R02S	17.9	7-19-65	35.1	-17.2	101
		7-26-65	36.0	-18.1	
		8-04-65	36.3	-18.4	
		8-18-65	37.0	-19.1	
		9-07-65	36.7	-18.8	
		9-14-65	36.4	-18.5	
		9-22-65	36.2	-18.3	
		9-29-65	36.0	-18.1	
		10-06-65	36.2	-18.3	
		10-15-65	36.1	-18.2	
		10-26-65	36.4	-18.5	
		11-02-65	36.5	-18.6	
		11-09-65	36.3	-18.4	
		11-18-65	35.8	-17.9	
		11-30-65	34.9	-17.0	
		12-07-65	34.7	-16.8	
		12-22-65	34.0	-16.1	
		1-04-66	32.9	-15.0	
		1-26-66	34.0	-16.1	
		2-21-66	34.2	-16.3	
		3-25-66	35.4	-17.5	
		4-20-66	35.6	-17.7	
		5-17-66	35.0	-17.1	
		5-24-66	34.9	-17.0	
		6-29-66	35.8	-17.9	
05S/12W-11G02S	5.7	8-20-65	19.6	-13.9	101
		10-27-65	19.8	-14.1	
		1-14-66	12.2	-6.5	
		4-05-66	13.9	-8.2	
		4-19-66	15.2	-9.5	
		5-03-66	16.5	-10.8	
		5-10-66	17.2	-11.5	
		5-17-66	17.4	-11.7	
		5-24-66	17.2	-11.5	
		6-08-66	18.3	-12.6	
		6-21-66	18.2	-12.5	
		6-28-66	18.4	-12.7	
05S/12W-11G03S	6.0	8-20-65	21.6	-15.6	101
		10-27-65	21.7	-15.7	
		1-19-66	13.6	-7.6	
		4-05-66	16.6	-10.6	
		4-19-66	17.3	-11.3	
05S/12W-11G04S	8.0	7-29-65	11.7	-3.7	101
		8-20-65	12.0	-4.0	
		9-30-65	11.5	-3.5	
		10-27-65	12.7	-4.7	
		1-19-66	10.5	-2.5	
		4-05-66	11.0	-3.0	
		4-19-66	11.3	-3.3	
		4-27-66	11.6	-3.6	
		5-03-66	11.7	-3.7	
		5-10-66	11.5	-3.5	
		5-17-66	11.6	-3.6	
		5-24-66	11.4	-3.4	
		6-01-66	11.6	-3.6	
		6-08-66	12.1	-4.1	
		6-21-66	11.8	-3.8	
		6-28-66	12.0	-4.0	

SAN FERNANDO HYDRO SUBUNIT U-05.B0
SAN FERNANDO HYDRO SUBAREA U-05.B1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/13W-04E01S	394.8	7-30-65	42.6	352.2	200
		8-25-65	42.8	352.0	
		9-29-65	43.1	351.7	
		10-19-65	43.2	351.6	
		11-29-65	43.0	351.8	
		12-21-65	42.5	352.3	
01S/13W-04J01S	373.7	7-30-65	130.8	242.9	200
		8-25-65	131.0	242.7	
		9-29-65	131.1	242.6	
		10-19-65	131.0	242.7	
		11-19-65	130.8	242.9	
		12-21-65	129.7	244.0	
		1-19-66	127.3	246.4	
		2-23-66	117.9	255.8	
		3-23-66	114.4	259.3	
		4-20-66	110.2	263.5	
01S/13W-04K01S	381.1	7-30-65	162.4	218.7	200
		8-25-65	158.6	222.5	
		9-28-65	149.5	231.6	
		10-22-65	146.4	234.7	
		11-30-65	137.3	243.8	
		12-21-65	134.5	246.6	
		1-20-66	129.6	251.5	
		2-23-66	127.7	253.4	
		3-24-66	121.4	259.7	
		4-20-66	117.2	263.9	
01S/13W-04L03S	381.2	8-25-65	160.0	221.2	200
01S/13W-04L04S	367.0	8-25-65	147.1	219.9	200
		2-23-66	115.7	251.3	
		3-24-66	108.1	258.9	
		4-20-66	103.4	263.6	
01S/13W-04P01S	367.4	12-07-65	115.6	251.8	200
		12-21-65	116.6	250.8	
		1-20-66	114.1	253.3	
01S/13W-04P02S	367.7	7-13-65	146.5	221.2	200
		8-10-65	147.9	219.8	
		9-14-65	137.7	230.0	
		10-12-65	134.2	233.5	
		11-16-65	124.1	243.6	
		12-14-65	118.6	249.1	
		1-18-66	115.2	252.5	
		2-15-66	117.0	250.7	
		3-15-66	107.6	260.1	
		4-19-66	101.0	266.7	
01S/13W-04P03S	366.8	7-28-65	145.5	221.3	200
		8-25-65	142.7	224.1	
		9-28-65	134.9	231.9	
		10-22-65	131.6	235.2	
		11-29-65	119.6	247.2	
		12-21-65	119.1	247.7	
		1-19-66	115.2	251.6	
		2-23-66	112.2	254.6	
		3-22-66	105.1	261.7	
		4-19-66	100.1	266.7	
01S/13W-09B01S	346.4	7-28-65	91.4	255.0	200
		8-25-65	93.0	253.4	
		9-28-65	90.6	255.8	
		10-22-65	89.7	256.7	
		11-29-65	82.6	263.8	
		12-21-65	78.6	267.8	
		1-19-66	74.6	271.8	
		2-23-66	72.8	273.6	
		3-22-66	69.8	276.6	
		4-19-66	67.6	278.8	
01S/13W-09B02S	346.0	7-28-65	89.9	256.1	200
		8-25-65	91.2	254.8	
		9-28-65	90.4	255.6	
		10-22-65	89.4	256.6	
		11-29-65	85.1	260.9	
		12-21-65	81.0	265.0	
		1-19-66	76.9	269.1	
		2-23-66	74.4	271.6	
		3-22-66	71.8	274.2	
		4-19-66	69.8	276.2	
01S/13W-10M03S	349.0	7-29-65	48.8	300.2	200
		8-26-65	48.8	300.2	
		9-28-65	48.5	300.5	
		10-19-65	49.2	299.8	
		11-29-65	46.6	302.4	
		12-21-65	45.8	303.2	
		1-19-66	43.5	305.5	
		2-23-66	42.3	306.7	
		3-22-66	42.7	306.3	
01S/13W-10N01S	335.0	7-28-65	32.3	302.7	200
		8-25-65	32.1	302.9	
		9-28-65	31.4	303.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/13W-10N01S	335.0	10-26-65	32.7	302.3	200
(CONT.)		11-30-65	29.7	305.3	
		12-21-65	29.4	305.6	
		1-19-66	26.7	308.3	
		2-23-66	26.0	309.0	
		3-22-66	26.9	308.1	
01N/13W-05K01S	374.1	7-13-65	24.5	349.6	200
		8-10-65	24.3	349.8	
		9-14-65	23.2	350.9	
		10-12-65	23.2	350.9	
		11-16-65	22.4	351.7	
		12-07-65	22.1	352.0	
		1-04-66	21.6	352.5	
		1-18-66	22.6	351.5	
		2-15-66	23.1	351.0	
		3-15-66	23.5	350.6	
01N/13W-19H01S	470.9	7-06-65	221.9(1)	249.0	101
		8-03-65	219.9(1)	251.0	
		9-07-65	211.9	259.0	
		10-05-65	218.9(1)	252.0	
		11-02-65	218.9(1)	252.0	
		12-07-65	217.9(1)	253.0	
		1-04-66	204.9	266.0	
		1-11-66	191.9(5)	279.0	
		2-01-66	191.9(5)	279.0	
		3-29-66	201.9(5)	269.0	
		4-05-66	217.9(1)	253.0	
		5-03-66	217.4(1)	253.5	
		6-07-66	218.4(1)	252.5	
01N/13W-19H07S	470.0	7-06-65	262.0(1)	208.0	101
		8-03-65	254.0(1)	216.0	
		9-07-65	219.0	251.0	
		10-05-65	256.0(1)	214.0	
		11-02-65	262.0(1)	208.0	
		12-07-65	216.0	254.0	
		1-04-66	205.0	265.0	
		1-18-66	196.0(5)	274.0	
		2-01-66	196.0(5)	274.0	
		3-15-66	215.0(5)	255.0	
		3-29-66	206.0(5)	264.0	
		4-12-66	219.0(5)	251.0	
		5-31-66	223.0(5)	247.0	
01N/13W-19C01S	471.2	7-06-65	239.2(1)	232.0	101
		8-03-65	238.2(1)	233.0	
		9-07-65	220.2	251.0	
		10-05-65	239.2(1)	232.0	
		11-02-65	241.2(1)	230.0	
		12-07-65	218.2	253.0	
		1-04-66	209.2	262.0	
		2-01-66	199.2(5)	272.0	
		2-08-66	199.2(5)	272.0	
		3-01-66	208.2(5)	263.0	
		3-08-66	214.2(5)	257.0	
		3-29-66	212.7(5)	258.5	
		6-14-66	229.2(5)	242.0	
01N/13W-19D03S	461.0	7-06-65	229.0(1)	232.0	101
		8-03-65	234.0(1)	227.0	
		9-07-65	238.0(1)	223.0	
		10-05-65	239.0(1)	222.0	
		11-02-65	238.0(1)	223.0	
		12-07-65	229.0(1)	232.0	
		1-04-66	220.0(1)	241.0	
		2-01-66	219.0(1)	242.0	
		2-15-66	216.0(1)	245.0	
		3-01-66	218.0(1)	243.0	
		4-05-66	229.0(1)	232.0	
		5-03-66	233.0(1)	228.0	
		6-07-66	238.0(1)	223.0	
01N/13W-19G01S	438.0	7-13-65	182.3	255.7	200
		8-10-65	183.7	254.3	
		9-14-65	182.2	255.8	
		10-12-65	183.0	255.0	
		11-16-65	183.7	254.3	
		12-14-65	172.9	265.1	
		1-04-66	165.7	272.3	
		1-18-66	163.2	274.8	
		2-15-66	162.2	275.8	
		3-15-66	166.2	271.8	
		4-19-66	181.0	257.0	
01N/13W-19J02S	462.0	7-29-65	174.2	287.8	200
		8-26-65	175.4	286.6	
		9-29-65	175.2	286.8	
		10-20-65	176.6	285.4	
		11-19-65	177.0	285.0	
		12-15-65	173.0	289.0	
		1-20-66	166.1	295.9	
		2-23-66	164.7	297.3	
		3-23-66	167.1	294.9	
		4-21-66	171.6	290.4	
01N/13W-19K03S	450.0	10-26-65	199.0	251.0	200

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/13W-19K03S	450.0	11-29-65	194.3	255.7	200
(CONT.)		12-15-65	186.6	263.4	
		1-27-66	175.6	274.4	
		3-24-66	185.7	264.3	
01N/13W-19Q02S	439.1	11-08-65	154.5	284.6	101
		4-05-66	143.9	295.2	
01N/13W-19Q03S.	443.3	8-25-65	162.3	281.0	200
		9-28-65	163.3	280.0	
		10-26-65	163.6	279.7	
		11-29-65	163.7	279.6	
		12-15-65	162.3	281.0	
		1-21-66	156.1	287.2	
01N/13W-20D01S	483.8	7-30-65	148.9	334.9	200
		8-26-65	149.2	334.6	
		9-29-65	154.4	329.4	
		10-20-65	157.4	326.4	
		11-08-65	158.5	325.3	101
		11-29-65	149.9	333.9	200
		12-15-65	156.1	327.7	
		1-20-66	150.7	333.1	
		2-23-66	150.5	333.3	
		3-23-66	151.9	331.9	
		4-05-66	155.7	328.1	101
		4-21-66	155.6	328.2	200
01N/13W-20H01S	542.0	11-08-65	204.7	337.3	101
		4-05-66	204.7	337.3	
01N/13W-20R01S	540.0	11-08-65	185.5(5)	354.5	101
		4-05-66	176.5	363.5	
01N/13W-21Q01S	605.0	7-30-65	248.6	356.4	200
		8-26-65	249.0	356.0	
		9-29-65	249.4	355.6	
		10-20-65	249.7	355.3	
		11-19-65	250.0	355.0	
		12-15-65	250.0	355.0	
		1-20-66	250.2	354.8	
		2-23-66	250.5	354.5	
		3-23-66	250.6	354.4	
		4-20-66	251.1	353.9	
01N/13W-28D01S	536.0	4-05-66	135.5	400.5	101
01N/13W-29A01S	540.4	11-08-65	92.8(7)	447.6	101
		4-05-66	107.4	433.0	
01N/13W-29L01S	461.0	11-08-65	114.9	346.1	101
		4-05-66	112.4	348.6	
01N/13W-32C01S	425.5	7-13-65	74.4	351.1	101
		8-03-65	74.9	350.6	
		9-01-65	74.8	350.7	
		10-05-65	74.7	350.8	
		11-08-65	75.7	349.8	
		12-06-65	74.4	351.1	
		1-12-66	73.7	351.8	
		2-09-66	73.8	351.7	
		3-01-66	70.3	355.2	
		4-05-66	73.0	352.5	
		5-03-66	73.0	352.5	
		6-01-66	73.1	352.4	
01N/13W-32Q01S	415.2	7-30-65	56.8	358.4	200
		8-25-65	57.3	357.9	
		9-28-65	57.4	357.8	
		10-19-65	57.6	357.6	
		11-29-65	57.0	358.2	
		12-21-65	56.2	359.0	
		1-20-66	55.5	359.7	
		2-23-66	55.1	360.1	
		3-22-66	54.7	360.5	
		4-20-66	54.8	360.4	
01N/13W-33N02S	440.9	11-08-65	88.9	352.0	101
01N/13W-33N03S	435.7	11-08-65	83.9	351.8	101
		4-05-66	83.1	352.6	
01N/14W-04N03S	693.0	8-17-65	247.0(5)	446.0	101
		11-08-65	254.0(5)	439.0	
01N/14W-05N01S	707.2	12-15-65	245.2	462.0	200
01N/14W-05P01S	707.0	12-15-65	248.8	458.2	200
01N/14W-05P02S	708.2	12-15-65	246.1(5)	462.1	200
01N/14W-06F01S	738.0	7-30-65	251.6	486.4	200
		8-26-65	254.1	483.9	
		9-29-65	257.0	481.0	
		10-26-65	253.6	484.4	
		11-29-65	255.1	482.9	
		12-15-65	251.0	487.0	
		1-20-66	256.2	481.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/14W-06F01S	738.0	2-24-66	255.0	483.0	200
(CONT.)		3-29-66	253.7	484.3	
		4-21-66	257.6	480.4	
01N/14W-06L01S	732.0	12-15-65	231.9	500.1	200
01N/14W-06N01S	717.9	12-15-65	234.7	483.2	200
		6-15-66	246.2	471.7	
01N/14W-06P01S	721.1	12-15-65	300.0	421.1	200
01N/14W-06Q01S	713.0	12-15-65	242.1	470.9	200
01N/14W-06R01S	713.3	12-15-65	244.5	468.8	200
01N/14W-06R05S	710.0	12-15-65	247.5	462.5	200
		6-15-66	259.0	451.0	
01N/14W-07A01S	699.0	12-03-65	247.1	451.9	200
		12-15-65	238.9	460.1	
01N/14W-07G02S	691.6	7-20-65	210.1	481.5	200
		8-17-65	212.6	479.0	
		9-21-65	215.5	476.1	
		10-19-65	216.7	474.9	
		11-23-65	217.0	474.6	
		12-07-65	217.2	474.4	
		12-14-65	217.3	474.3	
		12-21-65	217.4	474.2	
		12-28-65	217.5	474.1	
		1-18-66	217.6	474.0	
		2-15-66	217.7	473.9	
		3-15-66	217.9	473.7	
		4-19-66	219.2	472.4	
01N/14W-07G03S	713.3	12-03-65	252.1	461.2	200
		12-15-65	239.2	474.1	
		6-06-66	258.1	455.2	
01N/14W-07H01S	681.0	12-06-65	217.6	463.4	200
01N/14W-07J01S	677.5	12-06-65	203.7(8)	473.8	200
		4-15-66	212.4	465.1	
01N/14W-08A02S	687.0	12-03-65	247.3	439.7	200
		12-15-65	241.0	446.0	
01N/14W-08B01S	690.0	12-15-65	242.9	447.1	200
		12-15-65	241.0	449.0	
01N/14W-08J01S	665.5	12-03-65	230.4	435.1	200
01N/14W-08J03S	656.0	12-06-65	217.7	438.3	200
		12-15-65	207.8	448.2	
01N/14W-08J04S	665.0	12-06-65	210.4	454.6	200
		12-15-65	202.3	462.7	
01N/14W-09A02S	661.8	7-05-65	199.0	462.8	101
		8-02-65	189.0	472.8	
		9-06-65	187.8	474.0	
		10-04-65	190.9	470.9	
		11-01-65	184.4	477.4	
		12-06-65	192.0	469.8	
		1-03-66	194.8	467.0	
		2-07-66	225.5	436.3	
		3-07-66	226.5	435.3	
		4-04-66	228.2	433.6	
		5-02-66	230.5	431.3	
		6-06-66	231.2	430.6	
01N/14W-09B04S	662.4	7-05-65	217.9	444.5	101
		8-02-65	221.1	441.3	
		9-06-65	222.5	439.9	
		10-04-65	227.6	434.8	
		11-01-65	229.7	432.7	
		12-06-65	228.9	433.5	
		1-03-66	228.0	434.4	
		2-07-66	224.1	438.3	
		3-07-66	223.4	439.0	
		4-04-66	223.1	439.3	
		5-02-66	226.3	436.1	
		6-06-66	228.3	434.1	
01N/14W-09D06S	693.0	11-08-65	270.4	422.6	101
		4-05-66	284.1(2)	408.9	
01N/14W-09E03S	665.0	7-20-65	221.7	443.3	200
		8-17-65	223.7	441.3	
		9-21-65	225.6	439.4	
		10-19-65	225.7	439.3	
		11-23-65	226.7	438.3	
		12-07-65	227.0	438.0	
		12-14-65	226.6	438.4	
		12-21-65	226.8	438.2	
		12-28-65	226.8	438.2	
		1-18-66	225.9	439.1	
		2-15-66	224.6	440.4	

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/14W-09E03S	665.0	3-15-66	226.3	438.7	200
(CONT.)		4-19-66	228.8	436.2	
01N/14W-09G02S	641.0	7-05-65	200.0	441.0	101
		8-02-65	203.0	438.0	
		9-06-65	203.0	438.0	
		10-04-65	204.1	436.9	
		11-01-65	208.0	433.0	
		12-06-65	212.5	428.5	
		1-03-66	211.7	429.3	
		2-07-66	205.8	435.2	
		3-07-66	210.0	431.0	
		4-04-66	208.8	432.2	
		5-02-66	213.5	427.5	
		6-06-66	214.5	426.5	
01N/14W-09G03S	653.0	7-05-65	213.6	439.4	101
		8-02-65	218.1	434.9	
		9-06-65	219.5	433.5	
		10-04-65	221.7	431.3	
		11-01-65	222.3	430.7	
		12-06-65	222.9	430.1	
		1-03-66	224.8	428.2	
		2-07-66	221.1	431.9	
		3-07-66	221.9	431.1	
		4-04-66	222.9	430.1	
		5-02-66	225.6	427.4	
		6-06-66	228.1	424.9	
01N/14W-09H01S	644.9	10-04-65	213.1	431.8	101
		11-01-65	213.1	431.8	
		12-06-65	212.0	432.9	
		1-03-66	213.2	431.7	
		2-07-66	213.7	431.2	
		3-07-66	216.6	428.3	
		4-04-66	210.9	434.0	
		5-02-66	218.3	426.6	
		6-06-66	221.6	423.3	
01N/14W-09K01S	621.0	7-05-65	193.7	427.3	101
		8-02-65	188.8	432.2	
		9-06-65	186.8	434.2	
		10-04-65	190.4	430.6	
		11-01-65	190.7	430.3	
		12-06-65	189.5	431.5	
		1-03-66	186.5	434.5	
		2-07-66	193.3	427.7	
		3-07-66	196.0	425.0	
		4-04-66	200.5	420.5	
		5-02-66	203.9	417.1	
		6-06-66	201.7	419.3	
01N/14W-09L04S	650.5	7-05-65	193.6	456.9	101
		8-02-65	205.4	445.1	
		9-06-65	201.7	448.8	
		10-04-65	209.3	441.2	
		11-01-65	206.6	443.9	
		12-06-65	205.4	445.1	
		1-03-66	204.4	446.1	
		2-07-66	203.1	447.4	
		3-07-66	211.4	439.1	
		4-04-66	212.4	438.1	
		5-02-66	217.2	433.3	
		6-06-66	213.9	436.6	
01N/14W-09P01S	636.9	7-05-65	201.7	435.2	101
		8-02-65	203.0	433.9	
		9-06-65	203.2	433.7	
		10-04-65	206.0	430.9	
		11-01-65	206.0	430.9	
		12-06-65	206.0	430.9	
		2-07-66	208.0	428.9	
		3-07-66	211.5	425.4	
		4-04-66	204.8	432.1	
		5-05-66	212.1	424.8	
		6-06-66	219.5	417.4	
01N/14W-11Q01S	555.0	7-05-65	131.6	423.4	101
		8-02-65	133.7	421.3	
		9-06-65	131.2	423.8	
		10-04-65	136.0	419.0	
		11-01-65	133.1	421.9	
		12-06-65	129.2	425.8	
		1-03-66	129.4	425.6	
		2-07-66	131.7(5)	423.3	
		3-07-66	132.3(5)	422.7	
		4-04-66	136.7(5)	418.3	
		5-02-66	139.1(5)	415.9	
		6-06-66	134.0(5)	421.0	
01N/14W-13G01S	532.0	9-01-65	66.0	466.0	101
		10-06-65	66.6	465.4	
		11-08-65	66.5	465.5	
		4-05-66	64.5	467.5	
01N/14W-13R01S	488.8	7-06-65	253.8(1)	235.0	101
		8-03-65	255.8(1)	233.0	
		9-07-65	229.8	259.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00					
SAN FERNANDO HYDRO SUBUNIT U-05.80					
SAN FERNANDO HYDRO SUBAREA U-05.81					
01N/14W-13R01S (CONT.)	488.8	10-05-65	255.8(1)	233.0	101
		11-16-65	223.8	265.0	
		12-14-65	222.8	266.0	
		1-04-66	239.8(1)	249.0	
		1-11-66	244.8(1)	244.0	
		1-18-66	243.8(1)	245.0	
		1-25-66	243.8(1)	245.0	
		2-01-66	211.8(5)	277.0	
		2-08-66	210.8(5)	278.0	
		2-15-66	209.8	279.0	
		2-22-66	209.8(5)	279.0	
		3-15-66	220.8(5)	268.0	
		3-29-66	220.8(5)	268.0	
		4-05-66	250.8(1)	238.0	
		5-03-66	254.8(1)	234.0	
		6-07-66	256.8(1)	232.0	
01N/14W-13R02S	479.0	7-06-65	246.0(1)	233.0	101
		8-03-65	247.0(1)	232.0	
		9-07-65	247.0(1)	232.0	
		12-07-65	213.0	266.0	
		1-04-66	205.0	274.0	
		2-01-66	238.0(1)	241.0	
		3-01-66	232.0(1)	247.0	
		3-29-66	215.0	264.0	
		4-05-66	243.0(1)	236.0	
		5-03-66	246.0(1)	233.0	
		6-07-66	247.0(1)	232.0	
01N/14W-14B08S	559.0	7-05-65	134.3	424.7	101
		8-02-65	135.5	423.5	
		9-06-65	133.1	425.9	
		10-04-65	138.0	421.0	
		11-01-65	133.8	425.2	
		12-06-65	130.7	428.3	
		1-03-66	130.8	428.2	
		2-07-66	132.3(5)	426.7	
		3-07-66	133.9(5)	425.1	
		4-04-66	137.1(5)	421.9	
		5-02-66	140.8(5)	418.2	
		6-06-66	134.8(5)	424.2	
01N/14W-14F05S	545.9	7-13-65	119.9	426.0	101
		8-03-65	120.4	425.5	
		9-01-65	119.2	426.7	
		10-11-65	118.2	427.7	
		11-08-65	120.7	425.2	
		12-06-65	121.0	424.9	
		1-12-66	121.2	424.7	
		2-09-66	120.7	425.2	
		3-01-66	121.2	424.7	
		4-05-66	122.9	423.0	
		5-03-66	123.9	422.0	
		6-01-66	123.9	422.0	
01N/14W-15P02S	553.9	7-13-65	176.7	377.2	200
		8-17-65	178.4	375.5	
		9-14-65	179.5	374.4	
		10-12-65	179.6	374.3	
		11-02-65	180.0	373.9	
		11-16-65	180.2	373.7	
		12-14-65	179.5	374.4	
		12-21-65	181.5	372.4	
		12-28-65	182.8	371.1	
		1-04-66	182.6	371.3	
		1-18-66	182.8	371.1	
		2-15-66	183.2	370.7	
		3-15-66	184.6	369.3	
		4-12-66	182.6	371.3	
01N/14W-16D01S	621.7	7-30-65	164.6	457.1	200
		8-26-65	DRY		
		12-15-65	DRY		
01N/14W-17H01S	620.0	11-08-65	DRY		101
		4-05-66	DRY		
01N/14W-18L02S	641.9	7-20-65	146.6	495.3	200
		8-17-65	147.5	494.4	
		9-21-65	148.6	493.3	
		10-19-65	148.9	493.0	
		11-16-65	151.2	490.7	
		12-07-65	152.2	489.7	
		12-14-65	152.3	489.6	
		12-21-65	152.5	489.4	
		12-28-65	152.8	489.1	
		1-18-66	152.9	489.0	
		2-15-66	153.2	488.7	
		3-15-66	153.8	488.1	
		4-19-66	154.7	487.2	
01N/14W-19A05S	611.1	12-03-65	109.2	501.9	200
		5-05-66	110.8	500.3	
01N/14W-19B03S	627.8	7-30-65	125.0	502.8	200
		8-26-65	125.7	502.1	
		9-29-65	126.6	501.2	
		10-26-65	127.2	500.6	
SAN FERNANDO HYDRO SUBUNIT U-05.80					
SAN FERNANDO HYDRO SUBAREA U-05.81					
01N/14W-19B03S (CONT.)	627.8	11-29-65	127.3	500.5	200
		12-15-65	127.7	500.1	
		1-20-66	128.3	499.5	
		2-23-66	128.8	499.0	
		3-29-66	129.3	498.5	
		4-21-66	129.7	498.1	
01N/14W-19D01S	639.1	12-03-65	135.8	503.3	200
		5-05-66	138.1	501.0	
01N/14W-20F02S	594.1	7-15-65	158.2	435.9	200
		8-17-65	159.7	434.4	
		9-14-65	160.8	433.3	
		10-19-65	161.5	432.6	
		11-16-65	161.6	432.5	
		12-14-65	161.7	432.4	
		1-25-66	160.4	433.7	
		3-01-66	159.3	434.8	
		4-05-66	157.2	436.9	
		5-03-66	156.6	437.5	
01N/14W-21H03S	559.0	11-08-65	7.2	551.8	101
		4-05-66	7.4	551.6	
01N/14W-22H03S	535.6	9-01-65	181.4	354.2	101
		11-08-65	179.9	355.7	
		4-05-66	185.7	349.9	
01N/14W-23A03S	480.6	7-30-65	41.4	439.2	200
		8-25-65	40.6	440.0	
		9-28-65	41.9	438.7	
		10-26-65	42.8	437.8	
		11-29-65	43.1	437.5	
		12-15-65	42.7	437.9	
		1-20-66	42.2	438.4	
		2-23-66	41.9	438.7	
		3-24-66	40.4	440.2	
		4-21-66	39.1	441.5	
01N/14W-23L01S	487.6	7-13-65	DRY		200
		9-14-65	88.4	399.2	
		10-12-65	81.2	406.4	
		11-16-65	106.0	381.6	
		12-14-65	DRY		
		1-04-66	DRY		
		1-11-66	DRY		
		2-15-66	DRY		
01N/14W-23M02S	512.0	7-30-65	159.0	353.0	200
		8-25-65	160.2	351.8	
		9-28-65	150.3	361.7	
		10-26-65	143.5	368.5	
		11-29-65	156.6	355.4	
		12-15-65	163.1	348.9	
		1-20-66	166.6	345.4	
		2-23-66	166.9	345.1	
		3-24-66	167.0	345.0	
		4-21-66	152.6	359.4	
01N/14W-24E09S	477.5	8-17-65	178.0	299.5	200
		9-14-65	178.6	298.9	
		10-12-65	180.7	296.8	
		11-16-65	181.8	295.7	
		12-14-65	182.0	295.5	
		1-04-66	182.5	295.0	
		1-18-66	180.3	297.2	
		2-15-66	180.4	297.1	
		3-15-66	183.0	294.5	
		4-05-66	179.5	298.0	
01N/14W-24H01S	461.0	7-13-65	201.9	259.1	200
		8-17-65	203.8	257.2	
		9-14-65	202.7	258.3	
		10-12-65	203.5	257.5	
		11-09-65	205.1	255.9	
		11-30-65	198.4	262.6	
		12-21-65	192.4	268.6	
		1-04-66	189.0	272.0	
		1-18-66	186.8	274.2	
		2-15-66	185.0	276.0	
		3-15-66	191.9	269.1	
		4-12-66	198.4	262.6	
01N/14W-24H03S	462.0	9-28-65	199.9	262.1	200
		11-30-65	195.9	266.1	
		1-21-66	184.7	277.3	
01N/14W-27E02S	525.8	11-08-65	38.0	487.8	101
		1-12-66	35.4	490.4	200
		4-05-66	35.1	490.7	101
01N/14W-28B01S	544.3	11-29-65	164.3	380.0	200
		12-15-65	164.2	380.1	
		2-24-66	166.4	377.9	
01N/14W-28R01S	768.0	11-08-65	100.8	667.2	101
		4-05-66	100.4	667.6	

TABLE C-I

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/15W-01K01S (CONT.)	725.6	6-15-66	233.5	492.1	200
01N/15W-01P04S	719.9	12-15-65	219.5	500.4	200
01N/15W-01Q02S	721.2	12-15-65	225.4	495.8	200
01N/15W-01Q03S	720.0	12-15-65	228.4	491.6	200
01N/15W-01Q04S	719.9	12-15-65	225.0	494.9	200
01N/15W-02R01S	723.9	12-15-65	206.3	517.6	200
		6-15-66	210.6	513.3	
01N/15W-06N01S	743.0	7-21-65	140.3	602.7	200
		8-25-65	141.2	601.8	
		9-22-65	141.9	601.1	
		10-13-65	142.5	600.5	
		12-01-65	143.5	599.5	
		1-05-66	143.8	599.2	
		1-19-66	143.8	599.2	
		2-23-66	143.6	599.4	
		3-16-66	143.2	599.8	
		4-15-66	141.9	601.1	
		5-18-66	142.6	600.4	
		6-22-66	142.4	600.6	
01N/15W-07E01S	724.8	7-21-65	98.3	626.5	200
		8-25-65	98.9	625.9	
		9-22-65	99.5	625.3	
		10-13-65	100.1	624.7	
		12-01-65	99.8	625.0	
		1-05-66	99.1	625.7	
		1-19-66	98.4	626.4	
		2-23-66	97.1	627.7	
		3-16-66	97.1	627.7	
		4-15-66	96.8	628.0	
		5-18-66	96.5	628.3	
		6-22-66	96.2	628.6	
01N/15W-07F02S	718.0	12-02-65	110.3	607.7	200
		4-19-66	107.6	610.4	
01N/15W-08R01S	700.4	7-15-65	116.8	583.6	200
		9-16-65	118.2	582.2	
		10-18-65	119.1	581.3	
		11-19-65	119.2	581.2	
		12-16-65	119.9	580.5	
		1-26-66	120.2	580.2	
01N/15W-09R02S	689.8	7-15-65	78.9	610.9	200
		8-23-65	79.9	609.9	
		9-16-65	80.4	609.4	
		10-18-65	81.2	608.6	
		11-19-65	80.8	609.0	
		12-16-65	80.2	609.6	
		1-26-66	80.5	609.3	
		2-17-66	80.5	609.3	
		3-14-66	81.2	608.6	
		4-11-66	81.7	608.1	
		5-12-66	82.2	607.6	
		6-20-66	83.1	606.7	
01N/15W-10H02S	707.2	7-15-65	172.2	535.0	200
		8-23-65	174.1	533.1	
		9-16-65	175.0	532.2	
		10-18-65	174.6	532.6	
		11-19-65	176.6	530.6	
		12-16-65	176.6	530.6	
		1-26-66	177.7	529.5	
01N/15W-11R04S	673.7	7-13-65	148.8	524.9	101
		8-03-65	150.2	523.5	
		9-01-65	150.9	522.8	
		10-05-65	153.6	520.1	
		11-08-65	DRY		
		12-06-65	DRY		
		1-12-66	DRY		
		2-09-66	DRY		
		3-01-66	DRY		
		4-05-66	DRY		
		5-03-66	DRY		
		6-01-66	DRY		
01N/15W-14E01S	687.6	12-02-65	153.3	534.3	200
		5-05-66	153.7	533.9	
01N/15W-14J01S	668.1	7-20-65	142.8	525.3	200
		8-17-65	144.2	523.9	
		9-21-65	145.9	522.2	
		10-19-65	144.8	523.3	
		11-02-65	146.2	521.9	
		11-16-65	146.1	522.0	
		11-30-65	147.0	521.1	
		12-07-65	147.4	520.7	
		12-14-65	147.2	520.9	
		12-21-65	147.6	520.5	
		12-28-65	147.9	520.2	

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/15W-14J01S (CONT.)	668.1	1-18-66	147.7	520.4	200
		2-15-66	147.8	520.3	
		3-15-66	148.0	520.1	
		4-12-66	148.3	519.8	
01N/15W-15A02S	679.3	7-15-65	141.7	537.6	200
		8-23-65	143.6	535.7	
		9-16-65	144.4	534.9	
		10-18-65	143.7	535.6	
		11-19-65	145.5	533.8	
		12-16-65	145.3	534.0	
		1-26-66	146.5	532.8	
		2-17-66	146.7	532.6	
		3-14-66	146.4	532.9	
		4-11-66	146.6	532.7	
		5-12-66	146.8	532.5	
		6-20-66	147.4	531.9	
01N/15W-15R01S	658.9	4-05-66	DRY		101
01N/15W-16H01S	677.3	12-02-65	111.7	565.6	200
		5-12-66	108.3	569.0	
01N/15W-16H04S	678.2	12-02-65	116.4	561.8	200
		5-05-66	117.9	560.3	
01N/15W-17N02S	688.0	11-08-65	DRY		101
		4-05-66	DRY		
01N/15W-18N01S	717.1	7-21-65	8.5	708.6	200
		8-25-65	8.7	708.4	
		9-22-65	8.8	708.3	
		10-13-65	8.9	708.2	
		11-26-65	6.3	710.8	
		1-05-66	5.5	711.6	
		1-19-66	6.0	711.1	
		2-23-66	5.9	711.2	
		3-16-66	6.0	711.1	
		4-15-66	5.9	711.2	
		5-18-66	6.1	711.0	
		6-22-66	6.2	710.9	
01N/15W-21A02S	659.3	7-15-65	83.1	576.2	200
		8-23-65	84.2	575.1	
		9-16-65	84.6	574.7	
		10-18-65	85.5	573.8	
		11-19-65	86.1	573.2	
		12-16-65	86.9	572.4	
		1-26-66	86.9	572.4	
		2-17-66	87.0	572.3	
		3-14-66	86.9	572.4	
		4-11-66	87.1	572.2	
		5-12-66	87.3	572.0	
		6-20-66	87.6	571.7	
01N/15W-23A01S	652.4	12-02-65	130.2	522.2	200
		5-05-66	131.7	520.7	
01N/15W-23Q01S	651.9	7-13-65	103.0	548.9	101
		8-03-65	103.6	548.3	
		9-01-65	104.7	547.2	
		10-05-65	106.0	545.9	
		11-08-65	107.2	544.7	
		12-06-65	107.1	544.8	
		1-12-66	107.9	544.0	
		2-09-66	107.4	544.5	
		3-01-66	107.5	544.4	
		4-05-66	107.7	544.2	
		5-03-66	108.0	543.9	
		6-01-66	114.3	537.6	
01N/15W-23J01S	631.8	5-05-66	12.8	619.0	200
01N/15W-23J02S	632.0	12-02-65	47.5	584.5	200
		5-05-66	46.2	585.8	
01N/15W-23L01S	636.0	12-02-65	43.5	592.5	200
		6-15-66	41.0	595.0	
01N/16W-02Q01S	728.4	7-13-65	32.9	695.5	101
		8-03-65	33.5	694.9	
		9-01-65	32.9	695.5	
		10-05-65	36.3	692.1	
		11-09-65	36.3	692.1	
		12-06-65	35.9	692.5	
		2-09-66	28.4	700.0	
		3-01-66	28.6	699.8	
		4-05-66	30.8	697.6	
		5-03-66	29.9	698.5	
		6-01-66	30.8	697.6	
01N/16W-03B01S	739.1	7-13-65	13.4	725.7	101
		8-03-65	13.9	725.2	
		9-01-65	14.4	724.7	
		10-05-65	14.7	724.4	
		11-09-65	14.8	724.3	
		12-06-65	12.4	726.7	
		1-12-66	11.0	728.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/16W-03H01S (CONT.)	739.1	2-09-66	10.6	728.5	101
		3-01-66	10.4	728.7	
		4-03-66	11.1	728.0	
		6-01-66	11.2	727.9	
01N/16W-03D01S	753.0	7-22-65	6.0	747.0	200
		8-26-65	6.2	746.8	
		9-22-65	6.2	746.8	
		10-15-65	6.3	746.7	
		12-01-65	5.7	747.3	
		1-05-66	5.2	747.8	
		1-26-66	5.2	747.8	
		2-23-66	5.1	747.9	
		3-17-66	4.9	748.1	
		4-21-66	5.0	748.0	
		5-19-66	5.2	747.8	
		6-23-66	5.3	747.7	
01N/16W-03E01S	1096.5	7-22-65	361.5	735.0	200
		8-26-65	362.1	734.4	
		9-22-65	362.3	734.2	
		10-15-65	362.6	733.9	
		12-01-65	360.8	735.7	
		1-05-66	359.8	736.7	
		1-26-66	359.8	736.7	
		2-23-66	359.7	736.8	
		3-17-66	359.8	736.7	
		4-21-66	360.1	736.4	
		5-19-66	360.4	736.1	
		6-23-66	360.7	735.8	
01N/16W-03G02S	735.8	7-13-65	DRY		101
		8-03-65	DRY		
		11-09-65	DRY		
		12-06-65	DRY		
		2-09-66	DRY		
		3-01-66	DRY		
		4-05-66	DRY		
		5-03-66	DRY		
		6-01-66	DRY		
01N/16W-03G03S	738.7	7-13-65	14.0	724.7	101
		8-03-65	14.5	724.2	
		9-01-65	14.9	723.8	
		10-05-65	15.3	723.4	
		11-09-65	15.3	723.4	
		12-06-65	13.2	725.5	
		1-12-66	11.7	727.0	
		2-09-66	11.2	727.5	
		3-01-66	10.9	727.8	
		4-05-66	11.0	727.7	
		5-03-66	11.5	727.2	
		6-01-66	11.5	727.2	
01N/16W-03Q03S	737.5	12-01-65	30.6	706.9	200
		1-05-66	29.9	707.6	
		1-19-66	27.2	710.3	
		2-23-66	25.5	712.0	
		6-22-66	27.9	709.6	
01N/16W-03R01S	732.1	8-25-65	39.3	692.8	200
		9-22-65	38.6	693.5	
		10-13-65	40.3	691.8	
		12-01-65	34.1	698.0	
		1-05-66	33.2	698.9	
		1-19-66	31.6	700.5	
		2-23-66	30.3	701.8	
		3-17-66	35.4	696.7	
		4-14-66	36.7	695.4	
		5-18-66	35.9(3)	696.2	
		6-22-66	30.9	701.2	
01N/16W-04D01S	771.0	8-26-65	8.1	762.9	200
		9-22-65	DRY		
		10-15-65	771.0	.0	
		12-01-65	5.7	765.3	
		1-05-66	5.1	765.9	
		1-26-66	5.5	765.5	
		2-23-66	5.5	765.5	
		3-17-66	5.7	765.3	
		4-21-66	6.2	764.8	
		5-19-66	6.6	764.4	
		6-23-66	7.0	764.0	
01N/16W-04E01S	778.0	7-22-65	DRY		200
		12-01-65	7.7	770.3	
		1-05-66	7.1	770.9	
		1-26-66	7.4	770.6	
		2-23-66	7.5	770.5	
		3-17-66	7.7	770.3	
		4-21-66	7.9	770.1	
		5-19-66	8.3	769.7	
		6-23-66	8.6	769.4	
01N/16W-04E02S	776.0	12-01-65	20.2	755.8	200
		1-05-66	19.0	757.0	
		1-26-66	19.0	757.0	
		2-23-66	18.7	757.3	

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/16W-04E02S (CONT.)	776.0	3-17-66	19.0	757.0	200
		4-21-66	19.4	756.6	
		5-19-66	19.8	756.2	
		6-23-66	20.3	755.7	
01N/16W-04F01S	758.0	7-22-65	DRY		200
		12-01-65	8.3	749.7	
		1-05-66	7.3	750.7	
		1-26-66	7.3	750.7	
		2-23-66	7.2	750.8	
		3-17-66	7.4	750.6	
		4-21-66	7.7	750.3	
		5-19-66	8.1	749.9	
		6-23-66	8.4	749.6	
01N/16W-04K01S	752.0	7-22-65	11.6	740.4	200
		8-26-65	11.9	740.1	
		9-22-65	12.1	739.9	
		10-15-65	12.3	739.7	
		12-01-65	11.4	740.6	
		1-05-66	10.2	741.8	
		1-26-66	9.8	742.2	
		2-23-66	9.5	742.5	
		3-17-66	9.3	742.7	
		4-21-66	9.5	742.5	
		5-19-66	9.7	742.3	
		6-23-66	10.1	741.9	
01N/16W-04M01S	761.5	7-22-65	13.3	748.2	200
		8-26-65	13.9	747.6	
		9-22-65	14.3	747.2	
		10-15-65	14.5	747.0	
		12-01-65	12.1	749.4	
		1-05-66	10.8	750.7	
		1-26-66	10.9	750.6	
		2-23-66	10.8	750.7	
		3-17-66	11.0	750.5	
		4-21-66	11.4	750.1	
		5-19-66	11.7	749.8	
		6-23-66	12.2	749.3	
01N/16W-04R01S	741.0	7-21-65	20.2	720.8	200
		8-24-65	20.8	720.2	
		9-22-65	21.1	719.9	
		10-13-65	21.3	719.7	
		12-01-65	16.6	724.4	
		1-05-66	15.1	725.9	
		1-19-66	14.3	726.7	
		2-23-66	13.6	727.4	
		3-17-66	15.9	725.1	
		4-15-66	16.8	724.2	
		5-18-66	16.7	724.3	
		6-22-66	15.3	725.7	
01N/16W-05D01S	790.0	12-01-65	7.9	782.1	200
		1-05-66	7.2	782.8	
		1-26-66	7.3	782.7	
		2-24-66	7.2	782.8	
		3-17-66	7.5	782.5	
		4-21-66	7.8	782.2	
		5-19-66	7.9	782.1	
		6-23-66	8.3	781.7	
01N/16W-05E01S	784.0	7-22-65	7.8	776.2	200
		8-26-65	8.3	775.7	
		9-22-65	8.5	775.5	
		10-13-65	8.6	775.4	
		11-18-65	7.2	776.8	
		12-01-65	5.8	778.2	
		1-05-66	5.2	778.8	
		1-26-66	5.8	778.2	
		2-24-66	5.9	778.1	
		3-17-66	6.2	777.8	
		4-21-66	6.6	777.4	
		5-19-66	6.8	777.2	
		6-20-66	7.3	776.7	
01N/16W-05F02S	777.2	7-22-65	DRY		200
		11-18-65	2.8	774.4	
		12-01-65	2.3	774.9	
		1-05-66	2.4	774.8	
		1-26-66	3.3	773.9	
		2-24-66	3.3	773.9	
		3-17-66	3.2	774.0	
		4-21-66	3.4	773.8	
		5-19-66	3.7	773.5	
		6-23-66	4.4	772.8	
01N/16W-05K01S	772.0	7-22-65	17.4	754.6	200
		8-26-65	17.7	754.3	
		9-22-65	18.0	754.0	
		10-15-65	18.2	753.8	
		11-18-65	18.0	754.0	
		12-01-65	16.1	755.9	
		1-05-66	15.0	757.0	
		1-26-66	14.6	757.4	
		2-24-66	14.5	757.5	
		3-17-66	14.7	757.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/16W-05K01S (CONT.)	772.0	4-21-66	15.2	756.8	200
		5-19-66	15.6	756.4	
		6-23-66	16.2	755.8	
01N/16W-05M01S	780.0	7-22-65	14.5	765.5	200
		8-26-65	15.0	765.0	
		9-22-65	15.1	764.9	
		10-13-65	15.0	765.0	
		11-18-65	14.5	765.5	
		12-01-65	12.6	767.4	
		1-05-66	11.5	768.5	
		1-26-66	12.2	767.8	
		2-24-66	12.5	767.5	
		3-17-66	12.8	767.2	
		4-21-66	13.1	766.9	
		5-19-66	13.4	766.6	
		6-23-66	13.9	766.1	
01N/16W-05Q02S	768.0	12-02-65	16.9	751.1	200
		4-20-66	16.7	751.3	
01N/16W-06G02S	788.7	7-13-65	19.0	769.7	101
		8-03-65	19.2	769.5	
		9-01-65	19.5	769.2	
		10-05-65	20.0	768.7	
		11-09-65	20.1	768.6	
		12-06-65	18.1	770.6	
		1-12-66	17.7	771.0	
		2-09-66	15.9	772.8	
		3-01-66	15.7	773.0	
		4-06-66	16.9	771.8	
		5-03-66	17.1	771.6	
		6-01-66	17.2	771.5	
01N/16W-06K04S	784.8	7-13-65	DRY		101
		8-03-65	DRY		
		11-09-65	DRY		
		12-06-65	DRY		
		1-12-66	14.7	770.1	
		2-09-66	14.7	770.1	
		3-01-66	DRY		
		4-06-66	DRY		
		5-03-66	DRY		
		6-01-66	DRY		
01N/16W-06K05S	786.8	11-09-65	DRY		101
		4-06-66	DRY		
01N/16W-06R01S	778.1	7-21-65	16.5	761.6	200
		8-25-65	16.6	761.5	
		9-22-65	16.6	761.5	
		10-23-65	16.6	761.5	
		11-18-65	16.0	762.1	
		12-01-65	15.5	762.6	
		1-05-66	14.9	763.2	
		1-19-66	14.9	763.2	
		2-23-66	14.9	763.2	
		3-17-66	14.9	763.2	
01N/16W-09D01S	757.0	7-21-65	16.6	740.4	200
		8-25-65	16.8	740.2	
		9-22-65	16.9	740.1	
		10-13-65	17.0	740.0	
		11-18-65	17.6	739.4	
		12-01-65	16.2	740.8	
		1-05-66	15.4	741.6	
		1-19-66	15.1	741.9	
		2-23-66	15.1	741.9	
		3-17-66	16.2	740.8	
		4-14-66	16.7	740.3	
		5-18-66	18.1	738.9	
		6-22-66	18.5	738.5	
01N/16W-09G01S	752.0	11-09-65	DRY		101
		4-06-66	DRY		
01N/16W-11D02S	727.0	11-09-65	29.9	697.1	101
		4-05-66	30.0	697.0	
01N/16W-11L02S	728.0	11-09-65	DRY		101
		4-05-66	DRY		
01N/16W-15K01S	813.0	7-21-65	28.6	784.4	200
		8-25-65	28.6	784.4	
		9-22-65	28.6	784.4	
		10-13-65	28.6	784.4	
		12-01-65	27.7	785.3	
		1-05-66	26.8	786.2	
		1-19-66	26.4	786.6	
		2-23-66	25.6	787.4	
		3-16-66	25.1	787.9	
		4-15-66	24.7	788.3	
		5-18-66	24.4	788.6	
		6-22-66	24.1	788.9	
01N/16W-18F01S	867.0	7-21-65	17.8	849.2	200
		8-25-65	17.7	849.3	
		9-22-65	17.6	849.4	

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/16W-18F01S (CONT.)	867.0	10-13-65	17.6	849.4	200
		11-18-65	17.1	849.9	
		12-01-65	16.8	850.2	
		1-05-66	16.1	850.9	
		1-19-66	15.9	851.1	
		2-23-66	15.7	851.3	
		3-17-66	15.8	851.2	
		4-15-66	15.8	851.2	
		5-18-66	15.6	851.4	
		6-22-66	15.5	851.5	
01N/17W-01K01S	800.0	7-13-65	12.4	787.6	101
		8-03-65	12.5	787.5	
		9-01-65	12.8	787.2	
		10-05-65	12.9	787.1	
		11-09-65	12.6	787.4	
		12-06-65	11.0	789.0	
		2-09-66	10.1	789.9	
		3-01-66	11.0	789.0	
		4-06-66	11.3	788.7	
		5-03-66	11.4	788.6	
01N/17W-03E01S	898.0	11-09-65	12.8	885.2	101
		4-06-66	8.5	889.5	
01N/17W-03N03S	898.0	11-09-65	54.9	843.1	101
		4-06-66	43.0	855.0	
01N/17W-03P01S	870.0	11-09-65	28.1	841.9	101
		4-06-66	26.1	843.9	
01N/17W-11F06S	842.0	11-09-65	28.8	813.2	101
		4-06-66	27.1	814.9	
01N/17W-11G04S	833.0	11-09-65	26.8	806.2	101
01N/17W-12N01S	844.6	7-21-65	31.1	813.5	200
		8-25-65	31.2	813.4	
		9-22-65	31.4	813.2	
		10-13-65	31.4	813.2	
		11-18-65	31.4	813.2	
		12-01-65	31.0	813.6	
		1-05-66	30.2	814.4	
		1-19-66	29.9	814.7	
		2-23-66	29.4	815.2	
		3-16-66	29.2	815.4	
		4-15-66	29.0	815.6	
		5-18-66	28.8	815.8	
		6-22-66	28.9	815.7	
01N/17W-13L01S	871.8	11-09-65	15.4	856.4	101
		4-06-66	8.4	863.4	
02N/14W-18N01S	940.0	7-06-65	DRY		101
		11-01-65	DRY		
		11-28-65	165.1	774.9	
		12-06-65	193.1	746.9	
		12-21-65	138.5	801.5	
		12-30-65	153.9	786.1	
		1-06-66	139.8	800.2	
		1-19-66	115.4	824.6	
		1-27-66	116.1	823.9	
		2-04-66	107.1	832.9	
		2-16-66	128.4	811.6	
		2-23-66	140.8	799.2	
		3-02-66	136.9	803.1	
		3-09-66	125.8	814.2	
		3-17-66	137.7	802.3	
		4-04-66	159.1	780.9	
		4-12-66	167.5	772.5	
		4-26-66	177.1	762.9	
		5-02-66	180.3	759.7	
		6-14-66	190.4(3)	749.6	
		6-21-66	192.1(3)	747.9	
		6-29-66	196.4	743.6	
02N/14W-18N06S	940.0	7-06-65	DRY		101
		11-01-65	DRY		
		11-28-65	8.2	931.8	
		12-06-65	5.3	934.7	
		12-21-65	57.5	882.5	
		12-30-65	87.8	852.2	
		1-06-66	7.8	932.2	
		1-19-66	20.6	919.4	
		1-27-66	21.5	918.5	
		2-04-66	14.3	925.7	
		2-16-66	80.5	859.5	
		2-23-66	90.8	849.2	
		3-02-66	18.1	921.9	
		3-09-66	43.0	897.0	
		3-17-66	79.4	860.6	
		4-04-66	96.0	844.0	
		4-12-66	98.4	841.6	
		4-26-66	111.7	828.3	
		5-02-66	116.2	823.8	
		5-09-66	55.8	884.2	
		5-16-66	81.8	858.2	
		5-24-66	91.5	848.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/14W-18N06S (CONT.)	940.0	5-31-66	94.7	845.3	101
		6-08-66	96.9	843.1	
		6-21-66	104.6	835.4	
		6-29-66	109.4	830.6	
02N/14W-19H01S	749.0	7-16-65	110.6	638.4	200
		8-24-65	108.3	640.7	
		9-20-65	106.2	642.8	
		10-18-65	105.9	643.1	
		11-19-65	105.4	643.6	
		12-16-65	95.2	653.8	
		1-20-66	65.3	683.7	
		2-21-66	43.7	705.3	
		3-18-66	40.2	708.8	
		4-15-66	35.5	713.5	
		5-13-66	37.5	711.5	
		6-17-66	42.4	706.6	
02N/14W-19M02S	906.0	7-22-65	298.3	607.7	200
		8-25-65	297.7	608.3	
		9-20-65	297.1	608.9	
		10-20-65	296.6	609.4	
		11-30-65	296.1	609.9	
		12-16-65	282.8	623.2	
		1-19-66	228.4(5)	677.6	101
		2-04-66	212.4(5)	693.6	
		3-18-66	212.8	693.2	200
		4-15-66	219.1	686.9	
		5-13-66	226.2	679.8	
02N/14W-19Q01S	782.4	12-06-65	166.4	616.0	101
		12-15-65	165.4	617.0	
		12-28-65	156.4	626.0	
		1-10-66	147.4	635.0	
		1-20-66	141.4	641.0	
		2-01-66	132.4	650.0	
		2-15-66	124.4	658.0	
		3-01-66	130.4(1)	652.0	
		3-10-66	116.4	666.0	
		3-23-66	112.4	670.0	
		4-04-66	110.4	672.0	
		4-13-66	109.4	673.0	
		5-02-66	109.4	673.0	
02N/14W-22P01S	1062.2	7-16-65	74.8	987.4	200
		8-24-65	74.4	987.8	
		9-17-65	74.0	988.2	
		10-18-65	73.6	988.6	
		11-18-65	73.5	988.7	
		12-17-65	72.9	989.3	
		1-20-66	69.8	992.4	
		2-18-66	67.7	994.5	
		3-15-66	64.8	997.4	
		4-12-66	61.2	1001.0	
		5-12-66	59.2	1003.0	
		6-17-66	59.2	1003.0	
02N/14W-30A01S	890.0	7-11-65	294.2	595.8	101
		11-07-65	294.1	595.9	
		12-04-65	280.0	610.0	200
		1-02-66	282.7	607.3	101
		2-06-66	285.7	604.3	
		2-13-66	261.8	628.2	
		2-20-66	268.9	621.1	
		2-27-66	256.2	633.8	
		3-06-66	260.4	629.6	
		3-13-66	252.3	637.7	
		3-20-66	249.8	640.2	
		3-27-66	270.0	620.0	
		4-03-66	245.9	644.1	
		4-10-66	244.6	645.4	
		4-17-66	243.1	646.9	
		5-01-66	242.4	647.6	
		5-15-66	233.5	656.5	
		6-12-66	245.1	644.9	
02N/14W-30A03S	871.5	7-11-65	292.2	579.3	101
		11-07-65	284.2	587.3	
		1-02-66	275.7	595.8	
		2-06-66	268.6	602.9	
		2-13-66	257.9	613.6	
		2-20-66	256.1	615.4	
		2-27-66	255.8	615.7	
		3-06-66	262.1	609.4	
		3-13-66	256.2	615.3	
		3-20-66	256.2	615.3	
		3-27-66	265.1	606.4	
		4-03-66	244.3	627.2	
		4-10-66	251.5	620.0	
		4-17-66	256.8	614.7	
		5-01-66	247.9	623.6	
		5-15-66	238.1	633.4	
		6-12-66	235.2	636.3	
02N/15W-09G02S	1001.0	7-06-65	301.7	699.3	101
		8-02-65	301.3	699.7	
		9-07-65	296.5(7)	704.5	
		10-05-65	300.3	700.7	

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/15W-09G02S (CONT.)	1001.0	2-08-66	298.3	702.7	101
		3-01-66	295.6	705.4	
		4-04-66	295.1	705.9	
		5-02-66	291.9(3)	709.1	
		6-08-66	293.7(3)	707.3	
02N/15W-15C01S	965.1	7-06-65	287.3	677.8	101
		8-02-65	287.3	677.8	
		9-07-65	287.3	677.8	
		10-05-65	287.3	677.8	
		11-02-65	287.5	677.6	
02N/15W-15L02S	937.1	7-06-65	353.2	583.9	101
		11-02-65	365.3	571.8	
		12-07-65	DRY		
		12-21-65	132.9	804.2	
		1-07-66	127.9	809.2	
		2-01-66	120.2	816.9	
		2-09-66	119.0	818.1	
		2-16-66	121.3	815.8	
		2-23-66	125.3	811.8	
		3-01-66	128.3	808.8	
		3-11-66	133.2	803.9	
		4-04-66	158.6	778.5	
		4-18-66	165.6	771.5	
		4-26-66	204.8	732.3	
		5-02-66	172.0	765.1	
		6-08-66	168.0	769.1	
02N/15W-16J01S	920.5	7-06-65	210.3	710.2	101
		8-02-65	219.2	701.3	
		9-07-65	225.2	695.3	
		10-05-65	225.0	695.5	
		11-02-65	231.8	688.7	
		12-07-65	163.6	756.9	
		12-16-65	138.4	782.1	
		12-27-65	156.3	764.2	
		1-07-66	175.8	744.7	
		2-01-66	150.6	769.9	
		2-09-66	167.5	753.0	
		2-16-66	176.8	743.7	
		3-01-66	178.6	741.9	
		4-04-66	186.2	734.3	
		4-18-66	189.5	731.0	
		4-26-66	157.7	762.8	
		5-02-66	146.8	773.7	
		5-18-66	181.7	738.8	
		6-08-66	181.7	738.8	
02N/15W-16J02S	913.4	12-07-65	57.9	855.5	101
		12-16-65	DRY		
		12-21-65	58.4	855.0	
		1-07-66	58.3	855.1	
		2-01-66	58.4	855.0	
		2-09-66	58.4	855.0	
		2-16-66	59.4	854.0	
		3-01-66	59.6	853.8	
		4-18-66	58.8	854.6	
		4-26-66	58.6	854.8	
		5-02-66	58.9	854.5	
02N/15W-16J03S	914.5	12-07-65	14.9	899.6	101
		12-16-65	21.4	893.1	
		12-27-65	33.0	881.5	
		1-07-66	18.7	895.8	
		2-01-66	20.0	894.5	
		2-09-66	33.7	880.8	
		2-16-66	DRY		
		3-01-66	DRY		
		4-18-66	17.1	897.4	
		4-26-66	26.2	888.3	
		5-02-66	33.5	881.0	
02N/15W-16R01S	902.0	7-06-65	267.6	634.4	101
		8-02-65	259.9	642.1	
		9-07-65	260.2	641.8	
		10-05-65	262.8	639.2	
		11-02-65	264.7	637.3	
		12-07-65	110.6	791.4	
		12-16-65	111.7	790.3	
		12-27-65	122.4	779.6	
		1-07-66	115.2	786.8	
		2-01-66	130.7	771.3	
		2-09-66	140.8	761.2	
		2-16-66	147.4	754.6	
		3-01-66	154.1	747.9	
		4-04-66	158.3	743.7	
		4-18-66	158.4	743.6	
		4-26-66	152.8	749.2	
		5-18-66	159.3	742.7	
		6-08-66	161.5	740.5	
02N/15W-16R02S	902.0	12-07-65	107.2	794.8	101
		12-16-65	104.8	797.2	
		12-27-65	115.8	786.2	
		1-07-66	106.8	795.2	
		2-01-66	104.4	797.6	
		2-09-66	117.6	784.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/15W-16R02S (CONT.)	902.0	2-16-66	125.0	777.0	101
		3-01-66	132.1	769.9	
		4-18-66	DRY		
		4-26-66	123.9	778.1	
		5-02-66	125.5	776.5	
		5-18-66	132.5	769.5	
02N/15W-16R03S	903.0	12-07-65	DRY		101
		12-16-65	DRY		
		12-27-65	DRY		
		1-07-66	DRY		
		2-01-66	DRY		
		2-09-66	DRY		
		2-16-66	DRY		
		3-01-66	DRY		
		4-18-66	DRY		
		4-26-66	DRY		
		5-02-66	DRY		
		5-18-66	DRY		
02N/15W-19K01S	890.5	7-16-65	353.4	537.1	200
		8-25-65	355.0	535.5	
		9-20-65	356.2	534.3	
		10-20-65	357.5	533.0	
		12-01-65	359.2	531.3	
		12-16-65	359.6	530.9	
		1-20-66	351.1	539.4	
		2-18-66	324.3	566.2	
		3-18-66	335.3	555.2	
		4-15-66	337.5	553.0	
		5-13-66	334.6	555.9	
		6-17-66	340.2	550.3	
02N/15W-21D01S	878.9	7-06-65	308.9	570.0	101
		8-02-65	309.7	569.2	
		9-07-65	311.2	567.7	
		10-05-65	311.6	567.3	
		11-02-65	313.1	565.8	
		12-01-65	314.0	564.9	
		1-07-66	315.2	563.7	
		2-01-66	319.5	559.4	
		3-01-66	322.3	556.6	
		4-04-66	309.8	569.1	
		5-02-66	307.8	571.1	
		6-08-66	309.4	569.5	
02N/15W-22A01S	908.5	7-06-65	357.7	550.8	101
		8-02-65	358.7	549.8	
		9-07-65	359.7	548.8	
		10-05-65	360.6	547.9	
		11-02-65	361.6	546.9	
		12-07-65	362.8	545.7	
		1-05-66	360.8	547.7	
		2-01-66	362.6	545.9	
		3-01-66	359.4	549.1	
		4-04-66	356.5	552.0	
		5-02-66	355.8	552.7	
		6-08-66	356.0	552.5	
02N/15W-24H01S	918.9	7-16-65	291.6	627.3	200
		8-25-65	290.2	628.7	
		9-20-65	289.4	629.5	
		10-20-65	288.8	630.1	
		11-30-65	288.3	630.6	
		12-16-65	260.5	658.4	
		1-12-66	194.7	724.2	101
		1-19-66	223.7(5)	695.2	
		2-04-66	190.8	728.1	
		2-16-66	183.4	735.5	
		2-23-66	187.6	731.3	
		3-01-66	191.2	727.7	
		3-09-66	183.8	735.1	
		3-17-66	186.0	732.9	
		4-05-66	203.0	715.9	
		4-15-66	203.0	715.9	200
		5-13-66	211.5	707.4	
02N/15W-24J01S	901.0	7-06-65	DRY		101
		11-02-65	DRY		
		1-06-66	339.9	561.1	
		2-09-66	295.4	605.6	
		2-16-66	296.4	604.6	
		3-01-66	304.9	596.1	
		3-09-66	310.2	590.8	
		3-17-66	306.4	594.6	
		4-05-66	314.6	586.4	
		5-19-66	338.5	562.5	
02N/15W-25G01S	858.7	7-16-65	321.8	536.9	200
		8-25-65	323.4	535.3	
		9-20-65	324.7	534.0	
		10-20-65	325.8	532.9	
		12-01-65	327.5	531.2	
		12-16-65	328.9	529.8	
		1-20-66	326.3	532.4	
		2-18-66	321.5	537.2	
		3-18-66	317.0	541.7	
		4-15-66	314.5	544.2	

SAN FERNANDO HYDRO SUBUNIT U-05.80

SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/15W-25G01S (CONT.)	858.7	5-13-66	316.0	542.7	200
		6-17-66	316.5	542.2	
02N/15W-25L01S	832.0	7-15-65	300.2	531.8	200
		8-25-65	302.4	529.6	
		9-20-65	303.7	528.3	
		10-19-65	305.0	527.0	
		11-30-65	306.4	525.6	
		12-17-65	307.2	524.8	
		1-20-66	307.2	524.8	
		2-18-66	304.8	527.2	
		3-18-66	301.3	530.7	
		4-15-66	298.4	533.6	
		5-20-66	297.7	534.3	
		6-10-66	298.3	533.7	
02N/15W-25P01S	817.0	7-20-65	288.4	528.6	200
		8-17-65	289.9	527.1	
		9-21-65	292.0	525.0	
		10-19-65	293.2	523.8	
		11-16-65	294.1	522.9	
		12-07-65	294.7	522.3	
		12-14-65	294.9	522.1	
		12-21-65	295.0	522.0	
		12-28-65	295.4	521.6	
		1-18-66	295.7	521.3	
		2-15-66	294.5	522.5	
		3-15-66	291.9	525.1	
		4-12-66	289.5	527.5	
02N/15W-26H01S	831.9	7-06-65	290.8	541.1	101
		11-02-65	DRY		
		1-05-66	DRY		
		2-09-66	DRY		
		3-01-66	265.8	566.1	
		3-11-66	269.9	562.0	
		4-05-66	281.0	550.9	
02N/15W-26P02S	794.5	7-06-65	255.2	539.3	101
		8-02-65	256.5	538.0	
		9-07-65	257.7	536.8	
		10-05-65	259.3	535.2	
		11-02-65	260.3	534.2	
		12-07-65	261.5	533.0	
		1-05-66	261.1	533.4	
		2-01-66	263.2	531.3	
		3-01-66	262.6	531.9	
		4-05-66	260.6	533.9	
		5-02-66	259.3	535.2	
		6-08-66	258.6	535.9	
02N/15W-27J01S	818.2	7-15-65	271.2	547.0	200
		8-23-65	272.8	545.4	
		9-16-65	273.5	544.7	
		10-19-65	274.5	543.7	
		11-18-65	274.8	543.4	
		12-16-65	276.7	541.5	
		1-26-66	277.7	540.5	
		2-17-66	275.9	542.3	
		3-14-66	274.8	543.4	
		4-11-66	273.3	544.9	
		5-12-66	273.0	545.2	
		6-22-66	273.1	545.1	
02N/15W-28C01S	837.2	7-06-65	245.2	592.0	101
		8-02-65	245.4	591.8	
		9-07-65	245.6	591.6	
		10-05-65	245.7	591.5	
		11-02-65	245.9	591.3	
		12-07-65	246.4	590.8	
		12-21-65	244.0(3)	593.2	
		1-07-66	247.6(3)	589.6	
		2-01-66	242.5	594.7	
		3-01-66	240.7	596.5	
		4-04-66	242.2	595.0	
		4-18-66	243.0	594.2	
		5-02-66	243.5	593.7	
		6-08-66	244.6	592.6	
02N/15W-28P01S	805.0	7-06-65	209.6	595.4	101
		8-02-65	212.0	593.0	
		9-07-65	210.0	595.0	
		10-05-65	190.5	614.5	
		11-02-65	210.9	594.1	
		12-07-65	211.5	593.5	
		1-05-66	211.7	593.3	
		2-01-66	211.9	593.1	
		3-01-66	216.9	588.1	
		4-05-66	212.8	592.2	
		6-08-66	213.9	591.1	
02N/15W-35L01S	754.0	7-06-65	221.5	532.5	101
		8-02-65	222.8	531.2	
		9-07-65	224.6	529.4	
		10-05-65	225.8	528.2	
		11-02-65	227.1	526.9	
		12-01-65	227.6	526.4	
		1-05-66	229.9	524.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80
SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/15W-35L01S (CONT.)	754.0	2-01-66	230.3	523.7	101
		3-01-66	231.3	522.7	
		4-05-66	229.1	524.9	
		5-02-66	228.2	525.8	
		6-08-66	226.5	527.5	
02N/16W-07001S	1017.0	11-09-65	47.2	969.8	101
		4-06-66	46.3	970.7	
02N/16W-20R01S	867.0	7-13-65	64.2	802.8	101
		8-03-65	64.4	802.6	
		9-01-65	64.6	802.4	
		10-05-65	64.8	802.2	
		11-09-65	65.4	801.6	
		12-06-65	65.2	801.8	
		1-12-66	64.7	802.3	
		2-09-66	64.4	802.6	
		3-01-66	64.2	802.8	
		4-06-66	64.7	802.3	
		5-03-66	64.4	802.6	
02N/16W-21L01S	872.1	12-02-65	69.4	802.7	200
		4-20-66	69.4	802.7	
02N/16W-22K01S	850.4	7-21-65	45.7	804.7	200
		8-25-65	45.7	804.7	
		9-22-65	46.3	804.1	
		10-13-65	46.5	803.9	
		11-18-65	46.5	803.9	
		12-01-65	46.4	804.0	
		1-05-66	46.0	804.4	
		1-19-66	46.0	804.4	
		2-23-66	46.0	804.4	
		3-17-66	46.0	804.4	
		4-20-66	46.3	804.1	
		5-19-66	46.5	803.9	
		6-22-66	46.6	803.8	
02N/16W-25P01S	782.7	7-21-65	67.5	715.2	200
		8-25-65	67.6	715.1	
		9-22-65	67.7	715.0	
		10-13-65	67.8	714.9	
		12-01-65	68.1	714.6	
		1-05-66	68.2	714.5	
		1-19-66	68.2	714.5	
		2-23-66	68.1	714.6	
		3-17-66	68.2	714.5	
		4-14-66	68.3	714.4	
		5-18-66	68.2	714.5	
		6-22-66	68.4	714.3	
02N/16W-27F01S	793.4	8-03-65	13.9	779.5	101
		9-01-65	13.2	780.2	
		10-05-65	13.4	780.0	
		12-06-65	11.9	781.5	
		1-12-66	11.4	782.0	
		2-09-66	11.1	782.3	
		3-01-66	11.2	782.2	
		4-05-66	11.8	781.6	
		5-03-66	12.4	781.0	
		6-01-66	13.3	780.1	
02N/16W-27F02S	801.9	10-13-65	21.3	780.6	200
		12-01-65	17.0	784.9	
		1-05-66	24.1	777.8	
		1-19-66	15.7	786.2	
		2-23-66	15.1	786.8	
		6-22-66	17.9	784.0	
02N/16W-27F03S	1300.0	7-13-65	520.8	779.2	101
		8-03-65	520.9	779.1	
		9-01-65	520.3	779.7	
		10-05-65	520.5	779.5	
		12-06-65	519.3	780.7	
		1-12-66	518.7	781.3	
		2-09-66	518.5	781.5	
		3-01-66	518.6	781.4	
		4-05-66	519.8	780.2	
		5-03-66	519.7	780.3	
		6-01-66	520.5	779.5	
02N/16W-27F04S	792.0	7-13-65	13.4	778.6	101
		8-03-65	13.6	778.4	
		9-01-65	12.7	779.3	
		10-05-65	13.0	779.0	
		12-06-65	11.7	780.3	
		1-12-66	11.2	780.8	
		2-09-66	11.0	781.0	
		3-02-66	11.0	781.0	
		4-05-66	12.3	779.7	
		5-03-66	12.1	779.9	
		6-01-66	12.9	779.1	
02N/16W-27H01S	804.1	11-09-65	17.5	786.6	101
02N/16W-27K01S	790.9	11-09-65	15.1	775.8	101

SAN FERNANDO HYDRO SUBUNIT U-05.80
SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/16W-27K01S (CONT.)	790.9	4-05-66	12.6	778.3	101
02N/16W-27L01S	783.3	7-22-65	7.1	776.2	200
		8-26-65	7.3	776.0	
		9-22-65	7.3	776.0	
		10-15-65	7.2	776.1	
		12-01-65	6.7	776.6	
		1-05-66	6.3	777.0	
		1-26-66	6.2	777.1	
		2-23-66	6.1	777.2	
		3-17-66	6.0	777.3	
		4-21-66	6.1	777.2	
		5-19-66	6.2	777.1	
		6-23-66	6.4	776.9	
02N/16W-27P03S	773.3	7-13-65	10.9	762.4	101
		8-03-65	10.9	762.4	
		9-01-65	11.2	762.1	
		10-05-65	11.4	761.9	
		11-09-65	11.3	762.0	
		12-06-65	9.5	763.8	
		1-12-66	9.5	763.8	
		2-09-66	9.7	763.6	
		3-01-66	9.9	763.4	
		4-05-66	10.3	763.0	
		5-03-66	10.3	763.0	
		6-01-66	10.0	763.3	
02N/16W-27P04S	769.9	7-13-65	11.2	758.7	101
		8-03-65	11.3	758.6	
		9-01-65	11.5	758.4	
		10-05-65	11.6	758.3	
		11-09-65	11.1	758.8	
		12-06-65	9.0	760.9	
		1-12-66	9.0(2)	760.9	
		2-09-66	9.2	760.7	
		3-01-66	9.5	760.4	
		4-05-66	10.0	759.9	
		5-03-66	10.1	759.8	
		6-01-66	9.9	760.0	
02N/16W-27P05S	771.5	7-13-65	11.3	760.2	101
		8-03-65	11.4	760.1	
		9-01-65	11.6	759.9	
		10-05-65	11.8	759.7	
		11-09-65	11.4	760.1	
		12-06-65	9.8	761.7	
		1-12-66	9.8	761.7	
		2-09-66	9.9	761.6	
		3-01-66	10.1	761.4	
		4-05-66	10.5	761.0	
		5-03-66	11.0	760.5	
		6-01-66	10.9	760.6	
02N/16W-28J02S	830.3	7-22-65	46.1	784.2	200
		8-26-65	46.6	783.7	
		9-22-65	12.4	783.6	
		10-15-65	12.5	783.5	
		12-01-65	11.8	784.2	
		1-05-66	11.2	784.8	
		1-26-66	10.8	785.2	
		2-23-66	10.6	785.4	
		3-17-66	10.3	785.7	
		4-21-66	10.1	785.9	
		5-19-66	10.1	785.9	
		6-23-66	10.3	785.7	
02N/16W-29M01S	846.0	7-21-65	47.0	799.0	200
		8-25-65	47.1	798.9	
		9-22-65	47.2	798.8	
		10-13-65	47.4	798.6	
		11-18-65	46.0	800.0	
		12-01-65	45.8	800.2	
		1-05-66	45.1	800.9	
		1-19-66	45.7	800.3	
		2-23-66	45.8	800.2	
		3-17-66	46.1	799.9	
		4-20-66	46.2	799.8	
		5-18-66	46.2	799.8	
		6-22-66	46.4	799.6	
02N/16W-30H02S	859.0	7-21-65	55.2	803.8	200
		8-25-65	55.5	803.5	
		9-22-65	55.6	803.4	
		10-13-65	55.8	803.2	
		11-18-65	56.0	803.0	
		12-01-65	53.8	805.2	
		1-05-66	52.7	806.3	
		1-19-66	53.5	805.5	
		2-23-66	53.9	805.1	
		3-17-66	54.3	804.7	
		4-20-66	54.6	804.4	
		5-18-66	54.8	804.2	
		6-22-66	55.0	804.0	
02N/16W-32F01S	805.0	7-22-65	17.5	787.5	200
		8-26-65	17.9	787.1	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN FERNANDO HYDRO SUBUNIT U-05.80
SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/16W-32F01S	805.0	9-22-65	18.2	786.8	200
(CONT.)		10-15-65	18.3	786.7	
		12-01-65	17.5	787.5	
		1-05-66	16.5	788.5	
		1-26-66	15.9	789.1	
		2-23-66	15.7	789.3	
		3-17-66	15.8	789.2	
		4-21-66	15.9	789.1	
		5-19-66	16.2	788.8	
		6-23-66	16.6	788.4	
02N/16W-32H01S	800.0	7-22-65	17.2	782.8	200
		8-26-65	17.8	782.2	
		9-22-65	18.1	781.9	
		10-15-65	18.2	781.8	
		12-01-65	17.5	782.5	
		1-05-66	16.5	783.5	
		1-26-66	15.3	784.7	
		2-23-66	14.7	785.3	
		3-17-66	14.5	785.5	
		4-21-66	14.7	785.3	
		5-19-66	15.0	785.0	
		6-23-66	15.6	784.4	
02N/16W-32N01S	799.0	7-22-65	11.4	787.6	200
		8-26-65	11.7	787.3	
		9-22-65	11.8	787.2	
		10-15-65	12.0	787.0	
		12-01-65	11.6	787.4	
		1-05-66	11.0	788.0	
		1-26-66	10.9	788.1	
		2-24-66	10.8	788.2	
		3-17-66	10.7	788.3	
		4-21-66	10.7	788.3	
		5-19-66	11.0	788.0	
		6-23-66	11.2	787.8	
02N/16W-32P01S	794.0	7-22-65	12.8	781.2	200
		8-26-65	13.1	780.9	
		9-22-65	13.3	780.7	
		10-15-65	13.4	780.6	
		12-01-65	11.4	782.6	
		1-05-66	10.7	783.3	
		1-26-66	10.9	783.1	
		2-24-66	11.0	783.0	
		3-17-66	11.2	782.8	
		4-21-66	11.5	782.5	
		5-19-66	11.8	782.2	
		6-23-66	12.2	781.8	
02N/16W-33G06S	776.9				200
		12-01-65	DRY		
		1-05-66	DRY		
		1-26-66	DRY		
		2-23-66	DRY		
		3-17-66	DRY		
		4-21-66	DRY		
02N/16W-33G07S	785.0	7-22-65	12.9	772.1	200
		8-26-65	13.1	771.9	
		9-22-65	13.5	771.5	
		10-15-65	13.8	771.2	
		12-01-65	13.2	771.8	
		1-05-66	12.4	772.6	
		1-26-66	11.8	773.2	
		2-23-66	11.3	773.7	
		3-17-66	10.9	774.1	
		4-21-66	10.8	774.2	
		5-19-66	10.9	774.1	
		6-23-66	11.4	773.6	
02N/16W-33H01S	772.5	7-22-65	9.5	763.0	200
		12-01-65	7.3	765.2	
		1-05-66	6.8	765.7	
		1-26-66	7.3	765.2	
		2-23-66	7.2	765.3	
		3-17-66	7.5	765.0	
		4-21-66	7.8	764.7	
		5-19-66	8.3	764.2	
		6-23-66	8.7	763.8	
02N/16W-33001S	770.0	7-22-65	9.3	760.7	200
		8-26-65	9.9	760.1	
		9-22-65	10.2	759.8	
		10-15-65	10.5	759.5	
		12-01-65	9.7	760.3	
		1-05-66	9.0	761.0	
		1-26-66	8.7	761.3	
		2-23-66	8.3	761.7	
		3-17-66	8.0	762.0	
		4-21-66	7.5	762.5	
		5-19-66	7.6	762.4	
		6-23-66	8.1	761.9	
02N/16W-34D01S	772.2	7-22-65	6.5	765.7	200
		8-26-65	6.8	765.4	
		9-22-65	7.5	764.7	
		10-15-65	7.5	764.7	

SAN FERNANDO HYDRO SUBUNIT U-05.80
SAN FERNANDO HYDRO SUBAREA U-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/16W-34D01S	772.2	12-01-65	7.0	765.2	200
(CONT.)		1-05-66	6.5	765.7	
		1-26-66	6.3	765.9	
		2-23-66	5.7	766.5	
		3-17-66	6.2	766.0	
		4-21-66	6.2	766.0	
		5-19-66	6.5	765.7	
		6-23-66	7.0	765.2	
02N/16W-34K02S	750.3	12-01-65	5.7	744.6	200
		1-05-66	6.1	744.2	
		1-19-66	2.9	747.4	
		6-22-66	4.4	745.9	
02N/16W-34N01S	755.0	7-22-65	10.3	744.7	200
		8-26-65	10.6	744.4	
		9-22-65	10.7	744.3	
		10-15-65	10.7	744.3	
		12-01-65	10.6	744.4	
		1-05-66	10.2	744.8	
		1-26-66	10.1	744.9	
		2-23-66	9.9	745.1	
		3-17-66	9.8	745.2	
		4-21-66	9.8	745.2	
		5-19-66	10.0	745.0	
02N/17W-13A01S	970.5	11-09-65	10.5	960.0	101
		4-06-66	4.6	965.9	
02N/17W-13H02S	960.7	11-09-65	11.2	949.5	101
02N/17W-13K01S	954.9	7-13-65	8.7	946.2	101
		8-03-65	8.8	946.1	
		9-01-65	9.3	945.6	
		10-05-65	10.1	944.8	
		11-09-65	10.4	944.5	
		12-06-65	5.0	949.9	
		1-12-66	4.1	950.8	
		2-09-66	3.7	951.2	
		3-01-66	1.2	953.7	
		4-06-66	5.8	949.1	
		5-03-66	6.6	948.3	
		6-01-66	7.0	947.9	
02N/17W-13L02S	940.0	11-09-65	8.2	931.8	101
		4-06-66	3.5	936.5	
02N/17W-14J01S	1066.0	11-09-65	89.0	977.0	101
		4-06-66	60.1	1005.9	
02N/17W-35J01S	959.2	7-13-65	148.0	811.2	101
		8-03-65	14.6	811.0	
		9-01-65	15.0	810.6	
		10-05-65	14.8	810.8	
		11-09-65	14.9	810.7	
		12-06-65	14.0	811.6	
		1-12-66	13.9	811.7	
		2-09-66	13.8	811.8	
		3-01-66	14.0	811.6	
		4-06-66	14.2	811.4	
		5-03-66	14.1	811.5	
		6-01-66	14.3	811.3	
03N/15W-29C01S	1381.0	7-13-65	89.3	1291.7	101
		8-23-65	89.6	1291.4	
		9-22-65	89.8	1291.2	
		10-18-65	90.2	1290.8	
		11-01-65	90.3	1290.7	
		11-18-65	90.5	1290.5	
		12-07-65	90.0	1291.0	
		4-04-66	86.3	1294.7	
03N/15W-34K02S	1149.0	7-15-65	73.1	1075.9	200
		8-25-65	76.1	1072.9	
		9-21-65	77.0	1072.0	
		10-19-65	77.9	1071.1	
		11-19-65	78.6	1070.4	
		12-16-65	78.4	1070.6	
		1-26-66	76.8	1072.2	
		2-17-66	75.4	1073.6	
		3-17-66	73.6	1075.4	
03N/15W-34P01S	1130.3	11-03-65	77.7	1052.6	101
		4-05-66	62.7	1067.6	
03N/15W-34P07S	1125.0	11-03-65	82.8	1042.2	101
		4-05-66	59.4	1065.6	
03N/15W-34P10S	1133.0	11-03-65	69.9	1063.1	101
		4-05-66	60.2	1072.8	
		6-21-66	66.2	1066.8	
03N/15W-35J02S	1204.0	12-17-65	31.2	1172.8	101
		1-06-66	31.8	1172.2	
		2-04-66	33.5	1170.5	
		4-18-66	25.7	1178.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT					U-05.00
SAN FERNANDO HYDRO SUBUNIT					U-05.80
SAN FERNANDO HYDRO SUBAREA					U-05.81
03N/15W-35J02S (CONT.)	1204.0	4-26-66	33.3	1170.7	101
03N/15W-35M01S	1209.4	12-17-65	36.6	1172.8	101
		1-06-66	40.8	1168.6	
		2-04-66	36.6	1172.8	
		4-04-66	42.0	1167.4	
		4-18-66	39.2	1170.2	
		4-26-66	40.1	1169.3	
03N/15W-36F01S	1226.0	7-06-65	24.7	1201.3	101
		8-02-65	25.0	1201.0	
		9-07-65	25.5	1200.5	
		10-05-65	25.7	1200.3	
		11-01-65	26.0	1200.0	
		12-07-65	4.7	1221.3	
		12-17-65	5.4	1220.6	
		1-03-66	7.4	1218.6	
		2-02-66	6.4	1219.6	
		3-01-66	11.5	1214.5	
		4-01-66	16.2	1209.8	
		4-18-66	13.6	1212.4	
		4-26-66	8.2	1217.8	
		5-02-66	9.0	1217.0	
		6-08-66	15.5	1210.5	
SYLMAR HYDRO SUBAREA					U-05.82
03N/15W-20R01S	1428.1	11-07-65	127.1	1301.0	101
		12-07-65	114.9	1313.2	
		1-03-66	114.0	1314.1	
		2-01-66	111.5	1316.6	
		3-01-66	115.4	1312.7	
		4-04-66	103.7	1324.4	
		5-02-66	124.3	1303.8	
03N/15W-20R02S	1421.8	11-07-65	122.4	1299.4	101
03N/15W-21Q01S	1417.0	11-01-65	162.2	1254.8	101
		4-04-66	163.3	1253.7	
03N/15W-26G01S	1422.5	11-01-65	262.1	1160.4	101
		12-17-65	262.4	1160.1	
		4-04-66	265.9	1156.6	
03N/15W-33E01S	1188.9	7-15-65	94.9	1094.0	200
		8-23-65	97.1	1091.8	
		9-21-65	98.0	1090.9	
		10-19-65	98.4	1090.5	
		11-19-65	99.2	1089.7	
		12-16-65	99.0	1089.9	
		1-27-66	97.0	1091.9	
		2-17-66	96.9	1092.0	
		3-14-66	94.7	1094.2	
		4-11-66	95.5	1093.4	
		5-12-66	95.7	1093.2	
		6-17-66	96.0	1092.9	
03N/15W-34A01S	1244.0	11-03-65	206.6	1037.4	101
		4-04-66	178.3	1065.7	
03N/15W-34B01S	1222.5	11-03-65	192.8	1029.7	101
		4-05-66	156.2	1066.3	
03N/15W-34C01S	1237.0	11-03-65	197.5	1039.5	101
03N/15W-34H01S	1220.0	11-03-65	118.9	1101.1	101
		4-04-66	105.0	1115.0	
03N/15W-34K03S	1153.9	12-03-65	83.2	1070.7	200
		5-12-66	78.4	1075.5	
		6-21-66	80.3	1073.6	101
03N/15W-34P06S	1130.3	11-03-65	72.4	1057.9	101
		4-05-66	59.6	1070.7	
03N/15W-36C01S	1280.5	12-02-65	39.4	1241.1	200
		12-17-65	36.8	1243.7	101
		1-12-66	37.4	1243.1	
		2-04-66	36.6	1243.9	
		2-12-66	37.5	1243.0	
		4-01-66	39.5	1241.0	
		4-18-66	39.4	1241.1	
		4-26-66	38.0	1242.5	
		5-05-66	38.0	1242.5	200
TUJUNGA HYDRO SUBAREA					U-05.83
02N/13W-18N01S	1796.2	7-16-65	377.6	1418.6	200
		8-24-65	378.8	1417.4	
		9-21-65	379.6	1416.6	
		10-19-65	371.9	1424.3	
		11-18-65	371.1	1425.1	
		12-17-65	369.4	1426.8	
SAN FERNANDO HYDRO SUBUNIT					U-05.80
TUJUNGA HYDRO SUBAREA					U-05.83
02N/13W-18N01S (CONT.)	1796.2	1-27-66	367.1	1429.1	200
		2-18-66	365.6	1430.6	
		3-15-66	364.8	1431.4	
		4-12-66	363.3	1432.9	
		5-12-66	361.4	1434.8	
		6-21-66	369.1	1427.1	
02N/14W-05L01S	1141.0	11-01-65	6.4	1134.6	101
		4-05-66	4.4	1136.6	
02N/14W-06J01S	1202.0	12-02-65	189.9	1012.1	200
		4-28-66	163.2	1038.8	
02N/14W-08G02S	1063.9	7-16-65	20.2	1043.7	200
		8-24-65	20.7	1043.2	
		9-21-65	20.8	1043.1	
		10-19-65	20.9	1043.0	
		11-18-65	19.9	1044.0	
		12-17-65	15.0	1048.9	
		1-27-66	10.1	1053.8	
		3-15-66	8.0	1055.9	
		4-12-66	8.5	1055.4	
		5-12-66	9.4	1054.5	
02N/14W-09E01S	1098.6	12-02-65	46.1	1052.5	200
		4-28-66	33.3	1065.3	
02N/14W-09H01S	1164.0	7-16-65	61.8	1102.2	200
		8-24-65	62.2	1101.8	
		9-21-65	62.4	1101.6	
		10-19-65	62.5	1101.5	
		11-18-65	62.5	1101.5	
		12-17-65	37.1	1126.9	
		1-27-66	34.6	1129.4	
		3-15-66	41.9	1122.1	
		4-12-66	45.2	1118.8	
		5-12-66	47.5	1116.5	
		6-17-66	49.7	1114.3	
02N/14W-09N02S	1088.7	7-06-65	17.1	1071.6	101
		8-02-65	17.2	1071.5	
		9-07-65	16.6	1072.1	
		10-05-65	17.3	1071.4	
		11-01-65	17.2	1071.5	
		12-07-65	12.7	1076.0	
		2-01-66	12.1	1076.6	
		3-01-66	12.6	1076.1	
		4-04-66	14.2	1074.5	
		5-02-66	13.5	1075.2	
		6-01-66	14.1	1074.6	
02N/14W-10F01S	1192.6	12-02-65	40.1	1152.5	200
		4-28-66	41.7	1150.9	
02N/14W-10N01S	1151.7	12-04-65	39.7	1112.0	200
		5-13-66	43.1	1108.6	
02N/14W-10R01S	1222.5	12-02-65	25.5	1197.0	200
		4-28-66	24.6	1197.9	
02N/14W-10R02S	1215.0	7-16-65	43.5	1171.5	200
		8-24-65	46.2	1168.8	
		9-21-65	46.2	1168.8	
		10-19-65	46.0	1169.0	
		11-18-65	44.8	1170.2	
		12-17-65	21.4	1193.6	
		1-27-66	9.6	1205.4	
		3-15-66	18.5	1196.5	
		4-12-66	24.4	1190.6	
		5-12-66	27.6	1187.4	
02N/14W-11K01S	1285.5	12-03-65	48.1	1237.4	200
02N/14W-12C02S	1356.1	7-16-65	11.8	1344.3	200
		8-24-65	10.7	1345.4	
		9-21-65	5.2	1350.9	
		10-19-65	8.0	1348.1	
		11-18-65	8.5	1347.6	
		12-17-65	7.3	1348.8	
		1-27-66	10.5	1345.6	
		3-15-66	11.7	1344.4	
		4-12-66	11.8	1344.3	
		5-12-66	11.1	1345.0	
02N/14W-13D02S	1453.4	12-03-65	104.7	1348.7	200
		4-28-66	88.8	1364.6	
02N/14W-13D04S	1467.0	11-01-65	120.2	1346.8	101
		4-05-66	100.6	1366.4	
02N/14W-13E02S	1439.9	12-03-65	93.6	1346.3	200
		4-28-66	76.8	1363.1	
02N/14W-13E03S	1454.0	7-16-65	145.9	1308.1	200
		8-24-65	147.7	1306.3	
		9-21-65	146.7	1307.3	
		10-19-65	116.0	1338.0	
		11-18-65	108.4	1345.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00					
SAN FERNANDO HYDRO SUBUNIT U-05.80					
TUJUNGA HYDRO SUBAREA U-05.83					
02N/14W-13E03S	1454.0	12-17-65	103.8	1350.2	200
(CONT.)		1-27-66	98.0	1356.0	
		2-18-66	95.4	1358.6	
		3-15-66	93.9	1360.1	
		4-12-66	90.3	1363.7	
		5-12-66	95.0	1359.0	
		6-21-66	136.3	1317.7	
02N/14W-13E04S	1456.4	12-03-65	108.8	1347.6	200
		4-28-66	92.2	1364.2	
02N/14W-14A02S	1374.4	7-16-65	58.4	1316.0	200
		8-24-65	62.0	1312.4	
		9-21-65	62.6	1311.8	
02N/14W-14B01S	1334.4	9-07-65	21.5	1312.9	101
		10-05-65	22.3	1312.1	
		11-01-65	17.9	1316.5	
		12-07-65	15.1	1319.3	
		1-03-66	13.7	1320.7	
		2-01-66	12.3	1322.1	
		3-01-66	10.8	1323.6	
		4-04-66	9.9	1324.5	
		5-02-66	8.7	1325.7	
		6-08-66	15.3	1319.1	
02N/14W-14C04S	1325.3	12-03-65	14.8	1310.5	200
		4-28-66	14.3	1311.0	
02N/14W-14G01S	1372.0	12-03-65	53.5	1318.5	200
		4-28-66	43.6	1328.4	
02N/14W-14H02S	1415.7	7-16-65	98.7	1317.0	200
		8-24-65	101.8	1313.9	
		9-21-65	102.8	1312.9	
		10-19-65	87.5	1328.2	
		11-18-65	79.7	1336.0	
		12-17-65	74.7	1341.0	
		1-27-66	68.5	1347.2	
		2-18-66	65.9	1349.8	
		3-15-66	63.3	1352.4	
		4-12-66	60.9	1354.8	
		5-12-66	65.2	1350.5	
		6-21-66	90.5	1325.2	
02N/14W-18A01S	999.0	7-06-65	44.4	954.6	101
		11-01-65	51.7	947.3	
VERDUGO HYDRO SUBAREA U-05.84					
01N/13W-03D02S	1230.0	11-02-65	103.5	1126.5	101
		4-06-66	89.9	1140.1	
01N/13W-03D05S	1160.0	7-31-65	107.5	1052.5	101
		8-29-65	128.5(1)	1031.5	
		9-19-65	122.5(1)	1037.5	
		10-10-65	112.5	1047.5	
		11-20-65	111.5	1048.5	
		12-31-65	93.5	1066.5	
		1-28-66	86.5	1073.5	
		2-27-66	82.5	1077.5	
		3-26-66	84.5(5)	1075.5	
		6-10-66	84.5(5)	1075.5	
01N/13W-03E02S	1120.0	11-02-65	DRY		101
01N/13W-03G01S	1170.0	11-03-65	DRY		101
		4-06-66	120.3	1049.7	
01N/13W-05D01S	399.7	7-28-65	23.9	375.8	200
		8-25-65	24.0	375.7	
		9-28-65	23.6	376.1	
		10-22-65	23.5	376.2	
		11-29-65	21.9	377.8	
		12-15-65	20.4	379.3	
		1-20-66	20.3	379.4	
		2-23-66	21.0	378.7	
		3-23-66	21.2	378.5	
		4-20-66	21.8	377.9	
01N/13W-10B01S	1010.0	7-07-65	44.0	966.0	101
		8-04-65	44.0	966.0	
		9-01-65	45.0	965.0	
		10-06-65	45.0	965.0	
		11-03-65	45.0	965.0	
		12-01-65	43.0	967.0	
		1-05-66	39.0	971.0	
		2-02-66	37.0(5)	973.0	
		3-02-66	36.0(5)	974.0	
		4-06-66	33.5(5)	976.5	
		5-04-66	33.0(5)	977.0	
		6-01-66	33.0(5)	977.0	
01N/13W-10F01S	965.2	7-07-65	40.2	925.0	101
		8-04-65	38.2	927.0	
		9-01-65	40.2	925.0	
SAN FERNANDO HYDRO SUBUNIT U-05.80					
VERDUGO HYDRO SUBAREA U-05.84					
01N/13W-10F01S	965.2	10-06-65	38.2	927.0	101
(CONT.)		11-03-65	33.2	932.0	
		12-01-65	31.2	934.0	
		1-05-66	26.2	939.0	
		2-09-66	26.2(5)	939.0	
		3-09-66	26.2(5)	939.0	
		3-30-66	22.2(5)	943.0	
		4-27-66	21.7(5)	943.5	
		5-11-66	24.2(5)	941.0	
		6-01-66	26.2(5)	939.0	
		6-22-66	28.7(5)	936.5	
01N/13W-10F02S	964.5	7-07-65	33.5	931.0	101
		8-04-65	34.5	930.0	
		9-01-65	36.5	928.0	
		10-06-65	33.5	931.0	
		11-03-65	31.5	933.0	
		12-01-65	27.5	937.0	
		1-05-66	24.5	940.0	
		2-02-66	24.5	940.0	
		3-09-66	24.0	940.5	
		4-06-66	21.5	943.0	
		5-04-66	22.0	942.5	
		6-01-66	23.5	941.0	
01N/13W-10F03S	966.1	7-07-65	60.1(1)	906.0	101
		8-04-65	60.1(1)	906.0	
		9-01-65	63.1	903.0	
		10-06-65	61.1(1)	905.0	
		11-03-65	36.1	930.0	
		12-01-65	31.1	935.0	
		1-05-66	31.1	935.0	
		2-09-66	30.1	936.0	
		3-09-66	31.1	935.0	
		3-30-66	26.1	940.0	
		4-20-66	26.1	940.0	
		5-11-66	29.1	937.0	
		5-25-66	31.1	935.0	
		6-08-66	31.1	935.0	
01N/13W-10Q01S	884.9	7-07-65	17.9	867.0	101
		8-04-65	17.9	867.0	
		9-01-65	17.9	867.0	
		10-06-65	18.9	866.0	
		11-03-65	18.9	866.0	
		12-01-65	15.9	869.0	
		1-05-66	13.9	871.0	
		2-02-66	12.4	872.5	
		3-02-66	11.9	873.0	
		4-06-66	11.4	873.5	
		5-04-66	11.4	873.5	
		6-01-66	10.9	874.0	
02N/13W-19J01S	1840.0	11-01-65	DRY		101
		4-05-66	20.4	1819.6	
02N/13W-27N01S	1695.0	7-06-65	171.3	1523.7	101
		8-02-65	171.2	1523.8	
		9-07-65	170.6	1524.4	
		10-05-65	170.7	1524.3	
		11-02-65	170.7	1524.3	
		12-07-65	170.1	1524.9	
		3-02-66	169.1	1525.9	
		4-06-66	167.1	1527.9	
		5-02-66	165.7	1529.3	
		6-08-66	163.4	1531.6	
02N/13W-27Q01S	1745.2	4-06-66	242.3	1502.9	101
02N/13W-28N01S	1413.0	7-31-65	100.4(1)	1312.6	101
		8-29-65	97.4(1)	1315.6	
		9-19-65	69.4	1343.6	
		10-10-65	76.4	1336.6	
		11-20-65	75.4	1337.6	
		12-31-65	61.4	1351.6	
		1-28-66	58.4	1354.6	
		2-27-66	51.4	1361.6	
		3-26-66	54.4(5)	1358.6	
		6-10-66	70.4(5)	1342.6	
02N/13W-29A01S	1750.0	7-04-65	135.5	1614.5	101
		8-02-65	136.0	1614.0	
		9-08-65	136.0	1614.0	
		10-06-65	135.3	1614.7	
		11-03-65	135.3	1614.7	
		12-01-65	135.2	1614.8	
		1-05-66	134.5	1615.5	
		3-02-66	131.3	1618.7	
		4-06-66	129.7	1620.3	
		5-04-66	129.4	1620.6	
		6-01-66	128.0	1622.0	
02N/13W-29F01S	1590.0	7-16-65	80.0(1)	1510.0	101
		8-29-65	94.0(1)	1496.0	
		9-19-65	95.0(1)	1495.0	
		10-10-65	47.0	1543.0	
		11-20-65	62.0	1528.0	
		12-31-65	45.0	1545.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00					
SAN FERNANDO HYDRO SUBUNIT U-05.80					
VERDUGO HYDRO SUBAREA U-05.84					
02N/13W-29F01S (CONT.)	1590.0	1-28-66	86.0(1)	1504.0	101
		2-27-66	31.0(5)	1559.0	
		3-26-66	34.0(5)	1556.0	
		4-30-66	34.0	1556.0	
		6-10-66	34.0(5)	1556.0	
02N/13W-29J01S	1540.0	7-04-65	78.0	1462.0	101
		8-02-65	77.0	1463.0	
		9-08-65	77.0	1463.0	
		10-06-65	70.4	1469.6	
		11-03-65	70.7	1469.3	
		12-01-65	69.5	1470.5	
		1-05-66	64.9	1475.1	
		4-06-66	60.9	1479.1	
02N/13W-29R01S	1435.0	7-10-65	36.0	1399.0	101
		8-29-65	48.0(1)	1387.0	
		9-19-65	38.0	1397.0	
		10-10-65	40.0	1395.0	
		11-20-65	35.0	1400.0	
		12-31-65	26.0	1409.0	
		1-28-66	26.0	1409.0	
		2-27-66	26.0	1409.0	
		3-26-66	25.0(5)	1410.0	
		4-30-66	20.5(5)	1414.5	
		6-10-66	28.0(5)	1407.0	
02N/13W-29R02S	1435.0	11-03-65	39.1	1395.9	101
		4-05-66	18.6	1416.4	
02N/13W-33C01S	1374.0	7-16-65	91.2(1)	1282.8	101
		8-29-65	91.2(1)	1282.8	
		9-19-65	81.2	1292.8	
		10-10-65	79.2	1294.8	
		11-20-65	76.2	1297.8	
		12-18-65	65.2	1308.8	
		1-28-66	54.7	1319.3	
		2-27-66	53.2	1320.8	
		3-26-66	62.5	1311.5	
		4-30-66	50.2(5)	1323.8	
		6-10-66	49.2(5)	1324.8	
02N/13W-33C03S	1350.0	10-24-65	72.0(5)	1278.0	101
		2-27-66	72.0	1278.0	
02N/13W-33C05S	1341.0	11-03-65	53.6	1287.4	101
		4-05-66	29.3	1311.7	
02N/13W-33C06S	1350.0	10-10-65	91.0(5)	1259.0	101
02N/13W-33G01S	1300.0	7-31-65	72.8	1227.2	101
		8-29-65	73.8	1226.2	
		9-19-65	68.8	1231.2	
		10-10-65	68.8	1231.2	
		11-20-65	65.8	1234.2	
		12-31-65	50.8	1249.2	
		1-28-66	44.3	1255.7	
		2-27-66	40.8	1259.2	
		3-26-66	40.8(5)	1259.2	
		4-30-66	49.6	1250.4	
		6-10-66	43.8(5)	1256.2	
02N/13W-33R01S	1237.0	7-31-65	93.0	1144.0	101
		8-21-65	92.0	1145.0	
		9-16-65	92.0	1145.0	
		10-10-65	92.0	1145.0	
		11-20-65	91.0	1146.0	
		12-31-65	82.0	1155.0	
		1-28-66	73.0	1164.0	
		2-27-66	69.0	1168.0	
		3-26-66	69.0(5)	1168.0	
		6-10-66	68.0(5)	1169.0	
02N/13W-33R03S	1226.2	7-06-65	86.4	1139.8	101
		8-02-65	88.8	1137.4	
		9-07-65	71.7	1154.5	
		10-05-65	87.5(1)	1138.7	
		11-02-65	87.3	1138.9	
		12-07-65	70.6	1155.6	
		1-10-66	64.9	1161.3	
		2-02-66	53.3	1172.9	
		3-01-66	46.7	1179.5	
		4-06-66	53.0(1)	1173.2	
		5-02-66	51.6	1174.6	
		6-08-66	41.8	1184.4	
02N/13W-33R05S	1232.6	7-06-65	81.2	1151.4	101
		8-02-65	83.0	1149.6	
		9-07-65	73.0	1159.6	
		10-05-65	81.7	1150.9	
		11-02-65	86.0	1146.6	
		12-07-65	69.3	1163.3	
		1-10-66	57.3	1175.3	
		2-02-66	52.2	1180.4	
		3-01-66	44.9	1187.7	
		4-06-66	46.3	1186.3	
		5-02-66	49.9	1182.7	
		6-08-66	41.0	1191.6	
SAN FERNANDO HYDRO SUBUNIT U-05.80					
VERDUGO HYDRO SUBAREA U-05.84					
02N/13W-33R07S	1232.0	7-31-65	70.0	1162.0	101
		8-14-65	79.5	1152.5	
		10-10-65	78.0	1154.0	
		11-30-65	78.5	1153.5	
		12-31-65	66.0	1166.0	
		1-28-66	56.0	1176.0	
		2-27-66	52.0	1180.0	
		4-30-66	50.0(5)	1182.0	
		6-10-66	50.0(5)	1182.0	
02N/13W-33R08S	1214.0	11-02-65	70.0	1144.0	101
		4-06-66	35.6	1178.4	
EAGLE ROCK HYDRO SUBAREA U-05.85					
01N/13W-34B01S	519.9	8-26-65	183.5	336.4	200
		9-29-65	184.1	335.8	
		10-20-65	184.4	335.5	
		11-19-65	185.2	334.7	
		12-15-65	184.7	335.2	
		1-20-66	184.0	335.9	
		2-23-66	183.8	336.1	
		3-23-66	184.2	335.7	
		4-21-66	184.9	335.0	

TABLE C-I

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT					U-05.00
RAYMOND HYDRO SUBUNIT					U-05.C0
PASADENA HYDRO SUBAREA					U-05.C1
01N/11W-31D01S	596.0	11-02-65	106.2	489.8	101
		4-04-66	111.1	484.9	
01N/12W-10G01S	1330.0	11-02-65	DRY		101
		4-04-66	DRY		
01N/12W-23L01S	843.0	7-13-65	328.9	514.1	101
		8-10-65	328.9	514.1	
		9-07-65	328.9	514.1	
		10-22-65	333.5	509.5	
		11-16-65	331.2	511.8	
		12-20-65	332.4	510.6	
		1-14-66	332.4	510.6	
		2-08-66	332.4	510.6	
		3-08-66	333.5	509.5	
		4-08-66	335.8	507.2	
		5-11-66	335.8	507.2	
01N/12W-24B02S	775.6	11-02-65	29.6	746.0	101
		5-24-66	.3	775.3	
01N/12W-24B04S	775.7	11-02-65	DRY		101
		5-24-66	15.3(3)	760.4	
01N/12W-25E01S	719.8	7-01-65	229.0(1)	490.8	101
		8-01-65	213.0	506.8	
		9-01-65	207.0	512.8	
		11-01-65	209.0	510.8	
		12-01-65	210.0	509.8	
		2-01-66	209.0(5)	510.8	
		3-01-66	211.0(5)	508.8	
		4-01-66	212.0(5)	507.8	
		5-01-66	212.0(5)	507.8	
		6-01-66	214.0(5)	505.8	
01N/12W-26A01S	750.0	7-01-65	313.5(1)	436.5	101
		8-01-65	252.5	497.5	
		9-01-65	244.5	505.5	
		11-01-65	240.5	509.5	
		12-01-65	246.5	503.5	
		1-01-66	249.5(5)	500.5	
		2-01-66	247.5(5)	502.5	
		3-01-66	250.5(5)	499.5	
		4-01-66	250.5(5)	499.5	
		5-01-66	252.5(5)	497.5	
		6-01-66	253.5(5)	496.5	
01N/12W-26R01S	681.6	7-01-65	166.0	515.6	101
		8-01-65	181.0	500.6	
		11-01-65	184.0	497.6	
		12-01-65	179.0	502.6	
		2-01-66	167.6(5)	514.0	
		5-01-66	211.0(1)	470.6	
01N/12W-33G01S	750.0	7-06-65	145.3	604.7	101
		8-02-65	145.6	604.4	
		9-01-65	145.9	604.1	
		10-04-65	146.3	603.7	
		11-02-65	146.7	603.3	
		12-01-65	147.1	602.9	
		1-04-66	147.6	602.4	
		2-01-66	147.8	602.2	
		3-02-66	148.2	601.8	
		4-04-66	148.6	601.4	
		5-03-66	151.7	598.3	
		6-01-66	149.2	600.8	
01N/12W-34C01S	725.8	7-01-65	204.8	521.0	101
		8-01-65	194.8	531.0	
		9-01-65	184.8	541.0	
		11-01-65	186.8	539.0	
		12-01-65	184.8	541.0	
		1-01-66	174.8(5)	551.0	
		2-01-66	181.8(5)	544.0	
		3-01-66	179.8(5)	546.0	
		4-01-66	184.8(5)	541.0	
		5-01-66	185.8(5)	540.0	
		6-01-66	187.8(5)	538.0	
01N/12W-34E01S	695.8	7-30-65	137.5	558.3	101
		8-30-65	139.8	556.0	
		9-30-65	137.5	558.3	
		10-30-65	137.5	558.3	
01N/12W-34E02S	752.6	7-01-65	211.0(1)	541.6	101
		8-01-65	189.0	563.6	
		9-01-65	188.0	564.6	
		11-01-65	186.0	566.6	
		12-01-65	187.0	565.6	
		1-01-66	189.0(5)	563.6	
		2-01-66	185.0(5)	567.6	
		3-01-66	186.0(5)	566.6	
		4-01-66	188.0(5)	564.6	
		5-01-66	189.0(5)	563.6	
		6-01-66	189.0(5)	563.6	
01N/12W-34E04S	671.8	7-30-65	127.0	544.8	101
RAYMOND HYDRO SUBUNIT					U-05.C0
PASADENA HYDRO SUBAREA					U-05.C1
01N/12W-34E04S	671.8	8-30-65	128.0	543.8	101
(CONT.)		9-30-65	127.0	544.8	
		10-30-65	128.0	543.8	
01N/12W-35B01S	652.3	7-01-65	183.7(1)	468.6	101
		8-01-65	147.7	504.6	
		9-01-65	144.7	507.6	
		11-01-65	147.7	504.6	
		12-01-65	143.7	508.6	
		1-01-66	147.7(5)	504.6	
		2-01-66	151.7(5)	500.6	
		3-01-66	153.7(5)	498.6	
		4-01-66	156.7(5)	495.6	
		5-01-66	158.7(5)	493.6	
		6-01-66	159.7(5)	492.6	
MONK HILL HYDRO SUBAREA					U-05.C2
01N/12W-05K01S	1258.0	11-02-65	DRY		101
		1-19-66	55.6	1202.4	
		2-08-66	59.0	1199.0	
		3-18-66	62.2	1195.8	
		4-04-66	75.4	1182.6	
		4-18-66	87.2	1170.8	
		5-13-66	107.1	1150.9	
		6-16-66	DRY		
01N/12W-05P01S	1201.7	7-26-65	310.8	890.9	101
		9-03-65	317.3	884.4	
		11-02-65	316.8	884.9	
		12-01-65	314.8	886.9	
		1-04-66	297.9	903.8	
		2-01-66	283.8	917.9	
		3-02-66	277.8	923.9	
		4-04-66	275.8	925.9	
		5-09-66	281.3	920.4	
		6-01-66	277.9	923.8	
01N/12W-06D03S	1249.5	11-02-65	73.5	1176.0	101
		4-04-66	56.1	1193.4	
01N/12W-06M05S	1192.9	8-02-65	268.3	924.6	101
		9-01-65	269.4	923.5	
		10-04-65	269.6	923.3	
		11-02-65	267.6	925.3	
		12-01-65	260.5	932.4	
		1-04-66	251.1	941.8	
		2-01-66	240.0	952.9	
		3-02-66	231.7	961.2	
		4-04-66	232.7	960.2	
		5-03-66	237.9	955.0	
		6-01-66	237.0	955.9	
01N/13W-01J01S	1193.0	11-02-65	266.0	927.0	101
		4-04-66	233.1	959.9	
01N/13W-02A01S	1355.0	11-01-65	126.3	1228.7	101
		4-04-66	124.8	1230.2	
SANTA ANITA HYDRO SUBAREA					U-05.C3
01S/11W-02L03S	346.5	7-06-65	138.1	208.4	101
		8-02-65	139.3	207.2	
		9-01-65	141.3	205.2	
		9-20-65	140.5	206.0	
		9-27-65	140.4	206.1	
		10-04-65	141.1	205.4	
		10-13-65	141.1	205.4	
		11-01-65	141.4	205.1	
		11-09-65	140.6	205.9	
		11-30-65	136.6	209.9	
		12-07-65	133.6	212.9	
		12-14-65	127.5	219.0	
		12-22-65	121.5	225.0	
		1-04-66	116.1	230.4	
		1-11-66	113.9	232.6	
		1-18-66	110.6	235.9	
		1-25-66	106.8	239.7	
		2-01-66	103.3	243.2	
		2-08-66	100.9	245.6	
		2-15-66	99.6	246.9	
		2-23-66	99.6	246.9	
		3-02-66	98.7	247.8	
		3-15-66	97.7	248.8	
		3-22-66	97.4	249.1	
		3-30-66	96.2	250.3	
		4-05-66	96.8	249.7	
		4-13-66	97.2	249.3	
		4-20-66	98.0	248.5	
		4-27-66	98.6	247.9	
		5-03-66	99.0	247.5	
		5-10-66	98.9	247.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

RAYMOND HYDRO SUBUNIT U-05.C0
SANTA ANITA HYDRO SUBAREA U-05.C3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-02L03S (CONT.)	346.5	5-17-66	100.2	246.3	101
		5-24-66	100.4	246.1	
		6-01-66	101.2	245.3	
		6-08-66	102.0	244.5	
		6-15-66	102.9	243.6	
		6-28-66	104.8	241.7	
01N/11W-15P01S	740.3	11-02-65	DRY		101
		11-30-65	78.3	662.0	
		12-07-65	81.3	659.0	
		12-15-65	39.7	700.6	
		12-22-65	43.8	696.5	
		1-04-66	52.9	687.4	
		1-11-66	59.8	680.5	
		1-18-66	59.3	681.0	
		1-25-66	59.1	681.2	
		2-01-66	46.6	693.7	
		2-08-66	39.5	700.8	
		2-15-66	49.8	690.5	
		2-23-66	54.2	686.1	
		3-02-66	55.0	685.3	
		3-15-66	62.3	678.0	
		3-30-66	66.7	673.6	
		4-05-66	47.4	692.9	
		4-13-66	61.4	678.9	
		4-20-66	52.1	688.2	
		4-27-66	43.6	696.7	
		5-03-66	44.7	695.6	
		5-10-66	64.6	675.7	
		5-17-66	65.8	674.5	
		5-24-66	70.7	669.6	
		6-01-66	DRY		
		6-08-66	77.7	662.6	
		6-15-66	75.0	665.3	
		6-28-66	72.8	667.5	
01N/11W-28C01S	546.3	7-06-65	70.5	475.8	101
		8-02-65	76.4	469.9	
		9-01-65	82.5	463.8	
		9-22-65	69.1	477.2	
		10-04-65	69.6	476.7	
		11-02-65	70.5	475.8	
		11-30-65	60.0	486.3	
		12-07-65	59.5	486.8	
		12-14-65	55.5	490.8	
		12-22-65	53.6	492.7	
		1-04-66	46.1	500.2	
		1-11-66	44.8	501.5	
		1-18-66	38.9	507.4	
		1-25-66	35.2	511.1	
		2-01-66	30.5	515.8	
		2-08-66	24.2	522.1	
		2-15-66	20.4	525.9	
		2-23-66	16.8	529.5	
		3-02-66	13.9	532.4	
		3-15-66	13.9	532.4	
		3-22-66	14.0	532.3	
		3-30-66	13.0	533.3	
		4-04-66	11.6	534.7	
		4-13-66	11.5	534.8	
		4-20-66	11.6	534.7	
		4-27-66	11.8	534.5	
		5-03-66	13.3	533.0	
		5-10-66	11.8	534.5	
		5-17-66	10.9	535.4	
		5-24-66	16.7	529.6	
		6-01-66	22.5	523.8	
		6-08-66	30.4	515.9	
		6-15-66	34.3	512.0	
		6-28-66	39.6	506.7	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-06C01S	1153.5	11-08-65	239.0	914.5	101
		4-13-66	217.6	935.9	
01S/09W-01A01S	1131.0	7-07-65	184.5	946.5	101
		8-02-65	187.3	943.7	
		9-01-65	190.1	940.9	
		10-04-65	191.7	939.3	
		11-02-65	193.1	937.9	
		12-13-65	188.3	942.7	
		1-10-66	182.5	948.5	
		2-14-66	180.4	950.6	
		3-01-66	179.8	951.2	
		4-12-66	180.5	950.5	
		5-02-66	184.3	946.7	
		6-06-66	187.5	943.5	
01S/09W-01C02S	1131.0	4-12-66	221.1	909.9	101
01S/09W-01D01S	1122.0	7-07-65	207.1	914.9	101
		8-02-65	209.6	912.4	
		9-01-65	213.1	908.9	
		10-04-65	216.8	905.2	
		11-01-65	216.8	905.2	
		12-13-65	210.3	911.7	
		1-10-66	206.5	915.5	
		2-01-66	204.4	917.6	
		3-01-66	204.8	917.2	
		4-11-66	207.9	914.1	
		5-02-66	211.1	910.9	
		6-06-66	212.9	909.1	
01S/09W-01F01S	1119.3	7-07-65	213.3	906.0	101
		8-02-65	236.7(2)	882.6	
		9-01-65	238.4(2)	880.9	
		10-28-65	220.0	899.3	
		11-15-65	216.3	903.0	
		12-01-65	208.1	911.2	
		12-16-65	201.3	918.0	
		1-10-66	197.8	921.5	
		2-01-66	195.6	923.7	
		2-28-66	200.3	919.0	
		3-01-66	200.3	919.0	
		3-28-66	198.5	920.8	
		4-11-66	203.4	915.9	
		5-17-66	207.8	911.5	
		6-06-66	224.8(1)	894.5	
		6-29-66	237.1	882.2	
01S/09W-01F02S	1118.0	7-07-65	212.1	905.9	101
		10-28-65	218.8	899.2	
		11-15-65	215.0	903.0	
		12-03-65	206.9	911.1	
		12-16-65	200.0	918.0	
		1-10-66	192.2	925.8	
		2-01-66	202.5	915.5	
		2-28-66	208.7	909.3	
		3-01-66	199.8	918.2	
		3-28-66	197.1	920.9	
		4-11-66	202.1	915.9	
		5-17-66	206.6	911.4	
01S/09W-01G01S	1107.5	11-08-65	221.6	885.9	101
		4-11-66	190.9	916.6	
01S/09W-01K01S	1083.0	11-01-65	171.0	912.0	101
		4-12-66	156.0	927.0	
01S/09W-02C01S	1046.1	4-05-66	215.9	830.2	101
01S/09W-02C03S	1051.0	7-07-65	287.3	763.7	101
		8-02-65	285.2	765.8	
		9-01-65	287.2	763.8	
		10-04-65	279.4	771.6	
		11-01-65	283.9	767.1	
		12-13-65	280.2	770.8	
		1-10-66	280.5	770.5	
		2-01-66	263.5	787.5	
		3-01-66	244.6	806.4	
		4-06-66	255.5(1)	795.5	
		5-02-66	247.1(1)	803.9	
		6-06-66	235.0(1)	816.0	
01S/09W-02D01S	1029.0	8-02-65	162.5	866.5	101
		11-02-65	162.8	866.2	
		12-13-65	157.6	871.4	
		1-10-66	155.4	873.6	
		2-01-66	151.3	877.7	
		3-01-66	139.3	889.7	
		4-18-66	144.6	884.4	
		6-06-66	149.6	879.4	
01S/09W-02H01S	1080.0	7-07-65	171.8	908.2	101
		8-02-65	170.5	909.5	
		9-01-65	174.8	905.2	
		10-04-65	179.9	900.1	
		11-01-65	179.4	900.6	
		1-10-66	166.3	913.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/09W-02H01S	1080.0	2-01-66	169.4(1)	910.6	101
(CONT.)		3-01-66	170.1(1)	909.9	
		4-11-66	173.0(1)	907.0	
		5-02-66	176.3(1)	903.7	
		6-06-66	174.6	905.4	
01S/09W-02Q01S	1020.0	11-01-65	239.2	780.8	101
		4-06-66	316.1	703.9	
01S/09W-02Q02S	1023.0	7-08-65	110.5	912.5	101
		8-03-65	110.6	912.4	
		9-01-65	112.0	911.0	
		10-04-65	113.8	909.2	
		11-01-65	114.8	908.2	
		12-06-65	116.1	906.9	
		1-12-66	115.8	907.2	
		2-01-66	115.2	907.8	
		3-01-66	117.8	905.2	
		4-06-66	114.3	908.7	
		5-02-66	114.2	908.8	
		6-06-66	114.9	908.1	
01S/09W-03B01S	975.0	7-01-65	105.6	869.4	101
		7-08-65	115.1	859.9	
		7-15-65	107.9	867.1	
		7-22-65	104.8	870.2	
		7-29-65	119.7	855.3	
		8-05-65	115.2	859.8	
		8-12-65	120.1	854.9	
		8-19-65	133.2	841.8	
		8-26-65	137.1	837.9	
		9-02-65	148.8	826.2	
		9-16-65	132.3	842.7	
		9-23-65	119.7	855.3	
		9-30-65	113.7	861.3	
		10-07-65	132.7	842.3	
		10-14-65	123.3	851.7	
		10-21-65	121.6	853.4	
		10-28-65	135.1	839.9	
		11-04-65	145.3	829.7	
		11-12-65	141.6	833.4	
		11-27-65	113.0	862.0	
		12-03-65	109.6	865.4	
		12-16-65	104.9	870.1	
		12-23-65	103.4	871.6	
		12-30-65	101.7	873.3	
		1-06-66	100.4	874.6	
		1-13-66	106.7	868.3	
		1-20-66	102.8	872.2	
		1-27-66	110.5	864.5	
		2-03-66	97.1	877.9	
		2-10-66	95.1	879.9	
		2-17-66	110.9	864.1	
		2-24-66	98.9	876.1	
		3-03-66	95.1	879.9	
		3-16-66	97.5	877.5	
		3-23-66	102.3	872.7	
		3-30-66	96.6	878.4	
		4-06-66	116.5	858.5	
		4-13-66	98.5	876.5	
		4-20-66	115.8	859.2	
		4-27-66	141.8	833.2	
		5-04-66	149.5	825.5	
		5-11-66	129.9	845.1	
		5-18-66	146.4	828.6	
		5-25-66	148.8	826.2	
		6-01-66	150.4	824.6	
		6-09-66	153.6	821.4	
		6-22-66	156.4	818.6	
		6-29-66	157.9	817.1	
01S/09W-03C01S	957.0	8-10-65	110.9	846.1	101
		11-01-65	135.2	821.8	
		4-05-66	90.5	866.5	
01S/09W-03C06S	948.0	11-01-65	109.8	838.2	101
		4-05-66	76.8	871.2	
01S/09W-03E01S	930.0	11-01-65	81.9	848.1	101
		4-05-66	58.1	871.9	
01S/09W-03G01S	983.0	11-15-65	100.2	882.8	101
		4-13-66	102.6	880.4	
01S/09W-03H01S	1018.0	11-01-65	162.7	855.3	101
		4-05-66	157.3	860.7	
01S/09W-04D01S	842.0	11-03-65	97.8	744.2	101
		4-04-66	94.9	747.1	
01S/09W-04G01S	879.6	7-08-65	88.6	791.0	101
		7-15-65	88.6	791.0	
		8-02-65	88.8	790.8	
		9-01-65	89.8	789.8	
		10-04-65	90.9	788.7	
		11-01-65	91.5	788.1	
		12-13-65	91.4	788.2	
		1-10-66	95.7	783.9	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/09W-04G01S	879.6	2-14-66	89.1	790.5	101
(CONT.)		3-03-66	88.9	790.7	
		4-05-66	88.4	791.2	
		5-02-66	87.4	792.2	
		6-06-66	86.9	792.7	
01S/09W-04J01S	906.6	7-14-65	91.0	815.6	101
		8-14-65	92.3	814.3	
		9-18-65	89.8	816.8	
		10-16-65	91.0	815.6	
		11-14-65	89.2	817.4	
		12-14-65	89.1	817.5	
		1-14-66	91.1	815.5	
		2-14-66	95.1	811.5	
		4-14-66	98.7	807.9	
		5-14-66	86.7	819.9	
		6-14-66	88.4	818.2	
01S/09W-04R01S	867.7	7-14-65	220.6	647.1	101
		8-14-65	221.4	646.3	
		9-18-65	225.9	641.8	
		10-16-65	222.6	645.1	
		11-14-65	226.0	641.7	
		12-14-65	218.2	649.5	
		1-14-66	217.9	649.8	
		2-14-66	217.1	650.6	
		3-14-66	216.4	651.3	
		5-14-66	219.3	648.4	
		6-14-66	221.2	646.5	
01S/09W-05F01S	790.0	7-06-65	173.9	616.1	101
		8-03-65	177.3	612.7	
		9-01-65	177.4	612.6	
		10-04-65	176.4	613.6	
		11-01-65	176.0	614.0	
		12-07-65	171.1	618.9	
		1-04-66	167.1	622.9	
		2-01-66	164.8	625.2	
		3-02-66	161.1	628.9	
		4-05-66	160.1	629.9	
		5-02-66	160.2	629.8	
		6-02-66	161.2	628.8	
01S/09W-05G01S	797.0	11-14-65	146.7	650.3	101
		4-05-66	128.0	669.0	
01S/09W-05G02S	795.0	11-01-65	146.8	648.2	101
		4-05-66	125.5	669.5	
01S/09W-05G03S	797.5	11-01-65	141.9	655.6	101
		4-05-66	123.6	673.9	
01S/09W-05J01S	821.6	11-01-65	146.7	674.9	101
		1-10-66	127.5	694.1	
		3-03-66	128.0	693.6	
		4-05-66	127.8	693.8	
		6-16-66	135.9	685.7	
01S/09W-09B01S	840.0	8-14-65	226.0	614.0	101
		9-18-65	222.2	617.8	
		10-16-65	225.7	614.3	
		11-14-65	226.4	613.6	
		12-14-65	216.7	623.3	
		1-14-66	225.1	614.9	
		2-14-66	224.9	615.1	
		3-14-66	224.1	615.9	
		5-14-66	217.2	622.8	
		6-14-66	223.6	616.4	
01S/09W-09E01S	795.0	7-06-65	239.1	555.9	101
		8-03-65	239.3	555.7	
		9-01-65	240.2	554.8	
		10-04-65	240.4	554.6	
		11-01-65	240.6	554.4	
		12-07-65	240.3	554.7	
		1-04-66	241.4	553.6	
		2-01-66	242.2	552.8	
		3-02-66	245.0	550.0	
		4-05-66	242.3	552.7	
		5-02-66	252.7(3)	542.3	
		6-02-66	266.9(3)	528.1	
01S/09W-09E04S	793.0	11-01-65	117.5	675.5	101
		4-04-66	116.7	676.3	
01S/09W-10A01S	934.4	11-01-65	210.0	724.4	101
		4-05-66	209.6	724.8	
01S/09W-17H01S	660.5	11-03-65	47.7	612.8	101
		4-04-66	46.5	614.0	
01S/09W-18A04S	673.0	11-03-65	182.4(2)	490.6	101
		4-04-66	169.8(2)	503.2	
01S/09W-19C01S	530.0	11-03-65	126.0	404.0	101
		3-10-66	117.1	412.9	
		3-22-66	117.5	412.5	
		3-30-66	114.3	415.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/09W-19C01S (CONT.)	530.0	4-05-66	118.7	411.3	101
		4-20-66	123.1	406.9	
		5-04-66	126.2	403.8	
		5-11-66	122.3	407.7	
		5-18-66	125.8	404.2	
		5-26-66	122.5	407.5	
		6-01-66	120.0	410.0	
		6-08-66	128.1	401.9	
		6-15-66	131.1	398.9	
		6-22-66	131.5	398.5	
01S/09W-19C03S	526.0	1-04-66	115.0	411.0	101
		3-22-66	113.7	412.3	
		3-30-66	110.4	415.6	
		4-06-66	109.1	416.9	
		5-26-66	117.4	408.6	
		6-01-66	116.4	409.6	
01S/09W-32C02S	736.0	11-01-65	19.5	716.5	101
		4-04-66	15.6	720.4	
01S/09W-32C03S	723.5	11-01-65	9.3	714.2	101
		4-04-66	5.8	717.7	
01S/09W-32G02S	700.0	11-01-65	6.6	693.4	101
		4-04-66	4.6	695.4	
01S/10W-01L02S	601.6	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-01L03S	601.5	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-01L04S	602.4	9-21-65	DRY		101
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-01L05S	602.3	8-25-65	10.1	592.2	101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-01L05S (CONT.)	602.3	3-29-66	DRY		101
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-01M02S	587.7	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	23.3	564.4	
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-01M03S	588.6	9-21-65	DRY		101
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-01M04S	588.5	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	22.5	566.0	
		4-05-66	DRY		
		5-02-66	22.2	566.3	
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-01R01S	657.0	7-15-65	306.0	351.0	733
		8-05-65	309.0	348.0	
		8-26-65	309.0	348.0	
		9-16-65	308.2	348.8	
		10-07-65	308.3	348.7	
		10-28-65	308.9	348.1	
		11-18-65	307.4	349.6	
		12-09-65	308.2	348.8	
		12-30-65	307.1	349.9	
		1-20-66	305.6	351.4	
		2-10-66	304.8	352.2	
		3-03-66	304.2	352.8	
		3-24-66	306.3	350.7	
		4-14-66	306.8	350.2	
		5-05-66	306.2	350.8	
		5-26-66	306.9	350.1	
01S/10W-02001S	552.5	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		

TABLE C-I

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/10W-02Q01S (CONT.)	552.5	2-24-66	DRY		101
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-02Q02S	552.5	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-26-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-02Q03S	553.0	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-02Q04S	560.0	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-02Q05S	559.8	7-30-65	4.0	555.8	101
		8-25-65	4.0	555.8	
		9-21-65	4.0	555.8	
		9-29-65	4.1	555.7	
		10-13-65	3.9	555.9	
		10-27-65	3.9	555.9	
		11-03-65	4.1	555.7	
		2-03-66	4.1	555.7	
		2-15-66	3.6	556.2	
		2-24-66	4.1	555.7	
		3-08-66	4.2	555.6	
		3-16-66	4.2	555.6	
		3-29-66	4.2	555.6	
		4-05-66	4.2	555.6	
		5-02-66	4.0	555.8	
		5-12-66	4.1	555.7	
		5-19-66	4.0	555.8	
		6-01-66	4.0	555.8	
		6-09-66	4.2	555.6	
		6-16-66	4.1	555.7	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-02Q05S (CONT.)	559.8	6-29-66	4.2	555.6	101
01S/10W-02R01S	568.4	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	58.4	510.0	
		9-29-65	56.3	512.1	
		10-13-65	58.3	510.1	
		10-26-65	58.1	510.3	
		11-03-65	57.4	511.0	
		2-03-66	DRY		
		2-15-66	49.3	519.1	
		2-24-66	54.8	513.6	
		3-08-66	59.1	509.3	
		3-16-66	51.9	516.5	
		3-29-66	59.7	508.7	
		4-05-66	59.4	509.0	
		6-29-66	60.1	508.3	
01S/10W-02R02S	560.0	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-26-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-02-66	DRY		
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	DRY		
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	DRY		
01S/10W-02R07S	567.8	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	7.1	560.7	
		9-29-65	7.1	560.7	
		10-13-65	6.9	560.9	
		10-27-65	6.9	560.9	
		11-03-65	7.1	560.7	
		2-03-66	7.1	560.7	
		2-15-66	3.2	564.6	
		2-24-66	7.1	560.7	
		3-08-66	7.1	560.7	
		3-16-66	7.1	560.7	
		3-29-66	7.2	560.6	
		4-05-66	7.5	560.3	
		5-02-66	7.2	560.6	
		5-12-66	6.1	561.7	
		5-19-66	6.7	561.1	
		6-01-66	7.2	560.6	
		6-09-66	7.2	560.6	
		6-16-66	7.1	560.7	
		6-29-66	7.2	560.6	
01S/10W-02R08S	568.0	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	23.7	544.3	
		9-29-65	23.9	544.1	
		10-13-65	23.8	544.2	
		10-27-65	24.0	544.0	
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	23.8	544.2	
		4-05-66	DRY		
		5-02-66	23.8	544.2	
		5-12-66	23.9	544.1	
		5-19-66	23.3	544.7	
		6-01-66	23.6	544.4	
		6-09-66	23.6	544.4	
		6-16-66	DRY		
		6-29-66	23.8	544.2	
01S/10W-02R09S	568.3	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRD UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/10W-02R09S (CONT.)	568.3	5-02-66	DRY		101
		5-12-66	DRY		
		5-19-66	DRY		
		6-01-66	20.4	547.9	
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	20.4	547.9	
01S/10W-02R10S	568.3	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	12.5	555.8	
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	11.8	556.5	
		2-24-66	DRY		
		3-08-66	DRY		
		3-16-66	11.1(D)	557.2	
		3-29-66	10.2	558.1	
		4-05-66	DRY		
		5-02-66	9.3	559.0	
		5-12-66	12.2	556.1	
		5-19-66	9.3	559.0	
		6-01-66	9.9	558.4	
		6-09-66	DRY		
		6-16-66	DRY		
		6-29-66	9.6	558.7	
01S/10W-02R11S	568.0	7-30-65	11.2	556.8	101
		8-25-65	11.2	556.8	
		9-21-65	11.0	557.0	
		9-29-65	11.1	556.9	
		10-13-65	10.7	557.3	
		10-27-65	11.0	557.0	
		11-03-65	11.2	556.8	
		2-03-66	11.2	556.8	
		2-15-66	4.9	563.1	
		2-24-66	7.4	560.6	
		3-08-66	11.0	557.0	
		3-16-66	5.0	563.0	
		3-29-66	DRY		
		4-05-66	11.0	557.0	
		5-02-66	8.1	559.9	
		5-12-66	8.0	560.0	
		5-19-66	8.1	559.9	
		6-01-66	8.1	559.9	
		6-09-66	DRY		
		6-16-66	8.1	559.9	
		6-29-66	7.7	560.3	
01S/10W-03A01S	525.0	11-03-65	319.8	205.2	101
		4-05-66	283.8	241.2	
01S/10W-03H01S	517.0	4-05-66	271.0	246.0	101
01S/10W-03K01S	507.0	7-15-65	296.5	210.5	733
		8-05-65	297.9	209.1	
		8-26-65	301.4	205.6	
		9-16-65	301.6	205.4	
		10-07-65	301.8	205.2	
		10-28-65	301.7	205.3	
		11-18-65	298.5	208.5	
		12-09-65	298.9	208.1	
		12-30-65	288.9	218.1	
		1-20-66	283.4	223.6	
		2-10-66	269.8	237.2	
		3-03-66	264.6	242.4	
		3-24-66	264.2	242.8	
		4-14-66	263.2	243.8	
		5-05-66	263.8	243.2	
01S/10W-03K02S	496.0	8-05-65	285.1	210.9	733
		8-26-65	288.4	207.6	
		9-16-65	288.5	207.5	
		10-07-65	288.7	207.3	
		10-28-65	288.4	207.6	
		11-18-65	283.5	212.5	
		12-09-65	281.4	214.6	
		12-30-65	271.9	224.1	
		1-20-66	266.2	229.8	
		2-10-66	256.9	239.1	
		3-03-66	250.2	245.8	
		3-24-66	249.8	246.2	
		4-14-66	248.0	248.0	
		5-05-66	249.1	246.9	
		5-26-66	246.6	249.4	
01S/10W-04L01S	493.0	7-07-65	DRY		733
		10-20-65	DRY		
		11-10-65	DRY		
01S/10W-04R01S	478.5	11-09-65	270.4	208.1	101
		4-12-66	227.7	250.8	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRD SUBAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-04R03S	479.0	11-09-65	269.8	209.2	101
		4-12-66	226.9	252.1	
01S/10W-05J01S	473.0	12-03-65	DRY		101
		1-12-66	224.0	249.0	
		1-19-66	215.3	257.7	733
		2-02-66	207.4	265.6	
		2-23-66	211.7	261.3	
		3-16-66	211.0	262.0	
		4-05-66	212.1	260.9	101
		4-20-66	213.6	259.4	733
		4-27-66	213.9	259.1	
		5-11-66	215.9	257.1	
		5-18-66	217.1	255.9	
		6-29-66	223.1	249.9	
01S/10W-05N01S	443.0	7-14-65	DRY		733
		10-20-65	DRY		
		11-10-65	DRY		
		12-10-65	236.7	206.3	
		12-18-65	176.1	266.9	101
		2-02-66	159.5	283.5	733
		2-23-66	176.0	267.0	
		3-16-66	169.8	273.2	
		4-06-66	178.8	264.2	
		4-20-66	178.4	264.6	
		4-27-66	180.4	262.6	
		5-11-66	185.0	258.0	
		5-18-66	187.0	256.0	
		6-29-66	193.2	249.8	
01S/10W-06N02S	404.0	11-06-65	196.9	207.1	101
		4-09-66	146.9	257.1	
01S/10W-07A06S	422.4	11-09-65	215.1	207.3	101
		4-12-66	165.5	256.9	
01S/10W-07A07S	422.4	11-09-65	215.4	207.0	101
		4-12-66	165.9(4)	256.5	
01S/10W-07K02S	393.5	9-20-65	184.7	208.8	101
		11-09-65	184.4	209.1	
		4-11-66	136.6	256.9	
01S/10W-07L01S	389.1	10-27-65	DRY		733
		12-15-65	154.5	234.6	
		12-29-65	149.4	239.7	
		1-19-66	136.5	252.6	
		2-09-66	129.6	259.5	
		3-02-66	131.6(4)	257.5	
		3-23-66	128.9	260.2	
		4-13-66	132.5	256.6	
		5-04-66	134.0	255.1	
		5-25-66	138.8	250.3	
01S/10W-07R02S	386.7	7-02-65	174.8	211.9	101
		7-09-65	174.5	212.2	
		7-16-65	174.3	212.4	
		7-23-65	174.4	212.3	
		7-30-65	174.7	212.0	
		8-02-65	174.9	211.8	
		8-09-65	175.4	211.3	
		8-18-65	176.4	210.3	733
		8-25-65	176.4	210.3	
		9-01-65	176.9	209.8	
		9-08-65	177.2	209.5	
		9-15-65	177.4	209.3	
		9-22-65	177.5	209.2	
		9-29-65	177.5	209.2	
		10-01-65	177.5	209.2	101
		10-08-65	177.7	209.0	
		10-15-65	177.5	209.2	
		10-22-65	177.4	209.3	
		10-29-65	177.6	209.1	
		11-01-65	177.5	209.2	
		11-08-65	177.3	209.4	
		11-15-65	177.1	209.6	
		11-22-65	176.5	210.2	
		11-29-65	175.8	210.9	
		12-01-65	175.4	211.3	733
		12-08-65	170.1	216.6	
		12-15-65	161.5	225.2	
		12-22-65	155.9	230.8	
		12-29-65	153.5	233.2	
		1-03-66	153.1	233.6	101
		1-10-66	151.0	235.7	
		1-17-66	145.5	241.2	
		1-24-66	139.6	247.1	
		1-31-66	135.8	250.9	
		2-02-66	135.2	251.5	733
		2-09-66	134.2	252.5	
		2-16-66	134.6	252.1	
		2-23-66	134.4	252.3	
		3-02-66	134.2	252.5	
		3-09-66	134.0	252.7	
		3-16-66	133.0	253.7	
		3-23-66	132.9	253.8	
		3-30-66	131.9	254.8	

TABLE C-I

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-07R02S	386.7	4-01-66	132.0	254.7	101
(CONT.)		4-08-66	132.6	254.1	101
		4-15-66	133.3	253.4	
		4-22-66	133.5	253.2	
		4-29-66	133.7	253.0	
		5-02-66	133.9	252.8	
		5-09-66	134.9	251.8	
		5-16-66	135.9	250.8	
		5-25-66	137.2	249.5	733
		6-01-66	137.8	248.9	
		6-10-66	138.4	248.3	101
		6-17-66	139.2	247.5	
		6-24-66	140.2	246.5	
01S/10W-08A02S	454.5	4-12-66	200.9(1)	253.6	101
01S/10W-08R01S	410.3	9-20-65	200.6	209.7	101
		9-28-65	200.7	209.6	
		10-05-65	203.0	207.3	
		10-13-65	202.8	207.5	
		10-26-65	203.5	206.8	
		11-02-65	203.2	207.1	
		11-09-65	203.0	207.3	
		12-08-65	199.2	211.1	
		12-21-65	189.1	221.2	
		1-04-66	183.4	226.9	
		1-11-66	181.0	229.3	
		1-18-66	176.8	233.5	
		1-25-66	172.0	238.3	
		2-01-66	168.2	242.1	
		2-08-66	165.9	244.4	
		2-15-66	164.6	245.7	
		2-24-66	163.5	246.8	
		3-08-66	162.8	247.5	
		3-16-66	162.0	248.3	
		3-29-66	161.1	249.2	
		4-04-66	160.9	249.4	
		4-12-66	161.2	249.1	
		4-19-66	161.6	248.7	
		5-02-66	161.2	249.1	
		5-18-66	162.8	247.5	
		6-02-66	164.0	246.3	
		6-16-66	165.6	244.7	
01S/10W-09F01S	440.0	4-09-66	191.5	248.5	101
01S/10W-09F02S	440.0	4-09-66	190.0	250.0	101
01S/10W-09H01S	452.0	11-06-65	242.9	209.1	101
		4-09-66	201.3	250.7	
01S/10W-10C01S	471.0	7-07-65	263.7	207.3	733
		7-28-65	263.2	207.8	
		8-18-65	264.7	206.3	
		9-08-65	264.9	206.1	
		9-29-65	264.9	206.1	
		10-20-65	265.1	205.9	
		11-10-65	261.4	209.6	
		12-01-65	261.0	210.0	
		12-22-65	253.7	217.3	
		1-12-66	246.7	224.3	
		2-02-66	237.3	233.7	
		2-23-66	235.9	235.1	
		3-16-66	298.1	172.9	
		4-20-66	225.6	245.4	
		5-04-66	228.8	242.2	
		5-25-66	230.5	240.5	
01S/10W-12C01S	603.9	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C02S	602.2	7-30-65	31.1	571.1	101
		8-25-65	33.7	568.5	
		9-21-65	28.9	573.3	
		9-29-65	34.8	567.4	
		10-13-65	32.1	570.1	
		10-27-65	32.0	570.2	
		11-03-65	36.0	566.2	
		2-03-66	23.4	578.8	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-12C02S	602.2	2-15-66	22.6	579.6	101
(CONT.)		2-23-66	17.9	584.3	
		3-01-66	18.0	584.2	
		3-08-66	18.9	583.3	
		3-16-66	22.8	579.4	
		3-29-66	31.7	570.5	
		4-05-66	33.3	568.9	
		5-04-66	32.1	570.1	
		5-11-66	36.0	566.2	
		5-18-66	27.9	574.3	
		5-26-66	29.3	572.9	
		6-08-66	21.7	580.5	
		6-16-66	35.5	566.7	
		6-30-66	36.3	565.9	
01S/10W-12C03S	604.0	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	43.8	560.2	
		3-08-66	45.5	558.5	
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C04S	604.0	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	24.6	579.4	
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C05S	604.0	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C06S	593.5	8-25-65	DRY		101
01S/10W-12C08S	608.9	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	11.2(3)	597.7	
		2-15-66	DRY		
		2-23-66	12.6	596.3	
		3-01-66	12.3	596.6	
		3-08-66	12.2	596.7	
		3-16-66	DRY		
		3-29-66	11.4	597.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/10W-12C08S (CONT.)	608.9	4-05-66	DRY		101
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C09S	603.1	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C11S	597.3	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C12S	600.0	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C13S	599.7	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	25.8	573.9	
		2-23-66	25.4	574.3	
		3-01-66	24.5	575.2	
		3-08-66	24.8	574.9	
		3-16-66	28.0	571.7	
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	28.9	570.8	
		6-02-66	24.8	574.9	
		6-16-66	DRY		

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-12C13S (CONT.)	599.7	6-30-66	DRY		101
01S/10W-12C14S	597.6	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	34.1	563.5	
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	31.3	566.3	
		2-23-66	29.1	568.5	
		3-01-66	31.6	566.0	
		3-08-66	36.4	561.2	
		3-16-66	DRY		
		3-29-66	35.1	562.5	
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	30.2	567.4	
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C15S	597.6	7-30-65	DRY		101
		8-25-65	DRY		
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C16S	599.3	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12C17S	599.3	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	12.8	586.5	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F02S	592.0	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	8.2	583.8	
		10-13-65	DRY		
		10-27-65	DRY		

TABLE C-1

GROUND WATER LEVELS AT WELLS

L 4 SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-12F02S (CONT.)	592.0	11-03-65	DRY		101
		2-03-66	DRY		
		2-15-66	5.3	586.7	
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	4.9	587.1	
		5-18-66	DRY		
		5-26-66	4.4	587.6	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F03S	595.3	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	45.3	550.0	
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	44.5	550.8	
		5-11-66	44.0(3)	551.3	
		5-18-66	DRY		
		5-26-66	45.2	550.1	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F04S	598.1	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	16.3(3)	581.8	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F05S	598.1	9-21-65	DRY		101
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	5.9(3)	592.2	
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	9.1	589.0	
		3-27-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	7.6(3)	590.5	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F06S	587.2	8-25-65	DRY		101
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	42.5	544.7	
		4-05-66	DRY		
		5-04-66	43.7	543.5	
		5-11-66	42.8	544.4	
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F07S	587.2	8-25-65	DRY		101

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-12F07S (CONT.)	587.2	2-23-66	DRY		101
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	22.2	565.0	
		5-18-66	DRY		
		5-26-66	DRY		
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F08S	587.2	8-25-65	DRY		101
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	5.1	582.1	
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	3.5	583.7	
		5-18-66	DRY		
		5-26-66	2.2	585.0	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F09S	603.2	8-25-65	DRY		101
		9-21-65	DRY		
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-18-66	DRY		
		5-26-66	45.0	558.2	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12F10S	603.2	9-21-65	DRY		101
		9-29-65	DRY		
		10-13-65	DRY		
		10-27-65	DRY		
		11-03-65	DRY		
		2-03-66	DRY		
		2-15-66	DRY		
		2-23-66	DRY		
		3-01-66	DRY		
		3-08-66	DRY		
		3-16-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-26-66	25.2	578.0	
		6-02-66	DRY		
		6-16-66	DRY		
		6-30-66	DRY		
01S/10W-12R01S	620.0	7-25-65	401.5(1)	218.5	101
		8-07-65	358.5	261.5	
		8-15-65	402.5(1)	217.5	
		8-30-65	403.5(1)	216.5	
		9-11-65	401.5(1)	218.5	
		9-26-65	401.5(1)	218.5	
		10-15-65	401.5(1)	218.5	
		12-05-65	384.5(1)	235.5	
		1-06-66	387.5(1)	232.5	
		1-15-66	355.5	264.5	
		1-30-66	383.5	236.5	
		2-12-66	352.5	267.5	
		4-10-66	392.5(1)	227.5	
		5-02-66	391.5(1)	228.5	
		5-21-66	391.5(1)	228.5	
		6-18-66	391.5(1)	228.5	
01S/10W-13E01S	550.0	7-25-65	400.2(1)	149.8	101
		8-15-65	399.2(1)	150.8	
		8-30-65	410.2(1)	139.8	
		9-11-65	400.2(1)	149.8	
		3-04-66	390.2(1)	159.8	
		3-13-66	392.0(1)	158.0	
		3-26-66	392.2(1)	157.8	
		4-10-66	393.2(1)	156.8	
01S/10W-13G01S	565.0	11-03-65	267.8	297.2	101
		4-04-66	272.1	292.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-13H01S	591.0	1-18-66	332.4(5)	258.6	101
(CONT.)		2-02-66	331.4(5)	259.6	
01S/10W-14B01S	533.0	7-15-65	289.4	243.6	733
		8-05-65	290.8	242.2	
		8-26-65	291.2	241.8	
		9-16-65	290.8	242.2	
		10-07-65	292.8	240.2	
		10-28-65	294.0	239.0	
		11-18-65	294.3	238.7	
		12-09-65	294.7	238.3	
		12-30-65	293.4	239.6	
		1-20-66	293.1	239.9	
		2-10-66	354.2(1)	178.8	
		3-03-66	299.0	234.0	
		3-24-66	350.4(1)	182.6	
		4-14-66	352.0(5)	181.0	
		5-05-66	352.4(5)	180.6	
		5-26-66	346.4(1)	186.6	
01S/10W-14M01S	493.0	8-05-65	265.1	227.9	733
		8-26-65	265.6	227.4	
		9-16-65	265.2	227.8	
		10-07-65	266.9	226.1	
		10-28-65	267.0	226.0	
		11-18-65	266.6	226.4	
		12-09-65	266.8	226.2	
		12-30-65	262.2	230.8	
		1-20-66	260.6	232.4	
		2-10-66	254.7	238.3	
		3-03-66	252.6	240.4	
		3-24-66	253.0	240.0	
		4-14-66	249.0	244.0	
		5-05-66	248.3	244.7	
		5-26-66	246.5	246.5	
01S/10W-17A01S	401.5	7-15-65	192.5	209.0	733
		8-05-65	193.4	208.1	
		8-26-65	195.3	206.2	
		9-16-65	195.6	205.9	
		10-07-65	195.0	206.5	
		10-28-65	196.0	205.5	
		11-18-65	193.1	208.4	
		12-09-65	193.4	208.1	
		12-30-65	176.9	224.6	
		1-20-66	167.6	233.9	
		2-10-66	157.5	244.0	
		3-03-66	155.6	245.9	
		3-24-66	154.6	246.9	
		4-14-66	154.5	247.0	
		5-05-66	154.5	247.0	
		5-26-66	157.1	244.4	
01S/10W-17A02S	401.3	8-05-65	193.7	207.6	733
		8-26-65	195.9	205.4	
		9-16-65	196.8	204.5	
		10-07-65	195.1	206.2	
		10-28-65	196.0	205.3	
		11-18-65	193.1	208.2	
		12-09-65	194.7	206.6	
		12-30-65	177.1	224.2	
		1-20-66	168.9	232.4	
		2-10-66	158.7	242.6	
		3-03-66	156.6	244.7	
		3-24-66	155.6	245.7	
		4-14-66	155.4	245.9	
		5-05-66	155.5	245.8	
		5-26-66	157.7	243.6	
01S/10W-17E01S	381.6	11-08-65	173.6	208.0	101
		4-12-66	132.0	249.6	
01S/10W-17G01S	389.5	4-12-66	142.8	246.7	101
01S/10W-18B01S	422.7	7-15-65	209.7	213.0	733
		8-06-65	211.4	211.3	
		8-26-65	212.3	210.4	
		9-16-65	212.9	209.8	
		10-07-65	213.1	209.6	
		10-28-65	213.9	208.8	
		11-18-65	210.9	211.8	
		12-09-65	211.1	211.6	
		1-20-66	195.0	227.7	
		2-10-66	186.2	236.5	
		3-24-66	179.4	243.3	
		4-14-66	177.5	245.2	
		5-05-66	178.2	244.5	
		5-26-66	180.0	242.7	
01S/10W-18F01S	362.0	8-03-65	151.0(5)	211.0	101
		8-31-65	153.0(5)	209.0	
		9-28-65	152.0(5)	210.0	
		11-02-65	153.0(5)	209.0	
		11-30-65	152.0(5)	210.0	
		1-04-66	144.0(5)	218.0	
		2-01-66	141.0(5)	221.0	
		3-01-66	139.0(5)	223.0	
		4-05-66	138.0(5)	224.0	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-18F01S	362.0	5-03-66	133.0(5)	229.0	101
(CONT.)		5-31-66	135.0(5)	227.0	
01S/10W-19C02S	343.0	9-20-65	137.5	205.5	101
		11-06-65	143.0	200.0	
01S/10W-19K01S	335.0	11-02-65	129.8	205.2	101
		4-05-66	99.4	235.6	
01S/10W-19L01S	331.0	8-31-65	122.5	208.5	101
		9-17-65	122.5	208.5	
		10-18-65	122.5	208.5	
		11-17-65	122.5	208.5	
		12-17-65	116.5	214.5	
		1-14-66	108.5	222.5	
		2-18-66	98.5	232.5	
		3-17-66	93.5	237.5	
		4-13-66	91.5	239.5	
		5-19-66	90.5	240.5	
01S/10W-19L02S	332.0	8-31-65	128.5	203.5	101
		9-17-65	128.5	203.5	
		10-18-65	127.5	204.5	
		11-17-65	126.5	205.5	
		12-17-65	120.5	211.5	
		1-14-66	111.5	220.5	
		2-18-66	100.5	231.5	
		3-17-66	96.5	235.5	
		4-13-66	95.5	236.5	
		5-19-66	94.5	237.5	
01S/10W-19Q07S	335.0	11-02-65	132.2(4)	202.8	101
		4-05-66	101.4(4)	233.6	
01S/10W-22C01S	430.0	7-22-65	223.5(1)	206.5	101
		9-24-65	225.5(1)	204.5	
		11-18-65	225.5(1)	204.5	
		1-20-66	221.5(1)	208.5	
		3-22-66	208.5(1)	221.5	
		5-26-66	201.5(1)	228.5	
01S/10W-22N01S	09.0	9-24-65	270.5(1)	138.5	101
		11-17-65	270.5(1)	138.5	
		1-20-66	251.5(1)	157.5	
		3-22-66	247.5	161.5	
		5-26-66	258.5	150.5	
01S/10W-22R01S	427.2	7-15-65	205.5	221.7	733
		8-05-65	206.7	220.5	
		8-26-65	207.5	219.7	
		9-16-65	207.0	220.2	
		10-07-65	207.5	219.7	
		10-28-65	208.6	218.6	
		11-09-65	208.5	218.7	101
		11-18-65	208.0	219.2	733
		12-09-65	207.3	219.9	
		12-28-65	206.4	220.8	101
		1-04-66	205.7	221.5	
		1-11-66	205.2	222.0	
		1-18-66	204.2	223.0	
		1-25-66	203.8	223.4	
		2-01-66	202.7	224.5	
		2-08-66	201.7	225.5	
		2-15-66	201.1	226.1	
		2-24-66	200.5	226.7	
		3-03-66	201.1	226.1	733
01S/10W-23F01S	505.0	7-15-65	272.3	232.7	733
		8-02-65	275.8	229.2	
		8-26-65	276.5	228.5	
		9-16-65	275.9	229.1	
		10-07-65	275.9	229.1	
		10-28-65	276.1	228.9	
		11-18-65	274.7	230.3	
		12-09-65	275.2	229.8	
		12-30-65	261.7	243.3	
		1-20-66	259.5	245.5	
		2-10-66	256.2	248.8	
		3-03-66	254.3	250.7	
		3-24-66	254.4	250.6	
		4-14-66	252.3	252.7	
		5-05-66	251.2	253.8	
		5-26-66	250.8	254.2	
01S/10W-23J03S	470.0	9-23-65	229.0(5)	241.0	101
		11-17-65	226.0(5)	244.0	
		1-20-66	222.0(5)	248.0	
		3-22-66	219.0(5)	251.0	
		5-26-66	254.0(5)	216.0	
01S/10W-23K01S	458.0	9-29-65	228.5(5)	229.5	101
		11-17-65	225.5(5)	232.5	
		1-20-66	219.5(5)	238.5	
		3-22-66	216.5(5)	241.5	
		5-11-66	216.5(5)	241.5	
01S/10W-23K02S	460.0	7-23-65	251.8(1)	208.2	101
		9-25-65	229.8(5)	230.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-23K02S (CONT.)	460.0	11-17-65	225.8(5)	234.2	101
		1-20-66	221.8	238.2	
		3-22-66	219.8	240.2	
		5-26-66	216.8	243.2	
01S/10W-23L01S	448.5	9-25-65	248.5	200.0	101
		11-17-65	223.5	225.0	
		1-20-66	215.5(5)	233.0	
		3-22-66	213.5(5)	235.0	
		5-26-66	227.5(5)	221.0	
01S/10W-23M04S	444.0	9-25-65	268.5(5)	175.5	101
		11-17-65	224.5(5)	219.5	
		1-20-66	214.5(5)	229.5	
		3-22-66	234.5(1)	209.5	
		5-26-66	208.5(5)	235.5	
01S/10W-24D01S	503.0	11-03-65	DRY		101
		1-04-66	21.6	481.4	
		3-10-66	DRY		
		3-22-66	166.2	336.8	
		3-30-66	174.7	328.3	
		4-05-66	182.0	321.0	
		4-20-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-01-66	DRY		
		6-08-66	DRY		
		6-15-66	DRY		
		6-22-66	DRY		
01S/10W-24F01S	484.4	4-07-66	209.3	275.1	101
		4-19-66	209.9	274.5	
		5-04-66	210.8	273.6	
		5-11-66	210.6	273.8	
		5-26-66	213.4	271.0	
		6-01-66	211.1	273.3	
01S/10W-24H01S	500.0	3-10-66	DRY		101
		3-22-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		4-20-66	DRY		
		5-04-66	65.3	434.7	
		5-11-66	63.0	437.0	
		5-18-66	62.6	437.4	
		5-26-66	62.7	437.3	
		6-01-66	62.8	437.2	
		6-08-66	63.4	436.6	
		6-18-66	62.8	437.2	
		6-28-66	62.6	437.4	
01S/10W-24H02S	500.0	11-03-65	DRY		101
		3-10-66	DRY		
		3-22-66	DRY		
		3-29-66	DRY		
		4-05-66	DRY		
		4-20-66	DRY		
		5-04-66	DRY		
		5-11-66	DRY		
		5-18-66	DRY		
		5-26-66	DRY		
		6-01-66	DRY		
		6-08-66	DRY		
		6-15-66	DRY		
		6-22-66	DRY		
01S/10W-24M01S	472.0	11-16-65	224.3	247.7	101
		4-07-66	225.1(4)	246.9	
01S/10W-24M02S	472.0	4-07-66	215.6(2)	256.4	101
01S/10W-27C02S	412.0	9-24-65	229.0(1)	183.0	101
		11-17-65	231.0(5)	181.0	
		1-20-66	224.0(1)	188.0	
		3-22-66	219.0(1)	193.0	
		5-26-66	219.0(1)	193.0	
01S/10W-28H02S	397.0	7-22-65	198.0	199.0	101
		9-24-65	195.0	202.0	
		11-18-65	195.0	202.0	
		1-20-66	185.0	212.0	
		3-22-66	178.0	219.0	
		5-26-66	176.0	221.0	
01S/10W-28K01S	380.0	7-22-65	208.5(1)	171.5	101
		9-22-65	178.5	201.5	
		11-18-65	173.5	206.5	
		1-24-66	164.5	215.5	
		3-22-66	162.5	217.5	
		5-26-66	184.5(1)	195.5	
01S/10W-29A05S	367.0	9-28-65	158.9	208.1	101
		10-05-65	159.0	208.0	
		10-13-65	159.1	207.9	
		10-26-65	159.1	207.9	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/10W-29A05S (CONT.)	367.0	11-01-65	159.8	207.2	101
		11-09-65	159.6	207.4	
		12-08-65	158.3	208.7	
		1-04-66	155.8	211.2	
		1-11-66	153.2	213.8	
		1-18-66	152.8	214.2	
		1-25-66	152.5	214.5	
		2-01-66	148.8	218.2	
		2-08-66	155.3	211.7	
		2-15-66	145.3	221.7	
		2-24-66	143.0	224.0	
		3-08-66	140.5	226.5	
		3-16-66	140.7	226.3	
		3-29-66	136.7	230.3	
		4-04-66	135.9	231.1	
		4-11-66	135.0	232.0	
		4-19-66	134.2	232.8	
		5-02-66	133.2	233.8	
		5-18-66	132.1	234.9	
		6-02-66	140.2	226.8	
		6-16-66	131.9	235.1	
01S/10W-29E07S	338.0	7-07-65	129.5	208.5	733
		7-28-65	130.8	207.2	
		8-18-65	131.1	206.9	
		9-08-65	132.0	206.0	
		9-20-65	130.5	207.5	101
		9-28-65	130.6	207.4	
		10-05-65	131.6	206.4	
		10-13-65	131.1	206.9	
		10-20-65	131.4	206.6	733
		11-01-65	131.0	207.0	101
		11-09-65	130.6	207.4	
		12-01-65	129.6	208.4	733
		12-08-65	129.4	208.6	101
		12-21-65	126.9	211.1	
		12-28-65	126.0	212.0	
		1-04-66	125.3	212.7	
		1-11-66	123.8	214.2	
		1-18-66	123.1	214.9	
		1-25-66	121.4	216.6	
		2-01-66	121.6	216.4	
		2-08-66	118.3	219.7	
		2-15-66	116.9	221.1	
		2-23-66	115.9	222.1	733
		3-08-66	114.7	223.3	101
		3-16-66	112.9	225.1	733
		3-29-66	111.1	226.9	101
		4-04-66	110.6	227.4	
		4-11-66	110.3	227.7	
		4-19-66	110.1	227.9	
		4-27-66	109.3	228.7	733
		5-02-66	109.4	228.6	101
		5-18-66	108.7	229.3	733
		6-02-66	107.9	230.1	101
		6-16-66	107.8	230.2	
		6-29-66	109.4	228.6	733
01S/10W-29G02S	354.0	8-05-65	143.5	210.5	733
		8-26-65	144.4	209.6	
		9-16-65	144.3	209.7	
		10-07-65	145.5	208.5	
		10-28-65	146.9	207.1	
		11-18-65	145.5	208.5	
		12-09-65	145.4	208.6	
		12-30-65	146.5	207.5	
		1-20-66	145.0	209.0	
		2-10-66	141.5	212.5	
		3-03-66	140.3	213.7	
		3-24-66	140.7	213.3	
		4-14-66	139.4	214.6	
		5-05-66	139.0	215.0	
		5-26-66	137.6	216.4	
01S/10W-30K01S	327.1	11-02-65	DRY		101
		4-05-66	DRY		
01S/10W-30L03S	321.0	11-02-65	112.9	208.1	101
		4-05-66	94.7	226.3	
01S/10W-30L05S	321.0	9-20-65	112.5	208.5	101
		11-02-65	116.0	205.0	
		4-05-66	95.2	225.8	
01S/10W-31A02S	320.0	7-15-65	117.8	202.2	733
		8-05-65	118.6	201.4	
		8-26-65	119.2	200.8	
		9-16-65	119.4	200.6	
		10-07-65	119.2	200.8	
		10-28-65	119.6	200.4	
		11-18-65	113.6	206.4	
		12-09-65	111.6	208.4	
		12-30-65	109.7	210.3	
		1-20-66	99.5	220.5	
		2-10-66	92.4	227.6	
		3-03-66	90.4	229.6	
		3-24-66	90.7	229.3	
		4-14-66	88.4	231.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00

MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/10W-31A02S	320.0	5-05-66	87.6	232.4	733
(CONT.)		5-25-66	91.7	228.3	
01S/10W-31A03S	320.5	7-21-65	122.5	198.0	101
		9-23-65	113.5	207.0	
		11-17-65	138.5	182.0	
		1-18-66	102.0(5)	218.5	
		3-23-66	162.5(1)	158.0	
		5-25-66	138.5(5)	182.0	
01S/10W-31H01S	314.0	7-27-65	115.5	198.5	101
		2-05-66	83.5	230.5	
		3-25-66	80.0(5)	234.0	
		5-18-66	83.5(5)	230.5	
		5-28-66	79.0(5)	235.0	
01S/10W-31E01S	306.4	8-28-65	103.0	203.4	101
		10-25-65	106.0	200.4	
		11-12-65	96.0	210.4	
		12-11-65	105.0	201.4	
		2-05-66	74.0	232.4	
		3-25-66	71.0(5)	235.4	
		4-05-66	76.2	230.2	
		5-28-66	74.5(5)	231.9	
01S/10W-31F03S	309.0	1-24-66	98.5	210.5	101
		2-05-66	78.5	230.5	
		3-25-66	77.0(5)	232.0	
		4-05-66	78.1	230.9	
01S/10W-31G04S	312.0	7-21-65	131.5(1)	180.5	101
		9-23-65	136.5(1)	175.5	
		11-20-65	99.5	212.5	
		1-18-66	95.5(5)	216.5	
		3-23-66	127.5(1)	184.5	
		5-25-66	125.5(1)	186.5	
01S/10W-31G06S	312.0	7-21-65	210.4(1)	101.6	101
		9-23-65	202.4(1)	109.6	
		11-20-65	100.4	211.6	
		1-18-66	88.4(5)	223.6	
		3-23-66	79.4(5)	232.6	
		5-25-66	235.4(1)	76.6	
01S/10W-31L01S	308.1	7-27-65	106.5	201.6	101
		3-25-66	76.5(5)	231.6	
		4-05-66	74.1	234.0	
		5-18-66	75.0(5)	233.1	
01S/10W-31P01S	304.6	1-24-66	84.5	220.1	101
		2-05-66	102.5(1)	202.1	
		3-25-66	67.0(5)	237.6	
		4-05-66	126.5(1)	178.1	
01S/10W-31P05S	303.0	12-17-65	90.5	212.5	101
		1-24-66	94.5	208.5	
		2-05-66	87.5	215.5	
		3-25-66	69.0(5)	234.0	
01S/10W-32R01S	341.0	7-22-65	143.4	197.6	101
		9-23-65	155.2(1)	185.8	
		11-19-65	154.2	186.8	
		1-19-66	146.2(1)	194.8	
		3-22-66	127.2(5)	213.8	
		5-17-66	123.2(5)	217.8	
01S/10W-33P01S	343.0	11-02-65	82.3	260.7	101
		4-04-66	81.8	261.2	
01S/11W-01H01S	413.0	11-02-65	DRY		101
		12-20-65	DRY		
		1-11-66	171.4	241.6	
		1-18-66	167.7	245.3	
		1-25-66	153.4	259.6	
		2-01-66	150.0	263.0	
		2-09-66	148.7	264.3	
		2-23-66	152.5	260.5	
		3-02-66	152.1	260.9	
		3-09-66	150.7	262.3	
		3-16-66	149.3	263.7	
		3-23-66	149.6	263.4	
		3-30-66	150.4	262.6	
		4-05-66	152.1	260.9	
		4-13-66	153.5	259.5	
		4-20-66	154.7	258.3	
		5-04-66	156.3	256.7	
		5-18-66	158.0	255.0	
		6-01-66	161.3	251.7	
01S/11W-02A01S	375.0	7-07-65	160.3	214.7	101
		7-20-65	161.3	213.7	
		9-20-65	162.0	213.0	
		9-27-65	162.6	212.4	
		10-04-65	166.0	209.0	
		10-13-65	164.2	210.8	
		11-01-65	165.6	209.4	
		11-09-65	163.5	211.5	
		12-08-65	154.7	220.3	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00

MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-02A01S	375.0	12-20-65	143.0	232.0	101
(CONT.)		12-28-65	139.0	236.0	
		1-04-66	138.0	237.0	
		1-11-66	135.6	239.4	
		1-18-66	130.2	244.8	
		2-01-66	123.3	251.7	
		2-09-66	121.2	253.8	
		2-23-66	122.8	252.2	
		3-02-66	122.5	252.5	
		3-09-66	122.0	253.0	
		3-16-66	119.1	255.9	
		3-23-66	119.7	255.3	
		3-30-66	118.0	257.0	
		4-05-66	121.3	253.7	
		4-13-66	120.2	254.8	
		4-20-66	120.4	254.6	
		5-04-66	124.1	250.9	
		5-18-66	125.1	249.9	
		6-01-66	124.7	250.3	
		6-15-66	127.3	247.7	
01S/11W-02B01S	368.0	7-30-65	157.5	210.5	101
		8-30-65	158.5	209.5	
		9-30-65	159.5	208.5	
		10-30-65	160.5	207.5	
		11-30-65	157.5	210.5	
		12-30-65	137.5	230.5	
		1-30-66	128.5(5)	239.5	
		2-28-66	120.5(5)	247.5	
		3-30-66	121.5(5)	246.5	
		4-30-66	119.5(5)	248.5	
		5-30-66	131.5(5)	236.5	
		6-30-66	129.5(5)	238.5	
01S/11W-02C01S	367.5	7-15-65	161.0(5)	206.5	101
		8-15-65	160.0(5)	207.5	
		9-15-65	161.0(5)	206.5	
		10-15-65	161.0(5)	206.5	
		11-01-65	159.0(5)	208.5	
		12-01-65	158.0(5)	209.5	
		1-15-66	140.0(5)	227.5	
		2-15-66	123.0(5)	244.5	
		3-15-66	121.0(5)	246.5	
		4-15-66	125.0(5)	242.5	
		5-15-66	123.0(5)	244.5	
		6-15-66	126.0(5)	241.5	
01S/11W-02G01S	368.0	7-30-65	163.9	204.1	101
		8-30-65	165.9	202.1	
		9-30-65	165.9	202.1	
		10-30-65	165.9	202.1	
		11-30-65	163.9	204.1	
		12-30-65	145.9	222.1	
		1-30-66	131.9(5)	236.1	
		2-28-66	126.9(5)	241.1	
		3-30-66	125.9(5)	242.1	
		4-30-66	127.9(5)	240.1	
		5-30-66	130.9(5)	237.1	
		6-30-66	131.9(5)	236.1	
01S/11W-02H01S	376.0	7-30-65	158.5	217.5	101
		8-30-65	160.5	215.5	
		9-30-65	161.5	214.5	
01S/11W-02J01S	364.0	7-07-65	154.7	209.3	101
		7-20-65	154.8	209.2	
		11-02-65	158.2	205.8	
		12-08-65	150.9	213.1	
		12-20-65	139.5(4)	224.5	
		12-28-65	134.4	229.6	
		1-04-66	130.7	233.3	
		1-11-66	130.4	233.6	
		1-18-66	127.0	237.0	
		2-01-66	123.3	240.7	
		2-09-66	116.2(4)	247.8	
		2-23-66	115.3	248.7	
		3-02-66	114.7	249.3	
		3-16-66	113.0	251.0	
		3-23-66	112.5	251.5	
		3-30-66	111.6	252.4	
		4-05-66	111.7	252.3	
		4-20-66	113.2	250.8	
		5-18-66	116.1	247.9	
		6-01-66	117.3	246.7	
		6-15-66	119.0	245.0	
01S/11W-02K04S	357.0	7-16-65	DRY		733
		10-29-65	DRY		
		11-19-65	DRY		
		12-10-65	147.7	209.3	
		12-31-65	144.7	212.3	
		1-21-66	140.1	216.9	
		2-11-66	109.3	247.7	
		3-04-66	108.0	249.0	
		3-25-66	106.3	250.7	
		4-15-66	106.4	250.6	
		5-06-66	107.1	249.9	
		5-27-66	107.3	249.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00

MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-02L02S	354.0	11-01-65	DRY		101
		11-30-65	DRY		
		12-28-65	DRY		
		1-18-66	DRY		
		1-25-66	116.5	237.5	
		2-01-66	108.5	245.5	
		2-08-66	105.7	248.3	
		2-15-66	104.2	249.8	
		2-23-66	103.9	250.1	
		3-02-66	103.1	250.9	
		3-15-66	102.1	251.9	
		3-22-66	101.7	252.3	
		3-30-66	100.6	253.4	
		4-05-66	100.9	253.1	
		4-13-66	101.4	252.6	
		4-20-66	102.1	251.9	
		4-27-66	101.5	252.5	
		5-03-66	103.1	250.9	
		5-10-66	103.1	250.9	
		5-17-66	104.1	249.9	
		5-24-66	104.6	249.4	
		6-01-66	105.3	248.7	
		6-08-66	106.0	248.0	
		6-15-66	109.0	245.0	
		6-28-66	108.8	245.2	
01S/11W-02N01S	348.0	7-07-65	135.5(5)	212.5	101
		11-01-65	138.5	209.5	
		11-30-65	135.2	212.8	
		12-07-65	132.6	215.4	
		12-15-65	127.8	220.2	
		12-22-65	123.2	224.8	
		1-04-66	115.2	232.8	
		1-11-66	111.6	236.4	
		1-18-66	108.1	239.9	
		1-25-66	105.2	242.8	
		2-01-66	100.5	247.5	
		2-08-66	100.0	248.0	
		2-15-66	98.9	249.1	
		2-23-66	97.9	250.1	
		3-02-66	97.2	250.8	
		3-15-66	97.0	251.0	
		3-22-66	97.0	251.0	
		3-30-66	96.6	251.4	
		4-05-66	96.5	251.5	
		4-13-66	96.6	251.4	
		4-20-66	97.0	251.0	
		4-27-66	97.3	250.7	
		5-03-66	97.8	250.2	
		5-10-66	98.4	249.6	
		5-17-66	98.8	249.2	
		5-24-66	99.4	248.6	
		6-01-66	100.1	247.9	
		6-08-66	100.7	247.3	
		6-15-66	101.4	246.6	
		6-28-66	102.8	245.2	
01S/11W-02N02S	345.0	11-01-65	DRY		101
		12-15-65	DRY		
		12-22-65	DRY		
		1-04-66	DRY		
		1-11-66	104.4	240.6	
		1-18-66	102.2	242.8	
		1-25-66	99.5	245.5	
		2-01-66	93.7	251.3	
		2-08-66	94.8	250.2	
		2-15-66	94.1	250.9	
		2-23-66	93.5	251.5	
		3-02-66	93.3	251.7	
		3-15-66	93.2	251.8	
		3-22-66	93.2	251.8	
		3-30-66	93.2	251.8	
		4-05-66	92.9	252.1	
		4-13-66	93.1	251.9	
		4-20-66	93.3	251.7	
		4-27-66	94.0	251.0	
		5-24-66	95.7	249.3	
		6-01-66	96.5	248.5	
		6-08-66	97.8	247.2	
		6-15-66	98.4	246.6	
		6-28-66	100.0	245.0	
01S/11W-03P02S	342.5	7-16-65	126.6	215.9	733
		8-06-65	127.7	214.8	
		8-27-65	128.5	214.0	
		9-17-65	128.4	214.1	
		9-27-65	128.9	213.6	101
		10-08-65	128.5	214.0	733
		10-29-65	129.0	213.5	
		11-01-65	135.2	207.3	101
		11-19-65	127.8	214.7	733
		11-30-65	127.4	215.1	101
		12-07-65	124.6	217.9	
		12-15-65	120.3	222.2	
		12-22-65	117.8	224.7	
		12-31-65	115.7	226.8	733
		1-04-66	115.0	227.5	101

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00

MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-03P02S (CONT.)	342.5	1-11-66	113.1	229.4	101
		1-18-66	111.1	231.4	
		1-25-66	108.6	233.9	
		2-01-66	106.5	236.0	
		2-08-66	105.0	237.5	
		2-15-66	104.3	238.2	
		2-23-66	103.9	238.6	
		3-02-66	104.0	238.5	
		3-15-66	102.2	240.3	
		3-22-66	100.7	241.8	
		3-30-66	98.6	243.9	
		4-05-66	98.8	243.7	
		4-15-66	158.8	183.7	733
		4-27-66	99.8	242.7	101
		5-03-66	100.6	241.9	
		5-10-66	99.0	243.5	
		5-17-66	100.8	241.7	
		5-24-66	99.8	242.7	
		6-01-66	100.6	241.9	
		6-08-66	105.9(3)	236.6	
		6-15-66	101.9	240.6	
		6-28-66	101.1	241.4	
01S/11W-03Q05S	345.7	9-20-65	129.7	216.0	101
		9-27-65	130.1	215.6	
		10-04-65	130.2	215.5	
		10-13-65	130.4	215.3	
		11-01-65	130.6	215.1	
		11-09-65	130.6	215.1	
		11-30-65	129.5	216.2	
		12-07-65	127.2	218.5	
		12-15-65	124.0	221.7	
		12-22-65	121.3	224.4	
		1-04-66	117.0	228.7	
		1-11-66	114.3	231.4	
		1-18-66	111.5	234.2	
		1-25-66	108.8	236.9	
		2-01-66	106.0	239.7	
		2-08-66	103.6	242.1	
		2-15-66	102.0	243.7	
		2-23-66	100.7	245.0	
		3-02-66	99.9	245.8	
		3-15-66	99.0	246.7	
		3-22-66	98.7	247.0	
		3-30-66	98.2	247.5	
		4-05-66	98.3	247.4	
		4-13-66	98.3	247.4	
		4-20-66	98.4	247.3	
		4-27-66	98.6	247.1	
		5-03-66	98.7	247.0	
		5-10-66	98.8	246.9	
		5-17-66	99.4	246.3	
		5-24-66	99.5	246.2	
		6-01-66	99.8	245.9	
		6-08-66	100.1	245.6	
		6-15-66	100.6	245.1	
		6-28-66	101.3	244.4	
01S/11W-04L02S	369.5	7-06-65	148.5	221.0	101
		9-20-65	149.0	220.5	
		9-27-65	149.7	219.8	
		10-04-65	149.9	219.6	
		10-13-65	149.7	219.8	
		11-01-65	149.7	219.8	
		12-22-65	146.2	223.3	
		1-04-66	145.3	224.2	
		1-11-66	143.7	225.8	
		1-18-66	144.1	225.4	
		1-25-66	143.2	226.3	
		2-01-66	142.3	227.2	
		2-08-66	140.5	229.0	
		2-15-66	140.7	228.8	
		2-23-66	140.2	229.3	
		3-02-66	139.7	229.8	
		3-15-66	139.2	230.3	
		3-22-66	138.6	230.9	
		3-30-66	137.6	231.9	
		4-05-66	134.9	234.6	
		4-13-66	135.7	233.8	
		4-20-66	137.6	231.9	
		4-27-66	138.0	231.5	
		5-03-66	137.2	232.3	
		5-10-66	136.9	232.6	
		5-17-66	136.9	232.6	
		5-24-66	136.7	232.8	
		6-01-66	136.5	233.0	
		6-08-66	136.6	232.9	
		6-15-66	136.7	232.8	
01S/11W-06D01S	506.0	7-20-65	334.0	172.0	101
		8-21-65	337.0	169.0	
		9-22-65	338.0	168.0	
		10-16-65	337.0	169.0	
		11-20-65	338.0	168.0	
		12-22-65	336.0	170.0	
		1-02-66	332.0(5)	174.0	
		2-21-66	322.0(5)	184.0	
		3-20-66	322.0(5)	184.0	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L 4 SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-06D01S (CONT.)	506.0	4-15-66	325.0(5)	181.0	101
		5-15-66	323.0(5)	183.0	
		6-13-66	323.0(5)	183.0	
01S/11W-06D02S	505.0	7-19-65	339.7	165.3	101
		8-21-65	339.7	165.3	
		9-22-65	343.7	161.3	
		10-21-65	343.7	161.3	
		11-20-65	353.7	151.3	
		12-20-65	353.7	151.3	
		1-18-66	348.7(5)	156.3	
		2-19-66	323.7(5)	181.3	
		3-20-66	321.7(5)	183.3	
		4-15-66	320.7(5)	184.3	
		5-15-66	320.7(5)	184.3	
		6-18-66	321.7(5)	183.3	
01S/11W-06M01S	470.0	7-18-65	305.0	165.0	101
		9-11-65	304.0	166.0	
		11-15-65	370.0(1)	100.0	
		1-16-66	294.0(5)	176.0	
		2-18-66	289.0(5)	181.0	
		3-16-66	292.0(5)	178.0	
		4-08-66	290.0(5)	180.0	
		6-15-66	367.0(1)	103.0	
01S/11W-07H02S	385.0	7-01-65	227.0(1)	158.0	101
		8-01-65	186.0	199.0	
		9-01-65	184.0	201.0	
		10-01-65	227.0(1)	158.0	
		11-01-65	228.0(1)	157.0	
		12-01-65	179.0	206.0	
		1-01-66	176.0(5)	209.0	
		2-01-66	172.0(5)	213.0	
		3-01-66	174.0(5)	211.0	
		4-01-66	174.0(5)	211.0	
		5-01-66	176.0(5)	209.0	
		6-01-66	180.0(5)	205.0	
01S/11W-07N01S	370.0	7-01-65	210.5	159.5	101
		8-01-65	212.5	157.5	
		9-01-65	204.5	165.5	
		11-01-65	203.5	166.5	
		12-01-65	202.5	167.5	
		1-01-66	200.5(5)	169.5	
		2-01-66	195.5(5)	174.5	
		3-01-66	198.5(5)	171.5	
		4-01-66	200.5(5)	169.5	
		5-01-66	198.5(5)	171.5	
		6-01-66	198.5(5)	171.5	
01S/11W-07N02S	365.0	7-01-65	203.5	161.5	101
		8-01-65	205.5	159.5	
		9-01-65	203.5	161.5	
		10-01-65	245.5(1)	119.5	
		11-01-65	195.5	169.5	
		12-01-65	193.5	171.5	
		2-01-66	188.5(5)	176.5	
		4-01-66	195.5(5)	169.5	
		5-01-66	196.5(5)	168.5	
		6-01-66	197.5(5)	167.5	
01S/11W-08E02S	381.0	7-01-65	222.5(1)	158.5	101
		8-01-65	217.5	163.5	
		9-01-65	221.5(1)	159.5	
		10-01-65	229.5(1)	151.5	
		11-01-65	202.5	178.5	
		12-01-65	207.5	173.5	
		2-01-66	201.5(5)	179.5	
		4-01-66	217.5(5)	163.5	
		5-01-66	208.5(5)	172.5	
		6-01-66	208.5(5)	172.5	
01S/11W-08J01S	349.0	7-16-65	120.0	229.0	733
		8-06-65	120.6	228.4	
		8-27-65	121.1	227.9	
		9-17-65	120.9	228.1	
		10-08-65	121.2	227.8	
		10-29-65	121.5	227.5	
		11-19-65	122.5	226.5	
		12-10-65	122.5	226.5	
		12-31-65	122.0	227.0	
		1-21-66	122.2	226.8	
		2-11-66	122.2	226.8	
		3-04-66	121.9	227.1	
		3-25-66	121.7	227.3	
		4-15-66	121.8	227.2	
		5-06-66	121.5	227.5	
		5-27-66	121.3	227.7	
01S/11W-08K01S	350.0	7-01-65	124.0	226.0	101
		8-01-65	126.0	224.0	
		9-20-65	126.0	224.0	
		10-01-65	127.0	223.0	
		11-01-65	128.0	222.0	
		12-01-65	127.0	223.0	
		1-01-66	127.0(5)	223.0	
		2-01-66	127.0(5)	223.0	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-08K01S (CONT.)	350.0	3-01-66	127.0(5)	223.0	101
		4-01-66	128.0(5)	222.0	
		5-01-66	125.0(5)	225.0	
		6-01-66	128.0(5)	222.0	
01S/11W-08K02S	350.0	7-01-65	112.0	238.0	101
		8-01-65	114.0	236.0	
		9-01-65	115.0	235.0	
01S/11W-09D02S	360.0	7-01-65	125.0	235.0	101
		8-01-65	126.0	234.0	
		9-01-65	125.0	235.0	
		11-01-65	134.0	226.0	
		12-01-65	130.0	230.0	
		2-01-66	129.0(5)	231.0	
		3-01-66	130.0(5)	230.0	
		4-01-66	130.0(5)	230.0	
		5-01-66	131.0(5)	229.0	
01S/11W-09Q01S	306.2	7-16-65	87.8	218.4	733
		8-27-65	88.2	218.0	
		9-17-65	88.8	217.4	
		9-27-65	88.9	217.3	101
		10-04-65	89.1	217.1	
		10-13-65	89.1	217.1	
		10-29-65	89.4	216.8	733
		11-01-65	89.2	217.0	101
		11-09-65	89.1	217.1	
		11-19-65	89.2	217.0	733
		11-30-65	89.1	217.1	101
		12-07-65	89.6	216.6	
		12-15-65	88.8	217.4	
		12-22-65	89.8	216.4	
		12-31-65	87.5	218.7	733
		1-04-66	87.4	218.8	101
		1-11-66	86.9	219.3	
		1-18-66	86.4	219.8	
		1-25-66	85.9	220.3	
		2-01-66	85.5	220.7	
		2-08-66	84.5	221.7	
		2-15-66	83.8	222.4	
		2-23-66	83.2	223.0	
		3-02-66	82.6	223.6	
		3-15-66	81.7	224.5	
		3-22-66	81.0	225.2	
		3-30-66	80.2	226.0	
		4-05-66	80.5	225.7	
		4-13-66	79.5	226.7	
		4-20-66	80.3	225.9	
		4-27-66	78.7	227.5	
		5-03-66	78.4	227.8	
		5-10-66	77.9	228.3	
		5-17-66	78.0	228.2	
		5-24-66	80.9	225.3	
		6-01-66	80.8	225.4	
		6-08-66	76.7	229.5	
		6-15-66	76.6	229.6	
		6-28-66	76.6	229.6	
01S/11W-09Q04S	311.0	7-15-65	111.0(5)	200.0	101
		8-15-65	112.0(5)	199.0	
		9-15-65	112.0(5)	199.0	
		10-15-65	111.0(5)	200.0	
		11-07-65	112.0(5)	199.0	
		12-01-65	110.0(5)	201.0	
		1-15-66	95.0(5)	216.0	
		2-15-66	88.0(5)	223.0	
		3-15-66	83.0(5)	228.0	
		4-21-66	86.0(5)	225.0	
		5-15-66	82.0(5)	229.0	
		6-15-66	87.0(5)	224.0	
01S/11W-10F02S	326.0	7-15-65	113.5(5)	212.5	101
		8-15-65	112.5(5)	213.5	
		9-15-65	113.5(5)	212.5	
		10-15-65	110.5(5)	215.5	
		11-01-65	112.5(5)	213.5	
		11-21-65	108.5(5)	217.5	
		12-15-65	96.5(5)	229.5	
		1-15-66	88.5(5)	237.5	
		2-07-66	78.5(5)	247.5	
		3-15-66	76.5(5)	249.5	
		4-15-66	75.5(5)	250.5	
		5-15-66	76.5(5)	249.5	
		6-15-66	83.5(5)	242.5	
01S/11W-10H01S	325.0	11-03-65	115.1(4)	209.9	101
		4-16-66	77.6(4)	247.4	
01S/11W-10K01S	316.0	7-15-65	43.1	272.9	101
		9-20-65	43.0	273.0	
		11-01-65	44.0	272.0	
		11-30-65	2.0	314.0	
		12-07-65	3.6	312.4	
		12-15-65	8.0	308.0	
		12-22-65	14.1	301.9	
		1-11-66	.6	315.4	
		1-18-66	.7	315.3	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-10K01S (CONT.)	316.0	1-25-66	.9	315.1	101
		2-08-66	7.0	309.0	
		2-15-66	10.5	305.5	
		3-02-66	15.6	300.4	
		3-15-66	20.2	295.8	
		3-22-66	22.5	293.5	
		3-30-66	23.6	292.4	
		4-05-66	25.2	290.8	
		4-13-66	27.2	288.8	
		4-20-66	28.8	287.2	
		4-27-66	30.2	285.8	
		5-03-66	31.4	284.6	
		5-10-66	32.3	283.7	
		5-24-66	34.4	281.6	
		6-01-66	35.3	280.7	
		6-08-66	35.8	280.2	
		6-15-66	36.3	279.7	
		6-28-66	37.4	278.6	
01S/11W-10N06S	310.0	7-21-65	103.0	207.0	101
		8-31-65	106.0	204.0	
		9-18-65	107.0	203.0	
		10-17-65	102.0	208.0	
		11-18-65	100.0	210.0	
		12-18-65	86.0	224.0	
		1-14-66	81.0	229.0	
		2-18-66	69.0	241.0	
		3-17-66	71.0	239.0	
		4-13-66	71.0	239.0	
		5-19-66	74.0	236.0	
01S/11W-10N08S	310.0	7-21-65	100.0	210.0	101
		8-31-65	102.0	208.0	
		9-17-65	104.0	206.0	
		10-18-65	99.0	211.0	
		11-17-65	98.0	212.0	
		12-17-65	83.0	227.0	
		1-14-66	78.0	232.0	
		2-18-66	66.0	244.0	
		3-17-66	67.0	243.0	
		4-13-66	67.0	243.0	
		5-19-66	70.0	240.0	
01S/11W-10P02S	321.0	9-20-65	111.2	209.8	101
		11-01-65	113.0	208.0	
		11-30-65	110.5(4)	210.5	
		12-07-65	108.2	212.8	
		12-15-65	101.7	219.3	
		12-22-65	100.6	220.4	
		1-11-66	88.5	232.5	
		1-18-66	85.7(4)	235.3	
		1-25-66	81.6	239.4	
		2-08-66	78.2	242.8	
		2-15-66	78.4	242.6	
		2-23-66	78.0	243.0	
		3-02-66	76.6	244.4	
		3-15-66	76.6	244.4	
		3-22-66	76.1	244.9	
		3-30-66	75.1	245.9	
		4-05-66	76.4	244.6	
		4-13-66	76.5	244.5	
		4-20-66	77.1	243.9	
		4-27-66	76.9	244.1	
		5-03-66	77.5	243.5	
		5-10-66	77.6	243.4	
		5-17-66	79.4	241.6	
		5-24-66	79.5	241.5	
		6-01-66	80.5	240.5	
		6-08-66	80.6	240.4	
		6-15-66	81.8	239.2	
		6-28-66	82.8	238.2	
01S/11W-10R02S	326.0	11-01-65	DRY		101
		11-30-65	97.0	229.0	
		12-07-65	99.9	226.1	
		12-15-65	90.2	235.8	
		12-22-65	86.6	239.4	
		1-04-66	84.9	241.1	
		1-11-66	82.0	244.0	
		1-18-66	79.2	246.8	
		1-25-66	77.2	248.8	
		2-01-66	75.2	250.8	
		2-15-66	73.1	252.9	
		2-23-66	74.3	251.7	
		3-02-66	74.6	251.4	
		3-15-66	76.7	249.3	
		3-22-66	76.1	249.9	
		3-30-66	74.3	251.7	
		4-05-66	74.2	251.8	
		4-13-66	76.3	249.7	
		4-20-66	76.9	249.1	
		4-27-66	75.5	250.5	
		5-03-66	77.7	248.3	
		5-10-66	78.7	247.3	
		5-17-66	77.8	248.2	
		5-24-66	78.5	247.5	
		6-01-66	79.4	246.6	
		6-08-66	79.9	246.1	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-10R02S (CONT.)	326.0	6-15-66	80.5	245.5	101
		6-28-66	82.2	243.8	
01S/11W-10R03S	326.5	7-06-65	107.5	219.0	101
		8-02-65	109.2	217.3	
		9-01-65	111.8	214.7	
		9-20-65	111.2	215.3	
		9-27-65	115.2	211.3	
		10-04-65	111.6	214.9	
		10-13-65	111.7	214.8	
		11-01-65	110.8	215.7	
		11-09-65	110.5	216.0	
		11-30-65	71.0	255.5	
		12-07-65	70.8	255.7	
		12-15-65	70.5	256.0	
		12-22-65	71.0	255.5	
		1-04-66	71.0	255.5	
		1-11-66	68.5	258.0	
		1-18-66	67.0	259.5	
		1-25-66	66.1	260.4	
		2-01-66	65.9	260.6	
		2-08-66	66.0	260.5	
		2-15-66	67.3	259.2	
		2-23-66	68.1	258.4	
		3-02-66	68.7	257.8	
		3-15-66	70.0	256.5	
		3-22-66	70.3	256.2	
		3-30-66	70.3	256.2	
		4-05-66	70.5	256.0	
		4-13-66	71.0	255.5	
		4-20-66	71.0	255.5	
		4-27-66	72.4	254.1	
		5-03-66	73.0	253.5	
		5-10-66	73.5	253.0	
		5-17-66	78.2	248.3	
		5-24-66	75.9	250.6	
		6-01-66	76.8	249.7	
		6-08-66	77.2	249.3	
		6-15-66	77.8	248.7	
		6-28-66	81.3	245.2	
01S/11W-11B01S	300.0	12-10-65	83.0	217.0	101
		12-17-65	75.0	225.0	
		12-28-65	36.1	263.9	
		1-03-66	65.8	234.2	
		1-14-66	62.5	237.5	
		1-28-66	54.4	245.6	
		2-01-66	52.3	247.7	
		2-08-66	49.5	250.5	
		2-15-66	48.1	251.9	
		2-25-66	47.4	252.6	
		3-01-66	47.0	253.0	
		3-11-66	46.2	253.8	
		3-23-66	45.0	255.0	
		3-30-66	44.2	255.8	
		4-05-66	44.3	255.7	
		4-22-66	45.8	254.2	
		4-29-66	46.3	253.7	
		5-13-66	48.3	251.7	
		6-02-66	51.1	248.9	
		6-28-66	54.6	245.4	
01S/11W-11C05S	328.5	9-20-65	122.4	206.1	101
		11-03-65	122.7(4)	205.8	
		11-30-65	118.2	210.3	
		12-07-65	112.7	215.8	
		12-15-65	104.1	224.4	
		12-22-65	99.9	228.6	
		1-04-66	97.4	231.1	
		1-11-66	94.7	233.8	
		1-18-66	90.6	237.9	
		1-25-66	86.6	241.9	
		2-01-66	83.9	244.6	
		2-08-66	82.8	245.7	
		2-15-66	82.6	245.9	
		2-23-66	83.5	245.0	
		3-02-66	84.6	243.9	
		3-15-66	81.0	247.5	
		3-22-66	81.1	247.4	
		3-30-66	79.5	249.0	
		4-05-66	81.3	247.2	
		4-13-66	82.2	246.3	
		4-20-66	82.4	246.1	
		4-27-66	83.7	244.8	
		5-03-66	83.7	244.8	
		5-10-66	85.9	242.6	
		5-17-66	85.4	243.1	
		5-24-66	84.9	243.6	
		6-01-66	85.7	242.8	
		6-21-66	88.6	239.9	
		6-28-66	89.6	238.9	
01S/11W-11F04S	337.0	7-07-65	123.8	213.2	733
		7-28-65	124.3	212.7	
		8-18-65	125.6	211.4	
		9-08-65	125.8	211.2	
		9-20-65	125.9	211.1	
		9-27-65	127.1	209.9	101

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SURAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/11W-11F04S (CONT.)	337.0	10-04-65	127.0	210.0	101
		10-13-65	126.5	210.5	
		10-20-65	126.2	210.8	733
		11-01-65	125.3	211.7	101
		11-09-65	124.7	212.3	
		11-30-65	114.8	222.2	
		12-01-65	113.3	223.7	733
		12-15-65	94.0	243.0	101
		12-22-65	93.7	243.3	
		1-04-66	90.8	246.2	
		1-11-66	87.2	249.8	
		1-18-66	85.1	251.9	
		1-25-66	82.8	254.2	
		2-01-66	81.0	256.0	
		2-08-66	80.0	257.0	
		2-15-66	80.0	257.0	
		2-23-66	80.0	257.0	
		3-08-66	80.2	256.8	
		3-15-66	80.1	256.9	
		3-22-66	81.8	255.2	
		3-30-66	79.5	257.5	
		4-05-66	79.5	257.5	
		4-13-66	80.3	256.7	
		4-20-66	81.1	255.9	
		4-27-66	81.6	255.4	
		5-03-66	82.3	254.7	
		5-10-66	83.3	253.7	
		5-17-66	84.4	252.6	
		5-24-66	85.5	251.5	
		6-01-66	89.9	247.1	
		6-08-66	87.1	249.9	
		6-15-66	87.9	249.1	
		6-28-66	89.7	247.3	
01S/11W-11L03S	339.0	7-21-65	124.0	215.0	101
		8-31-65	125.0	214.0	
		9-17-65	127.0	212.0	
		9-27-65	139.2	199.8	
		10-04-65	134.3	204.7	
		10-13-65	129.6	209.4	
		11-01-65	127.8	211.2	
		11-09-65	127.5	211.5	
		11-17-65	123.0	216.0	
		11-30-65	124.1	214.9	
		12-07-65	118.2	220.8	
		12-15-65	110.0	229.0	
		12-22-65	105.2	233.8	
		1-04-66	102.5	236.5	
		1-11-66	100.5	238.5	
		1-18-66	97.5	241.5	
		1-25-66	93.9	245.1	
		2-01-66	91.0	248.0	
		2-08-66	89.2	249.8	
		2-15-66	88.5	250.5	
		2-23-66	87.9	251.1	
		3-02-66	87.3	251.7	
		3-15-66	86.5	252.5	
		3-22-66	87.2	251.8	
		3-30-66	85.1	253.9	
		4-05-66	85.2	253.8	
		4-13-66	86.2	252.8	
		4-27-66	87.0	252.0	
		5-03-66	87.9	251.1	
		5-10-66	89.1	249.9	
		5-17-66	90.4	248.6	
		5-24-66	91.5	247.5	
		6-01-66	92.0	247.0	
		6-08-66	92.5	246.5	
		6-15-66	93.3	245.7	
		6-28-66	95.2	243.8	
01S/11W-12A01S	377.7	7-06-65	166.6	211.1	101
		7-13-65	166.4	211.3	
		7-20-65	166.8	210.9	
		8-03-65	168.9	208.8	
		9-01-65	170.4	207.3	
		9-20-65	170.9	206.8	
		9-28-65	170.9	206.8	
		10-04-65	171.0	206.7	
		10-13-65	170.9	206.8	
		10-26-65	170.7	207.0	
		11-01-65	170.5	207.2	
		11-09-65	170.3	207.4	
		12-06-65	147.8	229.9	
		12-28-65	137.1	240.6	
		1-04-66	137.9	239.8	
		1-11-66	139.4	238.3	
		1-18-66	116.8	260.9	
		1-25-66	113.5	264.2	
		2-01-66	113.4	264.3	
		2-08-66	117.0	260.7	
		2-15-66	117.3	260.4	
		2-24-66	116.7	261.0	
		3-02-66	116.6	261.1	
		3-16-66	112.7	265.0	
		3-29-66	113.7	264.0	
		4-06-66	117.8	259.9	
		4-19-66	116.0	261.7	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-12A01S (CONT.)	377.7	5-02-66	121.9	255.8	101
		5-11-66	125.7	252.0	
		5-18-66	127.6	250.1	
		5-26-66	129.6(4)	248.1	
		6-08-66	136.0(4)	241.7	
		6-16-66	130.8	246.9	
		6-23-66	132.6	245.1	
01S/11W-12J01S	370.7	7-14-65	DRY		733
		10-27-65	DRY		
		12-15-65	130.3	240.4	
		12-29-65	129.4	241.3	
		1-20-66	116.8	253.9	
		2-09-66	111.1	259.6	
		3-02-66	109.7	261.0	
		3-23-66	106.8	263.9	
		4-13-66	113.1	257.6	
		5-04-66	114.6	256.1	
		5-25-66	120.1	250.6	
01S/11W-12J03S	367.0	9-20-65	167.0(4)	200.0	101
		11-08-65	160.1	206.9	
		4-11-66	113.5	253.5	
01S/11W-12R01S	352.0	9-20-65	141.6	210.4	101
		11-01-65	138.8	213.2	
		4-04-66	91.1	260.9	
01S/11W-13B02S	348.6	11-01-65	DRY		101
01S/11W-14E02S	324.0	7-21-65	111.0	213.0	101
		8-31-65	113.0	211.0	
		9-17-65	115.0	209.0	
		10-18-65	109.0	215.0	
		11-17-65	109.0	215.0	
		12-17-65	95.0	229.0	
		1-14-66	89.0	235.0	
		3-17-66	75.0	249.0	
		4-13-66	75.0	249.0	
		5-19-66	79.0	245.0	
01S/11W-14K01S	315.0	9-20-65	107.4	207.6	101
		9-28-65	82.6	232.4	
		10-04-65	78.3	236.7	
		10-11-65	74.9	240.1	
		10-18-65	74.5	240.5	
		10-25-65	76.7	238.3	
		11-01-65	84.7	230.3	
		11-08-65	90.8	224.2	
		11-29-65	81.3	233.7	
		12-06-65	76.4	238.6	
		12-13-65	72.9	242.1	
		12-20-65	75.5	239.5	
		12-27-65	81.7	233.3	
		1-03-66	79.3	235.7	
		1-10-66	77.6	237.4	
		1-17-66	73.6	241.4	
		1-24-66	65.3	249.7	
		2-14-66	68.4	246.6	
		2-28-66	69.2	245.8	
		3-07-66	67.0	248.0	
		3-14-66	66.2	248.8	
		3-21-66	64.0	251.0	
		3-28-66	63.3	251.7	
		4-05-66	64.9	250.1	
		4-18-66	67.2	247.8	
		4-25-66	67.5	247.5	
01S/11W-14H04S	324.5	7-21-65	109.0	215.5	101
		8-31-65	112.0	212.5	
		9-17-65	113.0	211.5	
		10-18-65	105.0	219.5	
		11-17-65	102.0	222.5	
		12-17-65	91.0	233.5	
		1-13-66	88.0	236.5	
		2-18-66	79.0	245.5	
		3-17-66	75.0	249.5	
		4-13-66	74.0	250.5	
		5-19-66	78.0	246.5	
01S/11W-15C02S	318.0	4-13-66	70.6	247.4	101
		4-20-66	69.9	248.1	
		4-27-66	70.4	247.6	
		5-03-66	70.8	247.2	
		5-10-66	71.1	246.9	
		5-17-66	74.1	243.9	
		5-24-66	72.6	245.4	
		6-01-66	71.1	246.9	
		6-08-66	72.4	245.6	
		6-15-66	73.0	245.0	
01S/11W-15E05S	309.5	7-21-65	93.0	216.5	101
		8-31-65	93.0	216.5	
		9-17-65	93.0	216.5	
		10-18-65	94.0	215.5	
		11-17-65	93.0	216.5	
		12-17-65	92.0	217.5	
		1-14-66	85.0	224.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-15E05S	309.5	2-18-66	77.0	232.5	101
(CONT.)		3-17-66	72.0	237.5	
		4-13-66	69.0	240.5	
		5-19-66	68.0	241.5	
01S/11W-15L02S	309.0	9-01-65	106.9	202.1	101
		12-01-65	95.2	213.8	
01S/11W-16H02S	291.0	7-06-65	85.5(5)	205.5	101
		8-25-65	88.5(5)	202.5	
		9-08-65	87.5(5)	203.5	
		10-04-65	87.5(5)	203.5	
		11-05-65	87.5(5)	203.5	
		12-09-65	81.5(5)	209.5	
		1-10-66	81.5(5)	209.5	
01S/11W-16F01S	296.0	9-21-65	96.1	199.9	101
		11-03-65	95.5	200.5	
		4-12-66	70.0	226.0	
01S/11W-16N01S	285.0	7-06-65	78.0(5)	207.0	101
		8-25-65	81.0(5)	204.0	
		9-08-65	81.0(5)	204.0	
		10-04-65	81.0(5)	204.0	
		11-05-65	81.0(5)	204.0	
		12-09-65	79.0(5)	206.0	
		1-10-66	76.0(5)	209.0	
		2-25-66	67.0(5)	218.0	
		3-11-66	68.0(5)	217.0	
		4-19-66	65.0(5)	220.0	
		5-09-66	65.0(5)	220.0	
		6-15-66	69.0(5)	216.0	
01S/11W-17B02S	314.6	11-08-65	104.6	210.0	101
		4-12-66	99.0(2)	215.6	
01S/11W-17B05S	313.0	7-01-65	168.0(1)	145.0	101
		8-01-65	133.0	180.0	
		9-01-65	172.0(1)	141.0	
		10-01-65	175.0(1)	138.0	
		11-01-65	132.0	181.0	
		12-01-65	117.0	196.0	
		1-01-66	116.0(5)	197.0	
		2-01-66	109.0(5)	204.0	
		3-01-66	114.0(5)	199.0	
		4-01-66	115.0(5)	198.0	
		5-01-66	115.0(5)	198.0	
		6-01-66	116.0(5)	197.0	
01S/11W-18A04S	325.0	7-21-65	161.5(5)	163.5	101
		8-15-65	162.5(5)	162.5	
		9-15-65	162.5(5)	162.5	
		10-15-65	159.5(5)	165.5	
		11-01-65	162.5(5)	162.5	
		12-01-65	154.5(5)	170.5	
		1-15-66	147.5(5)	177.5	
		2-15-66	142.5(5)	182.5	
		3-15-66	144.5(5)	180.5	
		4-15-66	144.5(5)	180.5	
		5-15-66	143.5(5)	181.5	
		6-15-66	150.5(5)	174.5	
01S/11W-18A05S	323.0	7-15-65	161.5(5)	161.5	101
		8-15-65	161.5(5)	161.5	
		9-15-65	159.5(5)	163.5	
		10-01-65	165.5(5)	157.5	
		11-01-65	160.5(5)	162.5	
		12-01-65	155.5(5)	167.5	
		1-15-66	149.5(5)	173.5	
		2-15-66	148.5(5)	174.5	
		3-15-66	146.5(5)	176.5	
		4-15-66	147.5(5)	175.5	
		5-15-66	146.5(5)	176.5	
		6-15-66	153.5(5)	169.5	
01S/11W-18H01S	321.0	7-07-65	112.7	208.3	733
		7-28-65	113.6	207.4	
		8-18-65	114.1	206.9	
		9-08-65	115.2	205.8	
		9-29-65	115.3	205.7	
		10-20-65	165.3	155.7	
		11-10-65	115.2	205.8	
		12-01-65	114.0	207.0	
		12-27-65	113.6	207.4	
		1-12-66	111.9	209.1	
		2-02-66	109.4	211.6	
		2-23-66	113.3(4)	207.7	
		3-16-66	113.5	207.5	
		4-06-66	113.5	207.5	
		4-27-66	113.1	207.9	
		5-18-66	114.0	207.0	
		6-29-66	116.2	204.8	
01S/11W-18K01S	330.0	7-01-65	157.0	173.0	101
		8-01-65	138.0	192.0	
		9-01-65	140.0	190.0	
		11-01-65	152.0	178.0	
		12-01-65	149.0	181.0	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-18K01S	330.0	1-01-66	146.0(5)	184.0	101
(CONT.)		2-01-66	144.0(5)	186.0	
		4-01-66	146.0(5)	184.0	
		5-01-66	147.0(5)	183.0	
		6-01-66	152.0(5)	178.0	
01S/11W-19F01S	272.0	7-01-65	105.0	167.0	101
		8-01-65	102.0	170.0	
		9-01-65	98.0	174.0	
		10-01-65	113.0(1)	159.0	
		11-01-65	92.0	180.0	
		12-01-65	88.0	184.0	
		2-01-66	84.0(5)	188.0	
		3-01-66	88.0(5)	184.0	
		4-01-66	88.0(5)	184.0	
		5-01-66	88.0(5)	184.0	
		6-01-66	89.0(5)	183.0	
01S/11W-19H03S	265.0	11-08-65	DRY		101
01S/11W-19M01S	279.5	7-21-65	111.5(5)	168.0	101
		8-31-65	113.5(5)	166.0	
		9-17-65	112.5(5)	167.0	
		10-18-65	106.5(5)	173.0	
		11-17-65	103.5(5)	176.0	
		12-17-65	100.5(5)	179.0	
		1-14-66	98.5(5)	181.0	
		2-18-66	96.5(5)	183.0	
		3-17-66	95.5(5)	184.0	
		4-13-66	96.5(5)	183.0	
		5-19-66	98.5(5)	181.0	
01S/11W-19Q01S	247.0	7-21-65	70.0	177.0	101
		8-31-65	73.0	174.0	
		9-17-65	71.0	176.0	
		10-18-65	66.0	181.0	
		11-17-65	63.0	184.0	
		12-17-65	59.0(5)	188.0	
		1-14-66	57.0(5)	190.0	
		2-18-66	54.0(5)	193.0	
		3-17-66	55.0(5)	192.0	
		4-13-66	56.0(5)	191.0	
		5-19-66	57.0(5)	190.0	
01S/11W-19R01S	243.6	8-24-65	31.3	212.3	101
		9-21-65	41.6	202.0	
		9-28-65	30.9	212.7	
		10-04-65	31.7	211.9	
		10-11-65	31.8	211.8	
		10-18-65	31.8	211.8	
		10-25-65	31.8	211.8	
		11-01-65	32.0	211.6	
		11-08-65	32.1	211.5	
		11-29-65	31.0	212.6	
		12-06-65	30.8	212.8	
		12-13-65	30.8	212.8	
		12-27-65	30.7	212.9	
		1-03-66	30.3	213.3	
		1-10-66	30.1	213.5	
		1-17-66	30.1	213.5	
		1-24-66	30.0	213.6	
		2-02-66	30.0	213.6	
		2-14-66	29.9	213.7	
		2-28-66	29.9	213.7	
		3-07-66	29.8	213.8	
		3-14-66	29.9	213.7	
		3-21-66	29.8	213.8	
		4-04-66	29.7	213.9	
		4-18-66	29.7	213.9	
		4-25-66	29.7	213.9	
		6-28-66	29.6	214.0	
01S/11W-20A03S	275.0	9-21-65	70.4	204.6	101
		11-02-65	70.5	204.5	
		4-04-66	57.3	217.7	
01S/11W-20G02S	256.5	8-03-65	41.1	215.4	101
		8-24-65	41.2	215.3	
		9-21-65	41.5	215.0	
		9-28-65	41.5	215.0	
		10-04-65	41.5	215.0	
		10-11-65	41.6	214.9	
		10-18-65	41.7	214.8	
		10-25-65	41.8	214.7	
		11-01-65	41.9	214.6	
		11-08-65	42.0	214.5	
		11-29-65	42.2	214.3	
		12-06-65	42.3	214.2	
		12-13-65	42.2	214.3	
		12-27-65	42.1	214.4	
		1-03-66	42.1	214.4	
		1-10-66	42.0	214.5	
		1-17-66	41.9	214.6	
		1-24-66	41.8	214.7	
		2-02-66	41.7	214.8	
		2-14-66	41.4	215.1	
		2-28-66	41.1	215.4	
		3-07-66	41.2	215.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-20G02S	256.5	3-14-66	41.0	215.5	101
(CONT.)		3-21-66	40.9	215.6	
		4-04-66	40.7	215.8	
		4-18-66	40.5	216.0	
		4-25-66	40.4	216.1	
		6-28-66	39.6	216.9	
01S/11W-20L01S	257.0	7-06-65	62.5(5)	194.5	101
		8-25-65	67.5(5)	189.5	
		9-08-65	67.5(5)	189.5	
		10-04-65	67.5(5)	189.5	
		11-05-65	67.5(5)	189.5	
		12-09-65	65.5(5)	191.5	
		1-10-66	56.5(5)	200.5	
		2-25-66	52.5(5)	204.5	
		3-11-66	52.5(5)	204.5	
		4-19-66	53.5(5)	203.5	
		5-09-66	54.5(5)	202.5	
		6-15-66	55.5(5)	201.5	
01S/11W-20N01S	244.8	7-07-65	33.8	211.0	733
		7-28-65	33.9	210.9	
		8-18-65	34.5	210.3	
		9-20-65	35.0	209.8	
		9-29-65	35.0	209.8	
		10-20-65	35.2	209.6	
		11-10-65	35.3	209.5	
		12-01-65	35.1	209.7	
		12-22-65	33.7	211.1	
		1-12-66	31.3	213.5	
		2-02-66	29.8	215.0	
		2-23-66	29.2	215.6	
		4-06-66	29.0	215.8	
		4-27-66	28.0	216.8	
		6-29-66	31.4	213.4	
01S/11W-21A01S	291.5	11-01-65	DRY		101
		1-11-66	DRY		
		4-05-66	DRY		
01S/11W-21D02S	272.4	7-16-65	68.7	203.7	733
		8-06-65	69.1	203.3	
		8-27-65	69.6	202.8	
		9-17-65	70.0	202.4	
		10-08-65	70.3	202.1	
		10-29-65	70.6	201.8	
		11-19-65	70.4	202.0	
		12-10-65	69.8	202.6	
		12-31-65	68.7	203.7	
		1-21-66	67.6	204.8	
		2-11-66	65.0	207.4	
		3-04-66	64.7	207.7	
		3-25-66	63.7	208.7	
		4-04-66	19.1	253.3	
		4-15-66	63.0	209.4	
		5-06-66	62.4	210.0	
		5-27-66	61.6	210.8	
01S/11W-21G01S	286.0	7-06-65	83.5(5)	202.5	101
		8-25-65	85.5(5)	200.5	
		9-08-65	84.5(5)	201.5	
		10-04-65	84.5(5)	201.5	
		11-05-65	84.5(5)	201.5	
		12-09-65	82.5(5)	203.5	
		1-10-66	79.5(5)	206.5	
		2-25-66	71.5(5)	214.5	
		3-11-66	71.5(5)	214.5	
		4-19-66	68.5(5)	217.5	
		5-09-66	68.5(5)	217.5	
		6-15-66	67.5(5)	218.5	
01S/11W-21G02S	287.5	7-16-65	79.7	207.8	733
		8-06-65	79.9	207.6	
		8-27-65	80.4	207.1	
		9-17-65	81.4	206.1	
		10-08-65	81.9	205.6	
		10-29-65	81.8	205.7	
		11-19-65	80.5	207.0	
		12-10-65	78.8	208.7	
		12-31-65	77.4	210.1	
		1-21-66	74.1	213.4	
		2-11-66	70.8	216.7	
		3-04-66	68.9	218.6	
		3-25-66	69.0	218.5	
		4-15-66	64.9	222.6	
		5-06-66	64.7	222.8	
		5-27-66	63.6	223.9	
01S/11W-21H01S	283.0	7-06-65	79.5(5)	203.5	101
		8-25-65	83.5(5)	199.5	
		9-08-65	83.5(5)	199.5	
		10-04-65	83.5(5)	199.5	
		11-05-65	83.5(5)	199.5	
		12-09-65	77.5(5)	205.5	
		1-10-66	69.5(5)	213.5	
		2-25-66	63.5(5)	219.5	
		3-11-66	59.5(5)	223.5	
		4-19-66	59.5(5)	223.5	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-21H01S	283.0	5-09-66	59.5(5)	223.5	101
(CONT.)		6-15-66	62.5(5)	220.5	
01S/11W-21K01S	390.0	7-06-65	178.7	211.3	101
		8-03-65	179.6	210.4	
		9-01-65	180.5	209.5	
		9-28-65	180.8	209.2	
		10-04-65	180.9	209.1	
		10-13-65	181.2	208.8	
		10-26-65	181.6	208.4	
		11-01-65	181.6	208.4	
		11-09-65	181.4	208.6	
		12-06-65	180.2	209.8	
		12-21-65	178.6	211.4	
		12-28-65	177.4	212.6	
		1-04-66	176.2	213.8	
		1-18-66	172.8	217.2	
		1-25-66	171.3	218.7	
		2-01-66	169.6	220.4	
		2-08-66	167.8	222.2	
		2-15-66	166.0	224.0	
		2-24-66	164.3	225.7	
		3-02-66	162.8	227.2	
		3-16-66	161.6	228.4	
		3-29-66	158.6	231.4	
		4-04-66	157.7	232.3	
		4-11-66	157.1	232.9	
		4-19-66	156.2	233.8	
		5-18-66	154.1	235.9	
		6-02-66	153.9	236.1	
		6-16-66	154.0	236.0	
01S/11W-21Q01S	271.0	7-06-65	64.5(5)	206.5	101
		8-25-65	66.5(5)	204.5	
		9-08-65	66.5(5)	204.5	
		10-04-65	66.5(5)	204.5	
		11-05-65	66.5(5)	204.5	
		12-09-65	64.5(5)	206.5	
		1-10-66	64.5(5)	206.5	
		2-25-66	54.5(5)	216.5	
		3-11-66	52.5(5)	218.5	
		4-19-66	50.5(5)	220.5	
		5-09-66	48.5(5)	222.5	
		6-15-66	48.5(5)	222.5	
01S/11W-22F02S	291.0	7-16-65	82.5	208.5	733
		8-06-65	83.6	207.4	
		8-27-65	85.5	205.5	
		9-17-65	86.0	205.0	
		10-08-65	87.0	204.0	
		10-29-65	83.1	207.9	
		11-19-65	80.1	210.9	
		12-10-65	79.1(4)	211.9	
		12-31-65	75.2	215.8	
		1-21-66	73.2	217.8	
		2-11-66	68.8	222.2	
		3-04-66	66.4	224.6	
		3-25-66	64.4	226.6	
		4-15-66	62.3	228.7	
		5-06-66	62.3	228.7	
		5-27-66	62.2	228.8	
		6-09-66	61.3	229.7	
01S/11W-22Q02S	292.0	7-21-65	78.0	214.0	101
		8-31-65	82.0	210.0	
		9-17-65	84.0	208.0	
		10-18-65	83.0	209.0	
		11-17-65	76.0	216.0	
		12-17-65	74.0	218.0	
		1-14-66	70.0	222.0	
		2-18-66	66.0	226.0	
		3-17-66	63.0	229.0	
		4-13-66	62.0	230.0	
		5-19-66	62.0	230.0	
01S/11W-23H01S	303.3	7-21-65	80.5	222.8	101
		8-31-65	90.5	212.8	
		9-17-65	92.5	210.8	
		9-28-65	94.3	209.0	
		10-04-65	77.4	225.9	
		10-11-65	67.7	235.6	
		10-18-65	58.5	244.8	
		10-25-65	55.5	247.8	
		11-01-65	58.0	245.3	
		11-08-65	70.3	233.0	
		11-17-65	64.5	238.8	
		11-29-65	74.3	229.0	
		12-06-65	63.4	239.9	
		12-13-65	61.3	242.0	
		12-20-65	64.1	239.2	
		12-27-65	66.4	236.9	
		1-03-66	66.2	237.1	
		1-10-66	64.2	239.1	
		1-17-66	63.0	240.3	
		1-24-66	59.0	244.3	
		2-02-66	9.9	293.4	
		2-14-66	62.9	240.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRU SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-24F01S	314.0	11-01-65	95.9	218.1	101
(CONT.)		4-04-66	75.1	238.9	
01S/11W-24K03S	325.0	7-21-65	113.0	212.0	101
		8-31-65	114.0	211.0	
		9-17-65	115.0	210.0	
		10-18-65	115.0	210.0	
		11-17-65	112.0	213.0	
		12-17-65	108.0	217.0	
		1-14-66	100.0	225.0	
01S/11W-24Q04S	317.5	9-20-65	108.8	208.7	101
		9-28-65	108.3	209.2	
		10-05-65	107.8	209.7	
		10-13-65	106.7	210.8	
		10-26-65	105.3	212.2	
		11-01-65	103.7	213.8	
		11-09-65	103.5	214.0	
		12-08-65	98.6	218.9	
		12-21-65	97.0	220.5	
		12-28-65	95.2	222.3	
		1-04-66	94.5	223.0	
		1-11-66	93.5	224.0	
		1-18-66	93.8	223.7	
		1-25-66	91.0	226.5	
		2-01-66	88.3	229.2	
		2-08-66	87.5	230.0	
		2-15-66	85.9	231.6	
		2-24-66	85.3	232.2	
		3-08-66	83.6	233.9	
		3-16-66	87.8	229.7	
		3-29-66	81.9	235.6	
		4-04-66	80.7	236.8	
		4-11-66	80.9	236.6	
		4-19-66	81.9	235.6	
		5-02-66	80.3	237.2	
		5-18-66	80.2	237.3	
		6-02-66	80.2	237.3	
		6-16-66	80.3	237.2	
01S/11W-25Q01S	305.0	7-15-65	89.9	215.1	733
		8-05-65	92.3	212.7	
		8-26-65	93.7	211.3	
		9-16-65	94.3	210.7	
		10-07-65	94.4	210.6	
		10-28-65	95.8	209.2	
		11-18-65	92.9	212.1	
		12-09-65	91.6	213.4	
		12-30-65	89.6	215.4	
		1-20-66	83.3	221.7	
		2-10-66	85.3(4)	219.7	
		3-03-66	83.5	221.5	
		3-24-66	82.9	222.1	
		4-14-66	82.7	222.3	
		5-05-66	81.6	223.4	
		5-26-66	81.9	223.1	
01S/11W-26D02S	295.0	7-19-65	96.5(1)	198.5	101
		9-21-65	97.5	197.5	
		11-23-65	85.5	209.5	
		1-04-66	76.5	218.5	
		1-17-66	76.5(1)	218.5	
		3-21-66	72.5(1)	222.5	
		5-24-66	72.5(1)	222.5	
01S/11W-26D04S	293.0	7-07-65	83.2	209.8	733
		7-14-65	83.7	209.3	
		7-21-65	84.8	208.2	
		7-28-65	90.3	202.7	
		8-04-65	91.4	201.6	
		8-11-65	89.6	203.4	
		8-18-65	90.8	202.2	
		8-25-65	91.1	201.9	
		9-01-65	91.6	201.4	
		9-08-65	91.2	201.8	
		9-15-65	92.6	200.4	
		9-22-65	92.3	200.7	
		10-06-65	90.7	202.3	
		10-13-65	89.3	203.7	
		10-20-65	84.3	208.7	
		10-27-65	80.7	212.3	
		11-03-65	80.0	213.0	
		11-10-65	81.8	211.2	
		11-17-65	79.3	213.7	
		11-24-65	80.3	212.7	
		12-01-65	74.3	218.7	
		12-08-65	74.9	218.1	
		12-15-65	72.5	220.5	
		12-22-65	72.7	220.3	
		12-29-65	72.5	220.5	
		1-05-66	71.8	221.2	
		1-12-66	70.4	222.6	
		1-19-66	68.7	224.3	
		1-26-66	69.5	223.5	
		2-02-66	67.2	225.8	
		2-09-66	66.1	226.9	
		2-16-66	65.9	227.1	
		2-23-66	69.0(2)	224.0	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-26D04S	293.0	3-02-66	65.2	227.8	733
(CONT.)		3-09-66	62.0	231.0	
		3-16-66	62.9	230.1	
		3-23-66	63.9	229.1	
		3-30-66	63.1	229.9	
		4-06-66	63.9	229.1	
		4-13-66	63.6	229.4	
		4-20-66	65.7(2)	227.3	
		4-27-66	64.4	228.6	
		5-04-66	63.9	229.1	
		5-11-66	64.8	228.2	
		5-18-66	64.2	228.8	
		5-25-66	66.2	226.8	
		6-01-66	63.2	229.8	
		6-08-66	63.9	229.1	
		6-22-66	65.4	227.6	
		6-29-66	66.4	226.6	
01S/11W-26F02S	282.0	7-21-65	77.5	204.5	101
		8-31-65	80.5	201.5	
		9-17-65	82.5	199.5	
		10-18-65	78.5	203.5	
		11-17-65	72.5	209.5	
		12-17-65	64.5	217.5	
		1-14-66	60.5	221.5	
		2-18-66	55.5	226.5	
		3-17-66	54.5	227.5	
		4-13-66	53.5	228.5	
		5-19-66	55.5	226.5	
01S/11W-26G01S	284.0	7-21-65	78.5	205.5	101
		8-31-65	81.5	202.5	
		9-17-65	83.5	200.5	
		10-18-65	79.5	204.5	
		11-17-65	73.5	210.5	
		12-17-65	65.5	218.5	
		1-14-66	61.5	222.5	
		2-18-66	56.5	227.5	
		3-17-66	55.5	228.5	
		4-13-66	54.5	229.5	
		5-19-66	56.5	227.5	
01S/11W-26R05S	291.0	7-21-65	76.7	214.3	733
		8-11-65	78.5	212.5	
		9-01-65	80.3	210.7	
		9-20-65	83.8	207.2	
		9-28-65	83.9	207.1	101
		10-05-65	84.1	206.9	
		10-13-65	83.5	207.5	733
		10-26-65	82.7	208.3	101
		11-01-65	81.9	209.1	
		11-09-65	80.5	210.5	
		11-24-65	82.1	208.9	733
		12-08-65	77.0	214.0	101
		12-16-65	78.3	212.7	733
		12-28-65	74.0	217.0	101
		1-04-66	73.2	217.8	
		1-11-66	72.4	218.6	
		1-18-66	71.3	219.7	
		1-25-66	70.7	220.3	
		2-01-66	69.5	221.5	
		2-08-66	68.9	222.1	
		2-15-66	67.8	223.2	
		2-24-66	68.0	223.0	
		3-08-66	66.3	224.7	
		3-16-66	65.4	225.6	
		3-29-66	64.4	226.6	
		4-04-66	63.3	227.7	
		4-11-66	63.4	227.6	
		4-19-66	64.0	227.0	
		5-02-66	62.7	228.3	
		5-11-66	62.7	228.3	733
		5-18-66	62.3	228.7	101
		6-01-66	61.3	229.7	733
		6-16-66	60.9	230.1	101
01S/11W-27H05S	291.0	9-20-65	87.8	203.2	101
		9-28-65	86.8	204.2	
		10-04-65	DRY		
		10-11-65	DRY		
		10-18-65	84.4	206.6	
		10-25-65	82.2	208.8	
		11-01-65	79.8	211.2	
		11-08-65	78.8	212.2	
		11-29-65	77.0	214.0	
		12-06-65	75.9	215.1	
		12-13-65	74.8	216.2	
		12-20-65	74.0	217.0	
		12-27-65	73.7	217.3	
		1-03-66	73.2	217.8	
		1-10-66	72.3	218.7	
		1-17-66	71.7	219.3	
		1-24-66	70.2	220.8	
		2-02-66	69.5	221.5	
		2-14-66	68.2	222.8	
		2-28-66	67.2	223.8	
		3-07-66	66.1	224.9	
		3-14-66	64.9	226.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/11W-27H05S (CONT.)	291.0	3-21-66	65.0	226.0	101
		3-28-66	64.5	226.5	
		4-05-66	64.9	226.1	
		4-18-66	64.3	226.7	
		4-25-66	64.4	226.6	
01S/11W-27Q03S	280.0	7-21-65	66.5	213.5	101
		8-31-65	69.5	210.5	
		9-17-65	72.5	207.5	
		10-18-65	72.5	207.5	
		11-17-65	68.5	211.5	
		12-17-65	64.5	215.5	
		1-14-66	59.5	220.5	
		2-18-66	58.5	221.5	
		3-17-66	55.5	224.5	
		4-13-66	54.5	225.5	
		5-19-66	54.5	225.5	
01S/11W-28B01S	266.0	7-21-65	59.0	207.0	101
		8-31-65	65.0	201.0	
		9-17-65	61.0	205.0	
		10-18-65	63.0	203.0	
		11-17-65	61.0	205.0	
		12-17-65	59.0	207.0	
		1-14-66	56.0	210.0	
		2-18-66	52.0	214.0	
		3-17-66	50.0	216.0	
		4-13-66	49.0	217.0	
		5-19-66	52.0	214.0	
01S/11W-28D02S	272.0	7-07-65	65.7	206.3	733
		7-28-65	66.2	205.8	
		8-18-65	67.2	204.8	
		9-29-65	69.6	202.4	
		10-20-65	69.3	202.7	
		11-10-65	69.6	202.4	
		12-01-65	68.0	204.0	
		12-22-65	65.9	206.1	
		1-12-66	63.7	208.3	
		2-02-66	61.5	210.5	
		2-23-66	59.1	212.9	
		3-16-66	57.4	214.6	
		4-06-66	55.9	216.1	
		4-27-66	55.1	216.9	
		5-18-66	54.3	217.7	
		6-29-66	53.9	218.1	
01S/11W-28M03S	255.0	7-21-65	48.0	207.0	101
		8-31-65	51.0	204.0	
		9-17-65	51.0	204.0	
		10-18-65	53.0	202.0	
		11-17-65	53.0	202.0	
		12-17-65	50.0	205.0	
		1-14-66	48.0	207.0	
		2-18-66	44.0	211.0	
		3-17-66	41.0	214.0	
		4-13-66	40.0	215.0	
		5-19-66	39.0	216.0	
01S/11W-28R01S	257.6	7-14-65	50.2	207.4	733
		7-26-65	50.4	207.2	
		8-23-65	50.7	206.9	
		9-20-65	54.5	203.1	
		9-27-65	54.9	202.7	
		10-25-65	55.5	202.1	
		11-29-65	53.3	204.3	
		12-27-65	50.1	207.5	
		1-24-66	46.9	210.7	
		2-28-66	43.1	214.5	
		3-30-66	40.4	217.2	
		4-04-66	40.1	217.5	
		4-25-66	39.7	217.9	
		5-23-66	39.5	218.1	
		6-27-66	37.1	220.5	
01S/11W-29B03S	253.5	7-21-65	52.5	201.0	101
		8-31-65	54.5	199.0	
		9-17-65	55.5	198.0	
		10-18-65	54.5	199.0	
		11-17-65	52.5	201.0	
		12-17-65	49.5	204.0	
		1-14-66	47.5	206.0	
		2-18-66	43.5	210.0	
		3-17-66	41.5	212.0	
		4-13-66	41.5	212.0	
		5-19-66	41.5	212.0	
01S/11W-29P01S	237.0	7-14-65	34.7	202.3	101
		7-26-65	34.7	202.3	
		8-23-65	36.1	200.9	
		9-27-65	37.2	199.8	
		11-30-65	37.1	199.9	
		12-27-65	34.9	202.1	
		1-24-66	32.4	204.6	
		2-28-66	31.7	205.3	
		4-04-66	28.4	208.6	
		4-25-66	26.9	210.1	
		5-23-66	26.3	210.7	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-29P01S (CONT.)	237.0	6-27-66	26.1	210.9	101
01S/11W-29R03S	247.0	9-21-65	DRY		101
		11-02-65	DRY		
		4-05-66	DRY		
01S/11W-30B01S	236.0	7-21-65	56.0	180.0	101
		8-31-65	64.0	172.0	
		9-17-65	62.0	174.0	
		10-18-65	56.0	180.0	
		11-17-65	51.0	185.0	
		12-17-65	48.0	188.0	
		1-14-66	47.0	189.0	
		2-18-66	43.0	193.0	
		3-17-66	43.0	193.0	
		4-13-66	43.0	193.0	
		5-19-66	45.0	191.0	
01S/11W-30B02S	230.0	7-21-65	56.0	174.0	101
		8-31-65	62.0	168.0	
		9-17-65	60.0	170.0	
		10-18-65	55.0	175.0	
		11-17-65	50.0	180.0	
		12-17-65	47.0	183.0	
		1-14-66	46.0	184.0	
		2-18-66	42.0	188.0	
		3-17-66	43.0	187.0	
		4-13-66	43.0	187.0	
		5-19-66	45.0	185.0	
01S/11W-30B03S	233.0	7-21-65	59.5	173.5	101
		8-31-65	70.5	162.5	
		9-17-65	62.5	170.5	
		10-18-65	56.5	176.5	
		11-17-65	50.5	182.5	
		12-17-65	45.5	187.5	
		1-14-66	44.5	188.5	
		2-18-66	41.5	191.5	
		3-17-66	42.5	190.5	
		4-13-66	42.5	190.5	
		5-19-66	44.5	188.5	
01S/11W-30E03S	230.0	7-15-65	60.0(5)	170.0	101
		8-05-65	59.0(5)	171.0	
		9-16-65	58.0(5)	172.0	
		10-14-65	53.0(5)	177.0	
		11-26-65	49.0(5)	181.0	
		1-05-66	37.0(5)	193.0	
		2-06-66	35.0(5)	195.0	
		3-11-66	31.0(5)	199.0	
		4-08-66	39.0(5)	191.0	
		5-12-66	38.0(5)	192.0	
		6-17-66	44.0(5)	186.0	
01S/11W-30F01S	234.5	7-15-65	48.0(5)	186.5	101
		8-12-65	51.0(5)	183.5	
		9-09-65	59.0(5)	175.5	
		10-14-65	62.0(5)	172.5	
		11-18-65	55.0(5)	179.5	
		1-05-66	45.0(5)	189.5	
		2-08-66	44.0(5)	190.5	
		3-08-66	42.0(5)	192.5	
		4-10-66	44.0(5)	190.5	
		5-11-66	49.0(5)	185.5	
		6-17-66	55.0(5)	179.5	
01S/11W-30F04S	230.0	7-22-65	70.5(5)	159.5	101
		8-25-65	72.5(5)	157.5	
		9-23-65	65.5(5)	164.5	
		10-14-65	65.5(5)	164.5	
		11-18-65	51.5(5)	178.5	
		1-05-66	45.5(5)	184.5	
		2-10-66	39.5(5)	190.5	
		3-08-66	37.5(5)	192.5	
		4-08-66	41.5(5)	188.5	
		5-12-66	43.5(5)	186.5	
		6-17-66	51.5(5)	178.5	
01S/11W-30N02S	225.0	11-02-65	52.5	172.5	101
		4-04-66	37.6	187.4	
01S/11W-30R02S	230.0	7-14-65	28.9	201.1	101
		7-26-65	28.4	201.6	
		9-27-65	29.1	200.9	
		10-26-65	30.2	199.8	
		11-30-65	28.8	201.2	
		12-27-65	20.8	209.2	
		1-24-66	23.8	206.2	
		2-28-66	22.8	207.2	
		4-04-66	21.7	208.3	
		4-25-66	22.3	207.7	
		5-23-66	21.4	208.6	
		6-27-66	22.2	207.8	
01S/11W-31A01S	225.5	7-14-65	27.1	198.4	101
		7-26-65	27.0	198.5	
		8-23-65	29.8	195.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00

MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-31A01S (CONT.)	225.5	9-27-65	28.8	196.7	101
		10-26-65	31.4	194.1	
		11-30-65	27.2	198.3	
		12-27-65	25.0	200.5	
		1-24-66	22.5	203.0	
		2-28-66	20.4	205.1	
		4-04-66	19.3	206.2	
		4-25-66	21.3	204.2	
		5-23-66	19.3	206.2	
		6-27-66	20.5	205.0	
01S/11W-31C01S	214.0	11-02-65	30.0	184.0	101
		4-11-66	12.4	201.6	
01S/11W-31D01S	230.0	11-02-65	DRY		101
		4-04-66	DRY		
01S/11W-31D02S	230.0	7-14-65	42.7	187.3	101
		7-26-65	43.4	186.6	
		8-23-65	46.6	183.4	
		9-27-65	44.2	185.8	
		10-26-65	46.1	183.9	
		11-30-65	41.5	188.5	
		12-27-65	39.4	190.6	
		1-24-66	38.6	191.4	
		2-28-66	37.6	192.4	
		4-04-66	37.5	192.5	
		4-25-66	38.9	191.1	
		5-23-66	38.6	191.4	
		6-27-66	41.3	188.7	
01S/11W-31P01S	206.0	7-21-65	12.4	193.6	101
		8-03-65	12.5	193.5	
		9-17-65	12.6	193.4	
		10-20-65	12.0	194.0	
		11-02-65	11.1	194.9	
		1-11-66	11.0	195.0	
		4-04-66	10.5	195.5	
01S/11W-31Q02S	200.0	7-21-65	6.9	193.1	101
		8-03-65	7.0	193.0	
		9-17-65	7.2	192.8	
		10-20-65	6.1	193.9	
		11-22-65	5.2	194.8	
		1-11-66	5.1	194.9	
		4-04-66	4.6	195.4	
01S/11W-32D01S	230.5	11-02-65	34.7	195.8	101
		4-05-66	23.7	206.8	
01S/11W-32F05S	227.0	7-14-65	25.7	201.3	101
		7-26-65	27.3	199.7	
		8-23-65	29.4	197.6	
		9-27-65	30.7	196.3	
		10-26-65	31.8	195.2	
		11-30-65	28.4	198.6	
		12-27-65	25.3	201.7	
		1-24-66	23.1	203.9	
		2-28-66	22.3	204.7	
		4-04-66	21.9	205.1	
		4-25-66	20.3	206.7	
		5-23-66	19.5	207.5	
		6-27-66	20.0	207.0	
01S/11W-32H05S	231.9	7-07-65	32.5	199.4	733
		7-28-65	33.3	198.6	
		8-18-65	35.1	196.8	
		9-08-65	36.8	195.1	
		9-20-65	37.4	194.5	
		9-29-65	37.3	194.6	
		10-20-65	37.9	194.0	
		11-10-65	37.9	194.0	
		12-01-65	35.7	196.2	
		12-22-65	32.2	199.7	
		1-12-66	29.8	202.1	
		2-02-66	29.5	202.4	
		2-23-66	26.9	205.0	
		3-04-66	26.5	205.4	
		3-16-66	26.1	205.8	
		4-06-66	25.3	206.6	
		4-27-66	25.3	206.6	
		5-18-66	24.6	207.3	
		6-29-66	22.7	209.2	
01S/11W-32P01S	220.5	7-14-65	25.1	195.4	101
		7-26-65	24.7	195.8	
		8-23-65	27.3	193.2	
		9-27-65	27.9	192.6	
		10-26-65	28.4	192.1	
		11-30-65	22.5	198.0	
		12-27-65	20.4	200.1	
		1-24-66	18.2	202.3	
		2-22-66	17.5	203.0	
		4-04-66	18.4	202.1	
		4-25-66	17.9	202.6	
		5-23-66	18.1	202.4	
		6-27-66	18.5	202.0	
01S/11W-32Q02S	223.4	4-04-66	18.1	205.3	101
01S/11W-32Q05S	226.0	7-29-65	29.4(2)	196.6	101
		8-26-65	32.1	193.9	
		9-02-65	33.1(2)	192.9	
		9-21-65	32.6	193.4	
		9-30-65	32.2	193.8	
		10-13-65	33.4	192.6	
		10-27-65	32.9(2)	193.1	
		11-03-65	32.9	193.1	
		11-10-65	32.9	193.1	
		11-29-65	26.0	200.0	
		12-01-65	25.9	200.1	
		12-08-65	25.1	200.9	
		12-15-65	24.4	201.6	
		12-22-65	24.2	201.8	
		12-30-65	23.1	202.9	
		1-05-66	22.3	203.7	
		1-13-66	21.9	204.1	
		1-26-66	21.2	204.8	
		2-02-66	21.0	205.0	
		2-09-66	20.7	205.3	
		2-16-66	20.8	205.2	
		2-23-66	20.7	205.3	
		3-02-66	20.5	205.5	
		3-09-66	20.6	205.4	
		3-16-66	20.6	205.4	
		3-23-66	21.0	205.0	
		3-30-66	20.4	205.6	
		4-06-66	20.3	205.7	
		4-13-66	20.3	205.7	
		4-20-66	20.9	205.1	
		4-27-66	21.2(2)	204.8	
		5-04-66	21.1(2)	204.9	
		5-11-66	20.8(2)	205.2	
		5-18-66	20.6	205.4	
		5-25-66	20.7	205.3	
		6-02-66	20.4	205.6	
		6-15-66	21.1(2)	204.9	
		6-23-66	20.8	205.2	
		6-30-66	21.5	204.5	
01S/11W-32R03S	226.0	11-02-65	40.7	185.3	101
		4-06-66	18.9	207.1	
01S/11W-33G01S	245.0	7-07-65	36.3	208.7	733
		7-28-65	38.0	207.0	
		8-18-65	39.3	205.7	
		9-08-65	41.5	203.5	
		9-20-65	42.4	202.6	
		9-27-65	42.8	202.2	
		10-20-65	42.9	202.1	
		11-10-65	42.7	202.3	
		12-01-65	40.7	204.3	
		12-22-65	37.8	207.2	
		1-12-66	33.8	211.2	
		2-02-66	32.8	212.2	
		2-23-66	31.3	213.7	
		3-16-66	30.1	214.9	
		4-06-66	28.9	216.1	
		4-27-66	28.0	217.0	
		5-18-66	27.4	217.6	
		6-29-66	26.9	218.1	
01S/11W-33G04S	246.0	7-21-65	45.5	200.5	101
		8-31-65	48.5	197.5	
		9-17-65	49.5	196.5	
		10-18-65	48.5	197.5	
		11-17-65	46.5	199.5	
		12-17-65	37.5	208.5	
		1-14-66	32.5	213.5	
		2-18-66	28.5	217.5	
		3-17-66	29.5	216.5	
		4-13-66	28.5	217.5	
		5-19-66	29.5	216.5	
01S/11W-33L01S	235.0	7-28-65	31.1	203.9	733
		8-18-65	33.8	201.2	
		9-08-65	36.4	198.6	
		9-29-65	36.2	198.8	
		10-20-65	36.6	198.4	
		11-10-65	36.1	198.9	
		12-01-65	31.7	203.3	
		12-22-65	29.3	205.7	
		1-12-66	26.7	208.3	
		2-02-66	26.5	208.5	
		2-23-66	24.6	210.4	
		3-16-66	23.6	211.4	
		4-06-66	22.9	212.1	
		4-27-66	22.9	212.1	
		5-18-66	24.1	210.9	
		6-29-66	22.0	213.0	
01S/11W-33P01S	231.0	7-14-65	25.8	205.2	733
		7-26-65	26.7	204.3	
		8-23-65	27.4	203.6	
		9-27-65	29.6	201.4	
		10-25-65	29.2	201.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SUBAREA U-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-33P01S (CONT.)	231.0	11-29-65	26.9	204.1	733
		12-27-65	26.5	204.5	
		1-24-66	24.7	206.3	
		2-28-66	20.5	210.5	
		3-30-66	19.9	211.1	
		4-04-66	20.6	210.4	
		4-25-66	21.1	209.9	
		5-23-66	20.7	210.3	
		6-27-66	21.9	209.1	
01S/11W-33P02S	226.4	11-02-65	25.4	201.0	101
		4-05-66	11.1	215.3	
01S/11W-33R01S	246.0	7-14-65	29.5	216.5	733
		7-26-65	30.5	215.5	
		8-23-65	31.3	214.7	
		9-27-65	40.8	205.2	
		10-25-65	DRY		
		11-29-65	31.6	214.4	
		12-27-65	28.7	217.3	
		1-24-66	27.9	218.1	
		2-28-66	24.1	221.9	
		3-30-66	27.5	218.5	
		4-04-66	26.9	219.1	
		4-25-66	26.5	219.5	
		5-23-66	26.3	219.7	
		6-27-66	23.7	222.3	
01S/11W-34E01S	260.5	9-21-65	56.4	204.1	101
		11-02-65	56.1	204.4	
		4-05-66	42.2	218.3	
01S/11W-34F01S	248.0	7-21-65	51.5	196.5	101
		8-31-65	58.5	189.5	
		9-17-65	59.5	188.5	
		10-18-65	53.5	194.5	
		11-17-65	52.5	195.5	
		12-17-65	42.5	205.5	
		1-14-66	33.5	214.5	
		2-18-66	27.5	220.5	
		3-17-66	22.5	225.5	
		4-13-66	29.5	218.5	
		5-19-66	25.5	222.5	
01S/11W-34F02S	248.0	7-21-65	49.0	199.0	101
		8-31-65	59.0	189.0	
		9-17-65	58.0	190.0	
		10-18-65	52.0	196.0	
		11-17-65	51.0	197.0	
		12-17-65	41.0	207.0	
		1-14-66	32.0	216.0	
		2-28-66	27.0	221.0	
		3-17-66	22.0	226.0	
		4-13-66	28.0	220.0	
		5-19-66	25.0	223.0	
01S/11W-34F03S	247.5	7-21-65	47.5	200.0	101
		8-31-65	55.5	192.0	
		9-17-65	56.5	191.0	
		10-18-65	51.5	196.0	
		11-17-65	49.5	198.0	
		12-17-65	39.5	208.0	
		1-14-66	33.5	214.0	
		2-18-66	24.5	223.0	
		3-17-66	24.5	223.0	
		4-13-66	20.5	227.0	
		5-19-66	26.5	221.0	
01S/11W-34K02S	266.0	11-03-65	71.1(1)	194.9	101
		4-06-66	45.6	220.4	
01S/11W-34M03S	249.8	9-21-65	30.6	219.2	101
		11-07-65	33.4	216.4	
		4-05-66	23.3	226.5	
01S/11W-36Q01S	296.5	7-15-65	66.0	230.5	733
		8-05-65	67.5	229.0	
		8-26-65	68.0	228.5	
		9-16-65	68.3	228.2	
		9-28-65	64.0	232.5	101
		10-05-65	64.5	232.0	
		10-13-65	63.1	233.4	
		10-26-65	63.9	232.6	
		11-01-65	65.0	231.5	
		11-09-65	65.5	231.0	
		11-18-65	64.7	231.8	733
		12-08-65	63.9	232.6	101
		12-21-65	61.8	234.7	
		12-28-65	62.5	234.0	
		1-04-66	61.4	235.1	
		1-11-66	58.7	237.8	
		1-18-66	60.6	235.9	
		1-25-66	59.6	236.9	
		2-01-66	58.7	237.8	
		2-08-66	61.5	235.0	
		2-15-66	59.7	236.8	
		2-24-66	59.1	237.4	
		3-03-66	57.9	238.6	733

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/11W-36Q01S (CONT.)	296.5	3-16-66	63.7	232.8	101
		3-24-66	57.6	238.9	
		4-04-66	64.3	232.2	101
		4-11-66	62.2	234.3	
		4-19-66	62.9	233.6	
		5-02-66	60.4	236.1	
		5-18-66	61.8	234.7	
		5-26-66	61.9	234.6	733
		6-02-66	61.2	235.3	101
		6-16-66	61.4	235.1	
01S/12W-01E01S	498.6	7-30-65	335.8	162.8	101
		8-30-65	340.5	158.1	
		9-30-65	338.1	160.5	
		10-30-65	340.5	158.1	
01S/12W-01E02S	500.0	7-30-65	341.2	158.8	101
		8-30-65	342.2	157.8	
		9-30-65	339.2	160.8	
		10-30-65	343.2	156.8	
		4-30-66	329.2	170.8	
01S/12W-02H01S	506.7	7-01-65	350.0	156.7	101
		8-01-65	354.0	152.7	
		9-01-65	349.0	157.7	
		10-01-65	399.0(1)	107.7	
		11-01-65	349.0	157.7	
		2-01-66	351.0(5)	155.7	
		3-01-66	353.0(5)	153.7	
		4-01-66	348.0(5)	158.7	
		5-01-66	351.0(5)	155.7	
		6-01-66	350.0(5)	156.7	
01S/12W-02Q01S	478.9	11-03-65	327.0	151.9	101
		4-20-66	322.0	156.9	
01S/12W-03A01S	305.0	11-30-65	111.6	193.4	101
		4-06-66	115.9	189.1	
01S/12W-03K01S	518.3	7-01-65	392.9(1)	125.4	101
		8-01-65	366.9	151.4	
		9-01-65	365.9	152.4	
		10-01-65	395.9(1)	122.4	
		11-01-65	363.9	154.4	
		12-01-65	362.9	155.4	
		1-01-66	360.9(5)	157.4	
		2-01-66	360.9(5)	157.4	
		3-01-66	350.9(5)	167.4	
		4-01-66	361.9(5)	156.4	
		5-01-66	360.9(5)	157.4	
		6-01-66	362.9(5)	155.4	
01S/12W-03M02S	560.6	11-03-65	449.7(5)	110.9	101
01S/12W-10A01S	491.0	7-30-65	333.0	158.0	101
		8-30-65	336.0	155.0	
		9-30-65	333.0	158.0	
		10-30-65	336.0	155.0	
01S/12W-10E01S	534.6	7-16-65	366.5	168.1	733
		8-06-65	366.6	168.0	
		8-27-65	367.1	167.5	
		9-17-65	371.9	162.7	
		10-08-65	372.0	162.6	
		10-29-65	373.8	160.8	
		11-19-65	373.6	161.0	
		1-21-66	371.6	163.0	
		3-04-66	368.2	166.4	
		3-25-66	368.9	165.7	
		4-15-66	368.6(5)	166.0	
		5-06-66	368.6(5)	166.0	
		5-27-66	368.6(5)	166.0	
01S/12W-10R01S	440.0	7-30-65	284.8	155.2	101
		8-30-65	284.8	155.2	
		9-30-65	284.8	155.2	
		10-30-65	289.5	150.5	
01S/12W-11N02S	402.0	7-30-65	239.6	162.4	101
		8-30-65	239.6	162.4	
		9-30-65	246.6	155.4	
		10-30-65	246.5	155.5	
01S/12W-12C01S	435.7	11-02-65	279.2	156.5	101
01S/12W-13A01S	373.0	7-01-65	212.0	161.0	101
		8-01-65	210.0	163.0	
		9-01-65	207.0	166.0	
		10-01-65	210.0	163.0	
		12-01-65	201.0	172.0	
		2-01-66	200.0(5)	173.0	
		4-01-66	204.0(5)	169.0	
		5-01-66	206.0(5)	167.0	
		6-01-66	207.0(5)	166.0	
01S/12W-13M01S	355.8	7-07-65	185.9	169.9	733
		7-29-65	186.4	169.4	
		8-18-65	187.2	168.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/12W-13H01S	355.8	9-08-65	187.7	168.1	733
(CONT.)		9-29-65	188.1	167.7	
		10-20-65	188.2	167.6	
		11-10-65	188.4	167.4	
		12-01-65	190.5	165.3	
		12-22-65	188.9	166.9	
		1-12-66	186.9	168.9	
		2-02-66	186.6	169.2	
		2-23-66	181.0	174.8	
		3-16-66	185.2	170.6	
		4-06-66	177.5	178.3	
		4-27-66	176.2	179.6	
		5-18-66	180.7	175.1	
		6-29-66	189.0	166.8	
01S/12W-14D01S	425.0	7-30-65	257.3	167.7	101
		8-30-65	259.6	165.4	
		9-30-65	259.6	165.4	
		10-30-65	261.9	163.1	
01S/12W-14F01S	366.0	7-30-65	210.2	155.8	101
		8-30-65	210.2	155.8	
		9-30-65	205.6	160.4	
		10-30-65	212.5	153.5	
01S/12W-14G01S	380.0	7-30-65	218.5	161.5	101
		8-30-65	220.8	159.2	
		9-30-65	216.2	163.8	
		10-30-65	220.8	159.2	
		2-30-66	213.9	166.1	
01S/12W-14H01S	358.0	11-03-65	155.1	202.9	101
		4-07-66	127.8	230.2	
01S/12W-22C01S	421.0	7-16-65	209.7	211.3	733
		8-06-65	209.8	211.2	
		8-27-65	210.7	210.3	
01S/12W-22C02S	420.0	8-06-65	224.7	195.3	733
		8-27-65	224.9	195.1	
01S/12W-24D01S	325.0	7-30-65	167.7	157.3	101
		8-30-65	172.2	152.8	
		9-30-65	163.0	162.0	
		10-30-65	169.9	155.1	
01S/12W-24E02S	308.0	7-21-65	159.0(5)	149.0	101
		8-15-65	153.0(5)	155.0	
		9-15-65	154.0(5)	154.0	
		10-07-65	152.0(5)	156.0	
		11-07-65	153.0(5)	155.0	
		11-21-65	156.0(5)	152.0	
		12-01-65	150.0(5)	158.0	
		1-15-66	148.0(5)	160.0	
		2-15-66	145.0(5)	163.0	
		3-15-66	145.0(5)	163.0	
		4-15-66	146.0(5)	162.0	
		5-15-66	148.0(5)	160.0	
		6-15-66	154.0(5)	154.0	
01S/12W-24E04S	308.5	8-15-65	159.0(5)	149.5	101
		9-15-65	160.0(5)	148.5	
		10-07-65	160.0(5)	148.5	
		11-01-65	156.0(5)	152.5	
		11-15-65	163.0(5)	145.5	
		12-01-65	149.0(5)	159.5	
		1-15-66	144.0(5)	164.5	
		2-15-66	140.0(5)	168.5	
		3-15-66	142.0(5)	166.5	
		4-15-66	142.0(5)	166.5	
		5-15-66	143.0(5)	165.5	
		6-15-66	150.0(5)	158.5	
01S/12W-25H01S	262.2	8-19-65	115.0(5)	147.2	101
		9-23-65	115.0(5)	147.2	
		10-14-65	113.0(5)	149.2	
		11-10-65	94.0(5)	168.2	
		1-05-66	91.0(5)	171.2	
		2-08-66	88.0(5)	174.2	
		3-03-66	94.0(5)	168.2	
		4-16-66	92.0(5)	170.2	
		5-05-66	96.0	166.2	
		6-08-66	101.0	161.2	
01S/12W-25H02S	262.0	7-16-65	100.5(5)	161.5	101
		8-05-65	101.5(5)	160.5	
		9-09-65	104.5(5)	157.5	
		10-14-65	107.5(5)	154.5	
		11-18-65	91.5(5)	170.5	
		1-11-66	86.5(5)	175.5	
		2-08-66	83.5(5)	178.5	
		3-06-66	90.5	171.5	
		4-08-66	87.5	174.5	
		5-10-66	93.5	168.5	
		6-07-66	96.5	165.5	
01S/12W-25H03S	266.0	7-15-65	113.0(5)	153.0	101
		8-01-65	112.0(5)	154.0	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/12W-25B03S	266.0	9-07-65	104.0(5)	162.0	101
(CONT.)		9-15-65	110.0(5)	156.0	
		10-15-65	103.0(5)	163.0	
		11-01-65	109.0(5)	157.0	
		11-15-65	92.0(5)	174.0	
		12-01-65	93.0(5)	173.0	
		1-15-66	88.0(5)	178.0	
		2-15-66	86.0(5)	180.0	
		3-15-66	95.0(5)	171.0	
		4-15-66	95.0(5)	171.0	
		5-15-66	90.0(5)	176.0	
		6-15-66	94.0(5)	172.0	
01S/12W-25B05S	265.0	7-07-65	113.0(5)	152.0	101
		7-21-65	103.0(5)	162.0	
		8-15-65	113.0(5)	152.0	
		9-15-65	112.0(5)	153.0	
		10-07-65	101.0(5)	164.0	
		11-01-65	112.0(5)	153.0	
		12-01-65	93.0(5)	172.0	
		1-15-66	88.0(5)	177.0	
		2-15-66	84.0(5)	181.0	
		3-15-66	96.0(5)	169.0	
		4-15-66	95.0(5)	170.0	
		5-15-66	90.0(5)	175.0	
		6-15-66	95.0(5)	170.0	
01S/12W-25B07S	259.0	7-08-65	92.5(5)	166.5	101
		8-12-65	101.5(5)	157.5	
		9-23-65	87.5(5)	171.5	
		10-07-65	90.5(5)	168.5	
		11-24-65	84.5(5)	174.5	
		1-05-66	76.5(5)	182.5	
		2-03-66	79.5(5)	179.5	
		3-08-66	77.5(5)	181.5	
		4-08-66	77.5(5)	181.5	
		5-10-66	82.5(5)	176.5	
		6-13-66	89.5(5)	169.5	
01S/12W-25B08S	258.0	7-13-65	107.5(5)	150.5	101
		8-05-65	117.5(5)	140.5	
		9-09-65	113.5(5)	144.5	
		10-28-65	109.5(5)	148.5	
		11-18-65	91.5(5)	166.5	
		1-05-66	80.5(5)	177.5	
		2-07-66	78.5(5)	179.5	
		3-08-66	81.5(5)	176.5	
		4-10-66	81.5(5)	176.5	
		5-12-66	84.5(5)	173.5	
		6-11-66	93.5(5)	164.5	
01S/12W-25B10S	262.5	7-21-65	112.5(5)	150.0	101
		8-15-65	119.5(5)	143.0	
		9-07-65	108.5(5)	154.0	
		10-01-65	114.5(5)	148.0	
		10-15-65	110.5(5)	152.0	
		11-07-65	122.5(5)	140.0	
		12-01-65	104.5(5)	158.0	
		1-07-66	96.5(5)	166.0	
		2-15-66	89.5(5)	173.0	
		3-15-66	105.5(5)	157.0	
		4-07-66	92.5(5)	170.0	
		5-07-66	93.5(5)	169.0	
		6-15-66	104.5(5)	158.0	
01S/12W-25B12S	267.0	7-15-65	84.5(5)	182.5	101
		8-19-65	91.5(5)	175.5	
		9-23-65	83.5(5)	183.5	
		10-14-65	91.5(5)	175.5	
		11-18-65	78.5(5)	188.5	
		1-05-66	88.5(5)	178.5	
		2-08-66	86.5(5)	180.5	
		3-10-66	90.5(5)	176.5	
		4-11-66	88.5(5)	178.5	
		5-13-66	97.5(5)	169.5	
		6-17-66	100.5(5)	166.5	
01S/12W-25G03S	254.0	7-15-65	90.5(5)	163.5	101
		8-12-65	95.5(5)	158.5	
		9-23-65	90.5(5)	163.5	
		10-14-65	97.5(5)	156.5	
		11-10-65	91.5(5)	162.5	
		1-05-66	79.5(5)	174.5	
		2-08-66	77.5(5)	176.5	
		3-10-66	81.5(5)	172.5	
		4-11-66	79.5(5)	174.5	
		5-11-66	84.5(5)	169.5	
		6-17-66	89.5(5)	164.5	
01S/12W-25G04S	257.0	7-16-65	81.5(5)	175.5	101
		8-19-65	88.5(5)	168.5	
		9-22-65	82.5(5)	174.5	
		10-28-65	90.5(5)	166.5	
		1-05-66	81.5(5)	175.5	
		2-08-66	80.5(5)	176.5	
		3-10-66	84.5(5)	172.5	
		4-11-66	81.5(5)	175.5	
		5-13-66	86.5(5)	170.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/12W-25G04S (CONT.)	257.0	6-17-66	84.5(5)	172.5	101
01S/12W-36A06S	228.0	7-21-65	42.0(5)	186.0	101
		8-31-65	41.0(5)	187.0	
		9-17-65	43.0(5)	185.0	
		10-18-65	43.0(5)	185.0	
		11-17-65	40.0(5)	188.0	
		12-17-65	39.0(5)	189.0	
		1-14-66	36.0(5)	192.0	
		2-18-66	36.0(5)	192.0	
		3-17-66	39.0(5)	189.0	
		4-13-66	38.0(5)	190.0	
		5-19-66	40.0(5)	188.0	
01S/12W-36A08S	231.0	8-31-65	42.0(5)	189.0	101
		9-17-65	44.0(5)	187.0	
		11-17-65	41.0(5)	190.0	
		12-17-65	40.0(5)	191.0	
		1-14-66	37.0(5)	194.0	
		2-18-66	37.0(5)	194.0	
		3-17-66	38.0(5)	193.0	
		4-13-66	37.0(5)	194.0	
		5-19-66	39.0(5)	192.0	
01S/13W-10M02S	350.0	7-29-65	50.0	300.0	200
		8-26-65	50.1	299.9	
		9-28-65	49.7	300.3	
		10-19-65	50.4	299.6	
		11-29-65	47.8	302.2	
		12-21-65	47.0	303.0	
		1-19-66	44.7	305.3	
		2-23-66	43.4	306.6	
		3-22-66	43.8	306.2	
02S/09W-03P03S	718.0	11-09-65	39.3	678.7	101
		4-05-66	35.2	682.8	
02S/09W-04E01S	608.5	11-01-65	34.3	574.2	101
		4-04-66	26.0	582.5	
02S/09W-04E02S	609.0	11-01-65	30.8	578.2	101
		4-04-66	25.2	583.8	
02S/09W-04G01S	620.0	11-09-65	56.6	563.4	101
		4-05-66	46.7	573.3	
02S/09W-04G02S	621.0	11-09-65	51.3	569.7	101
02S/09W-04L01S	604.0	11-01-65	42.1	561.9	101
		4-04-66	38.2	565.8	
02S/09W-05M01S	580.0	11-03-65	DRY		101
		4-04-66	6.5	573.5	
02S/09W-05N04S	560.0	11-03-65	5.4	554.6	101
		4-04-66	2.5	557.5	
02S/09W-07Q03S	500.0	11-03-65	29.6	470.4	101
		4-04-66	26.1	473.9	
02S/09W-08P01S	548.0	11-03-65	47.8	500.2	101
		4-04-66	37.0	511.0	
02S/09W-09J02S	687.0	11-10-65	20.6	666.4	101
		4-05-66	15.7	671.3	
02S/09W-09Q01S	638.0	11-09-65	16.9	621.1	101
		4-05-66	16.2	621.8	
02S/09W-16D01S	618.0	11-03-65	19.2	598.8	101
		4-04-66	16.0	602.0	
02S/09W-17H02S	583.0	11-03-65	16.6	566.4	101
		4-04-66	13.3	569.7	
02S/09W-18D05S	475.0	11-03-65	19.1	455.9	101
		4-04-66	18.3	456.7	
02S/10W-06A01S	311.0	7-15-65	76.7	234.3	733
		6-21-66	71.8	239.2	
02S/10W-06P02S	308.0	7-14-65	22.8	285.2	733
		8-05-65	24.4	283.6	
		8-26-65	25.7	282.3	
		9-16-65	25.8	282.2	
		10-07-65	25.7	282.3	
		10-28-65	25.6	282.4	
		11-18-65	23.3	284.7	
		12-09-65	21.6	286.4	
		12-30-65	19.8	288.2	
		1-20-66	19.6	288.4	
		2-10-66	19.2	288.8	
		3-03-66	18.9	289.1	
		3-24-66	18.6	289.4	
		4-14-66	17.0	291.0	
		5-05-66	16.6	291.4	
		5-26-66	21.6(4)	286.4	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/10W-07C02S	314.2	11-02-65	63.6	250.6	101
		4-04-66	53.3	260.9	
02S/10W-08E01S	327.0	7-15-65	27.2	299.8	733
		8-05-65	27.7	299.3	
		8-26-65	28.3	298.7	
		9-16-65	28.4	298.6	
		10-07-65	27.9	299.1	
		10-28-65	28.2	298.8	
		11-18-65	26.9	300.1	
		12-09-65	25.1	301.9	
		12-30-65	23.4	303.6	
		1-20-66	23.2	303.8	
		2-10-66	22.9	304.1	
		3-03-66	21.1	305.9	
		3-24-66	20.8	306.2	
		4-14-66	19.0	308.0	
		5-05-66	19.0	308.0	
02S/10W-08L01S	342.0	7-20-65	92.1	249.9	101
		9-23-65	96.3(1)	245.7	
		11-19-65	97.3(1)	244.7	
		1-18-66	39.3(5)	302.7	
		3-23-66	37.3(5)	304.7	
		5-25-66	98.3(1)	243.7	
02S/10W-09Q07S	375.0	11-02-65	45.4(3)	329.6	101
		4-04-66	35.1	339.9	
02S/10W-11K01S	444.0	11-03-65	41.6	402.4	101
		4-04-66	44.7	399.3	
02S/10W-11M01S	404.0	11-03-65	26.1	377.9	101
		4-04-66	25.0	379.0	
02S/10W-13A02S	480.0	11-03-65	24.1	455.9	101
		4-04-66	23.3	456.7	
02S/10W-13E01S	453.0	11-02-65	13.0	440.0	101
		4-04-66	11.0	442.0	
02S/10W-13F02S	453.0	11-02-65	14.0	439.0	101
		4-04-66	11.3	441.7	
02S/10W-13F03S	454.0	11-02-65	15.6(1)	438.4	101
		4-04-66	13.8(1)	440.2	
02S/10W-13G03S	450.0	11-02-65	14.8	435.2	101
		4-04-66	13.8	436.2	
02S/10W-14G01S	425.0	11-02-65	14.4	410.6	101
		4-04-66	14.1	410.9	
02S/10W-14G02S	420.0	11-02-65	14.2	405.8	101
		4-04-66	13.7	406.3	
02S/10W-14L03S	434.0	11-02-65	18.3	415.7	101
		4-04-66	16.5	417.5	
02S/10W-14M01S	431.0	11-02-65	19.8	411.2	101
		4-04-66	17.7	413.3	
02S/10W-14M02S	432.0	11-02-65	21.1	410.9	101
		4-04-66	19.1	412.9	
02S/10W-15D01S	390.5	11-02-65	34.7	355.8	101
		4-04-66	24.0	366.5	
02S/10W-15F04S	453.0	11-02-65	14.1	438.9	101
		4-04-66	12.4	440.6	
02S/10W-15H01S	419.0	11-02-65	20.7	398.3	101
		4-04-66	17.7	401.3	
02S/10W-15H02S	420.0	11-02-65	20.2	399.8	101
		4-04-66	17.2	402.8	
02S/10W-15K01S	424.0	11-02-65	20.7	403.3	101
		4-04-66	17.6	406.4	
02S/10W-15L01S	421.0	11-02-65	20.2	400.8	101
02S/10W-23G02S	482.0	11-02-65	26.9	455.1	101
		4-04-66	24.8	457.2	
02S/11W-01B01S	291.0	11-01-65	74.1	216.9	101
		4-04-66	53.5	237.5	
02S/11W-01R01S	187.4	7-14-65	9.2	178.2	101
		7-26-65	10.2	177.2	
		8-23-65	15.8	171.6	
		9-27-65	16.2	171.2	
		10-26-65	12.2	175.2	
		11-30-65	5.7	181.7	
		12-27-65	10.4	177.0	
		2-28-66	9.6	177.8	
		4-04-66	11.3	176.1	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00

MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-01R01S (CONT.)	187.4	4-25-66	9.6	177.8	101
		5-23-66	9.7	177.7	
		6-27-66	9.8	177.6	
02S/11W-01R02S	198.6	7-14-65	19.8	178.8	101
		7-26-65	20.6	178.0	
		8-23-65	24.3	174.3	
		9-27-65	27.3	171.3	
		10-26-65	24.0	174.6	
		11-30-65	18.6	180.0	
		12-27-65	21.7	176.9	
		1-24-66	16.7	181.9	
		2-28-66	20.8	177.8	
		4-04-66	21.6	177.0	
		4-25-66	19.6	179.0	
		5-23-66	21.0	177.6	
		6-27-66	21.0	177.6	
02S/11W-03D07S	252.5	11-03-65	22.9	229.6	101
		4-06-66	20.2	232.3	
02S/11W-04L01S	233.0	7-14-65	42.2	190.8	101
		7-26-65	43.1	189.9	
		8-23-65	46.6	186.4	
		9-27-65	46.2	186.8	
		10-26-65	47.1	185.9	
		11-30-65	40.2	192.8	
		12-27-65	36.6	196.4	
		1-24-66	34.0	199.0	
		2-28-66	31.8	201.2	
		4-04-66	33.1	199.9	
		4-25-66	33.1	199.9	
		5-23-66	32.6	200.4	
		6-27-66	34.8	198.2	
02S/11W-04M03S	218.0	7-19-65	123.0(1)	95.0	101
		9-21-65	64.0(1)	154.0	
		11-29-65	125.0(1)	93.0	
		1-17-66	135.0(1)	83.0	
		3-21-66	55.0	163.0	
		5-23-66	122.0(1)	96.0	
02S/11W-04N01S	225.0	11-02-65	38.8	186.2	101
		4-06-66	25.0	200.0	
02S/11W-05A03S	212.4	7-14-65	9.8	202.6	101
		7-26-65	DRY		
		8-23-65	DRY		
		9-27-65	DRY		
		12-27-65	5.6	206.8	
		1-24-66	3.6	208.8	
		2-28-66	3.9	208.5	
		4-04-66	4.1	208.3	
		4-25-66	5.5	206.9	
		5-23-66	4.9	207.5	
		6-27-66	6.2	206.2	
02S/11W-05B11S	222.5	11-02-65	31.3	191.2	101
		4-04-66	18.4	204.1	
02S/11W-05B13S	223.0	11-08-65	32.3	190.7	101
		4-04-66	18.8	204.2	
02S/11W-05E02S	209.8	7-07-65	17.2	192.6	733
		7-28-65	18.9	190.9	
		8-18-65	19.6	190.2	
		9-08-65	27.4	182.4	
		9-29-65	21.0	188.8	
		10-20-65	21.6	188.2	
		11-10-65	21.3	188.5	
		12-01-65	13.3	196.5	
		12-22-65	13.0	196.8	
		1-12-66	10.7	199.1	
		2-02-66	10.6	199.2	
		2-23-66	11.2	198.6	
		3-16-66	11.7	198.1	
		4-06-66	11.6	198.2	
		4-27-66	10.9	198.9	
		5-18-66	12.6	197.2	
		6-29-66	26.2	183.6	
02S/11W-05F03S	217.0	7-14-65	17.8	199.2	101
		7-26-65	18.3	198.7	
		8-23-65	21.2	195.8	
		9-27-65	20.7	196.3	
		10-26-65	21.1	195.9	
		11-30-65	5.6	211.4	
		12-27-65	7.4	209.6	
		1-24-66	7.8	209.2	
		2-28-66	6.8	210.2	
		4-04-66	8.6	208.4	
		4-25-66	9.5	207.5	
		5-23-66	9.2	207.8	
		6-27-66	9.3	207.7	
02S/11W-05G02S	214.0	7-26-65	31.5	182.5	101
		8-02-65	34.0(5)	180.0	
		8-16-65	36.5	177.5	
02S/11W-05G02S (CONT.)	214.0	8-30-65	43.0(5)	171.0	101
		9-06-65	35.0(5)	179.0	
		10-04-65	38.0(5)	176.0	
		10-04-65	39.5	174.5	
		10-18-65	38.5	175.5	
		11-08-65	35.0(5)	179.0	
		11-15-65	31.5	182.5	
		11-22-65	29.0(5)	185.0	
		11-22-65	26.5	187.5	
		12-06-65	23.0	191.0	
		12-13-65	20.0(5)	194.0	
		12-20-65	20.5	193.5	
		1-10-66	19.0(5)	195.0	
		1-10-66	20.5	193.5	
		1-17-66	17.0(5)	197.0	
		2-07-66	13.5	200.5	
		2-21-66	16.0(5)	198.0	
		3-07-66	16.5	197.5	
		3-21-66	17.0(5)	197.0	
		4-04-66	19.5	194.5	
		4-18-66	17.0(5)	197.0	
		5-02-66	26.5	187.5	
		5-09-66	18.0(5)	196.0	
		6-06-66	22.5	191.5	
		6-13-66	18.0(5)	196.0	
02S/11W-05G04S	211.0	3-14-66	46.0(1)	165.0	101
02S/11W-05G05S	210.0	7-12-65	15.4	194.6	101
		8-16-65	28.4	181.6	
		9-13-65	26.4	183.6	
		10-04-65	24.4	185.6	
		10-25-65	26.4	183.6	
		11-22-65	23.4	186.6	
		12-20-65	17.4	192.6	
		1-10-66	15.4	194.6	
		2-21-66	18.4	191.6	
		3-14-66	13.4	196.6	
		4-11-66	13.4	196.6	
		5-09-66	16.4	193.6	
		6-13-66	20.4	189.6	
		6-27-66	16.4	193.6	
02S/11W-05G06S	213.0	11-02-65	19.3	193.7	101
		4-04-66	6.5	206.5	
02S/11W-05H01S	220.0	7-14-65	DRY		101
		7-26-65	DRY		
		8-23-65	DRY		
		9-27-65	DRY		
		10-26-65	DRY		
02S/11W-05J02S	215.0	11-02-65	41.3	173.7	101
		4-11-66	20.2	194.8	
02S/11W-05J03S	213.0	7-19-65	63.5(1)	149.5	101
		9-21-65	68.5(1)	144.5	
		11-29-65	58.5(1)	154.5	
		1-03-66	13.5	199.5	
		1-17-66	13.5(5)	199.5	
		3-21-66	48.5(1)	164.5	
		5-23-66	48.5(5)	164.5	
02S/11W-05J09S	214.0	7-19-65	49.0(1)	165.0	101
		9-21-65	58.0(1)	156.0	
		11-29-65	25.0	189.0	
		1-03-66	18.0	196.0	
		1-17-66	16.0	198.0	
		3-21-66	37.0(1)	177.0	
		5-23-66	38.0(1)	176.0	
02S/11W-05K01S	209.5	7-12-65	26.0	183.5	101
		8-16-65	27.0	182.5	
		9-13-65	24.0	185.5	
		10-04-65	29.0	180.5	
		11-01-65	28.0	181.5	
		11-29-65	16.0	193.5	
		12-20-65	14.0	195.5	
		1-10-66	11.0	198.5	
		2-07-66	11.0	198.5	
		3-14-66	14.0	195.5	
		4-11-66	14.0	195.5	
		5-09-66	16.0	193.5	
		6-13-66	15.0	194.5	
02S/11W-05K02S	215.0	7-19-65	21.5	193.5	101
		9-21-65	26.5	188.5	
		11-29-65	26.5	188.5	
		1-17-66	16.5(5)	198.5	
		3-21-66	20.5(5)	194.5	
		5-23-66	20.5(5)	194.5	
02S/11W-05L01S	212.5	7-07-65	18.2	194.3	733
		7-14-65	18.0	194.5	
		7-21-65	20.3	192.2	
		7-28-65	21.3	191.2	
		8-04-65	22.1	190.4	
		8-11-65	23.0	189.5	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-05L01S	212.5	8-18-65	23.5	189.0	733
(CONT.)		8-25-65	24.1	188.4	
		9-01-65	24.9	187.6	
		9-08-65	24.0	188.5	
		9-15-65	24.7	187.8	
		9-22-65	23.3	189.2	
		9-29-65	22.5	190.0	
		10-06-65	24.6	187.9	
		10-13-65	25.1	187.4	
		10-20-65	23.5	189.0	
		10-27-65	23.3	189.2	
		11-03-65	24.1	188.4	
		11-10-65	23.8	188.7	
		11-17-65	17.2	195.3	
		11-27-65	12.5	200.0	
		12-01-65	13.3	199.2	
		12-08-65	13.0	199.5	
		12-15-65	12.8	199.7	
		12-22-65	14.0	198.5	
		12-31-65	11.4	201.1	
		1-05-66	10.9	201.6	
		1-12-66	11.2	201.3	
		1-19-66	11.3	201.2	
		1-26-66	10.8	201.7	
		2-02-66	11.8	200.7	
		2-09-66	11.8	200.7	
		2-16-66	12.6	199.9	
		2-23-66	12.6	199.9	
		3-02-66	12.7	199.8	
		3-09-66	12.9	199.6	
		3-16-66	13.1	199.4	
		3-23-66	13.8	198.7	
		3-30-66	12.7	199.8	
		4-04-66	12.9	199.6	
		4-13-66	13.0	199.5	
		4-20-66	13.8	198.7	
		4-27-66	13.8	198.7	
		5-04-66	13.6	198.9	
		5-11-66	13.3	199.2	
		5-18-66	13.8	198.7	
		5-25-66	13.8	198.7	
		6-01-66	13.5	199.0	
		6-13-66	13.8	198.7	
		6-22-66	13.2	199.3	
		6-29-66	15.0	197.5	
02S/11W-05N04S	203.2	7-14-65	16.5	186.7	733
		7-26-65	16.7	186.5	
		8-23-65	18.0	185.2	
		9-27-65	18.5	184.7	
		10-25-65	18.8	184.4	
		11-29-65	12.6	190.6	
		12-27-65	13.1	190.1	
		1-24-66	12.6	190.6	
		2-28-66	13.0	190.2	
		4-04-66	12.2	191.0	
		4-25-66	13.0	190.2	
		5-23-66	12.8	190.4	
		6-27-66	13.3	189.9	
02S/11W-05N05S	199.7	11-02-65	21.6	178.1	101
		4-04-66	15.3	184.4	
02S/11W-05P01S	202.0	11-02-65	DRY		101
02S/11W-05P03S	206.5	7-14-65	18.4	188.1	101
		7-26-65	19.0	187.5	
		8-23-65	21.7	184.8	
		9-27-65	22.2	184.3	
		10-26-65	22.0	184.5	
		11-30-65	13.7	192.8	
		12-27-65	14.3	192.2	
		1-24-66	13.3	193.2	
		2-28-66	12.2	194.3	
		4-04-66	12.5	194.0	
		4-25-66	14.4	192.1	
		5-23-66	13.5	193.0	
		6-27-66	13.3	193.2	
02S/11W-05Q04S	213.0	7-19-65	35.0	178.0	101
		9-21-65	39.0	174.0	
		11-29-65	26.0	187.0	
		1-03-66	17.0	196.0	
		1-17-66	17.5(5)	195.5	
		3-21-66	21.0(5)	192.0	
		5-23-66	21.0(5)	192.0	
02S/11W-05Q05S	210.1	7-14-65	16.4	193.7	101
		7-26-65	19.1	191.0	
		8-23-65	22.0	188.1	
		9-27-65	21.3	188.8	
		10-26-65	21.3	188.8	
		11-30-65	12.4	197.7	
		12-27-65	13.2	196.9	
		1-24-66	11.1	199.0	
		2-28-66	11.6	198.5	
		4-04-66	11.8	198.3	
		4-25-66	14.2	195.9	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-05Q05S	210.1	5-23-66	12.8	197.3	101
(CONT.)		6-27-66	13.6	196.5	
02S/11W-05Q06S	209.3	7-14-65	15.6	193.7	101
		7-26-65	18.3	191.0	
		8-23-65	21.1	188.2	
		9-27-65	20.4	188.9	
		10-26-65	20.7	188.6	
		11-30-65	12.2	197.1	
		12-27-65	13.6	195.7	
		1-24-66	9.9	199.4	
		2-28-66	10.6	198.7	
		4-04-66	10.8	198.5	
		4-25-66	12.2	197.1	
		5-23-66	11.8	197.5	
		6-27-66	12.7	196.6	
02S/11W-05R03S	207.0	11-02-65	26.9	180.1	101
		4-06-66	12.9	194.1	
02S/11W-05R04S	214.0	7-14-65	21.1	192.9	101
		7-26-65	23.1	190.9	
		8-23-65	26.9	187.1	
		9-27-65	25.3	188.7	
		10-26-65	26.3	187.7	
		11-30-65	17.3	196.7	
		12-27-65	16.6	197.4	
		1-24-66	13.4	200.6	
		2-28-66	14.8	199.2	
		4-04-66	15.1	198.9	
		4-25-66	16.4	197.6	
		5-23-66	16.4	197.6	
		6-27-66	17.2	196.8	
02S/11W-06A01S	209.6	7-14-65	14.4	195.2	101
		7-26-65	15.0	194.6	
		8-23-65	17.3	192.3	
		9-27-65	17.5	192.1	
		10-26-65	18.1	191.5	
		11-30-65	12.9	196.7	
		12-27-65	12.2	197.4	
		2-28-66	8.5	201.1	
		4-04-66	8.5	201.1	
		4-25-66	9.0	200.6	
		5-23-66	9.1	200.5	
		6-27-66	9.6	200.0	
02S/11W-06A02S	210.0	8-24-65	19.6	190.4	101
		11-01-65	20.0	190.0	
		4-04-66	10.6	199.4	
02S/11W-06B01S	203.0	11-02-65	10.8	192.2	101
		4-04-66	8.4	194.6	
02S/11W-06B03S	196.2	7-21-65	5.1	191.1	101
		8-03-65	5.5	190.7	
		9-17-65	6.8	189.4	
		10-20-65	5.0	191.2	
		11-02-65	4.3	191.9	
		1-11-66	3.0	193.2	
		4-04-66	3.5	192.7	
02S/11W-06H02S	207.7	7-14-65	16.1	191.6	101
		7-26-65	17.5	190.2	
		8-09-65	19.1	188.6	
		8-23-65	19.9	187.8	
		9-13-65	20.9	186.8	
		9-27-65	19.7	188.0	
		10-11-65	20.9	186.8	
		10-26-65	21.0	186.7	
		11-08-65	20.7	187.0	
		11-30-65	12.9	194.8	
		12-06-65	11.7	196.0	
		12-27-65	12.2	195.5	
		1-24-66	11.0	196.7	
		2-08-66	9.9	197.8	
		2-28-66	10.3	197.4	
		3-14-66	10.9	196.8	
		4-04-66	10.7	197.0	
		4-25-66	11.2	196.5	
		5-09-66	10.2	197.5	
		5-23-66	11.4	196.3	
		6-06-66	11.6	196.1	
		6-27-66	12.0	195.7	
02S/11W-08A02S	218.0	4-06-66	14.9	203.1	101
02S/11W-08B01S	217.0	7-26-65	26.2	190.8	733
		8-23-65	27.1	189.9	
		9-27-65	28.8	188.2	
		10-25-65	30.0	187.0	
		11-29-65	24.5	192.5	
		12-27-65	21.3	195.7	
		1-24-66	19.3	197.7	
		2-28-66	18.6	198.4	
		3-30-66	18.8	198.2	
		4-04-66	18.9	198.1	
		4-25-66	20.0	197.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/11W-08B01S	217.0	5-23-66	19.6	197.4	733
(CONT.)		6-27-66	20.4	196.6	
02S/11W-08B02S	205.0	11-02-65	17.4	187.6	101
		4-06-66	14.5	190.5	
02S/11W-08G01S	211.0	11-04-65	27.7	183.3	101
		4-06-66	15.6	195.4	
01N/09W-19K01S	1237.0	11-03-65	55.5	1181.5	101
		4-04-66	29.8	1207.2	
01N/09W-20J01S	1114.0	7-06-65	104.0	1010.0	101
		8-03-65	110.8	1003.2	
		10-04-65	123.0	991.0	
		11-01-65	127.0	987.0	
		12-06-65	41.0	1073.0	
		12-20-65	22.7	1091.3	
		1-04-66	25.2	1088.8	
		1-14-66	30.2	1083.8	
		2-01-66	54.7	1059.3	
		3-02-66	39.0	1075.0	
		4-04-66	41.4	1072.6	
		5-02-66	89.6	1024.4	
		6-02-66	100.0	1014.0	
01N/09W-20L01S	1095.0	11-09-65	587.0(3)	508.0	101
01N/09W-29C01S	968.0	12-08-65	463.5	504.5	101
		1-04-66	460.5	507.5	
01N/09W-29C02S	950.0	12-08-65	446.0(5)	504.0	101
01N/09W-29K01S	935.0	7-06-65	379.9	555.1	101
		8-03-65	380.6	554.4	
		9-01-65	380.2	554.8	
		10-04-65	380.6	554.4	
		11-01-65	380.5	554.5	
		12-06-65	380.3	554.7	
		1-04-66	379.8	555.2	
		2-01-66	379.1	555.9	
		3-02-66	377.5	557.5	
		4-04-66	375.1	559.9	
		6-02-66	368.4	566.6	
01N/09W-29L01S	911.0	7-06-65	413.5	497.5	101
		8-03-65	413.0	498.0	
		9-01-65	413.5	497.5	
		10-04-65	415.5	495.5	
		11-01-65	418.0	493.0	
		12-06-65	410.8	500.2	
		1-04-66	414.4	496.6	
		2-01-66	404.7	506.3	
		3-02-66	403.2	507.8	
		4-04-66	394.8	516.2	
		5-02-66	389.0	522.0	
		6-02-66	382.4	528.6	
01N/09W-29M01S	868.0	1-04-66	374.5	493.5	101
		2-01-66	372.5	495.5	
		3-02-66	368.9	499.1	
01N/09W-30R01S	820.0	7-06-65	329.8	490.2	101
		8-03-65	331.5	488.5	
		9-01-65	331.3	488.7	
		10-04-65	332.8	487.2	
		11-01-65	333.5	486.5	
		12-06-65	331.4	488.6	
		12-20-65	330.5	489.5	
		1-04-66	329.9	490.1	
		2-01-66	328.5	491.5	
		3-02-66	326.5	493.5	
		4-05-66	324.3	495.7	
		5-02-66	323.9	496.1	
		6-02-66	321.8	498.2	
01N/09W-31P02S	713.0	7-06-65	111.3	601.7	101
		8-03-65	111.2	601.8	
		9-01-65	111.8	601.2	
		10-04-65	110.9	602.1	
		11-01-65	111.0	602.0	
		12-07-65	111.3	601.7	
		1-04-66	110.8	602.2	
		2-02-66	110.4	602.6	
		3-02-66	110.5	602.5	
		4-05-66	107.9	605.1	
		5-02-66	107.5	605.5	
		6-02-66	107.4	605.6	
01N/09W-32A02S	868.8	7-06-65	133.4(3)	735.4	101
		8-03-65	137.5	731.3	
		9-01-65	137.4	731.4	
		10-04-65	137.3	731.5	
		11-01-65	137.2	731.6	
		12-06-65	136.7	732.1	
		12-20-65	136.3	732.5	
		1-04-66	136.6	732.2	
		1-14-66	136.3	732.5	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/09W-32A02S	868.8	2-01-66	135.7	733.1	101
(CONT.)		3-02-66	135.4	733.4	
		4-04-66	134.2	734.6	
		5-02-66	133.5	735.3	
		6-02-66	133.0	735.8	
01N/09W-32B01S	841.0	7-06-65	125.4(4)	715.6	101
		10-04-65	125.0	716.0	
		11-01-65	125.7	715.3	
		12-07-65	124.3	716.7	
		1-04-66	121.5	719.5	
		2-01-66	120.2	720.8	
		4-04-66	118.1	722.9	
		5-02-66	115.7(4)	725.3	
		6-02-66	121.0(4)	720.0	
01N/09W-32G01S	830.0	7-06-65	116.1(4)	713.9	101
		9-01-65	115.7(4)	714.3	
		10-04-65	114.5	715.5	
		11-01-65	114.2	715.8	
		12-07-65	112.8	717.2	
		1-04-66	111.3	718.7	
		2-01-66	110.3	719.7	
		4-04-66	108.8	721.2	
		5-02-66	108.1(4)	721.9	
		6-02-66	107.7(4)	722.3	
01N/09W-34N01S	944.6	4-18-66	DRY		101
01N/09W-34N02S	944.5	4-18-66	DRY		101
01N/09W-34P01S	969.6	4-18-66	DRY		101
01N/09W-34P02S	969.6	4-18-66	DRY		101
01N/09W-34P03S	969.6	4-18-66	DRY		101
01N/09W-34P04S	966.4	4-18-66	DRY		101
01N/09W-34P05S	961.9	4-18-66	DRY		101
01N/09W-34P06S	961.7	4-18-66	DRY		101
01N/09W-34P07S	966.4	4-18-66	DRY		101
01N/09W-34P08S	961.7	4-18-66	DRY		101
01N/09W-34P09S	958.9	4-18-66	DRY		101
01N/09W-34P10S	958.7	4-18-66	DRY		101
01N/09W-34P11S	958.6	4-18-66	DRY		101
01N/09W-34P12S	955.0	4-18-66	DRY		101
01N/09W-34P13S	954.7	4-18-66	DRY		101
01N/09W-34P14S	955.0	4-18-66	DRY		101
01N/09W-35L01S	1100.0	12-06-65	73.1	1026.9	101
		4-11-66	41.2	1058.8	
01N/09W-35L02S	1079.0	12-06-65	74.0(5)	1005.0	101
01N/09W-35L03S	1090.0	12-06-65	82.5(5)	1007.5	101
		4-11-66	38.5(5)	1051.5	
01N/09W-35P01S	1047.0	7-07-65	280.2	766.8	101
		8-02-65	276.7	770.3	
		9-01-65	275.1	771.9	
		10-04-65	270.8	776.2	
		11-01-65	273.1	773.9	
		12-13-65	267.2	779.8	
		1-10-66	264.9	782.1	
		2-01-66	256.4	790.6	
		3-01-66	239.7	807.3	
		4-06-66	225.0	822.0	
		5-02-66	217.3	829.7	
		6-06-66	210.9	836.1	
01N/09W-35P02S	1054.0	7-01-65	297.3	756.7	101
		7-08-65	287.7	766.3	
		7-15-65	286.9	767.1	
		7-22-65	286.5	767.5	
		7-29-65	287.5	766.5	
		8-05-65	284.9	769.1	
		8-12-65	286.8	767.2	
		8-19-65	285.9	768.1	
		8-26-65	298.8	755.2	
		9-02-65	285.3	768.7	
		9-16-65	280.2	773.8	
		9-30-65	277.3	776.7	
		10-08-65	277.1	776.9	
		10-15-65	277.6	776.4	
		10-28-65	282.5	771.5	
		11-04-65	282.2	771.8	
		11-12-65	284.2	769.8	
		11-27-65	279.1	774.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/09W-35P02S (CONT.)	1054.0	12-03-65	278.8	775.2	101
		12-15-65	278.4	775.6	
		12-22-65	269.2	784.8	
		12-30-65	274.4	779.6	
		1-06-66	273.5	780.5	
		1-13-66	273.5	780.5	
		1-20-66	267.9	786.1	
		2-02-66	261.8	792.2	
		2-09-66	258.7	795.3	
		2-17-66	255.1	798.9	
		2-24-66	249.5	804.5	
		3-03-66	247.2	806.8	
		3-16-66	237.8	816.2	
		3-23-66	240.4	813.6	
		3-30-66	232.5	821.5	
		4-06-66	231.5	822.5	
		4-13-66	230.3	823.7	
		4-20-66	224.8	829.2	
		4-27-66	224.1	829.9	
		5-04-66	222.9	831.1	
		5-11-66	216.9	837.1	
		5-18-66	219.9	834.1	
		5-26-66	219.2	834.8	
		6-08-66	217.1	836.9	
		6-15-66	216.5	837.5	
		6-22-66	217.0	837.0	
		6-29-66	217.2	836.8	
01N/09W-35Q01S	1073.0	11-01-65	310.9	762.1	101
		4-06-66	231.7	841.3	
01N/09W-35Q02S	1064.0	4-06-66	225.7	838.3	101
01N/09W-35Q03S	1061.0	11-01-65	303.5	757.5	101
		1-10-66	292.8	768.2	
		2-14-66	273.2	787.8	
		3-01-66	252.3	808.7	
		4-06-66	229.5	831.5	
		5-02-66	218.7	842.3	
		6-06-66	214.5	846.5	
01N/09W-35Q04S	1060.0	11-01-65	313.8	746.2	101
01N/09W-35Q05S	1069.0	11-01-65	299.6	769.4	101
		4-11-66	222.3	846.7	
01N/09W-36P01S	1170.0	11-02-65	243.9	926.1	101
		4-12-66	224.5	945.5	
01N/09W-36P02S	1157.0	11-02-65	234.5	922.5	101
		4-12-66	226.6	930.4	
01N/10W-25G01S	882.0	11-03-65	144.9	737.1	101
		4-04-66	129.9	752.1	
01N/10W-25R01S	703.2	7-15-65	277.0	426.2	733
		8-05-65	280.2	423.0	
		8-26-65	279.5	423.7	
		9-16-65	278.6	424.6	
		10-07-65	278.7	424.5	
		10-28-65	280.5	422.7	
		11-18-65	278.5	424.7	
		12-09-65	279.8	423.4	
		12-30-65	278.0	425.2	
		1-20-66	274.1	429.1	
		2-10-66	276.6(4)	426.6	
		3-03-66	275.0	428.2	
		3-24-66	279.6(4)	423.6	
		4-14-66	279.8	423.4	
		5-05-66	279.0	424.2	
		5-26-66	280.1	423.1	
01N/10W-31A01S	510.3	7-07-65	275.1(4)	235.2	101
		7-16-65	286.2	224.1	733
		8-06-65	289.9	220.4	
		8-27-65	290.7	219.6	
		9-17-65	292.5	217.8	
		10-08-65	301.6	208.7	
		10-29-65	297.0(5)	213.3	
		11-19-65	296.7(5)	213.6	
		12-08-65	255.0(4)	255.3	101
		12-15-65	227.5	282.8	
		12-28-65	238.8	271.5	
		1-04-66	249.4(4)	260.9	
		1-11-66	215.9	294.4	
		1-18-66	207.9	302.4	
		2-01-66	145.9(4)	364.4	
		2-11-66	205.6	304.7	733
		2-23-66	228.5(4)	281.8	101
		3-02-66	211.5(4)	298.8	
		3-09-66	206.5(4)	303.8	
		3-16-66	218.1(4)	292.2	
		3-23-66	227.9(4)	282.4	
		3-30-66	233.7(4)	276.6	
		4-06-66	238.9(4)	271.4	
		4-13-66	241.8(4)	268.5	
		4-20-66	243.5(4)	266.8	
		5-04-66	244.3(4)	266.0	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/10W-31A01S (CONT.)	510.3	5-11-66	195.7(4)	314.6	101
		5-26-66	252.2(4)	258.1	
		6-01-66	250.9(4)	259.4	
		6-08-66	254.1	256.2	
		6-15-66	252.5(4)	257.8	
		6-22-66	253.7(4)	256.6	
01N/10W-31M01S	447.0	7-07-65	234.6	212.4	101
		7-16-65	234.0	213.0	733
		8-06-65	234.4	212.6	
		8-27-65	235.2	211.8	
		9-17-65	238.4	208.6	
		10-08-65	241.0	206.0	
		10-29-65	241.9(5)	205.1	
		11-19-65	238.2(5)	208.8	
		12-08-65	226.0	221.0	101
		12-20-65	220.2	226.8	
		12-28-65	201.7	245.3	
		1-04-66	224.6	222.4	
		1-11-66	214.4	232.6	
		1-18-66	212.9	234.1	
		2-01-66	176.4	270.6	
		2-09-66	183.6	263.4	
		2-23-66	188.2	258.8	
		3-02-66	185.2	261.8	
		3-09-66	179.4	267.6	
		3-16-66	179.5	267.5	
		3-23-66	181.8	265.2	
		3-30-66	183.9	263.1	
		4-05-66	186.6	260.4	
		4-13-66	188.4	258.6	
		4-20-66	195.8	251.2	
		5-04-66	190.0	257.0	
		5-27-66	195.6(4)	251.4	733
		6-01-66	194.3(4)	252.7	101
		6-15-66	195.9(4)	251.1	
01N/10W-32J01S	547.7	11-06-65	DRY		101
		4-09-66	273.0	274.7	
01N/10W-33M01S	549.0	7-07-65	DRY		733
		10-20-65	DRY		
		11-10-65	DRY		
		1-05-66	294.9	254.1	
		1-26-66	283.6	265.4	
		2-16-66	280.9	268.1	
		2-23-66	273.3	275.7	
		3-16-66	274.2	274.8	
		4-06-66	277.1	271.9	
		4-27-66	280.5	268.5	
		5-18-66	284.6	264.4	
		6-29-66	293.5	255.5	
01N/10W-34N01S	440.0	11-02-65	226.5	213.5	101
		4-05-66	180.2	259.8	
01N/10W-34N02S	438.9	4-05-66	179.2	259.7	101
01N/11W-13N01S	870.0	11-01-65	32.8	837.2	101
		12-02-65	10.9	859.1	
		12-14-65	19.3	850.7	
		12-22-65	18.4	851.6	
		1-11-66	15.9	854.1	
		1-18-66	17.0	853.0	
		1-25-66	20.2	849.8	
		2-01-66	24.1	845.9	
		2-08-66	21.1	848.9	
		2-15-66	18.3	851.7	
		3-02-66	23.8	846.2	
		3-15-66	19.1	850.9	
		3-22-66	21.9	848.1	
		3-30-66	25.3	844.7	
		4-05-66	22.8	847.2	
		4-13-66	22.0	848.0	
		4-20-66	25.3	844.7	
		4-27-66	24.8	845.2	
		5-03-66	23.6	846.4	
		5-11-66	23.9	846.1	
		5-24-66	27.1	842.9	
		6-01-66	25.3	844.7	
		6-08-66	23.5	846.5	
		6-15-66	27.7	842.3	
01N/11W-24E03S	759.0	11-01-65	DRY		101
		12-02-65	9.1	749.9	
		12-14-65	41.1	717.9	
		12-22-65	17.8	741.2	
		1-05-66	53.1	705.9	
		1-18-66	16.1	742.9	
		1-25-66	25.2	733.8	
		2-01-66	47.7	711.3	
		2-08-66	31.8	727.2	
		2-15-66	37.4	721.6	
		2-23-66	34.7	724.3	
		3-02-66	51.7	707.3	
		3-15-66	29.3	729.7	
		3-22-66	45.0	714.0	
		3-30-66	56.1	702.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
MAIN SAN GABRIEL HYDRO SUBAREA U-05.01

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/11W-24F03S	759.0	4-05-66	49.3	709.7	101
(CONT.)		4-13-66	50.7	708.3	
		4-20-66	58.1	700.9	
		4-27-66	59.7	699.3	
		5-03-66	58.6	700.4	
		5-11-66	51.8	707.2	
		5-24-66	61.1	697.9	
		6-01-66	64.7	694.3	
		6-08-66	53.9(3)	705.1	
		6-15-66	59.9	699.1	
		6-28-66	64.8	694.2	
01N/11W-24L01S	697.3	7-16-65	92.0	605.3	733
		8-06-65	93.6	603.7	
		8-27-65	94.7	602.6	
		9-17-65	95.2	602.1	
		10-08-65	95.6	601.7	
		10-29-65	96.0	601.3	
		11-01-65	104.7	592.6	101
		11-19-65	96.6	600.7	733
		12-02-65	94.3	603.0	101
		12-10-65	67.6	629.7	733
		12-22-65	63.8	633.5	101
		12-31-65	65.5	631.8	733
		1-05-66	69.7	627.6	101
		1-18-66	55.3	642.0	
		1-25-66	57.1	640.2	
		2-01-66	58.3	639.0	
		2-08-66	61.5	635.8	
		2-15-66	57.4	639.9	
		2-23-66	56.9	640.4	
		3-02-66	60.8	636.5	
		3-15-66	63.3	634.0	
		3-22-66	64.3	633.0	
		3-30-66	65.7	631.6	
		4-05-66	69.8	627.5	
		4-13-66	66.7	630.6	
		4-20-66	70.1	627.2	
		4-27-66	73.2	624.1	
		5-06-66	73.1	624.2	733
		5-24-66	71.0	626.3	101
		6-01-66	73.5	623.8	
		6-08-66	72.4	624.9	
		6-15-66	74.4	622.9	
		6-28-66	76.9	620.4	
01N/11W-33Q01S	407.8	7-06-65	186.0	221.8	101
		8-02-65	188.7	219.1	
		9-01-65	188.9	218.9	
		10-04-65	190.1	217.7	
		11-01-65	190.5	217.3	
		11-30-65	190.4	217.4	
		1-04-66	189.2	218.6	
		2-01-66	187.8	220.0	
		3-02-66	185.7	222.1	
		4-05-66	183.8	224.0	
		5-03-66	182.1	225.7	
		6-01-66	180.8	227.0	
01N/11W-35L01S	403.0	7-15-65	198.0(5)	205.0	101
		8-15-65	200.0(5)	203.0	
		9-15-65	196.0(5)	207.0	
		10-15-65	196.0(5)	207.0	
		11-15-65	196.0(5)	207.0	
		12-15-65	185.0(5)	218.0	
		1-15-66	180.0(5)	223.0	
		2-15-66	165.0(5)	238.0	
		3-15-66	162.0(5)	241.0	
		4-15-66	168.0(5)	235.0	
		5-15-66	163.0(5)	240.0	
		6-15-66	172.0(5)	231.0	
01N/11W-36L01S	413.5	7-07-65	201.9	211.6	101
		7-16-65	200.4	213.1	733
		8-06-65	202.4	211.1	
		8-27-65	203.9	209.6	
		10-08-65	204.0	209.5	
		10-29-65	205.4	208.1	
		11-19-65	204.1	209.4	
		12-08-65	200.4	213.1	101
		12-28-65	185.0	228.5	
		1-21-66	181.9	231.6	733
		2-11-66	174.8	238.7	
		2-23-66	161.8	251.7	101
		3-04-66	173.6	239.9	733
		3-25-66	158.9	254.6	
		4-09-66	158.9	254.6	101
		4-20-66	164.3	249.2	
		5-04-66	160.8	252.7	
		5-18-66	162.5	251.0	
		5-27-66	162.6	250.9	733
01N/11W-36R01S	424.0	11-06-65	218.1	205.9	101
		4-09-66	167.0	257.0	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
LOWER CANYON HYDRO SUBAREA U-05.02

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/10W-25F02S	809.0	11-01-65	69.6	739.4	101
		4-04-66	53.9	755.1	
01N/10W-26R01S	643.0	7-15-65	24.4	618.6	733
		8-05-65	26.1	616.9	
		8-26-65	25.6	617.4	
		9-16-65	25.6	617.4	
		10-07-65	25.5	617.5	
		10-28-65	25.4	617.6	
		11-18-65	23.8	619.2	
		12-09-65	22.2	620.8	
01N/10W-27J01S	654.4	8-05-65	133.4	521.0	733
		8-26-65	129.3	525.1	
		9-16-65	125.6	528.8	
		10-07-65	121.8	532.6	
		10-28-65	119.8	534.6	
		11-18-65	118.6	535.8	
		12-09-65	120.9	533.5	
		12-30-65	117.9	536.5	
		1-20-66	112.7	541.7	
		2-10-66	108.3	546.1	
		3-03-66	106.4	548.0	
		3-24-66	107.7	546.7	
		4-14-66	108.0	546.4	
		5-05-66	106.7	547.7	
		5-25-66	105.4	549.0	
01N/10W-27K04S	655.0	11-03-65	49.0	606.0	101
		4-05-66	49.0	606.0	
01N/10W-27P01S	625.0	11-03-65	103.9	521.1	101
		4-05-66	83.9	541.1	
01N/10W-29J01S	601.5	7-06-65	78.2	523.3	101
		8-03-65	80.9	520.6	
		9-01-65	83.7	517.8	
		10-04-65	84.0	517.5	
		11-01-65	81.6	519.9	
		12-07-65	64.8	536.7	
		1-04-66	68.3	533.2	
		2-01-66	70.6	530.9	
		3-02-66	77.5	524.0	
		4-04-66	80.1	521.4	
		5-02-66	83.1	518.4	
		6-02-66	87.2	514.3	
01N/10W-29K01S	591.2	8-06-65	45.6	545.6	733
		8-27-65	46.8	544.4	
		10-08-65	45.5	545.7	
		10-29-65	45.6	545.6	
		11-19-65	46.7	544.5	
		12-10-65	40.4	550.8	
		12-31-65	41.8	549.4	
		1-21-66	39.7	551.5	
		2-11-66	43.8	547.4	
		3-25-66	45.8	545.4	
		4-15-66	46.6	544.6	
		5-06-66	46.9	544.3	
		5-27-66	47.1	544.1	

UPPER CANYON HYDRO SUBAREA U-05.03

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/10W-03B11S	603.0	7-15-65	11.0	592.0	733
		8-05-65	11.3	591.7	
		8-26-65	11.8	591.2	
		9-16-65	11.2	591.8	
		10-07-65	11.2	591.8	
		10-28-65	10.4	592.6	
		11-18-65	9.8	593.2	
		12-09-65	11.7	591.3	
		12-30-65	10.6	592.4	
		1-20-66	10.3	592.7	
		2-10-66	10.8	592.2	
		3-03-66	10.5	592.5	
		3-24-66	10.8	592.2	
		4-14-66	11.0	592.0	
		5-05-66	10.8	592.2	
		5-26-66	10.8	592.2	
01N/10W-22M01S	686.0	7-16-65	45.1	640.9	733
		8-06-65	47.1	638.9	
		8-27-65	49.6	636.4	
		10-08-65	56.3(5)	629.7	
		10-29-65	57.5(5)	628.5	
		11-19-65	53.9(5)	632.1	
		12-10-65	31.3	654.7	
		1-21-66	32.9	653.1	
		2-11-66	37.0	649.0	
		3-04-66	39.4	646.6	
		3-25-66	49.5	636.5	
		4-15-66	52.5	633.5	
		5-06-66	54.6	631.4	
		5-27-66	56.9	629.1	

TABLE C-I

GROUND WATER LEVELS AT WELLS

L A SAN GARRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.D0

UPPER CANYON HYDRO SUBAREA U-05.03

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01N/10W-22P02S (CONT.)	695.1	8-05-65	42.0	653.1	733
		8-26-65	41.7	653.4	
		9-16-65	40.4	654.7	
		10-07-65	42.6	652.5	
		10-28-65	39.0	656.1	
		11-18-65	38.7	656.4	
		12-09-65	32.0	663.1	
		12-30-65	34.3	660.8	
		1-20-66	29.8	665.3	
		2-10-66	35.0(4)	660.1	
		3-03-66	29.1	666.0	
		3-24-66	29.8	665.3	
		4-14-66	50.4(1)	644.7	
		5-05-66	50.4(1)	644.7	
		5-26-66	53.1(4)	642.0	
01N/10W-22R02S	716.0	11-03-65	46.9(4)	669.1	101
		4-11-66	52.1(1)	663.9	
01N/10W-23A05S	815.0	7-06-65	14.5	800.5	101
		7-13-65	15.1	799.9	
		7-20-65	16.6	798.4	
		8-03-65	19.3	795.7	
		9-01-65	21.0	794.0	
		9-21-65	16.2	798.8	
		10-04-65	17.2	797.8	
		11-01-65	21.0	794.0	
		12-06-65	6.9	808.1	
		12-16-65	8.1	806.9	
		12-28-65	8.7	806.3	
		1-04-66	6.5	808.5	
		1-11-66	6.9	808.1	
		1-18-66	6.8	808.2	
		1-25-66	7.6	807.4	
		2-01-66	8.9	806.1	
		2-08-66	8.5	806.5	
		2-24-66	8.6	806.4	
		3-02-66	8.4	806.6	
		3-16-66	9.3	805.7	
		3-29-66	9.4	805.6	
		4-04-66	7.2	807.8	
		4-11-66	9.5	805.5	
		4-21-66	9.7	805.3	
		5-05-66	10.6	804.4	
		5-12-66	10.7	804.3	
		5-19-66	9.8	805.2	
		5-26-66	9.5	805.5	
		6-02-66	11.7	803.3	
		6-16-66	16.0	799.0	
01N/10W-23C01S	784.9	9-01-65	24.7	760.2	101
		9-21-65	22.4	762.5	
		10-04-65	18.8	766.1	
		11-01-65	24.7	760.2	
		12-06-65	11.5	773.4	
		12-16-65	12.5	772.4	
		1-04-66	11.5	773.4	
		1-11-66	11.6	773.3	
		1-18-66	11.7	773.2	
		1-25-66	12.2	772.7	
		2-01-66	13.9	771.0	
		2-08-66	13.6	771.3	
		2-15-66	10.8	774.1	
		2-24-66	13.6	771.3	
		3-02-66	13.4	771.5	
		3-16-66	14.7	770.2	
		4-04-66	14.4	770.5	
		4-21-66	15.9	769.0	
		5-05-66	17.6	767.3	
		5-12-66	17.0	767.9	
		5-26-66	15.3	769.6	
		6-02-66	17.5	767.4	
		6-16-66	18.4	766.5	
01N/10W-23D01S	752.3	7-06-65	15.8	736.5	101
		7-13-65	19.1	733.2	
		7-20-65	20.6	731.7	
		8-03-65	24.8	727.5	
		9-01-65	29.9	722.4	
		9-21-65	27.6	724.7	
		10-04-65	25.0	727.3	
		11-01-65	25.9	726.4	
		12-06-65	2.7	749.6	
		12-16-65	6.3	746.0	
		12-28-65	6.2	746.1	
		1-04-66	1.0	751.3	
		1-11-66	2.8	749.5	
		1-18-66	4.8	747.5	
		1-25-66	5.4	746.9	
		2-01-66	6.7	745.6	
		2-08-66	6.1	746.2	
		2-15-66	7.2	745.1	
		2-24-66	8.1	744.2	
		3-02-66	8.8	743.5	
		3-16-66	9.4	742.9	
		3-29-66	8.7	743.6	
		4-04-66	9.8	742.5	
		4-11-66	8.9	743.4	

SAN GARRIEL VALLEY HYDRO SUBUNIT U-05.D0

UPPER CANYON HYDRO SUBAREA U-05.03

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/10W-23D01S (CONT.)	752.3	4-21-66	15.5	736.8	101
		5-05-66	15.3	737.0	
		5-12-66	11.6	740.7	
		5-19-66	15.2	737.1	
		5-26-66	10.5	741.8	
		6-02-66	12.2	740.1	
		6-18-66	15.8	736.5	
01N/10W-23E01S	755.3	7-06-65	15.6	739.7	101
		7-13-65	18.8	736.5	
		7-20-65	22.0	733.3	
		9-01-65	31.8	723.5	
		9-21-65	27.0	728.3	
		10-04-65	24.8	730.5	
		11-01-65	27.8	727.5	
		12-06-65	7.4	747.9	
		12-16-65	8.9	746.4	
		12-28-65	11.0	744.3	
		1-04-66	7.1	748.2	
		1-11-66	7.5	747.8	
		1-18-66	7.6	747.7	
		1-25-66	8.5	746.8	
		2-01-66	9.5	745.8	
		2-08-66	9.6	745.7	
		2-15-66	9.5	745.8	
		2-24-66	9.6	745.7	
		3-02-66	9.9	745.4	
		3-16-66	10.9	744.4	
		3-29-66	10.5	744.8	
		4-04-66	12.2	743.1	
		5-05-66	12.3	743.0	
		5-12-66	12.4	742.9	
		5-19-66	11.2	744.1	
		6-02-66	12.9	742.4	
		6-16-66	16.6	738.7	
01N/10W-27B01S	693.3	7-02-65	39.2	654.1	101
		7-15-65	39.0	654.3	
		7-22-65	41.4	651.9	
		7-30-65	40.2	653.1	
		8-05-65	40.9	652.4	
		8-12-65	41.8	651.5	
		8-19-65	41.6	651.7	
		8-26-65	43.7	649.6	
		9-02-65	45.1	648.2	
		9-16-65	44.1	649.2	
		9-23-65	42.9	650.4	
		9-30-65	40.9	652.4	
		10-07-65	38.6	654.7	
		10-14-65	35.5	657.8	
		10-21-65	34.6	658.7	
		10-28-65	33.8	659.5	
		11-04-65	46.4	646.9	
		11-18-65	63.0	630.3	
		11-26-65	59.8	633.5	
		12-03-65	49.6	643.7	
		12-16-65	39.7	653.6	
		1-07-66	37.5	655.8	
		1-19-66	38.7	654.6	
		1-26-66	39.6	653.7	
		2-02-66	38.8	654.5	
		2-09-66	36.8	656.5	
		2-16-66	36.4	656.9	
		4-06-66	48.0	645.3	
		4-13-66	49.0	644.3	
		4-20-66	49.2	644.1	
		4-27-66	52.0	641.3	
		5-05-66	52.9	640.4	
		5-12-66	55.7	637.6	
		5-19-66	57.4	635.9	
		5-26-66	60.6	632.7	
		6-02-66	63.0	630.3	
		6-09-66	65.5	627.8	
		6-16-66	63.6	629.7	
		6-23-66	61.9	631.4	
		6-30-66	63.9	629.4	
01N/10W-27C02S	681.1	7-01-65	41.6(1)	639.5	101
		7-12-65	39.0(1)	642.1	
		7-20-65	41.0(1)	640.1	
		8-02-65	41.8(1)	639.3	
		8-10-65	42.8(1)	638.3	
		8-20-65	39.7(1)	641.4	
		9-01-65	42.7(1)	638.4	
		9-10-65	44.2(1)	636.9	
		9-22-65	41.1(1)	640.0	
		10-01-65	39.5(1)	641.6	
		10-11-65	33.2(1)	647.9	
		10-20-65	33.5(1)	647.6	
		10-30-65	26.4	654.7	
		11-10-65	48.3(1)	632.8	
		11-19-65	51.5	629.6	
		12-02-65	43.0(1)	638.1	
		12-10-65	34.9(1)	646.2	
		12-22-65	32.6(1)	648.5	
		12-31-65	29.7(1)	651.4	
		1-11-66	30.4(1)	650.7	
		1-20-66	31.2(1)	649.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
FOOTHILL HYDRO SUBAREA U-05.04

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/10W-27C02S (CONT.)	681.1	1-31-66	26.2	654.9	101
		2-10-66	26.3	654.8	
		2-28-66	32.3	648.8	
		3-10-66	34.0	647.1	
		3-21-66	36.3	644.8	
		4-01-66	41.2	639.9	
		4-11-66	44.2	636.9	
		4-20-66	44.4	636.7	
		5-02-66	47.0	634.1	
		5-10-66	50.7	630.4	
		5-20-66	53.2	627.9	
		6-01-66	57.3	623.8	
		6-10-66	59.8	621.3	
		6-20-66	57.9	623.2	
01N/10W-27H01S	669.7	7-15-65	69.2	600.5	733
		8-05-65	66.3	603.4	
		8-26-65	66.3	603.4	
		9-16-65	66.2	603.5	
		10-07-65	63.7	606.0	
		10-28-65	59.4	610.3	
		11-18-65	58.2	611.5	
		12-09-65	61.9	607.8	
		12-30-65	55.1	614.6	
		1-20-66	52.8	616.9	
		2-10-66	51.5	618.2	
		3-03-66	50.4	619.3	
		3-24-66	54.3	615.4	
		4-14-66	57.4	612.3	
		5-05-66	55.3	614.4	
		5-26-66	68.7	601.0	
01N/10W-27H02S	667.4	11-03-65	75.0(1)	592.4	101
		4-05-66	72.0(1)	595.4	
01N/10W-28C01S	634.5	7-16-65	20.2	614.3	733
		8-06-65	21.4	613.1	
		8-27-65	23.4	611.1	
		9-17-65	21.0	613.5	
		10-08-65	21.1	613.4	
		10-29-65	21.2	613.3	
		11-19-65	19.2	615.3	
		12-10-65	15.1	619.4	
		12-31-65	14.6	619.9	
		1-21-66	15.6	618.9	
		2-11-66	17.0	617.5	
		3-04-66	18.7	615.8	
		3-25-66	18.3	616.2	
		4-15-66	20.4	614.1	
		5-06-66	21.5	613.0	
		5-27-66	22.1	612.4	
01N/10W-28H01S	652.5	7-06-65	22.9	629.6	101
		7-13-65	23.2	629.3	
		7-20-65	23.5	629.0	
		9-01-65	26.5	626.0	
		10-04-65	25.0	627.5	
		11-01-65	22.6	629.9	
		12-06-65	16.7	635.8	
		12-16-65	16.0	636.5	
		12-28-65	18.1	634.4	
		1-11-66	15.1	637.4	
		1-18-66	15.7	636.8	
		1-31-66	21.9	630.6	
		2-08-66	17.6	634.9	
		2-15-66	18.1	634.4	
		2-24-66	18.8	633.7	
		3-02-66	19.1	633.4	
		3-16-66	19.6	632.9	
		3-29-66	20.1	632.4	
		4-04-66	20.9	631.6	
		4-11-66	21.9	630.6	
		4-21-66	22.1	630.4	
		5-05-66	23.1	629.4	
		5-19-66	25.5	627.0	
		6-02-66	27.0	625.5	
		6-16-66	27.8	624.7	

FOOTHILL HYDRO SUBAREA U-05.04

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/09W-25G01S	1235.0	11-01-65	29.5	1205.5	101
		4-11-66	29.4	1205.6	
01N/09W-25K01S	1228.2	9-01-65	48.3	1179.9	101
		10-28-65	69.9	1158.3	
		11-01-65	61.6	1166.6	
		1-10-66	29.3	1198.9	
		2-01-66	29.4	1198.8	
		3-01-66	41.8	1186.4	
		4-11-66	53.2	1175.0	
		5-02-66	40.1	1188.1	
		6-06-66	35.3	1192.9	
01N/09W-35G01S	1093.0	11-01-65	64.9	1028.1	101
		4-11-66	25.7	1067.3	

SAN GABRIEL VALLEY HYDRO SUBUNIT U-05.00
FOOTHILL HYDRO SUBAREA U-05.04

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/09W-35H01S	1155.0	7-07-65	35.6	1119.4	101
		9-01-65	38.2	1116.8	
		10-04-65	39.1	1115.9	
		12-13-65	31.2	1123.8	
		2-01-66	28.0	1127.0	
		3-01-66	26.5	1128.5	
		4-11-66	29.9	1125.1	
		5-02-66	32.6	1122.4	
		6-06-66	30.4	1124.6	
01N/09W-36003S	1165.0	7-01-65	35.2	1129.8	101
		7-29-65	39.3	1125.7	
		8-02-65	39.8	1125.2	
		9-01-65	43.2	1121.8	
		10-04-65	43.4	1121.6	
		11-01-65	44.6	1120.4	
		12-13-65	32.2	1132.8	
		1-10-66	28.3	1136.7	
		2-01-66	26.3	1138.7	
		3-01-66	28.4	1136.6	
		4-11-66	33.1	1131.9	
		5-02-66	36.6	1128.4	
		5-17-66	38.3	1126.7	
		6-06-66	36.8	1128.2	
01N/09W-36E02S	1235.0	11-02-65	154.2	1080.8	101
		4-12-66	144.7	1090.3	
01N/09W-36F01S	1277.0	11-02-65	129.5	1147.5	101
		4-12-66	106.3	1170.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SPADRA HYDRO SUBUNIT U-05.E0

SPADRA HYDRO SUBAREA U-05.E1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/08W-19N01S	851.0	11-03-65	193.0	658.0	101
		4-05-66	203.0	648.0	
01S/09W-22J01S	820.0	11-08-65	4.6	815.4	101
		4-05-66	4.6	815.4	
01S/09W-23P01S	767.0	11-09-65	116.1	650.9	101
		4-05-66	113.9	653.1	
01S/09W-23R01S	799.0	11-03-65	159.2	639.8	101
		4-05-66	148.2	650.8	
01S/09W-24Q01S	835.0	11-03-65	DRY		101
		4-05-66	DRY		
01S/09W-25B01S	824.0	10-27-65	176.5	647.5	101
		4-11-66	175.4	648.6	
01S/09W-25D01S	795.0	10-27-65	170.5	624.5	101
01S/09W-25E01S	798.0	7-07-65	167.1	630.9	101
		8-03-65	172.4	625.6	
		9-02-65	168.0	630.0	
		10-07-65	175.1	622.9	
		11-03-65	168.1	629.9	
		12-16-65	167.2	630.8	
		1-04-66	166.5	631.5	
		2-14-66	164.4	633.6	
		3-02-66	164.0	634.0	
		4-08-66	172.3	625.7	
		5-11-66	172.4	625.6	
		6-06-66	165.8	632.2	
01S/09W-25E02S	803.0	4-05-66	171.4	631.6	101
01S/09W-25F01S	804.7	11-03-65	173.2	631.5	101
		4-08-66	171.8	632.9	
01S/09W-25G01S	823.0	10-27-65	171.0	652.0	101
		4-11-66	171.0	652.0	
01S/09W-26A02S	795.0	11-09-65	180.4	614.6	101
		12-02-65	162.8	632.2	
		4-05-66	160.2	634.8	
01S/09W-26H01S	792.0	7-15-65	171.3(1)	620.7	101
		8-15-65	171.3(1)	620.7	
		9-15-65	173.6(1)	618.4	
		10-01-65	168.9(1)	623.1	
		11-01-65	168.9(1)	623.1	
		11-15-65	171.3(1)	620.7	
		12-01-65	168.9(1)	623.1	
		4-01-66	166.6(1)	625.4	
		5-01-66	159.7(5)	632.3	
		6-01-66	166.6(1)	625.4	
01S/09W-27J01S	730.0	11-09-65	114.4	615.6	101
		4-05-66	108.7	621.3	
01S/09W-27J02S	727.0	11-09-65	111.3	615.7	101
		4-05-66	105.0	622.0	
01S/09W-33J02S	664.2	11-09-65	48.4	615.8	101
		4-05-66	44.3	619.9	
01S/09W-34F01S	688.0	11-09-65	93.2	594.8	101
		4-05-66	90.8	597.2	

POMONA HYDRO SUBAREA U-05.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/08W-07D01S	1073.6	11-08-65	383.6(1)	690.0	101
01S/08W-07F01S	1076.0	1-06-66	444.0(5)	632.0	101
		2-09-66	441.0(5)	635.0	
		3-26-66	438.0(5)	638.0	
		4-27-66	522.0(1)	554.0	
		5-17-66	485.0(5)	591.0	
		6-06-66	531.0(1)	545.0	
01S/08W-07F02S	1078.0	11-08-65	478.0	600.0	101
		4-18-66	468.5	609.5	
01S/08W-07G02S	1092.8	7-21-65	489.1(5)	603.7	101
		9-21-65	489.1(5)	603.7	
		10-25-65	522.1(5)	570.7	
		11-25-65	510.1(5)	582.7	
		12-20-65	508.1(5)	584.7	
		1-06-66	524.1(5)	568.7	
		2-09-66	512.1(5)	580.7	
		3-10-66	507.1(5)	585.7	
		4-27-66	512.1(5)	580.7	
		5-09-66	526.1(5)	566.7	
		6-06-66	557.1(1)	535.7	

SPADRA HYDRO SUBUNIT U-05.E0

POMONA HYDRO SUBAREA U-05.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-07L01S	1061.0	4-18-66	DRY		101
01S/08W-07N01S	1038.0	1-04-66	441.2	596.8	101
		4-11-66	443.1	594.9	
01S/08W-08B03S	1044.0	7-07-65	159.4	884.6	101
		8-03-65	159.2	884.8	
		9-01-65	159.8	884.2	
		10-04-65	158.4	885.6	
		11-09-65	159.2	884.8	
		12-14-65	158.6	885.4	
		1-04-66	159.8	884.2	
		2-01-66	159.4	884.6	
		3-01-66	159.8	884.2	
		4-11-66	159.7	884.3	
		5-11-66	159.3	884.7	
		6-08-66	159.2	884.8	
01S/08W-09G03S	1190.0	7-15-65	90.0(5)	1100.0	101
		8-15-65	90.0(5)	1100.0	
		9-15-65	95.0(5)	1095.0	
		10-15-65	93.0(5)	1097.0	
		11-01-65	95.0(5)	1095.0	
		12-01-65	90.0(5)	1100.0	
		1-15-66	85.0(5)	1105.0	
		2-07-66	90.0(5)	1100.0	
		3-15-66	88.0(5)	1102.0	
		4-15-66	94.0(5)	1096.0	
		5-15-66	94.0(5)	1096.0	
		6-21-66	97.0(5)	1093.0	
01S/08W-17N01S	952.0	4-06-66	426.5	525.5	101
01S/08W-18J02S	995.4	11-01-65	461.0	534.4	101
		12-01-65	465.6	529.8	
		1-15-66	455.3(5)	540.1	
		2-01-66	452.9(5)	542.5	
		3-01-66	451.7(5)	543.7	
		4-01-66	449.4(5)	546.0	
		5-01-66	449.0(5)	546.4	
		6-01-66	449.4(5)	546.0	
01S/08W-18K01S	1000.0	11-09-65	382.6	617.4	101
		4-06-66	371.2	628.8	
01S/08W-19A01S	922.5	7-07-65	235.8	686.7	101
		8-03-65	235.0	687.5	
		9-01-65	235.2	687.3	
		10-04-65	236.7	685.8	
		11-03-65	235.9	686.6	
		1-04-66	236.8	685.7	
		2-14-66	236.9	685.6	
		3-02-66	236.0	686.5	
		4-21-66	238.2	684.3	
		5-02-66	238.2	684.3	
		6-08-66	239.1	683.4	
01S/09W-11R01S	980.0	11-08-65	89.5	890.5	101
		4-20-66	53.8	926.2	
01S/09W-12F01S	1029.0	7-07-65	150.8	878.2	101
		8-03-65	152.5	876.5	
		9-02-65	152.8	876.2	
		10-04-65	158.9	870.1	
		11-03-65	157.4	871.6	
		12-02-65	158.2	870.8	
		1-12-66	157.0	872.0	
		2-01-66	149.9	879.1	
		3-01-66	153.7	875.3	
		4-06-66	155.6	873.4	
		5-02-66	158.7	870.3	
		6-06-66	158.8	870.2	
01S/09W-12H01S	1055.0	9-09-65	189.5(5)	865.5	101
		10-29-65	190.5(5)	864.5	
		12-13-65	181.5(5)	873.5	
		1-06-66	192.5(5)	862.5	
		2-09-66	173.5(5)	881.5	
		3-23-66	182.5(5)	872.5	
		4-27-66	231.5(1)	823.5	
		5-17-66	235.5(1)	819.5	
01S/09W-12J01S	1048.0	11-08-65	419.4	628.6	101
		4-06-66	409.2	638.8	
01S/09W-12L01S	1029.0	7-07-65	159.5	869.5	101
		8-03-65	160.3	868.7	
		9-02-65	159.9	869.1	
		10-04-65	164.6	864.4	
		11-03-65	166.3	862.7	
		12-02-65	167.1	861.9	
		1-12-66	157.8	871.2	
		2-01-66	155.6	873.4	
		3-01-66	162.2	866.8	
		4-06-66	165.5	863.5	
		5-02-66	169.0	860.0	
		6-06-66	173.4	855.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00					
SPADRA HYDRO SUBUNIT			U-05.E0		
LIVE OAK HYDRO SUBAREA					U-05.F3
01S/09W-12N01S	984.0	11-08-65	73.7	910.3	101
		4-05-66	57.7	926.3	
01S/09W-12Q01S	1023.5	7-13-65	415.0	608.5	101
		2-14-66	417.2	606.3	
		4-18-66	418.8	604.7	
01S/09W-13A01S	1018.0	7-07-65	267.4	750.6	101
		8-03-65	267.9	750.1	
		9-01-65	268.4	749.6	
		10-04-65	269.0	749.0	
		11-03-65	269.5	748.5	
		12-14-65	240.1	777.9	
		1-12-66	270.1	747.9	
		2-14-66	269.3	748.7	
		3-01-66	270.6	747.4	
		4-06-66	271.0	747.0	
		5-02-66	271.3	746.7	
		6-06-66	271.7	746.3	
LIVE OAK HYDRO SUBAREA					U-05.F3
01S/08W-04C03S	1329.0	10-04-65	221.2	1107.8	101
		11-02-65	211.1	1117.9	
		12-13-65	180.2	1148.8	
		1-10-66	201.4	1127.6	
		2-01-66	174.1	1154.9	
		3-01-66	197.9	1131.1	
		3-14-66	197.9	1131.1	
		4-12-66	197.2	1131.8	
		5-02-66	248.9(1)	1080.1	
		6-06-66	243.9(1)	1085.1	
01S/08W-04D01S	1319.4	7-07-65	213.8	1105.6	101
		8-03-65	197.6	1121.8	
		9-01-65	197.9	1121.5	
		10-04-65	200.1	1119.3	
		11-02-65	199.8	1119.6	
		12-13-65	171.8	1147.6	
		1-10-66	199.2	1120.2	
		2-01-66	191.5	1127.9	
		3-01-66	187.0	1132.4	
		3-14-66	189.1	1130.3	
		4-12-66	187.6	1131.8	
		5-02-66	210.4	1109.0	
		6-06-66	186.4	1133.0	
01S/08W-04L01S	1303.0	7-01-65	269.5(1)	1033.5	101
		7-15-65	270.6(1)	1032.4	
		9-01-65	275.3(1)	1027.7	
		10-15-65	279.2(1)	1023.8	
		11-15-65	255.6(5)	1047.4	
		12-01-65	262.6(5)	1040.4	
		1-01-66	248.7(5)	1054.3	
		2-01-66	254.5(5)	1048.5	
		3-01-66	264.9(1)	1038.1	
		4-01-66	271.8(1)	1031.2	
		5-01-66	251.0(5)	1052.0	
		6-01-66	248.7(5)	1054.3	
01S/08W-04M01S	1267.0	7-15-65	248.0(5)	1019.0	101
		8-15-65	256.0(5)	1011.0	
		9-15-65	259.0(5)	1008.0	
		10-01-65	256.0(5)	1011.0	
		11-01-65	252.0(5)	1015.0	
		12-01-65	250.2	1016.8	
		1-15-66	248.0(5)	1019.0	
		2-07-66	243.0(5)	1024.0	
		3-01-66	239.2	1027.8	
		4-01-66	248.0(5)	1019.0	
		4-28-66	94.0(5)	1173.0	
		5-01-66	246.0(5)	1021.0	
		6-01-66	244.2	1022.8	
01S/08W-05A01S	1284.2	7-07-65	141.0	1143.2	101
		8-02-65	146.4	1137.8	
		10-04-65	149.0	1135.2	
		11-02-65	145.9	1138.3	
		12-13-65	123.3	1160.9	
		1-10-66	132.8	1151.4	
		2-01-66	121.6	1162.6	
		3-01-66	132.1	1152.1	
		4-12-66	54.5(2)	1229.7	
		5-02-66	120.5	1163.7	
01S/08W-05A02S	1284.5	7-07-65	143.7	1140.8	101
		8-02-65	147.2	1137.3	
		10-04-65	153.5	1131.0	
		11-02-65	147.5	1137.0	
		12-13-65	147.2	1137.3	
		1-10-66	139.7	1144.8	
		2-01-66	137.4	1147.1	
		3-01-66	134.4	1150.1	
		5-02-66	131.5	1153.0	
SPADRA HYDRO SUBUNIT				U-05.E0	
LIVE OAK HYDRO SUBAREA					U-05.E3
01S/08W-05D01S	1290.2	11-02-65	272.8	1017.4	101
		4-12-66	266.6(2)	1023.6	
01S/08W-05D02S	1289.8	11-08-65	263.9(4)	1025.9	101
		4-14-66	253.7	1036.1	
01S/08W-05D04S	1267.6	11-02-65	212.0(2)	1055.6	101
		1-10-66	215.9	1051.7	
		4-12-66	206.0	1061.6	
01S/08W-05E01S	1260.0	4-12-66	218.3	1041.7	101
01S/08W-05E02S	1277.4	7-07-65	231.2	1046.2	101
		8-02-65	245.7	1031.7	
		9-01-65	242.7	1034.7	
		10-04-65	244.2	1033.2	
		11-02-65	245.8	1031.6	
		12-13-65	225.1	1052.3	
		1-10-66	219.2	1058.2	
		2-01-66	219.7	1057.7	
		3-01-66	221.6	1055.8	
		4-12-66	226.4	1051.0	
		5-02-66	224.0	1053.4	
		6-06-66	214.4	1063.0	
01S/08W-06A01S	1257.0	11-02-65	221.4(2)	1035.6	101
		4-12-66	206.5	1050.5	
01S/08W-06A02S	1257.0	11-02-65	246.1(2)	1010.9	101
		4-12-66	150.5(3)	1106.5	
01S/08W-06A03S	1242.1	7-13-65	221.0	1021.1	101
		8-02-65	220.6	1021.5	
		9-01-65	225.0	1017.1	
		10-04-65	216.3	1025.8	
		11-08-65	217.2	1024.9	
		12-16-65	213.5	1028.6	
		1-10-66	200.5	1041.6	
		2-14-66	196.2	1045.9	
		3-01-66	193.2	1048.9	
		4-12-66	195.9	1046.2	
		5-02-66	196.4	1045.7	
		6-06-66	191.5	1050.6	
01S/08W-06H01S	1230.0	11-08-65	223.8(4)	1006.2	101
		4-13-66	195.4	1034.6	
01S/08W-06J02S	1224.0	7-07-65	204.7	1019.3	101
		8-02-65	210.9	1013.1	
		9-01-65	213.4	1010.6	
		10-04-65	209.7	1014.3	
		11-02-65	212.5	1011.5	
		12-13-65	192.3	1031.7	
		1-10-66	187.9	1036.1	
		2-01-66	186.1	1037.9	
		3-01-66	181.4	1042.6	
		4-12-66	187.5	1036.5	
		5-02-66	191.3	1032.7	
		6-06-66	195.7	1028.3	
01S/08W-06L01S	1133.8	11-08-65	229.2	904.6	101
		4-12-66	236.2	897.6	
01S/08W-06L02S	1128.0	4-12-66	191.7	936.3	101
01N/08W-26D01S	1830.0	11-03-65	27.9	1802.1	101
		4-12-66	24.1	1805.9	
01N/08W-27H01S	1779.0	11-03-65	55.8	1723.2	101
		12-01-65	50.7	1728.3	
		12-22-65	39.9	1739.1	
		1-03-66	37.5	1741.5	
		1-10-66	37.9	1741.1	
		1-17-66	37.6	1741.4	
		2-01-66	41.2	1737.8	
		2-09-66	42.5	1736.5	
		2-21-66	47.3	1731.7	
		2-28-66	47.7	1731.3	
		3-08-66	48.2	1730.8	
		3-21-66	49.3	1729.7	
		3-28-66	49.8	1729.2	
		4-08-66	50.3	1728.7	
		4-27-66	57.7	1721.3	
		5-04-66	53.2	1725.8	
		5-18-66	53.9	1725.1	
		5-25-66	53.7	1725.3	
		6-08-66	55.3	1723.7	
01N/08W-32P03S	1299.6	4-18-66	DRY		101
01N/08W-32P05S	1296.5	4-18-66	DRY		101
01N/08W-32P06S	1296.5	4-18-66	DRY		101
01N/08W-32P07S	1303.3	4-18-66	DRY		101
01N/08W-32P08S	1393.8	4-18-66	DRY		101

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

SPADRA HYDRO SUBUNIT U-05.E0

LIVE OAK HYDRO SUBAREA U-05.E3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/08W-33A01S (CONT.)	1530.9	4-12-66	27.7	1503.2	101
01N/08W-33J01S	1427.0	11-02-65	234.6	1192.4	101
01N/08W-33L01S	1390.0	11-02-65	23.6	1366.4	101
		4-12-66	30.9	1359.1	
01N/08W-33N02S	1352.0	11-08-65	117.9	1234.1	101
		4-12-66	111.2	1240.8	
01N/08W-33Q02S	1374.0	10-21-65	261.0(5)	1113.0	101
		12-21-65	277.0	1125.0	
		2-01-66	287.0	1115.0	
		3-01-66	264.0(5)	1138.0	
		4-01-66	261.0	1141.0	
		4-28-66	264.0	1138.0	
		5-01-66	263.0(5)	1139.0	
		6-01-66	249.0(5)	1153.0	
01N/08W-33Q03S	1402.4	9-07-65	304.2(5)	1098.2	101
		9-21-65	293.2(5)	1109.2	
		9-30-65	339.2(5)	1063.2	
		10-15-65	294.2(5)	1108.2	
		11-07-65	347.2	1055.2	
		12-01-65	294.2	1108.2	
		1-15-66	281.2(5)	1121.2	
		2-21-66	271.2(5)	1131.2	
		3-21-66	299.2(5)	1103.2	
		4-15-66	287.2(5)	1115.2	
		5-21-66	249.2(5)	1153.2	
		6-15-66	269.2(5)	1133.2	

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/09W-31J04S	225.0	7-07-65	76.6	148.4	102
		7-14-65	73.1	151.9	
		7-21-65	73.6	151.4	
		7-28-65	74.6	150.4	
		8-04-65	74.9	150.1	
		8-11-65	76.9	148.1	
		8-18-65	78.4	146.6	
		8-25-65	79.3	145.7	
		9-01-65	81.1	143.9	
		9-08-65	83.4	141.6	
		9-15-65	86.0	139.0	
		9-22-65	86.8	138.2	
		9-29-65	87.2	137.8	
		10-06-65	86.3	138.7	
		10-13-65	85.4	139.6	
		10-20-65	85.2	139.8	
		10-27-65	88.2	136.8	
		11-03-65	92.0	133.0	
		11-10-65	95.2	129.8	
		12-01-65	101.3	123.7	
		12-15-65	102.9	122.1	
		1-05-66	104.2	120.8	
		1-12-66	104.6	120.4	
		1-19-66	105.0	120.0	
		1-26-66	105.7	119.3	
		2-02-66	106.3	118.7	
		2-09-66	106.8	118.2	
		2-16-66	107.1	117.9	
		2-23-66	107.5	117.5	
		3-02-66	107.8	117.2	
		3-09-66	108.2	116.8	
		3-16-66	108.8	116.2	
		3-23-66	108.0	117.0	
		3-30-66	100.4	124.6	
		4-06-66	98.8	126.2	
		4-13-66	99.2	125.8	
		4-20-66	98.9	126.1	
		4-27-66	98.4	126.6	
		5-04-66	97.2	127.8	
		5-11-66	95.6	129.4	
		5-18-66	94.9	130.1	
		5-25-66	94.0	131.0	
		6-01-66	92.7	132.3	
		6-08-66	91.4	133.6	
		6-15-66	89.7	135.3	
		6-22-66	88.5	136.5	
		6-29-66	87.8	137.2	
		7-06-66	90.3	134.7	
		7-13-66	93.6	131.4	
		7-20-66	97.2	127.8	
		7-27-66	100.7	124.3	
		8-03-66	104.0	121.0	
		8-10-66	98.6	126.4	
		8-17-66	100.9	124.1	
		8-24-66	102.3	122.7	
		8-31-66	105.1	119.9	
		9-07-66	107.3	117.7	
		9-14-66	109.0	116.0	
		9-21-66	109.8	115.2	
		9-28-66	110.4	114.6	
03S/09W-31M01S	211.5	7-07-65	99.9	111.6	102
		7-14-65	99.1	112.4	
		7-21-65	(9)		
		7-28-65	97.6	113.9	
		8-04-65	97.2	114.3	
		8-11-65	97.3	114.2	
		8-18-65	97.3	114.2	
		8-25-65	97.2	114.3	
		9-01-65	97.1	114.4	
		9-08-65	97.0	114.5	
		9-15-65	97.4	114.1	
		9-22-65	97.5	114.0	
		9-29-65	97.6	113.9	
		10-06-65	97.2	114.3	
		10-13-65	96.6	114.9	
		10-20-65	96.2	115.3	
		10-27-65	96.9	114.6	
		11-03-65	98.4	113.1	
		11-10-65	100.4	111.1	
		12-15-65	(9)		
		12-22-65	105.6	105.9	
		1-05-66	106.9	104.6	
		1-12-66	107.2	104.3	
		1-19-66	107.5	104.0	
		1-26-66	108.1	103.4	
		2-02-66	107.4	104.1	
		2-09-66	109.4	102.1	
		2-16-66	109.7	101.8	
		2-23-66	110.1	101.4	
		3-02-66	110.5	101.0	
		3-09-66	111.0	100.5	
		3-16-66	111.6	99.9	
		3-23-66	112.4	99.1	
		3-30-66	112.5	99.0	
		4-06-66	112.1	99.4	
		4-13-66	111.3	100.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/09W-31M01S (CONT.)	211.5	4-20-66	110.6	100.9	102
		4-27-66	109.5	102.0	
		5-04-66	108.2	103.3	
		5-11-66	106.7	104.8	
		5-18-66	105.1	106.4	
		5-25-66	103.9	107.6	
		6-01-66	102.6	108.9	
		6-08-66	101.5	110.0	
		6-15-66	100.8	110.7	
		6-22-66	100.4	111.1	
		6-29-66	100.5	111.0	
		7-06-66	101.4	110.1	
		7-13-66	103.1	108.4	
		7-20-66	104.8	106.7	
		7-27-66	107.3	104.2	
		8-03-66	109.6	101.9	
		8-10-66	110.7	100.8	
		8-17-66	111.1	100.4	
		8-24-66	112.8	98.7	
		8-31-66	113.5	98.0	
		9-07-66	115.4	96.1	
		9-14-66	117.0	94.5	
		9-21-66	(9)		
		9-28-66	117.8	93.7	
03S/09W-32F01S	229.4	7-01-65	(1)		102
		8-05-65	(1)		
		9-07-65	83.1	146.3	
		10-06-65	(1)		
		11-01-65	87.6	141.8	
		12-03-65	95.2	134.2	
		1-12-66	94.2	135.2	
		2-02-66	97.0	132.4	
		3-02-66	96.0	133.4	
		4-05-66	(1)		
		5-02-66	93.8	135.6	
		6-03-66	(1)		
		7-05-66	(1)		
		8-01-66	93.3	136.1	
		9-01-66	(1)		
03S/09W-32K06S	235.0	7-01-65	80.1	154.9	210
		8-01-65	85.7	149.3	
		9-01-65	87.0	148.0	
		10-01-65	86.8	148.2	
		11-01-65	94.7	140.3	
		12-01-65	94.4	140.6	
		1-01-66	95.8	139.2	
		2-01-66	96.7	138.3	
		3-01-66	100.5	134.5	
		4-01-66	96.5	138.5	
		5-01-66	87.7	147.3	
		6-01-66	90.3	144.7	
		7-01-66	90.5	144.5	
		8-01-66	91.1	143.9	
		9-01-66	108.7	126.3	
03S/09W-32K07S	235.0	7-01-65	77.8	157.2	210
		8-01-65	83.3	151.7	
		9-01-65	83.8	151.2	
		10-01-65	83.7	151.3	
		11-01-65	93.6	141.4	
		12-01-65	93.3	141.7	
		1-01-66	94.3	140.7	
		2-01-66	95.1	139.9	
		3-01-66	98.2	136.8	
		4-01-66	94.3	140.7	
		5-01-66	87.8	147.2	
		6-01-66	90.7	144.3	
		7-01-66	91.1	143.9	
		8-01-66	90.7	144.3	
		9-01-66	109.0	126.0	
03S/09W-32P02S	231.1	7-01-65	84.9	146.2	102
		8-05-65	82.4	148.7	
		9-07-65	87.0	144.1	
		10-06-65	87.8	143.3	
		11-01-65	89.1	142.0	
		12-03-65	99.8	131.3	
		1-12-66	100.3	130.8	
		2-02-66	102.1	129.0	
		3-02-66	103.0	128.1	
		4-05-66	(1)		
		5-02-66	99.8	131.3	
		6-03-66	93.4	137.7	
		7-05-66	88.8	142.3	
		8-01-66	99.8	131.3	
		9-01-66	107.0	124.1	
03S/09W-32P04S	230.2	7-01-65	81.6	148.6	210
		8-01-65	88.3	141.9	
		9-01-65	100.8	129.4	
		10-01-65	100.7	129.5	
		11-01-65	103.7	126.5	
		12-01-65	103.3	126.9	
		1-01-66	105.5	124.7	
		2-01-66	107.8	122.4	
		3-01-66	105.7	124.5	

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/09W-32P04S (CONT.)	230.2	4-01-66	110.7	119.5	210
		5-01-66	106.9	123.3	
		6-01-66	110.0	120.2	
		7-01-66	110.7	119.5	
		8-01-66	111.4	118.8	
		9-01-66	125.0	105.2	
03S/09W-32Q05S	231.7	7-01-65	88.3	143.4	102
		8-05-65	83.7	148.0	
		9-07-65	88.5	143.2	
		10-06-65	92.5	139.2	
		11-01-65	93.8	137.9	
		12-03-65	104.1	127.6	
		1-12-66	104.4	127.3	
		2-02-66	106.4	125.3	
		3-02-66	107.4	124.3	
		4-05-66	107.8	123.9	
		5-02-66	103.9	127.8	
		6-03-66	95.4	136.3	
		7-05-66	100.7	131.0	
		8-01-66	104.3	127.4	
		9-01-66	112.2	119.5	
03S/09W-32Q08S	231.0	3-02-66	(1)		102
		4-05-66	(1)		
		5-02-66	(1)		
		6-03-66	(1)		
		7-05-66	(1)		
		8-01-66	(1)		
		9-01-66	(1)		
03S/09W-33H01S	254.7	7-01-65	48.0	206.7	102
		8-05-65	51.8	202.9	
		9-07-65	58.0	196.7	
		10-06-65	53.9	200.8	
		11-01-65	49.1	205.6	
		12-03-65	(1)		
		1-12-66	(8)		
		2-02-66	47.6	207.1	
		3-02-66	48.9	205.8	
		4-05-66	53.2	201.5	
		5-02-66	55.1	199.6	
		6-03-66	53.4	201.3	
		7-05-66	(9)		
		8-01-66	(1)		
		9-01-66	58.5	196.2	
03S/09W-33K01S	250.0	7-16-65	66.2(1)	183.8	742
		8-13-65	72.4(1)	177.6	
		9-17-65	58.3	191.7	
		10-15-65	61.8(1)	188.2	
		11-19-65	65.9(1)	184.1	
		12-17-65	50.4	199.6	
		1-21-66	48.9	201.1	
		2-18-66	52.6	197.4	
		3-18-66	57.2	192.8	
		4-22-66	59.9	190.1	
		5-20-66	53.6	196.4	
		6-17-66	52.5	197.5	
		7-15-66	55.8	194.2	
		8-19-66	65.3	184.7	
		9-23-66	67.7	182.3	
03S/09W-33K03S	250.0	7-16-65	57.2	192.8	742
		8-13-65	63.4	186.6	
		9-17-65	57.5	192.5	
		10-15-65	51.8	198.2	
		11-19-65	55.4	194.6	
		12-17-65	49.9	200.1	
		1-21-66	49.2	200.8	
		2-18-66	51.8	198.2	
		3-18-66	58.8	191.2	
		4-22-66	59.8	190.2	
		5-20-66	53.0	197.0	
		6-17-66	50.8	199.2	
		7-15-66	55.2	194.8	
		8-19-66	66.4	183.6	
		9-23-66	66.8	183.2	
03S/09W-33K04S	250.0	7-16-65	59.0	191.0	742
		8-13-65	65.0	185.0	
		9-17-65	62.0	188.0	
		10-15-65	56.0	194.0	
		11-19-65	59.0	191.0	
		12-17-65	54.0	196.0	
		1-21-66	52.0	198.0	
		2-18-66	55.0	195.0	
		3-18-66	60.0	190.0	
		4-22-66	62.0	188.0	
		5-20-66	58.0	192.0	
		6-17-66	57.0	193.0	
		7-15-66	57.0	193.0	
		8-19-66	69.0	181.0	
03S/09W-33K05S	252.0	7-16-65	71.7(1)	180.3	742
		8-13-65	67.7	184.3	
		9-17-65	65.5	186.5	
		10-15-65	58.9	193.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/09W-33K05S (CONT.)	252.0	11-19-65	61.7	190.3	742
		12-17-65	58.2	193.8	
		1-21-66	56.5	195.5	
		2-18-66	59.2	192.8	
		4-29-66	65.8(1)	186.2	
		5-27-66	75.4(1)	176.6	
		6-17-66	73.4(1)	178.6	
		7-15-66	76.5(1)	175.5	
		8-19-66	86.2(1)	165.8	
		9-23-66	90.0(1)	162.0	
03S/09W-33K06S	252.0	7-16-65	63.5	188.5	742
		8-13-65	68.8	183.2	
		9-17-65	66.2	185.8	
		10-15-65	59.6	192.4	
		11-19-65	63.1	188.9	
		12-17-65	58.1	193.9	
		1-21-66	57.7	194.3	
		2-18-66	60.3	191.7	
		3-18-66	75.4(1)	176.6	
		4-22-66	67.5	184.5	
		5-20-66	62.1	189.9	
		6-17-66	60.3	191.7	
		7-15-66	63.2	188.8	
		9-23-66	75.6	176.4	
03S/09W-33K07S	252.0	7-16-65	66.8(1)	185.2	742
		8-13-65	73.8(1)	178.2	
		9-17-65	69.5(1)	182.5	
		10-15-65	56.1	195.9	
		11-19-65	66.7(1)	185.3	
		12-17-65	62.1(1)	189.9	
		1-21-66	52.8	199.2	
		2-18-66	62.1(1)	189.9	
		3-18-66	69.1(1)	182.9	
		4-22-66	70.6(1)	181.4	
		5-20-66	58.1	193.9	
		6-17-66	63.2(1)	188.8	
		7-15-66	66.2(1)	185.8	
		8-19-66	76.2(1)	175.8	
		9-23-66	78.7(1)	173.3	
03S/09W-33L01S	248.0	7-01-65	50.7	197.3	102
		8-05-65	59.2	188.8	
		9-07-65	62.8	185.2	
		10-06-65	58.1	189.9	
		11-01-65	(1)		
		12-03-65	55.8	192.2	
		1-12-66	56.4	191.6	
		2-02-66	54.2	193.8	
		3-02-66	55.8	192.2	
		4-05-66	62.6	185.4	
		5-02-66	70.5	177.5	
		6-03-66	(1)		
		7-05-66	76.9	171.1	
		8-01-66	73.0	175.0	
		9-01-66	67.7	180.3	
03S/09W-33N03S	244.5	7-01-65	(1)		102
		8-05-65	(1)		
		9-07-65	(1)		
		10-06-65	(1)		
		11-01-65	68.8	175.7	
		12-03-65	68.0	176.5	
		1-12-66	65.2	179.3	
		2-02-66	72.7	171.8	
		3-02-66	67.1	177.4	
		4-05-66	71.4	173.1	
		5-02-66	(1)		
		6-03-66	(1)		
		7-05-66	(1)		
		8-01-66	81.6	162.9	
		9-01-66	(1)		
03S/09W-33Q02S	251.8	7-07-65	46.0	205.8	102
		7-14-65	48.4	203.4	
		7-21-65	50.3	201.5	
		7-28-65	52.0	199.8	
		8-04-65	53.7	198.1	
		8-11-65	55.5	196.3	
		8-18-65	57.3	194.5	
		8-25-65	58.5	193.3	
		9-01-65	59.8	192.0	
		9-08-65	59.0	192.8	
		9-15-65	55.0	196.8	
		9-22-65	50.2	201.6	
		9-29-65	46.6	205.2	
		10-06-65	44.5	207.3	
		10-13-65	42.8	209.0	
		10-20-65	43.0	208.8	
		10-27-65	(9)		
		10-29-65	44.9	206.9	
		11-03-65	46.5	205.3	
		11-10-65	48.6	203.2	
		12-01-65	47.9	203.9	
		12-15-65	44.9	206.9	
		1-05-66	42.7	209.1	
		1-12-66	42.9	208.9	

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/09W-33Q02S (CONT.)	251.8	1-19-66	43.0	208.8	102
		1-26-66	43.8	208.0	
		2-02-66	44.6	207.2	
		2-09-66	45.1	206.7	
		2-16-66	45.8	206.0	
		2-23-66	46.7	205.1	
		3-02-66	47.8	204.0	
		3-09-66	49.1	202.7	
		3-16-66	50.6	201.2	
		3-23-66	52.4	199.4	
		3-30-66	53.6	198.2	
		4-06-66	55.1	196.7	
		4-13-66	56.2	195.6	
		4-20-66	55.6	196.2	
		4-27-66	52.3	199.5	
		5-04-66	50.0	201.8	
		5-11-66	47.6	204.2	
		5-18-66	45.8	206.0	
		5-25-66	44.3	207.5	
		6-01-66	43.0	208.8	
		6-08-66	42.2	209.6	
		6-15-66	41.4	210.4	
		6-22-66	41.4	210.4	
		6-29-66	45.3	206.5	
		6-29-66	42.0	209.8	
		6-30-66	42.4	209.4	
		7-06-66	43.1	208.7	
		7-13-66	45.2	206.6	
		7-20-66	47.6	204.2	
		7-27-66	50.0	201.8	
		8-03-66	52.5	199.3	
		8-10-66	55.0	196.8	
		8-17-66	57.2	194.6	
		8-24-66	(9)		
		8-31-66	60.3	191.5	
		9-07-66	61.3	190.5	
		9-14-66	62.2	189.6	
		9-21-66	63.0	188.8	
		9-28-66	60.4	191.4	
03S/09W-33Q03S	251.4	7-01-65	42.9	208.5	102
		8-05-65	(1)		
		9-07-65	(1)		
		10-06-65	(1)		
		11-01-65	(1)		
		12-03-65	44.3	207.1	
		1-12-66	(1)		
		2-02-66	42.7	208.7	
		3-02-66	47.0	204.4	
		4-05-66	(1)		
		5-02-66	47.2	204.2	
		6-03-66	(1)		
		7-05-66	43.6	207.8	
		8-01-66	53.4	198.0	
		9-01-66	61.1	190.3	
03S/09W-34E01S	259.0	7-01-65	27.2	231.8	102
		8-05-65	35.0	224.0	
		9-07-65	38.7	220.3	
		10-06-65	29.8	229.2	
		11-01-65	29.6	229.4	
		12-03-65	29.6	229.4	
		1-12-66	26.6	232.4	
		2-02-66	27.8	231.2	
		3-02-66	(1)		
		4-05-66	(1)		
		5-02-66	33.8	225.2	
		6-03-66	30.8	228.2	
		7-05-66	27.4	231.6	
		8-01-66	33.6	225.4	
		9-01-66	38.7	220.3	
03S/09W-34G01S	266.0	7-07-65	23.5	242.5	102
		8-10-65	30.6	235.4	
		9-02-65	(9)		
		10-06-65	24.8	241.2	
		11-03-65	25.6	240.4	
		12-15-65	23.9	242.1	
		1-06-66	(9)		
		2-03-66	23.3	242.7	
		3-03-66	25.3	240.7	
		4-06-66	29.7	236.3	
		5-04-66	28.6	237.4	
		6-01-66	25.0	241.0	
		7-06-66	23.8	242.2	
		8-03-66	28.7	237.3	
		9-07-66	31.3	234.7	
03S/09W-34J01S	273.5	7-07-65	23.4	250.1	102
		8-10-65	31.0	242.5	
		9-02-65	34.6	238.9	
		10-06-65	24.4	249.1	
		11-03-65	24.9	248.6	
		12-15-65	22.6	250.9	
		1-06-66	21.6	251.9	
		2-03-66	22.4	251.1	
		3-03-66	24.5	249.0	
		4-06-66	28.8	244.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
035/09W-34J01S (CONT.)	273.5	5-04-66	27.1	246.4	102
		6-01-66	23.6	249.9	
		7-06-66	22.5	251.0	
		8-03-66	28.4	245.1	
		9-07-66	30.9	242.6	
035/09W-34K01S	266.0	7-07-65	23.4	242.6	102
		8-10-65	32.2	233.8	
		9-02-65	(1)		
		10-06-65	22.3	243.7	
		11-03-65	23.9	242.1	
		12-15-65	21.3	244.7	
		1-06-66	21.3	244.7	
		2-03-66	21.7	244.3	
		3-03-66	(1)		
		4-06-66	29.9(4)	236.1	
		5-04-66	(1)		
		6-01-66	21.8	244.2	
		7-06-66	(1)		
		8-03-66	(1)		
		9-07-66	(1)		
035/09W-34L01S	262.0	7-01-65	22.2	239.8	102
		8-05-65	(1)		
		9-07-65	(1)		
		10-06-65	21.5	240.5	
		11-01-65	23.3	238.7	
		12-03-65	22.5	239.5	
		1-12-66	22.7	239.3	
		2-02-66	21.6	240.4	
		3-02-66	(1)		
		4-05-66	(1)		
		5-02-66	(1)		
		6-03-66	20.9	241.1	
		7-05-66	(1)		
		8-01-66	(1)		
		9-01-66	35.6	226.4	
035/09W-34L02S	260.1	7-07-65	(1)		102
		7-14-65	(1)		
		7-21-65	(9)		
		7-28-65	31.8	228.3	
		8-04-65	33.3	226.8	
		8-11-65	35.3	224.8	
		8-18-65	36.7	223.4	
		8-25-65	38.3	221.8	
		9-01-65	38.1	222.0	
		9-08-65	34.6	225.5	
		9-15-65	(1)		
		9-22-65	27.9	232.2	
		9-29-65	(1)		
		10-06-65	24.2	235.9	
		10-13-65	23.3	236.8	
		10-20-65	(1)		
		10-27-65	24.6	235.5	
		11-03-65	26.9	233.2	
		12-15-65	23.5	236.6	
		1-05-66	22.6	237.5	
		1-12-66	23.4	236.7	
		1-19-66	22.6	237.5	
		1-26-66	23.7	236.4	
		2-02-66	24.3	235.8	
		2-09-66	23.9	236.2	
		2-16-66	25.1	235.0	
		2-23-66	26.6	233.5	
		3-02-66	27.9	232.2	
		3-09-66	28.8	231.3	
		3-16-66	30.2	229.9	
		3-23-66	31.3	228.8	
		3-30-66	30.7	229.4	
		4-06-66	33.6	226.5	
		4-13-66	34.2	225.9	
		4-20-66	(1)		
		4-27-66	(1)		
		5-04-66	34.2	225.9	
		5-11-66	27.7	232.4	
		5-18-66	26.4	233.7	
		5-25-66	24.7	235.4	
		6-01-66	24.1	236.0	
		6-08-66	(1)		
		6-15-66	25.6	234.5	
		6-22-66	23.2	236.9	
		6-29-66	22.9	237.2	
		7-06-66	23.9	236.2	
		7-13-66	25.7	234.4	
		7-20-66	(1)		
		7-27-66	30.0	230.1	
		8-03-66	(1)		
		8-10-66	(1)		
		8-17-66	33.1	227.0	
		8-24-66	(1)		
		8-31-66	36.4	223.7	
		9-07-66	38.3	221.8	
		9-14-66	40.1	220.0	
		9-21-66	36.7	223.4	
		9-28-66	(1)		
035/09W-35N02S	276.0	7-07-65	(1)		102

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
035/09W-35N02S (CONT.)	276.0	8-10-65	29.5	246.5	102
		9-02-65	(1)		
		10-06-65	23.1	252.9	
		11-03-65	(1)		
		12-15-65	21.6	254.4	
		1-06-66	20.9	255.1	
		2-03-66	21.1	254.9	
		3-03-66	22.6	253.4	
		4-06-66	(1)		
		5-04-66	(1)		
		6-01-66	22.5	253.5	
		7-06-66	21.8	254.2	
		8-03-66	(1)		
		9-07-66	(1)		
035/10W-27N01S	176.0	7-08-65	112.1	63.9	102
		8-05-65	112.3	63.7	
		9-01-65	111.6	64.4	
		10-13-65	108.7	67.3	
		11-02-65	109.4	66.6	
		12-07-65	108.3	67.7	
		1-12-66	109.5	66.5	
		2-02-66	110.5	65.5	
		3-03-66	112.4	63.6	
		4-12-66	114.0	62.0	
		5-03-66	115.2	60.8	
		6-06-66	113.1	62.9	
		7-07-66	114.9	61.1	
		8-02-66	118.6	57.4	
		9-12-66	(4)		
035/10W-28G02S	257.0	7-08-65	(1)		102
		8-05-65	176.6	80.4	
		9-01-65	177.2	79.8	
		10-13-65	176.6	80.4	
		11-02-65	176.9	80.1	
		12-07-65	178.0	79.0	
		1-12-66	177.8	79.2	
		2-02-66	183.2	73.8	
		3-03-66	178.4	78.6	
		4-12-66	183.9	73.1	
		5-03-66	180.4	76.6	
		6-06-66	(1)		
		7-07-66	177.9	79.1	
		8-02-66	180.5	76.5	
		9-12-66	186.2	70.8	
035/10W-30B01S	290.0	7-22-65	212.0	78.0	102
		8-24-65	217.1	72.9	
		9-30-65	211.8	78.2	
		10-28-65	222.5	67.5	
		11-29-65	202.0	88.0	
		1-05-66	199.6	90.4	
		2-21-66	203.4	86.6	
		3-22-66	(1)		
		4-27-66	(1)		
		5-24-66	(1)		
		6-16-66	218.1	71.9	
		7-26-66	(1)		
		8-31-66	(1)		
		9-28-66	221.1	68.9	
035/10W-32P01S	121.0	7-06-65	73.5	47.5	102
		7-12-65	74.1	46.9	
		7-19-65	74.5	46.5	
		7-26-65	75.1	45.9	
		8-03-65	75.5	45.5	
		8-19-65	75.9	45.1	
		8-24-65	77.2	43.8	
		8-30-65	77.4	43.6	
		9-13-65	76.5	44.5	
		9-20-65	75.9	45.1	
		9-27-65	75.6	45.4	
		10-11-65	75.5	45.5	
		10-18-65	75.4	45.6	
		10-25-65	75.3	45.7	
		11-01-65	74.7	46.3	
		11-08-65	74.4	46.6	
		11-29-65	70.6	50.4	
		12-13-65	69.3	51.7	
		12-27-65	69.4	51.6	
		1-03-66	69.0	52.0	
		1-17-66	68.7	52.3	
		1-24-66	68.9	52.1	
		1-31-66	69.1	51.9	
		2-07-66	68.6	52.4	
		2-15-66	68.7	52.3	
		2-21-66	69.0	52.0	
		3-02-66	69.7	51.3	
		3-09-66	70.4	50.6	
		3-16-66	70.2	50.8	
		3-22-66	71.3	49.7	
		3-30-66	71.4	49.6	
		4-06-66	72.0	49.0	
		4-13-66	72.3	48.7	
		4-20-66	73.0	48.0	
		4-27-66	73.5	47.5	
		5-04-66	74.2	46.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0
ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/10W-32P01S (CONT.)	121.0	5-11-66	76.9	44.1	102
		5-18-66	76.0	45.0	
		5-24-66	74.3	46.7	
		6-01-66	74.1	46.9	
		6-08-66	74.8	46.2	
		6-15-66	75.3	45.7	
		6-22-66	75.5	45.5	
		6-29-66	76.0	45.0	
		7-06-66	76.9	44.1	
		7-13-66	77.4	43.6	
		7-20-66	78.4	42.6	
		7-27-66	79.2	41.8	
		8-03-66	79.7	41.3	
		8-10-66	80.2	40.8	
		8-17-66	80.9	40.1	
		8-24-66	81.2	39.8	
		8-31-66	81.6	39.4	
		9-07-66	81.3	39.7	
		9-14-66	81.6	39.4	
		9-21-66	81.9	39.1	
		9-28-66	82.0	39.0	
03S/10W-34N01S	154.2	7-08-65	83.5	70.7	102
		8-05-65	83.8	70.4	
		9-01-65	84.3	69.9	
		10-13-65	81.9	72.3	
		11-02-65	81.6	72.6	
		12-07-65	80.9	73.3	
		1-12-66	81.7	72.5	
		2-02-66	82.0	72.2	
		3-03-66	84.2	70.0	
		4-12-66	85.8	68.4	
		5-03-66	86.7	67.5	
		6-06-66	85.6	68.6	
		7-07-66	85.7	68.5	
		8-02-66	87.7	66.5	
		9-12-66	92.4	61.8	
03S/10W-34N02S	155.2	7-08-65	(9)		102
		8-05-65	83.5	71.7	
		9-01-65	(9)		
		10-13-65	81.5	73.7	
		11-02-65	(9)		
		12-07-65	(9)		
		1-12-66	(9)		
		2-02-66	(9)		
03S/10W-35K01S	184.0	7-08-65	267.2	-83.2	102
		8-05-65	267.5	-83.5	
		9-01-65	267.7	-83.7	
		10-13-65	261.6	-77.6	
		11-02-65	263.9	-79.9	
		12-07-65	268.6	-84.6	
		1-12-66	267.5	-83.5	
		2-02-66	268.8	-84.8	
		3-03-66	271.2	-87.2	
		4-12-66	272.8	-88.8	
		5-03-66	(1)		
		6-06-66	268.5	-84.5	
		7-07-66	(1)		
		8-02-66	(1)		
		9-12-66	277.5	-93.5	
03S/10W-36H01S	228.0	7-01-65	(1)		102
		8-05-65	(1)		
		9-07-65	(1)		
		10-06-65	(1)		
		11-01-65	(1)		
		12-03-65	120.1	107.9	
		1-11-66	(1)		
		2-02-66	123.0	105.0	
		3-02-66	(1)		
		4-05-66	(1)		
		5-02-66	(1)		
		6-03-66	(1)		
		7-05-66	(1)		
		8-01-66	(1)		
		9-01-66	(1)		
03S/10W-36K02S	204.0	7-01-65	100.1	103.9	102
		8-05-65	98.5	105.5	
		9-07-65	98.6	105.4	
		10-06-65	97.5	106.5	
		11-01-65	98.0	106.0	
		12-03-65	107.8	96.2	
		1-11-66	116.2	87.8	
		2-02-66	115.3	88.7	
		3-02-66	109.1	94.9	
		4-05-66	(1)		
		5-02-66	109.0	95.0	
		6-03-66	102.2	101.8	
		7-05-66	101.8	102.2	
		8-01-66	110.9	93.1	
		9-01-66	113.7	90.3	
03S/11W-26B02S	100.0	11-08-65	64.4	35.6	101
		4-13-66	63.7	36.3	

ANAHEIM HYDRO SUBUNIT U-05.F0
ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/11W-26B03S	115.0	7-22-65	59.2	55.8	102
		8-24-65	60.5	54.5	
		9-30-65	60.4	54.6	
		10-28-65	61.5	53.5	
		11-29-65	59.8	55.2	
		1-05-66	60.2	54.8	
		2-21-66	59.7	55.3	
		3-22-66	58.3	56.7	
		4-27-66	(1)		
		5-24-66	(1)		
		6-16-66	60.0	55.0	
		7-26-66	61.2	53.8	
		8-31-66	(1)		
		9-28-66	(1)		
03S/11W-34E01S	57.0	11-03-65	59.6	-2.6	101
		4-11-66	58.2	-1.2	
03S/11W-34P03S	60.0	7-22-65	68.4	-8.4	102
		8-24-65	69.5	-9.5	
		9-30-65	66.4	-6.4	
		10-28-65	66.1	-6.1	
		11-29-65	57.5	2.5	
		1-13-66	53.5	6.5	
		2-21-66	52.4	7.6	
		3-22-66	56.7	3.3	
		4-27-66	59.5	.5	
		5-24-66	60.5	-.5	
		6-16-66	63.7	-3.7	
		7-26-66	66.4	-6.4	
		8-31-66	68.2	-8.2	
		9-28-66	69.3	-9.3	
03S/11W-35N02S	68.0	7-06-65	57.2	10.8	102
		7-12-65	58.9	9.1	
		7-19-65	59.9	8.1	
		7-26-65	59.8	8.2	
		8-03-65	59.9	8.1	
		8-19-65	60.4	7.6	
		8-24-65	62.6	5.4	
		8-30-65	62.2	5.8	
		9-13-65	60.2	7.8	
		9-20-65	59.0	9.0	
		9-27-65	58.5	9.5	
		10-11-65	58.2	9.8	
		10-18-65	57.6	10.4	
		10-25-65	58.7	9.3	
		11-01-65	58.1	9.9	
		11-08-65	56.8	11.2	
		11-29-65	50.4	17.6	
		12-13-65	47.0	21.0	
		12-27-65	47.8	20.2	
		1-03-66	46.8	21.2	
		1-17-66	46.4	21.6	
		1-26-66	(6)		
03S/11W-36H01S	90.0	7-22-65	63.5	26.5	102
		8-25-65	66.9	23.1	
		9-30-65	64.2	25.8	
		10-28-65	65.8	24.2	
		11-29-65	58.7	31.3	
		1-18-66	(1)		
		2-21-66	(1)		
		3-22-66	57.7	32.3	
		4-27-66	60.6	29.4	
		5-24-66	(1)		
		6-16-66	64.5	25.5	
		7-26-66	66.7	23.3	
		8-31-66	(1)		
04S/09W-04D01S	245.4	7-01-65	(1)		102
		8-05-65	(1)		
		9-07-65	(1)		
		10-06-65	73.9	171.5	
		11-01-65	82.5	162.9	
		12-03-65	94.1	151.3	
		1-12-66	101.2	144.2	
		2-02-66	82.5	162.9	
		3-02-66	85.3	160.1	
		4-05-66	(1)		
		5-02-66	83.5	161.9	
		6-03-66	75.6	169.8	
		7-05-66	76.5	168.9	
		8-01-66	93.3	152.1	
		9-01-66	106.5	138.9	
04S/09W-05B01S	237.7	8-05-65	92.0	145.7	102
		9-07-65	96.6	141.1	
		10-06-65	79.7	158.0	
		11-01-65	87.0	150.7	
		12-03-65	96.9	140.8	
		1-12-66	92.9	144.8	
		2-02-66	93.7	144.0	
		3-02-66	92.1	145.6	
		4-05-66	104.3	133.4	
		5-02-66	90.8	146.9	
		6-03-66	79.4	158.3	
		7-05-66	84.2	153.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-05B01S	237.7	8-01-66	102.5	135.2	102
(CONT.)		9-01-66	111.7	126.0	
04S/09W-05G01S	237.8	8-05-65	90.8	147.0	102
		9-07-65	95.0	142.8	
		10-06-65	78.3	159.5	
		11-01-65	85.7	152.1	
		12-03-65	94.5	143.3	
		1-12-66	90.6	147.2	
		2-02-66	88.9	148.9	
		3-02-66	90.7	147.1	
		4-05-66	99.4	138.4	
		5-02-66	88.5	149.3	
		6-03-66	78.2	159.6	
		7-05-66	81.3	156.5	
		8-01-66	102.5	135.3	
		9-01-66	112.0	125.8	
04S/09W-05H02S	226.0	7-01-65	92.9	133.1	102
		8-05-65	89.7	136.3	
		9-07-65	91.6	134.4	
		10-06-65	89.1	136.9	
		11-01-65	92.9	133.1	
		12-03-65	104.1	121.9	
		1-12-66	103.4	122.6	
		2-02-66	105.9	120.1	
		3-02-66	107.0	119.0	
		4-05-66	114.7(2)	111.3	
		5-02-66	101.1	124.9	
		6-03-66	90.7	135.3	
		7-05-66	93.2	132.8	
		8-01-66	106.4(2)	119.6	
		9-01-66	111.4	114.6	
04S/09W-06F01S	211.8	7-01-65	96.1	115.7	102
		8-05-65	91.7	120.1	
		9-07-65	91.5	120.3	
		10-06-65	92.1	119.7	
		11-01-65	93.8	118.0	
		12-03-65	106.9	104.9	
		1-11-66	103.8	108.0	
		2-02-66	107.0	104.8	
		3-02-66	109.9	101.9	
		4-05-66	109.5	102.3	
		5-02-66	108.2	103.6	
		6-03-66	96.0	115.8	
		7-05-66	99.3	112.5	
		8-01-66	107.0	104.8	
		9-01-66	111.7	100.1	
04S/09W-06G02S	215.4	8-05-65	(1)		102
		9-07-65	(1)		
		10-06-65	89.1	126.3	
		11-01-65	90.9	124.5	
		12-03-65	101.7	113.7	
		1-11-66	103.2	112.2	
		2-02-66	105.3	110.1	
		3-02-66	106.5	108.9	
		4-05-66	106.7	108.7	
		5-02-66	(1)		
		6-03-66	(1)		
		7-05-66	(1)		
		8-01-66	(1)		
		9-01-66	(1)		
04S/10W-01C02S	196.8	7-07-65	103.4	93.4	102
		7-14-65	102.9	93.9	
		7-21-65	102.4	94.4	
		7-28-65	102.1	94.7	
		8-04-65	101.9	94.9	
		8-11-65	101.7	95.1	
		8-18-65	100.8	96.0	
		8-25-65	100.0	96.8	
		9-01-65	99.8	97.0	
		9-08-65	98.8	98.0	
		9-15-65	99.1	97.7	
		9-22-65	98.9	97.9	
		9-29-65	99.1	97.7	
		10-06-65	99.1	97.7	
		10-13-65	98.2	98.6	
		10-20-65	98.0	98.8	
		10-27-65	99.0	97.8	
		11-03-65	100.1	96.7	
		11-10-65	101.4	95.4	
		12-01-65	102.8	94.0	
		12-15-65	103.4	93.4	
		1-05-66	106.4	90.4	
		1-12-66	106.7	90.1	
		1-19-66	107.5	89.3	
		1-26-66	108.9	87.9	
		2-02-66	108.5	88.3	
		2-09-66	109.0	87.8	
		2-16-66	109.5	87.3	
		2-23-66	110.2	86.6	
		3-02-66	110.4	86.4	
		3-09-66	111.3	85.5	
		3-16-66	111.6	85.2	
		3-23-66	112.5	84.3	

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-01C02S	196.8	3-30-66	112.2	84.6	102
(CONT.)		4-06-66	112.1	84.7	
		4-13-66	111.2	85.6	
		4-20-66	110.7	86.1	
		4-27-66	110.0	86.8	
		5-04-66	109.1	87.7	
		5-11-66	107.7	89.1	
		5-18-66	107.3	89.5	
		5-25-66	105.9	90.9	
		6-01-66	105.0	91.8	
		6-08-66	104.2	92.6	
		6-15-66	104.2	92.6	
		6-22-66	104.3	92.5	
		6-29-66	104.4	92.4	
		7-06-66	104.9	91.9	
		7-13-66	106.5	90.3	
		7-20-66	108.0	88.8	
		7-27-66	109.4	87.4	
		8-03-66	111.4	85.4	
		8-10-66	112.3	84.5	
		8-17-66	113.1	83.7	
		8-24-66	113.4	83.4	
		8-31-66	114.7	82.1	
		9-07-66	115.6	81.2	
		9-14-66	116.4	80.4	
		9-21-66	116.4	80.4	
		9-28-66	116.4	80.4	
04S/10W-01F01S	195.2	7-01-65	100.2	95.0	210
		8-01-65	101.2	94.0	
		9-01-65	98.3	96.9	
		10-01-65	99.6	95.6	
		11-01-65	101.8	93.4	
		12-01-65	101.5	93.7	
		1-01-66	105.5	89.7	
		2-01-66	107.0	88.2	
		3-01-66	111.3	83.9	
		4-01-66	107.5	87.7	
		5-01-66	106.4	88.8	
		6-01-66	108.7	86.5	
		7-01-66	112.7	82.5	
		8-01-66	112.8	82.4	
		9-01-66	114.2	81.0	
04S/10W-01P01S	196.3	7-01-65	101.5	94.8	102
		8-05-65	98.5	97.8	
		9-07-65	98.8	97.5	
		10-06-65	95.3	101.0	
		11-01-65	96.8	99.5	
		12-03-65	105.1	91.2	
		1-11-66	104.6	91.7	
		2-02-66	111.2	85.1	
		3-02-66	112.8	83.5	
		4-05-66	117.8	78.5	
		5-02-66	106.4	89.9	
		6-03-66	101.1	95.2	
		7-05-66	107.1	89.2	
		8-01-66	117.7	78.6	
		9-01-66	116.8	79.5	
04S/10W-02C01S	182.0	7-08-65	103.6	78.4	102
		8-05-65	102.7	79.3	
		9-01-65	(1)		
		10-13-65	101.7	80.3	
		11-02-65	101.7	80.3	
		12-07-65	99.2	82.8	
		1-12-66	106.3	75.7	
		2-02-66	104.5	77.5	
		3-03-66	105.9	76.1	
		4-12-66	(1)		
		5-03-66	107.9	74.1	
		6-06-66	(1)		
		7-07-66	107.8	74.2	
		8-02-66	109.5	72.5	
		9-12-66	112.3	69.7	
04S/10W-02N01S	175.0	8-05-65	98.7	76.3	102
		9-01-65	(9)		
		10-13-65	93.6	81.4	
		11-02-65	95.0	80.0	
		12-07-65	94.6	80.4	
		1-12-66	98.4	76.6	
		2-02-66	98.8	76.2	
		3-03-66	(1)		
		4-12-66	(9)		
		7-07-66	101.9	73.1	
		8-02-66	106.5	68.5	
		9-12-66	(9)		
04S/10W-02R01S	186.5	7-01-65	101.0	85.5	102
		8-05-65	100.1	86.4	
		9-07-65	98.7	87.8	
		10-06-65	96.9	89.6	
		11-01-65	97.0	89.5	
		12-03-65	99.6	86.9	
		1-11-66	102.4	84.1	
		2-02-66	104.1	82.4	
		3-02-66	105.9	80.6	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
4S/10W-02R01S	186.5	4-05-66	109.3	77.2	102
CONT.)		6-03-66	102.1	84.4	
		7-05-66	105.8	80.7	
		9-01-66	106.4	80.1	
4S/10W-03P01S	160.4	7-01-65	76.5	83.9	210
		8-01-65	81.1	79.3	
		9-01-65	95.4	65.0	
		10-01-65	94.7	65.7	
		11-01-65	93.7	66.7	
		12-01-65	91.0	69.4	
		1-01-66	93.5	66.9	
		2-01-66	102.2	58.2	
		3-01-66	99.3	61.1	
		4-01-66	100.5	59.9	
		5-01-66	100.0	60.4	
		6-01-66	100.0	60.4	
		7-01-66	106.7	53.7	
		8-01-66	106.6	53.8	
		9-01-66	107.6	52.8	
4S/10W-03P02S	160.1	7-01-65	93.7	66.4	210
		8-01-65	99.5	60.6	
		9-01-65	97.6	62.5	
		10-01-65	96.6	63.5	
		11-01-65	90.7	69.4	
		12-01-65	90.5	69.6	
		1-01-66	92.3	67.8	
		2-01-66	100.7	59.4	
		3-01-66	98.3	61.8	
		4-01-66	96.5	63.6	
		5-01-66	99.3	60.8	
		6-01-66	99.7	60.4	
		7-01-66	105.7	54.4	
		8-01-66	104.7	55.4	
		9-01-66	105.8	54.3	
4S/10W-04Q02S	150.0	8-01-65	105.3	44.7	210
		9-01-65	102.3	47.7	
		10-01-65	98.3	51.7	
		11-01-65	94.1	55.9	
		12-01-65	93.7	56.3	
		1-01-66	94.4	55.6	
		2-01-66	100.3	49.7	
		3-01-66	102.6	47.4	
		4-01-66	103.7	46.3	
		5-01-66	103.9	46.1	
		6-01-66	106.6	43.4	
		7-01-66	110.2	39.8	
		8-01-66	110.1	39.9	
		9-01-66	112.8	37.2	
4S/10W-04Q03S	147.0	7-08-65	99.5	47.5	102
		8-05-65	100.1	46.9	
		9-01-65	99.9	47.1	
		10-13-65	94.4	52.6	
		11-02-65	92.8	54.2	
		12-07-65	87.1	59.9	
		1-12-66	91.0	56.0	
		2-02-66	89.8	57.2	
		3-03-66	95.9	51.1	
		4-12-66	97.8	49.2	
		5-03-66	104.1	42.9	
		6-06-66	100.4	46.6	
		7-07-66	(1)		
		8-02-66	108.2	38.8	
		9-12-66	115.3	31.7	
4S/10W-04R02S	150.2	7-08-65	(1)		102
		8-05-65	102.4	47.8	
		9-01-65	101.7	48.5	
		10-13-65	96.3	53.9	
		11-02-65	94.0	56.2	
		12-07-65	88.6	61.6	
		1-12-66	93.0	57.2	
		2-02-66	90.5	59.7	
		3-03-66	97.5	52.7	
		4-12-66	98.0	52.2	
		5-03-66	(1)		
		6-06-66	(1)		
		7-07-66	(1)		
		8-02-66	(1)		
		9-12-66	(1)		
4S/10W-07E01S	101.0	7-01-65	83.5	17.5	210
		7-08-65	(1)		102
		8-01-65	87.6	13.4	210
		8-05-65	79.4	21.6	102
		9-01-65	88.1	12.9	210
		9-01-65	(1)		102
		10-01-65	76.3	24.7	210
		10-13-65	74.2	26.8	102
		11-01-65	74.4	26.6	210
		11-02-65	(1)		102
		12-01-65	73.9	27.1	210
		12-07-65	63.7	37.3	102
		1-01-66	80.1	20.9	210
		1-12-66	(1)		102

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-07E01S	101.0	2-01-66	80.8	20.2	210
(CONT.)		2-02-66	64.9	36.1	
		3-01-66	75.9	25.1	210
		3-03-66	(1)		102
		4-01-66	93.2	7.8	210
		4-12-66	(1)		102
		5-01-66	84.0	17.0	210
		5-03-66	(1)		102
		6-01-66	81.8	19.2	210
		6-06-66	(1)		102
		7-01-66	86.6	14.4	210
		7-07-66	(1)		102
		8-01-66	90.4	10.6	210
		8-02-66	(1)		102
		9-01-66	92.3	8.7	210
		9-12-66	(1)		102
04S/10W-07J01S	111.0	7-08-65	81.4	29.6	102
		8-05-65	82.8	28.2	
		9-01-65	84.2	26.8	
		10-13-65	77.5	33.5	
		11-02-65	78.1	32.9	
		12-07-65	69.1	41.9	
		1-12-66	70.8	40.2	
		2-02-66	70.7	40.3	
		3-03-66	73.9	37.1	
		4-12-66	79.0	32.0	
		5-03-66	83.3	27.7	
		6-06-66	82.8	28.2	
		7-07-66	87.0	24.0	
		8-02-66	89.9	21.1	
		9-12-66	(1)		
04S/10W-07J03S	94.8	7-08-65	59.2	35.6	102
		8-05-65	(9)		
		9-01-65	62.7	32.1	
		10-13-65	58.0	36.8	
		11-02-65	(9)		
		12-07-65	52.2	42.6	
		1-12-66	51.6	43.2	
		2-02-66	52.2	42.6	
		4-12-66	54.7	40.1	
		5-03-66	57.2	37.6	
		6-06-66	57.2	37.6	
		7-07-66	59.0	35.8	
		8-08-66	65.7	29.1	
		9-12-66	61.9	32.9	
04S/10W-07K01S	108.0	7-08-65	64.9	43.1	102
		8-05-65	69.4	38.6	
		9-01-65	70.0	38.0	
		10-13-65	67.8	40.2	
		11-02-65	67.8	40.2	
		12-07-65	(9)		
		1-12-66	(8)		
		2-02-66	19.7	88.3	
		3-03-66	15.4	92.6	
		4-12-66	64.6	43.4	
		5-03-66	66.7	41.3	
		6-06-66	66.7	41.3	
		7-07-66	67.4	40.6	
		8-02-66	68.1	39.9	
		9-12-66	68.7	39.3	
04S/10W-07K02S	102.4	7-08-65	62.9	39.5	102
		8-05-65	63.4	39.0	
		9-01-65	(9)		
		10-13-65	64.5	37.9	
		11-02-65	62.5	39.9	
		12-07-65	60.6	41.8	
		1-12-66	59.4	43.0	
		2-02-66	57.2	45.2	
		3-03-66	59.3	43.1	
		4-12-66	59.5	42.9	
		5-03-66	(9)		
		6-06-66	60.0	42.4	
		7-07-66	60.7	41.7	
		8-02-66	60.7	41.7	
		9-12-66	61.3	41.1	
04S/10W-07K03S	104.0	7-08-65	13.4	90.6	102
		8-05-65	19.9	84.1	
		9-01-65	63.8	40.2	
		10-13-65	62.0	42.0	
		11-02-65	62.2	41.8	
		12-07-65	7.1	96.9	
		1-12-66	12.7	91.3	
		2-02-66	12.0	92.0	
		3-03-66	10.6	93.4	
		4-12-66	14.8	89.2	
		5-03-66	(9)		
		6-06-66	59.3	44.7	
		7-07-66	60.8	43.2	
		8-02-66	61.5	42.5	
		9-12-66	62.2	41.8	
04S/10W-07K04S	98.2	7-08-65	54.1	44.1	
		8-05-65	53.3	44.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-07K04S	98.2	9-01-65	53.7	44.5	102
(CONT.)		10-13-65	55.6	42.6	
		11-02-65	55.7	42.5	
		12-07-65	8.1	90.1	
		1-12-66	10.3	87.9	
		2-02-66	8.0	90.2	
		3-03-66	15.3	82.9	
		4-12-66	52.5	45.7	
		5-03-66	(9)		
		6-06-66	48.6	49.6	
		7-07-66	39.9	58.3	
		8-02-66	42.9	55.3	
		9-12-66	33.1	65.1	
04S/10W-07N01S	93.5	7-08-65	(8)		102
		8-05-65	(1)		
		9-01-65	(8)		
		10-13-65	67.7	25.8	
		11-02-65	69.2	24.3	
		12-07-65	60.1	33.4	
		1-12-66	58.9	34.6	
		2-02-66	58.3	35.2	
		3-03-66	62.7	30.8	
		4-12-66	63.5	30.0	
		5-03-66	72.8	20.7	
		6-06-66	73.6	19.9	
		7-07-66	78.8	14.7	
		8-02-66	(6)		
04S/10W-08C02S	125.8	7-01-65	96.5	29.3	210
		8-01-65	101.5	24.3	
		9-01-65	102.2	23.6	
		10-01-65	96.1	29.7	
		11-01-65	87.3	38.5	
		12-01-65	87.0	38.8	
		1-01-66	85.1	40.7	
		2-01-66	86.7	39.1	
		3-01-66	94.3	31.5	
		4-01-66	99.5	26.3	
		5-01-66	98.8	27.0	
		7-01-66	103.1	22.7	
		8-01-66	105.0	20.8	
04S/10W-08K01S	126.1	7-08-65	92.1	34.0	102
		8-05-65	90.6	35.5	
		9-01-65	91.0	35.1	
		10-13-65	84.9	41.2	
		11-02-65	84.7	41.4	
		12-07-65	77.4	48.7	
		1-12-66	79.7	46.4	
		2-02-66	79.8	46.3	
		3-03-66	83.5	42.6	
		4-12-66	87.1	39.0	
		5-03-66	91.2	34.9	
		6-06-66	90.0	36.1	
		7-07-66	(9)		
		8-02-66	(9)		
		9-12-66	(9)		
04S/10W-08N05S	115.5	12-01-65	72.8	42.7	210
		1-01-66	73.8	41.7	
		2-01-66	77.5	38.0	
		3-01-66	81.0	34.5	
		4-01-66	87.3	28.2	
		5-01-66	85.2	30.3	
		6-01-66	88.5	27.0	
		7-01-66	90.7	24.8	
		8-01-66	90.1	25.4	
		9-01-66	95.0	20.5	
04S/10W-09B02S	145.3	7-01-65	105.2	40.1	210
		8-01-65	106.2	39.1	
		9-01-65	101.8	43.5	
		10-01-65	97.3	48.0	
		11-01-65	92.5	52.8	
		12-01-65	92.1	53.2	
		1-01-66	92.3	53.0	
		2-01-66	99.6	45.7	
		3-01-66	101.3	44.0	
		4-01-66	103.7	41.6	
		5-01-66	104.6	40.7	
		6-01-66	103.3	42.0	
		7-01-66	110.6	34.7	
		8-01-66	110.3	35.0	
		9-01-66	111.7	33.6	
04S/10W-09B03S	144.2	7-01-65	98.0	46.2	210
		8-01-65	101.5	42.7	
		9-01-65	97.6	46.6	
		10-01-65	94.7	49.5	
		11-01-65	88.2	56.0	
		12-01-65	87.7	56.5	
		1-01-66	87.8	56.4	
		2-01-66	96.3	47.9	
		3-01-66	95.3	48.9	
		4-01-66	99.2	45.0	
		5-01-66	100.8	43.4	
		6-01-66	103.0	41.2	
ANAHEIM HYDRO SUBUNIT U-05.F0 ANAHEIM HYDRO SUBAREA U-05.F1					
04S/10W-09B03S	144.2	7-01-66	107.5	36.7	210
(CONT.)		8-01-66	108.5	35.7	
		9-01-66	112.9	31.3	
04S/10W-18A01S	107.0	7-08-65	75.3	31.7	102
		8-05-65	77.9	29.1	
		9-01-65	80.3	26.7	
		10-13-65	76.3	30.7	
		11-02-65	76.3	30.7	
		12-07-65	67.6	39.4	
		1-12-66	67.2	39.8	
		2-02-66	67.3	39.7	
		3-03-66	67.9	39.1	
		4-12-66	70.4	36.6	
		5-03-66	72.7	34.3	
		6-06-66	74.9	32.1	
		7-07-66	76.6	30.4	
		8-02-66	77.4	29.6	
		9-12-66	82.6	24.4	
04S/10W-18B02S	103.9	8-05-65	(9)		102
		9-01-65	(9)		
		10-13-65	73.3	30.6	
		11-02-65	(1)		
		12-07-65	64.2	39.7	
		1-12-66	65.4	38.5	
		2-02-66	65.4	38.5	
		3-03-66	67.8	36.1	
		4-12-66	74.4	29.5	
		5-03-66	77.9	26.0	
		6-06-66	78.4	25.5	
		7-07-66	83.2	20.7	
		8-02-66	85.5	18.4	
		9-12-66	85.9	18.0	
04S/10W-18C02S	98.0	7-08-65	75.3	22.7	102
		8-05-65	(9)		
		9-01-65	(9)		
		10-13-65	70.0	28.0	
		11-02-65	(9)		
		12-07-65	61.9	36.1	
		1-12-66	62.4	35.6	
		2-02-66	61.9	36.1	
		3-02-66	66.9	31.1	
		4-12-66	72.0	26.0	
		5-03-66	76.6(4)	21.4	
		6-06-66	(1)		
		7-07-66	(1)		
		8-02-66	(1)		
		9-12-66	(1)		
04S/11W-03D02S	59.0	7-09-65	64.8	-5.8	733
		7-30-65	65.6	-6.6	
		8-20-65	68.7	-9.7	
		9-10-65	67.3	-8.3	
		10-01-65	66.5	-7.5	
		10-22-65	64.9	-5.9	
		11-12-65	64.4	-5.4	
		12-24-65	53.6	5.4	
		1-14-66	51.7	7.3	
		2-04-66	51.6	7.4	
		2-26-66	51.4	7.6	
		3-18-66	55.9	3.1	
		4-29-66	57.1	1.9	
		5-20-66	58.2	.8	
04S/11W-04G03S	51.0	8-24-65	78.3	-27.3	102
		9-30-65	75.8	-24.8	
		10-28-65	75.2	-24.2	
		11-29-65	61.9	-10.9	
		1-13-66	(9)		
		2-23-66	57.6	-6.6	
		3-22-66	(9)		
		3-23-66	59.6	-8.6	
		4-27-66	63.3	-12.3	
		5-24-66	62.4	-11.4	
		6-16-66	65.9	-14.9	
		7-26-66	70.2	-19.2	
		8-03-66	71.2	-20.2	
		8-31-66	72.0	-21.0	
		9-28-66	70.7	-19.7	
04S/11W-05J01S	45.0	7-08-65	72.2	-27.2	733
		7-29-65	74.8	-29.8	
		8-19-65	76.5	-31.5	
		9-09-65	75.1	-30.1	
		9-30-65	72.8	-27.8	
		10-21-65	72.3	-27.3	
		11-11-65	71.8	-26.8	
		12-02-65	60.7	-15.7	
		12-23-65	51.4	-6.4	
		1-13-66	56.5	-11.5	
		2-03-66	55.7	-10.7	
		2-24-66	55.5	-10.5	
		3-17-66	59.1	-14.1	
		4-07-66	60.2	-15.2	
		4-28-66	65.4	-20.4	
		5-19-66	66.5	-21.5	

TABLE C-I
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/11W-05J01S (CONT.)	45.0	6-30-66	72.8	-27.8	733
04S/11W-05Q01S	41.0	7-29-65	72.1	-31.1	733
		8-19-65	73.6	-32.6	
		9-09-65	72.3	-31.3	
		9-30-65	68.2	-27.2	
		10-21-65	67.0	-26.0	
		11-11-65	66.5	-25.5	
		12-02-65	54.9	-13.9	
		12-23-65	52.2	-11.2	
		1-13-66	53.6	-12.6	
		2-03-66	52.9	-11.9	
		2-24-66	52.3	-11.3	
		3-17-66	53.9	-12.9	
		4-07-66	55.4	-14.4	
		4-29-66	60.6	-19.6	
		5-19-66	61.9	-20.9	
		6-30-66	68.1	-27.1	
04S/11W-08P01S	38.2	7-22-65	53.1	-14.9	102
		7-29-65	54.1	-15.9	733
		8-19-65	57.4	-19.2	
		8-26-65	56.5	-18.3	102
		9-09-65	55.7	-17.5	733
		9-30-65	49.8	-11.6	102
		9-30-65	50.8	-12.6	733
		10-21-65	47.5	-9.3	
		10-28-65	47.4	-9.2	102
		11-11-65	46.2	-8.0	733
		11-29-65	34.1	4.1	102
		12-02-65	34.2	4.0	733
		12-23-65	30.1	8.1	
		1-07-66	29.3	8.9	102
		1-13-66	30.5	7.7	733
		2-03-66	30.3	7.9	
		2-21-66	29.4	8.8	102
		2-24-66	30.0	8.2	733
		3-17-66	34.1(4)	4.1	
		3-22-66	35.1(2)	3.1	102
		4-07-66	39.1	-.9	733
		4-27-66	46.1	-7.9	102
		4-29-66	47.2	-9.0	733
		5-19-66	48.6(4)	-10.4	
		5-24-66	49.4(2)	-11.2	102
		6-16-66	52.3(2)	-14.1	
		6-30-66	54.1	-15.9	733
		7-26-66	54.9	-16.7	102
		8-31-66	57.4(2)	-19.2	
		9-28-66	53.8(2)	-15.6	
04S/11W-10H03S	67.0	8-26-65	65.4	1.6	102
		9-30-65	57.9	9.1	
		10-28-65	58.4	8.6	
		11-29-65	44.6	22.4	
		1-13-66	44.0	23.0	
		2-21-66	44.8	22.2	
		3-22-66	52.6	14.4	
		4-27-66	58.5	8.5	
		5-24-66	59.9	7.1	
		6-16-66	63.2	3.8	
		7-26-66	67.4	-.4	
		8-31-66	70.2	-3.2	
		9-28-66	68.7	-1.7	
04S/11W-10M01S	53.5	7-12-65	61.3	-7.8	102
		7-19-65	62.4	-8.9	
		7-26-65	63.1	-9.6	
		8-03-65	62.2	-8.7	
		8-09-65	63.5	-10.0	
		8-24-65	(1)		
		8-30-65	(1)		
		9-13-65	63.3	-9.8	
		9-20-65	62.2	-8.7	
		9-27-65	61.6	-8.1	
		10-11-65	61.2	-7.7	
		10-18-65	60.1	-6.6	
		10-25-65	62.2	-8.7	
		11-01-65	61.0	-7.5	
		11-08-65	59.8	-6.3	
		11-29-65	51.0	2.5	
		12-13-65	47.4	6.1	
		12-27-65	48.6	4.9	
		1-03-66	47.4	6.1	
		1-17-66	46.2	7.3	
		1-24-66	46.2	7.3	
		1-31-66	46.2	7.3	
		2-07-66	45.2	8.3	
		2-15-66	45.0	8.5	
		2-21-66	45.8	7.7	
		2-28-66	46.9	6.6	
		3-07-66	46.7	6.8	
		3-14-66	50.0(4)	3.5	
		3-21-66	53.3(4)	.2	
		3-28-66	49.1	4.4	
		4-03-66	49.3	4.2	
		4-12-66	50.2	3.3	
		4-26-66	52.8	.7	

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/11W-10M01S (CONT.)	53.5	5-03-66	(1)		102
		5-10-66	55.7	-2.2	
		5-17-66	(1)		
		5-24-66	55.6	-2.1	
		6-07-66	57.8	-4.3	
		6-14-66	58.9	-5.4	
		6-21-66	59.7	-6.2	
		6-28-66	60.3	-6.8	
		7-05-66	(1)		
		7-12-66	(1)		
		7-19-66	63.4	-9.9	
		7-26-66	63.5	-10.0	
		8-02-66	63.2	-9.7	
		8-09-66	64.1	-10.6	
		8-16-66	64.5	-11.0	
		8-23-66	65.9	-12.4	
		8-30-66	66.3	-12.8	
		9-06-66	64.5	-11.0	
		9-13-66	63.5	-10.0	
		9-20-66	65.0	-11.5	
04S/11W-12F01S	90.0	8-06-65	77.1	12.9	102
		9-15-65	73.9	16.1	
		10-15-65	69.7	20.3	
		11-04-65	70.2	19.8	
		12-17-65	58.4	31.6	
		1-13-66	60.2	29.8	
		2-08-66	60.3	29.7	
		3-04-66	64.5	25.5	
		4-12-66	73.8	16.2	
		5-05-66	73.3	16.7	
		6-07-66	78.1	11.9	
		7-09-66	(1)		
		8-03-66	83.7	6.3	
		9-14-66	84.0	6.0	
04S/11W-12R07S	91.0	8-06-65	69.5	21.5	102
		9-15-65	69.0	22.0	
		10-15-65	66.7	24.3	
		11-04-65	66.5	24.5	
		12-17-65	58.8	32.2	
		1-13-66	58.8	32.2	
		2-08-66	58.0	33.0	
		3-04-66	59.9	31.1	
		4-12-66	62.9	28.1	
		5-05-66	66.4	24.6	
		6-07-66	67.2	23.8	
		7-09-66	69.3	21.7	
		8-03-66	72.6	18.4	
		9-14-66	76.2	14.8	
04S/11W-13C01S	85.7	8-06-65	(1)		102
		9-15-65	46.2	39.5	
		10-15-65	45.7	40.0	
		11-04-65	45.7	40.0	
		12-17-65	44.3	41.4	
		1-13-66	43.6	42.1	
		2-08-66	42.9	42.8	
		3-04-66	43.1	42.6	
		4-12-66	43.0	42.7	
		5-05-66	45.1	40.6	
		6-07-66	43.2	42.5	
		7-09-66	(1)		
		8-03-66	43.2	42.5	
		9-14-66	43.3	42.4	
04S/11W-13P01S	79.5	8-06-65	60.6	18.9	102
		9-15-65	63.4	16.1	
		10-15-65	(9)		
		11-04-65	58.4	21.1	
		12-17-65	49.8	29.7	
		1-13-66	49.9	29.6	
		2-08-66	48.9	30.6	
		3-04-66	(9)		
		4-13-66	(9)		
		5-05-66	58.9	20.6	
		6-07-66	58.3	21.2	
		7-09-66	59.7	19.8	
		8-03-66	60.5	19.0	
		9-14-66	(9)		
04S/11W-14A01S	76.5	7-09-65	58.8	17.7	102
		8-06-65	61.4	15.1	
		9-15-65	60.9	15.6	
		10-15-65	58.6	17.9	
		11-04-65	58.3	18.2	
		12-17-65	48.3	28.2	
		1-13-66	48.4	28.1	
		2-07-66	47.7	28.8	
		3-04-66	49.5	27.0	
		4-12-66	53.5	23.0	
		5-05-66	57.7	18.8	
		6-07-66	59.0	17.5	
		7-09-66	61.8	14.7	
		8-03-66	63.8	12.7	
		9-14-66	63.9	12.6	
04S/11W-14P01S	68.0	7-09-65	49.4	18.6	102

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/11W-14P01S (CONT.)	68.0	8-06-65	55.5	12.5	102
		9-15-65	54.6	13.4	
		10-15-65	48.7	19.3	
		11-04-65	51.5	16.5	
		12-17-65	41.3	26.7	
		1-13-66	42.7	25.3	
		2-08-66	41.3	26.7	
		3-04-66	42.7	25.3	
		4-13-66	54.5	13.5	
		5-05-66	60.0	8.0	
		6-07-66	60.0	8.0	
		7-09-66	60.4	7.6	
		8-03-66	62.2	5.8	
		9-14-66	59.4	8.6	
04S/11W-15L06S	58.0	8-31-65	30.9	27.1	102
		10-01-65	29.7	28.3	
		10-29-65	30.8	27.2	
		12-01-65	25.7	32.3	
		1-07-66	23.8	34.2	
		2-23-66	24.6	33.4	
		3-23-66	25.0	33.0	
		4-28-66	27.7	30.3	
		5-26-66	28.2	29.8	
		6-28-66	28.6	29.4	
		7-27-66	28.5	29.5	
		8-29-66	29.8	28.2	
		9-14-66	28.4	29.6	
04S/11W-19K01S	28.7	7-05-65	49.0	-20.3	206
		7-12-65	49.6	-20.9	
		7-19-65	52.7	-24.0	
		7-26-65	50.1	-21.4	
		8-02-65	53.4	-24.7	
		8-09-65	54.8	-26.1	
		8-16-65	53.4	-24.7	
		6-23-65	54.2	-25.5	
		8-30-65	52.6	-23.9	
		9-06-65	51.3	-22.6	
		9-13-65	52.5	-23.8	
		9-20-65	51.3	-22.6	
		9-27-65	50.2	-21.5	
		10-04-65	48.8	-20.1	
		10-11-65	47.5	-18.8	
		10-18-65	43.2	-14.5	
		10-25-65	45.6	-16.9	
		11-01-65	43.7	-15.0	
		11-15-65	40.0	-11.3	
		11-22-65	38.4	-9.7	
		11-29-65	35.0	-6.3	
		12-06-65	33.8	-5.1	
		12-13-65	32.2	-3.5	
		12-20-65	31.0	-2.3	
		12-27-65	31.7	-3.0	
		1-03-66	30.2	-1.5	
		1-10-66	29.5	-.8	
		1-17-66	30.2	-1.5	
		1-24-66	31.0	-2.3	
		1-31-66	30.5	-1.8	
		2-21-66	28.4	.3	
		2-28-66	30.1	-1.4	
		3-07-66	30.8	-2.1	
		3-14-66	31.8	-3.1	
		3-21-66	32.6	-3.9	
		3-28-66	31.7	-3.0	
		4-08-66	34.1	-5.4	
		4-18-66	41.7	-13.0	
		4-25-66	43.4	-14.7	
		5-02-66	43.8	-15.1	
		5-09-66	44.1	-15.4	
		5-16-66	45.5	-16.8	
		5-23-66	46.0	-17.3	
		5-31-66	46.5	-17.8	
		6-06-66	47.8	-19.1	
		6-13-66	49.9	-21.2	
		6-20-66	48.0	-19.3	
		6-27-66	47.5	-18.8	
04S/11W-19Q02S	24.0	8-07-65	76.0(5)	-52.0	101
		9-15-65	80.0(5)	-56.0	
		10-07-65	78.0(5)	-54.0	
		11-01-65	78.0(5)	-54.0	
		12-01-65	36.0(5)	-12.0	
		1-15-66	27.0(5)	-3.0	
		2-15-66	30.0(5)	-6.0	
		3-15-66	34.0(5)	-10.0	
		4-15-66	35.0(5)	-11.0	
		5-15-66	42.0(5)	-18.0	
		6-15-66	46.0(5)	-22.0	
04S/11W-19Q05S	26.0	8-31-65	(1)		102
		10-01-65	(1)		
		10-29-65	(1)		
		12-01-65	25.1	.9	
		1-07-66	20.0	6.0	
		2-23-66	20.3	5.7	
		3-23-66	25.7	.3	
		4-28-66	(1)		
ANAHEIM HYDRO SUBUNIT				U-05.F0	
ANAHEIM HYDRO SUBAREA					U-05.F1
04S/11W-19Q05S (CONT.)	26.0	5-26-66	(1)		102
		6-28-66	(1)		
		7-27-66	(1)		
		8-29-66	(1)		
		9-14-66	(1)		
04S/11W-19Q06S	26.0	8-31-65	(1)		102
		10-01-65	(1)		
		10-29-65	(1)		
		12-01-65	30.5	-4.5	
		1-07-66	25.5	.5	
		2-23-66	29.9	-3.9	
		3-23-66	35.9	-9.9	
		4-28-66	(1)		
		5-26-66	(1)		
		6-28-66	(1)		
		7-27-66	(1)		
		8-29-66	(1)		
		9-14-66	(1)		
04S/11W-23D02S	58.0	8-06-65	50.0	8.0	102
		9-15-65	49.6	8.4	
		10-15-65	46.1	11.9	
		11-04-65	45.7	12.3	
		12-17-65	35.1	22.9	
		1-13-66	34.6	23.4	
		2-08-66	33.8	24.2	
		3-04-66	36.1	21.9	
		4-13-66	(1)		
		5-05-66	45.6	12.4	
		6-07-66	46.8	11.2	
		7-09-66	(1)		
		8-03-66	50.8	7.2	
		9-14-66	(1)		
04S/11W-27A03S	52.0	8-06-65	56.6	-4.6	102
		9-15-65	51.7	.3	
		10-15-65	44.7	7.3	
		11-04-65	46.7	5.3	
		12-17-65	31.7	20.3	
		1-13-66	33.6	18.4	
		2-08-66	32.4	19.6	
		3-04-66	37.2	14.8	
		4-13-66	44.4	7.6	
		5-05-66	49.2	2.8	
		6-07-66	(1)		
		7-09-66	(1)		
		8-03-66	57.0	-5.0	
		9-14-66	56.5	-4.5	
04S/11W-27D01S	38.5	8-31-65	(1)		102
		10-01-65	36.2	2.3	
		10-29-65	34.1	4.4	
		12-01-65	23.0	15.5	
		1-07-66	19.5	19.0	
		2-23-66	21.1	17.4	
		3-23-66	(1)		
		4-28-66	(1)		
		5-26-66	34.8	3.7	
		6-28-66	(1)		
		7-27-66	41.3	-2.8	
		8-29-66	44.3	-5.8	
		9-14-66	44.3	-5.8	
04S/11W-28B01S	33.0	7-20-65	43.3	-10.3	102
		8-31-65	45.3	-12.3	
		10-01-65	(1)		
		10-29-65	(1)		
		12-01-65	(1)		
		1-07-66	(1)		
		2-23-66	22.5	10.5	
		3-23-66	(1)		
		4-28-66	36.4	-3.4	
		5-26-66	58.7	-25.7	
		6-28-66	(1)		
		7-27-66	45.5	-12.5	
		8-29-66	47.3	-14.3	
		9-14-66	47.3	-14.3	
04S/11W-28J01S	35.7	8-06-65	42.0	-6.3	102
		9-15-65	37.8	-2.1	
		10-15-65	32.4	3.3	
		11-04-65	33.2	2.5	
		12-17-65	18.4	17.3	
		1-13-66	18.1	17.6	
		2-08-66	17.7	18.0	
		3-04-66	21.9	13.8	
		4-14-66	29.9	5.8	
		5-05-66	35.0	.7	
		6-07-66	39.3	-3.6	
		7-09-66	42.8	-7.1	
		8-03-66	42.7	-7.0	
		9-14-66	43.1	-7.4	
04S/11W-30M04S	18.1	7-21-65	36.9(5)	-18.8	101
		8-15-65	44.9(5)	-26.8	
		9-21-65	36.9(5)	-18.8	
		10-15-65	42.9(5)	-24.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/11W-30M04S (CONT.)	18.1	11-01-65	40.9(5)	-22.8	101
		11-30-65	26.9(5)	-8.8	
		12-15-65	21.9(5)	-3.8	
		2-15-66	21.9(5)	-3.8	
		3-15-66	21.9(5)	-3.8	
		4-15-66	30.9(5)	-12.8	
		5-15-66	30.9(5)	-12.8	
		6-15-66	33.9(5)	-15.8	
04S/11W-30M05S	17.5	8-07-65	27.6(5)	-10.1	101
		8-21-65	43.6(5)	-26.1	
		9-30-65	35.6(5)	-18.1	
		10-30-65	40.6(5)	-23.1	
		11-01-65	39.6(5)	-22.1	
		11-21-65	32.6(5)	-15.1	
		12-15-65	25.6(5)	-8.1	
		1-15-66	22.6(5)	-5.1	
		2-15-66	24.6(5)	-7.1	
		3-15-66	30.6(5)	-13.1	
		4-15-66	31.6(5)	-14.1	
		5-07-66	38.6(5)	-21.1	
		6-01-66	33.6(5)	-16.1	
		6-15-66	37.6(5)	-20.1	
04S/11W-31D01S	13.8	7-07-65	31.1(5)	-17.3	101
		7-21-65	29.1(5)	-15.3	
		8-15-65	39.1(5)	-25.3	
		9-07-65	35.1(5)	-21.3	
		10-01-65	37.1(5)	-23.3	
		11-01-65	36.1(5)	-22.3	
		11-21-65	29.1(5)	-15.3	
		12-15-65	17.1(5)	-3.3	
		1-15-66	14.1(5)	-.3	
		2-15-66	16.1(5)	-2.3	
		3-15-66	21.1(5)	-7.3	
		4-15-66	24.1(5)	-10.3	
		5-15-66	25.1(5)	-11.3	
		6-15-66	25.1(5)	-11.3	
04S/11W-31F03S	16.0	8-31-65	29.1	-13.1	102
		10-01-65	24.9	-8.9	
		10-29-65	24.5	-8.5	
		12-01-65	17.6	-1.6	
		1-07-66	13.7	2.3	
		2-23-66	14.9	1.1	
		3-23-66	18.2	-2.2	
		4-28-66	23.0	-7.0	
		5-26-66	24.2	-8.2	
		6-28-66	26.4	-10.4	
		7-27-66	28.6	-12.6	
		8-29-66	29.3	-13.3	
		9-14-66	28.8	-12.8	
04S/11W-31F04S	16.6	7-20-65	29.0	-12.4	102
		8-31-65	32.8	-16.2	
		10-01-65	27.6	-11.0	
		10-29-65	27.4	-10.8	
		12-01-65	18.8	-2.2	
		1-07-66	14.7	1.9	
		2-23-66	16.5	.1	
		3-23-66	20.5	-3.9	
		4-28-66	25.8	-9.2	
		5-26-66	27.1	-10.5	
		6-28-66	29.5	-12.9	
		7-27-66	32.0	-15.4	
		8-29-66	32.9	-16.3	
		9-14-66	32.4	-15.8	
04S/11W-31F05S	12.3	7-01-65	26.4(5)	-14.1	101
		8-01-65	25.4(5)	-13.1	
		8-15-65	33.4(5)	-21.1	
		9-21-65	26.4(5)	-14.1	
		10-21-65	26.4(5)	-14.1	
		11-01-65	19.4(5)	-7.1	
		11-30-65	18.4(5)	-6.1	
		12-15-65	13.4(5)	-1.1	
		1-15-66	11.4(5)	.9	
		2-15-66	12.4(5)	-.1	
		3-15-66	14.4(5)	-2.1	
		4-15-66	21.4(5)	-9.1	
		5-15-66	22.4(5)	-10.1	
		6-15-66	24.4(5)	-12.1	
04S/11W-31P01S	12.4	7-21-65	24.4(5)	-12.0	101
		8-15-65	29.4(5)	-17.0	
		9-15-65	26.4(5)	-14.0	
		10-15-65	26.4(5)	-14.0	
		11-01-65	26.4(5)	-14.0	
		11-30-65	18.4(5)	-6.0	
		12-15-65	14.4(5)	-2.0	
		1-15-66	11.4(5)	1.0	
		2-15-66	12.4(5)	.0	
		3-15-66	15.4(5)	-3.0	
		4-15-66	16.4(5)	-4.0	
		5-15-66	20.4(5)	-8.0	
		6-15-66	23.4(5)	-11.0	
04S/12W-36J02S	12.0	7-15-65	19.9(5)	-7.9	101

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-36J02S (CONT.)	12.0	8-21-65	29.9(5)	-17.9	101
		9-24-65	22.9(5)	-10.9	
		10-15-65	22.9(5)	-10.9	
		11-15-65	22.9(5)	-10.9	
		11-30-65	18.9(5)	-6.9	
		12-15-65	14.9(5)	-2.9	
		1-15-66	9.9(5)	2.1	
		2-15-66	12.9(5)	-.9	
		3-15-66	17.9(5)	-5.9	
		4-15-66	14.9(5)	-2.9	
		5-07-66	22.7	-10.7	
		6-15-66	21.9(5)	-9.9	
04S/12W-36N01S	8.0	7-07-65	11.0	-3.0	101
		7-19-65	11.7	-3.7	
		7-28-65	12.4	-4.4	
		12-07-65	7.7	.3	
		12-20-65	6.3	1.7	
		12-28-65	5.3	2.7	
		1-27-66	4.7	3.3	
		2-21-66	7.4	.6	
		3-25-66	11.3	-3.3	
		6-21-66	15.5	-7.5	
04S/12W-36N05S	8.0	7-20-65	13.1	-5.1	102
		8-31-65	(1)		
		10-01-65	(1)		
		10-29-65	(1)		
		1-07-66	5.8	2.2	
		2-23-66	(1)		
		3-23-66	(1)		
		4-28-66	(1)		
		5-26-66	(1)		
		6-26-66	(1)		
		7-27-66	(1)		
		8-29-66	20.5	-12.5	
		9-14-66	19.6	-11.6	
04S/12W-36N06S	23.1	7-07-65	28.7	-5.6	101
		7-21-65	30.5	-7.4	
		7-28-65	32.2	-9.1	
		8-02-65	34.1	-11.0	
		8-09-65	37.8	-14.7	
		8-16-65	38.7	-15.6	
		8-23-65	39.2	-16.1	
		8-30-65	40.2	-17.1	
		9-08-65	37.8	-14.7	
		9-15-65	39.2	-16.1	
		9-27-65	34.5	-11.4	
		10-04-65	34.7	-11.6	
		10-15-65	33.6	-10.5	
		10-25-65	37.3	-14.2	
		11-02-65	34.3	-11.2	
		11-18-65	31.1	-8.0	
		12-02-65	30.6	-7.5	
		12-17-65	27.2	-4.1	
		12-28-65	26.0	-2.9	
		1-25-66	25.7	-2.6	
		2-21-66	26.7	-3.6	
		3-25-66	31.2	-8.1	
		4-19-66	32.2	-9.1	
		5-17-66	33.2	-10.1	
		5-27-66	32.4	-9.3	
		6-09-66	33.5	-10.4	
		6-21-66	33.5	-10.4	
04S/12W-36N07S	23.1	7-07-65	32.5	-9.4	101
		7-21-65	34.0	-10.9	
		7-28-65	34.8	-11.7	
		8-02-65	35.2	-12.1	
		8-09-65	38.3	-15.2	
		8-16-65	40.0	-16.9	
		8-23-65	37.7	-14.6	
		8-30-65	40.4	-17.3	
		9-08-65	38.5	-15.4	
		9-15-65	38.7	-15.6	
		9-27-65	35.7	-12.6	
		10-04-65	36.4	-13.3	
		10-15-65	34.1	-11.0	
		10-25-65	37.8	-14.7	
		11-02-65	36.1	-13.0	
		11-18-65	31.5	-8.4	
		12-02-65	29.0	-5.9	
		12-17-65	26.9	-3.8	
		12-28-65	25.8	-2.7	
		1-25-66	25.6	-2.5	
		2-21-66	28.4	-5.3	
		3-25-66	33.2	-10.1	
		4-14-66	32.9	-9.8	
		5-27-66	35.1	-12.0	
		6-21-66	36.3	-13.2	
04S/12W-36P01S	8.2	7-30-65	16.9	-8.7	101
		8-25-65	21.7	-13.5	
		9-23-65	18.6	-10.4	
		10-26-65	20.3	-12.1	
		11-05-65	18.3	-10.1	
		11-30-65	11.1	-2.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/12W-36P01S (CONT.)	8.2	12-07-65	10.8	-2.6	101
		12-16-65	9.6	-1.4	
		12-28-65	8.2	.0	
		1-04-66	7.6	.6	
		1-11-66	7.2	1.0	
		1-18-66	8.1	.1	
		1-25-66	8.3	-.1	
		2-24-66	11.1	-2.9	
		4-19-66	15.7	-7.5	
		6-09-66	18.8	-10.6	
04S/12W-36P02S	8.2	7-30-65	23.7	-15.5	101
		8-25-65	27.0	-18.8	
		9-24-65	24.0	-15.8	
		10-26-65	24.8	-16.6	
		11-05-65	22.8	-14.6	
		11-30-65	15.3	-7.1	
		12-07-65	14.6	-6.4	
		12-16-65	13.4	-5.2	
		12-28-65	12.0	-3.8	
		1-04-66	11.7	-3.5	
		1-11-66	10.6	-2.4	
		1-18-66	11.8	-3.6	
		1-25-66	12.0	-3.8	
		2-24-66	15.8	-7.6	
		4-19-66	19.5	-11.3	
		5-18-66	22.2	-14.0	
04S/12W-36P03S	8.8	7-30-65	9.0	-.2	101
		8-20-65	12.4	-3.6	
		9-22-65	11.1	-2.3	
		10-26-65	11.5	-2.7	
		11-30-65	7.6	1.2	
		12-07-65	7.0	1.8	
		12-14-65	6.3	2.5	
		12-21-65	4.5	4.3	
		12-30-65	4.2	4.6	
		1-24-66	5.0	3.8	
		2-18-66	6.0	2.8	
		3-25-66	8.7	.1	
		4-19-66	9.6	-.8	
		5-31-66	11.7	-2.9	
04S/12W-36P04S	8.8	7-30-65	6.5	2.3	101
		8-20-65	10.5	-1.7	
		9-22-65	9.1	-.3	
		10-26-65	10.5	-1.7	
		11-02-65	7.2	1.6	
		11-09-65	8.5	.3	
		11-18-65	6.6	2.2	
		11-30-65	6.0	2.8	
		12-07-65	4.8	4.0	
		12-14-65	4.1	4.7	
		12-21-65	2.0	6.8	
		12-30-65	1.7	7.1	
		1-24-66	2.4	6.4	
		2-17-66	4.3	4.5	
		3-25-66	9.1	-.3	
		4-19-66	10.0	-1.2	
		5-31-66	12.4	-3.6	
04S/12W-36P05S	8.8	8-20-65	18.9	-10.1	101
		9-22-65	17.8	-9.0	
		10-26-65	19.0	-10.2	
		11-02-65	16.0	-7.2	
		11-09-65	16.1	-7.3	
		11-18-65	13.1	-4.3	
		11-30-65	11.1	-2.3	
		12-07-65	10.7	-1.9	
		12-14-65	9.9	-1.1	
		12-21-65	8.5	.3	
		12-30-65	7.6	1.2	
		1-24-66	7.9	.9	
		2-18-66	9.7	-.9	
		3-25-66	13.4	-4.6	
		4-19-66	14.9	-6.1	
		5-31-66	17.0	-8.2	
04S/12W-36P06S	8.8	7-30-65	21.0	-12.2	101
		8-09-65	23.7	-14.9	
		8-20-65	24.6	-15.8	
		9-22-65	22.0	-13.2	
		10-26-65	22.7	-13.9	
		11-02-65	21.7	-12.9	
		11-09-65	20.6	-11.8	
		11-18-65	17.5	-8.7	
		11-30-65	14.2	-5.4	
		12-07-65	13.7	-4.9	
		12-14-65	13.5	-4.7	
		12-21-65	11.8	-3.0	
		12-30-65	10.8	-2.0	
		1-24-66	10.9	-2.1	
		2-17-66	12.9	-4.1	
		3-25-66	18.4	-9.6	
		4-19-66	18.4	-9.6	
		5-31-66	20.8	-12.0	
05S/12W-01C01S	6.8	7-26-65	14.8	-8.0	101

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-01C01S (CONT.)	6.8	8-19-65	20.1	-13.3	101
		8-27-65	21.4	-14.6	
		9-24-65	16.7	-9.9	
		10-27-65	17.3	-10.5	
		12-01-65	9.8	-3.0	
		12-27-65	9.3	-2.5	
		2-02-66	6.6	.2	
		2-24-66	9.2	-2.4	
		4-18-66	14.1	-7.3	
05S/12W-01C02S	6.8	7-26-65	19.8	-13.0	101
		8-18-65	24.8	-18.0	
		8-27-65	24.8	-18.0	
		9-24-65	21.0	-14.2	
		10-27-65	21.3	-14.5	
		12-01-65	12.3	-5.5	
		12-30-65	8.8	-2.0	
		2-02-66	8.9	-2.1	
		2-24-66	12.2	-5.4	
		4-18-66	16.9	-10.1	
05S/12W-01D01S	5.6	7-26-65	12.3	-6.7	101
		8-27-65	15.4	-9.8	
		9-24-65	13.0	-7.4	
		10-18-65	14.2	-8.6	
		12-01-65	9.3	-3.7	
		12-27-65	6.8	-1.2	
		1-24-66	6.5	-.9	
		2-24-66	6.5	-.9	
		3-25-66	9.6	-4.0	
		4-18-66	10.6	-5.0	
		5-16-66	11.7	-6.1	
		5-24-66	12.2	-6.6	
05S/12W-01D02S	5.6	7-26-65	10.9	-5.3	101
		8-27-65	15.3	-9.7	
		9-24-65	12.7	-7.1	
		10-14-65	11.6	-6.0	
		12-01-65	9.1	-3.5	
		12-27-65	6.4	-.8	
		1-24-66	6.3	-.7	
		2-24-66	6.3	-.7	
		3-25-66	9.5	-3.9	
		4-18-66	10.5	-4.9	
		5-10-66	11.4	-5.8	
		5-24-66	12.0	-6.4	
05S/12W-01D03S	5.6	7-26-65	12.0	-6.4	101
		8-27-65	17.2	-11.6	
		9-24-65	13.9	-8.3	
		10-07-65	13.1	-7.5	
		10-18-65	12.5	-6.9	
		12-01-65	10.1	-4.5	
		12-27-65	7.2	-1.6	
		1-24-66	7.3	-1.7	
		2-24-66	7.3	-1.7	
		3-25-66	11.5	-5.9	
		4-07-66	11.7	-6.1	
		4-18-66	12.3	-6.7	
		5-24-66	12.9	-7.3	
		6-03-66	14.0	-8.4	
05S/12W-01D04S	5.6	8-27-65	22.7	-17.1	101
		9-24-65	19.4	-13.8	
		10-01-65	17.8	-12.2	
		10-18-65	16.8	-11.2	
		12-01-65	10.8	-5.2	
		1-24-66	7.3	-1.7	
		2-24-66	7.3	-1.7	
		3-25-66	14.5	-8.9	
		4-05-66	14.9	-9.3	
		4-18-66	15.1	-9.5	
		5-24-66	17.6	-12.0	
		6-03-66	17.5	-11.9	
05S/12W-01E04S	5.4	7-30-65	13.0	-7.6	101
		8-13-65	14.6	-9.2	
		8-27-65	15.3	-9.9	
		9-24-65	14.6	-9.2	
		10-27-65	14.2	-8.8	
		12-01-65	9.6	-4.2	
		12-27-65	7.4	-2.0	
		1-24-66	7.0	-1.6	
		2-25-66	7.8	-2.4	
		3-30-66	9.9	-4.5	
		4-20-66	11.0	-5.6	
		5-03-66	12.1	-6.7	
		5-10-66	11.7	-6.3	
		5-17-66	11.5	-6.1	
		5-24-66	12.0	-6.6	
		6-03-66	12.1	-6.7	
		6-15-66	13.1	-7.7	
		6-28-66	13.6	-8.2	
05S/12W-01E05S	5.4	7-30-65	14.4	-9.0	101
		8-12-65	16.3	-10.9	
		8-27-65	17.1	-11.7	
		9-24-65	14.9	-9.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-01E05S (CONT.)	5.4	10-27-65	14.9	-9.5	101
		12-01-65	10.7	-5.3	
		12-27-65	8.4	-3.0	
		1-24-66	8.0	-2.6	
		2-15-66	8.2	-2.8	
		2-25-66	9.0	-3.6	
		3-30-66	11.5	-6.1	
		4-20-66	12.6	-7.2	
		5-03-66	13.7	-8.3	
		5-10-66	13.1	-7.7	
		5-17-66	13.3	-7.9	
		5-24-66	13.6	-8.2	
		6-03-66	14.1	-8.7	
		6-15-66	14.7	-9.3	
		6-28-66	15.0	-9.6	
05S/12W-01E06S	5.4	7-30-65	12.9	-7.5	101
		8-11-65	15.8	-10.4	
		8-27-65	17.9	-12.5	
		9-24-65	14.6	-9.2	
		10-27-65	15.0	-9.6	
		12-01-65	10.7	-5.3	
		12-27-65	8.0	-2.6	
		1-24-66	8.0	-2.6	
		2-23-66	9.3	-3.9	
		3-30-66	12.1	-6.7	
		4-20-66	13.1	-7.7	
		5-03-66	14.3	-8.9	
		5-10-66	14.0	-8.6	
		5-17-66	14.1	-8.7	
		5-24-66	14.5	-9.1	
		6-08-66	14.9	-9.5	
		6-15-66	15.4	-10.0	
		6-28-66	15.7	-10.3	
05S/12W-01E07S	5.4	7-30-65	17.1	-11.7	101
		8-10-65	19.7	-14.3	
		8-27-65	21.2	-15.8	
		9-24-65	18.1	-12.7	
		10-27-65	17.8	-12.4	
		12-01-65	10.1	-4.7	
		12-27-65	7.1	-1.7	
		1-24-66	6.5	-1.1	
		2-15-66	8.3	-2.9	
		2-24-66	9.2	-3.8	
		3-30-66	12.8	-7.4	
		4-20-66	13.7	-8.3	
		5-03-66	15.5	-10.1	
		5-10-66	15.5	-10.1	
		5-17-66	15.6	-10.2	
		5-24-66	16.2	-10.8	
		6-03-66	16.3	-10.9	
		6-15-66	16.8	-11.4	
		6-28-66	17.6	-12.2	
05S/12W-01G02S	6.3	7-15-65	13.4	-7.1	101
		7-26-65	13.9	-7.6	
		8-27-65	18.1	-11.8	
		9-24-65	13.9	-7.6	
		10-27-65	14.7	-8.4	
		12-01-65	9.6	-3.3	
		12-27-65	7.1	-.8	
		2-24-66	8.0	-1.7	
		4-04-66	11.0	-4.7	
		4-18-66	12.0	-5.7	
		6-01-66	14.1	-7.8	
05S/12W-01G03S	6.3	7-14-65	15.7	-9.4	101
		8-27-65	22.6	-16.3	
		9-24-65	19.3	-13.0	
		10-27-65	19.1	-12.8	
		12-01-65	10.8	-4.5	
		12-27-65	7.8	-1.5	
		2-24-66	9.9	-3.6	
		3-29-66	13.5	-7.2	
		4-18-66	14.8	-8.5	
		6-01-66	17.4	-11.1	
		6-23-66	18.9	-12.6	
05S/12W-11J02S	6.9	4-18-66	19.6	-12.7	101
		6-03-66	20.2	-13.3	
05S/12W-11J03S	4.9	10-13-65	29.4	-24.5	101
		4-18-66	29.4	-24.5	
		6-03-66	29.7	-24.8	
05S/12W-11P01S	14.2	7-29-65	44.3	-30.1	101
		10-29-65	44.7	-30.5	
		4-18-66	44.9	-30.7	
		5-10-66	45.1	-30.9	
05S/12W-12C01S	17.0	7-20-65	28.6	-11.6	102
		8-31-65	35.4	-18.4	
		10-01-65	33.6	-16.6	
		10-29-65	36.5	-19.5	
		12-01-65	(9)		
		1-07-66	21.1	-4.1	
		2-23-66	17.1	-.1	

ANAHEIM HYDRO SUBUNIT U-05.F0

ANAHEIM HYDRO SUBAREA U-05.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/12W-12C01S (CONT.)	17.0	3-23-66	20.0	-3.0	102
		4-28-66	24.8	-7.8	
		5-26-66	25.3	-8.3	
		6-28-66	27.0	-10.0	
		7-27-66	(1)		
		8-29-66	(1)		
		9-14-66	(1)		
05S/12W-12C02S	6.6	7-29-65	12.8	-6.2	101
		8-18-65	15.1	-8.5	
		9-30-65	13.2	-6.6	
		10-27-65	12.7	-6.1	
		12-02-65	8.3	-1.7	
		12-27-65	8.2	-1.6	
		1-25-66	5.9	.7	
		2-21-66	7.0	-.4	
		3-25-66	8.5	-1.9	
		4-18-66	9.5	-2.9	
		5-24-66	11.2	-4.6	
		5-31-66	12.0	-5.4	
		6-22-66	12.4	-5.8	
05S/12W-12F02S	6.5	10-06-65	21.6	-15.1	101
		10-13-65	21.6	-15.1	
		4-18-66	15.3	-8.8	
		5-31-66	17.9	-11.4	
05S/12W-12M01S	39.0	9-03-65	55.9	-16.9	101
		10-29-65	53.4	-14.4	
		3-24-66	44.4	-5.4	
		4-18-66	48.0	-9.0	
		6-03-66	50.9	-11.9	
05S/12W-12M02S	39.0	7-29-65	44.3	-5.3	101
		9-03-65	45.4	-6.4	
		10-29-65	43.6	-4.6	
		12-27-65	39.1	-.1	
		3-24-66	40.2	-1.2	
		4-18-66	41.0	-2.0	
		6-03-66	42.4	-3.4	

LA HABRA HYDRO SUBAREA U-05.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/10W-02N02S	423.0	7-12-65	156.3	266.7	102
		8-12-65	159.5	263.5	
		9-16-65	(1)		
		10-13-65	154.5	268.5	
		11-10-65	160.3	262.7	
		1-20-66	151.4	271.6	
		2-17-66	150.2	272.8	
		3-16-66	151.1	271.9	
		4-14-66	155.3	267.7	
		5-12-66	(1)		
		6-09-66	(1)		
		7-14-66	(1)		
		8-18-66	(1)		
		9-15-66	(1)		
03S/10W-02Q01S	373.5	7-12-65	21.8	351.7	102
		8-12-65	22.4	351.1	
		9-16-65	22.8	350.7	
		10-13-65	23.2	350.3	
		11-10-65	23.4	350.1	
		1-20-66	21.3	352.2	
		2-17-66	21.3	352.2	
		3-16-66	21.4	352.1	
		4-14-66	21.5	352.0	
		5-12-66	21.7	351.8	
		6-09-66	22.1	351.4	
		7-14-66	22.5	351.0	
		8-18-66	23.1	350.4	
		9-15-66	23.4	350.1	
03S/10W-03N01S	386.6	8-18-66	(3)		102
03S/10W-03P01S	410.0	7-12-65	140.7	269.3	102
		8-12-65	(1)		
		9-16-65	142.0	268.0	
		10-13-65	142.1	267.9	
		11-10-65	148.2	261.8	
		1-20-66	139.1	270.9	
		2-17-66	138.4	271.6	
		3-16-66	(1)		
		4-14-66	138.3	271.7	
		5-12-66	138.1	271.9	
		6-09-66	141.0	269.0	
		7-14-66	(1)		
		8-18-66	144.2	265.8	
		9-15-66	148.8	261.2	
03S/10W-05F01S	365.0	7-12-65	264.4	100.6	102
		8-12-65	264.3	100.7	
		9-16-65	263.8	101.2	
		10-13-65	263.7	101.3	
		11-10-65	263.6	101.4	
		1-20-66	263.0	102.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

L A SAN GABRIEL RIVER HYDRO UNIT U-05.00

ANAHEIM HYDRO SUBUNIT U-05.F0

LA HABRA HYDRO SUBAREA U-05.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
03S/10W-05F01S (CONT.)	365.0	8-18-66	263.0	102.0	102
03S/10W-05F02S	359.0	7-12-65	171.3	187.7	102
		8-12-65	171.3	187.7	
		9-16-65	171.1	187.9	
		10-13-65	171.2	187.8	
		11-10-65	171.1	187.9	
		1-20-66	170.3	188.7	
		8-18-66	175.3	183.7	
03S/10W-05F03S	365.0	7-12-65	88.0	277.0	102
		8-12-65	87.9	277.1	
		9-16-65	87.8	277.2	
		10-13-65	87.8	277.2	
		11-10-65	88.0	277.0	
		1-20-66	87.4	277.6	
		8-18-66	88.1	276.9	
03S/10W-07H01S	288.0	7-12-65	42.4	245.6	102
		8-12-65	42.6	245.4	
		9-16-65	42.6	245.4	
		10-13-65	42.7	245.3	
		11-10-65	42.8	245.2	
		1-20-66	41.7	246.3	
		2-17-66	41.5	246.5	
		3-16-66	41.6	246.4	
		4-14-66	44.3	243.7	
		5-12-66	41.6	246.4	
		6-09-66	42.6	245.4	
		7-14-66	42.1	245.9	
		8-18-66	44.2	243.8	
		9-15-66	42.4	245.6	
03S/10W-07G02S	270.0	7-12-65	50.0	220.0	102
		8-12-65	50.2	219.8	
		9-16-65	50.2	219.8	
		10-13-65	49.4	220.6	
		11-10-65	49.4	220.6	
		1-20-66	47.5	222.5	
		4-14-66	49.7	220.3	
		5-12-66	47.7	222.3	
		8-18-66	49.6	220.4	
03S/10W-07Q01S	217.5	7-22-65	141.0	76.5	102
		8-25-65	138.1	79.4	
		9-30-65	142.0	75.5	
		10-28-65	140.8	76.7	
		11-29-65	137.4	80.1	
		1-05-66	136.5	81.0	
		2-21-66	136.0	81.5	
		3-22-66	135.7	81.8	
		4-27-66	135.5	82.0	
		5-24-66	135.4	82.1	
		6-16-66	135.1	82.4	
		7-26-66	135.0	82.5	
		8-31-66	134.7	82.8	
		9-28-66	134.4	83.1	
03S/10W-09E03S	302.0	7-12-65	26.7	275.3	102
		8-12-65	26.9	275.1	
		9-16-65	26.9	275.1	
		10-13-65	26.9	275.1	
		11-10-65	27.1	274.9	
		1-20-66	25.1	276.9	
		4-14-66	25.2	276.8	
		8-18-66	26.4	275.6	
03S/10W-09H02S	327.0	7-12-65	43.5	283.5	102
		8-12-65	44.5	282.5	
		9-16-65	43.4	283.6	
		10-13-65	43.1	283.9	
		11-10-65	44.4	282.6	
		1-20-66	41.2	285.8	
		4-14-66	41.4	285.6	
		8-18-66	44.1	282.9	
03S/10W-09M02S	305.0	7-12-65	(1)		102
		8-12-65	38.0	267.0	
		9-16-65	37.7	267.3	
		10-13-65	37.1	267.9	
		11-10-65	37.9	267.1	
		1-20-66	32.9	272.1	
		2-17-66	32.3	272.7	
		3-16-66	(1)		
		4-14-66	(1)		
		5-12-66	(1)		
		6-09-66	35.5	269.5	
		7-14-66	34.0	271.0	
		8-18-66	36.0	269.0	
		9-15-66	(1)		
03S/10W-09R01S	305.0	7-12-65	(1)		102
		8-12-65	(1)		
		9-16-65	21.8	283.2	
		10-13-65	20.6	284.4	
		11-10-65	(1)		
		1-20-66	16.2	288.8	

ANAHEIM HYDRO SUBUNIT U-05.F0

LA HABRA HYDRO SUBAREA U-05.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/10W-09R01S (CONT.)	305.0	4-16-66	16.2	288.8	102
		8-18-66	22.3	282.7	
03S/10W-10C01S	345.0	7-12-65	97.8	247.2	102
		8-12-65	99.1	245.9	
		9-16-65	(1)		
		10-13-65	(1)		
		11-10-65	(1)		
		1-20-66	90.8	254.2	
		2-17-66	89.8	255.2	
		3-16-66	90.0	255.0	
		4-14-66	89.4	255.6	
		5-12-66	92.4	252.6	
		6-09-66	(1)		
		7-14-66	(1)		
		8-18-66	(1)		
		9-15-66	(1)		
03S/10W-10N01S	307.0	7-12-65	28.3	278.7	102
		8-12-65	28.5	278.5	
		9-16-65	28.3	278.7	
		10-13-65	24.6	282.4	
		11-10-65	28.1	278.9	
		1-20-66	19.9	287.1	
		2-17-66	19.1	287.9	
		3-16-66	19.4	287.6	
		4-14-66	19.7	287.3	
		5-12-66	20.4	286.6	
		6-09-66	27.6	279.4	
		7-14-66	25.4	281.6	
		8-18-66	32.5	274.5	
		9-15-66	24.3	282.7	
03S/10W-10N02S	315.0	7-12-65	27.0	288.0	102
		8-12-65	30.4	284.6	
		9-16-65	28.9	286.1	
		10-13-65	27.2	287.8	
		11-10-65	28.0	287.0	
		1-20-66	22.3	292.7	
		2-17-66	21.6	293.4	
		3-16-66	22.8	292.2	
		4-14-66	24.4	290.6	
		5-12-66	24.4	290.6	
		6-09-66	25.7	289.3	
		7-14-66	25.3	289.7	
		8-18-66	(1)		
		9-15-66	26.0	289.0	
03S/10W-10N04S	307.0	7-12-65	(1)		102
		8-12-65	(1)		
		9-16-65	36.1	270.9	
		10-13-65	31.7	275.3	
		11-10-65	(1)		
		1-20-66	28.5	278.5	
		4-16-66	27.6	279.4	
		8-18-66	37.0	270.0	
03S/10W-11K01S	375.0	7-12-65	89.3	285.7	102
		8-12-65	90.1	284.9	
		9-16-65	89.7	285.3	
		10-13-65	89.7	285.3	
		11-10-65	89.5	285.5	
		1-20-66	87.2	287.8	
		8-18-66	(9)		
03S/10W-11M02S	350.7	7-12-65	52.7	298.0	102
		8-12-65	52.5	298.2	
		9-16-65	(1)		
		10-13-65	52.6	298.1	
		11-10-65	52.4	298.3	
		1-20-66	49.9	300.8	
		2-17-66	50.5	300.2	
		3-16-66	49.3	301.4	
		4-14-66	50.2	300.5	
		5-12-66	49.5	301.2	
		6-09-66	50.0	300.7	
		7-14-66	50.1	300.6	
		8-18-66	50.1	300.6	
		9-15-66	51.0	299.7	
03S/10W-12M01S	388.0	9-16-65	(1)		102
		10-13-65	100.8	287.2	
		11-10-65	(1)		
		1-20-66	96.9	291.1	
		2-17-66	96.2	291.8	
		3-16-66	95.6	292.4	
		4-14-66	(1)		
		5-12-66	96.9	291.1	
		6-09-66	(1)		
		7-14-66	(1)		
		8-18-66	(1)		
		9-15-66	97.0	291.0	
03S/10W-14G01S	348.7	7-12-65	73.2	275.5	102
		8-12-65	73.5	275.2	
		9-16-65	72.8	275.9	
		10-13-65	73.3	275.4	
		11-10-65	72.9	275.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00					
ANAHEIM HYDRO SUBUNIT U-05.F0					
LA HABRA HYDRO SUBAREA U-05.F2					
03S/10W-14G01S (CONT.)	348.7	1-20-66	70.6	278.1	102
		2-17-66	70.3	278.4	
		3-16-66	69.9	278.8	
		4-14-66	71.0	277.7	
		5-12-66	70.2	278.5	
		6-09-66	71.1	277.6	
		7-14-66	71.1	277.6	
		8-18-66	70.9	277.8	
		9-15-66	70.7	278.0	
03S/10W-15B01S	327.0	7-12-65	112.7	214.3	102
		8-12-65	112.4	214.6	
		9-16-65	(1)		
		10-13-65	122.4	204.6	
		11-10-65	114.0	213.0	
		1-20-66	100.5	226.5	
		2-17-66	98.5	228.5	
		3-16-66	97.9	229.1	
		4-14-66	100.6	226.4	
		5-12-66	111.0	216.0	
		6-09-66	115.6	211.4	
		7-14-66	120.7	206.3	
		8-18-66	(1)		
		9-15-66	(1)		
03S/10W-15C01S	322.0	7-12-65	126.5	195.5	102
		8-12-65	131.3	190.7	
		9-16-65	(1)		
		10-13-65	130.6	191.4	
		11-10-65	131.9	190.1	
		1-20-66	126.8	195.2	
		4-14-66	131.9	190.1	
		8-18-66	139.4	182.6	
03S/10W-15D02S	307.0	7-12-65	(1)		102
		8-12-65	50.9	256.1	
		9-16-65	(8)		
		10-13-65	53.0	254.0	
		11-10-65	(1)		
		1-20-66	(6)		
03S/10W-15P01S	305.0	7-08-65	217.1	87.9	102
		8-05-65	220.8	84.2	
		9-01-65	223.8	81.2	
		10-13-65	215.5	89.5	
		11-02-65	217.6	87.4	
		12-07-65	222.4	82.6	
		1-12-66	224.3	80.7	
		2-02-66	223.6	81.4	
		3-03-66	227.5	77.5	
		4-12-66	212.8	92.2	
		5-03-66	218.7	86.3	
		6-06-66	213.9	91.1	
		7-07-66	213.9	91.1	
		8-02-66	213.9	91.1	
		9-12-66	215.7	89.3	
03S/10W-17D01S	310.0	7-22-65	192.8	117.2	102
		8-25-65	192.4	117.6	
		9-30-65	192.5	117.5	
		10-28-65	(5)		
		11-29-65	191.9	118.1	
		1-05-66	191.7	118.3	
		2-21-66	(9)		
		3-22-66	190.8	119.2	
		4-27-66	(9)		
		5-24-66	(9)		
		6-16-66	(9)		
		7-26-66	(9)		
		8-31-66	194.5	115.5	
		9-28-66	196.7	113.3	
03S/10W-18C01S	211.0	7-22-65	132.8	78.2	102
		8-25-65	132.6	78.4	
		9-30-65	132.5	78.5	
		10-28-65	132.2	78.8	
		11-29-65	131.9	79.1	
		1-05-66	131.8	79.2	
		2-21-66	131.3	79.7	
		3-22-66	131.0	80.0	
		4-27-66	130.7	80.3	
		5-24-66	130.6	80.4	
		6-16-66	131.1	79.9	
		7-26-66	130.1	80.9	
		8-31-66	129.7	81.3	
		9-28-66	129.3	81.7	
03S/10W-22C01S	320.0	7-08-65	226.0	94.0	102
		8-05-65	225.8	94.2	
		9-01-65	225.7	94.3	
		10-13-65	225.5	94.5	
		11-02-65	226.3	93.7	
		12-07-65	227.2	92.8	
		1-12-66	224.6	95.4	
		2-02-66	226.4	93.6	
		3-03-66	224.3	95.7	
		4-12-66	(4)		
		5-03-66	(4)		
ANAHEIM HYDRO SUBUNIT U-05.F0					
LA HABRA HYDRO SUBAREA U-05.F2					
03S/10W-22C02S	280.0	7-08-65	190.9	89.1	102
		8-05-65	192.6	87.4	
		9-01-65	196.1	83.9	
		10-13-65	191.3	88.7	
		11-02-65	193.3	86.7	
		12-07-65	194.9	85.1	
		1-12-66	196.1	83.9	
		2-02-66	188.9	91.1	
		3-03-66	188.7	91.3	
		4-12-66	189.2	90.8	
		5-03-66	188.4	91.6	
		6-06-66	188.5	91.5	
		7-07-66	188.4	91.6	
		8-02-66	188.5	91.5	
		9-12-66	188.5	91.5	
YORBA LINDA HYDRO SUBAREA U-05.F3					
03S/09W-17R01S	395.0	7-12-65	111.5	283.5	102
		8-12-65	111.5	283.5	
		9-16-65	111.4	283.6	
		10-13-65	111.5	283.5	
		11-10-65	111.5	283.5	
		1-20-66	111.4	283.6	
		8-18-66	111.6	283.4	
03S/09W-19N01S	292.0	7-12-65	159.3	132.7	102
		8-12-65	159.6	132.4	
		9-16-65	159.9	132.1	
		10-13-65	159.2	132.8	
		11-10-65	159.4	132.6	
		1-20-66	160.7	131.3	
		5-12-66	163.2	128.8	
		8-18-66	164.2	127.8	
03S/09W-20M01S	335.2	7-12-65	150.1	185.1	102
		8-12-65	150.2	185.0	
		9-16-65	150.1	185.1	
		10-13-65	149.8	185.4	
		11-10-65	150.2	185.0	
		1-20-66	150.6	184.6	
		2-17-66	150.9	184.3	
		3-16-66	151.3	183.9	
		4-14-66	151.9	183.3	
		5-12-66	152.1	183.1	
		6-08-66	151.3	183.9	
		7-14-66	151.5	183.7	
		8-18-66	152.7	182.5	
		9-15-66	153.5	181.7	
03S/09W-21M03S	365.0	7-12-65	66.7	298.3	102
		8-12-65	(1)		
		9-16-65	(1)		
		10-13-65	66.9	298.1	
		11-10-65	66.8	298.2	
		1-20-66	66.3	298.7	
		2-17-66	66.1	298.9	
		3-16-66	66.2	298.8	
		4-14-66	68.0	297.0	
		5-12-66	66.3	298.7	
		6-09-66	66.3	298.7	
		7-14-66	66.9	298.1	
		8-18-66	(9)		
		9-15-66	66.6	298.4	
03S/09W-21M05S	356.0	7-12-65	(1)		102
		8-12-65	68.7	287.3	
		9-16-65	68.4	287.6	
		10-13-65	(1)		
		11-10-65	68.6	287.4	
		1-20-66	68.1	287.9	
		8-18-66	(1)		
03S/09W-30R01S	262.0	7-01-65	71.7	190.3	102
		8-05-65	72.1	189.9	
		9-07-65	72.4	189.6	
		10-06-65	72.4	189.6	
		11-01-65	72.6	189.4	
		12-03-65	72.5	189.5	
		1-11-66	71.6	190.4	
		2-02-66	71.5	190.5	
		3-02-66	71.4	190.6	
		4-05-66	71.7	190.3	
		5-02-66	71.9	190.1	
		6-03-66	71.7	190.3	
		7-05-66	71.5	190.5	
		8-01-66	71.7	190.3	
		9-01-66	72.4	189.6	
03S/09W-34C01S	265.0	7-07-65	23.5	241.5	102
		8-10-65	29.8	235.2	
		9-02-65	33.6	231.4	
		10-06-65	28.2	236.8	
		11-03-65	26.8	238.2	
		12-15-65	24.8	240.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
ANAHEIM HYDRO SUBUNIT U-05.F0											
YORBA LINDA HYDRO SUBAREA U-05.F3											
03S/09W-34C01S	265.0	1-06-66	24.3	240.7	102						
(CONT.)		2-03-66	27.5	237.5							
		3-03-66	25.9	239.1							
		4-06-66	30.2	234.8							
		5-04-66	30.0	235.0							
		6-01-66	26.6	238.4							
		7-06-66	27.5	237.5							
		8-03-66	28.5	236.5							
		9-07-66	32.3	232.7							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
AMARGOSA HYDRO UNIT W-09.00					
FURNACE CREEK HYDRO SUBUNIT W-09.C0					
FURNACE CREEK HYDRO SUBAREA W-09.C1					
27N/01E-24E01S	490.0	7-01-65	(7)		010
		1-06-66	75.2	414.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
COYOTE HYDRO UNIT W-18.00					
11N/02E-08K01S	1720.0	10-20-65	FLOW		010
		3-15-66	FLOW		
11N/02E-22N01S	1740.0	3-15-66	10.6	1729.4	010
11N/03E-08N01S	1725.0	10-20-65	5.8	1719.2	010
		3-15-66	5.5	1719.5	
11N/03E-20R01S	1780.0	10-20-65	51.9	1728.1	010
		3-15-66	52.8	1727.2	
11N/03E-30J02S	1775.0	10-20-65	58.7	1716.3	010
		3-15-66	56.9	1718.1	
12N/02E-28D01S	1775.0	10-20-65	36.3	1738.7	010
		3-15-66	36.2	1738.8	
12N/02E-31A01S	1789.5	10-20-65	56.2	1733.3	010
		3-15-66	56.1	1733.4	
12N/02E-32C01S	1745.0	10-20-65	DRY		010
		10-21-65	(0)		
12N/02E-32K01S	1730.0	3-15-66	FLOW		010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
SUPERIOR HYDRO UNIT W-19.00					
31S/45E-01C01M	3040.0	10-19-65	117.6	2922.4	010
		3-14-66	117.6	2922.4	
31S/45E-24001M	3026.0	10-19-65	105.8	2920.2	010
		3-14-66	106.0	2920.0	
31S/46E-02M01M	3020.0	10-19-65	99.8	2920.2	010
		3-14-66	99.7	2920.3	
31S/46E-16J01M	3011.0	10-19-65	93.1	2917.9	010
		3-14-66	93.1	2917.9	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA

TABLE C-1

GROUND WATER LEVELS AT WELLS

INDIAN WELLS HYDRO UNIT W-24.00

INDIAN WELLS HYDRO SUBUNIT W-24.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
24S/40E-19M01M	2213.2	3-30-66	29.8	2183.4	010
25S/38E-11K01M	2400.0	11-19-65	195.6	2204.4	010
25S/38E-13D01M	2351.2	11-19-65	148.7	2202.5	010
25S/38E-13K01M	2316.2	11-19-65	114.4	2201.8	010
25S/38E-23G01M	2412.0	11-19-65	207.7	2204.3	010
25S/38E-24C01M	2329.2	11-19-65	126.9	2202.3	010
25S/38E-25L01M	2329.2	11-19-65	125.9	2203.3	010
25S/38E-35B01M	2402.8	11-19-65	191.0	2211.8	010
25S/39E-02E01M	2227.4	11-20-65	38.3	2189.1	010
25S/39E-04R01M	2252.6	11-20-65	57.7	2194.9	010
25S/39E-12R01M	2200.9	11-21-65	18.0	2182.9	010
25S/39E-13E01M	2209.9	11-21-65	23.8	2186.1	010
25S/39E-17D01M	2271.1	11-20-65	72.2	2198.9	010
25S/39E-17D02M	2271.1	11-20-65	72.8	2198.3	010
25S/39E-18D01M	2295.6	11-20-65	94.7	2200.9	010
25S/39E-21P01M	2226.9	11-20-65	31.5	2195.4	010
25S/39E-22J01M	2215.4	11-20-65	24.5	2190.9	010
25S/39E-26H01M	2202.8	11-20-65	15.6	2187.2	010
25S/39E-26N01M	2220.6	11-21-65	29.1	2191.5	010
25S/39E-28P01M	2228.9	11-20-65	32.8	2196.1	010
25S/39E-31E01M	2283.7	11-19-65	79.3	2204.4	010
25S/39E-35N01M	2253.2	11-21-65	59.4	2193.8	010
25S/40E-19L01M	2188.2	11-21-65	9.2	2179.0	010
25S/40E-20F01M	2179.5	11-21-65	.5	2179.0	010
25S/41E-28B01M	2238.6	11-21-65	67.8	2170.8	010
26S/38E-01R01M	2334.9	11-19-65	131.1	2203.8	010
26S/38E-01G01M	2330.0	11-19-65	131.9	2198.1	010
26S/38E-02Q01M	2429.6	11-19-65	228.3	2201.3	010
26S/39E-02N01M	2285.7	11-21-65	87.2	2198.5	010
26S/39E-07N01M	2394.3	11-19-65	192.1	2202.2	010
26S/39E-19Q01M	2277.0	11-19-65	(7)		010
26S/39E-20Q01M	2421.8	11-19-65	220.1	2201.7	010
26S/39E-23J01M	2361.2	11-11-65 3-24-66	185.0 183.3	2176.2 2177.9	010
26S/39E-24K01M	2347.4	11-20-65 3-24-66	169.3 169.1	2178.1 2178.3	010
26S/39E-24M01M	2366.5	11-20-65 3-24-66 6-21-66	(7) 192.9 206.4(4)	 2173.6 2160.1	010
26S/39E-24Q01M	2350.4	11-19-65	172.6	2177.8	010
26S/39E-24R01M	2344.9	3-24-66	165.9	2179.0	010
26S/39E-25D01M	2372.9	11-19-65 3-24-66	196.6 196.4	2176.3 2176.5	010
26S/39E-26C01M	2394.9	11-19-65	213.4	2181.5	010
26S/39F-30C01M	2427.1	11-19-65 3-24-66	226.3 225.2	2200.8 2201.9	010
26S/40E-01A02M	2157.6	11-21-65	FLOW		010
26S/40E-01A03M	2157.6	11-21-65	7.3	2150.3	010
26S/40E-01J01M	2161.8	11-21-65	3.5	2158.3	010
26S/40E-01Q01M	2161.6	11-21-65	3.2	2158.4	010
26S/40E-01Q02M	2159.7	11-21-65	3.2	2156.5	010
26S/40E-06E01M	2231.9	11-20-65	41.6	2190.2	010
26S/40E-06N01M	2249.8	11-20-65	59.7	2190.1	010
26S/40E-10F01M	2188.8	11-21-65	17.7	2171.1	010
26S/40E-12A01M	2167.8	11-21-65	3.7	2164.1	010
26S/40E-12G01M	2170.4	11-21-65	6.5	2163.9	010
26S/40E-12Q01M	2175.7	11-21-65	1.7	2174.0	010
26S/40E-12R01M	2181.5	11-21-65	.8	2180.7	010
26S/40E-13M01M	2196.2	11-21-65	10.5	2185.7	010
26S/40E-15E01M	2223.1	11-21-65	45.8	2177.3	010
26S/40E-15E02M	2226.1	11-21-65	44.8	2181.3	010
26S/40E-15N01M	2241.1	11-21-65	56.9	2184.2	010
26S/40E-17N01M	2293.0	11-20-65	107.9	2185.1	010
26S/40E-18E01M	2297.0	11-20-65	99.4	2197.6	010
26S/40E-18N01M	2316.1	11-20-65	139.7	2176.4	010
26S/40E-19N01M	2337.7	11-20-65	158.3	2179.4	010
26S/40E-19P01M	2336.0	11-19-65	155.6	2180.4	010
26S/40E-20G01M	2287.6	11-20-65	92.1	2195.5	010
26S/40E-20N01M	2311.9	11-19-65	129.3	2182.6	010
26S/40E-22N01M	2261.4	11-19-65	74.6	2186.8	010
26S/40E-22P01M	2258.7	11-21-65 3-24-66	74.2 73.6	2184.5 2185.1	010
26S/40E-23C01M	2213.8	11-21-65	22.7	2191.1	010
26S/40E-24C01M	2212.0	11-21-65	27.7	2184.3	010
26S/40E-28J01M	2288.9	11-19-65	110.6	2178.3	010
26S/40E-30E02M	2342.8	11-19-65	163.9	2178.9	010
26S/40E-30Q01M	2353.1	11-19-65	173.8	2179.3	010
26S/40E-32D01M	2340.9	11-19-65	163.3	2177.6	010
26S/40E-32N01M	2368.0	11-19-65	192.7	2175.3	010
26S/40E-33P02M	2312.0	11-19-65	146.4	2165.6	010
26S/40E-34N01M	2290.4	11-19-65 3-24-66	117.3 115.9	2173.1 2174.5	010
26S/40E-36A01M	2247.2	11-19-65	60.0	2187.2	010
26S/41E-07D01M	2160.2	11-21-65	1.0	2159.2	010
26S/41E-07E01M	2166.5	11-21-65	5.5	2161.0	010
26S/41E-07G01M	2177.0	11-21-65	25.7	2151.3	010
27S/40E-01K01M	2318.1	11-19-65	132.0	2186.1	010
27S/40E-02J01M	2300.0	11-19-65	119.4	2180.6	010
27S/40E-03J01M	2275.0	11-19-65	85.5	2189.5	010
27S/40E-03R01M	2287.3	11-19-65	100.1	2187.2	010
27S/40E-04A01M	2305.0	11-19-65	134.2	2170.8	010
27S/40E-15D01M	2385.0	11-19-65	199.9	2185.1	010
27S/40E-15L01M	2470.0	11-19-65	244.5	2225.5	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

FREMONT HYDRO UNIT W-25.00

KOEHN HYDRO SUBUNIT W-25.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
29S/39E-29H01M	2100.0	10-18-65	177.6	1922.4	010
		3-09-66	180.0	1920.0	
30S/37E-24J01M	1985.0	10-18-65	49.6	1935.4	010
		3-09-66	47.2	1937.8	
30S/37E-36G01M	1981.0	10-18-65	60.4	1920.6	010
		3-09-66	52.8	1928.2	
30S/39E-08A01M	2075.0	10-18-65	140.1	1934.9	010
		3-09-66	140.1	1934.9	
31S/37E-08C01M	2190.0	10-18-65	185.6	2004.4	010
		3-09-66	183.3	2006.7	
31S/37E-13A01M	2135.0	10-18-65	250.8	1884.2	010
		3-09-66	248.9	1886.1	
31S/37E-35N01M	2320.0	10-18-65	244.0	2076.0	010
		3-09-66	244.1	2075.9	
32S/36E-35D01M	2692.0	10-18-65	266.3	2425.7	010
		3-08-66	266.1	2425.9	
32S/37E-11N01M	2375.0	10-18-65	279.6	2095.4	010
		3-09-66	279.3	2095.7	
32S/37E-22N01M	2460.0	10-18-65	358.2	2101.8	010
		3-09-66	355.4	2104.6	
11N/11W-08D01S	2624.5	10-18-65	203.2	2421.3	010
		3-08-66	198.8	2425.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT					
ANTELOPE HYDRO SUBUNIT			W-26.A0		
NEFNACH HYDRO SUBAREA					W-26.A4
11N/12W-26J01S	2594.0	10-18-65	201.3(2)	2392.7	010
		3-08-66	192.6(2)	2401.4	
GLOSTER HYDRO SUBAREA					W-26.A2
10N/12W-20C03S	2645.0	10-18-65	(7)		010
WILLOW SPRINGS HYDRO SUBAREA					W-26.A3
09N/13W-04A01S	2636.8	10-18-65	94.3(4)	2542.5	010
		3-08-66	94.8(4)	2542.0	
09N/13W-07Q03S	2564.3	10-18-65	73.7	2490.6	010
		3-08-66	57.2	2507.1	
09N/14W-02J01S	2735.0	10-18-65	143.8	2591.2	010
		3-08-66	143.4	2591.6	
10N/13W-19M01S	2905.0	10-18-65	316.9	2588.1	010
		3-08-66	316.9	2588.1	
10N/13W-32M01S	2740.0	10-18-65	(1)		010
11N/13W-29M01S	3391.0	7-10-65	325.0	3066.0	785
		8-10-65	335.0	3056.0	
		9-10-65	330.0	3061.0	
		10-11-65	335.0	3056.0	
		11-10-65	327.0	3064.0	
		12-10-65	340.0	3051.0	
		1-10-66	335.0	3056.0	
		2-10-66	334.0	3057.0	
		3-10-66	333.0	3058.0	
		4-11-66	334.0	3057.0	
		5-10-66	333.0	3058.0	
		6-10-66	327.0	3064.0	
		7-00-66	320.0	3071.0	
		8-10-66	325.0	3066.0	
		9-10-66	330.0	3061.0	
NEFNACH HYDRO SUBAREA					W-26.A4
08N/14W-17M01S	2592.0	11-04-65	177.2	2414.8	050
		4-14-66	173.8	2418.2	
08N/15W-07N01S	2763.0	11-04-65	-31.0	2794.0	050
		4-13-66	-33.1	2796.1	
08N/15W-07P01S	2750.0	4-13-66	170.4	2579.6	050
08N/15W-10P01S	2712.0	8-06-65	150.5	2561.5	010
		9-08-65	150.5	2561.5	
		11-04-65	151.2(4)	2560.8	050
		11-08-65	150.5	2561.5	010
		12-07-65	150.2	2561.8	
		1-06-66	150.3	2561.7	
		2-15-66	150.3	2561.7	
		3-15-66	150.1	2561.9	
		4-05-66	151.3	2560.7	
		4-13-66	153.8	2558.2	050
		5-16-66	151.0	2561.0	010
		6-06-66	151.1	2560.9	
08N/15W-22N02S	2821.0	11-04-65	207.5	2613.5	050
		4-14-66	204.0	2617.0	
08N/15W-32E01S	3135.0	11-04-65	121.6	3013.4	050
		4-14-66	123.8	3011.2	
08N/15W-33G01S	2930.0	11-04-65	260.9	2669.1	050
		11-04-65	261.9	2668.1	010
		4-14-66	247.9	2682.1	050
		4-14-66	247.9	2682.1	010
08N/15W-34G01S	2860.0	11-04-65	218.1	2641.9	050
		4-14-66	216.4	2643.6	
08N/15W-36M01S	2785.0	11-04-65	96.8	2688.2	050
		4-14-66	92.3	2692.7	
08N/16W-06G01S	2960.0	11-04-65	275.0(4)	2685.0	050
		4-13-66	263.8(4)	2696.2	
08N/16W-08G01S	2915.0	4-13-65	302.7(4)	2612.3	050
		11-04-65	325.0(4)	2590.0	
08N/16W-14L01S	2859.0	11-04-65	(1)		050
		4-13-66	156.7	2702.3	
08N/16W-14L02S	2863.0	11-04-65	133.7	2729.3	050
		4-14-66	133.4	2729.6	
W-26.00					
ANTELOPE HYDRO SUBUNIT				W-26.A0	
NEFNACH HYDRO SUBAREA					W-26.A4
08N/16W-15N01S	2970.0	11-04-65	78.0(1)	2892.0	050
08N/16W-15N02S	2947.0	4-13-66	26.3	2920.7	050
08N/16W-15N03S	2970.0	11-04-65	82.5	2887.5	050
		4-13-66	49.9	2920.1	
08N/16W-18H01S	2995.0	4-14-66	118.7	2876.3	050
08N/16W-18H02S	2989.0	11-04-65	263.0(1)	2726.0	050
		4-14-66	(1)		
08N/16W-22Q04S	3050.0	11-04-65	67.5	2982.5	050
		4-13-66	68.4	2981.6	
08N/16W-23G01S	2913.0	11-04-65	84.8	2828.2	050
		4-13-66	84.9	2828.1	
08N/17W-11D01S	2992.0	11-04-65	291.7	2700.3	050
		4-13-66	297.4	2694.6	
08N/17W-14E01S	3045.0	4-13-66	56.3	2988.7	050
08N/17W-14E02S	3045.0	11-04-65	59.8	2985.2	050
		4-13-66	54.9	2990.1	
08N/18W-23F01S	3350.0	11-04-65	122.0	3228.0	050
		4-13-66	92.0	3258.0	
08N/18W-24H01S	3340.0	11-04-65	24.3	3315.7	050
		4-13-66	82.1(4)	3257.9	
09N/14W-15M01S	2620.0	11-03-65	330.3	2289.7	050
		4-12-66	342.3(1)	2277.7	
09N/14W-20B01S	2680.0	11-03-65	301.1	2378.9	050
		4-12-66	302.4	2377.6	
09N/14W-21D01S	2640.0	11-03-65	308.6	2331.4	050
		4-12-66	(1)		
09N/16W-36C01S	2910.0	11-04-65	(9)		050
		4-13-66	264.5	2645.5	
LANCASTER HYDRO SUBAREA					W-26.A5
06N/10W-09E01S	2576.0	11-01-65	204.1	2371.9	050
		11-03-65	215.9	2360.1	010
		4-11-66	204.7	2371.3	050
06N/11W-03M01S	2491.0	11-01-65	305.8	2185.2	050
		4-11-66	306.0	2185.0	
07N/09W-17N02S	2492.0	10-20-65	244.8	2247.2	010
		3-11-66	224.3	2267.7	
07N/10W-02E01S	2412.0	10-20-65	228.6	2183.4	010
		3-12-66	228.7	2183.3	
07N/10W-05F01S	2392.0	10-20-65	196.9	2195.1	010
		3-12-66	190.3	2201.7	
07N/10W-05N03S	2398.0	10-20-65	286.9	2111.1	010
		3-12-66	(1)		
07N/10W-14Q01S	2464.0	10-20-65	344.6(2)	2119.4	010
		3-11-66	310.5	2153.5	
07N/10W-31H01S	2505.3	10-20-65	330.7	2174.6	010
		10-20-65	330.9	2174.4	010
		3-11-66	331.4	2173.9	
07N/10W-34B01S	2520.0	10-20-65	DRY		010
07N/11W-01Q01S	2385.0	10-20-65	212.5	2172.5	010
		3-12-66	(1)		
07N/11W-06A01S	2351.0	10-19-65	91.6	2259.4	010
		3-12-66	93.0	2258.0	
07N/11W-13Q01S	2434.0	10-20-65	269.4	2164.6	010
		3-11-66	266.6	2167.4	
07N/11W-17E01S	2396.0	10-19-65	205.5	2190.5	010
		3-12-66	198.0	2198.0	
07N/11W-19Q01S	2418.0	10-19-65	215.3	2202.7	010
		3-11-66	211.2	2206.8	
07N/11W-33N01S	2473.0	10-19-65	(1)		010
07N/12W-13F01S	2382.0	10-19-65	163.1	2218.9	010
		3-12-66	159.1	2222.9	
07N/12W-15F02S	2354.0	10-19-65	155.0	2199.0	010
		10-19-65	156.0	2198.0	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

ANTELOPE HYDRO UNIT W-26.00

ANTELOPE HYDRO SUBUNIT W-26.A0

LANCASTER HYDRO SUBAREA W-26.A5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07N/12W-15F02S (CONT.)	2354.0	3-07-66	134.9	2219.1	010
07N/12W-25M01S	2455.0	10-19-65	237.6	2217.4	010
		3-11-66	237.3	2217.7	
07N/12W-28P01S	2447.0	10-19-65	233.2	2213.8	010
		3-11-66	223.0	2224.0	
07N/13W-03D01S	2378.0	11-09-65	183.8	2194.2	050
		4-12-66	173.2	2204.8	
07N/13W-09N01S	2395.0	11-04-65	126.1	2268.9	050
		4-13-66	122.6	2272.4	
07N/13W-11Q01S	2356.0	11-09-65	8.1	2347.9	010
07N/13W-14E01S	2350.0	11-05-65	174.4	2175.6	050
		4-12-66	170.8(4)	2179.2	
07N/13W-14E02S	2350.0	11-05-65	182.0	2168.0	050
		4-12-66	177.0	2173.0	
07N/13W-15N01S	2358.0	11-03-65	40.1	2317.9	050
		4-12-66	39.7	2318.3	
07N/13W-15N02S	2360.0	11-09-65	45.0	2315.0	050
		4-12-66	44.5	2315.5	
07N/13W-16J01S	2361.0	11-09-65	46.4	2314.6	050
		4-12-66	45.5	2315.5	
07N/13W-17D02S	2421.0	11-04-65	233.3(3)	2187.7	050
		11-09-65	225.7	2195.3	000
		4-12-66	(1)		050
07N/13W-19A01S	2424.0	11-05-65	244.3	2179.7	050
		4-12-66	233.8	2190.2	
07N/13W-24B01S	2351.0	11-03-65	62.2(4)	2288.8	050
		4-12-66	62.2	2288.8	
07N/13W-27Q01S	2425.0	11-02-65	342.5	2082.5	050
		4-12-66	339.0	2086.0	
07N/13W-35E01S	2443.0	11-03-65	354.0(1)	2089.0	050
		4-12-66	322.3	2120.7	
07N/14W-10E01S	2583.0	11-05-65	330.2(1)	2252.8	050
		4-12-66	(1)		
07N/14W-10F01S	2557.0	11-09-65	313.0	2244.0	010
		11-09-65	314.3	2242.7	050
		4-12-66	306.4	2250.6	
07N/14W-10P01S	2583.0	4-12-66	318.4	2264.6	050
07N/14W-13Q01S	2490.0	11-04-65	301.2	2188.8	050
		4-12-66	295.7	2194.3	
07N/14W-27B01S	2835.0	11-05-65	186.5(1)	2648.5	050
		4-12-66	156.2	2678.8	
08N/09W-06D01S	2293.0	7-01-65	(7)		010
		3-10-66	35.4	2257.6	
08N/09W-06F01S	2293.5	7-01-65	(7)		010
		3-10-66	12.2	2281.3	
08N/10W-01C01S	2300.0	10-21-65	91.1	2208.9	010
		3-10-66	81.6	2218.4	
08N/10W-01F01S	2303.0	7-01-65	(7)		010
		3-10-66	20.9	2282.1	
08N/10W-02P01S	2310.0	10-21-65	64.7	2245.3	010
		3-10-66	64.9	2245.1	
08N/10W-08J01S	2315.0	10-21-65	118.3	2196.7	010
		3-10-66	104.6	2210.4	
08N/10W-08N02S	2316.0	7-01-65	(7)		010
		3-03-66	64.3	2251.7	
08N/10W-08R03S	2318.0	7-19-65	63.4	2254.6	010
		8-12-65	63.8	2254.2	
		9-13-65	63.9	2254.1	
		10-18-65	63.9	2254.1	
		11-18-65	63.9	2254.1	
		12-17-65	63.9	2254.1	
		1-10-66	63.8	2254.2	
		2-16-66	64.1	2253.9	
		3-10-66	64.0	2254.0	
		5-10-66	64.6	2253.4	
		5-26-66	64.7	2253.3	
08N/10W-09P01S	2321.0	10-21-65	60.7	2260.3	010
		3-10-66	60.8	2260.2	
W-26.00					
ANTELOPE HYDRO SUBUNIT				W-26.A0	
LANCASTER HYDRO SUBAREA					W-26.A5
08N/10W-19N04S	2338.0	10-20-65	119.9	2218.1	010
		3-12-66	120.4	2217.6	
08N/10W-19Q01S	2342.0	10-20-65	111.9	2230.1	010
		3-12-66	103.8	2238.2	
08N/10W-23F01S	2350.0	10-20-65	103.1	2246.9	010
		3-10-66	100.9	2249.1	
08N/10W-28B01S	2358.0	10-20-65	129.0	2229.0	010
		3-10-66	126.5	2231.5	
08N/11W-14N01S	2312.0	10-20-65	70.9	2241.1	010
		3-10-66	71.5	2240.5	
08N/11W-14R02S	2317.0	10-20-65	96.1	2220.9	010
		3-10-66	98.9	2218.1	
08N/11W-15Q01S	2307.0	10-20-65	89.4	2217.6	010
		3-10-66	88.8	2218.2	
08N/11W-18L01S	2297.0	7-01-65	(7)		010
		3-10-66	8.2	2288.8	
08N/11W-18Q01S	2298.0	7-01-65	(7)		010
		3-10-66	22.1	2275.9	
08N/11W-22P01S	2317.0	10-20-65	104.6	2212.4	010
		3-12-66	103.3	2213.7	
08N/11W-23R01S	2332.0	10-20-65	127.3	2204.7	010
		3-12-66	121.5	2210.5	
08N/11W-27R02S	2341.0	10-20-65	173.7(2)	2167.3	010
		3-12-66	165.4(2)	2175.6	
08N/11W-32E01S	2340.0	10-19-65	112.8(1)	2227.2	010
		3-12-66	89.5	2250.5	
08N/11W-34Q02S	2340.0	10-20-65	157.7	2182.3	010
		3-12-66	151.9(2)	2188.1	
08N/11W-34R02S	2358.0	10-20-65	201.7	2156.3	010
		3-12-66	187.8	2170.2	
08N/12W-02Q01S	2283.0	10-19-65	35.7	2247.3	010
		3-12-66	30.7	2252.3	
08N/12W-06E01S	2345.0	11-08-65	91.5	2253.5	050
		4-12-66	95.7	2249.3	
08N/12W-14R01S	2291.0	7-01-65	(7)		010
		3-12-66	51.7	2239.3	
08N/12W-20B02S	2317.5	10-19-65	74.5	2243.0	010
		3-12-66	61.8	2255.7	
08N/12W-22M01S	2302.0	10-19-65	55.1	2246.9	010
		3-12-66	39.0	2263.0	
08N/12W-30K01S	2324.0	10-19-65	97.1	2226.9	010
		3-12-66	85.7	2238.3	
08N/12W-30N01S	2328.0	11-09-65	61.7	2266.3	050
		4-12-66	55.8(4)	2272.2	
08N/13W-05E01S	2440.0	11-04-65	269.6(3)	2170.4	050
		4-13-66	271.3(3)	2168.7	
08N/13W-07H01S	2442.0	11-08-65	219.5	2222.5	050
		4-13-66	215.8(3)	2226.2	
08N/13W-09K01S	2402.0	11-03-65	217.8	2184.2	050
		4-13-66	216.2	2185.8	
08N/13W-14B01S	2374.0	11-04-65	198.7	2175.3	050
		4-13-66	(1)		
08N/13W-17F01S	2437.0	11-03-65	303.0	2134.0	050
		4-12-66	303.8	2133.2	
08N/13W-18E01S	2465.0	11-05-65	277.4	2187.6	050
		4-13-66	273.5	2191.5	
08N/13W-19Q01S	2457.0	11-03-65	303.6	2153.4	050
		4-12-66	300.9	2156.1	
08N/13W-20B01S	2430.0	11-05-65	(1)		050
		4-13-66	(1)		
08N/13W-21G01S	2410.0	11-05-65	254.0(2)	2156.0	050
		4-13-66	010 S(2)	2146.5	
08N/13W-23M03S	2360.0	11-05-65	186.7	2173.3	050
		4-13-66	190.0	2170.0	
08N/13W-26D02S	2359.0	4-13-66	135.6	2223.4	050

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT					
ANTELOPE HYDRO SUBUNIT				W-26.A0	
LANCASTER HYDRO SUBAREA					W-26.A5
08N/13W-27P01S	2367.0	4-12-66	92.0(2)	2275.0	050
		10-17-66	(2)		
08N/13W-27P02S	2365.0	11-09-65	121.4	2243.6	050
		4-12-66	(1)		
08N/13W-32N02S	2425.0	11-09-65	(1)		050
		4-15-66	(1)		
08N/13W-33Q03S	2387.0	11-05-65	167.6	2219.4	050
		4-12-66	167.3	2219.7	
08N/13W-36M01S	2342.0	11-09-65	132.3	2209.7	050
		4-12-66	130.9	2211.1	
08N/14W-02Q01S	2490.0	11-03-65	319.3	2170.7	050
		4-13-66	316.8	2173.2	
08N/14W-14R01S	2494.0	11-03-65	222.4	2271.6	050
		4-12-66	222.2	2271.8	
08N/14W-15G01S	2525.0	11-05-65	(4)		050
		4-13-66	259.0	2266.0	
08N/14W-25H01S	2456.0	11-05-65	312.8	2143.2	050
		4-13-66	293.5(3)	2162.5	
08N/14W-36M01S	2488.0	11-09-65	292.8	2195.2	050
		4-12-66	278.3	2209.7	
09N/08W-06H01S	2387.0	3-07-66	(1)		010
09N/08W-18F01S	2397.2	7-01-65	(7)		010
		3-07-66	152.0	2245.2	
09N/09W-02Q01S	2274.8	10-21-65	37.3	2237.5	010
		3-07-66	37.9	2236.9	
09N/09W-04E01S	2275.0	10-27-65	32.7	2242.3	010
		3-08-66	32.5	2242.5	
09N/09W-06E01S	2290.2	10-19-65	45.0	2245.2	010
		3-09-66	45.0	2245.2	
09N/09W-10R01S	2280.0	7-01-65	(7)		010
		3-07-66	46.6	2233.4	
09N/09W-12F01S	2288.8	7-01-65	(7)		010
		3-07-66	48.4	2240.4	
09N/09W-13N01S	2350.2	3-07-66	116.1(1)	2234.1	010
09N/09W-14P02S	2350.2	3-07-66	64.5(1)	2285.7	010
09N/09W-15J01S	2283.5	3-07-66	52.5(1)	2231.0	010
09N/09W-17R01S	2275.0	10-27-65	43.4	2231.6	010
09N/09W-18C01S	2280.3	10-19-65	91.5(1)	2188.8	010
		10-21-65	90.2(1)	2190.1	
		3-09-66	89.4(1)	2190.9	
09N/09W-23B01S	2319.9	3-07-66	87.5(1)	2232.4	010
09N/09W-27H02S	2280.0	3-07-66	43.0	2237.0	010
09N/10W-08P01S	2372.0	3-09-66	85.2	2286.8	010
09N/10W-12R01S	2280.0	8-12-65	57.5	2222.5	010
		9-13-65	58.6	2221.4	
		10-18-65	58.4	2221.6	
		11-18-65	57.0	2223.0	
		12-17-65	55.3	2224.7	
		1-10-66	54.9	2225.1	
		2-16-66	54.5	2225.5	
		3-09-66	55.5	2224.5	
09N/10W-16C01S	2333.0	10-19-65	68.7	2264.3	010
		3-09-66	69.3	2263.7	
09N/10W-16C02S	2328.0	10-19-65	99.4	2228.6	010
		3-09-66	97.6	2230.4	
09N/10W-16M01S	2325.0	10-19-65	89.9	2235.1	010
		3-09-66	90.1	2234.9	
09N/10W-16P01S	2322.0	10-19-65	83.8	2238.2	010
		3-09-66	84.0	2238.0	
09N/10W-22J02S	2285.0	10-21-65	68.4	2216.6	010
		3-09-66	67.7	2217.3	
09N/10W-24C01S	2285.0	10-19-65	(1)		010
		3-09-66	189.3(1)	2095.7	
09N/10W-24E01S	2280.0	10-19-65	69.3	2210.7	010
		3-09-66	75.3	2204.7	
W-26.00					
ANTELOPE HYDRO SUBUNIT				W-26.A0	
LANCASTER HYDRO SUBAREA					W-26.A5
09N/10W-24F01S	2281.2	10-19-65	(1)		010
		3-09-66	(1)		
09N/10W-24G01S	2280.0	10-19-65	142.8(1)	2137.2	010
		3-09-66	143.8(1)	2136.2	
09N/10W-24N01S	2273.0	10-21-65	61.9	2211.1	010
		3-09-66	56.5	2216.5	
09N/10W-25M01S	2274.0	10-27-65	15.1	2258.9	010
09N/10W-28F02S	2290.0	3-10-66	60.4	2229.6	010
09N/10W-34D01S	2285.0	10-21-65	74.0	2211.0	010
		3-10-66	68.5	2216.5	
09N/10W-34H01S	2285.0	7-19-65	55.9	2229.1	010
		8-12-65	57.6	2227.4	
		9-13-65	57.3	2227.7	
		10-18-65	58.4	2226.6	
		11-18-65	55.8	2229.2	
		12-17-65	54.5	2230.5	
		1-10-66	51.5	2233.5	
		2-16-66	49.6	2235.4	
		3-09-66	49.4	2235.6	
		5-10-66	54.1	2230.9	
		5-26-66	55.5	2229.5	
09N/11W-21N01S	2290.0	10-27-65	8.0	2282.0	010
09N/11W-36L01S	2290.0	10-20-65	67.7	2222.3	010
		3-10-66	68.6	2221.4	
09N/12W-17N02S	2385.0	11-08-65	115.8	2269.2	050
		4-12-66	115.2	2269.8	
09N/12W-18N02S	2390.0	10-19-65	(1)		010
		3-12-66	157.5	2232.5	
09N/12W-21D03S	2350.0	10-19-65	90.7	2259.3	010
		3-12-66	88.7	2261.3	
09N/12W-23N01S	2294.0	10-19-65	42.8	2251.2	010
		3-12-66	41.6	2252.4	
09N/12W-27J01S	2298.0	10-19-65	(7)		010
		3-12-66	34.5	2263.5	
09N/12W-30A01S	2390.0	11-08-65	(4)		050
09N/12W-31N01S	2347.0	10-20-65	121.5	2225.5	010
		3-12-66	111.3	2235.7	
09N/12W-35N01S	2295.0	10-19-65	30.2	2264.8	010
		3-12-66	30.6	2264.4	
09N/13W-17R01S	2450.0	4-12-66	157.8	2292.2	050
09N/13W-23B01S	2410.0	11-08-65	184.4	2225.6	050
		4-12-66	180.8(1)	2229.2	
09N/13W-26E01S	2385.0	4-12-66	117.4	2267.6	050
09N/13W-29E01S	2450.0	11-08-65	280.1	2169.9	050
		4-12-66	(1)		
09N/13W-29J01S	2435.0	11-08-65	241.2	2193.8	050
		4-12-66	271.7(4)	2163.3	
09N/13W-35P01S	2378.0	11-08-65	(8)		050
		4-12-66	153.9(3)	2224.1	
09N/13W-36G01S	2360.0	11-08-65	101.0	2259.0	050
		4-12-66	106.3	2253.7	
09N/14W-23D01S	2550.0	11-03-65	290.8	2259.2	050
		4-12-66	(1)		
09N/14W-27R01S	2550.0	11-03-65	294.6	2255.4	050
		4-12-66	293.7	2256.3	
10N/09W-28K01S	2275.0	10-27-65	49.6	2225.4	010
		3-08-66	49.3	2225.7	
10N/09W-31C01S	2280.0	10-19-65	39.1	2240.9	010
		3-08-66	38.9	2241.1	
10N/09W-34K01S	2275.0	10-27-65	48.3	2226.7	010
		3-08-66	47.6	2227.4	
10N/09W-36G01S	2282.4	10-21-65	46.5	2235.9	010
		3-07-66	47.0	2235.4	
NORTH MUROC HYDRO SUBAREA					W-26.A6

TABLE C-1
GROUND WATER LEVELS AT WELLS

ANTELOPE HYDRO UNIT W-26.00

ANTELOPE HYDRO SUBUNIT W-26.A0

NORTH MUROC HYDRO SUBAREA W-26.A6

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10N/09W-04D01S (CONT.)	2280.0	8-12-65	106.5(2)	2173.5	010
		9-13-65	105.1	2174.9	
		10-18-65	105.6	2174.4	
		11-18-65	104.9	2175.1	
		12-17-65	106.1	2173.9	
		1-10-66	106.0(2)	2174.0	
		2-16-66	105.6	2174.4	
		3-08-66	105.6(2)	2174.4	
		5-10-66	105.9	2174.1	
		5-26-66	107.9(2)	2172.1	
10N/09W-04D02S	2306.9	3-08-66	107.9	2199.0	010
10N/09W-05R01S	2274.0	10-27-65	69.5	2204.5	010
		3-08-66	68.9	2205.1	
10N/09W-07A02S	2276.9	10-18-65	70.8	2206.1	010
		3-08-66	71.1	2205.8	
10N/09W-16P01S	2275.0	10-27-65	56.9	2218.1	010
		3-08-66	57.1	2217.9	
10N/09W-20F01S	2275.0	10-27-65	41.7	2233.3	010
		3-08-66	46.8	2228.2	
10N/09W-24A02S	2292.0	10-18-65	74.3	2217.7	010
		3-08-66	74.5	2217.5	
11N/08W-20H01S	2379.1	7-01-65	(7)		010
		3-08-66	170.9	2208.2	
11N/08W-29K01S	2351.8	7-01-65	(7)		010
		3-08-66	146.6	2205.2	
11N/08W-32G01S	2342.1	10-19-65	132.2	2209.9	010
		3-08-66	132.6	2209.5	
11N/08W-35D01S	2382.0	7-01-65	(7)		010
11N/09W-17N01S	2319.9	10-19-65	135.3	2184.6	010
		3-08-66	135.6	2184.3	
11N/09W-24B01S	2345.1	7-01-65	(7)		010
		3-08-66	146.1	2199.0	
11N/09W-30H01S	2298.3	7-01-65	(7)		010
11N/09W-30N01S	2328.0	10-19-65	120.3	2207.7	010
		3-08-66	120.7	2207.3	
11N/09W-32Q01S	2302.5	3-08-66	106.0	2196.5	010
11N/09W-34A01S	2304.4	10-19-65	(7)		010
11N/09W-36A01S	2323.8	7-01-65	(7)		010
		3-08-66	120.4	2203.4	
11N/09W-36R01S	2312.5	7-01-65	(7)		010
		3-08-66	101.6	2210.9	

BUTTES HYDRO SUBAREA W-26.A7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05N/11W-04E01S	2695.0	11-01-65	157.5	2537.5	050
		11-02-65	157.4	2537.6	101
		4-11-66	155.8	2539.2	050
05N/12W-12A02S	2893.0	11-01-65	21.4	2871.6	101
06N/09W-04H02S	2595.0	11-02-65	162.3	2432.7	050
		4-11-66	162.0	2433.0	
06N/10W-09Q01S	2596.0	11-03-65	168.9	2427.1	010
06N/10W-20P01S	2637.0	7-07-65	239.2	2397.8	101

ROCK CREEK HYDRO SUBAREA W-26.A8

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05N/09W-02E01S	2900.0	11-02-65	174.5	2725.5	050
		4-11-66	175.8(4)	2724.2	
05N/09W-20K01S	3177.0	7-13-65	246.8	2930.2	101
		8-09-65	246.8	2930.2	
		9-14-65	247.6	2929.4	
		10-11-65	248.2	2928.8	
		11-02-65	247.7	2929.3	
		11-02-65	248.6	2928.4	050
		12-06-65	247.0	2930.0	101
		1-24-66	247.5	2929.5	
		2-14-66	247.2	2929.8	
		3-07-66	207.2	2969.8	
		4-11-66	254.5	2922.5	050
		4-12-66	247.7	2929.3	101
		5-09-66	247.8	2929.2	
		6-14-66	261.9	2915.1	

W-26.00

ANTELOPE HYDRO SUBUNIT W-26.A0

ROCK CREEK HYDRO SUBAREA W-26.A8

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05N/10W-03L01S	2802.0	11-01-65	99.9(1)	2702.1	050
		4-11-66	94.5(2)	2707.5	
05N/10W-06N01S	2777.2	7-07-65	127.5	2649.7	101
		7-07-65	127.3	2649.9	010
		8-09-65	128.4	2648.8	101
		8-09-65	128.2	2649.0	010
		9-08-65	126.1	2651.1	
		9-14-65	127.7	2649.5	
		10-06-65	126.2	2651.0	
		10-11-65	125.7	2651.5	
		11-02-65	125.4	2651.8	101
		11-02-65	125.2	2652.0	010
		11-03-65	125.2	2652.0	
		12-06-65	124.2	2653.0	101
		12-06-65	124.0	2653.2	010
		12-08-65	123.8	2653.4	
		1-24-66	123.1	2654.1	101
		1-24-66	122.9	2654.3	010
		2-14-66	122.6	2654.6	101
		2-24-66	122.6	2654.6	010
		3-07-66	122.4	2654.8	101
		3-07-66	120.2	2657.0	010
		4-12-66	121.9	2655.3	101
		4-12-66	119.7	2657.5	010
		5-09-66	120.5	2656.7	101
		5-09-66	18.3	2758.9	010
		6-14-66	124.4	2652.8	101
		6-14-66	122.2	2655.0	010
		7-12-66	122.4	2654.8	
		8-01-66	123.0	2654.2	
		9-07-66	124.2	2653.0	
06N/09W-14Q01S	2716.0	11-02-65	160.5	2555.5	050
		4-11-66	161.5	2554.5	
06N/09W-29G01S	2782.0	11-02-65	83.5	2698.5	050
		4-11-66	80.8	2701.2	
06N/09W-34R01S	2860.0	11-02-65	146.8	2713.2	050
		4-11-66	146.7	2713.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

CUDDEBACK HYDRO UNIT W-27.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
30S/42E-10L01M	2590.0	10-19-65	71.1	2518.9	010
		3-14-66	71.1	2518.9	
30S/42E-18H01M	2635.0	10-19-65	99.1	2535.9	010
		3-14-66	98.7	2536.3	
30S/42E-20D01M	2630.0	10-19-65	90.2	2539.8	010
		3-14-66	90.0	2540.0	
30S/42E-24L01M	2656.0	10-19-65	150.2(1)	2505.8	010
		3-14-66	149.0(1)	2507.0	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA

TABLE C-1

GROUND WATER LEVELS AT WELLS

MOJAVE HYDRO UNIT W-28.00

EL MIRAGE HYDRO SUBUNIT W-28.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05N/07W-09H01S	3211.1	11-15-65	285.9	2925.2	010
		4-05-66	286.4	2924.7	
06N/06W-18P01S	2895.0	12-07-65	51.6	2843.4	100
		5-06-66	50.1	2844.9	
06N/07W-10P01S	2865.0	12-07-65	28.4	2836.6	100
		6-06-66	35.7(1)	2829.3	
06N/07W-12N02S	2860.0	11-15-65	15.9	2844.1	010
		4-05-66	15.7	2844.3	
06N/07W-26R01S	3004.5	12-07-65	106.8	2897.7	100
		6-06-66	123.0	2881.5	
06N/07W-27N01S	3020.0	12-07-65	135.8	2884.2	100
		5-06-66	136.5	2883.5	
07N/07W-27L01S	2835.0	11-15-65	49.7	2785.3	010
		4-05-66	49.7	2785.3	

UPPER MOJAVE HYDRO SUBUNIT W-28.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03N/03W-06E02S	2940.0	11-15-65	49.3	2890.7	010
		4-05-66	5.3	2934.7	
03N/04W-13B02S	3012.4	12-14-65	101.9	2910.5	100
		5-03-66	94.9	2917.5	
03N/04W-29P01S	3190.0	12-14-65	10.5	3179.5	100
		5-03-66	13.2	3176.8	
04N/03W-01M01S	3035.4	12-07-65	223.7	2811.7	100
		5-03-66	223.8	2811.6	
04N/03W-06D02S	2870.0	8-04-65	(1)		100
		8-31-65	81.0(4)	2789.0	
		10-01-65	75.5	2794.5	
		11-05-65	80.4(1)	2789.6	
		12-14-65	71.3	2798.7	
		1-05-66	71.4	2798.6	
		1-28-66	70.0	2800.0	
		3-04-66	68.8	2801.2	
		3-31-66	68.9	2801.1	
		5-03-66	70.2	2799.8	
		6-07-66	70.5	2799.5	
		6-30-66	71.3	2798.7	
		8-03-66	72.4	2797.6	
		8-30-66	72.8(4)	2797.2	
		9-29-66	73.2	2796.8	
04N/03W-07P01S	2860.0	8-04-65	(1)		100
		8-31-65	(1)		
		10-01-65	70.1(1)	2789.9	
		11-05-65	52.5	2807.5	
		12-14-65	55.2	2804.8	
		1-05-66	54.8	2805.2	
		1-28-66	45.1	2814.9	
		3-04-66	43.3	2816.7	
		3-31-66	(1)		
		5-03-66	57.6(1)	2802.4	
		6-07-66	55.6(1)	2804.4	
		6-30-66	55.0(1)	2805.0	
		8-03-66	(1)		
		8-30-66	54.8(1)	2805.2	
		9-29-66	47.6	2812.4	
04N/03W-07P02S	2868.5	12-14-65	55.2	2813.3	100
		5-03-66	57.6(1)	2810.9	
04N/03W-10R01S	3090.0	11-15-65	270.0	2820.0	010
		4-05-66	275.4	2814.6	
04N/03W-18E01S	2866.6	11-15-65	49.1	2817.5	010
		4-05-66	50.3	2816.3	
04N/04W-08G01S	3165.0	11-15-65	346.1	2818.9	010
		4-05-66	346.3	2818.7	
		5-06-66	347.0	2818.0	100
		6-07-66	347.2	2817.8	
		6-30-66	347.3	2817.7	
		8-03-66	347.3	2817.7	
		8-30-66	348.1	2816.9	
		9-29-66	347.7	2817.3	
04N/05W-22H01S	3551.9	11-15-65	674.1	2877.8	010
05N/02W-33N01S	3030.0	7-31-65	168.1	2861.9	713
		10-02-65	168.3	2861.7	
		11-27-65	168.3	2861.7	
		2-05-66	168.0	2862.0	
		4-09-66	168.7	2861.3	
		5-28-66	168.9	2861.1	
		7-23-66	168.7	2861.3	
05N/03W-03D02S	2921.0	12-07-65	(1)		100
		5-03-66	116.8	2804.2	
05N/03W-13D01S	2929.0	12-07-65	100.1	2828.9	100
		5-03-66	102.0	2827.0	
05N/03W-14G01S	2916.0	11-15-65	96.2	2819.8	010
		4-05-66	96.0	2820.0	
05N/03W-19E01S	2875.0	11-15-65	101.1	2773.9	010
		4-05-66	101.0	2774.0	
05N/03W-24N01S	2927.7	12-07-65	(2)		100
		5-03-66	106.7	2821.0	
05N/03W-27F01S	2955.0	11-15-65	135.5	2819.5	010
		4-05-66	135.6	2819.4	
05N/03W-35N01S	2984.0	12-07-65	171.4	2812.6	100
		5-03-66	168.8	2815.2	
05N/04W-04Q03S	2708.0	11-15-65	9.2	2698.8	010
		4-05-66	9.0	2699.0	
05N/04W-11P01S	2788.3	11-15-65	59.6	2728.7	010

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT W-28.00					
UPPER MOJAVE HYDRO SUBUNIT W-28.B0					
05N/04W-11P01S (CONT.)	2788.3	4-05-66	59.9	2728.4	010
05N/04W-21E01S	2890.0	11-15-65	111.9	2778.1	010
		4-05-66	112.1	2777.9	
05N/04W-36N04S	2824.0	11-15-65	29.6	2794.4	010
		4-05-66	29.3	2794.7	
05N/05W-04C01S	2945.0	11-15-65	132.9	2812.1	010
		4-05-66	132.9	2812.1	
05N/05W-22E02S	3121.0	11-15-65	315.2	2805.8	010
		4-05-66	315.5	2805.5	
05N/06W-12N01S	3100.0	11-15-65	184.2	2915.8	010
		4-05-66	184.0	2916.0	
06N/03W-09E04S	3085.0	12-07-65	(7)		100
		5-03-66	30.8	3054.2	
06N/03W-28R01S	2968.0	11-15-65	165.5	2802.5	010
		4-05-66	165.1	2802.9	
06N/04W-06E06S	2580.0	10-21-65	46.1	2533.9	010
		3-17-66	43.2	2536.8	
06N/04W-18P02S	2610.0	10-21-65	23.9(1)	2586.1	010
		3-17-66	22.0(1)	2588.0	
06N/04W-19G01S	2620.0	9-18-65	21.3	2598.7	713
		11-27-65	21.8	2598.2	
06N/04W-32G04S	2750.0	10-21-65	46.3	2703.7	010
		3-17-66	46.2	2703.8	
06N/05W-08F01S	2780.0	10-18-65	77.9	2702.1	010
		3-14-66	78.9	2701.1	
06N/05W-09B01S	2780.0	10-18-65	96.5	2683.5	010
		3-14-66	96.5	2683.5	
06N/05W-19C01S	2820.0	10-18-65	64.9	2755.1	010
		3-14-66	65.2	2754.8	
06N/05W-28F01S	2875.6	12-07-65	121.3	2754.3	100
		5-06-66	121.4	2754.2	
06N/05W-29H01S	2880.0	10-18-65	106.2	2773.8	010
		3-14-66	105.7	2774.3	
06N/05W-30R01S	2880.0	10-18-65	106.6	2773.4	010
		3-14-66	106.6	2773.4	
06N/05W-32R02S	2942.0	12-07-65	126.2	2815.8	100
		5-06-66	126.4	2815.6	
06N/06W-14P03S	2835.0	11-15-65	46.3	2788.7	010
		4-05-66	46.2	2788.8	
06N/06W-21A01S	2860.0	12-07-65	58.8	2801.2	100
		5-06-66	64.6(1)	2795.4	
06N/06W-28H01S	2949.3	12-07-65	102.9	2846.4	100
06N/06W-32K01S	3047.8	11-15-65	156.4	2891.4	010
		4-05-66	155.9	2891.9	
07N/04W-18D01S	2475.0	10-21-65	15.1	2459.9	010
		3-17-66	9.9	2465.1	
07N/04W-30C01S	2561.5	7-18-65	60.3	2501.2	713
		10-21-65	60.4	2501.1	010
		11-27-65	60.1	2501.4	713
		12-08-65	59.9	2501.6	100
		3-17-66	59.4	2502.1	010
		5-05-66	59.6	2501.9	100
		6-07-66	60.2	2501.3	
		6-30-66	60.6	2500.9	
		8-03-66	60.9	2500.6	
		8-30-66	61.4	2500.1	
		9-29-66	61.2	2500.3	
07N/05W-07N01S	2780.0	10-18-65	149.6	2630.4	010
		3-14-66	149.1	2630.9	
07N/05W-15P01S	2705.0	10-18-65	132.2	2572.8	010
		3-14-66	132.4	2572.6	
07N/05W-22N02S	2715.0	10-18-65	88.9	2626.1	010
		3-14-66	88.9	2626.1	
08N/04W-31R01S	2449.0	10-21-65	28.0	2421.0	010
		3-17-66	21.3(4)	2427.7	
MIDDLE MOJAVE HYDRO SUBUNIT W-28.C0					
08N/01W-29F01S	2870.0	12-07-65	92.8	2777.2	100
		5-03-66	126.7(1)	2743.3	
08N/01W-32F01S	2945.0	12-07-65	152.0	2793.0	100
		5-03-66	160.0	2785.0	
08N/03W-04K01S	2315.0	11-27-65	(7)		713
08N/03W-07N03S	2340.0	8-31-65	53.5	2286.5	100
		10-01-65	53.5	2286.5	
		11-05-65	52.6	2287.4	
		12-08-65	51.6	2288.4	
		1-05-66	51.5	2288.5	
		1-28-66	51.8	2288.2	
		3-04-66	42.0	2298.0	
		3-31-66	39.4	2300.6	
		5-05-66	40.0	2300.0	
		6-07-66	38.8	2301.2	
		6-30-66	36.0	2304.0	
		8-03-66	43.5(1)	2296.5	
		8-30-66	38.6	2301.4	
		9-29-66	38.8	2301.2	
08N/04W-12Q01S	2329.0	10-21-65	(7)		010
		3-16-66	28.6	2300.4	
08N/04W-20N01S	2408.0	12-08-65	30.6	2377.4	100
		5-05-66	30.8	2377.2	
08N/04W-21F02S	2385.0	3-16-66	6.9	2378.1	010
08N/04W-30E01S	2480.0	12-08-65	78.9	2401.1	100
		5-05-66	73.2	2406.8	
09N/02W-04D02S	2160.0	12-08-65	52.0	2108.0	100
		5-05-66	53.2	2106.8	
09N/02W-17C06S	2240.0	9-18-65	88.5	2151.5	713
		11-27-65	88.7	2151.3	
09N/02W-20B01S	2293.0	12-13-65	119.0	2174.0	100
		5-05-66	121.2	2171.8	
		6-07-66	121.3	2171.7	
		6-30-66	121.5	2171.5	
		8-03-66	121.3	2171.7	
		8-30-66	122.2	2170.8	
		9-29-66	122.4	2170.6	
09N/02W-34D01S	2450.0	12-13-65	140.0(3)	2310.0	100
		5-05-66	126.2	2323.8	
09N/03W-11N01S	2209.0	12-08-65	54.4	2154.6	100
		5-05-66	54.2	2154.8	
09N/03W-13R01S	2245.0	10-21-65	84.4	2160.6	010
		3-17-66	84.8	2160.2	
09N/03W-27L02S	2250.0	10-21-65	27.2	2222.8	010
		3-16-66	14.8	2235.2	
09N/03W-28A03S	2245.0	12-08-65	59.7	2185.3	100
		5-05-66	50.1(2)	2194.9	
10N/02W-19P01S	2217.0	12-08-65	101.7	2115.3	100
		5-04-66	102.5	2114.5	
		6-07-66	102.7(4)	2114.3	
		6-30-66	102.6	2114.4	
		8-03-66	102.9	2114.1	
		8-30-66	103.3	2113.7	
		9-29-66	103.4	2113.6	
10N/02W-32K01S	2170.0	12-08-65	50.5	2119.5	100
		5-05-66	54.8	2115.2	
10N/03W-10R01S	2135.0	10-18-65	87.1(1)	2047.9	010
		3-16-66	89.7(1)	2045.3	
10N/03W-15H02S	2145.0	12-08-65	67.5	2077.5	100
		5-04-66	(1)		
10N/03W-27D01S	2164.7	12-08-65	60.1	2104.6	100
		5-04-66	60.7	2104.0	
		6-07-66	60.8	2103.9	
		6-30-66	61.3	2103.4	
		8-03-66	61.6	2103.1	
		8-30-66	61.8	2102.9	
		9-29-66	62.2	2102.5	
10N/03W-27R01S	2192.0	12-08-65	119.1	2072.9	100
		5-04-66	113.4	2078.6	
10N/03W-29M01S	2205.7	12-08-65	(2)		100
		5-05-66	55.0	2150.7	
10N/03W-33J01S	2230.0	10-18-65	89.5(1)	2140.5	010
		3-16-66	87.0	2143.0	

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT W-28.00					
MIDDLE MOJAVE HYDRO SUBUNIT				W-28.C0	
10N/03W-35N01S (CONT.)	2212.0	3-16-66	103.2	2108.8	010
10N/03W-35Q01S	2200.0	12-08-65	119.7	2080.3	100
		5-05-66	116.3	2083.7	
10N/03W-36J02S	2180.0	12-08-65	71.3	2108.7	100
		5-03-66	76.5(1)	2103.5	
		5-04-66	76.5(1)	2103.5	
		6-07-66	78.2	2101.8	
		6-30-66	78.8	2101.2	
		8-03-66	78.8	2101.2	
		8-30-66	80.1(1)	2099.9	
		9-29-66	79.8	2100.2	
HARPER HYDRO SUBUNIT				W-28.00	
HARPER HYDRO SUBAREA					W-28.02
10N/04W-10D01S	2135.0	10-19-65	176.7	1958.3	010
		3-16-66	174.2	1960.8	
10N/05W-03J01S	2270.0	10-19-65	226.9	2043.1	010
		3-16-66	226.9	2043.1	
10N/06W-05E03S	2472.0	10-18-65	207.4	2264.6	010
		3-14-66	(1)		
11N/03W-07D01S	2082.0	10-18-65	63.1	2018.9	010
		12-08-65	(9)		100
		3-16-66	63.4	2018.6	010
		5-04-66	78.2	2003.8	100
11N/03W-28R02S	2075.0	10-18-65	37.8	2037.2	010
		12-08-65	39.4	2035.6	100
		3-16-66	38.0	2037.0	010
		5-04-66	40.5	2034.5	100
11N/03W-30A01S	2030.8	10-18-65	1.8	2029.0	010
		3-16-66	1.5	2029.3	
11N/03W-30A02S	2033.0	10-18-65	.8	2032.2	010
		3-16-66	.6	2032.4	
11N/03W-30J01S	2033.0	12-08-65	(9)		100
		5-04-66	-.5	2033.5	
11N/03W-30J02S	2030.8	12-08-65	(9)		100
		5-04-66	1.4	2029.4	
11N/03W-32R01S	2065.0	12-08-65	(9)		100
		5-04-66	(9)		
11N/04W-04R01S	2036.0	10-18-65	37.5	1998.5	010
		3-16-66	37.6	1998.4	
11N/04W-06M01S	2060.6	10-18-65	60.7	1999.9	010
		3-16-66	58.8	2001.8	
11N/04W-19H01S	2039.1	12-08-65	80.3	1958.8	100
		5-05-66	119.9	1919.2	
11N/04W-19L01S	2080.0	10-19-65	164.8(1)	1915.2	010
		3-16-66	134.6	1945.4	
11N/04W-28N02S	2045.0	12-08-65	93.0	1952.0	100
		5-05-66	110.0	1935.0	
11N/04W-29R01S	2085.0	10-19-65	111.4	1973.6	010
		3-16-66	104.7	1980.3	
11N/04W-30P01S	2110.0	10-19-65	152.5	1957.5	010
		3-16-66	147.2	1962.8	
11N/04W-31H01S	2075.0	12-08-65	133.6	1941.4	100
		5-05-66	139.0	1936.0	
11N/05W-13H01S	2035.0	12-08-65	82.0	1953.0	100
		5-05-66	92.4	1942.6	

TABLE C-I

GROUND WATER LEVELS AT WELLS

MOJAVE HYDRO UNIT W-28.00

LOWER MOJAVE HYDRO SUBUNIT W-28.E0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09N/01E-02F03S	1947.0	9-18-65	(3)		713
		12-04-65	(3)		
09N/01E-03H01S	1947.8	12-13-65	91.1(8)	1856.7	100
		5-04-66	91.9	1855.9	
09N/01E-12D01S	1928.0	9-18-65	72.6	1855.4	713
		12-04-65	72.6	1855.4	
09N/01E-13E01S	1948.7	9-18-65	91.5	1857.2	713
		12-04-65	91.1	1857.6	
		12-13-65	94.9	1853.8	100
		5-04-66	95.7	1853.0	
09N/01E-13E02S	1949.6	9-18-65	92.5	1857.1	713
		10-21-65	94.8	1854.8	010
		12-04-65	91.7	1857.9	713
		3-16-66	95.0	1854.6	010
		3-31-66	95.1	1854.5	100
		5-04-66	94.9	1854.7	
		6-07-66	95.6	1854.0	
		6-30-66	97.1	1852.5	
		8-03-66	96.1	1853.5	
		8-30-66	96.0	1853.6	
		9-29-66	96.4	1853.2	
09N/01E-15M01S	1965.0	9-18-65	111.7	1853.3	713
		12-04-65	112.1	1852.9	
09N/01E-15Q01S	1969.0	9-18-65	131.8	1837.2	713
		12-04-65	113.8	1855.2	
09N/02E-01F01S	1851.0	9-18-65	60.9	1790.1	713
		12-04-65	61.0	1790.0	
09N/02E-01H01S	1858.0	9-18-65	68.9	1789.1	713
		12-04-65	69.0	1789.0	
09N/02E-01N01S	1863.0	9-18-65	73.0	1790.0	713
		12-04-65	73.2	1789.8	
09N/02E-01R01S	1847.0	9-18-65	60.8	1786.2	713
		12-04-65	60.8	1786.2	
09N/02E-04D01S	1895.4	9-18-65	43.1	1852.3	713
		12-04-65	43.2	1852.2	
09N/02E-07P01S	1935.0	9-18-65	85.9	1849.1	713
		12-04-65	81.8	1853.2	
09N/02E-10N01S	1897.3	9-18-65	191.0	1706.3	713
		12-04-65	186.0	1711.3	
09N/02E-12N01S	1871.6	9-19-65	24.9	1846.7	713
		12-04-65	24.3	1847.3	
09N/02E-12R01S	1858.0	9-18-65	68.6	1789.4	713
		12-04-65	68.8	1789.2	
09N/02E-14N02S	1886.0	5-04-66	41.9(4)	1844.1	100
		6-07-66	42.4	1843.6	
		6-30-66	41.3	1844.7	
		8-03-66	43.6	1842.4	
		8-30-66	43.1	1842.9	
		9-29-66	42.6	1843.4	
09N/02E-14N05S	1882.0	9-18-65	39.7	1842.3	713
		12-04-65	39.3	1842.7	
09N/02E-20Q01S	1921.5	10-21-65	70.7	1850.8	010
		12-13-65	70.4	1851.1	100
		3-16-66	70.7	1850.8	010
		5-03-66	70.3	1851.2	100
09N/02E-24C01S	1865.0	9-18-65	23.4	1841.6	713
		12-04-65	22.4	1842.6	
09N/02E-27E01S	1910.0	9-18-65	51.8	1858.2	713
		12-04-65	50.9	1859.1	
09N/03E-03D02S	1818.0	10-20-65	53.7	1764.3	010
		3-15-66	53.3	1764.7	
09N/03E-07N01S	1859.2	9-18-65	70.9	1788.3	713
		12-04-65	71.1	1788.1	
09N/03E-08K01S	1838.0	9-18-65	59.8	1778.2	713
		12-04-65	59.0	1779.0	
09N/03E-09Q01S	1830.0	9-18-65	54.1	1775.9	713
		12-04-65	52.8	1777.2	
09N/03E-10D01S	1825.9	9-18-65	50.6	1775.3	713
		12-04-65	49.1	1776.8	
09N/03E-12D01S	1810.0	10-20-65	45.4	1764.6	010
		3-15-66	44.8	1765.2	

LOWER MOJAVE HYDRO SUBUNIT W-28.E0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09N/03E-12G01S	1798.6	10-15-65	(0)		010
09N/03E-15M01S	1829.0	12-13-65	52.1	1776.9	100
		5-03-66	52.8	1776.2	
09N/03E-20K02S	1852.0	9-18-65	71.3	1780.7	713
		12-04-65	69.3	1782.7	
09N/03E-20M02S	1860.0	12-04-65	42.6	1817.4	713
09N/03E-29A01S	1846.0	10-20-65	71.2(4)	1774.8	010
		3-15-66	70.2	1775.8	
09N/04E-07M02S	1805.0	12-13-65	35.6	1769.4	100
		5-03-66	37.0	1768.0	
		5-04-66	37.0	1768.0	
		6-07-66	37.6	1767.4	
		6-30-66	37.4	1767.6	
		8-03-66	37.3	1767.7	
		8-30-66	37.9	1767.1	
		9-29-66	37.7	1767.3	
10N/02E-32P01S	1905.5	9-18-65	51.4	1854.1	713
		12-04-65	51.7	1853.8	
		12-13-65	51.2	1854.3	100
		5-03-66	52.6	1852.9	
09N/01W-05D01S	2115.0	10-19-65	46.4	2068.6	010
		3-14-66	42.3	2072.7	
09N/01W-10D02S	2049.0	12-13-65	28.6	2020.4	100
		5-03-66	25.9	2023.1	
09N/01W-10M02S	2097.4	12-13-65	DRY		100
		5-04-66	87.2	2010.2	
10N/01W-31C01S	2130.2	12-08-65	59.3	2070.9	100
		5-03-66	60.7	2069.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT					W-28.00
TROY HYDRO SUBUNIT					W-28.F0
TROY HYDRO SUBAREA					W-28.F2
08N/03E-02H01S	1803.0	9-18-65	30.8	1772.2	713
		12-04-65	30.5	1772.5	
08N/03E-04B03S	1819.0	12-13-65	9.4	1809.6	100
		5-04-66	12.3	1806.7	
08N/04E-06J01S	1788.0	9-18-65	11.0	1777.0	713
		12-04-65	10.6	1777.4	
08N/04E-07E01S	1803.0	10-20-65	27.7	1775.3	010
		3-15-66	27.7	1775.3	
08N/04E-12L01S	1809.8	10-20-65	31.8	1778.0	010
		3-15-66	31.8	1778.0	
09N/02E-25M01S	1885.0	12-04-65	86.3	1798.7	713
09N/03E-19E01S	1844.6	12-13-65	(9)		100
		5-04-66	16.7	1827.9	
09N/03E-19E02S	1857.0	9-18-65	24.6	1832.4	713
		12-04-65	23.9	1833.1	
09N/03E-19L01S	1860.0	9-18-65	19.9	1840.1	713
		12-04-65	19.1	1840.9	
09N/03E-19P01S	1856.8	10-20-65	20.5	1836.3	010
		3-15-66	16.2	1840.6	
09N/03E-29G02S	1850.0	12-13-65	11.3	1838.7	100
		5-04-66	12.5	1837.5	
09N/03E-32F02S	1875.0	9-18-65	26.6	1848.4	713
		12-04-65	27.4	1847.6	
09N/03E-33E03S	1832.0	9-18-65	6.7	1825.3	713
		12-04-65	7.0	1825.0	
09N/03E-34D02S	1830.0	9-18-65	41.2	1788.8	713
		12-04-65	40.8	1789.2	
09N/03E-34D03S	1828.8	12-13-65	44.2	1784.6	100
		5-04-66	44.4	1784.4	
09N/03E-34N01S	1820.2	9-18-65	29.4	1790.8	713
		12-04-65	27.6	1792.6	
09N/04E-31K01S	1788.9	10-20-65	18.6	1770.3	010
		3-15-66	DRY		
AFTON HYDRO SUBUNIT					W-28.G0
CAVES HYDRO SUBAREA					W-28.G1
10N/03E-21A01S	1817.0	9-18-65	115.4	1701.6	713
		10-20-65	117.6	1699.4	010
		12-04-65	113.0	1704.0	713
		12-13-65	112.4	1704.6	100
		3-15-66	114.5	1702.5	010
		5-04-66	113.4	1703.6	100
10N/04E-04E01S	1740.0	12-13-65	90.7	1649.3	100
		5-04-66	90.5	1649.5	
11N/05E-16J01S	1638.8	10-20-65	188.0(1)	1450.8	010
		3-15-66	187.1(1)	1451.7	
CRONESE HYDRO SUBAREA					W-28.G2
12N/07E-18R01S	1075.0	10-20-65	20.6	1054.4	010
		3-15-66	(7)		
12N/07E-18R02S	1075.0	10-20-65	18.1	1056.9	010
		3-15-66	(7)		
12N/07E-30J01S	1100.0	10-20-65	50.7	1049.3	010
		3-15-66	50.4	1049.6	

TABLE C-I

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT W-28.00					
BAKER HYDRO SUBUNIT				W-28.H0	
SILVER LAKE HYDRO SUBAREA					W-28.H1
15N/08E-22R01S	930.0	10-20-65	(7)		010
		3-15-66	56.6	873.4	
SODA LAKE HYDRO SUBAREA					W-28.H2
12N/08E-27X02S	990.0	10-20-65	21.5	968.5	010
		3-15-66	20.2	969.8	
12N/08E-35X01S	970.0	10-20-65	8.0	962.0	010
13N/08E-01H01S	930.0	10-20-65	25.9	904.1	010
		3-15-66	25.1	904.9	
13N/09E-20J01S	980.0	10-20-65	65.6	914.4	010
		3-15-66	65.5	914.5	
14N/09E-30K01S	958.0	10-20-65	76.2	881.8	010
		3-15-66	75.7	882.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

LUCERNE HYDRO UNIT X-01.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/01W-02P01S	2880.0	5-28-66	(1)		713
		7-23-66	(1)		
04N/01W-03D01S	2850.0	7-31-65	12.7	2837.3	713
		10-02-65	12.7	2837.3	
		11-27-65	12.4	2837.6	
		2-05-66	12.2	2837.8	
		4-09-66	12.2	2837.8	
		5-28-66	12.0	2838.0	
		7-23-66	12.1	2837.9	
04N/01W-08N01S	2940.0	7-31-65	14.6	2925.4	713
		10-02-65	14.7	2925.3	
		11-27-65	14.5	2925.5	
		2-05-66	14.3	2925.7	
		4-09-66	14.0	2926.0	
		5-28-66	14.6	2925.4	
		7-23-66	14.8	2925.2	
04N/01W-09Q01S	2976.0	12-07-65	43.9	2932.1	100
		5-03-66	43.7	2932.3	
04N/01W-10A01S	2907.0	7-31-65	6.7	2900.3	713
		10-02-65	7.2	2899.8	
		11-27-65	6.7	2900.3	
		2-05-66	6.0	2901.0	
		4-09-66	6.0	2901.0	
		5-28-66	6.3	2900.7	
		7-23-66	6.8	2900.2	
04N/01W-10A02S	2950.0	7-31-65	11.2	2938.8	713
		10-02-65	11.6	2938.4	
		11-27-65	11.0	2939.0	
		2-05-66	10.0	2940.0	
		4-09-66	9.8	2940.2	
		5-28-66	10.3	2939.7	
		7-23-66	11.1	2938.9	
04N/01W-11Q01S	2933.0	11-16-65	58.6	2874.4	010
		4-06-66	60.2	2872.8	
04N/01W-12F01S	2915.0	11-16-65	135.6	2779.4	010
		4-06-66	139.8	2775.2	
04N/01W-12M03S	2930.0	11-16-65	72.2	2857.8	010
		4-06-66	70.9	2859.1	
04N/01W-14A02S	2965.0	7-31-65	78.5	2886.5	713
		10-02-65	78.5	2886.5	
		11-27-65	78.7	2886.3	
		2-05-66	78.6	2886.4	
		4-09-66	78.5	2886.5	
		5-28-66	78.8	2886.2	
		7-23-66	78.8	2886.2	
04N/01W-14B01S	2945.0	11-16-65	.6	2944.4	010
		4-06-66	.5	2944.5	
04N/01W-14B02S	2940.0	7-31-65	14.5	2925.5	713
		10-02-65	15.0	2925.0	
		11-27-65	14.3	2925.7	
		2-05-66	13.8	2926.2	
		4-09-66	14.1	2925.9	
		5-28-66	14.2	2925.8	
		7-23-66	14.9	2925.1	
04N/01W-14H02S	2965.0	10-02-65	84.1	2880.9	713
		2-05-66	86.1	2878.9	
04N/01W-14P01S	3025.0	11-16-65	31.7	2993.3	010
		4-06-66	32.4	2992.6	
04N/01W-15E02S	3005.0	7-31-65	59.1	2945.9	713
		10-02-65	59.2	2945.8	
		11-27-65	58.8	2946.2	
		2-05-66	(2)		
04N/01W-21E02S	3090.0	11-16-65	146.1	2943.9	010
		4-06-66	145.7	2944.3	
04N/02W-10D01S	3073.2	11-15-65	206.9	2866.3	010
		4-05-66	207.0	2866.2	
04N/02W-13A01S	2980.0	12-07-65	68.4	2911.6	100
		5-03-66	66.9	2913.1	
05N/01W-01C01S	2919.0	12-07-65	143.3(2)	2775.7	100
		5-03-66	142.3(2)	2776.7	
05N/01W-01L01S	2906.0	12-07-65	122.5	2783.5	100
		5-03-66	123.5	2782.5	
05N/01W-01R03S	2890.0	4-06-66	103.8	2786.2	010
05N/01W-22M01S	2850.0	11-16-65	(7)		010
		4-06-66	(7)		
05N/01W-25G01S	2850.0	7-31-65	74.4	2775.6	713
		10-02-65	69.9	2780.1	
		11-16-65	(7)		010
		11-27-65	(9)		713
		2-05-66	65.9	2784.1	
		4-06-66	69.8	2780.2	010
		4-09-66	70.6	2779.4	713
		5-28-66	72.7	2777.3	
		7-23-66	76.7	2773.3	
05N/01W-25H01S	2851.0	7-31-65	83.8(6)	2767.2	713
		10-02-65	81.3(6)	2769.7	
		11-27-65	(9)		
		2-05-66	76.0	2775.0	
05N/01W-35Q01S	2855.0	11-16-65	47.9	2807.1	010
		4-06-66	48.7	2806.3	
06N/01W-05J01S	3230.0	12-07-65	124.0	3106.0	100
		5-03-66	129.0	3101.0	
06N/01W-22P01S	3060.0	12-07-65	160.2	2899.8	100
		5-03-66	159.0	2901.0	
06N/01W-27B01S	3040.0	11-16-65	151.2	2888.8	010
		4-06-66	151.2	2888.8	
06N/01W-35A01S	2970.0	11-16-65	(7)		010
		4-06-66	190.0	2780.0	
06N/01W-36K01S	2933.0	12-07-65	153.4	2779.6	100
		5-03-66	157.3	2775.7	
06N/01W-36K02S	2940.0	12-07-65	162.4	2777.6	100
		5-03-66	177.0(1)	2763.0	
04N/01E-02L01S	2927.0	7-31-65	88.7	2838.3	713
		10-02-65	88.9	2838.1	
		11-27-65	88.6	2838.4	
		2-05-66	88.7	2838.3	
		4-09-66	89.1	2837.9	
		5-28-66	89.1	2837.9	
		7-23-66	89.7	2837.3	
04N/01E-02M01S	2922.0	7-31-65	92.5	2829.5	713
		10-02-65	92.9	2829.1	
		11-27-65	92.9	2829.1	
		2-05-66	93.3	2828.7	
		4-09-66	93.5	2828.5	
		5-28-66	93.5	2828.5	
		7-23-66	93.7	2828.3	
04N/01E-03F01S	2911.0	7-31-65	90.4	2820.6	713
		10-02-65	91.2	2819.8	
		11-27-65	91.4	2819.6	
		2-05-66	91.7	2819.3	
		4-09-66	91.9	2819.1	
		5-28-66	92.0	2819.0	
		7-23-66	92.2	2818.8	
04N/01E-03L01S	2917.0	7-31-65	97.9	2819.1	713
		10-02-65	98.1	2818.9	
		11-27-65	98.2	2818.8	
		2-05-66	98.5	2818.5	
		4-09-66	98.6	2818.4	
		5-28-66	98.8	2818.2	
		7-23-66	99.2	2817.8	
04N/01E-05H01S	2905.0	7-31-65	116.0	2789.0	713
		10-02-65	117.0	2788.0	
		11-16-65	114.1	2790.9	010
		11-27-65	115.9	2789.1	713
		2-05-66	112.9	2792.1	
		4-06-66	115.9	2789.1	010
		4-09-66	113.2	2791.8	713
		5-28-66	115.3	2789.7	
		7-23-66	117.7	2787.3	
04N/01E-05H02S	2905.0	7-31-65	115.4	2789.6	713
		10-02-65	116.0	2789.0	
		11-27-65	115.2	2789.8	
		2-05-66	112.7	2792.3	
		4-09-66	112.7	2792.3	
		5-28-66	114.8	2790.2	
		7-23-66	120.2(9)	2784.8	
04N/01E-06L01S	2885.0	11-16-65	113.1(1)	2771.9	010
		4-06-66	100.7	2784.3	
04N/01E-06R01S	2895.0	12-07-65	98.1	2796.9	100
		5-03-66	99.3	2795.7	
04N/01E-07P02S	2950.0	10-02-65	120.2	2829.8	713
		11-27-65	120.2	2829.8	
		2-05-66	120.3	2829.7	
		4-09-66	120.3	2829.7	
		5-28-66	120.9	2829.1	
		7-23-66	120.8	2829.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

LUCERNE HYDRO UNIT X-01.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04N/01E-07R01S	2945.0	11-16-65	103.5	2841.5	010
		4-06-66	103.9	2841.1	
04N/01E-07R02S	2940.0	7-31-65	102.8	2837.2	713
		10-02-65	103.0	2837.0	
		11-27-65	103.0	2837.0	
		2-05-66	103.0	2837.0	
		4-09-66	103.2	2836.8	
		5-28-66	103.3	2836.7	
		7-23-66	103.7	2836.3	
04N/01E-10F02S	2960.0	12-07-65	143.4	2816.6	100
		5-03-66	143.7	2816.3	
04N/01E-10G02S	2960.0	7-31-65	143.2	2816.8	713
		10-02-65	144.3	2815.7	
		11-16-65	143.7	2816.3	010
		11-27-65	141.9	2818.1	713
		2-05-66	141.8	2818.2	
		4-06-66	144.3	2815.7	010
		4-09-66	144.7	2815.3	713
		5-28-66	144.2	2815.8	
		7-23-66	147.0	2813.0	
04N/01E-10Q01S	2988.0	7-31-65	167.0	2821.0	713
		10-02-65	167.6	2820.4	
		11-27-65	167.1	2820.9	
		2-05-66	167.3	2820.7	
		4-09-66	167.6	2820.4	
		5-28-66	168.8	2819.2	
		7-29-66	169.5	2818.5	
04N/01E-11D02S	2940.0	7-31-65	104.6	2835.4	713
		10-02-65	105.3	2834.7	
		11-27-65	105.2	2834.8	
		2-05-66	105.8	2834.2	
		4-09-66	105.6	2834.4	
		5-28-66	105.7	2834.3	
		7-23-66	105.8	2834.2	
04N/01E-11Q02S	2970.0	7-31-65	123.3	2846.7	713
		10-02-65	123.3	2846.7	
		11-27-65	122.9	2847.1	
		2-05-66	123.2	2846.8	
		4-09-66	123.5	2846.5	
		5-28-66	123.9	2846.1	
		7-23-66	124.0	2846.0	
04N/01E-12P01S	2971.0	12-07-65	126.6	2844.4	100
		5-03-66	126.3	2844.7	
04N/01E-13M01S	3020.0	11-16-65	173.2	2846.8	010
		4-06-66	174.0	2846.0	
04N/01E-17K01S	2990.0	11-22-65	(7)		010
04N/01E-20A01S	3035.0	7-31-65	130.1	2904.9	713
		10-02-65	130.2	2904.8	
		11-27-65	130.2	2904.8	
		2-05-66	130.5	2904.5	
		4-09-66	130.0	2905.0	
		5-28-66	130.0	2905.0	
		7-23-66	130.3	2904.7	
05N/01E-10H02S	3032.0	11-16-65	210.9	2821.1	010
		4-06-66	210.8	2821.2	
05N/01E-16C01S	2932.0	7-31-65	109.5	2822.5	713
		10-02-65	109.7	2822.3	
		11-27-65	110.0	2822.0	
		2-05-66	110.0	2822.0	
		4-09-66	110.3	2821.7	
		5-28-66	110.3	2821.7	
		7-23-66	110.5	2821.5	
05N/01E-17D01S	2880.0	7-31-65	93.5	2786.5	713
		10-02-65	94.1	2785.9	
		11-16-65	90.7	2789.3	010
		11-27-65	94.1	2785.9	713
		2-05-66	93.1	2786.9	
		4-06-66	92.2	2787.8	010
		4-09-66	93.7	2786.3	713
		5-28-66	94.8	2785.2	
		7-23-66	95.9	2784.1	
05N/01E-18J01S	2860.0	7-31-65	70.6	2789.4	713
		10-02-65	70.9	2789.1	
		11-27-65	(9)		
		2-05-66	69.0	2791.0	
		4-09-66	69.6	2790.4	
		5-28-66	71.3	2788.7	
		7-23-66	72.8	2787.2	
05N/01E-20F01S	2860.0	11-16-65	(7)		010
		4-06-66	73.9	2786.1	
05N/01E-21R01S	2905.0	10-02-65	98.2	2806.8	713
05N/01E-21R01S (CONT.)	2905.0	11-27-65	98.3	2806.7	713
		2-05-66	98.6	2806.4	
		4-09-66	98.8	2806.2	
		5-28-66	DRY		
05N/01E-27D01S	2908.0	7-31-65	92.6	2815.4	713
		10-02-65	92.7	2815.3	
		11-27-65	92.7	2815.3	
		2-05-66	93.1	2814.9	
		4-09-66	93.0	2815.0	
		5-28-66	93.4	2814.6	
		7-23-66	93.5	2814.5	
05N/01E-27H01S	2930.0	11-16-65	101.3	2828.7	010
		4-06-66	100.6	2829.4	
05N/01E-32C01S	2869.0	11-16-65	85.4	2783.6	010
		4-06-66	86.6	2782.4	
06N/01E-31Q01S	3030.0	12-07-65	DRY		100
		5-03-66	250.0	2780.0	
04N/01W-02P01S	2880.0	7-31-65	(1)		713
		10-02-65	(1)		
		11-27-65	69.0	2811.0	
		2-05-66	68.8	2811.2	
		4-09-66	101.0(9)	2779.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
JUHNSON HYDRO UNIT X-02.00											
04N/03E-24Q01S	2833.0	11-16-65	55.9	2777.1	010						
		4-06-66	55.5	2777.5							
04N/04E-19C01S	2775.0	11-16-65	50.2	2724.8	010						
		4-06-66	49.7	2725.3							

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
EMERSON HYDRO UNIT X-05.00					
01N/05E-02N01S	3540.0	11-16-65	77.9	3462.1	010
		2-28-66	77.9	3462.1	
02N/05E-01A01S	2980.0	2-28-66	60.3	2919.7	010
02N/05E-25J01S	3375.0	11-16-65	362.8	3012.2	010
		2-28-66	372.5	3002.5	
02N/05E-01H02S	2985.0	11-16-65	68.1	2916.9	010
		2-28-66	(6)		
03N/07E-18D01S	2430.0	12-27-65	147.4	2282.6	010
03N/07E-31E01S	2514.3	12-27-65	249.9	2264.4	010

TABLE C-1

GROUND WATER LEVELS AT WELLS

DEADMAN HYDRO UNIT X-07.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/07E-02C01S	2300.0	9-14-65	91.4(2)	2208.6	010
		12-28-65	72.8	2227.2	
		3-02-66	70.8	2229.2	
02N/07E-03A01S	2300.9	9-14-65	110.7	2190.2	010
		12-28-65	103.2	2197.7	
		12-28-65	116.6(1)	2184.3	
		12-28-65	116.4(1)	2184.5	
		3-01-66	111.8	2189.1	
02N/07E-03B01S	2355.3	9-14-65	120.1	2235.2	010
		12-28-65	119.2	2236.1	
		12-28-65	152.7(1)	2202.6	
		12-28-65	153.5(1)	2201.8	
		3-02-66	120.0	2235.3	
02N/07E-04H01S	2442.2	9-14-65	194.4	2247.8	010
		12-28-65	194.6	2247.6	
		3-01-66	194.6	2247.6	
02N/07E-14K01S	2532.1	12-28-65	337.9	2194.2	010
03N/07E-35P02S	2270.8	9-14-65	96.7(1)	2174.1	010
		12-28-65	71.9	2198.9	
		3-02-66	69.7	2201.1	
03N/08E-17L01S	1850.4	12-28-65	47.9	1802.5	010
03N/08E-29C01S	1890.9	9-14-65	88.2	1802.7	010
		12-28-65	88.2	1802.7	
		3-02-66	88.4	1802.5	
03N/08E-29L01S	1905.7	9-14-65	103.0	1802.7	010
		12-28-65	102.9	1802.8	
		3-01-66	114.4(1)	1791.3	
03N/08E-33B01S	1845.7	9-14-65	43.9	1801.8	010
		12-28-65	43.9	1801.8	
		3-02-66	43.9	1801.8	
03N/08E-34D01S	1823.9	9-14-65	24.2	1799.7	010
		12-28-65	24.1	1799.8	
		3-02-66	24.0	1799.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

JOSHUA TREE HYDRO UNIT X-08.00

WARREN HYDRO SUBUNIT X-08.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/05E-02H01S	3240.0	11-16-65	186.2	3053.8	010
		2-28-66	190.0	3050.0	
01S/05E-02C02S	3305.0	12-09-65	211.0	3094.0	100
		4-20-66	217.9	3087.1	
01S/05E-04R02S	3520.0	12-09-65	71.2	3448.8	100
		4-20-66	74.0	3446.0	
01N/05E-35N01S	3297.0	12-09-65	204.6	3092.4	100
		4-20-66	205.4	3091.6	
01N/05E-36K01S	3230.0	11-16-65	153.3	3076.7	010
		2-28-66	(1)		
01N/06E-28L01S	2971.2	12-09-65	210.7	2760.5	100
		4-20-66	212.0	2759.2	
01N/06E-29N01S	3189.0	12-09-65	(2)		100
		4-20-66	(1)		
01N/06E-29R02S	3150.0	11-16-65	261.9	2888.1	010
		2-28-66	268.9	2881.1	

COPPER MOUNTAIN HYDRO SUBUNIT X-08.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/07E-27R01S	3770.0	11-17-65	114.8	3655.2	010
		3-01-66	129.8	3640.2	
02S/08E-03C01S	4300.0	11-17-65	98.2	4201.8	010
		3-01-66	95.7	4204.3	
02S/08E-07K01S	4100.0	11-17-65	213.1	3886.9	010
		3-01-66	213.7	3886.3	
02S/08E-21G02S	4480.0	11-17-65	40.4	4439.6	010
		3-01-66	38.7	4441.3	
01N/06E-04Q01S	3186.0	12-09-65	441.4	2744.6	100
		4-20-66	442.8	2743.2	
01N/06E-09Q01S	3220.0	12-09-65	402.9	2817.1	100
		4-20-66	398.0	2822.0	
01N/06E-13R01S	2651.0	12-09-65	445.0	2206.0	100
		4-20-66	445.0	2206.0	
01N/07E-14N01S	2359.0	12-09-65	184.8	2174.2	100
		4-20-66	184.8	2174.2	
01N/07E-21J01S	2440.0	12-09-65	260.7	2179.3	100
		4-20-66	260.9	2179.1	
01N/07E-26D01S	2385.0	11-16-65	212.6	2172.4	010
		2-28-66	213.5	2171.5	
01N/07E-26N01S	2475.0	11-16-65	171.6	2303.4	010
		2-28-66	171.0	2304.0	
01N/07E-30P01S	2670.0	12-09-65	368.6	2301.4	100
		4-20-66	368.8	2301.2	
01N/07E-32C01S	2620.0	11-16-65	305.9	2314.1	010
		2-28-66	315.8	2304.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

DALE HYDRO UNIT X-09.00

TWENTYNINE PALMS HYDRO SUBUNIT X-09.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/09E-03D01S	2076.4	12-09-65	102.0	1974.4	100
		4-20-66	100.1	1976.3	
01N/08E-01B01S	1890.0	9-14-65	125.8	1764.2	010
		12-29-65	125.7	1764.3	
		2-28-66	125.6	1764.4	
01N/08E-01H01S	1857.0	12-10-65	71.9	1785.1	100
		4-21-66	71.9	1785.1	
01N/08E-11L01S	2180.0	11-16-65	368.8	1811.2	010
		3-01-66	369.4	1810.6	
01N/08E-12G01S	1972.7	9-14-65	197.6	1775.1	010
		12-10-65	203.2	1769.5	100
		12-29-65	196.7	1776.0	010
		2-28-66	199.1	1773.6	
		4-21-66	197.9	1774.8	100
01N/08E-33A02S	2520.0	12-09-65	261.4	2258.6	100
		4-20-66	268.9(1)	2251.1	
01N/08E-33R01S	2685.0	11-16-65	330.2	2354.8	010
		2-28-66	330.9	2354.1	
01N/08E-36A01S	2130.0	12-09-65	159.2	1970.8	100
		4-20-66	(1)		
01N/09E-04N03S	1787.0	9-14-65	13.7	1773.3	010
		12-10-65	13.8	1773.2	100
		12-29-65	13.7	1773.3	010
		3-01-66	13.6	1773.4	
		4-21-66	13.6	1773.4	100
01N/09E-05G01S	1779.2	9-14-65	6.6	1772.6	010
		12-29-65	6.6	1772.6	
		2-28-66	6.5	1772.7	
01N/09E-05Q02S	1800.0	9-14-65	29.8	1770.2	010
		12-23-65	29.6	1770.4	
		3-01-66	29.5	1770.5	
01N/09E-06E01S	1840.4	12-10-65	64.8	1775.6	100
		4-21-66	69.1	1771.3	
01N/09E-06J01S	1821.5	12-10-65	46.1	1775.4	100
		4-21-66	47.2	1774.3	
01N/09E-07H01S	1843.5	9-14-65	70.0	1773.5	010
		12-29-65	70.1	1773.4	
		3-01-66	(1)		
01N/09E-09M02S	1810.0	9-14-65	39.3	1770.7	010
		12-10-65	39.2	1770.8	100
		12-29-65	39.0	1771.0	010
		3-01-66	38.9	1771.1	
		4-21-66	39.2	1770.8	100
01N/09E-16D01S	1815.0	9-14-65	42.3	1772.7	010
		12-29-65	41.6	1773.4	
		3-01-66	41.8	1773.2	
01N/09E-16G01S	1800.0	9-14-65	12.5	1787.5	010
		12-10-65	12.0	1788.0	100
		12-29-65	11.9	1788.1	010
		3-01-66	12.0(2)	1788.0	
		4-21-66	12.7	1787.3	100
01N/09E-17E01S	1870.0	9-14-65	108.8	1761.2	010
		12-10-65	108.7	1761.3	100
		12-29-65	108.8	1761.2	010
		3-01-66	108.8	1761.2	
		4-21-66	108.7	1761.3	100
01N/09E-21E01S	1839.0	12-10-65	42.4	1796.6	100
		4-21-66	DRY		
01N/09E-22C01S	1814.1	12-10-65	42.2	1771.9	100
		4-21-66	42.0	1772.1	
01N/09E-22E01S	1827.6	12-10-65	54.6	1773.0	100
		4-21-66	55.1	1772.5	
01N/09E-26N01S	1932.9	12-09-65	147.7	1785.2	100
		4-20-66	147.4	1785.5	
01N/09E-27C04S	1870.0	12-10-65	83.0	1787.0	100
		4-21-66	82.5	1787.5	
01N/09E-27H01S	1900.0	11-16-65	115.8	1784.2	010
		2-28-66	116.0	1784.0	
01N/09E-30Q01S	2091.6	11-16-65	110.8	1980.8	010
		2-28-66	111.0	1980.6	
01N/09E-31A01S	2095.0	12-09-65	(1)		100
		4-20-66	114.9	1980.1	

TWENTYNINE PALMS HYDRO SUBUNIT X-09.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/09E-31C01S	2104.0	12-09-65	149.3	1954.7	100
		4-20-66	135.4	1968.6	
01N/09E-32R01S	2045.7	11-16-65	67.0	1978.7	010
		3-01-66	DRY		
01N/09E-33F03S	1989.0	12-09-65	16.4	1972.6	100
		4-20-66	16.6	1972.4	
01N/09E-33J01S	1962.1	12-09-65	4.6	1957.5	100
		4-20-66	3.9	1958.2	
01N/09E-34A02S	1950.0	12-09-65	150.2	1799.8	100
		4-20-66	(1)		
		4-21-66	150.5	1799.5	
01N/09E-35F01S	1972.2	12-09-65	106.9	1865.3	100
		4-20-66	107.6	1864.6	
01N/09E-35N01S	2079.5	12-09-65	(1)		100
		4-20-66	114.3(4)	1965.2	
02N/08E-26J01S	1950.0	9-14-65	158.2(1)	1791.8	010
		12-29-65	158.1	1791.9	
		2-28-66	162.8(1)	1787.2	
02N/09E-19N01S	1834.0	9-14-65	70.2(1)	1763.8	010
		12-10-65	69.9	1764.1	100
		12-29-65	69.7	1764.3	010
		2-28-66	69.5	1764.5	
		4-21-66	69.4	1764.6	100
02N/09E-30P02S	1790.0	9-14-65	29.5	1760.5	010
		12-29-65	29.0	1761.0	
		2-28-66	28.7	1761.3	

TABLE C-I

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DALE HYDRO UNIT X-09.00					
DALE HYDRO SUBUNIT X-09.80					
01N/09E-12G01S	1750.0	12-10-65	208.5	1541.5	100
		4-21-66	208.5	1541.5	
01N/09E-12G03S	1750.0	12-10-65	222.9(1)	1527.1	100
		4-21-66	212.9	1537.1	
01N/09E-14D01S	1805.0	11-16-65	256.6	1548.4	010
		2-28-66	(7)		
01N/10E-22J01S	1639.0	12-10-65	296.2	1342.8	100
		4-21-66	296.9	1342.1	
01N/10E-24M02S	1520.0	12-10-65	207.4	1312.6	100
		4-21-66	208.7	1311.3	
01N/10E-36P01S	1560.0	11-17-65	333.1	1226.9	010
		3-01-66	332.9	1227.1	
01N/11E-04M01S	1360.0	12-10-65	139.2	1220.8	100
		4-21-66	140.5	1219.5	
01N/11E-14A01S	1285.0	12-10-65	80.1	1204.9	100
		4-21-66	80.2	1204.8	
01N/11E-21C01S	1340.0	11-17-65	125.4	1214.6	010
		3-01-66	126.3	1213.7	
01N/11E-35R01S	1265.0	12-10-65	65.3	1199.7	100
		4-21-66	65.4	1199.6	
01N/12E-20D01S	1211.3	11-17-65	27.4	1183.9	010
		3-01-66	30.2	1181.1	
01N/12E-20D04S	1212.4	11-17-65	27.9	1184.5	010
		3-01-66	27.5	1184.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

COLORADO HYDRO UNIT X-15.00

VIDAL HYDRO SUBUNIT X-15.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/23E-01A02S	627.0	11-17-65	248.6	378.4	010
		3-02-66	251.9	375.1	
01N/23E-08D01S	960.0	11-17-65	268.1	691.9	010
		3-02-66	267.4	692.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

RICE HYDRO UNIT X-16.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/21E-32B01S	740.0	11-17-65	152.1	587.9	010
		3-02-66	150.9	589.1	

TABLE C-1

GROUND WATER LEVELS AT WELLS

CHUCKWALLA HYDRO UNIT X-17.00

FORD HYDRO SUBUNIT X-17.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07S/20E-04R01S	418.0	11-18-65	151.4	266.6	010
		3-02-66	150.7	267.3	

PALEN HYDRO SUBUNIT X-17.B0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/16E-29R01S	545.0	11-18-65	80.3	464.7	010
		3-02-66	(7)		
04S/16E-32D01S	555.0	11-18-65	85.1	469.9	010
		3-02-66	81.7	473.3	
04S/17E-06C01S	500.0	11-18-65	22.3	477.7	010
		3-02-66	22.5	477.5	
05S/16E-07M02S	611.0	11-18-65	124.6	486.4	010
		3-02-66	123.6	487.4	
05S/16E-08K01S	555.0	11-18-65	82.5	472.5	010
		3-02-66	81.1	473.9	
05S/16E-22N01S	653.0	11-18-65	188.7	464.3	010
		3-02-66	189.3	463.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

CHUCKWALLA HYDRO UNIT

PINTO HYDRO SUBUNIT X-17.C0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/12E-36F01S	1350.0	11-18-65	409.3	940.7	010
		3-03-66	400.9	949.1	
03S/15E-04J01S	1080.6	11-18-65	160.2	920.4	010
		3-02-66	162.0(2)	918.6	
04S/11E-27Q01S	2975.0	11-18-65	177.7	2797.3	010
		3-03-66	179.4	2795.6	

X-17.00

TABLE C-1

GROUND WATER LEVELS AT WELLS

WHITEWATER HYDRO UNIT X-19.00

MORONGO HYDRO SUBUNIT X-19.A0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04E-12Q01S	2740.0	11-16-65	162.6	2577.4	010
		2-28-66	163.3	2576.7	
01S/04E-14N01S	2750.0	12-09-65	197.6	2552.4	100
		4-20-66	194.9	2555.1	
01S/04E-15N01S	2930.0	12-09-65	(2)		100
		4-20-66	(2)		
01S/04E-22J01S	2750.0	11-16-65	171.7	2578.3	010
		12-09-65	172.1	2577.9	100
		12-09-65	172.2	2577.8	010
		2-28-66	172.1	2577.9	
		4-20-66	174.1	2575.9	100
		4-20-66	175.0	2575.0	010
01S/04E-23C03S	2700.0	4-20-66	139.0	2561.0	100
01S/04E-29J01S	2641.0	12-09-65	90.2	2550.8	100
		4-20-66	90.4	2550.6	
01S/04E-32H01S	2560.0	2-28-66	53.7	2506.3	010
		11-16-65	54.0	2506.0	

SAN GORGONIO HYDRO SUBUNIT X-19.C0

SAN GORGONIO HYDRO SUBAREA X-19.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/01E-03X01S	5000.0	9-17-65	4.5	4995.5	713
		1-07-66	FLOW		
		5-06-66	FLOW		
		8-16-66	2.2	4997.8	
02S/01E-03X02S	5000.0	9-17-65	25.6	4974.4	713
		1-07-66	6.1	4993.9	
		5-06-66	10.7	4989.3	
		8-26-66	22.2	4977.8	
02S/01E-08M01S	3985.0	9-17-65	70.0	3915.0	713
		1-07-66	27.7	3957.3	
		5-06-66	53.9	3931.1	
		8-26-66	63.9	3921.1	
02S/01E-17F01S	3730.0	9-17-65	49.2	3680.8	713
		1-07-66	38.7	3691.3	
		5-06-66	22.8	3707.2	
		8-26-66	39.2	3690.8	
02S/01E-29C01S	3442.0	9-17-65	179.1	3262.9	713
		1-07-66	157.2	3284.8	
		5-06-66	142.7	3299.3	
		8-26-66	138.2	3303.8	
02S/01E-29D01S	3455.0	9-07-65	(1)		713
		1-07-66	178.3	3276.7	
		5-06-66	176.1	3278.9	
		8-26-66	164.5	3290.5	
02S/01E-29P01S	3278.0	9-17-65	(1)		713
		5-06-66	156.1	3121.9	
		8-26-66	163.0	3115.0	
02S/01E-29Q03S	3260.0	9-17-65	175.2	3084.8	713
		1-07-66	170.1	3089.9	
		5-06-66	162.2	3097.8	
		8-26-66	153.2	3106.8	
02S/01E-33K01S	2804.0	9-17-65	22.1	2781.9	713
		1-07-66	21.8	2782.2	
		5-06-66	7.6	2796.4	
		8-26-66	21.8	2782.2	
03S/01E-07E01S	2521.0	1-07-66	299.5	2221.5	713
		5-06-66	(1)		
		8-26-66	(1)		
03S/02E-23B01S	1524.0	11-04-65	328.1	1195.9	131
		6-03-66	330.8	1193.2	
03S/03E-08M01S	1347.5	10-28-65	231.7	1115.8	131
		3-15-66	234.2(1)	1113.3	
		3-15-66	232.9	1114.6	
03S/01W-01N01S	2603.1	9-17-65	340.2	2262.9	713
		1-07-66	342.0	2261.1	
		5-06-66	342.1	2261.0	
		8-26-66	343.1	2260.0	
03S/01W-12C01S	2570.6	9-17-65	316.2	2254.4	713
		1-07-66	317.4	2253.2	
		5-06-66	317.8	2252.8	
		8-26-66	318.8	2251.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT					X-19.00
COACHELLA HYDRO SUBUNIT					X-19.D0
GARNET HILL HYDRO SUBAREA					X-19.D1
03S/04E-13N01S	713.0	10-14-65	224.0	489.0	131
		12-02-65	224.5	488.5	
		3-11-66	224.9(1)	488.1	
		3-11-66	224.5	488.5	
03S/04E-17K01S	901.0	11-03-65	344.5	556.5	131
		11-10-65	349.9	551.1	103
		3-11-66	344.2	556.8	131
		5-03-66	357.7	543.3	103
03S/04E-22A01S	711.0	10-28-65	174.3	536.7	131
		3-11-66	175.8	535.2	
MISSION CREEK HYDRO SUBAREA					X-19.D2
02S/04E-25N01S	1099.0	11-10-65	336.3	762.7	103
		5-03-66	336.8	762.2	
02S/04E-27R01S	1189.0	11-10-65	429.4	759.6	103
		5-03-66	429.8	759.2	
03S/04E-02E01S	1010.0	7-20-65	253.2	756.8	103
		8-18-65	253.3	756.7	
		9-20-65	253.3	756.7	
		11-10-65	253.4	756.6	
		12-13-65	254.0	756.0	
		1-10-66	253.5	756.5	
		2-01-66	253.4	756.6	
		3-08-66	253.6	756.4	
		5-03-66	254.2	755.8	
		6-01-66	253.7	756.3	
		7-12-66	253.8	756.2	
		8-04-66	253.8	756.2	
		9-08-66	253.9	756.1	
03S/04E-10J01S	870.0	11-10-65	113.9	756.1	103
		5-03-66	114.2	755.8	
03S/04E-11B02S	912.0	11-10-65	151.2	760.8	103
		5-03-66	151.5	760.5	
03S/04E-13H01S	769.0	11-12-65	38.1	730.9	103
		5-04-66	38.0	731.0	
03S/05E-08M01S	820.0	7-20-65	71.1(1)	748.9	103
		8-18-65	68.0	752.0	
		9-20-65	68.3	751.7	
		11-12-65	68.2	751.8	
		12-13-65	68.1	751.9	
		1-10-66	68.2	751.8	
		2-01-66	68.4	751.6	
		3-08-66	68.2	751.8	
		5-03-66	68.4	751.6	
		6-01-66	68.6	751.4	
		7-12-66	68.5	751.5	
		8-04-66	68.7	751.3	
		9-08-66	68.8	751.2	
03S/05E-09C01S	1007.0	11-12-65	255.0	752.0	103
		5-04-66	254.8	752.2	
03S/05E-17G01S	789.0	11-12-65	40.3	748.7	103
		5-04-66	40.5	748.5	
03S/05E-19801S	689.0	11-05-65	FLOW		131
		3-16-66	FLOW		
03S/05E-22G01S	855.0	11-12-65	97.9	757.1	103
		5-04-66	98.2	756.8	
MIRACLE HILL HYDRO SUBAREA					X-19.D3
02S/04E-25A01S	1249.0	7-20-65	217.9	1031.1	103
		8-18-65	215.7	1033.3	
		9-20-65	215.8	1033.2	
		11-10-65	216.1	1032.9	
		12-13-65	216.2	1032.8	
		1-10-66	216.5	1032.5	
		2-01-66	216.6	1032.4	
		3-08-66	216.9	1032.1	
		5-03-66	217.1	1031.9	
		6-01-66	217.1	1031.9	
		7-12-66	217.5	1031.5	
		8-04-66	217.6	1031.4	
		9-08-66	217.7	1031.3	
02S/05E-30001S	1095.8	11-10-65	103.1	992.7	103
		5-03-66	102.7	993.1	
03S/05E-04K01S	1075.0	11-12-65	88.4	986.6	103
		4-04-66	87.8	987.2	
03S/05E-11J01S	1114.6	7-20-65	230.0	884.6	103
X-19.00					
COACHELLA HYDRO SUBUNIT					X-19.D0
MIRACLE HILL HYDRO SUBAREA					X-19.D3
03S/05E-11J01S (CONT.)	1114.6	8-18-65	229.7	884.9	103
		9-20-65	229.8	884.8	
		11-12-65	229.9	884.7	
		12-13-65	229.9	884.7	
		1-10-66	230.1	884.5	
		2-01-66	230.0	884.6	
		3-08-66	230.2	884.4	
		5-04-66	230.1	884.5	
		6-01-66	230.3	884.3	
		7-12-66	229.9	884.7	
		8-04-66	230.3	884.3	
		9-08-66	231.1	883.5	
SKY VALLEY HYDRO SUBAREA					X-19.D4
03S/06E-28A01S	996.0	11-12-65	248.2	747.8	103
		5-04-66	248.2	747.8	
03S/06E-36P01S	772.0	11-04-65	78.3	693.7	131
		2-02-66	76.6	695.4	
04S/06E-12K01S	560.0	10-18-65	3.0	557.0	131
		1-28-66	1.9	558.1	
THOUSAND PALMS HYDRO SUBAREA					X-19.D6
04S/06E-08L01S	365.0	2-01-66	268.8	96.2	131
04S/06E-14C01S	425.0	2-01-66	7.5	417.5	131
04S/06E-22J01S	225.0	10-18-65	145.4	79.6	131
		1-28-66	145.2	79.8	
04S/06E-22K01S	215.0	10-18-65	134.4	80.6	131
		1-28-66	134.6	80.4	
04S/07E-33N01S	74.0	11-08-65	42.2	31.8	131
		10-12-65	68.5(1)	96.5	
		1-26-66	38.4	35.6	
		6-02-66	46.6	27.4	
INDIO HYDRO SUBAREA					X-19.D7
03S/04E-21D01S	830.0	10-07-65	473.0	357.0	131
		3-10-66	473.6	356.4	
		6-02-66	474.7	355.3	
03S/04E-23M01S	649.0	10-28-65	225.6	423.4	131
		3-11-66	224.8	424.2	
03S/04E-34J01S	614.0	11-05-65	DRY		131
04S/04E-01N01S	500.0	10-05-65	297.2	202.8	131
		3-16-66	298.8	201.2	
		5-31-66	299.6	200.4	
04S/04E-01N02S	502.0	7-21-65	336.1(1)	165.9	700
		7-21-65	335.8(1)	166.2	131
		9-29-65	338.8(1)	163.2	
		9-29-65	339.1(1)	162.9	700
		10-27-65	338.8(1)	163.2	131
		10-27-65	339.1(1)	162.9	700
		11-30-65	338.8(1)	163.2	131
		11-30-65	339.1(1)	162.9	700
		12-20-65	337.8(1)	164.2	131
		12-20-65	338.1(1)	163.9	700
		1-25-66	338.8(1)	163.2	131
		1-25-66	339.1(1)	162.9	700
		2-24-66	339.1(1)	162.9	
		3-08-66	299.1	202.9	
		4-29-66	344.1(1)	157.9	
		6-24-66	346.1(1)	155.9	
		9-27-66	346.1(1)	155.9	
04S/04E-11K01S	492.9	7-20-65	283.8	209.1	700
		7-20-65	282.7	210.2	131
		9-22-65	287.1	205.8	
		9-22-65	288.2	204.7	700
		10-25-65	287.7	205.2	131
		10-25-65	288.8	204.1	700
		11-16-65	286.7	206.2	131
		11-16-65	287.8	205.1	700
		12-28-65	284.7	208.2	131
		12-28-65	285.8	207.1	700
		1-25-66	284.7	208.2	131
		1-25-66	285.8	207.1	700
		2-25-66	284.7	208.2	131
		2-25-66	285.8	207.1	700
		3-01-66	287.7	205.2	131
		3-01-66	288.8	204.1	700
		4-28-66	296.7(1)	196.2	131
		4-28-66	297.8(1)	195.1	700

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT X-19.00					
COACHELLA HYDRO SUBUNIT X-19.00					
INDIO HYDRO SUBAREA X-19.07					
04S/04E-11K01S (CONT.)	492.9	6-21-66	289.8	203.1	700
		9-27-66	300.8(1)	192.1	
		9-29-66	292.8	200.1	
04S/04E-11Q01S	468.3	7-21-65	263.7(1)	204.6	131
		7-21-65	264.7(1)	203.6	700
		9-22-65	266.7	201.6	131
		9-22-65	267.7	200.6	700
		11-16-65	265.7	202.6	131
		11-16-65	266.7	201.6	700
		12-21-65	265.7	202.6	131
		12-26-65	266.7	201.6	700
		2-25-66	264.7	203.6	131
		2-25-66	265.7	202.6	700
		3-15-66	267.7	200.6	131
		3-15-66	268.7	199.6	700
		4-28-66	276.7(1)	191.6	131
		4-28-66	277.7(1)	190.6	700
		6-06-66	266.7	201.6	
		9-29-66	272.2	196.1	
04S/04E-11R01S	450.0	7-21-65	289.6(1)	160.4	700
		9-22-65	252.6	197.4	
		9-29-65	216.0	234.0	131
		10-29-65	216.9	233.1	
		10-29-65	290.6(1)	159.4	700
		11-16-65	217.0	233.0	131
		11-30-65	252.6	197.4	700
		12-28-65	251.6	198.4	
		12-30-65	218.0	232.0	131
		1-25-66	218.0	232.0	
		1-25-66	251.6	198.4	700
		2-23-66	218.0	232.0	131
		2-23-66	252.6	197.4	700
		3-01-66	219.0	231.0	131
		3-08-66	252.6	197.4	700
		4-27-66	239.0(1)	211.0	131
		4-28-66	252.6	197.4	700
		9-29-66	258.6	191.4	
04S/04E-13P01S	414.0	11-05-65	225.2	188.8	131
		12-01-65	220.1	193.9	
		6-03-66	220.5	193.5	
04S/04E-14R01S	410.0	7-20-65	246.0(1)	164.0	700
		9-29-65	216.0	194.0	
		10-29-65	216.0	194.0	
		11-16-65	217.0	193.0	
		12-30-65	218.0	192.0	
		1-25-66	218.0	192.0	
		2-23-66	218.0	192.0	
		3-01-66	219.0	191.0	
		4-27-66	239.0(1)	171.0	
		6-29-66	239.0(1)	171.0	
		9-27-66	221.0	189.0	
04S/04E-15J01S	453.0	10-13-65	249.8	203.2	131
		6-03-66	249.5	203.5	
04S/04E-23C01S	431.0	7-20-65	231.8	199.2	700
		9-17-65	233.5	197.5	131
		9-17-65	232.8	198.2	700
		10-25-65	233.5	197.5	131
		10-25-65	232.8	198.2	700
		11-30-65	233.5	197.5	131
		11-30-65	232.8	198.2	700
		12-22-65	232.5	198.5	131
		12-22-65	232.8	198.2	700
		1-25-66	230.5	200.5	131
		1-25-66	234.8	196.2	700
		2-25-66	234.8	196.2	
		3-01-66	234.8	196.2	
		4-26-66	244.8(1)	186.2	
		6-21-66	244.8(1)	186.2	
		9-27-66	246.8(1)	184.2	
04S/04E-23E01S	435.0	7-15-65	250.0(1)	185.0	700
		9-17-65	252.0(1)	183.0	
		10-25-65	253.0(1)	182.0	
		11-16-65	244.0	191.0	
		12-22-65	242.0	193.0	
		1-20-66	241.0	194.0	
		2-23-66	241.0	194.0	
		3-01-66	242.0	193.0	
		4-25-66	252.0(1)	183.0	
		6-22-66	249.0(1)	186.0	
		9-29-66	268.0(1)	167.0	
04S/04E-26A01S	428.0	7-15-65	263.0	165.0	131
		7-15-65	258.0(1)	170.0	700
		9-17-65	266.0	162.0	131
		9-17-65	261.0(1)	167.0	700
		10-25-65	268.0(1)	160.0	131
		10-25-65	263.0(1)	165.0	700
		11-15-65	253.0	175.0	131
		11-15-65	248.0	180.0	700
		12-20-65	252.0	176.0	131
		12-20-65	247.0	181.0	700
X-19.00					
COACHELLA HYDRO SUBUNIT X-19.00					
INDIO HYDRO SUBAREA X-19.07					
04S/04E-26A01S (CONT.)	428.0	1-20-66	251.0	177.0	131
		1-20-66	246.0	182.0	
		2-23-66	260.0(1)	168.0	
		3-01-66	242.0	186.0	
		4-25-66	261.0(1)	167.0	
		6-22-66	261.0(1)	167.0	
		9-21-66	233.0	195.0	
		9-29-66	263.0(1)	165.0	
04S/05E-15R01S	345.0	10-26-65	194.0	151.0	131
		2-09-66	193.8	151.2	
04S/05E-15R02S	346.0	10-26-65	191.1	154.9	131
		2-09-66	190.0	156.0	
04S/05E-17L01S	375.0	7-01-65	194.0	181.0	131
		10-05-65	195.1	179.9	
		11-26-65	196.2	178.8	
		12-14-65	196.0	179.0	
		1-21-66	196.6	178.4	
		2-28-66	196.7	178.3	
		5-16-66	197.5	177.5	
		5-31-66	197.7	177.3	
		6-29-66	197.8	177.2	
04S/05E-17N01S	378.0	10-27-65	192.8	185.2	131
		11-30-65	193.2	184.8	
		3-15-66	194.0	184.0	
04S/05E-19D01S	393.0	7-20-65	207.2	185.8	131
		7-20-65	206.2	186.8	700
		9-17-65	209.2	183.8	131
		9-17-65	208.2	184.8	700
		10-25-65	210.2	182.8	131
		10-25-65	209.2	183.8	700
		11-30-65	210.2	182.8	131
		11-30-65	209.2	183.8	700
		12-28-65	210.2	182.8	131
		12-28-65	209.2	183.8	700
		1-24-66	210.2	182.8	131
		1-24-66	209.2	183.8	700
		2-23-66	210.2	182.8	
		3-08-66	210.2	182.8	
		4-27-66	209.2	183.8	
		6-22-66	210.2	182.8	
		9-22-66	211.2	181.8	
04S/05E-22A01S	347.0	2-10-66	192.9	154.1	131
		6-29-66	194.8	152.2	
04S/05E-29A01S	296.0	10-26-65	167.0	129.0	131
		11-30-65	167.3	164.7	
		12-16-65	167.4	164.6	
		3-16-66	169.2	162.8	
04S/05E-29F01S	329.0	11-02-65	162.5	166.5	131
		12-16-65	162.8	166.2	
		3-21-66	161.2	167.8	
04S/05E-29F02S	333.0	11-02-65	162.2	170.8	131
		11-30-65	162.3	170.7	
		3-21-66	161.8	171.2	
04S/05E-29K01S	324.0	10-27-65	160.9	163.1	131
		11-30-65	160.4	163.6	
		12-16-65	160.1	163.9	
		3-28-66	160.8	163.2	
04S/05E-33B01S	305.0	7-15-65	154.0	151.0	131
		7-15-65	154.0(1)	151.0	700
		9-27-65	156.0	149.0	131
		9-27-65	156.0(1)	149.0	700
		10-26-65	157.0	148.0	131
		10-26-65	157.0(1)	148.0	700
		12-21-65	156.0	149.0	131
		12-21-65	156.0	149.0	700
		1-21-66	155.0	150.0	
		2-23-66	155.0	150.0	
		3-09-66	156.0	149.0	
		6-23-66	162.0(1)	143.0	
		9-16-66	163.0(1)	142.0	
04S/05E-33B02S	302.0	7-15-65	156.0(1)	146.0	131
		7-15-65	160.0(1)	142.0	700
		9-27-65	157.0(1)	145.0	131
		9-27-65	161.0(1)	141.0	700
		10-26-65	158.0(1)	144.0	131
		10-26-65	162.0(1)	140.0	700
		11-10-65	151.2	150.8	131
		11-30-65	148.0	154.0	
		11-30-65	152.0	150.0	700
		12-21-65	147.0	155.0	131
		12-21-65	151.0	151.0	700
		1-21-66	149.0	153.0	131
04S/05E-33G01S	300.0	7-15-65	149.0(1)	151.0	700
		9-27-65	145.0	155.0	
		10-26-65	152.0(1)	148.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT				X-19.00	
COACHELLA HYDRO SUBUNIT				X-19.00	
INDIO HYDRO SUBAREA					X-19.07
04S/05E-33G01S (CONT.)	300.0	11-30-65	145.0	155.0	700
04S/05E-35C01S	271.0	10-28-65	150.0	121.0	131
		11-12-65	145.5	125.5	
		2-11-66	148.7	122.3	
04S/05E-35E01S	267.0	11-17-65	142.9	124.1	131
		2-10-66	142.0	125.0	
04S/05E-35L01S	257.0	3-21-66	138.5	118.5	131
04S/05E-36D01S	318.0	11-01-65	201.2	116.8	131
		2-11-66	199.4	118.6	
04S/05E-36G01S	312.0	11-02-65	203.4	108.6	131
		2-11-66	(9)		
04S/06E-18N01S	230.0	10-07-65	(9)		131
		12-08-65	108.3	121.7	
		5-31-66	110.5	119.5	
04S/06E-19J02S	221.0	10-14-65	100.7	120.3	131
		1-27-66	100.1	119.9	
04S/06E-27N01S	165.0	10-05-65	101.5	63.5	131
		12-08-65	91.1	73.9	
		6-03-66	95.3	69.7	
04S/06E-28A02S	173.0	10-18-65	94.1	78.9	131
		1-31-66	92.6	80.4	
04S/06E-28E01S	177.0	10-15-65	90.1	86.9	131
		10-18-65	89.3	87.7	
		1-28-66	88.2	88.8	
04S/06E-28H01S	167.0	10-18-65	82.3	84.7	131
		1-31-66	77.3	89.7	
04S/06E-28J02S	167.0	10-13-65	93.3	73.7	131
		1-27-66	92.2	74.8	
04S/06E-28K01S	169.0	12-08-65	86.9	82.1	131
04S/06E-34C01S	163.0	10-13-65	67.6	95.4	131
		1-26-66	64.0	99.0	
04S/07E-30E01S	163.0	2-02-66	119.2	43.8	131
05S/05E-01C01S	245.0	10-13-65	137.2	107.8	131
		2-02-66	135.0	110.0	
		6-28-66	139.8	105.2	
05S/05E-01E02S	250.0	10-12-65	136.6	113.4	131
		2-02-66	135.2	114.8	
		6-28-66	139.8	110.2	
05S/05E-01Q01S	237.0	10-12-65	134.1	102.9	131
		2-03-66	132.2	104.8	
		6-28-66	136.4	100.6	
05S/05E-02F01S	250.0	10-05-65	138.2	111.8	131
		2-07-66	136.9	113.1	
		6-02-66	140.0	110.0	
05S/05E-02F02S	250.0	8-24-65	140.0	110.0	131
		8-24-65	149.0(1)	101.0	
		8-24-65	141.0	109.0	700
		8-24-65	150.0(1)	100.0	
		9-23-65	147.0(1)	103.0	131
		9-23-65	149.0(1)	101.0	700
		10-14-65	148.5(1)	101.5	131
		10-26-65	149.0(1)	101.0	700
		11-30-65	148.0(1)	102.0	131
		11-30-65	147.0(1)	103.0	700
		12-21-65	145.0(1)	105.0	131
		12-21-65	146.0(1)	104.0	700
		1-22-66	145.0(1)	105.0	131
		1-22-66	146.0(1)	104.0	700
		2-02-66	137.0	113.0	131
		2-17-66	138.0	112.0	700
		3-15-66	139.0	111.0	
		4-20-66	149.0(1)	101.0	
		6-23-66	143.0	107.0	
		9-16-66	144.0	106.0	
05S/05E-02L01S	255.0	10-05-65	144.9	110.1	131
		2-02-66	138.8	116.2	
		6-02-66	142.6	112.4	
05S/05E-03A01S	265.0	7-18-65	143.7	121.3	131
		9-30-65	144.7	120.3	
		10-26-65	144.7	120.3	
		11-30-65	144.7	120.3	
		12-21-65	143.7	121.3	
		1-22-66	143.7	121.3	
05S/05E-12C02S	230.0	7-18-65	120.0	110.0	700

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
X-19.00					
COACHELLA HYDRO SUBUNIT				X-19.00	
INDIO HYDRO SUBAREA					X-19.07
05S/05E-12C02S (CONT.)	230.0	9-30-65	121.0	109.0	700
		10-26-65	123.0	107.0	
		11-30-65	123.0	107.0	
		12-21-65	122.0	108.0	
		1-22-66	121.0	109.0	
		2-17-66	121.0	109.0	
		3-15-66	122.0	108.0	
		4-20-66	123.0	107.0	
		6-23-66	124.0	106.0	
		9-19-66	125.0	105.0	
05S/05E-12Q01S	235.0	2-09-66	133.8(1)	101.2	131
		2-10-66	138.2(1)	96.8	
05S/05E-12H01S	223.0	10-12-65	129.8	93.2	131
		2-03-66	128.6	94.4	
		6-03-66	130.7	92.3	
05S/05E-12H02S	220.0	7-18-65	129.0	91.0	700
		9-30-65	132.0	88.0	
		10-26-65	130.0	90.0	
05S/06E-06N01S	228.0	10-12-65	132.7	95.3	131
		2-02-66	130.5	97.5	
		6-03-66	134.2	93.8	
05S/06E-16A01S	182.0	7-18-65	115.3	66.7	131
		7-18-65	117.0	65.0	700
		9-30-65	116.3	65.7	131
		9-30-65	118.0	64.0	700
		10-14-65	117.1	64.9	131
		10-26-65	118.0	64.0	700
		11-30-65	116.3	65.7	131
		11-30-65	118.0	64.0	700
		12-21-65	114.3	67.7	131
		12-21-65	116.0	66.0	700
		1-22-66	114.3	67.7	131
		1-22-66	116.0	66.0	700
		2-03-66	114.9	67.1	131
		2-17-66	114.0	68.0	700
		3-09-66	118.0	64.0	
		4-20-66	118.0	64.0	
		6-23-66	119.0	63.0	
		8-20-66	119.0	63.0	
		9-15-66	119.0	63.0	
05S/06E-16H01S	162.0	7-18-65	99.0	63.0	131
		7-18-65	99.0	63.0	700
		9-30-65	101.0	61.0	131
		9-30-65	101.0	61.0	700
		10-14-65	93.9	68.1	131
		10-26-65	108.0(1)	54.0	700
		11-30-65	100.0	62.0	
		12-21-65	99.0	63.0	
		1-22-66	99.0	63.0	
		2-03-66	91.5	70.5	131
		2-17-66	99.0	63.0	700
		3-09-66	93.0	69.0	
		4-20-66	97.0	65.0	
		6-23-66	100.0	62.0	
		8-20-66	97.0	65.0	
		9-15-66	97.0	65.0	
05S/06E-22Q01S	190.0	10-04-65	124.2	65.8	131
		12-20-65	121.2	68.8	
		6-01-66	124.6	65.4	
05S/06E-23L02S	142.0	7-18-65	93.0	49.0	700
		9-30-65	93.0	49.0	
		10-26-65	94.0	48.0	
		11-30-65	97.0	45.0	
		12-21-65	90.0	52.0	
		1-22-66	90.0	52.0	
		2-17-66	91.0	51.0	
		3-15-66	96.0	46.0	
		4-20-66	93.0	49.0	
		6-23-66	99.0	43.0	
		8-20-66	96.0	46.0	
		9-15-66	90.0	52.0	
05S/06E-23M01S	162.0	7-18-65	94.0	68.0	700
		9-30-65	97.0	65.0	
		10-26-65	97.0	65.0	
		11-30-65	93.0	69.0	
		12-21-65	92.0	70.0	
		1-22-66	94.0	68.0	
		2-17-66	95.0	67.0	
		3-15-66	104.0	58.0	
		4-20-66	97.0	65.0	
		6-23-66	100.0	62.0	
		8-20-66	100.0	62.0	
		9-15-66	97.0	65.0	
05S/06E-32G01S	450.0	2-03-66	379.1	70.9	131
		2-23-66	379.2	70.8	
05S/06E-36L01S	53.0	10-14-65	77.0	-24.0	131
		2-03-66	74.2	-21.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

WHITEWATER HYDRO UNIT X-19.00

COACHELLA HYDRO SUBUNIT X-19.00

INDIO HYDRO SUBAREA X-19.07

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/06E-36L01S (CONT.)	53.0	7-06-66	77.2	-24.2	131
05S/07E-04M01S	50.0	10-12-65	39.6	10.4	131
		1-24-66	33.0	17.0	
		6-28-66	38.8	11.2	
05S/07E-06H01S	92.9	10-12-65	78.3(1)	14.6	131
		10-12-65	58.5(4)	34.4	
		1-25-66	55.4(4)	37.5	
		6-02-66	68.2(1)	24.7	
		6-02-66	55.5(4)	37.4	
05S/07E-07J01S	105.0	10-13-65	(9)		131
05S/07E-09F01S	40.0	10-14-65	44.8	-4.8	131
		1-24-66	39.0	1.0	
		6-02-66	42.0	-2.0	
05S/07E-10E01S	28.0	1-24-66	31.0	-3.0	131
		6-01-66	35.6	-7.6	
05S/07E-13D01S	-11.0	1-24-66	13.7	-24.7	131
		6-02-66	18.3	-29.3	
05S/07E-14K01S	-5.0	10-15-65	25.5	-30.5	131
		1-28-66	19.6	-24.6	
		6-02-66	23.9	-28.9	
05S/07E-16C01S	30.0	1-24-66	43.8	-13.8	131
		6-03-66	43.2	-13.2	
05S/07E-18D01S	125.0	1-26-66	104.8	20.2	131
		6-21-66	105.8	19.2	
05S/07E-21F02S	40.0	10-04-65	43.1	-3.1	131
		12-20-65	38.4	1.6	
		1-24-66	40.0	.0	
		5-31-66	43.2	-3.2	
05S/07E-36D01S	-21.0	10-12-65	18.1	-39.1	131
		1-25-66	16.0	-37.0	
		6-03-66	19.9	-40.9	
05S/07E-36G01S	-32.0	10-12-65	13.0	-45.0	131
		1-24-66	11.8	-43.8	
		6-03-66	13.0	-45.0	
05S/07E-36Q01S	-34.0	10-13-65	13.8	-47.8	131
		1-24-66	12.9	-46.9	
		6-03-66	29.0(1)	-63.0	
		6-21-66	11.5	-45.5	
06S/07E-01P01S	-50.0	10-06-65	5.9	-55.9	131
		1-14-66	4.7	-54.7	
		6-01-66	5.7	-55.7	
06S/07E-10G01S	-15.0	10-04-65	15.3	-30.3	131
		12-21-65	15.7	-30.7	
		6-01-66	15.9	-30.9	
06S/07E-12E01S	-45.0	10-06-65	10.0	-55.0	131
		1-25-66	9.1	-54.1	
		6-01-66	9.3	-54.3	
06S/07E-17R01S	-5.0	1-27-66	46.0	-51.0	131
		6-01-66	46.7	-51.7	
06S/07E-22R01S	-42.0	10-04-65	6.8	-48.8	131
		1-10-66	4.5	-46.5	
		6-01-66	4.8	-46.8	
06S/08E-02D01S	9.0	10-07-65	97.4	-88.4	131
		1-25-66	94.2	-85.2	
		6-01-66	101.5	-92.5	
06S/08E-19D01S	-85.0	11-09-65	FLOW		131
		1-18-66	FLOW		
		7-29-66	FLOW		
06S/08E-19R01S	-105.0	12-21-65	FLOW		131
		6-02-66	FLOW		
06S/08E-32R01S	-140.0	11-09-65	FLOW		131
		1-14-66	FLOW		
		7-01-66	FLOW		
06S/08E-36M01S	-155.0	10-06-65	FLOW		131
		1-12-66	FLOW		
		6-06-66	FLOW		
07S/07E-03A01S	-72.0	10-06-65	16.7	-88.7	131
		1-27-66	16.3	-88.3	
		6-02-66	15.9	-87.9	
07S/08E-07R01S	-90.0	10-04-65	29.7	-119.7	131
		1-25-66	30.0	-120.0	
		6-01-66	29.8	-119.8	

X-19.00

COACHELLA HYDRO SUBUNIT X-19.00

INDIO HYDRO SUBAREA X-19.07

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07S/08E-17A01S	-115.0	10-06-65	4.3	-119.3	131
		1-10-66	1.1	-116.1	
		6-01-66	3.4	-118.4	
07S/08E-17A02S	-115.0	10-06-65	8.2	-123.2	131
		1-25-66	5.0	-120.0	
		6-01-66	6.7	-121.7	
07S/08E-18C01S	-73.0	10-06-65	42.1	-115.1	131
		1-12-66	39.7	-112.7	
		6-01-66	40.1	-113.1	
07S/08E-18C02S	-74.0	1-12-66	40.3	-114.3	131
		6-02-66	68.6	-142.6	
07S/08E-21H01S	-70.0	1-13-66	30.7	-100.7	131
		6-29-66	32.9	-102.9	
07S/08E-34G01S	-89.0	10-06-65	38.1	-127.1	131
		1-26-66	37.9	-126.9	
		6-22-66	37.7	-126.7	
07S/08E-34K01S	-88.0	10-06-65	46.5	-134.5	131
		1-26-66	45.2	-133.2	
		6-22-66	45.1	-133.1	
07S/08E-35K01S	-161.0	1-06-66	FLOW		131
		6-29-66	FLOW		
07S/09E-07F01S	-185.0	11-09-65	FLOW		131
		1-13-66	FLOW		
		6-30-66	FLOW		
07S/09E-13N01S	-101.0	1-25-66	33.2	-134.2	131
		6-03-66	32.1	-133.1	
07S/09E-30M01S	-213.0	11-09-65	FLOW		131
		1-18-66	FLOW		
		6-24-66	FLOW		
07S/10E-27A01S	34.0	1-25-66	53.7	-19.7	131
		6-21-66	53.6	-19.6	
08S/08E-03B01S	-94.7	1-26-66	37.3	-132.0	131
		6-22-66	38.1	-132.8	
08S/08E-11B01S	-150.0	11-09-65	FLOW		131
		1-10-66	FLOW		
		6-27-66	FLOW		
08S/08E-24A01S	-154.0	1-06-66	.7	-154.7	131
		6-22-66	3.2	-157.2	
08S/09E-33N01S	-134.0	10-06-65	36.4	-170.4	131
		1-13-66	35.3	-169.3	
		6-02-66	35.5	-169.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

ANZA BORREGO HYDRO UNIT X-22.00

BORREGO HYDRO SUBUNIT X-22.A0
BORREGO HYDRO SUBAREA X-22.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/06E-08R01S	760.0	10-26-65	278.2	481.8	010
		3-03-66	278.2	481.8	
10S/06E-21A01S	664.0	8-03-65	177.3	486.7	010
		9-07-65	174.6	489.4	
		10-04-65	171.5	492.5	
		10-26-65	170.9	493.1	
		11-05-65	170.4	493.6	
		12-10-65	169.8	494.2	
		1-04-66	170.4	493.6	
		2-01-66	170.4	493.6	
		3-03-66	170.6	493.4	
		4-05-66	172.6	491.4	
		5-03-66	172.4	491.6	
		6-02-66	176.5	487.5	
		7-06-66	172.6	491.4	
		8-01-66	171.4	492.6	
10S/06E-24K01S	600.0	10-26-65	21.8	578.2	010
		3-03-66	(6)		
10S/06E-29N01S	595.0	10-26-65	123.5	471.5	010
		3-03-66	123.0	472.0	
10S/06E-35N01S	539.0	8-03-65	52.3	486.7	010
		9-07-65	(1)		
		10-04-65	43.1	495.9	
		10-26-65	91.4	447.6	
		11-05-65	(1)		
		12-10-65	43.2	495.8	
		1-10-66	49.4	489.6	
		2-01-66	43.2	495.8	
		3-04-66	44.6	494.4	
		4-05-66	(1)		
		5-03-66	(1)		
		6-03-66	(1)		
		7-06-66	43.9	495.1	
		8-01-66	42.6	496.4	
10S/06E-36Q01S	535.0	8-03-65	65.7	469.3	010
		9-07-65	66.6	468.4	
		10-04-65	66.0	469.0	
		10-26-65	64.2	470.8	
		11-05-65	63.3	471.7	
		12-10-65	62.9	472.1	
		1-10-66	61.5	473.5	
		2-01-66	61.5	473.5	
		3-04-66	62.2	472.8	
		4-05-66	63.0	472.0	
		5-03-66	63.9	471.1	
		6-02-66	64.4	470.6	
		7-06-66	65.7	469.3	
		8-01-66	66.0	469.0	
10S/07E-19M01S	599.0	10-26-65	96.5	502.5	010
		3-03-66	96.6	502.4	
11S/06E-05P01S	600.0	10-26-65	140.5	459.5	010
		3-03-66	140.6	459.4	
11S/06E-10N01S	560.0	10-25-65	68.7	491.3	010
		3-03-66	67.5	492.5	
11S/06E-11Q02S	497.0	8-03-65	54.5(2)	442.5	010
		9-07-65	60.0	437.0	
		10-04-65	37.1	459.9	
		10-25-65	49.5	447.5	
		11-05-65	34.0	463.0	
		12-10-65	33.0	464.0	
		1-10-66	(1)		
		2-01-66	51.9	445.1	
		3-04-66	59.3(1)	437.7	
		4-05-66	51.6	445.4	
		5-03-66	57.9	439.1	
		6-02-66	59.5	437.5	
		7-06-66	61.3	435.7	
		8-01-66	(1)		
11S/06E-11M01S	487.0	10-25-65	26.7	460.3	010
		3-04-66	25.0	462.0	
11S/06E-22A01S	500.0	8-03-65	62.9	437.1	010
		9-07-65	63.0	437.0	
		10-04-65	63.0	437.0	
		10-25-65	62.9	437.1	
		11-05-65	63.0	437.0	
		12-10-65	62.5	437.5	
		1-10-66	62.4	437.6	
		2-01-66	62.5	437.5	
		3-03-66	61.9	438.1	
		4-05-66	62.8	437.2	
		5-03-66	63.1	436.9	
		6-06-66	63.3	436.7	
		7-06-66	62.9	437.1	
		8-01-66	63.1	436.9	
11S/07E-07N01S	495.0	10-25-65	36.0	459.0	010

BORREGO HYDRO SUBUNIT X-22.A0
BORREGO HYDRO SUBAREA X-22.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
11S/07E-07N01S (CONT.)	495.0	3-04-66	(6)		010
11S/07E-20P01S	560.0	10-25-65	70.7	489.3	010
		3-04-66	71.7	488.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

ANZA BORREGO HYDRO UNIT X-22.00

OCOTILLO-LR S FELIPE HYDR SUBUNIT X-22.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/08E-22E01S	120.0	10-25-65	109.3	10.7	010
		3-04-66	109.0	11.0	
12S/09E-22A02S	10.0	10-25-65	102.3	-92.3	010
		3-04-66	100.2	-90.2	
12S/09E-23D01S	10.0	10-25-65	108.8(2)	-98.8	010
		3-04-66	109.8(2)	-99.8	

SAN FELIPE HYDRO SUBUNIT X-22.D0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/04E-24K01S	2430.0	10-25-65	36.3	2393.7	010
		3-03-66	33.5(1)	2396.5	
12S/05E-34J01S	2280.0	10-25-65	(7)		010
		3-03-66	62.5	2217.5	

TABLE C-I
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
ANZA BORREGO HYDRO UNIT X-22.00					
VALLECITO-CARRIZO HYDRO SUBUNIT X-22.F0					
CARRIZO HYDRO SUBAREA X-22.F1					
15S/08E-17C01S	600.0	3-03-66	63.9	536.1	010
		5-05-66	64.0	536.0	
VALLECITO HYDRO SUBAREA X-22.F2					
14S/05E-02G01S	2060.0	3-03-66	86.6	1973.4	010
14S/06E-08F03S	1660.0	3-03-66	69.2	1590.8	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
EAST SALTON SEA HYDRO UNIT X-25.00											
07S/10E-35G01S	-66.0	6-22-66	86.3	-152.3	131						

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-02B03S	280.0	7-07-65	(1)		102
		8-10-65	19.7	260.3	
		9-02-65	15.3	264.7	
		10-06-65	12.0	268.0	
		11-03-65	12.4	267.6	
		12-15-65	9.8	270.2	
		1-06-66	9.5	270.5	
		2-03-66	10.1	269.9	
		3-03-66	10.8	269.2	
		4-06-66	11.8	268.2	
		5-04-66	(1)		
		6-01-66	10.4	269.6	
		7-06-66	12.1	267.9	
		8-03-66	15.0	265.0	
		9-07-66	13.2	266.8	
04S/09W-02L01S	331.5	7-07-65	53.2	278.3	102
		8-10-65	55.3	276.2	
		9-02-65	55.7	275.8	
		10-06-65	53.1	278.4	
		11-03-65	52.9	278.6	
		12-15-65	52.1	279.4	
		1-06-66	51.7	279.8	
		2-03-66	51.7	279.8	
		3-03-66	51.9	279.6	
		4-06-66	57.3	274.2	
		5-04-66	51.8	279.7	
		6-01-66	51.6	279.9	
		7-06-66	51.8	279.7	
		8-03-66	53.2	278.3	
		9-07-66	52.5	279.0	
04S/09W-03M01S	300.3	7-21-65	(1)		102
		8-25-65	62.8	237.5	
		9-23-65	61.7	238.6	
		10-27-65	54.9	245.4	
		11-29-65	60.4	239.9	
		1-05-66	57.0	243.3	
		2-01-66	60.3	240.0	
		3-31-66	63.5	236.8	
		4-26-66	63.3	237.0	
		5-18-66	59.6	240.7	
		6-15-66	56.1	244.2	
		7-25-66	57.6	242.7	
		8-10-66	60.6	239.7	
		9-28-66	62.3	238.0	
04S/09W-04G01S	256.4	7-16-65	87.8(1)	168.6	742
		8-13-65	96.5(1)	159.9	
		9-10-65	85.9(1)	170.5	
		10-15-65	72.7(1)	183.7	
		11-12-65	51.2	205.2	
		12-17-65	70.3(1)	186.1	
		1-21-66	37.8	218.6	
		2-18-66	77.9(1)	178.5	
		3-18-66	86.8(1)	169.6	
		4-22-66	68.1(1)	188.3	
		5-20-66	25.7	230.7	
		6-17-66	30.3	226.1	
		7-15-66	47.8	208.6	
		8-19-66	61.9(9)	194.5	
		9-23-66	37.9	218.5	
04S/09W-07M01S	204.9	7-07-65	(1)		102
		7-14-65	105.3	99.6	
		7-21-65	(1)		
		7-28-65	98.4	106.5	
		8-04-65	98.1	106.8	
		8-11-65	(1)		
		8-18-65	97.4	107.5	
		8-25-65	(1)		
		9-01-65	95.0	109.9	
		9-08-65	96.4	108.5	
		9-15-65	(1)		
		9-22-65	94.4	110.5	
		9-29-65	95.8	109.1	
		10-06-65	95.4	109.5	
		10-15-65	(1)		
		10-20-65	92.7	112.2	
		10-27-65	(1)		
		11-03-65	103.6	101.3	
		11-10-65	105.6	99.3	
		12-15-65	103.0	101.9	
		12-23-65	105.2	99.7	
		1-05-66	107.1	97.8	
		1-12-66	105.3	99.6	
		1-19-66	107.5	97.4	
		1-26-66	109.5	95.4	
		2-02-66	110.1	94.8	
		2-09-66	109.8	95.1	
		2-16-66	109.0	95.9	
		2-23-66	109.3	95.6	
		3-02-66	109.9	95.0	
		3-09-66	111.3	93.6	
		3-16-66	111.9	93.0	
		3-23-66	113.9	91.0	
		3-30-66	(1)		

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-07M01S (CONT.)	204.9	4-06-66	115.7	89.2	102
		4-13-66	111.7	93.2	
		4-20-66	110.2	94.7	
		4-27-66	(1)		
		5-04-66	102.7	102.2	
		5-11-66	99.2	105.7	
		5-18-66	104.3	100.6	
		5-25-66	99.1	105.8	
		6-01-66	95.2	109.7	
		6-08-66	(1)		
		6-15-66	96.7	108.2	
		6-29-66	(1)		
		7-06-66	(1)		
		7-13-66	108.9	96.0	
		7-20-66	111.5	93.4	
		7-27-66	(1)		
		8-03-66	116.6	88.3	
		8-10-66	(1)		
		8-17-66	119.6	85.3	
		8-24-66	(1)		
		8-31-66	121.7	83.2	
		9-07-66	(1)		
		9-14-66	124.6	80.3	
		9-21-66	126.5	78.4	
		9-28-66	(1)		
04S/09W-07Q01S	203.8	7-05-65	121.0	82.8	715
		7-12-65	122.1	81.7	
		7-19-65	122.8	81.0	
		7-26-65	120.0	83.8	
		8-02-65	108.6	95.2	
		8-09-65	105.4	98.4	
		8-16-65	100.7	103.1	
		8-23-65	94.4	109.4	
		8-30-65	91.0	112.8	
		9-06-65	87.2	116.6	
		9-13-65	89.0	114.8	
		9-20-65	90.3	113.5	
		9-27-65	90.0	113.8	
		10-04-65	89.0	114.8	
		10-11-65	87.1	116.7	
		10-18-65	87.0	116.8	
		10-25-65	93.0	110.8	
		11-01-65	100.2	103.6	
		11-08-65	106.3	97.5	
		11-15-65	110.5	93.3	
		11-29-65	112.9	90.9	
		12-06-65	104.2	99.6	
		12-13-65	103.6	100.2	
		1-03-66	114.1	89.7	
		1-10-66	108.5	95.3	
		1-17-66	111.3	92.5	
		1-24-66	115.8	88.0	
		1-31-66	118.4	85.4	
		2-07-66	120.2	83.6	
		2-14-66	118.6	85.2	
		2-21-66	118.9	84.9	
		2-28-66	120.2	83.6	
		3-07-66	121.5	82.3	
		3-14-66	122.0	81.8	
		3-21-66	123.2	80.6	
		3-28-66	124.9	78.9	
		4-04-66	126.6	77.2	
		4-11-66	125.8	78.0	
		4-18-66	121.2	82.6	
		4-25-66	114.6	89.2	
		5-02-66	105.1	98.7	
		5-09-66	95.2	108.6	
		5-16-66	89.9	113.9	
		5-23-66	92.3	111.5	
		5-31-66	88.4	115.4	
		6-06-66	86.6	117.2	
		6-13-66	94.0	109.8	
		6-20-66	99.5	104.3	
		6-27-66	105.4	98.4	
		7-04-66	111.1	92.7	
		7-11-66	115.2	88.6	
		7-18-66	119.3	84.5	
		7-25-66	137.1	66.7	
		8-01-66	139.6	64.2	
		8-08-66	128.4	75.4	
		8-15-66	128.2	75.6	
		8-22-66	129.2	74.6	
		8-29-66	131.8	72.0	
		9-05-66	133.1	70.7	
		9-12-66	134.9	68.9	
		9-19-66	136.4	67.4	
		9-26-66	136.5	67.3	
04S/09W-07Q03S	202.0	7-05-65	125.2	76.8	715
		7-12-65	125.4	76.6	
		7-19-65	125.4	76.6	
		7-26-65	123.9	78.1	
		8-02-65	118.8	83.2	
		8-09-65	117.3	84.7	
		8-16-65	115.3	86.7	
		8-23-65	111.6	90.4	
		8-30-65	109.7	92.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
FAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-07Q03S (CONT.)	202.0	9-06-65	106.2	95.8	715
		9-13-65	108.0	94.0	
		9-20-65	107.8	94.2	
		9-27-65	107.8	94.2	
		10-04-65	107.5	94.5	
		10-11-65	105.0	97.0	
		10-18-65	107.4	94.6	
		10-25-65	109.2	92.8	
		11-01-65	111.9	90.1	
		11-08-65	115.4	86.6	
		11-15-65	117.7	84.3	
		11-29-65	118.4	83.6	
		12-06-65	114.2	87.8	
		12-13-65	113.5	88.5	
		1-03-66	120.5	81.5	
		1-10-66	117.6	84.4	
		1-17-66	119.2	82.8	
		1-24-66	121.6	80.4	
		1-31-66	123.0	79.0	
		2-07-66	123.9	78.1	
		2-14-66	123.1	78.9	
		2-21-66	123.9	78.1	
		2-28-66	124.7	77.3	
		3-07-66	125.1	76.9	
		3-14-66	126.0	76.0	
		3-21-66	127.1	74.9	
		3-28-66	128.1	73.9	
		4-04-66	130.0	72.0	
		4-11-66	128.6	73.4	
		4-18-66	126.9	75.1	
		4-25-66	123.3	78.7	
		5-02-66	118.0	84.0	
		5-09-66	111.5	90.5	
		5-16-66	109.3	92.7	
		5-23-66	110.0	92.0	
		5-31-66	106.3	95.7	
		6-06-66	106.8	95.2	
		6-13-66	110.2	91.8	
		6-20-66	113.2	88.8	
		6-27-66	116.7	85.3	
		7-04-66	119.8	82.2	
		7-11-66	123.0	79.0	
		7-18-66	125.6	76.4	
		7-25-66	128.3	73.7	
		8-01-66	129.7	72.3	
		8-08-66	132.3	69.7	
		8-15-66	132.9	69.1	
		8-22-66	133.5	68.5	
		8-29-66	134.5	67.5	
		9-05-66	135.6	66.4	
		9-12-66	136.6	65.4	
		9-19-66	137.9	64.1	
		9-26-66	137.3	64.7	
04S/09W-07Q04S	205.0	7-05-65	108.5	96.5	715
		7-12-65	108.5	96.5	
		7-19-65	109.7	95.3	
		7-26-65	99.7	105.3	
		8-02-65	98.3	106.7	
		8-09-65	97.8	107.2	
		8-16-65	95.6	109.4	
		8-23-65	93.2	111.8	
		8-30-65	93.3	111.7	
		9-06-65	91.7	113.3	
		9-13-65	99.1	105.9	
		9-20-65	93.4	111.6	
		9-27-65	92.0	113.0	
		10-04-65	91.5	113.5	
		10-11-65	91.4	113.6	
		10-18-65	91.0	114.0	
		10-25-65	96.0	109.0	
		11-01-65	103.2	101.8	
		11-08-65	108.8	96.2	
		11-15-65	112.4	92.6	
		11-29-65	111.7	93.3	
		12-06-65	105.5	99.5	
		12-13-65	104.7	100.3	
		1-03-66	112.9	92.1	
		1-10-66	108.1	96.9	
		1-17-66	111.2	93.8	
		1-24-66	114.4	90.6	
		1-31-66	116.2	88.8	
		2-07-66	116.2	88.8	
		2-14-66	114.2	90.8	
		2-21-66	114.5	90.5	
		2-28-66	115.3	89.7	
		3-07-66	115.6	89.4	
		3-14-66	116.8	88.2	
		3-21-66	119.0	86.0	
		3-28-66	121.9	83.1	
		4-04-66	123.8	81.2	
		4-11-66	117.6	87.4	
		4-18-66	112.4	92.6	
		4-25-66	108.1	96.9	
		5-02-66	103.1	101.9	
		5-09-66	98.8	106.2	
		5-16-66	95.7	109.3	
		5-23-66	95.2	109.8	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-07004S (CONT.)	205.0	5-31-66	92.8	112.2	715
		6-06-66	92.6	112.4	
		6-13-66	96.0	109.0	
		6-20-66	101.6	103.4	
		6-27-66	107.4	97.6	
		7-04-66	118.7	86.3	
		7-11-66	115.5	89.5	
		7-18-66	118.7	86.3	
		7-25-66	129.2	75.8	
		8-01-66	124.4	80.6	
		8-08-66	132.1	72.9	
		8-15-66	132.8	72.2	
		8-22-66	127.1	77.9	
		8-29-66	133.7	71.3	
		9-05-66	128.9	76.1	
		9-12-66	131.7	73.3	
		9-19-66	132.5	72.5	
		9-26-66	126.2	78.8	
04S/09W-07005S	205.0	7-05-65	112.7	92.3	715
		7-12-65	107.9	97.1	
		7-19-65	140.7(1)	64.3	
		7-22-65	139.7(1)	65.3	
		7-26-65	99.4	105.6	
		8-02-65	97.1	107.9	
		8-09-65	96.2	108.8	
		8-16-65	94.3	110.7	
		8-23-65	90.1	114.9	
		8-30-65	90.2	114.8	
		9-06-65	88.8	116.2	
		9-13-65	131.1(1)	73.9	
		9-20-65	90.3	114.7	
		9-27-65	89.6	115.4	
		10-04-65	88.5	116.5	
		10-11-65	88.6	116.4	
		10-18-65	88.2	116.8	
		10-25-65	93.1	111.9	
		11-01-65	100.4	104.6	
		11-08-65	105.8	99.2	
		11-15-65	109.9	95.1	
		11-29-65	109.6	95.4	
		12-06-65	102.3	102.7	
		12-13-65	101.8	103.2	
		1-03-66	111.0	94.0	
		1-10-66	105.7	99.3	
		1-17-66	108.6	96.4	
		1-24-66	112.3	92.7	
		1-31-66	114.4	90.6	
		2-07-66	114.4	90.6	
		2-14-66	112.4	92.6	
		2-21-66	113.0	92.0	
		2-28-66	113.4	91.6	
		3-07-66	114.0	91.0	
		3-14-66	115.2	89.8	
		3-21-66	117.1	87.9	
		3-28-66	119.9	85.1	
		4-04-66	121.6	83.4	
		4-11-66	116.5	88.5	
		4-18-66	111.4	93.6	
		4-25-66	106.7	98.3	
		5-02-66	100.4	104.6	
		5-09-66	96.1	108.9	
		5-16-66	92.0	113.0	
		5-23-66	92.3	112.7	
		5-31-66	89.4	115.6	
		6-06-66	89.3	115.7	
		6-13-66	93.4	111.6	
		6-20-66	97.6	107.4	
		6-27-66	103.8	101.2	
		7-04-66	151.3(1)	53.7	
		7-11-66	112.2	92.8	
		7-18-66	115.6	89.4	
		7-25-66	160.3(1)	44.7	
		8-01-66	121.9	83.1	
		8-08-66	163.5(1)	41.5	
		8-15-66	165.1(1)	39.9	
		8-22-66	124.5	80.5	
		8-29-66	165.0(1)	40.0	
		9-05-66	126.7	78.3	
		9-12-66	129.6	75.4	
		9-19-66	130.4	74.6	
		9-26-66	124.8	80.2	
04S/09W-08C01S	229.0	7-21-65	26.9	202.1	102
		8-25-65	29.9	199.1	
		9-23-65	24.8	204.2	
		10-27-65	(1)		
		11-29-65	18.8	210.2	
		1-05-66	17.1	211.9	
		3-01-66	20.7	208.3	
		3-31-66	22.8	206.2	
		4-26-66	15.0	214.0	
		5-19-66	14.4	214.6	
		6-15-66	17.0	212.0	
		7-25-66	26.0	203.0	
		8-10-66	27.3	201.7	
		9-28-66	28.4	200.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0

EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-17Q01S (CONT.)	231.0	8-25-65	155.8	75.2	102
		9-23-65	(5)		
		9-27-65	154.0	77.0	
		10-27-65	152.9	78.1	
		12-01-65	154.2	76.8	
		1-05-66	154.0	77.0	
		3-01-66	155.0	76.0	
		3-31-66	156.5	74.5	
		4-26-66	157.6	73.4	
		5-18-66	155.4	75.6	
		6-15-66	153.6	77.4	
		7-25-66	156.3	74.7	
		8-10-66	158.2	72.8	
		9-28-66	163.0	68.0	
04S/09W-18C01S	197.0	7-05-65	119.3	77.7	715
		7-12-65	119.1	77.9	
		7-19-65	119.4	77.6	
		7-26-65	118.1	78.9	
		8-02-65	114.7	82.3	
		8-09-65	113.3	83.7	
		8-16-65	111.8	85.2	
		8-23-65	108.5	88.5	
		8-30-65	107.1	89.9	
		9-06-65	104.5	92.5	
		9-13-65	105.6	91.4	
		9-20-65	104.9	92.1	
		9-27-65	105.3	91.7	
		10-04-65	104.9	92.1	
		10-11-65	102.9	94.1	
		10-18-65	103.0	94.0	
		10-25-65	106.5	90.5	
		11-01-65	109.6	87.4	
		11-08-65	113.1	83.9	
		11-15-65	114.3	82.7	
		11-29-65	114.9	82.1	
		12-06-65	110.7	86.3	
		12-13-65	110.0	87.0	
		1-03-66	115.2	81.8	
		1-10-66	112.6	84.4	
		1-17-66	114.1	82.9	
		1-24-66	116.2	80.8	
		1-31-66	118.1	78.9	
		2-07-66	118.0	79.0	
		2-14-66	117.5	79.5	
		2-21-66	117.9	79.1	
		2-28-66	118.5	78.5	
		3-07-66	119.3	77.7	
		3-14-66	120.2	76.8	
		3-21-66	121.5	75.5	
		3-28-66	122.5	74.5	
		4-04-66	123.9	73.1	
		4-11-66	122.7	74.3	
		4-18-66	121.5	75.5	
		4-25-66	118.4	78.6	
		5-02-66	113.4	83.6	
		5-09-66	108.4	88.6	
		5-16-66	106.3	90.7	
		5-23-66	107.1	89.9	
		5-31-66	104.6	92.4	
		6-06-66	104.3	92.7	
		6-13-66	107.7	89.3	
		6-20-66	109.7	87.3	
		6-27-66	112.9	84.1	
		7-04-66	115.6	81.4	
		7-11-66	118.7	78.3	
		7-18-66	120.6	76.4	
		7-25-66	123.1	73.9	
		8-01-66	125.5	71.5	
		8-08-66	127.5	69.5	
		8-15-66	129.9	67.1	
		8-22-66	129.0	68.0	
		8-29-66	129.3	67.7	
		9-05-66	130.2	66.8	
		9-12-66	131.2	65.8	
		9-19-66	132.2	64.8	
		9-26-66	131.8	65.2	
04S/09W-18C02S	201.0	7-05-65	121.5	79.5	715
		7-12-65	121.4	79.6	
		7-19-65	121.2	79.8	
		7-26-65	119.3	81.7	
		8-02-65	114.5	86.5	
		8-09-65	113.1	87.9	
		8-16-65	111.4	89.6	
		8-23-65	108.1	92.9	
		8-30-65	106.4	94.6	
		9-06-65	103.4	97.6	
		9-13-65	105.0	96.0	
		9-20-65	104.6	96.4	
		9-27-65	104.7	96.3	
		10-04-65	104.5	96.5	
		10-11-65	102.1	98.9	
		10-18-65	102.0	99.0	
		10-25-65	106.3	94.7	
		11-01-65	109.6	91.4	
		11-08-65	113.0	88.0	
		11-15-65	115.0	86.0	
04S/09W-18C02S (CONT.)	201.0	11-29-65	115.4	85.6	715
		12-06-65	111.2	89.8	
		12-13-65	110.7	90.3	
		1-03-66	116.9	84.1	
		1-10-66	114.2	86.8	
		1-17-66	116.0	85.0	
		1-24-66	118.2	82.8	
		1-31-66	119.5	81.5	
		2-07-66	119.9	81.1	
		2-14-66	119.5	81.5	
		2-21-66	120.5	80.5	
		2-28-66	120.7	80.3	
		3-07-66	121.5	79.5	
		3-14-66	122.5	78.5	
		3-21-66	123.7	77.3	
		3-28-66	125.0	76.0	
		4-04-66	126.2	74.8	
		4-11-66	124.7	76.3	
		4-18-66	123.2	77.8	
		4-25-66	119.2	81.8	
		5-02-66	114.3	86.7	
		5-09-66	108.7	92.3	
		5-16-66	106.2	94.8	
		5-23-66	107.2	93.8	
		5-31-66	103.9	97.1	
		6-06-66	103.8	97.2	
		6-13-66	107.6	93.4	
		6-20-66	110.4	90.6	
		6-27-66	114.1	86.9	
		7-04-66	117.2	83.8	
		7-11-66	120.0	81.0	
		7-18-66	122.5	78.5	
		7-25-66	125.4	75.6	
		8-01-66	126.6	74.4	
		8-08-66	129.0	72.0	
		8-15-66	129.8	71.2	
		8-22-66	130.2	70.8	
		8-29-66	131.4	69.6	
		9-05-66	132.3	68.7	
		9-12-66	133.5	67.5	
		9-19-66	134.9	66.1	
		9-26-66	133.8	67.2	
04S/09W-18F01S	195.0	7-05-65	117.7	77.3	715
		7-12-65	117.7	77.3	
		7-19-65	117.7	77.3	
		7-26-65	116.6	78.4	
		8-02-65	112.9	82.1	
		8-09-65	112.3	82.7	
		8-16-65	110.9	84.1	
		8-23-65	108.8	86.2	
		8-30-65	107.3	87.7	
		9-06-65	105.0	90.0	
		9-13-65	105.4	89.6	
		9-20-65	104.7	90.3	
		9-27-65	105.1	89.9	
		10-04-65	105.1	89.9	
		10-11-65	103.2	91.8	
		10-18-65	103.0	92.0	
		10-25-65	105.8	89.2	
		11-01-65	108.5	86.5	
		11-08-65	111.2	83.8	
		11-15-65	112.0	83.0	
		11-29-65	112.5	82.5	
		12-06-65	109.5	85.5	
		12-13-65	108.6	86.4	
		1-03-66	113.0	82.0	
		1-10-66	111.4	83.6	
		1-17-66	112.3	82.7	
		1-24-66	113.9	81.1	
		1-31-66	115.1	79.9	
		2-07-66	115.4	79.6	
		2-14-66	115.0	80.0	
		2-21-66	115.7	79.3	
		2-28-66	116.3	78.7	
		3-07-66	117.0	78.0	
		3-14-66	118.0	77.0	
		3-21-66	118.9	76.1	
		3-28-66	119.9	75.1	
		4-04-66	121.4	73.6	
		4-11-66	120.1	74.9	
		4-18-66	119.6	75.4	
		4-25-66	117.0	78.0	
		5-02-66	112.3	82.7	
		5-09-66	108.2	86.8	
		5-16-66	105.9	89.1	
		5-23-66	106.7	88.3	
		5-31-66	104.7	90.3	
		6-06-66	104.0	91.0	
		6-13-66	106.6	88.4	
		6-20-66	109.0	86.0	
		6-27-66	111.9	83.1	
		7-04-66	113.9	81.1	
		7-11-66	116.5	78.5	
		7-18-66	118.6	76.4	
		7-25-66	120.9	74.1	
		8-01-66	122.1	72.9	
		8-08-66	124.2	70.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0

EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-18F01S (CONT.)	195.0	8-15-66	125.0	70.0	715
		8-22-66	125.5	69.5	
		8-29-66	126.2	68.8	
		9-05-66	127.2	67.8	
		9-12-66	128.4	66.6	
		9-19-66	129.2	65.8	
		9-26-66	128.8	66.2	
04S/09W-18H01S	195.0	7-14-65	116.0	79.0	102
		7-21-65	121.3	73.7	
		7-28-65	121.5	73.5	
		8-04-65	115.5	79.5	
		8-11-65	115.8	79.2	
		8-18-65	116.0	79.0	
		8-25-65	115.9	79.1	
		9-01-65	115.6	79.4	
		9-08-65	114.7	80.3	
		9-15-65	116.5	78.5	
		9-22-65	114.7	80.3	
		9-29-65	112.3	82.7	
		10-06-65	112.9	82.1	
		10-13-65	112.6	82.4	
		10-20-65	110.5	84.5	
		10-27-65	111.2	83.8	
		11-03-65	112.2	82.8	
		11-10-65	113.2	81.8	
		12-01-65	114.4	80.6	
		12-15-65	111.8	83.2	
		12-23-65	113.2	81.8	
		1-05-66	113.8	81.2	
		1-12-66	111.3	83.7	
		1-19-66	111.6	83.4	
		1-26-66	112.2	82.8	
		2-02-66	113.5	81.5	
		2-09-66	113.1	81.9	
		2-16-66	112.4	82.6	
		2-23-66	112.3	82.7	
		3-02-66	112.8	82.2	
		3-09-66	113.9	81.1	
		3-16-66	115.0	80.0	
		3-23-66	114.7	80.3	
		3-30-66	115.2	79.8	
		4-06-66	115.9	79.1	
		4-13-66	121.2	73.8	
		4-20-66	118.7	76.3	
		4-27-66	118.8	76.2	
		5-04-66	122.9	72.1	
		5-11-66	110.6	84.4	
		5-18-66	114.6	80.4	
		5-25-66	110.5	84.5	
		6-01-66	106.0	89.0	
		6-08-66	107.5	87.5	
		6-15-66	104.8	90.2	
		6-29-66	107.6	87.4	
		7-06-66	108.8	86.2	
		7-13-66	111.4	83.6	
		7-20-66	111.2	83.8	
		7-27-66	112.4	82.6	
		8-03-66	113.4	81.6	
		8-10-66	114.4	80.6	
		8-17-66	115.3	79.7	
		8-24-66	116.2	78.8	
		8-31-66	116.8	78.2	
		9-07-66	117.6	77.4	
		9-14-66	118.3	76.7	
		9-21-66	119.1	75.9	
		9-28-66	124.0	71.0	
04S/09W-18Q01S	183.8	8-25-65	106.1	77.7	102
		9-23-65	105.0	78.8	
		10-27-65	103.6	80.2	
		11-29-65	105.0	78.8	
		1-05-66	103.6	80.2	
		3-01-66	103.7	80.1	
		3-31-66	105.2	78.6	
		4-26-66	106.6	77.2	
		5-18-66	102.9	80.9	
		6-15-66	99.8	84.0	
		7-25-66	102.8	81.0	
		8-10-66	104.5	79.3	
		9-28-66	108.8	75.0	
04S/09W-19Q01S	177.7	7-21-65	108.9	68.8	102
		8-25-65	104.5	73.2	
		9-23-65	100.6	77.1	
		10-27-65	101.3	76.4	
		11-29-65	103.3	74.4	
		1-05-66	104.9	72.8	
		3-01-66	105.5	72.2	
		3-31-66	110.0	67.7	
		4-26-66	(1)		
		5-18-66	103.3	74.4	
		6-15-66	103.5	74.2	
		7-25-66	109.2	68.5	
		8-10-66	113.3	64.4	
		9-28-66	116.3	61.4	
04S/09W-22M01S	317.4	7-21-65	257.9	59.5	102
04S/09W-22M01S (CONT.)	317.4	8-25-65	266.6	50.8	102
		9-23-65	259.5	57.9	
		10-27-65	263.1	54.3	
		12-01-65	259.3	58.1	
		1-05-66	261.3	56.1	
		3-01-66	255.7	61.7	
		3-31-66	267.3	50.1	
		4-26-66	(3)		
		5-19-66	277.3	40.1	
		6-15-66	274.3	43.1	
		7-25-66	282.9	34.5	
		8-10-66	295.2	22.2	
		9-28-66	291.0	26.4	
04S/09W-23A01S	426.0	7-21-65	67.7(1)	358.3	102
		8-25-65	70.0(1)	356.0	
		9-23-65	72.8(1)	353.2	
		10-27-65	74.0(1)	352.0	
		12-01-65	67.3(1)	358.7	
		1-05-66	68.6(1)	357.4	
		3-01-66	63.3(1)	362.7	
		3-31-66	63.9(1)	362.1	
		4-26-66	65.3(1)	360.7	
		5-18-66	66.8(1)	359.2	
		6-15-66	67.6(1)	358.4	
		7-25-66	68.4(1)	357.6	
		8-10-66	68.7(1)	357.3	
		9-28-66	70.7(1)	355.3	
04S/09W-27D01S	300.0	7-21-65	248.6	51.4	102
		8-26-65	251.1	48.9	
		9-23-65	251.3	48.7	
		10-27-65	250.2	49.8	
		12-01-65	247.7	52.3	
		1-05-66	246.7	53.3	
		3-01-66	242.3	57.7	
		3-31-66	243.2	56.8	
		4-26-66	246.4	53.6	
		5-18-66	246.3	53.7	
		6-15-66	248.3	51.7	
		7-25-66	(1)		
		8-10-66	(1)		
		9-28-66	257.4	42.6	
04S/09W-28H02S	290.0	7-05-65	229.1	60.9	715
		7-12-65	231.0	59.0	
		7-19-65	232.7	57.3	
		7-26-65	231.8	58.2	
		8-02-65	233.0	57.0	
		8-09-65	234.1	55.9	
		8-16-65	234.9	55.1	
		8-23-65	234.2	55.8	
		8-30-65	235.0	55.0	
		9-06-65	232.4	57.6	
		9-13-65	234.3	55.7	
		9-20-65	233.5	56.5	
		9-27-65	233.5	56.5	
		10-04-65	233.3	56.7	
		10-11-65	238.9(1)	51.1	
		10-18-65	233.4	56.6	
		10-25-65	233.5	56.5	
		11-01-65	232.5	57.5	
		11-08-65	232.6	57.4	
		11-15-65	229.5	60.5	
		11-29-65	230.5	59.5	
		12-06-65	230.2	59.8	
		12-13-65	228.2	61.8	
		1-03-66	227.7	62.3	
		1-10-66	226.9	63.1	
		1-17-66	227.8	62.2	
		1-24-66	228.1	61.9	
		1-31-66	227.3	62.7	
		2-07-66	225.7	64.3	
		2-14-66	226.1	63.9	
		2-21-66	225.8	64.2	
		2-28-66	226.5	63.5	
		3-07-66	226.8	63.2	
		3-14-66	227.1	62.9	
		3-21-66	227.8	62.2	
		3-28-66	228.0	62.0	
		4-04-66	228.6	61.4	
		4-11-66	228.3	61.7	
		4-18-66	230.2	59.8	
		4-25-66	231.5	58.5	
		5-02-66	230.2	59.8	
		5-09-66	230.4	59.6	
		5-16-66	231.9	58.1	
		5-23-66	230.8	59.2	
		5-31-66	231.3	58.7	
		6-06-66	232.2	57.8	
		6-13-66	233.3	56.7	
		6-20-66	232.2	57.8	
		6-27-66	232.6	57.4	
		7-04-66	232.2	57.8	
		7-11-66	235.2	54.8	
		7-18-66	236.6	53.4	
		7-25-66	236.8	53.2	
		8-01-66	236.5	53.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-28H02S (CONT.)	290.0	8-08-66	237.6	52.4	715
		8-15-66	238.5	51.5	
		8-22-66	239.5	50.5	
		8-29-66	241.1	48.9	
		9-05-66	238.5	51.5	
		9-12-66	240.5	49.5	
		9-19-66	239.4	50.6	
		9-26-66	241.6	48.4	
04S/09W-28R01S	262.1	8-25-65	222.9(4)	39.2	102
		9-23-65	(1)		
		10-27-65	230.3(4)	31.8	
		12-06-65	212.1	50.0	
		1-05-66	210.6	51.5	
		3-01-66	215.5(2)	46.6	
		3-31-66	222.8(2)	39.3	
		4-26-66	221.6(2)	40.5	
		5-18-66	220.7	41.4	
		6-15-66	216.4	45.7	
		7-25-66	229.0(2)	33.1	
		8-10-66	234.2(2)	27.9	
		9-28-66	230.5	31.6	
04S/09W-31H01S	178.0	8-25-65	(1)		102
		9-23-65	(1)		
		10-27-65	(1)		
		12-06-65	(1)		
		1-05-66	117.7	60.3	
		3-01-66	(1)		
		3-31-66	121.6	56.4	
		4-26-66	125.0	53.0	
		5-18-66	122.1	55.9	
		6-15-66	122.5	55.5	
		7-25-66	(1)		
		8-10-66	(1)		
		9-28-66	(1)		
04S/09W-32K01S	200.0	7-05-65	162.4	37.6	715
		7-12-65	163.8	36.2	
		7-19-65	165.3	34.7	
		7-26-65	165.0	35.0	
		8-02-65	166.3	33.7	
		8-09-65	167.3	32.7	
		8-16-65	171.9	28.1	
		8-23-65	167.5	32.5	
		8-30-65	171.8	28.2	
		9-06-65	168.1	31.9	
		9-13-65	236.8(1)	-36.8	
		9-20-65	164.3	35.7	
		9-27-65	165.2	34.8	
		10-04-65	168.2	31.8	
		10-11-65	166.5	33.5	
		10-18-65	169.8	30.2	
		10-25-65	166.7	33.3	
		11-01-65	163.8	36.2	
		11-08-65	162.6	37.4	
		11-15-65	160.3	39.7	
		11-29-65	158.1	41.9	
		12-06-65	158.3	41.7	
		12-13-65	158.4	41.6	
		1-03-66	155.0	45.0	
		1-10-66	154.9	45.1	
		1-17-66	154.7	45.3	
		1-24-66	156.1	43.9	
		1-31-66	154.5	45.5	
		2-07-66	153.2	46.8	
		2-14-66	153.5	46.5	
		2-21-66	154.5	45.5	
		2-28-66	155.9	44.1	
		3-07-66	156.6	43.4	
		3-14-66	156.2	43.8	
		3-21-66	157.5	42.5	
		3-28-66	157.2	42.8	
		4-04-66	158.2	41.8	
		4-11-66	159.7	40.3	
		4-18-66	160.0	40.0	
		4-25-66	162.6	37.4	
		5-02-66	165.6	34.4	
		5-09-66	163.4	36.6	
		5-16-66	165.1	34.9	
		5-23-66	163.4	36.6	
		5-31-66	164.2	35.8	
		6-06-66	165.5	34.5	
		6-13-66	164.9	35.1	
		6-20-66	162.5	37.5	
		6-27-66	163.3	36.7	
		7-04-66	163.6	36.4	
		7-11-66	166.6	33.4	
		7-18-66	167.8	32.2	
		7-25-66	168.7	31.3	
		8-01-66	168.2	31.8	
		8-08-66	169.5	30.5	
		8-15-66	170.6	29.4	
		8-22-66	171.1	28.9	
		8-29-66	171.0	29.0	
		9-05-66	170.2	29.8	
		9-12-66	171.7	28.3	
		9-19-66	171.9	28.1	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-32K01S (CONT.)	200.0	9-26-66	172.3	27.7	715
04S/09W-33M01S	226.0	7-21-65	(7)		102
		8-24-65	195.1	30.9	
		9-23-65	(7)		
		10-27-65	190.3	35.7	
		12-06-65	180.7	45.3	
		1-05-66	177.2	48.8	
		3-01-66	179.9	46.1	
		3-31-66	181.7	44.3	
		4-26-66	188.7	37.3	
		5-18-66	191.6	34.4	
		6-15-66	189.7	36.3	
		7-25-66	196.3	29.7	
		8-10-66	199.8	26.2	
		9-28-66	198.3	27.7	
04S/10W-11Q02S	171.0	7-01-65	102.4	68.6	210
		8-01-65	100.0	71.0	
		9-01-65	97.4	73.6	
		10-01-65	97.3	73.7	
		11-01-65	95.8	75.2	
		12-01-65	95.5	75.5	
		1-01-66	94.5	76.5	
		2-01-66	96.6	74.4	
		3-01-66	107.7	63.3	
		4-01-66	108.1	62.9	
		5-01-66	106.7	64.3	
		6-01-66	98.5	72.5	
		7-01-66	109.7	61.3	
		8-01-66	109.7	61.3	
		9-01-66	111.2	59.8	
04S/10W-12A01S	200.0	7-01-65	101.6	98.4	102
		8-05-65	97.7	102.3	
		9-07-65	94.4	105.6	
		10-06-65	94.2	105.8	
		11-01-65	96.4	103.6	
		12-03-65	103.2	96.8	
		1-11-66	103.9	96.1	
		2-02-66	107.1	92.9	
		3-02-66	108.1	91.9	
		4-05-66	111.7	88.3	
		5-02-66	105.0	95.0	
		6-03-66	98.3	101.7	
		7-05-66	101.6	98.4	
		8-01-66	110.3	89.7	
		9-01-66	115.0	85.0	
04S/10W-12C01S	197.7	7-01-65	103.2	94.5	210
		8-01-65	101.0	96.7	
		9-01-65	98.7	99.0	
		10-01-65	98.3	99.4	
		11-01-65	86.3	111.4	
		12-01-65	86.0	111.7	
		1-01-66	113.5	84.2	
		2-01-66	115.3	82.4	
		3-01-66	115.4	82.3	
		4-01-66	109.8	87.9	
		5-01-66	104.3	93.4	
		6-01-66	106.5	91.2	
		7-01-66	109.6	88.1	
		8-01-66	106.1	91.6	
		9-01-66	107.9	89.8	
04S/10W-12J02S	199.0	8-05-65	(1)		102
		9-07-65	100.1	98.9	
		10-06-65	(1)		
		11-01-65	95.0	104.0	
		12-03-65	100.3	98.7	
		1-11-66	103.2	95.8	
		2-02-66	107.0	92.0	
		3-02-66	107.7	91.3	
		4-05-66	107.5	91.5	
		5-02-66	(9)		
		5-06-66	110.6	88.4	
		6-03-66	93.4	105.6	
		7-05-66	97.8	101.2	
		8-01-66	105.8	93.2	
		9-01-66	111.9	87.1	
04S/10W-13B02S	185.2	7-01-65	(1)		102
		8-05-65	106.0	79.2	
		9-07-65	(1)		
		10-06-65	98.4	86.8	
		11-01-65	100.2	85.0	
		12-03-65	102.8	82.4	
		1-11-66	(9)		
		2-02-66	(9)		
		3-02-66	(9)		
		4-05-66	115.2	70.0	
		5-06-66	117.5	67.7	
		6-03-66	99.2	86.0	
		7-05-66	105.7	79.5	
		8-01-66	112.9	72.3	
		9-01-66	117.6	67.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-13G01S (CONT.)	187.8	8-05-65	(1)		102
		9-07-65	(1)		
		10-06-65	109.7	78.1	
		11-01-65	110.3	77.5	
		12-03-65	111.6	76.2	
		1-11-66	112.3	75.5	
		2-02-66	110.2	77.6	
		3-02-66	110.3	77.5	
		4-05-66	113.3	74.5	
		5-02-66	111.6	76.2	
		6-03-66	104.1	83.7	
		7-05-66	108.2	79.6	
		8-01-66	113.2	74.6	
		9-01-66	116.8	71.0	
04S/10W-14D02S	166.4	7-01-65	105.5	60.9	210
		8-01-65	104.9	61.5	
		9-01-65	102.7	63.7	
		10-01-65	101.9	64.5	
		11-01-65	100.7	65.7	
		12-01-65	100.5	65.9	
		1-01-66	105.5	60.9	
		2-01-66	107.7	58.7	
		3-01-66	109.5	56.9	
		4-01-66	107.5	58.9	
		5-01-66	102.7	63.7	
		6-01-66	106.1	60.3	
		7-01-66	108.8	57.6	
		8-01-66	115.0	51.4	
		9-01-66	116.0	50.4	
04S/10W-14H01S	173.2	7-01-65	(1)		102
		8-05-65	(1)		
		9-07-65	(9)		
		10-06-65	(1)		
		11-01-65	93.9	79.3	
		12-03-65	93.4	79.8	
		1-11-66	94.5	78.7	
		2-02-66	98.7	74.5	
		3-02-66	99.1	74.1	
		4-05-66	103.4	69.8	
		5-02-66	105.8	67.4	
		6-03-66	94.9	78.3	
		7-05-66	98.6	74.6	
		8-01-66	(9)		
		9-01-66	109.2	64.0	
04S/10W-14H02S	173.4	7-01-65	103.2	70.2	210
		8-01-65	102.2	71.2	
		9-01-65	107.2	66.2	
		10-01-65	102.0	71.4	
		11-01-65	73.6	99.8	
		12-01-65	73.3	100.1	
		1-01-66	102.9	70.5	
		2-01-66	104.7	68.7	
		3-01-66	106.5	66.9	
		4-01-66	112.5	60.9	
		5-01-66	108.1	65.3	
		6-01-66	103.8	69.6	
		7-01-66	118.8	54.6	
		8-01-66	119.6	53.8	
		9-01-66	123.8	49.6	
04S/10W-14M01S	163.1	8-01-65	95.1	68.0	210
		9-01-65	94.8	68.3	
		10-01-65	92.2	70.9	
		11-01-65	90.8	72.3	
		12-01-65	90.2	72.9	
		1-01-66	88.7	74.4	
		2-01-66	90.5	72.6	
		3-01-66	98.0	65.1	
		4-01-66	97.5	65.6	
		5-01-66	92.3	70.8	
		6-01-66	125.8	37.3	
		7-01-66	96.2	66.9	
		8-01-66	97.3	65.8	
		9-01-66	98.8	64.3	
04S/10W-15B01S	152.6	8-01-65	104.2	48.4	210
		9-01-65	98.6	54.0	
		10-01-65	97.8	54.8	
		11-01-65	91.3	61.3	
		12-01-65	91.0	61.6	
		1-01-66	97.0	55.6	
		2-01-66	99.3	53.3	
		3-01-66	102.7	49.9	
		4-01-66	101.8	50.8	
		5-01-66	99.7	52.9	
		6-01-66	102.7	49.9	
		7-01-66	108.0	44.6	
		8-01-66	110.3	42.3	
		9-01-66	110.7	41.9	
04S/10W-15B05S	155.0	7-01-65	104.2	50.8	210
		8-01-65	107.8	47.2	
		9-01-65	102.9	52.1	
		10-01-65	102.2	52.8	
		11-01-65	94.8	60.2	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-15B05S (CONT.)	155.0	12-01-65	94.4	60.6	210
		1-01-66	96.4	58.6	
		2-01-66	100.5	54.5	
		3-01-66	104.0	51.0	
		4-01-66	97.2	57.8	
		5-01-66	94.8	60.2	
		6-01-66	103.6	51.4	
		7-01-66	110.5	44.5	
		8-01-66	110.8	44.2	
		9-01-66	111.1	43.9	
04S/10W-15J04S	152.0	7-06-65	108.5	43.5	102
		7-13-65	109.4	42.6	
		7-19-65	109.6	42.4	
		7-26-65	109.3	42.7	
		8-03-65	109.9	42.1	
		8-09-65	109.7	42.3	
		8-24-65	110.4	41.6	
		8-30-65	109.5	42.5	
		9-13-65	107.4	44.6	
		9-20-65	105.8	46.2	
		9-27-65	106.0	46.0	
		10-11-65	105.1	46.9	
		10-18-65	104.8	47.2	
		10-25-65	107.2	44.8	
		11-01-65	104.4	47.6	
		11-08-65	105.3	46.7	
		11-29-65	101.7	50.3	
		12-27-65	100.6	51.4	
		1-17-66	101.2	50.8	
		1-25-66	101.8	50.2	
		1-31-66	102.6	49.4	
		2-07-66	102.1	49.9	
		2-15-66	102.8	49.2	
		2-21-66	103.4	48.6	
		3-02-66	105.1	46.9	
		3-09-66	107.6	44.4	
		3-16-66	109.7	42.3	
		3-23-66	108.0	44.0	
		3-30-66	109.7	42.3	
		4-06-66	(1)		
		4-13-66	112.6	39.4	
		4-20-66	(1)		
		4-27-66	111.2	40.8	
		5-04-66	113.6	38.4	
		5-11-66	107.8	44.2	
		5-18-66	109.2	42.8	
		5-25-66	108.9	43.1	
		6-01-66	111.5	40.5	
		6-08-66	110.8	41.2	
		6-15-66	(1)		
		6-22-66	109.6	42.4	
		6-29-66	112.7	39.3	
		7-06-66	111.3	40.7	
		7-13-66	112.9	39.1	
		7-20-66	113.8	38.2	
		7-27-66	114.8	37.2	
		8-03-66	115.2	36.8	
		8-10-66	120.8	31.2	
		8-17-66	115.9	36.1	
		8-24-66	118.4	33.6	
		8-31-66	118.1	33.9	
		9-07-66	(1)		
		9-14-66	(8)		
		9-21-66	117.4	34.6	
		9-28-66	120.7	31.3	
04S/10W-17H01S	123.0	8-01-65	86.5	36.5	210
		9-01-65	85.3	37.7	
		10-01-65	82.8	40.2	
		11-01-65	75.1	47.9	
		12-01-65	74.5	48.5	
		1-01-66	71.7	51.3	
		2-01-66	79.0	44.0	
		3-01-66	82.2	40.8	
		4-01-66	88.0	35.0	
		5-01-66	87.4	35.6	
		6-01-66	89.3	33.7	
		7-01-66	91.7	31.3	
		8-01-66	93.8	29.2	
		9-01-66	90.7	32.3	
04S/10W-17J02S	116.1	8-01-65	97.5	18.6	210
		9-01-65	97.7	18.4	
		10-01-65	90.3	25.8	
		11-01-65	82.0	34.1	
		12-01-65	81.7	34.4	
		1-01-66	82.3	33.8	
		2-01-66	84.2	31.9	
		3-01-66	89.1	27.0	
		4-01-66	93.3	22.8	
		5-01-66	90.6	25.5	
		6-01-66	92.6	23.5	
		7-01-66	93.8	22.3	
		8-01-66	94.8	21.3	
		9-01-66	96.0	20.1	
04S/10W-17L02S	110.6	8-01-65	84.0	26.6	210

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-17L02S (CONT.)	110.6	9-01-65	83.1	27.5	210
		10-01-65	83.1	27.5	
		11-01-65	81.8	28.8	
		12-01-65	81.7	28.9	
		1-01-66	79.7	30.9	
		2-01-66	82.0	28.6	
		3-01-66	62.5	48.1	
		4-01-66	65.5	45.1	
		5-01-66	64.5	46.1	
		6-01-66	64.5	46.1	
		7-01-66	65.5	45.1	
		8-01-66	65.5	45.1	
		9-01-66	67.5	43.1	
04S/10W-17Q01S	112.0	8-05-65	79.4	32.6	102
		9-01-65	80.1	31.9	
		10-13-65	80.1	31.9	
		11-02-65	79.0	33.0	
		12-07-65	76.3	35.7	
		1-12-66	75.0	37.0	
		2-02-66	74.9	37.1	
		3-03-66	74.4	37.6	
		4-12-66	74.8	37.2	
		5-03-66	75.8	36.2	
		6-06-66	76.1	35.9	
		7-07-66	77.0	35.0	
		8-02-66	77.7	34.3	
		9-12-66	78.1	33.9	
04S/10W-19G02S	93.0	7-09-65	68.9	24.1	102
		8-05-65	70.1	22.9	
		9-15-65	70.1	22.9	
		10-15-65	68.3	24.7	
		11-04-65	67.8	25.2	
		12-17-65	63.5	29.5	
		1-13-66	62.4	30.6	
		2-08-66	61.4	31.6	
		3-04-66	62.0	31.0	
		4-12-66	63.4	29.6	
		5-05-66	68.2	24.8	
		6-07-66	65.1	27.9	
		7-09-66	66.7	26.3	
		8-03-66	67.2	25.8	
		9-14-66	70.3	22.7	
04S/10W-21F01S	118.0	7-08-65	92.7	25.3	102
		8-05-65	90.5	27.5	
		9-01-65	89.8	28.2	
		10-13-65	85.0	33.0	
		11-02-65	85.2	32.8	
		12-07-65	83.0	35.0	
		1-12-66	85.0	33.0	
		2-02-66	80.7	37.3	
		3-03-66	80.2	37.8	
		4-12-66	80.5	37.5	
		5-03-66	81.2	36.8	
		6-06-66	81.6	36.4	
		7-07-66	(1)		
		8-02-66	82.9	35.1	
		9-12-66	83.6	34.4	
04S/10W-22C03S	140.0	3-08-66	96.7	43.3	102
		4-14-66	99.3	40.7	
		5-06-66	99.9	40.1	
		6-08-66	100.2	39.8	
		7-11-66	103.4	36.6	
		8-08-66	106.2	33.8	
		9-15-66	107.9	32.1	
04S/10W-23R02S	165.0	8-01-65	97.3	67.7	210
		9-01-65	93.8	71.2	
		10-01-65	94.5	70.5	
		11-01-65	91.2	73.8	
		12-01-65	90.6	74.4	
		1-01-66	94.8	70.2	
		2-01-66	95.7	69.3	
		3-01-66	100.6	64.4	
		4-01-66	101.0	64.0	
		5-01-66	98.6	66.4	
		6-01-66	101.2	63.8	
		7-01-66	105.4	59.6	
		8-01-66	108.7	56.3	
		9-01-66	111.5	53.5	
04S/10W-23H01S	163.0	7-01-65	99.7	63.3	102
		8-05-65	101.0	62.0	
		9-07-65	101.9	61.1	
		10-06-65	101.7	61.3	
		11-01-65	101.3	61.7	
		12-03-65	101.4	61.6	
		1-11-66	100.1	62.9	
		2-02-66	99.9	63.1	
		3-02-66	100.5	62.5	
		4-05-66	100.4	62.6	
		5-02-66	101.2	61.8	
		6-03-66	100.2	62.8	
		7-05-66	99.7	63.3	
		8-01-66	100.7	62.3	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-23H01S (CONT.)	163.0	9-01-66	102.4	60.6	102
04S/10W-23R01S	157.5	8-05-65	93.7	63.8	102
		9-07-65	89.3	68.2	
		10-06-65	89.7	67.8	
		11-01-65	89.8	67.7	
		12-03-65	88.8	68.7	
		1-11-66	88.7	68.8	
		2-02-66	90.2	67.3	
		3-02-66	91.5	66.0	
		4-05-66	95.2	62.3	
		5-02-66	93.0	64.5	
		6-03-66	88.9	68.6	
		7-05-66	99.3	58.2	
		8-01-66	96.7	60.8	
		9-01-66	101.2	56.3	
04S/10W-24B03S	172.0	8-05-65	(1)		102
		9-07-65	(1)		
		10-06-65	101.1	70.9	
		11-01-65	(1)		
		12-03-65	102.3	69.7	
		1-11-66	102.2	69.8	
		2-02-66	104.7	67.3	
		3-02-66	105.8	66.2	
		4-05-66	(1)		
		5-02-66	106.4	65.6	
		6-03-66	101.2	70.8	
		7-05-66	105.6	66.4	
		8-01-66	112.1	59.9	
		9-01-66	(1)		
04S/10W-24D01S	173.0	8-05-65	105.2	67.8	102
		10-06-65	105.0	68.0	
		11-01-65	104.6	68.4	
		12-03-65	(9)		
		1-11-66	(9)		
		2-02-66	(9)		
		3-02-66	(9)		
		4-05-66	(9)		
		5-02-66	(9)		
		6-03-66	102.3	70.7	
		7-05-66	(9)		
		8-01-66	(9)		
		9-01-66	(9)		
04S/10W-24R02S	163.0	2-07-66	92.1	70.9	102
		2-21-66	92.2	70.8	
		3-23-66	94.8	68.2	
		3-30-66	97.2	65.8	
04S/10W-25E01S	144.5	7-12-65	88.9	55.6	102
		7-19-65	89.2	55.3	
		7-26-65	89.3	55.2	
		8-03-65	89.7	54.8	
		8-09-65	89.7	54.8	
		8-24-65	89.5	55.0	
		8-30-65	89.5	55.0	
		9-13-65	(1)		
		9-20-65	88.6	55.9	
		9-27-65	89.0	55.5	
		10-18-65	88.9	55.6	
		10-25-65	89.5	55.0	
		11-01-65	89.1	55.4	
		11-08-65	88.9	55.6	
		11-29-65	87.8	56.7	
		12-13-65	86.3	58.2	
		12-27-65	85.9	58.6	
		1-03-66	85.8	58.7	
		1-17-66	85.2	59.3	
		1-24-66	83.7	60.8	
		1-31-66	85.4	59.1	
		2-07-66	85.1	59.4	
		2-15-66	85.4	59.1	
		2-21-66	85.5	59.0	
		3-02-66	85.8	58.7	
		3-09-66	86.3	58.2	
		3-16-66	86.4	58.1	
		3-23-66	86.9	57.6	
		3-30-66	86.8	57.7	
		4-06-66	87.6	56.9	
		4-13-66	87.6	56.9	
		4-20-66	88.5	56.0	
		4-27-66	(1)		
		5-04-66	(1)		
		5-11-66	87.3	57.2	
		5-18-66	87.8	56.7	
		5-25-66	87.4	57.1	
		6-01-66	86.4	58.1	
		6-08-66	(1)		
		6-15-66	88.0	56.5	
		6-22-66	87.6	56.9	
		6-29-66	87.9	56.6	
		7-06-66	88.2	56.3	
		7-13-66	89.1	55.4	
		7-20-66	88.7	55.8	
		7-27-66	89.3	55.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-25E01S (CONT.)	144.5	8-03-66	91.0	53.5	102
		8-10-66	90.4	54.1	
		8-17-66	91.1	53.4	
		8-24-66	91.1	53.4	
		8-31-66	(1)		
		9-07-66	92.1	52.4	
		9-14-66	91.6	52.9	
		9-21-66	(1)		
		9-28-66	92.9	51.6	
04S/10W-26C01S	139.6	8-11-65	(1)		102
		9-16-65	95.3	44.3	
		10-19-65	95.5	44.1	
		11-09-65	95.5	44.1	
		12-20-65	93.8	45.8	
		1-18-66	92.8	46.8	
		2-09-66	92.3	47.3	
		3-08-66	92.1	47.5	
		4-14-66	92.5	47.1	
		5-06-66	93.1	46.5	
		6-08-66	93.1	46.5	
		7-11-66	93.4	46.2	
		8-08-66	94.2	45.4	
		9-15-66	95.1	44.5	
04S/10W-27C02S	129.0	7-09-65	88.9	40.1	101
		7-09-65	88.9	40.1	
		8-11-65	89.4	39.6	102
		8-11-65	89.4	39.6	101
		8-11-65	89.4	39.6	
		9-16-65	90.1	38.9	102
		9-16-65	90.0	39.0	101
		9-16-65	90.0	39.0	
		10-16-65	90.5	38.5	
		10-19-65	90.5	38.5	102
		10-19-65	90.5	38.5	101
		11-09-65	(9)		102
		12-20-65	88.2	40.8	
		12-20-65	88.2	40.8	101
		12-20-65	88.2	40.8	
		1-18-66	84.8	44.2	102
		1-18-66	84.8	44.2	101
		1-18-66	84.8	44.2	
		2-09-66	86.2	42.8	102
		2-09-66	86.2	42.8	101
		2-09-66	86.2	42.8	
		3-08-66	85.7	43.3	102
		3-08-66	85.7	43.3	101
		3-08-66	85.7	43.3	
		4-14-66	85.7	43.3	102
		4-14-66	85.7	43.3	101
		4-14-66	85.7	43.3	
		5-06-66	86.6	42.4	102
		5-06-66	86.6	42.4	101
		5-06-66	86.6	42.4	
		6-08-66	87.0	42.0	102
		6-08-66	87.0	42.0	101
		6-08-66	87.0	42.0	
		7-11-66	87.6	41.4	102
		8-08-66	88.0	41.0	
		9-15-66	88.9	40.1	
04S/10W-28M02S	108.0	3-08-66	74.4	33.6	102
		4-14-66	77.0	31.0	
		5-06-66	77.0	31.0	
		6-08-66	78.6	29.4	
		7-11-66	79.6	28.4	
		8-08-66	77.2	30.8	
		9-15-66	81.8	26.2	
04S/10W-31B02S	80.0	7-09-65	63.8	16.2	102
		8-11-65	67.4	12.6	
		9-16-65	63.8	16.2	
		10-19-65	63.8	16.2	
		11-08-65	63.9	16.1	
		12-17-65	56.3	23.7	
		1-18-66	55.0	25.0	
		2-09-66	54.3	25.7	
		3-08-66	56.1	23.9	
		4-14-66	59.7	20.3	
		5-06-66	61.0	19.0	
		6-08-66	61.9	18.1	
		7-11-66	64.2	15.8	
		8-08-66	64.8	15.2	
		9-15-66	64.0	16.0	
04S/10W-32Q01S	83.1	7-13-65	59.6(4)	23.5	102
		7-19-65	60.1(4)	23.0	
		7-26-65	60.1(4)	23.0	
		8-03-65	60.5(4)	22.6	
		8-09-65	60.8(4)	22.3	
		8-24-65	61.5(4)	21.6	
		8-30-65	62.0(4)	21.1	
		9-13-65	61.4(4)	21.7	
		9-20-65	60.2(4)	22.9	
		9-27-65	60.2(4)	22.9	
		10-11-65	60.8(4)	22.3	
		10-18-65	59.9(4)	23.2	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/10W-32Q01S (CONT.)	83.1	10-25-65	60.8(4)	22.3	102
		11-01-65	(1)		
		11-08-65	59.6(4)	23.5	
		11-29-65	(1)		
		12-13-65	53.5	29.6	
		12-27-65	52.6	30.5	
		1-03-66	(1)		
		1-17-66	(1)		
		1-24-66	(1)		
		1-31-66	51.4	31.7	
		2-07-66	50.3	32.8	
		2-15-66	(1)		
		2-21-66	50.7	32.4	
		2-28-66	(1)		
		3-07-66	(1)		
		3-14-66	(1)		
		3-21-66	(1)		
		3-28-66	52.1	31.0	
		4-04-66	54.1	29.0	
		4-12-66	55.7	27.4	
		4-26-66	(1)		
		5-03-66	(1)		
		5-10-66	(1)		
		5-17-66	(1)		
		5-24-66	(1)		
		6-07-66	(1)		
		6-14-66	55.8	27.3	
		6-21-66	55.8	27.3	
		6-28-66	56.0	27.1	
		7-05-66	(4)		
		7-12-66	57.0	26.1	
		7-19-66	57.2	25.9	
		7-26-66	57.4	25.7	
		8-02-66	57.5	25.6	
		8-09-66	57.6	25.5	
		8-16-66	58.0	25.1	
		8-22-66	58.3	24.8	
		8-30-66	58.6	24.5	
		9-06-66	(1)		
		9-13-66	(1)		
		9-20-66	(1)		
04S/10W-34D03S	95.9	7-09-65	63.2	32.7	102
		8-11-65	64.2	31.7	
		9-16-65	64.0	31.9	
		10-19-65	63.9	32.0	
		11-09-65	63.5	32.4	
		12-20-65	(8)		
		1-18-66	(8)		
		2-09-66	(8)		
		3-08-66	(8)		
		4-14-66	(8)		
		5-06-66	60.1	35.8	
		6-08-66	63.9	32.0	
		7-11-66	61.7	34.2	
		8-08-66	61.9	34.0	
		9-15-66	(9)		
04S/10W-35A03S	136.0	8-11-65	91.6	44.4	102
		9-16-65	91.5	44.5	
		10-19-65	91.4	44.6	
		11-09-65	91.5	44.5	
		12-20-65	89.1	46.9	
		1-18-66	86.9	49.1	
		2-09-66	86.9	49.1	
		3-08-66	87.4	48.6	
		4-14-66	88.5	47.5	
		5-06-66	88.9	47.1	
		6-08-66	89.3	46.7	
		7-11-66	92.7	43.3	
		8-08-66	90.8	45.2	
		9-15-66	91.4	44.6	
04S/10W-35K01S	121.0	8-11-65	86.5	34.5	102
		9-16-65	85.5	35.5	
		10-19-65	(1)		
		11-09-65	84.9	36.1	
		12-20-65	82.3	38.7	
		1-18-66	80.3	40.7	
		2-09-66	80.5	40.5	
		3-08-66	80.1	40.9	
		4-14-66	81.9	39.1	
		5-06-66	82.0	39.0	
		6-08-66	83.6	37.4	
		7-11-66	85.3	35.7	
		8-08-66	84.0	37.0	
		9-15-66	85.8	35.2	
04S/11W-24A03S	83.0	8-06-65	59.9	23.1	102
		9-15-65	59.7	23.3	
		10-15-65	57.0	26.0	
		11-04-65	56.4	26.6	
		12-17-65	51.7	31.3	
		1-13-66	51.1	31.9	
		2-08-66	50.0	33.0	
		3-04-66	50.8	32.2	
		4-13-66	52.5	30.5	
		5-05-66	55.5	27.5	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/11W-24A03S	83.0	6-07-66	54.9	28.1	102
(CONT.)		7-09-66	56.3	26.7	
		8-03-66	56.5	26.5	
		9-14-66	55.9	27.1	
04S/11W-24M01S	71.0	8-06-65	64.3(2)	6.7	102
		9-15-65	58.6(2)	12.4	
		10-15-65	54.5(2)	16.5	
		11-04-65	(1)		
		12-17-65	42.4	28.6	
		1-13-66	(1)		
		2-08-66	(1)		
		3-04-66	48.3	22.7	
		4-13-66	(1)		
		5-05-66	(1)		
		6-07-66	60.5(2)	10.5	
		7-09-66	(1)		
		8-03-66	69.4	1.6	
		9-14-66	65.9(2)	5.1	
04S/11W-26B01S	59.8	8-06-65	44.7	15.1	102
		9-15-65	43.9	15.9	
		10-15-65	40.6	19.2	
		11-04-65	41.0	18.8	
		12-17-65	33.3	26.5	
		1-13-66	33.7	26.1	
		2-08-66	33.0	26.8	
		3-04-66	34.2	25.6	
		4-13-66	37.4	22.4	
		5-05-66	40.5	19.3	
		6-07-66	41.3	18.5	
		7-09-66	43.1	16.7	
		8-03-66	43.6	16.2	
		9-14-66	43.6	16.2	
04S/11W-26J01S	66.0	7-12-65	54.2	11.8	102
		7-19-65	55.9	10.1	
		7-26-65	56.1	9.9	
		8-03-65	58.0	8.0	
		8-09-65	57.2	8.8	
		8-24-65	(1)		
		8-30-65	(1)		
		9-13-65	(1)		
		9-20-65	51.7	14.3	
		9-27-65	(1)		
		10-11-65	(9)		
		10-18-65	50.9	15.1	
		10-25-65	(1)		
		11-01-65	50.7	15.3	
		11-08-65	49.9	16.1	
		11-29-65	40.4	25.6	
		12-27-65	38.7	27.3	
		1-03-66	38.6	27.4	
		1-17-66	39.3	26.7	
		1-25-66	(1)		
		1-31-66	40.1	25.9	
		2-07-66	39.0	27.0	
		2-15-66	39.7	26.3	
		2-21-66	40.8	25.2	
		2-28-66	43.1	22.9	
		3-07-66	44.2	21.8	
		3-14-66	44.4	21.6	
		3-21-66	46.3	19.7	
		3-28-66	45.3	20.7	
		4-04-66	46.8	19.2	
		4-12-66	48.8	17.2	
		4-26-66	52.2	13.8	
		5-03-66	52.6	13.4	
		5-10-66	(1)		
		5-17-66	52.9	13.1	
		5-24-66	(1)		
		6-07-66	(1)		
		6-14-66	56.2	9.8	
		6-21-66	(1)		
		6-28-66	56.9	9.1	
		7-05-66	57.6	8.4	
		7-12-66	59.4	6.6	
		7-19-66	59.0	7.0	
		7-26-66	(1)		
		8-02-66	(1)		
		8-09-66	(1)		
		8-16-66	(1)		
		8-22-66	(1)		
		8-30-66	(1)		
		9-06-66	(1)		
		9-13-66	60.0	6.0	
		9-20-66	59.3	6.7	
04S/11W-35B01S	55.4	7-09-65	45.2	10.2	102
		8-06-65	(1)		
		9-15-65	(1)		
		10-15-65	45.8	9.6	
		11-04-65	43.6	11.8	
		12-17-65	33.5	21.9	
		1-13-66	32.3	23.1	
		2-08-66	32.4	23.0	
		3-04-66	35.6	19.8	
		4-14-66	39.0	16.4	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/11W-35B01S	55.4	5-05-66	43.2	12.2	102
(CONT.)		6-07-66	49.5	5.9	
		7-09-66	(1)		
		8-03-66	48.0	7.4	
		9-14-66	(1)		
05S/08W-19H01S	254.3	8-17-65	161.2	93.1	102
		9-23-65	162.0	92.3	
		10-26-65	161.8	92.5	
		11-19-65	158.2	96.1	
		1-04-66	156.3	98.0	
		2-23-66	152.8	101.5	
		3-16-66	151.8	102.5	
		4-25-66	152.2	102.1	
		5-17-66	155.8	98.5	
		6-14-66	157.6	96.7	
		7-21-66	160.1	94.2	
		8-09-66	161.7	92.6	
		9-20-66	163.0	91.3	
05S/08W-29P01S	265.8	7-15-65	226.8	39.0	102
		8-17-65	227.9	37.9	
		9-23-65	227.2	38.6	
		10-26-65	226.5	39.3	
		11-19-65	231.7	34.1	
		1-04-66	234.2	31.6	
		2-24-66	235.8	30.0	
		3-16-66	230.3	35.5	
		4-25-66	220.4	45.4	
		5-17-66	222.5	43.3	
		6-14-66	(1)		
		7-21-66	(1)		
		8-09-66	(1)		
		9-20-66	232.6	33.2	
05S/08W-31K01S	219.7	8-17-65	202.5	17.2	102
		9-23-65	195.6	24.1	
		10-26-65	195.0	24.7	
		11-19-65	188.7	31.0	
		1-14-66	179.1	40.6	
		2-23-66	176.1	43.6	
		3-16-66	175.5	44.2	
		4-25-66	(1)		
		5-17-66	(1)		
		6-14-66	(1)		
		7-21-66	(1)		
		8-09-66	221.3	-1.6	
		9-00-66	209.5	10.2	709
		9-20-66	(1)		102
05S/09W-08B02S	171.0	7-21-65	(1)		102
		8-24-65	(1)		
		9-23-65	(1)		
		10-27-65	(1)		
		12-06-65	120.4	50.6	
		1-05-66	118.5	52.5	
		3-01-66	116.2	54.8	
		3-31-66	118.3	52.7	
		4-26-66	(1)		
		5-18-66	(1)		
		6-15-66	(1)		
		7-25-66	126.5	44.5	
		8-10-66	(1)		
		9-28-66	(1)		
05S/09W-09M01S	150.0	7-21-65	99.6	50.4	102
		8-24-65	101.5	48.5	
		9-23-65	100.3	49.7	
		10-27-65	100.2	49.8	
		12-06-65	98.4	51.6	
		1-05-66	98.0	52.0	
		3-01-66	94.9	55.1	
		3-31-66	98.3	51.7	
		4-26-66	98.7	51.3	
		5-18-66	96.1	53.9	
		6-15-66	97.0	53.0	
		7-25-66	97.5	52.5	
		8-10-66	98.5	51.5	
05S/09W-10C01S	189.1	8-24-65	149.6	39.5	102
		9-23-65	147.2	41.9	
		10-27-65	148.7	40.4	
		12-01-65	155.7	33.4	
		1-05-66	141.2	47.9	
		3-01-66	137.3	51.8	
		3-31-66	138.8	50.3	
		4-26-66	142.2	46.9	
		5-18-66	142.5	46.6	
		6-15-66	144.0	45.1	
		7-25-66	147.3	41.8	
		8-10-66	148.3	40.8	
		9-28-66	150.9	38.2	
05S/09W-10G01S	180.4	7-14-65	138.5	41.9	102
		7-21-65	139.8	40.6	
		7-28-65	140.5	39.9	
		8-04-65	140.9	39.5	
		8-11-65	142.3	38.1	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/09W-10G01S	180.4	8-18-65	143.3	37.1	102
(CONT.)		8-25-65	141.9	38.5	
		9-01-65	141.2	39.2	
		9-08-65	140.4	40.0	
		9-15-65	139.7	40.7	
		9-22-65	139.1	41.3	
		9-29-65	139.2	41.2	
		10-13-65	139.1	41.3	
		10-20-65	138.6	41.8	
		10-27-65	141.1	39.3	
		11-03-65	139.6	40.8	
		11-10-65	139.0	41.4	
		12-01-65	136.1	44.3	
		12-15-65	134.5	45.9	
		12-22-65	133.7	46.7	
		1-05-66	133.1	47.3	
		1-12-66	132.4	48.0	
		1-19-66	131.8	48.6	
		1-26-66	131.4	49.0	
		2-02-66	131.2	49.2	
		2-09-66	130.6	49.8	
		2-16-66	130.2	50.2	
		2-23-66	129.7	50.7	
		3-02-66	129.4	51.0	
		3-09-66	129.7	50.7	
		3-16-66	129.1	51.3	
		3-23-66	130.6	49.8	
		3-30-66	131.1	49.3	
		4-06-66	132.7	47.7	
		4-13-66	133.7	46.7	
		4-20-66	133.7	46.7	
		4-27-66	135.2	45.2	
		5-04-66	136.0	44.4	
		5-11-66	134.6	45.8	
		5-12-66	134.5	45.9	
		5-18-66	135.6	44.8	
		5-25-66	136.1	44.3	
		6-01-66	135.9	44.5	
		6-08-66	136.3	44.1	
		6-15-66	137.0	43.4	
		6-22-66	138.6	41.8	
		6-29-66	138.3	42.1	
		7-06-66	137.9	42.5	
		7-13-66	139.2	41.2	
		7-20-66	140.8	39.6	
		7-27-66	140.8	39.6	
		8-03-66	141.3	39.1	
		8-10-66	141.4	39.0	
		8-17-66	141.8	38.6	
		8-24-66	141.3	39.1	
		8-31-66	141.7	38.7	
		9-07-66	141.0	39.4	
		9-14-66	140.4	40.0	
		9-21-66	140.9	39.5	
		9-28-66	140.3	40.1	
05S/09W-15J01S	107.3	7-15-65	(1)		102
		8-17-65	82.9	24.4	
		9-23-65	72.9	34.4	
		10-26-65	(1)		
		11-19-65	67.8	39.5	
		12-29-65	59.5	47.8	
		1-24-66	57.2	50.1	
		2-24-66	56.2	51.1	
		3-16-66	56.0	51.3	
		4-25-66	(1)		
		5-17-66	(1)		
		6-14-66	(1)		
		7-21-66	(1)		
		8-09-66	(1)		
		9-20-66	(1)		
05S/09W-15R03S	96.7	8-17-65	25.5	71.2	102
		9-23-65	25.2	71.5	
		10-26-65	25.4	71.3	
		11-19-65	24.7	72.0	
		12-29-65	24.4	72.3	
		1-24-66	24.3	72.4	
		2-24-66	24.0	72.7	
		3-16-66	24.0	72.7	
		4-25-66	23.8	72.9	
		5-17-66	23.6	73.1	
		6-14-66	24.1	72.6	
		7-21-66	(1)		
		8-09-66	24.2	72.5	
		9-20-66	24.4	72.3	
05S/09W-16B02S	127.0	8-17-65	119.2(2)	7.8	102
		9-23-65	112.5(2)	14.5	
		10-26-65	107.3(2)	19.7	
		11-19-65	89.3	37.7	
		12-29-65	83.8	43.2	
		1-24-66	84.1	42.9	
		2-24-66	83.3	43.7	
		3-16-66	93.1(2)	33.9	
		4-25-66	101.7(2)	25.3	
		5-17-66	101.6(2)	25.4	
		6-14-66	110.3(2)	16.7	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/09W-16B02S	127.0	7-21-66	106.2(2)	20.8	102
(CONT.)		8-09-66	114.5(2)	12.5	
		9-20-66	114.3	12.7	
05S/09W-19B01S	86.6	8-09-65	66.7	19.9	102
		9-21-65	60.8	25.8	
		10-20-65	59.6	27.0	
		11-19-65	54.7	31.9	
		12-28-65	46.6	40.0	
		1-25-66	47.5	39.1	
		2-16-66	48.9	37.7	
		3-10-66	51.1	35.5	
		4-20-66	54.9	31.7	
		5-11-66	59.5	27.1	
		6-13-66	60.0	26.6	
		7-14-66	65.6	21.0	
		8-11-66	67.9	18.7	
		9-20-66	(1)		
05S/09W-21B01S	94.8	8-09-65	97.1	-2.3	102
		9-21-65	(1)		
		10-20-65	(7)		
		11-19-65	(7)		
		12-28-65	54.4	40.4	
		1-25-66	53.2	41.6	
		2-16-66	52.8	42.0	
		3-10-66	53.5	41.3	
		4-20-66	(1)		
		5-11-66	76.4	18.4	
		6-13-66	72.7	22.1	
		7-14-66	79.2	15.6	
		8-11-66	(1)		
		9-20-66	82.8	12.0	
05S/09W-21P02S	75.5	8-09-65	16.2	59.3	102
		9-21-65	16.2	59.3	
		10-20-65	17.0	58.5	
		11-19-65	15.8	59.7	
		12-28-65	14.3	61.2	
		1-25-66	14.5	61.0	
		2-16-66	14.3	61.2	
		3-10-66	14.7	60.8	
		4-20-66	13.5	62.0	
		5-11-66	14.6	60.9	
		6-13-66	13.7	61.8	
		7-14-66	15.2	60.3	
		8-11-66	14.9	60.6	
		9-20-66	16.3	59.2	
05S/09W-23N01S	77.2	7-15-65	(1)		102
		8-17-65	65.4	11.8	
		9-23-65	52.2	25.0	
		10-26-65	44.5	32.7	
		11-19-65	39.6	37.6	
		1-14-66	27.0	50.2	
		2-24-66	25.5	51.7	
		3-16-66	22.3	54.9	
		4-25-66	46.8	30.4	
		5-17-66	(1)		
		6-14-66	(1)		
		7-21-66	(1)		
		8-09-66	(1)		
		9-00-66	98.3	-21.1	709
		9-20-66	67.5	9.7	102
05S/09W-25E01S	109.9	7-15-65	89.5	20.4	102
		8-17-65	97.2	12.7	
		9-23-65	92.3	17.6	
		10-26-65	83.3	26.6	
		11-19-65	76.4	33.5	
		1-14-66	61.1	48.8	
		2-24-66	56.7	53.2	
		3-16-66	55.3	54.6	
		4-25-66	(1)		
		5-17-66	(1)		
		6-14-66	95.3	14.6	
		7-21-66	112.7	-2.8	
		8-09-66	104.5	5.4	
		9-00-66	127.8	-17.9	709
		9-20-66	(1)		102
05S/09W-29M01S	52.8	8-09-65	(1)		102
		9-21-65	43.7	9.1	
		10-20-65	(1)		
		11-19-65	36.6	16.2	
		12-28-65	29.6	23.2	
		1-25-66	28.0	24.8	
		2-15-66	29.9	22.9	
		3-10-66	32.6	20.2	
		4-20-66	33.7	19.1	
		5-10-66	40.7	12.1	
		6-13-66	(1)		
		7-14-66	(1)		
		8-11-66	48.5	4.3	
		9-20-66	47.3	5.5	
05S/09W-30F01S	53.8	7-14-65	19.5	34.3	102
		8-09-65	20.4	33.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/09W-30F01S	53.8	9-21-65	20.7	33.1	102
(CONT.)		10-20-65	20.6	33.2	
		11-29-65	18.0	35.8	
		12-28-65	16.9	36.9	
		1-25-66	16.3	37.5	
		2-16-66	16.3	37.5	
		3-10-66	17.3	36.5	
		4-20-66	17.4	36.4	
		5-11-66	17.8	36.0	
		6-13-66	18.3	35.5	
		7-14-66	19.1	34.7	
		8-11-66	20.3	33.5	
		9-20-66	20.4	33.4	
05S/09W-30F02S	53.8	8-09-65	42.7	11.1	102
		9-21-65	43.2	10.6	
		10-20-65	41.9	11.9	
		11-29-65	34.2	19.6	
		12-28-65	29.9	23.9	
		1-25-66	27.8	26.0	
		2-15-66	27.7	26.1	
		3-10-66	29.0	24.8	
		4-20-66	29.4	24.4	
		5-11-66	34.9	18.9	
		6-13-66	36.8	17.0	
		7-14-66	(1)		
		8-11-66	47.0	6.8	
		9-20-66	42.2	11.6	
05S/09W-31A02S	39.4	8-09-65	36.4	3.0	102
		9-21-65	35.2	4.2	
		10-20-65	38.1	1.3	
		11-29-65	23.0	16.4	
		12-28-65	18.9	20.5	
		1-25-66	17.7	21.7	
		2-16-66	20.8	18.6	
		3-10-66	23.1	16.3	
		4-20-66	25.0	14.4	
		5-11-66	31.7	7.7	
		6-13-66	34.1	5.3	
		7-14-66	41.7	-2.3	
		8-11-66	(1)		
		9-20-66	37.9	1.5	
05S/09W-31M02S	34.7	8-09-65	30.0	4.7	102
		9-21-65	30.9	3.8	
		10-20-65	(9)		
		11-29-65	19.4	15.3	
		12-28-65	14.9	19.8	
		1-25-66	14.6	20.1	
		2-16-66	24.6	10.1	
		3-10-66	23.3	11.4	
		4-20-66	24.0	10.7	
		5-11-66	27.1	7.6	
		6-13-66	28.7	6.0	
		7-14-66	35.8	-1.1	
		8-11-66	38.7	-4.0	
		9-20-66	37.0	-2.3	
05S/09W-32A01S	44.3	7-14-65	38.1	6.2	102
		8-09-65	(1)		
		9-21-65	37.9	6.4	
		10-20-65	36.5	7.8	
		11-19-65	(9)		
		12-28-65	(9)		
		1-25-66	20.7	23.6	
		2-16-66	21.3	23.0	
		3-10-66	23.2	21.1	
		4-20-66	24.8	19.5	
		5-11-66	31.6	12.7	
		6-13-66	35.0	9.3	
		7-14-66	(1)		
		8-11-66	41.0	3.3	
		9-00-66	33.1	11.2	709
		9-20-66	39.0	5.3	102
05S/09W-32L01S	35.1	7-14-65	24.8	10.3	102
		8-09-65	26.0	9.1	
		9-21-65	25.1	10.0	
		10-20-65	25.0	10.1	
		11-19-65	20.9	14.2	
		12-28-65	11.7	23.4	
		1-25-66	10.2	24.9	
		2-16-66	9.3	25.8	
		3-10-66	11.6	23.5	
		4-20-66	11.4	23.7	
		5-11-66	17.8	17.3	
		6-13-66	20.9	14.2	
		7-14-66	24.4	10.7	
		8-11-66	27.0	8.1	
		9-20-66	24.5	10.6	
05S/09W-34J01S	67.9	7-15-65	80.8	-12.9	102
		8-17-65	(1)		
		9-23-65	85.5	-17.6	
		10-26-65	60.0	7.9	
		11-19-65	51.2	16.7	
		1-14-66	32.0	35.9	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/09W-34J01S	67.9	2-24-66	31.0	36.9	102
(CONT.)		3-16-66	30.3	37.6	
		4-25-66	(1)		
		5-17-66	88.7	-20.8	
		6-14-66	(1)		
		7-21-66	110.7	-42.8	
		8-09-66	(1)		
		9-00-66	105.2	-37.3	709
		9-20-66	(1)		102
05S/09W-35J01S	99.0	8-17-65	131.4	-32.4	102
		9-23-65	108.1	-9.1	
		10-26-65	90.0	9.0	
		11-19-65	79.0	20.0	
		1-14-66	60.9	38.1	
		2-24-66	57.4	41.6	
		3-31-66	63.4	35.6	
		4-25-66	(1)		
		5-17-66	116.4	-17.4	
		6-14-66	(1)		
		7-21-66	132.3	-33.3	
		8-09-66	(1)		
		9-20-66	125.9	-26.9	
05S/09W-36B01S	157.0	8-17-65	147.2	9.8	102
		9-23-65	142.2	14.8	
		10-26-65	138.6	18.4	
		11-19-65	132.2	24.8	
		1-14-66	115.3	41.7	
		2-24-66	111.0	46.0	
		3-16-66	110.8	46.2	
		4-25-66	(1)		
		5-17-66	(1)		
		6-14-66	143.8	13.2	
		7-21-66	153.4	3.6	
		8-09-66	150.8	6.2	
		9-20-66	152.7	4.3	
05S/09W-36K01S	147.6	7-07-65	117.1	30.5	102
		7-14-65	120.8	26.8	
		7-21-65	131.0	16.6	
		7-28-65	127.9	19.7	
		8-04-65	130.0	17.6	
		8-11-65	132.6	15.0	
		8-18-65	134.6	13.0	
		8-25-65	134.2	13.4	
		9-01-65	133.7	13.9	
		9-08-65	129.7	17.9	
		9-15-65	128.3	19.3	
		9-22-65	123.9	23.7	
		9-29-65	119.7	27.9	
		10-13-65	125.4	22.2	
		10-20-65	122.6	25.0	
		10-27-65	118.7	28.9	
		11-03-65	115.1	32.5	
		11-10-65	113.6	34.0	
		12-01-65	104.5	43.1	
		12-15-65	100.8	46.8	
		12-22-65	99.8	47.8	
		1-05-66	97.8	49.8	
		1-12-66	96.9	50.7	
		1-19-66	96.0	51.6	
		1-26-66	96.3	51.3	
		2-02-66	94.9	52.7	
		2-09-66	94.1	53.5	
		2-16-66	93.4	54.2	
		2-23-66	93.0	54.6	
		3-02-66	94.1	53.5	
		3-09-66	94.5	53.1	
		3-16-66	93.2	54.4	
		3-23-66	95.8	51.8	
		3-30-66	100.5	47.1	
		4-06-66	105.0	42.6	
		4-13-66	106.6	41.0	
		4-20-66	114.1	33.5	
		4-27-66	120.5	27.1	
		5-04-66	124.4	23.2	
		5-04-66	124.7	22.9	
		5-11-66	129.1	18.5	
		5-18-66	126.0	21.6	
		5-25-66	125.7	21.9	
		6-01-66	122.7	24.9	
		6-08-66	126.2	21.4	
		6-15-66	127.8	19.8	
		6-22-66	127.5	20.1	
		6-29-66	134.0	13.6	
		7-06-66	137.3	10.3	
		7-13-66	139.4	8.2	
		7-20-66	138.7	8.9	
		7-27-66	135.5	12.1	
		8-03-66	136.0	11.6	
		8-10-66	135.9	11.7	
		8-17-66	137.8	9.8	
		8-24-66	134.1	13.5	
		8-31-66	133.0	14.6	
		9-07-66	131.8	15.8	
		9-14-66	130.0	17.6	
		9-21-66	129.8	17.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/09W-36K01S (CONT.)	147.6	9-28-66	132.5	15.1	102
05S/09W-36Q01S	158.0	7-15-65	140.8	17.2	102
		8-17-65	(1)		
		9-23-65	142.7	15.3	
		10-26-65	140.1	17.9	
		11-19-65	129.7	28.3	
		1-14-66	116.4	41.6	
		2-24-66	113.1	44.9	
		3-16-66	113.0	45.0	
		4-25-66	136.1	21.9	
		5-17-66	(1)		
		6-14-66	148.2	9.8	
		7-21-66	(1)		
		8-09-66	153.3	4.7	
		9-00-66	167.4	-9.4	709
		9-20-66	(1)		102
05S/10W-02B02S	114.0	7-06-65	78.4	35.6	102
		7-13-65	(1)		
		7-19-65	78.5	35.5	
		7-26-65	78.8	35.2	
		8-03-65	78.7	35.3	
		8-10-65	79.0	35.0	
		8-24-65	(1)		
		8-30-65	79.2	34.8	
		9-13-65	79.3	34.7	
		9-20-65	79.1	34.9	
		9-27-65	79.3	34.7	
		10-11-65	79.2	34.8	
		10-18-65	79.2	34.8	
		10-25-65	79.2	34.8	
		11-01-65	79.1	34.9	
		11-08-65	79.1	34.9	
		11-29-65	78.0	36.0	
		12-13-65	78.0	36.0	
		12-27-65	(8)		
		1-03-66	77.0	37.0	
		1-17-66	76.4	37.6	
		1-24-66	76.4	37.6	
		1-31-66	76.0	38.0	
		2-07-66	75.4	38.6	
		2-14-66	75.5	38.5	
		2-23-66	75.2	38.8	
		3-02-66	75.1	38.9	
		3-07-66	(1)		
		3-16-66	74.8	39.2	
		3-21-66	75.0	39.0	
		3-28-66	74.9	39.1	
		4-04-66	74.7	39.3	
		4-12-66	74.5	39.5	
		4-26-66	74.9	39.1	
		5-03-66	74.8	39.2	
		5-10-66	(1)		
		5-17-66	75.0	39.0	
		5-24-66	75.0	39.0	
		6-07-66	74.9	39.1	
		6-14-66	75.3	38.7	
		6-22-66	(1)		
		6-28-66	75.6	38.4	
		7-05-66	(1)		
		7-12-66	75.9	38.1	
		7-19-66	79.0	35.0	
		7-26-66	77.6	36.4	
		8-02-66	76.3	37.7	
		8-09-66	76.3	37.7	
		8-16-66	76.4	37.6	
		8-23-66	80.7	33.3	
		8-30-66	76.7	37.3	
		9-06-66	76.8	37.2	
		9-13-66	77.9	36.1	
		9-20-66	77.2	36.8	
05S/10W-04P03S	84.0	7-09-65	63.8	20.2	102
		8-11-65	(1)		
		9-16-65	(1)		
		10-19-65	(9)		
		11-09-65	63.5	20.5	
		12-20-65	57.1	26.9	
		1-18-66	52.5	31.5	
		2-11-66	54.4	29.6	
		3-08-66	(9)		
		4-14-66	(1)		
		5-06-66	(9)		
		6-08-66	(9)		
		7-11-66	(1)		
		8-08-66	63.2	20.8	
		9-15-66	63.0	21.0	
05S/10W-09D01S	75.5	8-11-65	(1)		102
		9-16-65	(1)		
		10-19-65	(1)		
		11-08-65	(1)		
		12-17-65	(1)		
		1-18-66	48.3	27.2	
		2-09-66	(1)		
		3-08-66	47.4	28.1	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/10W-09D01S (CONT.)	75.5	4-14-66	(1)		102
		5-06-66	51.4	24.1	
		6-08-66	(1)		
		7-11-66	(1)		
		8-08-66	(1)		
		9-15-66	(1)		
05S/10W-09N04S	68.0	8-11-65	56.4	11.6	102
		9-16-65	55.9	12.1	
		10-19-65	54.5	13.5	
		11-09-65	54.0	14.0	
		12-20-65	46.1	21.9	
		1-18-66	44.3	23.7	
		2-09-66	43.4	24.6	
		3-08-66	45.7(4)	22.3	
		4-14-66	48.0	20.0	
		5-06-66	49.9	18.1	
		6-08-66	51.7	16.3	
		7-11-66	(1)		
		8-08-66	54.5	13.5	
		9-15-66	54.6	13.4	
05S/10W-09R01S	74.2	7-07-65	52.7	21.5	102
		7-14-65	53.4	20.8	
		7-21-65	52.9	21.3	
		7-28-65	53.0	21.2	
		8-04-65	53.1	21.1	
		8-11-65	54.5	19.7	
		8-18-65	54.1	20.1	
		8-25-65	54.2	20.0	
		9-01-65	54.6	19.6	
		9-08-65	53.4	20.8	
		9-15-65	53.4	20.8	
		9-22-65	52.7	21.5	
		9-24-65	52.7	21.5	
		10-06-65	53.1	21.1	
		10-13-65	52.4	21.8	
		10-20-65	52.5	21.7	
		10-27-65	53.2	21.0	
		11-03-65	52.3	21.9	
		11-10-65	51.7	22.5	
		12-22-65	45.2	29.0	
		1-05-66	44.5	29.7	
		1-12-66	43.9	30.3	
		1-19-66	43.9	30.3	
		1-28-66	45.6	28.6	
		1-31-66	43.9	30.3	
		2-07-66	43.1	31.1	
		2-16-66	43.3	30.9	
		2-21-66	43.5	30.7	
		2-23-66	44.2	30.0	
		3-07-66	44.5	29.7	
		3-14-66	44.6	29.6	
		3-21-66	45.2	29.0	
		3-28-66	45.3	28.9	
		4-04-66	45.4	28.8	
		4-12-66	46.1	28.1	
		4-26-66	47.8	26.4	
		5-03-66	48.3	25.9	
		5-10-66	47.6	26.6	
		5-17-66	49.2	25.0	
		5-24-66	49.0	25.2	
		6-07-66	51.8	22.4	
		6-14-66	49.9	24.3	
		6-21-66	50.3	23.9	
		6-28-66	51.0	23.2	
		7-05-66	51.1	23.1	
		7-12-66	51.6	22.6	
		7-19-66	51.8	22.4	
		7-26-66	52.0	22.2	
		8-02-66	52.2	22.0	
		8-09-66	52.2	22.0	
		8-16-66	52.4	21.8	
		8-23-66	52.3	21.9	
		8-30-66	52.4	21.8	
		9-06-66	52.1	22.1	
		9-13-66	52.1	22.1	
		9-20-66	51.6	22.6	
05S/10W-10A05S	96.2	7-09-65	64.5	31.7	102
		8-11-65	65.2	31.0	
		9-16-65	65.0	31.2	
		10-19-65	64.7	31.5	
		11-08-65	64.6	31.6	
		12-17-65	61.6	34.6	
		1-18-66	59.8	36.4	
		2-09-66	59.1	37.1	
		3-08-66	59.2	37.0	
		4-14-66	59.4	36.8	
		5-06-66	60.4	35.8	
		6-08-66	61.1	35.1	
		7-11-66	61.8	34.4	
		8-08-66	62.9	33.3	
		9-15-66	63.0	33.2	
05S/10W-10D04S	84.0	8-11-65	65.5	18.5	102
		9-16-65	62.6	21.4	
		10-19-65	66.4	17.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/10W-10D04S (CONT.)	84.0	11-08-65	61.6	22.4	102
		12-17-65	54.8	29.2	
		1-18-66	53.2	30.8	
		2-09-66	52.5	31.5	
		3-08-66	54.0	30.0	
		4-14-66	57.6	26.4	
		5-06-66	58.1	25.9	
		6-08-66	55.4	28.6	
		7-11-66	58.9	25.1	
		8-08-66	58.0	26.0	
		9-15-66	60.0	24.0	
05S/10W-10P01S	82.4	7-09-65	61.1	21.3	102
		8-11-65	64.0	18.4	
		9-16-65	60.7	21.7	
		10-19-65	60.7	21.7	
		11-09-65	60.1	22.3	
		12-17-65	53.0	29.4	
		1-18-66	52.1	30.3	
		2-09-66	50.6	31.8	
		3-08-66	52.2	30.2	
		4-14-66	(1)		
		5-06-66	57.9	24.5	
		6-08-66	58.6	23.8	
		7-11-66	61.3	21.1	
		8-08-66	61.7	20.7	
		9-15-66	60.3	22.1	
05S/10W-15H02S	79.0	8-09-65	58.9	20.1	102
		9-21-65	56.8	22.2	
		10-20-65	55.7	23.3	
		11-29-65	51.2	27.8	
		12-28-65	48.8	30.2	
		1-25-66	48.5	30.5	
		2-16-66	47.7	31.3	
		3-10-66	48.6	30.4	
		4-20-66	52.2	26.8	
		5-11-66	51.9	27.1	
		7-14-66	56.3	22.7	
		8-12-66	56.8	22.2	
		9-20-66	56.9	22.1	
05S/10W-17Q01S	46.0	8-16-65	37.9	8.1	102
		9-17-65	37.0	9.0	
		10-20-65	35.3	10.7	
		11-19-65	31.8	14.2	
		12-20-65	26.5	19.5	
		1-19-66	24.4	21.6	
		2-15-66	24.4	21.6	
		3-09-66	26.9	19.1	
		4-19-66	30.1	15.9	
		5-10-66	30.4	15.6	
		6-10-66	33.3	12.7	
		7-12-66	36.0	10.0	
		8-08-66	36.8	9.2	
		9-15-66	(1)		
05S/10W-19A05S	40.0	7-14-65	30.6	9.4	102
		8-16-65	33.4	6.6	
		9-17-65	32.5	7.5	
		10-20-65	30.1	9.9	
		11-19-65	26.6	13.4	
		12-20-65	21.6	18.4	
		1-19-66	19.8	20.2	
		2-15-66	19.6	20.4	
		3-09-66	(1)		
		4-19-66	25.4	14.6	
		5-10-66	26.4	13.6	
		6-10-66	(1)		
		7-12-66	(1)		
		8-08-66	31.8	8.2	
		9-15-66	31.4	8.6	
05S/10W-20H03S	45.0	7-14-65	35.7	9.3	102
		8-16-65	38.2	6.8	
		9-17-65	37.0	8.0	
		10-20-65	35.7	9.3	
		11-19-65	31.9	13.1	
		12-20-65	26.8	18.2	
		1-19-66	24.7	20.3	
		2-15-66	(9)		
		4-19-66	(9)		
		5-10-66	(9)		
		6-10-66	(1)		
		7-12-66	38.9	6.1	
		8-08-66	36.8	8.2	
		9-15-66	37.0	8.0	
05S/10W-21B03S	53.0	8-16-65	(1)		102
		9-17-65	43.6	9.4	
		10-20-65	43.2	9.8	
		11-19-65	38.7	14.3	
		12-20-65	33.7	19.3	
		1-19-66	31.7	21.3	
		2-15-66	31.7	21.3	
		3-09-66	34.5	18.5	
		4-19-66	37.1	15.9	
		5-10-66	38.2	14.8	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/10W-21B03S (CONT.)	53.0	6-10-66	(1)		102
		7-12-66	(1)		
		8-08-66	(1)		
		9-15-66	(1)		
05S/10W-23C01S	61.4	7-12-65	38.0	23.4	102
		7-19-65	38.7	22.7	
		7-26-65	38.1	23.3	
		8-03-65	38.4	23.0	
		8-09-65	38.6	22.8	
		8-24-65	39.7	21.7	
		8-30-65	39.9	21.5	
		9-13-65	38.7	22.7	
		9-20-65	37.7	23.7	
		9-27-65	38.1	23.3	
		10-11-65	38.8	22.6	
		10-18-65	37.7	23.7	
		10-25-65	39.0	22.4	
		11-01-65	38.0	23.4	
		11-08-65	37.7	23.7	
		11-29-65	34.0	27.4	
		12-16-65	32.6	28.8	
		12-27-65	32.0	29.4	
		1-03-66	31.5	29.9	
		1-17-66	31.1	30.3	
		1-24-66	31.3	30.1	
		1-31-66	31.2	30.2	
		2-07-66	30.6	30.8	
		2-14-66	30.5	30.9	
		2-21-66	30.8	30.6	
		2-28-66	31.3	30.1	
		3-07-66	31.8	29.6	
		3-14-66	31.7	29.7	
		3-21-66	32.0	29.4	
		3-28-66	31.9	29.5	
		4-04-66	32.1	29.3	
		4-12-66	32.6	28.8	
		4-26-66	34.0	27.4	
		5-03-66	34.3	27.1	
		5-10-66	33.8	27.6	
		5-17-66	34.5	26.9	
		5-24-66	34.9	26.5	
		6-07-66	35.2	26.2	
		6-14-66	36.5	24.9	
		6-21-66	35.8	25.6	
		6-28-66	36.1	25.3	
		7-05-66	36.4	25.0	
		7-12-66	36.8	24.6	
		7-19-66	37.3	24.1	
		7-26-66	37.7	23.7	
		8-02-66	37.4	24.0	
		8-09-66	37.4	24.0	
		8-16-66	37.7	23.7	
		8-23-66	37.9	23.5	
		8-30-66	37.7	23.7	
		9-06-66	37.3	24.1	
		9-13-66	37.1	24.3	
		9-20-66	37.1	24.3	
05S/10W-25R01S	37.7	7-14-65	(1)		102
		8-09-65	25.8	11.9	
		9-21-65	26.2	11.5	
		10-20-65	24.5	13.2	
		11-29-65	17.5	20.2	
		12-28-65	13.1	24.6	
		1-25-66	11.0	26.7	
		2-15-66	11.1	26.6	
		3-10-66	13.1	24.6	
		4-20-66	12.4	25.3	
		5-11-66	17.9	19.8	
		6-13-66	20.4	17.3	
		7-14-66	(1)		
		8-11-66	26.5	11.2	
		9-20-66	25.0	12.7	
05S/10W-26R02S	37.2	8-09-65	(1)		102
		9-21-65	12.3	24.9	
		10-20-65	12.4	24.8	
		11-29-65	7.0	30.2	
		12-28-65	(9)		
		1-25-66	9.0	28.2	
		2-16-66	8.0	29.2	
		3-10-66	13.9	23.3	
		4-20-66	8.7	28.5	
		5-11-66	(1)		
		6-13-66	(1)		
		7-14-66	(1)		
		8-11-66	(1)		
		9-20-66	25.2	12.0	
05S/10W-28B01S	45.0	7-14-65	36.5	8.5	102
		8-16-65	44.7	.3	
		9-17-65	(1)		
		10-20-65	43.0	2.0	
		11-19-65	30.4	14.6	
		12-20-65	26.0	19.0	
		1-19-66	26.6	18.4	
		2-15-66	25.3	19.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/10W-28B01S (CONT.)	45.0	3-09-66	27.6	17.4	102
		4-19-66	33.9	11.1	
		5-10-66	(1)		
		6-10-66	39.7	5.3	
		7-12-66	38.1	6.9	
		8-08-66	45.8	-.8	
		9-15-66	41.5	3.5	
05S/10W-29D01S	35.0	7-14-65	27.0	8.0	102
		7-21-65	29.3	5.7	
		7-28-65	25.5	9.5	
		8-04-65	27.7	7.3	
		8-11-65	30.3	4.7	
		8-18-65	28.9	6.1	
		8-25-65	28.6	6.4	
		9-01-65	29.4	5.6	
		9-08-65	28.2	6.8	
		9-15-65	27.8	7.2	
		9-22-65	25.3	9.7	
		9-29-65	25.6	9.4	
		10-06-65	26.8	8.2	
		10-13-65	26.2	8.8	
		10-20-65	26.1	8.9	
		10-27-65	26.0	9.0	
		11-03-65	25.8	9.2	
		11-10-65	24.5	10.5	
		12-22-65	16.1	18.9	
		1-05-66	15.6	19.4	
		1-12-66	15.1	19.9	
		1-19-66	14.9	20.1	
		1-24-66	15.2	19.8	
		1-31-66	15.3	19.7	
		2-07-66	14.6	20.4	
		2-14-66	14.6	20.4	
		2-21-66	15.4	19.6	
		2-28-66	17.7	17.3	
		3-07-66	17.3	17.7	
		3-14-66	17.4	17.6	
		3-21-66	17.9	17.1	
		3-28-66	18.2	16.8	
		4-04-66	18.6	16.4	
		4-12-66	19.4	15.6	
		4-26-66	20.7	14.3	
		5-03-66	21.7	13.3	
		5-10-66	20.6	14.4	
		5-17-66	20.4	14.6	
		5-24-66	21.6	13.4	
		6-07-66	23.3	11.7	
		6-14-66	23.5	11.5	
		6-21-66	24.4	10.6	
		6-28-66	25.2	9.8	
		7-05-66	24.7	10.3	
		7-12-66	25.8	9.2	
		7-19-66	26.5	8.5	
		7-26-66	26.7	8.3	
		8-02-66	26.4	8.6	
		8-09-66	26.7	8.3	
		8-16-66	27.0	8.0	
		8-23-66	27.4	7.6	
		8-30-66	27.6	7.4	
		9-06-66	26.5	8.5	
		9-13-66	27.9	7.1	
		9-20-66	26.5	8.5	
05S/10W-31D04S	20.0	7-14-65	18.0	2.0	102
		8-16-65	18.6	1.4	
		9-17-65	16.4	3.6	
		10-20-65	15.3	4.7	
		11-19-65	12.9	7.1	
		12-20-65	9.6	10.4	
		1-19-66	8.8	11.2	
		2-15-66	8.9	11.1	
		3-10-66	11.0	9.0	
		4-19-66	12.2	7.8	
		5-10-66	12.5	7.5	
		6-10-66	14.7	5.3	
		7-12-66	16.2	3.8	
		8-08-66	17.3	2.7	
		9-15-66	17.4	2.6	
05S/10W-32C01S	26.6	8-16-65	22.9	3.7	102
		9-17-65	20.5	6.1	
		10-20-65	21.0	5.6	
		11-19-65	15.5	11.1	
		12-20-65	11.9	14.7	
		1-19-66	10.0	16.6	
		2-15-66	10.2	16.4	
		3-09-66	12.7	13.9	
		4-19-66	14.7	11.9	
		5-10-66	15.2	11.4	
		6-10-66	18.2	8.4	
		7-12-66	20.6	6.0	
		8-08-66	21.1	5.5	
		9-15-66	21.4	5.2	
05S/10W-32P02S	5.7	7-06-65	-4.8	10.5	102
		7-12-65	-4.8	10.5	
		7-19-65	-4.8	10.5	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/10W-32P02S (CONT.)	5.7	7-26-65	-4.7	10.4	102
		8-03-65	-4.8	10.5	
		8-09-65	-4.7	10.4	
		8-24-65	-4.7	10.4	
		8-30-65	-4.6	10.3	
		9-13-65	-4.6	10.3	
		9-20-65	-4.8	10.5	
		9-27-65	-4.7	10.4	
		10-11-65	-4.8	10.5	
		10-18-65	-4.7	10.4	
		10-25-65	-4.8	10.5	
		11-01-65	-4.8	10.5	
		11-08-65	-4.8	10.5	
		11-29-65	-5.3	11.0	
		12-16-65	-7.2	12.9	
		12-27-65	-5.8	11.5	
		1-03-66	-6.7	12.4	
		1-17-66	-5.8	11.5	
		1-24-66	-5.9	11.6	
		1-31-66	-7.0	12.7	
		2-07-66	-8.6	14.3	
		2-14-66	-6.0	11.7	
		2-21-66	-6.0	11.7	
		2-28-66	-6.1	11.8	
		3-07-66	-6.2	11.9	
		3-14-66	-6.3	12.0	
		3-21-66	-6.6	12.3	
		3-28-66	-6.6	12.3	
		4-04-66	-6.5	12.2	
		4-12-66	-6.5	12.2	
		4-26-66	-6.4	12.1	
		5-10-66	-7.9	13.6	
		5-17-66	-7.6	13.3	
		5-24-66	-7.3	13.0	
		6-07-66	-7.2	12.9	
		6-14-66	-7.2	12.9	
		6-21-66	-7.1	12.8	
		6-28-66	-7.1	12.8	
		7-05-66	-7.1	12.8	
		7-12-66	-7.0	12.7	
		7-19-66	-7.0	12.7	
		7-26-66	-7.0	12.7	
		8-02-66	-7.0	12.7	
		8-09-66	-6.9	12.6	
		8-16-66	-6.9	12.6	
		8-23-66	-6.8	12.5	
		8-30-66	-6.9	12.6	
		9-06-66	-6.7	12.4	
		9-13-66	-6.6	12.3	
		9-20-66	-6.6	12.3	
05S/10W-33Q01S	37.6	7-06-65	(8)		102
		7-12-65	31.5	6.1	
		7-19-65	31.1	6.5	
		7-26-65	31.2	6.4	
		8-03-65	31.1	6.5	
		8-09-65	31.1	6.5	
		8-24-65	(9)		
		8-30-65	31.5	6.1	
		9-13-65	(9)		
		9-20-65	31.6	6.0	
		9-27-65	31.7	5.9	
		10-11-65	31.5	6.1	
		10-18-65	31.3	6.3	
		10-25-65	31.3	6.3	
		11-01-65	31.2	6.4	
		11-08-65	31.2	6.4	
		11-29-65	30.5	7.1	
		12-16-65	29.8	7.8	
		12-27-65	29.7	7.9	
		1-03-66	29.4	8.2	
		1-17-66	28.9	8.7	
		1-24-66	28.8	8.8	
		1-31-66	28.8	8.8	
		2-07-66	28.4	9.2	
		2-14-66	28.3	9.3	
		2-21-66	28.2	9.4	
		2-28-66	28.1	9.5	
		3-07-66	27.9	9.7	
		3-14-66	(8)		
		3-21-66	(8)		
		3-28-66	27.9	9.7	
		4-04-66	27.9	9.7	
		4-12-66	27.8	9.8	
		4-26-66	27.9	9.7	
		5-03-66	28.1	9.5	
		5-10-66	28.2	9.4	
		5-17-66	28.3	9.3	
		5-24-66	28.3	9.3	
		6-07-66	28.3	9.3	
		6-14-66	28.4	9.2	
		6-21-66	28.5	9.1	
		6-28-66	(9)		
		7-05-66	28.6	9.0	
		7-12-66	28.9	8.7	
		7-19-66	29.0	8.6	
		7-26-66	29.1	8.5	
		8-02-66	(9)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/10W-33Q01S (CONT.)	37.6	8-09-66	29.3	8.3	102
		8-16-66	29.4	8.2	
		8-23-66	29.5	8.1	
		8-30-66	29.5	8.1	
		9-06-66	(9)		
		9-13-66	29.9	7.7	
		9-20-66	29.8	7.8	
05S/10W-34D01S	34.5	8-09-65	19.9	14.6	102
		9-21-65	20.1	14.4	
		10-20-65	21.0	13.5	
		11-29-65	(8)		
		12-07-65	16.2	18.3	
		1-25-66	15.6	18.9	
		2-16-66	13.2	21.3	
		3-10-66	14.5	20.0	
		4-20-66	15.9	18.6	
		5-11-66	16.6	17.9	
		6-13-66	17.6	16.9	
		7-14-66	18.8	15.7	
		8-11-66	19.6	14.9	
		9-20-66	19.7	14.8	
05S/10W-35K01S	32.7	8-09-65	23.6	9.1	102
		9-21-65	26.0	6.7	
		10-20-65	27.3	5.4	
		11-29-65	18.3	14.4	
		12-28-65	14.8	17.9	
		1-25-66	(1)		
		2-16-66	(1)		
		3-10-66	(1)		
		4-20-66	22.0	10.7	
		5-11-66	24.4	8.3	
		6-13-66	23.8	8.9	
		7-14-66	27.2	5.5	
		8-11-66	33.5	-.8	
		9-20-66	31.1	1.6	
05S/11W-02G01S	48.2	8-06-65	30.3	17.9	102
		9-15-65	30.3	17.9	
		10-15-65	28.7	19.5	
		11-04-65	28.7	19.5	
		12-17-65	22.8	25.4	
		1-13-66	21.6	26.6	
		2-08-66	21.2	27.0	
		3-04-66	22.1	26.1	
		4-14-66	24.3	23.9	
		5-05-66	26.9	21.3	
		6-07-66	28.6	19.6	
		7-09-66	28.7	19.5	
		8-03-66	29.4	18.8	
		9-14-66	29.2	19.0	
05S/11W-02L01S	46.0	8-06-65	45.3	.7	102
		9-15-65	40.8	5.2	
		10-15-65	36.9	9.1	
		11-04-65	36.7	9.3	
		12-17-65	25.4	20.6	
		1-13-66	25.3	20.7	
		2-08-66	25.1	20.9	
		3-04-66	29.9	16.1	
		4-14-66	(6)		
05S/11W-02N01S	38.5	8-06-65	41.1	-2.6	102
		9-15-65	37.0	1.5	
		10-15-65	33.1	5.4	
		11-04-65	32.3	6.2	
		12-17-65	22.1	16.4	
		1-13-66	21.7	16.8	
		2-08-66	(1)		
		3-04-66	(1)		
		4-14-66	31.3	7.2	
		5-05-66	(1)		
		6-07-66	(1)		
		7-09-66	(1)		
		8-03-66	(1)		
		9-14-66	(1)		
05S/11W-03A01S	46.0	8-06-65	46.7	-.7	102
		9-15-65	41.4	4.6	
		10-15-65	37.4	8.6	
		11-04-65	37.3	8.7	
		12-17-65	26.4	19.6	
		1-13-66	25.4	20.6	
		2-08-66	25.5	20.5	
		3-04-66	30.0	16.0	
		4-14-66	(1)		
		5-05-66	39.7	6.3	
		6-07-66	42.9	3.1	
		7-09-66	47.9	-1.9	
		8-03-66	50.1	-4.1	
		9-14-66	47.1	-1.1	
05S/11W-04A01S	28.6	8-16-66	30.6	-2.0	102
		8-22-66	34.2	-5.6	
		8-30-66	33.5	-4.9	
		9-06-66	(1)		
		9-13-66	31.2	-2.6	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/11W-04A01S (CONT.)	28.6	9-20-66	35.0	-6.4	102
05S/11W-04Q01S	23.5	8-31-65	(1)		102
		10-01-65	(1)		
		10-29-65	(1)		
		12-01-65	10.4	13.1	
		1-07-66	5.6	17.9	
		2-23-66	(1)		
		3-23-66	(9)		
		4-28-66	14.0	9.5	
		5-26-66	12.2	11.3	
		6-28-66	13.9	9.6	
		7-27-66	19.1	4.4	
		8-29-66	(1)		
		9-14-66	23.9	-.4	
05S/11W-07C01S	10.0	7-20-65	(1)		102
		8-31-65	23.2	-13.2	
		10-01-65	(1)		
		10-29-65	(1)		
		12-01-65	9.6	.4	
		1-07-66	4.1	5.9	
		2-23-66	(1)		
		3-23-66	10.7	-.7	
		4-28-66	(1)		
		5-26-66	13.3	-3.3	
		6-28-66	(1)		
		7-27-66	(1)		
		8-29-66	(1)		
		9-14-66	(1)		
05S/11W-07D02S	10.0	7-20-65	(1)		102
		8-31-65	23.7	-13.7	
		10-01-65	(1)		
		10-29-65	(1)		
		12-01-65	9.4	.6	
		1-07-66	3.9	6.1	
		2-23-66	(1)		
		3-23-66	10.4	-.4	
		4-28-66	(1)		
		5-26-66	12.7	-2.7	
		6-28-66	(1)		
		7-27-66	(1)		
		8-29-66	(1)		
		9-14-66	(1)		
05S/11W-08J02S	17.0	8-31-65	(1)		102
		10-01-65	19.4	-2.4	
		10-29-65	19.5	-2.5	
		12-01-65	12.0	5.0	
		1-07-66	9.4	7.6	
		2-23-66	(1)		
		3-23-66	15.4	1.6	
		4-28-66	(1)		
		5-26-66	(1)		
		7-27-66	26.9	-9.9	
		8-29-66	(1)		
		9-14-66	(1)		
05S/11W-09D02S	18.0	7-20-65	25.5	-7.5	102
		8-31-65	27.0	-9.0	
		10-01-65	22.0	-4.0	
		10-29-65	21.4	-3.4	
		12-01-65	13.1	4.9	
		1-07-66	10.0	8.0	
		2-23-66	12.3	5.7	
		3-23-66	17.1	.9	
		4-28-66	21.8	-3.8	
		5-26-66	22.1	-4.1	
		6-28-66	25.9	-7.9	
		7-27-66	27.3	-9.3	
		8-29-66	29.3	-11.3	
		9-14-66	29.5	-11.5	
05S/11W-10K01S	23.0	8-06-65	32.4	-9.4	102
		9-15-65	29.9	-6.9	
		10-15-65	26.3	-3.3	
		11-04-65	26.2	-3.2	
		12-17-65	16.8	6.2	
		1-13-66	16.5	6.5	
		2-08-66	16.0	7.0	
		3-04-66	21.7	1.3	
		4-14-66	(1)		
		5-05-66	28.0	-5.0	
		6-07-66	30.9	-7.9	
		7-09-66	34.8	-11.8	
		8-03-66	37.0	-14.0	
		9-14-66	35.7	-12.7	
05S/11W-12E03S	41.0	7-09-65	(1)		102
		8-06-65	32.2	8.8	
		9-15-65	31.9	9.1	
		10-15-65	29.1	11.9	
		11-04-65	29.1	11.9	
		12-17-65	20.0	21.0	
		1-13-66	18.3	22.7	
		2-08-66	17.7	23.3	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/11W-12E03S (CONT.)	41.0	3-04-66	20.2	20.8	102
		4-14-66	23.6	17.4	
		5-05-66	26.5	14.5	
		6-07-66	28.1	12.9	
		7-09-66	30.5	10.5	
		8-03-66	31.7	9.3	
		9-14-66	30.8	10.2	
05S/11W-12L01S	42.0	7-12-65	34.0	8.0	102
		7-19-65	34.8	7.2	
		7-26-65	34.6	7.4	
		8-03-65	(1)		
		8-09-65	(1)		
		8-24-65	37.1	4.9	
		8-30-65	38.3(4)	3.7	
		9-13-65	35.8	6.2	
		9-20-65	32.7	9.3	
		9-27-65	(1)		
		10-11-65	34.1(2)	7.9	
		10-18-65	33.3(2)	8.7	
		10-25-65	36.2	5.8	
		11-01-65	33.1	8.9	
		11-08-65	32.2	9.8	
		11-29-65	26.0	16.0	
		12-13-65	24.0	18.0	
		1-03-66	23.7	18.3	
		1-17-66	21.7	20.3	
		1-24-66	22.8(2)	19.2	
		1-31-66	(1)		
		2-07-66	21.8	20.2	
		2-14-66	19.2	22.8	
		2-21-66	23.2	18.8	
		2-28-66	23.3	18.7	
		3-07-66	(1)		
		3-14-66	24.1	17.9	
		3-21-66	25.4(2)	16.6	
		3-28-66	25.4(2)	16.6	
		4-04-66	30.9(2)	11.1	
		4-12-66	28.6(4)	13.4	
		4-26-66	(1)		
		5-03-66	29.5	12.5	
		5-10-66	29.7(2)	12.3	
		5-17-66	31.4(2)	10.6	
		5-24-66	31.0	11.0	
		6-07-66	32.2(2)	9.8	
		6-14-66	33.1(2)	8.9	
		6-21-66	33.6(2)	8.4	
		6-28-66	33.4	8.6	
		7-05-66	34.8(2)	7.2	
		7-12-66	34.4	7.6	
		7-19-66	(1)		
		7-26-66	(1)		
		8-02-66	(1)		
		8-09-66	36.3	5.7	
		8-16-66	36.9(2)	5.1	
		8-23-66	(1)		
		8-30-66	36.4	5.6	
		9-06-66	35.4	6.6	
		9-13-66	(1)		
		9-20-66	(1)		
05S/11W-13A02S	42.0	7-09-65	34.2	7.8	102
		8-11-65	36.9	5.1	
		9-16-65	33.6	8.4	
		10-19-65	31.0	11.0	
		11-09-65	30.3	11.7	
		12-17-65	(9)		
		1-18-66	(9)		
		1-19-66	22.2	19.8	
		2-09-66	22.4	19.6	
		3-08-66	26.4	15.6	
		4-14-66	28.9	13.1	
		5-06-66	31.5	10.5	
		6-08-66	(1)		
		7-11-66	(1)		
		8-08-66	(1)		
		9-15-66	(1)		
05S/11W-13L04S	36.0	7-09-65	29.2	6.8	102
		8-11-65	32.6	3.4	
		9-16-65	29.5	6.5	
		10-19-65	26.4	9.6	
		11-09-65	25.8	10.2	
		12-20-65	18.6	17.4	
		1-18-66	18.3	17.7	
		2-09-66	18.3	17.7	
		3-08-66	22.3	13.7	
		4-14-66	24.5	11.5	
		5-06-66	26.9	9.1	
		6-08-66	29.1	6.9	
		7-11-66	32.3	3.7	
		8-08-66	32.8	3.2	
		9-15-66	32.6	3.4	
05S/11W-14C01S	34.0	7-09-65	22.0	12.0	102
		8-11-65	24.3	9.7	
		9-16-65	23.6	10.4	
		10-19-65	21.3	12.7	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/11W-14C01S (CONT.)	34.0	11-09-65	21.8	12.2	102
		12-17-65	13.6	20.4	
		1-18-66	12.5	21.5	
		2-09-66	13.0	21.0	
		3-08-66	16.0	18.0	
		4-14-66	18.1	15.9	
		5-06-66	21.9	12.1	
		6-08-66	22.3	11.7	
		7-11-66	24.4	9.6	
		8-08-66	29.0	5.0	
		9-15-66	29.4	4.6	
05S/11W-16C01S	15.2	7-07-65	8.9	6.3	102
		7-14-65	9.9	5.3	
		7-21-65	10.7	4.5	
		7-28-65	11.5	3.7	
		8-04-65	12.4	2.8	
		8-11-65	13.3	1.9	
		8-18-65	13.7	1.5	
		8-25-65	14.4	.8	
		9-01-65	14.9	.3	
		9-08-65	14.7	.5	
		9-15-65	14.6	.6	
		9-22-65	13.5	1.7	
		9-29-65	13.1	2.1	
		10-06-65	12.2	3.0	
		10-13-65	10.7	4.5	
		10-20-65	10.9	4.3	
		10-27-65	11.7	3.5	
		11-03-65	11.4	3.8	
		11-10-65	11.7	3.5	
		12-22-65	3.7	11.5	
		1-05-66	1.7	13.5	
		1-12-66	1.1	14.1	
		1-19-66	.9	14.3	
		1-24-66	1.2	14.0	
		1-31-66	.5	14.7	
		2-07-66	.1	15.1	
		2-14-66	.8	14.4	
		2-21-66	1.7	13.5	
		2-28-66	2.9	12.3	
		3-07-66	3.7	11.5	
		3-14-66	3.8	11.4	
		3-21-66	4.6	10.6	
		3-28-66	5.2	10.0	
		4-04-66	5.9	9.3	
		4-12-66	7.7	7.5	
		4-26-66	8.2	7.0	
		5-03-66	9.3	5.9	
		5-10-66	9.1	6.1	
		5-17-66	9.6	5.6	
		5-24-66	8.9	6.3	
		5-31-66	9.6	5.6	
		6-07-66	8.8	6.4	
		6-14-66	9.1	6.1	
		6-21-66	9.6	5.6	
		6-28-66	9.9	5.3	
		7-05-66	11.3	3.9	
		7-12-66	12.5	2.7	
		7-19-66	13.4	1.8	
		7-26-66	14.4	.8	
		8-02-66	14.2	1.0	
		8-09-66	16.9	-1.7	
		8-16-66	17.5	-2.3	
		8-23-66	18.6	-3.4	
		8-30-66	18.2	-3.0	
		9-06-66	18.6	-3.4	
		9-13-66	18.9	-3.7	
		9-20-66	20.7	-5.5	
05S/11W-16D02S	16.8	7-14-65	21.1	-4.3	102
		7-21-65	21.5	-4.7	
		7-28-65	21.2	-4.4	
		8-04-65	21.8	-5.0	
		8-11-65	22.7	-5.9	
		8-18-65	23.4	-6.6	
		8-25-65	22.1	-5.3	
		9-01-65	21.8	-5.0	
		9-08-65	20.5	-3.7	
		9-15-65	19.3	-2.5	
		9-22-65	17.8	-1.0	
		9-29-65	16.9	-.1	
		10-06-65	18.2	-1.4	
		10-13-65	17.1	-.3	
		10-20-65	16.3	.5	
		10-27-65	17.3	-.5	
		11-03-65	16.5	.3	
		11-10-65	15.6	1.2	
		12-01-65	10.8	6.0	
		12-15-65	9.3	7.5	
		12-22-65	8.7	8.1	
		1-05-66	7.9	8.9	
		1-12-66	8.1	8.7	
		1-19-66	8.2	8.6	
		1-31-66	9.1	7.7	
		2-07-66	8.5	8.3	
		2-14-66	8.8	8.0	
		2-21-66	9.3	7.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/11W-16D02S (CONT.)	16.8	2-28-66	10.2	6.6	102
		3-07-66	12.6	4.2	
		3-14-66	11.7	5.1	
		3-21-66	13.5	3.3	
		3-28-66	14.1	2.7	
		4-04-66	14.3	2.5	
		4-12-66	14.3	2.5	
		4-19-66	15.9	.9	
		4-26-66	19.1	-2.3	
		5-03-66	18.5	-1.7	
		5-10-66	17.2	-.4	
		5-17-66	17.9	-1.1	
		5-24-66	18.2	-1.4	
		5-31-66	17.9	-1.1	
		6-07-66	19.1	-2.3	
		6-14-66	20.3	-3.5	
		6-21-66	20.5	-3.7	
		6-28-66	21.0	-4.2	
		7-05-66	21.6	-4.8	
		7-12-66	21.5	-4.7	
		7-19-66	21.7	-4.9	
		7-26-66	23.2	-6.4	
		8-02-66	22.1	-5.3	
		8-09-66	24.0	-7.2	
		8-16-66	23.4	-6.6	
		8-23-66	24.8	-8.0	
		8-30-66	25.1	-8.3	
		9-06-66	24.3	-7.5	
		9-13-66	22.7	-5.9	
		9-20-66	22.8	-6.0	
05S/11W-16R02S	14.0	8-16-65	12.4	1.6	102
		9-17-65	12.0	2.0	
		10-20-65	9.4	4.6	
		11-19-65	7.8	6.2	
		12-20-65	2.9	11.1	
		1-19-66	1.0	13.0	
		2-15-66	1.4	12.6	
		3-09-66	4.2	9.8	
		4-19-66	7.4	6.6	
		5-10-66	8.8	5.2	
		6-10-66	9.3	4.7	
		7-12-66	11.5	2.5	
		8-08-66	20.2	-6.2	
		9-15-66	(1)		
05S/11W-18J03S	7.2	7-09-65	16.3	-9.1	206
		8-20-65	21.1	-13.9	
		9-10-65	17.7	-10.5	
		10-01-65	11.9	-4.7	
		10-22-65	10.8	-3.6	
		11-12-65	12.9	-5.7	
		12-03-65	14.7	-7.5	
		1-14-66	10.4	-3.2	
		2-04-66	9.6	-2.4	
		2-25-66	13.0	-5.8	
		3-18-66	10.4	-3.2	
		4-08-66	15.1	-7.9	
		4-29-66	17.6	-10.4	
05S/11W-20C05S	9.7	7-06-65	9.6	.1	102
		7-12-65	10.2	-.5	
		7-19-65	10.7	-1.0	
		7-26-65	11.2	-1.5	
		8-03-65	11.5	-1.8	
		8-09-65	12.2	-2.5	
		8-24-65	12.8	-3.1	
		8-30-65	12.7	-3.0	
		9-13-65	12.3	-2.6	
		9-20-65	10.4	-.7	
		9-27-65	9.4	.3	
		10-11-65	10.0	-.3	
		10-18-65	8.8	.9	
		10-25-65	9.1	.6	
		11-01-65	8.8	.9	
		11-08-65	8.5	1.2	
		11-29-65	4.8	4.9	
		12-13-65	3.2	6.5	
		12-27-65	2.3	7.4	
		1-03-66	1.7	8.0	
		1-17-66	1.5	8.2	
		1-24-66	1.7	8.0	
		1-31-66	2.3	7.4	
		2-07-66	1.7	8.0	
		2-14-66	1.9	7.8	
		2-21-66	2.2	7.5	
		2-28-66	2.8	6.9	
		3-07-66	4.1	5.6	
		3-14-66	4.3	5.4	
		3-21-66	3.6	6.1	
		3-28-66	5.9	3.8	
		4-04-66	6.3	3.4	
		4-12-66	6.4	3.3	
		4-26-66	9.3	.4	
		5-03-66	9.1	.6	
		5-10-66	8.8	.9	
		5-17-66	8.8	.9	
		5-24-66	9.0	.7	
05S/11W-20C05S (CONT.)	9.7	6-07-66	9.5	.2	102
		6-14-66	10.1	-.4	
		6-21-66	10.4	-.7	
		6-28-66	11.1	-1.4	
		7-05-66	11.5	-1.8	
		7-12-66	11.7	-2.0	
		7-19-66	12.5	-2.8	
		7-26-66	13.3	-3.6	
		8-02-66	12.7	-3.0	
		8-09-66	14.5	-4.8	
		8-16-66	13.7	-4.0	
		8-23-66	16.3	-6.6	
		8-30-66	15.4	-5.7	
		9-06-66	14.6	-4.9	
		9-13-66	15.2	-5.5	
		9-20-66	15.8	-6.1	
05S/11W-20Q08S	24.2	7-14-65	(1)		102
		8-16-65	28.4	-4.2	
		9-17-65	26.9	-2.7	
		10-20-65	25.4	-1.2	
		11-19-65	24.3	-.1	
		12-20-65	20.8	3.4	
		1-19-66	20.2	4.0	
		2-15-66	20.3	3.9	
		3-09-66	22.3	1.9	
		4-19-66	(1)		
		5-10-66	25.4	-1.2	
		6-10-66	25.8	-1.6	
		7-12-66	27.2	-3.0	
		8-08-66	(1)		
		9-15-66	29.0	-4.8	
05S/11W-20R04S	31.2	8-16-65	33.7	-2.5	102
		9-17-65	33.6	-2.4	
		10-20-65	32.4	-1.2	
		11-19-65	30.8	.4	
		12-20-65	28.0	3.2	
		1-19-66	27.2	4.0	
		2-15-66	27.4	3.8	
		3-09-66	29.0	2.2	
		4-19-66	30.7	.5	
		5-10-66	32.1	-.9	
		6-10-66	32.3	-1.1	
		7-12-66	33.4	-2.2	
		8-08-66	(8)		
		9-15-66	35.6	-4.4	
05S/11W-22A02S	20.8	7-14-65	17.9	2.9	102
		8-16-65	20.3	.5	
		9-17-65	18.2	2.6	
		10-20-65	16.5	4.3	
		11-19-65	13.6	7.2	
		12-20-65	9.7	11.1	
		1-19-66	9.1	11.7	
		2-15-66	8.9	11.9	
		3-09-66	11.6	9.2	
		4-19-66	13.8	7.0	
		5-10-66	14.9	5.9	
		6-10-66	16.8	4.0	
		7-12-66	19.0	1.8	
		8-08-66	19.9	.9	
		9-15-66	(9)		
05S/11W-24A05S	35.0	7-14-65	29.0	6.0	102
		8-16-65	31.5	3.5	
		9-17-65	28.5	6.5	
		10-20-65	26.5	8.5	
		11-19-65	23.3	11.7	
		12-20-65	19.0	16.0	
		1-19-66	18.6	16.4	
		2-15-66	18.6	16.4	
		3-09-66	22.7	12.3	
		4-19-66	24.6	10.4	
		5-10-66	25.4	9.6	
		6-10-66	(1)		
		7-12-66	31.8	3.2	
		8-08-66	31.9	3.1	
		9-15-66	31.6	3.4	
05S/11W-24N02S	25.0	8-16-65	23.5	1.5	102
		9-17-65	21.8	3.2	
		10-20-65	20.3	4.7	
		11-19-65	17.6	7.4	
		12-20-65	14.3	10.7	
		1-19-66	14.0	11.0	
		2-15-66	14.1	10.9	
		3-09-66	17.9	7.1	
		4-19-66	18.4	6.6	
		5-10-66	18.5	6.5	
		6-10-66	21.2	3.8	
		7-12-66	23.5	1.5	
		8-08-66	24.0	1.0	
		9-15-66	23.2	1.8	
05S/11W-25B03S	27.6	7-14-65	24.6	3.0	102
		8-16-65	26.1	1.5	
		9-17-65	24.2	3.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/11W-25H03S (CONT.)	27.6	10-20-65	(1)		102
		11-19-65	20.1	7.5	
		12-20-65	16.7	10.9	
		1-18-66	16.1	11.5	
		2-15-66	16.3	11.3	
		3-09-66	19.2	8.4	
		4-19-66	20.3	7.3	
		5-10-66	20.6	7.0	
		6-10-66	23.1	4.5	
		7-12-66	25.3	2.3	
		8-08-66	(1)		
		9-15-66	25.5	2.1	
05S/11W-25P01S	47.6	8-16-65	44.5	3.1	102
		9-17-65	42.9	4.7	
		10-20-65	42.0	5.6	
		11-19-65	40.0	7.6	
		12-20-65	37.1	10.5	
		1-18-66	36.4	11.2	
		2-15-66	36.3	11.3	
		3-09-66	38.2	9.4	
		4-19-66	39.2	8.4	
		5-10-66	39.6	8.0	
		6-10-66	41.4	6.2	
		7-12-66	42.9	4.7	
		8-08-66	43.7	3.9	
		9-15-66	43.8	3.8	
05S/11W-27C07S	6.0	7-14-65	7.0	-1.0	102
		8-16-65	7.5	-1.5	
		9-17-65	6.8	-.8	
		10-20-65	4.7	1.3	
		11-19-65	2.5	3.5	
		12-20-65	FLOW		
		1-19-66	FLOW		
		2-15-66	FLOW		
		3-09-66	3.7	2.3	
		4-19-66	4.9	1.1	
		5-10-66	4.3	1.7	
		6-10-66	(1)		
		7-12-66	6.1	-.1	
		8-08-66	8.9	-2.9	
		9-15-66	8.7	-2.7	
05S/11W-27H04S	8.0	7-12-65	6.1	1.9	102
		7-19-65	6.9	1.1	
		7-26-65	6.6	1.4	
		8-03-65	7.7	.3	
		8-09-65	7.6	.4	
		8-24-65	7.3	.7	
		8-30-65	7.4	.6	
		9-13-65	7.2	.8	
		9-20-65	6.1	1.9	
		9-27-65	5.8	2.2	
		10-11-65	6.6	1.4	
		10-18-65	5.9	2.1	
		10-25-65	6.3	1.7	
		11-01-65	5.4	2.6	
		11-08-65	5.1	2.9	
		11-29-65	4.2	3.8	
		12-27-65	2.5	5.5	
		1-03-66	1.9	6.1	
		1-17-66	2.1	5.9	
		1-24-66	(1)		
		1-31-66	2.3	5.7	
		2-07-66	2.1	5.9	
		2-14-66	2.3	5.7	
		2-21-66	(1)		
		2-28-66	(1)		
		3-07-66	4.4	3.6	
		3-14-66	(1)		
		3-21-66	(1)		
		3-28-66	4.9	3.1	
		4-04-66	5.7	2.3	
		4-12-66	5.8	2.2	
		4-26-66	5.4	2.6	
		5-03-66	5.8	2.2	
		5-10-66	4.8	3.2	
		5-17-66	5.5	2.5	
		5-24-66	4.1	3.9	
		6-07-66	(1)		
		6-14-66	6.1	1.9	
		6-21-66	6.5	1.5	
		6-28-66	6.2	1.8	
		7-05-66	7.2	.8	
		7-12-66	6.6	1.4	
		7-19-66	(1)		
		7-26-66	7.3	.7	
		8-02-66	8.0	.0	
		8-09-66	7.5	.5	
		8-16-66	8.6	-.6	
		8-23-66	8.8	-.8	
		8-30-66	8.6	-.6	
		9-06-66	7.8	.2	
		9-13-66	8.3	-.3	
		9-20-66	8.0	.0	
05S/11W-28C08S	20.0	7-14-65	16.4	3.6	102

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/11W-28C08S (CONT.)	20.0	8-16-65	(1)		102
		9-17-65	17.7	2.3	
		10-20-65	16.2	3.8	
		11-19-65	14.6	5.4	
		12-20-65	12.0	8.0	
		1-19-66	11.5	8.5	
		2-15-66	11.7	8.3	
		3-09-66	12.8	7.2	
		4-19-66	17.1	2.9	
		5-10-66	17.0	3.0	
		6-10-66	16.4	3.6	
		7-12-66	17.4	2.6	
		8-08-66	19.4	.6	
		9-15-66	19.7	.3	
05S/11W-29B05S	49.9	7-14-65	51.0	-1.1	102
		8-16-65	52.1	-2.2	
		9-17-65	51.9	-2.0	
		10-20-65	51.0	-1.1	
		11-19-65	50.2	-.3	
		12-20-65	48.1	1.8	
		1-19-66	47.2	2.7	
		2-15-66	47.0	2.9	
		3-09-66	47.5	2.4	
		4-19-66	49.3	.6	
		5-10-66	49.9	.0	
		6-10-66	50.2	-.3	
		7-12-66	51.2	-1.3	
		8-08-66	52.0	-2.1	
		9-15-66	53.0	-3.1	
05S/11W-29B08S	36.0	8-16-65	39.6	-3.6	102
		9-17-65	37.9	-1.9	
		10-20-65	36.6	-.6	
		11-19-65	35.1	.9	
		12-20-65	32.2	3.8	
		1-19-66	31.1	4.9	
		2-15-66	31.4	4.6	
		3-09-66	33.4	2.6	
		4-19-66	35.7	.3	
		5-10-66	36.7	-.7	
		6-10-66	37.3	-1.3	
		7-12-66	38.6	-2.6	
		8-08-66	39.8	-3.8	
		9-15-66	40.4	-4.4	
05S/11W-29C01S	48.0	7-14-65	50.6	-2.6	102
		8-16-65	(9)		
		9-17-65	58.4	-10.4	
		10-20-65	53.9	-5.9	
		11-19-65	56.0	-8.0	
		12-20-65	51.9	-3.9	
		1-19-66	50.6	-2.6	
		2-15-66	49.5	-1.5	
		3-09-66	49.7	-1.7	
		4-19-66	54.6	-6.6	
		5-10-66	54.5	-6.5	
		6-10-66	(1)		
		7-12-66	63.0	-15.0	
		8-08-66	65.0	-17.0	
		9-15-66	66.7	-18.7	
06S/08W-06J01S	238.9	9-00-66	227.6	11.3	709
06S/08W-06P01S	204.1	7-15-65	162.7	41.4	102
		8-17-65	166.1	38.0	
		9-23-65	162.3	41.8	
		10-26-65	161.5	42.6	
		11-19-65	158.3	45.8	
		1-14-66	153.4	50.7	
		2-24-66	152.4	51.7	
		3-16-66	151.2	52.9	
		4-25-66	157.9	46.2	
		5-17-66	159.6	44.5	
		6-14-66	159.6	44.5	
		7-21-66	162.4	41.7	
		8-09-66	162.2	41.9	
		9-20-66	159.9	44.2	
06S/08W-07Q01S	202.2	7-15-65	159.2	43.0	102
		8-17-65	(1)		
		9-23-65	(1)		
		10-26-65	153.4	48.8	
		11-19-65	149.0	53.2	
		1-14-66	(1)		
		2-24-66	(1)		
		3-16-66	139.8	62.4	
		4-25-66	(1)		
		5-17-66	155.4	46.8	
		6-14-66	155.1	47.1	
		7-21-66	163.6	38.6	
		8-09-66	(1)		
		9-20-66	161.2	41.0	
06S/08W-08M01S	244.1	7-15-65	(1)		102
		8-17-65	210.4	33.7	
		9-23-65	216.2	27.9	
		10-26-65	215.2	28.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/08W-08M01S	244.1	11-19-65	214.1	30.0	102
(CONT.)		1-14-66	192.1	52.0	
		2-24-66	190.4	53.7	
		3-16-66	195.0	49.1	
		4-25-66	198.5	45.6	
		5-17-66	200.3	43.8	
		6-14-66	(1)		
		7-21-66	(1)		
		8-09-66	(1)		
		9-00-66	201.2	42.9	709
		9-20-66	216.1	28.0	102
06S/08W-10G01S	480.0	8-17-65	84.8	395.2	102
		9-23-65	84.9	395.1	
		10-26-65	(1)		
		11-19-65	84.9	395.1	
		1-14-66	84.9	395.1	
		2-24-66	84.9	395.1	
		3-16-66	84.8	395.2	
06S/08W-14L01S	490.0	7-15-65	(1)		102
		8-17-65	21.6	468.4	
		9-23-65	20.0	470.0	
		10-26-65	20.0	470.0	
		11-19-65	19.8	470.2	
		1-14-66	17.3	472.7	
		2-24-66	17.7	472.3	
		3-16-66	(1)		
		4-25-66	18.1	471.9	
		5-17-66	18.5	471.5	
		6-14-66	18.6	471.4	
		7-21-66	(1)		
		8-09-66	19.1	470.9	
		9-20-66	20.9	469.1	
06S/09W-01P02S	138.2	7-14-65	140.7	-2.5	102
		8-17-65	162.7	-24.5	
		9-23-65	126.3	11.9	
		10-26-65	117.9	20.3	
		11-19-65	108.5	29.7	
		1-14-66	96.3	41.9	
		2-24-66	93.2	45.0	
		3-16-66	92.2	46.0	
		4-25-66	148.8	-10.6	
		5-17-66	129.9(2)	8.3	
		6-14-66	132.4	5.8	
		7-21-66	142.8	-4.6	
		8-09-66	144.4	-6.2	
		9-20-66	132.1	6.1	
06S/09W-02D01S	84.0	7-15-65	(1)		102
		8-17-65	(1)		
		9-23-65	94.9	-10.9	
		10-26-65	74.0	10.0	
		11-19-65	65.0	19.0	
		1-14-66	46.2	37.8	
		2-24-66	42.4	41.6	
		3-16-66	42.4	41.6	
		4-25-66	(1)		
		5-17-66	102.7	-18.7	
		6-14-66	(1)		
		7-21-66	122.2	-38.2	
		8-09-66	122.3	-38.3	
		9-00-66	125.4	-41.4	709
		9-20-66	(1)		102
06S/09W-03R01S	96.0	7-15-65	53.3	42.7	102
		8-17-65	59.2	36.8	
		9-23-65	56.0	40.0	
		10-26-65	52.4	43.6	
		11-19-65	50.8	45.2	
		1-11-66	47.1	48.9	
		2-24-66	46.1	49.9	
		3-16-66	45.7	50.3	
		4-25-66	46.5	49.5	
		5-17-66	48.7	47.3	
		6-14-66	47.7	48.3	
		7-21-66	52.3	43.7	
		8-09-66	50.8	45.2	
		9-20-66	47.3	48.7	
06S/09W-05A01S	41.4	7-15-65	(1)		102
		8-17-65	34.0	7.4	
		9-23-65	29.7	11.7	
		10-26-65	(1)		
		11-19-65	24.8	16.6	
		1-14-66	15.2	26.2	
		2-24-66	15.4	26.0	
		3-16-66	21.0	20.4	
		4-25-66	(1)		
		5-17-66	(1)		
		6-14-66	(1)		
		7-21-66	31.7	9.7	
		8-09-66	33.1	8.3	
		9-20-66	29.7	11.7	
06S/09W-08L01S	10.0	6-24-65	10.4	-.4	102
		9-23-65	12.5	-2.5	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/09W-08L01S	10.0	11-19-65	(9)		102
(CONT.)		1-14-66	(9)		
		5-17-66	6.2	3.8	
		6-14-66	7.4	2.6	
		7-21-66	11.9	-1.9	
		8-09-66	(1)		
		9-20-66	(1)		
06S/09W-09A01S	67.0	7-15-65	51.1	15.9	102
		8-17-65	51.6	15.4	
		9-23-65	46.2	20.8	
		10-26-65	44.9	22.1	
		11-19-65	41.7	25.3	
		1-11-66	32.4	34.6	
		2-24-66	31.8	35.2	
		3-16-66	33.0	34.0	
		4-25-66	37.2	29.8	
		5-17-66	(1)		
		6-14-66	(1)		
		7-21-66	(1)		
		8-09-66	(1)		
		9-20-66	(1)		
06S/09W-12K01S	146.0	7-15-65	97.9(1)	48.1	102
		8-17-65	83.5	62.5	
		9-23-65	82.1	63.9	
		10-26-65	85.6	60.4	
		11-19-65	81.0	65.0	
		1-14-66	77.1	68.9	
		2-24-66	76.2	69.8	
		3-16-66	75.0	71.0	
		4-25-66	77.5	68.5	
		5-17-66	77.2	68.8	
		6-14-66	78.0	68.0	
		7-21-66	79.9	66.1	
		8-09-66	80.2	65.8	
		9-20-66	79.4	66.6	
06S/09W-18E01S	20.0	10-05-65	21.3	-1.3	102
		10-20-65	16.0	4.0	
		10-27-65	16.0	4.0	
		11-02-65	15.9	4.1	
		11-09-65	15.8	4.2	
		11-30-65	15.1	4.9	
		12-21-65	14.6	5.4	
		1-04-66	14.3	5.7	
		1-18-66	13.9	6.1	
		1-25-66	13.9	6.1	
		2-01-66	13.7	6.3	
		2-08-66	13.4	6.6	
		2-15-66	13.5	6.5	
		2-23-66	13.5	6.5	
		3-01-66	13.4	6.6	
		3-08-66	13.4	6.6	
		3-15-66	13.5	6.5	
		3-22-66	13.4	6.6	
		3-29-66	13.4	6.6	
		4-05-66	13.4	6.6	
		4-12-66	13.3	6.7	
		4-20-66	13.4	6.6	
		5-11-66	13.5	6.5	
		6-13-66	13.7	6.3	
		7-14-66	14.0	6.0	
		8-11-66	14.4	5.6	
		9-20-66	14.7	5.3	
06S/09W-18E02S	18.0	10-05-65	14.8	3.2	102
		10-20-65	14.5	3.5	
		10-27-65	14.6	3.4	
		11-02-65	14.6	3.4	
		11-09-65	14.5	3.5	
		11-30-65	13.1	4.9	
		12-21-65	12.8	5.2	
		1-04-66	12.7	5.3	
		1-18-66	12.7	5.3	
		1-25-66	12.7	5.3	
		2-01-66	12.4	5.6	
		2-08-66	12.1	5.9	
		2-15-66	12.4	5.6	
		2-23-66	12.4	5.6	
		3-01-66	12.5	5.5	
		3-08-66	12.6	5.4	
		3-15-66	12.7	5.3	
		3-22-66	12.7	5.3	
		3-29-66	12.8	5.2	
		4-05-66	12.8	5.2	
		4-12-66	12.9	5.1	
		4-20-66	12.9	5.1	
		5-11-66	13.2	4.8	
		6-13-66	13.7	4.3	
		7-14-66	13.7	4.3	
		8-11-66	14.2	3.8	
		9-20-66	14.7	3.3	
06S/10W-01E02S	35.0	7-06-65	35.0(2)	.0	102
		7-12-65	35.7(2)	-.7	
		7-19-65	34.2	.8	
		7-26-65	34.4	.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0

EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/10W-01E02S (CONT.)	35.0	8-03-65	37.0(2)	-2.0	102
		8-09-65	37.7(2)	-2.7	
		8-24-65	35.0	.0	
		8-30-65	38.7(2)	-3.7	
		9-13-65	35.9	-.9	
		9-20-65	36.3(2)	-1.3	
		9-27-65	36.2	-1.2	
		10-11-65	36.0	-1.0	
		10-18-65	32.5	2.5	
		10-25-65	33.2	1.8	
		11-01-65	31.6	3.4	
		11-08-65	30.9	4.1	
		11-29-65	25.4	9.6	
		12-16-65	25.4(2)	9.6	
		12-27-65	21.3	13.7	
		1-03-66	19.7	15.3	
		1-17-66	19.3	15.7	
		1-24-66	19.5	15.5	
		1-31-66	(1)		
		2-07-66	28.8(2)	6.2	
		2-14-66	27.9	7.1	
		2-21-66	26.7	8.3	
		2-28-66	29.5	5.5	
		3-07-66	32.6(2)	2.4	
		3-14-66	28.9	6.1	
		3-21-66	29.4	5.6	
		3-28-66	25.8	9.2	
		4-04-66	24.4	10.6	
		4-12-66	25.2	9.8	
		4-26-66	25.5	9.5	
		5-03-66	26.3	8.7	
		5-10-66	29.3	5.7	
		5-17-66	28.8	6.2	
		5-24-66	29.0	6.0	
		6-07-66	24.5	10.5	
		6-14-66	33.2(2)	1.8	
		6-21-66	30.8	4.2	
		6-28-66	32.5	2.5	
		7-05-66	33.7	1.3	
		7-12-66	35.4(2)	-.4	
		7-19-66	35.8(2)	-.8	
		7-26-66	36.4(2)	-1.4	
		8-02-66	35.1	-.1	
		8-09-66	35.8	-.8	
		8-16-66	35.6	-.6	
		8-23-66	38.9(2)	-3.9	
		8-30-66	38.6(2)	-3.6	
		9-06-66	35.7	-.7	
		9-13-66	39.1(2)	-4.1	
		9-20-66	34.3	.7	
06S/10W-01L02S	39.7	7-14-65	24.2	15.5	102
		8-09-65	24.3	15.4	
		9-21-65	24.5	15.2	
		10-20-65	24.4	15.3	
		11-29-65	23.7	16.0	
		12-28-65	23.3	16.4	
		1-25-66	(9)		
		2-16-66	22.9	16.8	
		3-10-66	23.1	16.6	
		4-20-66	23.2	16.5	
		5-11-66	23.2	16.5	
		6-13-66	23.4	16.3	
		7-14-66	23.5	16.2	
		8-11-66	23.6	16.1	
		9-20-66	(9)		
06S/10W-02G01S	37.5	7-14-65	37.4	.1	102
		8-09-65	36.6	.9	
		9-21-65	38.8	-1.3	
		10-20-65	37.8	-.3	
		11-29-65	30.0	7.5	
		12-28-65	26.4	11.1	
		1-25-66	27.3	10.2	
		2-16-66	39.8	-2.3	
		3-10-66	39.2	-1.7	
		4-20-66	33.5	4.0	
		5-11-66	33.6	3.9	
		6-13-66	(1)		
		7-14-66	37.3	.2	
		8-11-66	43.5	-6.0	
		9-20-66	42.4	-4.9	
06S/10W-04Q02S	60.0	7-14-65	(1)		102
		8-09-65	62.9	-2.9	
		9-21-65	63.0	-3.0	
		10-20-65	62.1	-2.1	
		11-29-65	60.4	-.4	
		12-28-65	58.9	1.1	
		1-25-66	58.1	1.9	
		2-16-66	60.3	-.3	
		3-10-66	60.4	-.4	
		4-20-66	59.0	1.0	
		5-11-66	59.1	.9	
		6-13-66	58.9	1.1	
		7-14-66	(1)		
		8-11-66	60.3	-.3	
		9-20-66	61.2	-1.2	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0

EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/10W-05B03S	18.4	7-06-65	(1)		102
		7-12-65	17.2	1.2	
		7-14-65	(1)		
		7-19-65	14.6	3.8	
		7-26-65	14.9	3.5	
		8-03-65	16.1	2.3	
		8-09-65	(1)		
		8-16-65	23.6	-5.2	
		8-24-65	17.3	1.1	
		8-30-65	(1)		
		9-13-65	15.3	3.1	
		9-17-65	18.5	-.1	
		9-20-65	14.9	3.5	
		9-27-65	13.4	5.0	
		10-11-65	14.2	4.2	
		10-18-65	12.9	5.5	
		10-20-65	(1)		
		10-25-65	13.6	4.8	
		11-01-65	13.2	5.2	
		11-08-65	12.7	5.7	
		11-19-65	(1)		
		11-29-65	9.0	9.4	
		12-16-65	7.2	11.2	
		12-20-65	(1)		
		12-27-65	6.7	11.7	
		1-03-66	6.3	12.1	
		1-17-66	6.0	12.4	
		1-19-66	(1)		
		1-24-66	6.4	12.0	
		1-31-66	6.8	11.6	
		2-07-66	7.0	11.4	
		2-14-66	7.4	11.0	
		2-15-66	(1)		
		2-21-66	7.7	10.7	
		2-28-66	9.6	8.8	
		3-07-66	10.4	8.0	
		3-09-66	(1)		
		3-14-66	9.1	9.3	
		3-21-66	8.9	9.5	
		3-28-66	8.7	9.7	
		4-04-66	8.8	9.6	
		4-12-66	10.0	8.4	
		4-19-66	(1)		
		4-26-66	10.5	7.9	
		5-03-66	11.8	6.6	
		5-10-66	10.6	7.8	
		5-10-66	(1)		
		5-17-66	11.2	7.2	
		5-24-66	11.3	7.1	
		6-07-66	13.7	4.7	
		6-10-66	16.3	2.1	
		6-14-66	12.2	6.2	
		6-21-66	12.8	5.6	
		6-28-66	13.6	4.8	
		7-05-66	13.2	5.2	
		7-12-66	14.4	4.0	
		7-12-66	18.2	.2	
		7-19-66	15.5	2.9	
		7-26-66	15.1	3.3	
		8-02-66	15.3	3.1	
		8-08-66	19.1	-.7	
		8-09-66	15.9	2.5	
		8-16-66	15.4	3.0	
		8-23-66	15.8	2.6	
		8-30-66	15.9	2.5	
		9-06-66	15.4	3.0	
		9-13-66	17.0	1.4	
		9-15-66	19.2	-.8	
		9-20-66	15.4	3.0	
06S/10W-07B02S	10.2	7-12-65	6.7	3.5	102
		7-19-65	6.8	3.4	
		7-26-65	7.1	3.1	
		8-03-65	7.2	3.0	
		8-09-65	7.3	2.9	
		8-24-65	8.0	2.2	
		8-30-65	8.0	2.2	
		9-13-65	7.8	2.4	
		9-20-65	7.2	3.0	
		9-27-65	6.7	3.5	
		10-11-65	6.8	3.4	
		10-18-65	6.4	3.8	
		10-23-65	6.5	3.7	
		11-01-65	6.4	3.8	
		11-08-65	6.1	4.1	
		11-29-65	4.1	6.1	
		12-27-65	2.7	7.5	
		1-03-66	2.3	7.9	
		1-17-66	2.0	8.2	
		1-24-66	1.9	8.3	
		1-31-66	2.1	8.1	
		2-07-66	2.0	8.2	
		2-14-66	2.2	8.0	
		2-21-66	2.4	7.8	
		2-28-66	3.0	7.2	
		3-07-66	2.9	7.3	
		3-14-66	3.0	7.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0					
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
06S/10W-07H02S (CONT.)	10.2	3-21-66	3.2	7.0	102
		3-28-66	3.1	7.1	
		4-04-66	3.2	7.0	
		4-12-66	3.3	6.9	
		4-26-66	3.8	6.4	
		5-03-66	4.1	6.1	
		5-10-66	4.0	6.2	
		5-17-66	4.0	6.2	
		5-24-66	4.4	5.8	
		6-07-66	4.8	5.4	
		6-14-66	5.2	5.0	
		6-21-66	5.3	4.9	
		6-28-66	5.6	4.6	
		7-05-66	5.6	4.6	
		7-12-66	6.2	4.0	
		7-19-66	6.3	3.9	
		7-26-66	6.7	3.5	
		8-02-66	6.8	3.4	
		8-09-66	6.7	3.5	
		8-16-66	7.1	3.1	
		8-23-66	7.2	3.0	
		8-30-66	7.3	2.9	
		9-06-66	7.0	3.2	
		9-13-66	7.1	3.1	
		9-20-66	7.0	3.2	
06S/10W-07Q03S	9.0	9-17-65	4.4	4.6	102
		10-20-65	3.9	5.1	
		11-19-65	3.3	5.7	
		12-20-65	1.6	7.4	
		1-19-66	1.0	8.0	
		2-15-66	1.1	7.9	
		3-09-66	1.6	7.4	
		4-19-66	1.8	7.2	
		5-10-66	2.2	6.8	
		6-10-66	2.7	6.3	
		7-12-66	3.5	5.5	
		8-08-66	3.9	5.1	
		9-15-66	4.2	4.8	
06S/10W-08H02S	12.0	8-09-65	11.4	.6	102
		9-21-65	11.3	.7	
		10-20-65	9.9	2.1	
		11-29-65	8.5	3.5	
		12-28-65	6.3	5.7	
		1-25-66	5.6	6.4	
		2-16-66	6.6	5.4	
		3-10-66	7.3	4.7	
		4-20-66	7.0	5.0	
		5-11-66	7.3	4.7	
		6-13-66	7.8	4.2	
		7-14-66	9.9	2.1	
		8-11-66	9.7	2.3	
		9-20-66	10.2	1.8	
06S/10W-11G01S	54.0	7-14-65	54.0	.0	102
		8-09-65	54.7	-.7	
		9-21-65	53.3	.7	
		10-20-65	55.2	-1.2	
		11-29-65	46.0	8.0	
		12-28-65	42.9	11.1	
		1-25-66	40.8	13.2	
		2-16-66	49.4	4.6	
		3-10-66	54.2	-.2	
		4-20-66	49.9	4.1	
		5-11-66	47.9	6.1	
		6-13-66	50.7	3.3	
		7-14-66	52.6	1.4	
		8-11-66	57.9	-3.9	
		9-20-66	58.2	-4.2	
06S/10W-12E02S	46.7	7-14-65	44.1	2.6	102
		8-09-65	45.7	1.0	
		9-21-65	45.1	1.6	
		10-20-65	44.3	2.4	
		11-29-65	37.8	8.9	
		12-28-65	34.0	12.7	
		1-25-66	32.2	14.5	
		2-16-66	39.3	7.4	
		3-10-66	42.0	4.7	
		4-20-66	37.5	9.2	
		5-11-66	39.2	7.5	
		6-13-66	41.5	5.2	
		7-14-66	44.1	2.6	
		8-11-66	47.3	-.6	
		9-20-66	46.9	-.2	
06S/10W-13E01S	13.5	10-05-65	12.3	1.2	102
		10-20-65	12.3	1.2	
		10-27-65	12.4	1.1	
		11-02-65	12.3	1.2	
		11-09-65	12.3	1.2	
		12-21-65	11.9	1.6	
		1-25-66	11.6	1.9	
		2-01-66	11.5	2.0	
		2-15-66	11.5	2.0	
		2-23-66	11.4	2.1	
		3-08-66	11.4	2.1	
Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0					
EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1					
06S/10W-13E01S (CONT.)	13.5	3-15-66	11.4	2.1	102
		3-22-66	11.4	2.1	
		3-29-66	11.5	2.0	
		4-05-66	11.4	2.1	
		4-12-66	11.4	2.1	
		4-20-66	11.5	2.0	
		5-11-66	11.3	2.2	
		6-13-66	11.5	2.0	
		7-14-66	11.5	2.0	
		8-11-66	11.2	2.3	
		9-20-66	11.4	2.1	
06S/10W-13K01S	19.0	10-20-65	16.4	2.6	102
		10-27-65	16.2	2.8	
		11-02-65	16.1	2.9	
		11-09-65	16.1	2.9	
		1-25-66	14.7	4.3	
		2-01-66	14.6	4.4	
		2-15-66	14.6	4.4	
		2-23-66	14.6	4.4	
		3-08-66	14.9	4.1	
		3-15-66	14.8	4.2	
		3-22-66	14.8	4.2	
		3-29-66	14.8	4.2	
		4-05-66	14.8	4.2	
		4-12-66	14.7	4.3	
		4-20-66	14.8	4.2	
		5-11-66	15.1	3.9	
		6-13-66	15.5	3.5	
		7-14-66	16.0	3.0	
		8-11-66	16.3	2.7	
		9-20-66	16.5	2.5	
06S/10W-20C03S	5.7	8-09-65	3.1	2.6	102
		9-21-65	3.5	2.2	
		10-20-65	3.2	2.5	
		11-29-65	1.0	4.7	
		12-28-65	.1	5.6	
		3-09-66	.3	5.4	
		5-10-66	2.2	3.5	
		6-10-66	2.8	2.9	
		7-12-66	3.1	2.6	
		8-08-66	3.2	2.5	
		9-15-66	3.8	1.9	
06S/10W-20M01S	5.1	7-14-65	3.2	1.9	102
		8-09-65	3.2	1.9	
		9-21-65	3.1	2.0	
		11-29-65	2.8	2.3	
		12-28-65	4.9	.2	
		2-15-66	3.0	2.1	
		3-09-66	3.1	2.0	
		4-19-66	(7)		
		5-10-66	(7)		
		6-10-66	(7)		
06S/11W-01A03S	14.0	7-14-65	5.6	8.4	102
		8-16-65	10.7	3.3	
		9-17-65	14.1	-.1	
		10-20-65	9.4	4.6	
		11-19-65	8.9	5.1	
		12-20-65	2.6	11.4	
		1-19-66	.5	13.5	
		2-15-66	2.1	11.9	
		3-09-66	7.3	6.7	
		4-19-66	11.6	2.4	
		5-10-66	8.2	5.8	
		6-10-66	7.2	6.8	
		7-12-66	11.1	2.9	
		8-08-66	13.1	.9	
		9-15-66	15.3	-1.3	
06S/11W-01B02S	10.0	7-14-65	1.5	8.5	102
		8-16-65	6.3	3.7	
		9-17-65	(1)		
		10-20-65	(1)		
		11-19-65	(1)		
		12-20-65	-1.6	11.6	
		1-19-66	-3.6	13.6	
		2-15-66	-2.0	12.0	
		3-09-66	(1)		
		4-19-66	(1)		
		5-10-66	3.9	6.1	
		6-10-66	3.1	6.9	
		7-12-66	3.5	6.5	
		8-08-66	8.1	1.9	
		9-15-66	8.8	1.2	
06S/11W-03J01S	65.0	8-16-65	57.9	7.1	102
		9-17-65	57.9	7.1	
		10-20-65	58.1	6.9	
		11-19-65	58.0	7.0	
		12-20-65	59.4	5.6	
		1-19-66	57.9	7.1	
		2-15-66	57.9	7.1	
		3-09-66	58.0	7.0	
		4-19-66	58.2	6.8	
		5-10-66	59.0	6.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0

EAST COASTAL PLAIN HYDRO SUBAREA Y-01.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/11W-03J01S (CONT.)	65.0	6-10-66	61.6	3.4	102
		7-12-66	58.5	6.5	
		8-08-66	60.9	4.1	
		9-15-66	58.6	6.4	
06S/11W-11K03S	32.9	7-14-65	22.5	10.4	102
		8-16-65	19.1	13.8	
		9-17-65	22.8	10.1	
		10-20-65	23.2	9.7	
		11-19-65	25.2	7.7	
		12-20-65	3.4	29.5	
		1-19-66	8.1	24.8	
		2-15-66	14.4	18.5	
		3-09-66	18.4	14.5	
		4-19-66	21.9	11.0	
		5-10-66	23.3	9.6	
		6-10-66	24.6	8.3	
		7-12-66	25.5	7.4	
		8-08-66	6.5	26.4	
		9-15-66	16.0	16.9	
06S/11W-13F02S	2.7	8-16-65	-.5	3.2	102
		9-17-65	-.7	3.4	
		10-20-65	-.7	3.4	
		11-19-65	-1.0	3.7	
		12-20-65	-1.4	4.1	
		1-19-66	-1.5	4.2	
		2-15-66	-1.6	4.3	
		3-09-66	-1.5	4.2	
		4-19-66	-1.2	3.9	
		5-10-66	-1.1	3.8	
		6-10-66	-1.1	3.8	
		7-12-66	-.9	3.6	
		8-08-66	-.7	3.4	
		9-15-66	-.5	3.2	
06S/11W-13J01S	5.6	7-14-65	2.7	2.9	102
		8-16-65	(9)		
		9-17-65	2.6	3.0	
		10-20-65	2.5	3.1	
		11-19-65	2.2	3.4	
		12-20-65	1.6	4.0	
		1-19-66	1.3	4.3	
		2-15-66	1.4	4.2	
		3-09-66	1.6	4.0	
		4-19-66	1.7	3.9	
		5-10-66	2.5	3.1	
		6-10-66	3.3	2.3	
		7-12-66	(9)		
		8-08-66	1.1	4.5	
		9-15-66	2.6	3.0	

SANTIAGO HYDRO SUBAREA Y-01.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/07W-29E01S	1245.0	8-04-65	16.1	1228.9	102
		9-08-65	17.0	1228.0	
		10-07-65	17.6	1227.4	
		11-04-65	18.0	1227.0	
		12-22-65	10.6	1234.4	
		1-27-66	10.5	1234.5	
		2-24-66	10.7	1234.3	
		3-24-66	11.2	1233.8	
		4-20-66	11.0	1234.0	
		5-19-66	11.5	1233.5	
		6-16-66	13.6	1231.4	
		7-21-66	14.9	1230.1	
		8-25-66	16.7	1228.3	
		9-22-66	17.2	1227.8	
05S/08W-13C01S	1017.0	8-04-65	45.5	971.5	102
		9-08-65	49.8	967.2	
		10-07-65	55.7	961.3	
		11-04-65	57.4	959.6	
		12-22-65	18.7	998.3	
		1-27-66	17.4	999.6	
		2-24-66	(1)		
		3-24-66	23.5(4)	993.5	
		4-21-66	(1)		
		5-19-66	35.5	981.5	
		6-16-66	(1)		
		7-21-66	44.7	972.3	
		8-25-66	48.4	968.6	
		9-22-66	55.2	961.8	

SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-29C01S	466.8	7-13-65	24.6	442.2	102
		8-11-65	24.5	442.3	
		10-08-65	24.7	442.1	
		11-05-65	24.9	441.9	
		3-11-66	21.9	444.9	
		3-30-66	22.3	444.5	
		4-29-66	22.5	444.3	
		5-26-66	22.6	444.2	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0

SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-29C01S (CONT.)	466.8	6-23-66	23.1	443.7	102
		7-28-66	23.2	443.6	
		8-24-66	23.9	442.9	
		9-23-66	24.1	442.7	
03S/07W-29C02S	471.4	7-13-65	29.0	442.4	102
		8-11-65	28.4	443.0	
		10-08-65	28.9	442.5	
		11-05-65	29.1	442.3	
		3-30-66	25.8	445.6	
		4-29-66	26.1	445.3	
		5-11-66	26.5	444.9	
		5-26-66	26.3	445.1	
		6-23-66	26.6	444.8	
		7-28-66	27.0	444.4	
		8-24-66	27.3	444.1	
		9-23-66	27.8	443.6	
03S/07W-29C03S	461.1	7-13-65	20.1	441.0	102
		8-11-65	19.9	441.2	
		10-08-65	19.9	441.2	
		11-05-65	20.0	441.1	
		3-11-66	17.8	443.3	
		3-30-66	18.1	443.0	
		4-29-66	18.4	442.7	
		5-26-66	18.7	442.4	
		6-23-66	19.0	442.1	
		7-28-66	19.3	441.8	
		8-24-66	19.6	441.5	
		9-23-66	20.1	441.0	
03S/07W-29D03S	459.8	7-13-65	19.1	440.7	102
		8-11-65	18.9	440.9	
		10-08-65	18.9	440.9	
		11-05-65	19.0	440.8	
		3-11-66	16.9	442.9	
		3-30-66	17.2	442.6	
		4-29-66	17.6	442.2	
		5-26-66	17.8	442.0	
		6-23-66	18.1	441.7	
		7-28-66	18.5	441.3	
		8-24-66	18.8	441.0	
		9-23-66	19.2	440.6	
03S/07W-29D04S	467.1	7-13-65	27.2	439.9	102
		8-11-65	27.2	439.9	
		10-08-65	27.5	439.6	
		11-05-65	27.7	439.4	
		3-11-66	24.5	442.6	
		3-30-66	24.6	442.5	
		4-29-66	24.8	442.3	
		5-26-66	25.1	442.0	
		6-23-66	25.3	441.8	
		7-28-66	25.6	441.5	
		8-24-66	25.9	441.2	
		9-23-66	26.5	440.6	
03S/07W-29D06S	480.5	7-13-65	34.3	446.2	102
		8-11-65	34.1	446.4	
		10-08-65	34.1	446.4	
		11-05-65	34.2	446.3	
		3-11-66	33.3	447.2	
		3-30-66	33.2	447.3	
		4-29-66	33.0	447.5	
		5-26-66	32.9	447.6	
		6-23-66	32.9	447.6	
		7-28-66	32.9	447.6	
		8-24-66	32.9	447.6	
		9-23-66	33.2	447.3	
03S/07W-29D07S	464.6	7-13-65	15.0	449.6	102
		8-11-65	14.9	449.7	
		10-08-65	14.8	449.8	
		11-05-65	14.9	449.7	
		3-11-66	13.6	451.0	
		3-30-66	13.7	450.9	
		4-29-66	13.7	450.9	
		5-26-66	13.7	450.9	
		6-23-66	13.8	450.8	
		7-28-66	13.9	450.7	
		8-24-66	13.9	450.7	
		9-23-66	14.1	450.5	
03S/07W-29E01S	445.7	7-13-65	5.8	439.9	102
		8-11-65	5.8	439.9	
		10-08-65	5.9	439.8	
		11-05-65	5.9	439.8	
		3-11-66	5.5	440.2	
		4-07-66	5.9	439.8	
		4-29-66	6.0	439.7	
		5-26-66	6.1	439.6	
		6-23-66	6.3	439.4	
		7-28-66	6.6	439.1	
		8-24-66	6.8	438.9	
		9-23-66	6.9	438.8	
03S/07W-29F02S	461.4	7-13-65	20.8	440.6	102
		8-11-65	20.6	440.8	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.43

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-29F02S (CONT.)	461.4	10-08-65	20.6	440.8	102
		11-05-65	20.6	440.8	
		3-11-66	19.3	442.1	
		4-07-66	19.3	442.1	
		4-29-66	19.5	441.9	
		5-26-66	19.8	441.6	
		6-23-66	20.2	441.2	
		7-28-66	20.6	440.8	
		8-24-66	20.9	440.5	
		9-23-66	21.2	440.2	
03S/07W-30K01S	456.2	10-12-65	(9)		102
		4-07-66	(9)		
		9-26-66	(9)		
03S/07W-30K02S	457.6	10-12-65	21.9	435.7	102
		4-07-66	21.7	435.9	
		9-26-66	22.4	435.2	
03S/08W-25J01S	435.0	10-12-65	18.7	416.3	102
		4-07-66	19.7	415.3	
		9-26-66	19.2	415.8	
03S/08W-26N02S	387.0	7-07-65	(1)		102
		8-10-65	(1)		
		9-02-65	(1)		
		10-06-65	(1)		
		11-03-65	10.9	376.1	
		12-15-65	8.9	378.1	
		1-06-66	7.9	379.1	
		2-03-66	9.9	377.1	
		3-03-66	10.7	376.3	
		4-06-66	11.6	375.4	
		5-04-66	(1)		
		6-01-66	12.4	374.6	
		7-06-66	(1)		
		8-03-66	(1)		
		9-07-66	(1)		
03S/08W-29K01S	340.0	7-05-65	15.2	324.8	715
		7-07-65	(1)		102
		7-12-65	71.0(1)	269.0	715
		8-10-65	(1)		102
		9-02-65	(1)		
		10-06-65	(1)		
		11-03-65	(1)		
		11-08-65	25.7	314.3	715
		11-15-65	24.2	315.8	
		11-29-65	11.0	329.0	
		12-06-65	9.2	330.8	
		12-13-65	9.6	330.4	
		12-15-65	9.7	330.3	102
		1-03-66	8.3	331.7	715
		1-06-66	8.4	331.6	102
		1-10-66	8.9	331.1	715
		1-17-66	9.2	330.8	
		1-24-66	9.5	330.5	
		1-31-66	9.4	330.6	
		2-03-66	9.5	330.5	102
		2-07-66	9.3	330.7	715
		2-14-66	9.2	330.8	
		2-21-66	9.5	330.5	
		2-28-66	9.6	330.4	
		3-03-66	9.7	330.3	102
		3-07-66	9.5	330.5	715
		3-14-66	9.6	330.4	
		3-21-66	9.7	330.3	
		3-28-66	9.6	330.4	
		4-04-66	9.9	330.1	
		4-06-66	9.9	330.1	102
		4-11-66	9.9	330.1	715
		4-18-66	10.1	329.9	
		4-25-66	10.2	329.8	
		5-02-66	10.2	329.8	
		5-04-66	10.5	329.5	102
		5-09-66	10.3	329.7	715
		5-16-66	10.4	329.6	
		5-23-66	10.6	329.4	
		5-31-66	10.5	329.5	
		6-01-66	10.6	329.4	102
		6-06-66	10.5	329.5	715
		6-13-66	10.6	329.4	
		6-20-66	11.4	328.6	
		6-27-66	59.7(1)	280.3	
		7-04-66	63.6(1)	276.4	
		7-06-66	(1)		102
		7-11-66	65.3(1)	274.7	715
		7-18-66	68.0(1)	272.0	
		7-25-66	69.9(1)	270.1	
		8-01-66	73.2(1)	266.8	
		8-03-66	(1)		102
		9-07-66	(1)		
03S/08W-29N01S	320.0	7-05-65	29.5(1)	290.5	715
		7-12-65	34.7(1)	285.3	
		7-19-65	36.8(1)	283.2	
		7-26-65	38.2(1)	281.8	
		8-02-65	39.4(1)	280.6	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.43

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/08W-29N01S (CONT.)	320.0	8-09-65	40.9(1)	279.1	715
		8-16-65	42.5(1)	277.5	
		8-23-65	46.8(1)	273.2	
		8-30-65	34.0(1)	286.0	
		9-06-65	30.1(1)	289.9	
		9-13-65	28.0(1)	292.0	
		9-20-65	27.4(1)	292.6	
		9-27-65	25.3(1)	294.7	
		10-04-65	26.0(1)	294.0	
		10-11-65	28.2(1)	291.8	
		10-18-65	28.6(1)	291.4	
		10-25-65	32.2(1)	287.8	
		11-01-65	32.5(1)	287.5	
		11-08-65	25.3	294.7	
		11-15-65	24.3	295.7	
		11-29-65	8.4	311.6	
		12-06-65	7.3	312.7	
		12-13-65	8.1	311.9	
		1-03-66	6.1	313.9	
		1-10-66	7.5	312.5	
		1-17-66	7.6	312.4	
		1-24-66	7.9	312.1	
		1-31-66	7.6	312.4	
		2-07-66	7.5	312.5	
		2-14-66	7.9	312.1	
		2-21-66	8.0	312.0	
		2-28-66	8.1	311.9	
		3-07-66	8.3	311.7	
		3-14-66	8.2	311.8	
		3-21-66	8.3	311.7	
		3-28-66	8.3	311.7	
		4-04-66	8.6	311.4	
		4-11-66	8.3	311.7	
		4-18-66	8.3	311.7	
		4-25-66	8.2	311.8	
		5-02-66	8.1	311.9	
		5-09-66	7.7	312.3	
		5-16-66	7.6	312.4	
		5-23-66	7.7	312.3	
		5-31-66	7.7	312.3	
		6-06-66	7.8	312.2	
		6-13-66	8.6	311.4	
		6-20-66	9.0	311.0	
		6-27-66	23.1(1)	296.9	
		7-04-66	26.2(1)	293.8	
		7-11-66	29.9(1)	290.1	
		7-18-66	34.2(1)	285.8	
		7-25-66	37.9(1)	282.1	
		8-01-66	41.8(1)	278.2	
		8-08-66	36.5(1)	283.5	
		8-15-66	36.2(1)	283.8	
		8-22-66	37.4(1)	282.6	
		8-29-66	38.8(1)	281.2	
		9-05-66	39.8(1)	280.2	
		9-12-66	40.5(1)	279.5	
		9-19-66	38.7(1)	281.3	
		9-26-66	37.5(1)	282.5	
03S/08W-29P01S	336.0	7-05-65	21.5	314.5	715
		7-07-65	(1)		102
		7-12-65	22.5	313.5	715
		7-19-65	26.5	309.5	
		7-26-65	26.0	310.0	
		8-02-65	27.8	308.2	
		8-09-65	56.5(1)	279.5	
		8-10-65	(1)		102
		8-16-65	58.6(1)	277.4	715
		8-23-65	60.7(1)	275.3	
		8-30-65	64.7(1)	271.3	
		9-02-65	(1)		102
		9-06-65	61.7(1)	274.3	715
		9-13-65	61.6(1)	274.4	
		9-20-65	31.9	304.1	
		9-27-65	57.7(1)	278.3	
		10-04-65	60.1(1)	275.9	
		10-06-65	(1)		102
		10-11-65	60.5(1)	275.5	715
		10-18-65	60.8(1)	275.2	
		10-25-65	59.8(1)	276.2	
		11-01-65	62.1(1)	273.9	
		11-03-65	(1)		102
		11-08-65	32.8	303.2	715
		11-15-65	30.0	306.0	
		11-29-65	20.0	316.0	
		12-06-65	15.3	320.7	
		12-13-65	13.5	322.5	
		12-15-65	12.5	323.5	102
		1-03-66	11.5	324.5	715
		1-06-66	10.2	325.8	102
		1-10-66	10.8	325.2	715
		1-17-66	11.2	324.8	
		1-24-66	11.2	324.8	
		1-31-66	11.1	324.9	
		2-03-66	10.4	325.6	102
		2-07-66	11.0	325.0	715
		2-14-66	11.0	325.0	
		2-21-66	11.2	324.8	
		2-28-66	11.3	324.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/08W-29P01S (CONT.)	336.0	3-03-66	10.6	325.4	102
		3-07-66	13.3	322.7	
		3-14-66	11.2	324.8	
		3-21-66	11.3	324.7	
		3-28-66	11.5	324.5	
		4-04-66	13.6	322.4	
		4-06-66	11.3	324.7	102
		4-11-66	11.7	324.3	715
		4-18-66	12.6	323.4	
		4-25-66	12.0	324.0	
		5-02-66	11.7	324.3	
		5-04-66	(1)		102
		5-09-66	12.4	323.6	715
		5-16-66	12.0	324.0	
		5-23-66	12.1	323.9	
		5-31-66	12.7	323.3	
		6-01-66	11.8	324.2	102
		6-06-66	12.2	323.8	715
		6-13-66	12.6	323.4	
		6-20-66	14.0	322.0	
		6-27-66	43.2(1)	292.8	
		7-04-66	19.2	316.8	
		7-06-66	(1)		102
		7-11-66	47.4(1)	288.6	715
		7-18-66	49.6(1)	286.4	
		7-25-66	51.9(1)	284.1	
		8-01-66	54.9(1)	281.1	
		8-03-66	(1)		102
		8-08-66	57.0(1)	279.0	715
		8-15-66	58.9(1)	277.1	
		8-22-66	29.7	306.3	
		8-29-66	60.0(1)	276.0	
		9-05-66	33.0	303.0	
		9-07-66	(1)		102
		9-12-66	61.9(1)	274.1	715
		9-19-66	62.9(1)	273.1	
		9-26-66	63.5(1)	272.5	
03S/08W-29Q01S	339.0	7-05-65	19.1	319.9	715
		7-07-65	(1)		102
		8-10-65	(1)		
		9-02-65	(1)		
		10-06-65	(1)		
		11-03-65	(1)		
		11-15-65	28.5	310.5	715
		11-29-65	19.7	319.3	
		12-06-65	15.4	323.6	
		12-13-65	13.2	325.8	
		12-15-65	(1)		102
		1-03-66	11.1	327.9	715
		1-06-66	11.1	327.9	102
		1-10-66	10.4	328.6	715
		1-17-66	10.7	328.3	
		1-24-66	10.7	328.3	
		1-31-66	10.6	328.4	
		2-03-66	10.9	328.1	102
		2-07-66	10.8	328.2	715
		2-14-66	10.7	328.3	
		2-21-66	10.7	328.3	
		2-28-66	11.0	328.0	
		3-03-66	11.0	328.0	102
		3-07-66	11.0	328.0	715
		3-14-66	10.9	328.1	
		3-21-66	11.0	328.0	
		3-28-66	11.0	328.0	
		4-04-66	11.1	327.9	
		4-06-66	11.7	327.3	102
		4-11-66	11.3	327.7	715
		4-18-66	11.9	327.1	
		4-25-66	11.6	327.4	
		5-02-66	11.8	327.2	
		5-04-66	12.0	327.0	102
		5-09-66	12.2	326.8	715
		5-16-66	11.9	327.1	
		5-23-66	12.0	327.0	
		5-31-66	12.0	327.0	
		6-01-66	12.2	326.8	102
		6-06-66	11.7	327.3	715
		6-13-66	12.2	326.8	
		6-20-66	12.8	326.2	
		7-06-66	(1)		102
		8-03-66	(1)		
		9-07-66	(1)		
03S/08W-29Q02S	338.0	7-05-65	18.7	319.3	715
		7-12-65	32.2(1)	305.8	
		7-19-65	34.0(1)	304.0	
		7-26-65	35.7(1)	302.3	
		8-02-65	37.1(1)	300.9	
		8-09-65	38.9(1)	299.1	
		8-16-65	40.1(1)	297.9	
		8-23-65	42.4(1)	295.6	
		8-30-65	43.6(1)	294.4	
		9-06-65	45.0(1)	293.0	
		9-13-65	46.1(1)	291.9	
		9-20-65	46.3(1)	291.7	
		9-27-65	43.4(1)	294.6	
		10-04-65	46.0(1)	292.0	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/08W-29Q02S (CONT.)	338.0	10-11-65	47.2(1)	290.8	715
		10-18-65	47.7(1)	290.3	
		10-25-65	45.7(1)	292.3	
		11-01-65	47.8(1)	290.2	
		11-08-65	29.7	308.3	
		11-15-65	27.7	310.3	
		11-29-65	17.0	321.0	
		12-06-65	13.7	324.3	
		12-13-65	12.7	325.3	
		1-03-66	11.3	326.7	
		1-10-66	11.3	326.7	
		1-17-66	11.6	326.4	
		1-24-66	11.7	326.3	
		1-31-66	12.0	326.0	
		2-07-66	11.6	326.4	
		2-14-66	11.5	326.5	
		2-21-66	11.5	326.5	
		2-28-66	11.9	326.1	
		3-07-66	11.8	326.2	
		3-14-66	11.7	326.3	
		3-21-66	12.0	326.0	
		3-28-66	12.0	326.0	
		4-04-66	12.0	326.0	
		4-11-66	12.3	325.7	
		4-18-66	12.8	325.2	
		4-25-66	12.6	325.4	
		5-02-66	12.6	325.4	
		5-09-66	12.9	325.1	
		5-16-66	12.9	325.1	
		5-23-66	12.9	325.1	
		5-31-66	13.0	325.0	
		6-06-66	12.8	325.2	
		6-13-66	12.9	325.1	
		6-20-66	14.0	324.0	
		6-27-66	26.0(1)	312.0	
		7-04-66	29.7(1)	308.3	
		7-11-66	31.5(1)	306.5	
		7-18-66	33.4(1)	304.6	
		7-25-66	34.9(1)	303.1	
		8-01-66	36.5(1)	301.5	
		8-08-66	38.3(1)	299.7	
		8-15-66	40.5(1)	297.5	
		8-22-66	41.1(1)	296.9	
		8-29-66	42.7(1)	295.3	
		9-05-66	44.0(1)	294.0	
		9-12-66	44.9(1)	293.1	
		9-19-66	47.0(1)	291.0	
		9-26-66	48.9(1)	289.1	
03S/08W-30N01S	329.7	7-07-65	(1)		102
		8-10-65	32.3	297.4	
		9-02-65	(1)		
		10-05-65	(1)		
		11-03-65	30.6	299.1	
		12-15-65	25.4	304.3	
		1-06-66	23.9	305.8	
		2-03-66	23.6	306.1	
		3-03-66	23.8	305.9	
		4-06-66	26.2	303.5	
		5-04-66	24.5	305.2	
		6-01-66	28.3	301.4	
		7-06-66	(1)		
		8-03-66	31.7	298.0	
		9-07-66	29.8	299.9	
03S/08W-30N02S	329.0	7-07-65	(1)		102
		8-10-65	(1)		
		9-02-65	(1)		
		10-06-65	30.1	298.9	
		11-03-65	(1)		
		12-15-65	24.0	305.0	
		1-06-66	22.8	306.2	
		2-03-66	22.1	306.9	
		3-03-66	22.2	306.8	
		4-06-66	(1)		
		5-04-66	22.9	306.1	
		6-01-66	(1)		
		7-06-66	26.7	302.3	
		8-03-66	(1)		
		9-07-66	28.8	300.2	
03S/08W-30Q01S	350.0	7-07-65	(1)		102
		8-10-65	(1)		
		9-02-65	(1)		
		10-06-65	45.9	304.1	
		11-03-65	46.4	303.6	
		12-15-65	43.1	306.9	
		1-06-66	44.0	306.0	
		2-03-66	41.0	309.0	
		3-03-66	41.3	308.7	
		4-06-66	42.7	307.3	
		5-04-66	(1)		
		6-01-66	(1)		
		7-06-66	(1)		
		8-03-66	(1)		
		9-07-66	51.7	298.3	
03S/08W-30R01S	327.0	7-07-65	30.3(1)	296.7	102

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/08W-30R01S (CONT.)	327.0	8-10-65	28.6	298.4	102
		9-02-65	29.4(1)	297.6	
		10-06-65	23.7(1)	303.3	
		11-03-65	20.3	306.7	
		12-15-65	11.1	315.9	
		1-06-66	9.7	317.3	
		2-03-66	10.8	316.2	
		3-03-66	11.2	315.8	
		4-06-66	11.5	315.5	
		5-04-66	10.8	316.2	
		6-01-66	10.8	316.2	
		7-06-66	15.3	311.7	
		8-03-66	38.7(1)	288.3	
		9-07-66	(1)		
03S/08W-30R02S	327.3	7-07-65	21.0	306.3	102
		1-06-66	(9)		
03S/08W-31D01S	327.0	7-07-65	22.1	304.9	102
		8-10-65	24.2	302.8	
		9-02-65	27.4	299.6	
		10-06-65	22.8	304.2	
		11-03-65	22.9	304.1	
		12-15-65	18.8	308.2	
		1-06-66	17.8	309.2	
		2-03-66	17.2	309.8	
		3-03-66	17.4	309.6	
		4-06-66	18.7	308.3	
		5-04-66	18.1	308.9	
		6-01-66	20.2	306.8	
		7-06-66	(1)		
		8-03-66	23.8	303.2	
		9-07-66	20.8	306.2	
03S/08W-31E02S	315.0	7-07-65	(1)		102
		8-10-65	(1)		
		9-02-65	18.3	296.7	
		10-05-65	19.0	296.0	
		11-03-65	23.2	291.8	
		12-15-65	15.8	299.2	
		1-06-66	15.8	299.2	
		2-03-66	16.5	298.5	
		3-03-66	(9)		
		4-06-66	17.5	297.5	
		5-04-66	16.1	298.9	
		6-01-66	17.8	297.2	
		7-06-66	18.6	296.4	
		8-03-66	22.9	292.1	
		9-07-66	18.6	296.4	
03S/08W-31F03S	312.0	7-07-65	11.1	300.9	102
		8-10-65	(1)		
		9-02-65	(1)		
		10-06-65	(1)		
		11-03-65	16.9	295.1	
		12-15-65	7.8	304.2	
		1-06-66	6.5	305.5	
		2-03-66	8.5	303.5	
		3-03-66	8.9	303.1	
		4-06-66	9.3	302.7	
		5-04-66	8.0	304.0	
		6-01-66	8.1	303.9	
		7-06-66	(1)		
		8-03-66	(1)		
		9-07-66	(1)		
03S/08W-31M01S	310.6	7-05-65	9.9	300.7	715
		7-07-65	10.2	300.4	102
		7-12-65	10.0	300.6	715
		7-19-65	33.7(1)	276.9	
		7-26-65	13.2	297.4	
		8-02-65	15.8	294.8	
		8-09-65	37.7(1)	272.9	
		8-10-65	15.0	295.6	102
		8-16-65	19.1	291.5	715
		8-23-65	38.2(1)	272.4	
		8-30-65	10.3	300.3	
		9-02-65	9.0	301.6	102
		9-06-65	29.7(1)	280.9	715
		9-13-65	28.8(1)	281.8	
		9-20-65	7.4	303.2	
		9-27-65	27.7(1)	282.9	
		10-05-65	7.5	303.1	
		10-06-65	8.2	302.4	102
		10-11-65	8.7	301.9	715
		10-18-65	8.6	302.0	
		10-25-65	30.3(1)	280.3	
		11-01-65	33.4(1)	277.2	
		11-03-65	11.8	298.8	102
		11-08-65	12.7	297.9	715
		11-15-65	12.0	298.6	
		11-29-65	5.2	305.4	
		12-06-65	5.6	305.0	
		12-13-65	6.6	304.0	
		12-15-65	7.3	303.3	102
		1-03-66	5.4	305.2	715
		1-06-66	6.8	303.8	102
		1-10-66	7.0	303.6	715

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/08W-31M01S (CONT.)	310.6	1-17-66	7.3	303.3	715
		1-24-66	7.5	303.1	
		1-31-66	6.9	303.7	
		2-03-66	7.8	302.8	102
		2-07-66	6.6	304.0	715
		2-14-66	7.4	303.2	
		2-21-66	7.6	303.0	
		2-28-66	7.8	302.8	
		3-03-66	8.3	302.3	102
		3-07-66	7.8	302.8	715
		3-14-66	7.8	302.8	
		3-21-66	7.9	302.7	
		3-28-66	7.7	302.9	
		4-04-66	8.1	302.5	
		4-06-66	9.0	301.6	102
		4-11-66	7.7	302.9	715
		4-18-66	7.1	303.5	
		4-25-66	6.8	303.8	
		5-02-66	6.7	303.9	
		5-04-66	7.4	303.2	102
		5-09-66	6.7	303.9	715
		5-16-66	6.9	303.7	
		5-23-66	7.0	303.6	
		5-31-66	6.8	303.8	
		6-01-66	7.4	303.2	102
		6-06-66	7.2	303.4	715
		6-13-66	7.1	303.5	
		6-20-66	7.7	302.9	
		6-27-66	8.0	302.6	
		7-04-66	9.7	300.9	
		7-06-66	9.8	300.8	102
		7-11-66	31.5(1)	279.1	715
		7-18-66	32.6(1)	278.0	
		7-25-66	34.6(1)	276.0	
		8-01-66	35.6(1)	275.0	
		8-03-66	11.5	299.1	102
		8-08-66	29.7(1)	280.9	715
		8-15-66	29.3(1)	281.3	
		8-22-66	9.4	301.2	
		8-29-66	29.5(1)	281.1	
		9-05-66	9.2	301.4	
		9-07-66	9.7	300.9	102
		9-12-66	29.0(1)	281.6	715
		9-19-66	28.3(1)	282.3	
		9-26-66	8.6	302.0	
03S/08W-31M02S	310.0	7-05-65	8.2	301.8	715
		7-07-65	(1)		102
		7-12-65	8.5	301.5	715
		7-19-65	12.0	298.0	
		7-26-65	11.0	299.0	
		8-02-65	13.2	296.8	
		8-10-65	(1)		102
		8-16-65	16.3	293.7	715
		8-23-65	17.8	292.2	
		8-30-65	8.3	301.7	
		9-02-65	10.4	299.6	102
		9-13-65	7.1	302.9	715
		9-20-65	5.6	304.4	
		9-27-65	6.5	303.5	
		10-06-65	8.9	301.1	102
		10-25-65	9.1	300.9	715
		11-01-65	12.6	297.4	
		11-03-65	11.5	298.5	102
		11-08-65	10.9	299.1	715
		11-15-65	10.0	300.0	
		11-29-65	3.5	306.5	
		12-06-65	3.9	306.1	
		12-13-65	5.1	304.9	
		12-15-65	8.5	301.5	102
		1-03-66	3.6	306.4	715
		1-06-66	8.2	301.8	102
		1-10-66	5.6	304.4	715
		1-17-66	6.2	303.8	
		1-24-66	6.0	304.0	
		1-31-66	5.5	304.5	
		2-03-66	9.1	300.9	102
		2-07-66	5.2	304.8	715
		2-14-66	6.0	304.0	
		2-21-66	6.1	303.9	
		2-28-66	6.2	303.8	
		3-03-66	9.7	300.3	102
		3-07-66	6.4	303.6	715
		3-14-66	6.3	303.7	
		3-21-66	6.4	303.6	
		3-28-66	6.3	303.7	
		4-04-66	6.8	303.2	
		4-06-66	10.0	300.0	102
		4-11-66	6.2	303.8	715
		4-18-66	5.6	304.4	
		4-25-66	5.2	304.8	
		5-02-66	5.4	304.6	
		5-04-66	8.6	301.4	102
		5-09-66	5.2	304.8	715
		5-16-66	5.6	304.4	
		5-23-66	5.5	304.5	
		5-31-66	5.3	304.7	
		6-01-66	8.6	301.4	102

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/08W-31M02S (CONT.)	310.0	6-06-66	5.7	304.3	715
		6-13-66	5.7	304.3	715
		6-20-66	6.3	303.7	
		6-27-66	6.6	303.4	
		7-04-66	8.7	301.3	
		7-06-66	10.7	299.3	102
		7-11-66	10.6	299.4	715
		7-18-66	11.4	298.6	
		7-25-66	14.4	295.6	
		8-01-66	15.1	294.9	
		8-03-66	(1)		102
		8-08-66	8.8	301.2	715
		9-05-66	7.9	302.1	
		9-07-66	10.4	299.6	102
		9-12-66	8.9	301.1	715
		9-19-66	7.8	302.2	
		9-26-66	7.0	303.0	
03S/08W-31N01S	325.0	7-07-65	25.4	299.6	102
		8-10-65	26.7	298.3	
		9-02-65	28.2	296.8	
		10-06-65	25.6	299.4	
		11-03-65	25.7	299.3	
		12-15-65	24.0	301.0	
		1-06-66	23.5	301.5	
		2-03-66	24.1	300.9	
		3-03-66	25.2	299.8	
		4-06-66	24.9	300.1	
		5-04-66	24.5	300.5	
		6-01-66	24.5	300.5	
		7-06-66	25.3	299.7	
		8-03-66	26.9	298.1	
		9-07-66	26.5	298.5	
03S/08W-31N03S	325.0	7-07-65	28.6	296.4	102
		8-10-65	30.0	295.0	
		9-02-65	(1)		
		10-05-65	27.7	297.3	
		11-03-65	28.8	296.2	
		12-15-65	26.9	298.1	
		1-06-66	26.2	298.8	
		2-03-66	27.4	297.6	
		3-02-66	27.8	297.2	
		4-06-66	(1)		
		5-04-66	(1)		
		6-01-66	27.4	297.6	
		7-06-66	28.5	296.5	
		8-03-66	30.2	294.8	
		9-07-66	29.3	295.7	
03S/08W-32D01S	360.0	7-05-65	24.0	336.0	715
		7-12-65	29.0	331.0	
		7-19-65	39.0(1)	321.0	
		7-26-65	40.5(1)	319.5	
		8-02-65	42.0(1)	318.0	
		8-09-65	43.5(1)	316.5	
		8-16-65	45.2(1)	314.8	
		8-23-65	48.3(1)	311.7	
		8-30-65	38.7(1)	321.3	
		9-06-65	33.9(1)	326.1	
		9-13-65	32.1(1)	327.9	
		9-20-65	30.7(1)	329.3	
		9-27-65	28.4(1)	331.6	
		10-04-65	29.0(1)	331.0	
		10-11-65	30.7(1)	329.3	
		10-18-65	31.7(1)	328.3	
		10-25-65	34.5(1)	325.5	
		11-01-65	35.4(1)	324.6	
		11-08-65	37.7(1)	322.3	
		11-15-65	29.5	330.5	
		11-29-65	15.3	344.7	
		12-06-65	13.2	346.8	
		12-13-65	13.3	346.7	
		1-03-66	11.6	348.4	
		1-10-66	12.1	347.9	
		1-17-66	12.4	347.6	
		1-24-66	12.8	347.2	
		1-31-66	12.5	347.5	
		2-07-66	12.4	347.6	
		2-14-66	12.7	347.3	
		2-21-66	12.8	347.2	
		2-28-66	13.1	346.9	
		3-07-66	13.0	347.0	
		3-14-66	12.9	347.1	
		3-21-66	13.0	347.0	
		3-28-66	13.2	346.8	
		4-04-66	13.3	346.7	
		4-11-66	13.1	346.9	
		4-18-66	13.1	346.9	
		4-25-66	12.9	347.1	
		5-02-66	13.0	347.0	
		5-09-66	12.5	347.5	
		5-16-66	12.9	347.1	
		5-23-66	12.9	347.1	
		5-31-66	13.0	347.0	
		6-06-66	12.7	347.3	
		6-13-66	13.4	346.6	
		6-20-66	14.0	346.0	
03S/08W-32D01S (CONT.)	360.0	6-27-66	16.0	344.0	715
		7-04-66	27.5(1)	332.5	
		7-11-66	30.8(1)	329.2	
		7-18-66	35.1(1)	324.9	
		7-25-66	39.5(1)	320.5	
		8-01-66	42.4(1)	317.6	
		8-08-66	38.8(1)	321.2	
		8-15-66	38.2(1)	321.8	
		8-22-66	39.3(1)	320.7	
		8-29-66	40.5(1)	319.5	
		9-05-66	41.7(1)	318.3	
		9-12-66	42.5(1)	317.5	
		9-19-66	41.1(1)	318.9	
		9-26-66	40.0(1)	320.0	
03S/08W-33C01S	360.0	7-07-65	6.9	353.1	102
		8-10-65	7.1	352.9	
		9-02-65	7.1	352.9	
		10-06-65	(1)		
		11-03-65	(1)		
		12-15-65	5.7	354.3	
		1-06-66	4.9	355.1	
		2-03-66	6.8	353.2	
		3-03-66	7.3	352.7	
		4-06-66	7.7	352.3	
		5-04-66	8.0	352.0	
		6-01-66	8.1	351.9	
		7-06-66	(1)		
		8-03-66	8.4	351.6	
		9-07-66	(9)		
03S/08W-34C01S	368.0	7-07-65	7.5	360.5	102
		8-10-65	7.9	360.1	
		9-02-65	8.0	360.0	
		10-06-65	8.0	360.0	
		11-03-65	7.9	360.1	
		12-15-65	4.6	363.4	
		1-06-66	4.5	363.5	
		2-03-66	6.5	361.5	
		3-03-66	7.2	360.8	
		4-06-66	8.0	360.0	
		5-04-66	8.4	359.6	
		6-01-66	8.7	359.3	
		7-06-66	9.0	359.0	
		8-03-66	9.4	358.6	
		9-07-66	9.5	358.5	
03S/08W-35B01S	400.0	7-07-65	(1)		102
		8-10-65	(1)		
		9-02-65	45.0	355.0	
		10-06-65	(1)		
		11-03-65	45.2	354.8	
		12-15-65	40.7	359.3	
		1-06-66	40.2	359.8	
		2-03-66	41.6	358.4	
		3-03-66	43.3	356.7	
		4-06-66	42.8	357.2	
		5-04-66	(1)		
		6-01-66	(1)		
		7-06-66	(1)		
		8-03-66	46.5	353.5	
		9-07-66	(1)		
03S/08W-35B02S	400.0	7-07-65	28.9	371.1	102
		8-10-65	29.1	370.9	
		9-02-65	27.7	372.3	
		10-06-65	29.2	370.8	
		11-03-65	27.7	372.3	
		12-15-65	25.7	374.3	
		1-06-66	26.3	373.7	
		2-03-66	27.4	372.6	
		3-03-66	28.0	372.0	
		4-06-66	28.4	371.6	
		5-04-66	30.2	369.8	
		6-01-66	30.0	370.0	
		7-06-66	29.8	370.2	
		8-03-66	29.1	370.9	
		9-07-66	30.0	370.0	
03S/09W-36F02S	305.0	7-07-65	5.7	299.3	102
		8-10-65	7.0	298.0	
		9-02-65	7.6	297.4	
		10-06-65	5.8	299.2	
		11-03-65	6.3	298.7	
		12-15-65	(9)		
		1-06-66	(9)		
		2-03-66	4.8	300.2	
		3-03-66	5.1	299.9	
		4-06-66	5.6	299.4	
		5-04-66	5.3	299.7	
		6-01-66	5.3	299.7	
		7-06-66	6.0	299.0	
		8-03-66	6.8	298.2	
		9-07-66	6.4	298.6	
03S/09W-36Q01S	298.1	7-07-65	5.2	292.9	102
		8-10-65	6.2	291.9	
		9-02-65	6.5	291.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/09W-36Q01S	298.1	10-06-65	5.0	293.1	102
(CONT.)		11-03-65	5.4	292.7	
		12-15-65	4.0	294.1	
		1-06-66	3.7	294.4	
		2-03-66	4.3	293.8	
		3-03-66	4.5	293.6	
		4-06-66	5.0	293.1	
		5-04-66	4.6	293.5	
		6-01-66	4.6	293.5	
		7-06-66	5.3	292.8	
		8-03-66	6.1	292.0	
		9-07-66	6.1	292.0	
03S/09W-36R01S	299.0	7-07-65	9.1	289.9	102
		8-10-65	10.3	288.7	
		9-02-65	8.9	290.1	
		10-06-65	7.4	291.6	
		11-03-65	8.9	290.1	
		12-15-65	7.2	291.8	
		1-06-66	6.4	292.6	
		2-03-66	7.5	291.5	
		3-03-66	7.9	291.1	
		4-06-66	8.3	290.7	
		5-04-66	7.8	291.2	
		6-01-66	7.4	291.6	
		7-06-66	8.8	290.2	
		8-03-66	10.9	288.1	
		9-07-66	9.3	289.7	
03S/09W-36R02S	306.9	7-07-65	10.2	296.7	102
		8-10-65	11.2	295.7	
		9-02-65	9.5	297.4	
		10-06-65	9.0	297.9	
		11-03-65	10.5	296.4	
		12-15-65	9.6	297.3	
		1-06-66	10.0	296.9	
		2-03-66	10.3	296.6	
		3-03-66	10.5	296.4	
		4-06-66	11.1	295.8	
		5-04-66	9.4	297.5	
		6-01-66	9.8	297.1	
		7-06-66	11.6	295.3	
		8-03-66	11.2	295.7	
		9-07-66	11.4	295.5	
04S/08W-06D01S	334.4	8-10-65	45.8	288.6	102
		9-02-65	46.7	287.7	
		10-06-65	44.8	289.6	
		11-03-65	45.0	289.4	
		12-15-65	42.5	291.9	
		1-06-66	43.2	291.2	
		2-03-66	43.0	291.4	
		3-03-66	42.3	292.1	
		4-06-66	43.9	290.5	
		5-04-66	43.8	290.6	
		6-01-66	43.9	290.5	
		7-06-66	44.5	289.9	
		8-03-66	46.3	288.1	
		9-07-66	45.8	288.6	
04S/09W-01B03S	299.2	7-07-65	(1)		102
		8-10-65	16.5	282.7	
		9-02-65	22.9	276.3	
		10-06-65	12.9	286.3	
		11-03-65	(1)		
		12-15-65	11.2	288.0	
		1-06-66	10.1	289.1	
		2-03-66	11.3	287.9	
		3-03-66	11.7	287.5	
		4-06-66	12.6	286.6	
		5-04-66	(1)		
		6-01-66	11.9	287.3	
		7-06-66	13.4	285.8	
		8-03-66	14.7	284.5	
		9-07-66	14.6	284.6	
04S/09W-01E01S	287.0	8-10-65	14.9	272.1	102
		9-02-65	11.1	275.9	
		10-06-65	7.1	279.9	
		11-03-65	10.0	277.0	
		12-15-65	(1)		
		1-06-66	4.6	282.4	
		2-03-66	5.6	281.4	
		3-03-66	5.9	281.1	
		4-06-66	7.8	279.2	
		5-04-66	6.7	280.3	
		6-01-66	7.1	279.9	
		7-06-66	8.1	278.9	
		8-03-66	12.2	274.8	
		9-07-66	8.6	278.4	
04S/09W-01E02S	299.1	8-10-65	22.4	276.7	102
		9-02-65	21.0	278.1	
		10-06-65	17.7	281.4	
		11-03-65	19.3	279.8	
		12-15-65	15.5	283.6	
		1-06-66	14.7	284.4	
		2-03-66	15.5	283.6	

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0
SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-01E02S	299.1	3-03-66	15.9	283.2	102
(CONT.)		4-06-66	17.5	281.6	
		5-04-66	17.0	282.1	
		6-01-66	16.8	282.3	
		7-06-66	17.7	281.4	
		8-03-66	19.9	279.2	
		9-07-66	18.0	281.1	
04S/09W-01E03S	291.1	7-07-65	13.3	277.8	102
		8-10-65	16.3	274.8	
		9-02-65	12.9	278.2	
		10-06-65	9.7	281.4	
		11-03-65	12.2	278.9	
		12-15-65	7.4	283.7	
		1-06-66	5.9	285.2	
		2-03-66	7.5	283.6	
		3-03-66	7.9	283.2	
		4-06-66	10.4	280.7	
		5-04-66	8.7	282.4	
		6-01-66	9.4	281.7	
		7-06-66	10.5	280.6	
		8-03-66	13.5	277.6	
		9-07-66	11.0	280.1	
04S/09W-01F03S	318.7	8-10-65	38.0	280.7	102
		9-02-65	40.3	278.4	
		10-06-65	34.1	284.6	
		11-03-65	35.3	283.4	
		12-15-65	32.2	286.5	
		1-06-66	31.2	287.5	
		2-03-66	32.2	286.5	
		3-03-66	33.0	285.7	
		4-06-66	(9)		
		5-04-66	(9)		
		5-04-66	38.3	280.4	
		6-01-66	32.9	285.8	
		7-06-66	34.7	284.0	
		8-03-66	36.2	282.5	
		9-07-66	35.6	283.1	
04S/09W-01G01S	318.7	8-10-65	37.7	281.0	102
		9-02-65	(1)		
		10-06-65	33.8	284.9	
		11-03-65	35.3	283.4	
		12-15-65	31.6	287.1	
		1-06-66	31.6	287.1	
		2-03-66	32.3	286.4	
		3-03-66	32.8	285.9	
		4-06-66	33.1	285.6	
		5-04-66	(1)		
		6-01-66	32.9	285.8	
		7-06-66	33.8	284.9	
		8-03-66	35.8	282.9	
		9-07-66	(1)		
04S/09W-02A01S	283.0	7-07-65	11.4	271.6	102
		8-10-65	15.8	267.2	
		9-02-65	9.8	273.2	
		10-06-65	7.5	275.5	
		11-03-65	10.6	272.4	
		12-15-65	6.8	276.2	
		1-06-66	6.6	276.4	
		2-03-66	7.0	276.0	
		3-03-66	7.7	275.3	
		4-06-66	8.2	274.8	
		5-04-66	7.2	275.8	
		6-01-66	6.9	276.1	
		7-06-66	9.0	274.0	
		8-03-66	11.2	271.8	
		9-07-66	8.7	274.3	
04S/09W-02A02S	285.0	8-10-65	14.8	270.2	102
		9-02-65	7.8	277.2	
		10-06-65	6.9	278.1	
		11-03-65	10.2	274.8	
		12-15-65	6.0	279.0	
		1-06-66	5.7	279.3	
		2-03-66	6.6	278.4	
		3-03-66	7.1	277.9	
		4-06-66	7.5	277.5	
		5-04-66	6.3	278.7	
		6-01-66	6.3	278.7	
		7-06-66	7.8	277.2	
		8-03-66	10.9	274.1	
		9-07-66	8.5	276.5	
04S/09W-02B02S	284.4	8-10-65	15.5	268.9	102
		9-02-65	11.6	272.8	
		10-06-65	8.5	275.9	
		11-03-65	12.8	271.6	
		12-15-65	6.8	277.6	
		1-06-66	7.1	277.3	
		2-03-66	7.4	277.0	
		3-03-66	7.9	276.5	
		4-06-66	8.4	276.0	
		5-04-66	8.0	276.4	
		6-01-66	7.3	277.1	
		7-06-66	8.8	275.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

LOWER SANTA ANA RIV HYDRO SUBUNIT Y-01.A0

SANTA ANA NARROWS HYDRO SUBAREA Y-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
04S/09W-02H02S	284.4	8-03-66	11.7	272.7	102
(CONT.)		9-07-66	10.2	274.2	
04S/09W-02H01S	285.0	7-07-65	(1)		102
		8-10-65	(1)		
		9-02-65	9.7	275.3	
		10-06-65	(1)		
		11-03-65	(1)		
		12-15-65	4.8	280.2	
		1-06-66	3.8	281.2	
		2-03-66	4.6	280.4	
		3-03-66	4.9	280.1	
		4-06-66	6.2	278.8	
		5-04-66	(1)		
		6-01-66	(1)		
		7-06-66	(1)		
		8-03-66	(1)		
		9-07-66	(1)		

MIDDLE SANTA ANA RIV HYOR SUBUNIT Y-01.80

CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/05W-19M01S	1101.0	12-01-65	223.0	878.0	124
		1-03-66	222.0	879.0	
		4-06-66	222.0	879.0	
		9-06-66	222.0	879.0	
01S/05W-22E01S	1103.2	7-10-65	288.2	815.0	713
		8-07-65	288.6	814.6	
		9-04-65	289.2	814.0	
		10-09-65	289.2	814.0	718
		10-09-65	289.2	814.0	713
		11-06-65	289.9	813.3	718
		11-06-65	289.9	813.3	713
		12-01-65	289.0	814.2	
		12-11-65	289.0	814.2	718
		1-08-66	289.0	814.2	
		1-08-66	289.0	814.2	713
		2-12-66	288.8	814.4	
		3-05-66	288.9	814.3	718
		3-05-66	288.9	814.3	713
		4-16-66	288.9	814.3	718
		4-17-66	288.9	814.3	713
		5-05-66	287.6	815.6	100
		5-07-66	289.0	814.2	713
		6-02-66	287.7	815.5	100
		6-04-66	289.2	814.0	713
		6-29-66	288.1	815.1	100
		7-16-66	290.4	812.8	713
		8-04-66	288.9	814.3	100
		8-06-66	290.6	812.6	713
		8-29-66	289.0	814.2	100
		9-10-66	290.9	812.3	713
01S/05W-29A01S	1082.4	8-00-65	291.0	791.4	124
		9-00-65	288.0	794.4	
		10-00-65	290.0	792.4	
		11-00-65	291.0	791.4	
		12-00-65	291.0	791.4	
		1-00-66	291.0	791.4	
		2-00-66	290.0	792.4	
		3-00-66	289.0	793.4	
		4-00-66	290.0	792.4	
		5-00-66	290.0	792.4	
		6-00-66	291.0	791.4	
		7-00-66	292.0	790.4	
		8-00-66	291.0	791.4	
		9-00-66	292.0	790.4	
01S/06W-16A01S	1112.6	7-27-65	381.6	731.0	850
		9-10-65	382.1	730.5	
		11-02-65	382.2	730.4	
		2-17-66	382.2	730.4	
		3-07-66	381.6	731.0	
		4-07-66	382.4	730.2	
		5-12-66	382.3	730.3	
		6-17-66	383.2	729.4	
		7-19-66	381.9	730.7	
		8-17-66	383.2	729.4	
		9-23-66	390.1	722.5	
		9-30-66	389.3	723.3	
01S/06W-16G01S	1091.6	7-27-65	361.5	730.1	850
		9-10-65	362.0	729.6	
		11-02-65	362.0	729.6	
		2-17-66	361.6	730.0	
		3-07-66	362.0	729.6	
		4-07-66	361.6	730.0	
		5-12-66	361.7	729.9	
		6-17-66	363.0	728.6	
		7-19-66	361.4	730.2	
		8-17-66	362.5	729.1	
		9-23-66	367.8	723.8	
		9-30-66	367.6	724.0	
01S/06W-20B01S	1043.0	5-05-66	347.5(3)	695.5	100
		6-03-66	354.8(3)	688.2	
		6-29-66	354.9(3)	688.1	
		8-04-66	354.3(3)	688.7	
		8-29-66	354.6(3)	688.4	
01S/06W-27L01S	956.5	3-03-66	230.6	725.9	100
		4-01-66	231.9	724.6	
		5-05-66	230.9	725.6	
		6-03-66	231.0	725.5	
		6-29-66	231.4	725.1	
		8-04-66	232.1	724.4	
		8-29-66	232.4	724.1	
01S/06W-31M01S	861.8	12-02-65	220.5	641.3	100
		4-07-66	(1)		
		4-11-66	218.7	643.1	
01S/06W-33M01S	868.8	12-02-65	173.7	695.1	100
		4-07-66	174.3	694.5	
01S/06W-36D01S	979.0	11-19-65	(2)		100
		4-07-66	228.2	750.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/07W-08N01S (CONT.)	1212.2	8-02-65	619.4(1)	592.8	235
		9-07-65	619.4(1)	592.8	
		10-04-65	619.4(1)	592.8	
		11-01-65	567.4(5)	644.8	
		12-27-65	619.4(1)	592.8	
		1-03-66	619.4(1)	592.8	
		2-07-66	579.4(5)	632.8	
		3-07-66	574.4(5)	637.8	
		4-04-66	572.4(5)	639.8	
		4-11-66	573.4(5)	638.8	
		5-02-66	574.4(5)	637.8	
		6-01-66	617.4(1)	594.8	
		7-05-66	579.4(5)	632.8	
		8-01-66	579.4(5)	632.8	
		9-01-66	621.4(1)	590.8	
01S/07W-14D01S	1094.0	8-01-65	446.0(1)	648.0	702
		9-04-65	418.0	676.0	
		10-03-65	448.5(1)	645.5	
		11-01-65	400.0	694.0	
		12-03-65	401.0	693.0	
		1-01-66	400.0	694.0	
		2-04-66	403.0	691.0	
		3-04-66	403.0	691.0	
		4-04-66	405.0	689.0	
		5-05-66	406.0(1)	688.0	
		6-06-66	411.0	683.0	
		7-03-66	453.0(1)	641.0	
		8-03-66	409.0	685.0	
		9-01-66	446.0(1)	648.0	
01S/07W-14E01S	1080.0	7-02-65	400.5(5)	679.5	702
		8-01-65	398.0(5)	682.0	
		9-04-65	398.0(5)	682.0	
		10-03-65	399.0(5)	681.0	
		11-01-65	389.0(5)	691.0	
		12-03-65	388.5(5)	691.5	
		1-01-66	389.0(5)	691.0	
		2-04-66	389.0(5)	691.0	
		3-04-66	390.0(5)	690.0	
		4-04-66	390.0(5)	690.0	
		5-05-66	394.0(1)	686.0	
		6-06-66	394.0(5)	686.0	
		7-03-66	422.0(1)	658.0	
		8-03-66	398.5(5)	681.5	
		9-01-66	399.0(5)	681.0	
01S/07W-14G01S	1085.0	7-02-65	482.0(1)	603.0	702
01S/07W-14L01S	1066.0	8-01-65	380.0(5)	686.0	702
		9-04-65	403.0(1)	663.0	
		11-01-65	376.0(5)	690.0	
		12-03-65	376.0(5)	690.0	
		1-01-66	375.0(5)	691.0	
		2-04-66	375.0(5)	691.0	
		3-04-66	375.0(5)	691.0	
		4-04-66	378.0(5)	688.0	
		5-05-66	378.0(5)	688.0	
		6-06-66	378.0(5)	688.0	
		7-03-66	378.0(5)	688.0	
		8-03-66	378.0(5)	688.0	
		9-01-66	378.0(5)	688.0	
01S/07W-17E01S	1155.0	8-02-65	479.0(1)	676.0	235
		9-07-65	479.0(1)	676.0	
		10-04-65	479.0(1)	676.0	
		11-01-65	468.0(5)	687.0	
		1-03-66	500.0(5)	655.0	
		2-07-66	498.0(5)	657.0	
		3-07-66	497.0(5)	658.0	
		4-04-66	480.0(1)	675.0	
		4-11-66	472.0(5)	683.0	
		5-02-66	474.0(5)	681.0	
		6-01-66	483.0(1)	672.0	
		7-05-66	484.0(1)	671.0	
		8-01-66	476.0(5)	679.0	
		9-01-66	480.0(1)	675.0	
01S/07W-17J01S	1128.3	8-30-65	520.9(1)	607.4	748
		9-30-65	523.8(1)	604.5	
		11-01-65	526.7(1)	601.6	
		11-30-65	530.1(1)	598.2	
		12-30-65	533.0(1)	595.3	
		2-01-66	481.6(5)	646.7	
		3-07-66	481.1(5)	647.2	
		4-01-66	480.5(5)	647.8	
		5-02-66	482.2(5)	646.1	
		6-01-66	482.8(5)	645.5	
		7-01-66	485.1(5)	643.2	
		8-01-66	484.5(5)	643.8	
		9-01-66	485.1(5)	643.2	
		9-15-66	485.7(5)	642.6	
01S/07W-18E01S	954.0	10-11-65	527.0(5)	427.0	228
		11-23-65	528.0(5)	426.0	
		4-13-66	511.0(5)	443.0	
01S/07W-18G01S	1153.0	10-11-65	502.0(5)	651.0	228

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/07W-18G01S (CONT.)	1153.0	11-23-65	502.0(5)	651.0	228
		3-15-66	504.0(5)	649.0	
		4-13-66	505.0(5)	648.0	
01S/07W-19D01S	1080.0	8-30-65	463.0(1)	617.0	748
		9-30-65	464.8(1)	615.2	
		11-01-65	465.3(1)	614.7	
		11-30-65	465.3(1)	614.7	
		12-30-65	465.3(1)	614.7	
		2-01-66	450.3(5)	629.7	
		3-07-66	449.2(5)	630.8	
		4-01-66	448.0(5)	632.0	
		5-02-66	449.2(5)	630.8	
		6-01-66	450.9(5)	629.1	
		7-01-66	453.2(5)	626.8	
		8-01-66	453.8(5)	626.2	
		9-01-66	455.5(5)	624.5	
		9-15-66	456.1(5)	623.9	
01S/07W-19D02S	1092.3	7-30-65	488.6(1)	603.7	748
		8-30-65	470.9(1)	621.4	
		9-30-65	471.4(1)	620.9	
		11-01-65	472.0(1)	620.3	
		11-30-65	471.4(1)	620.9	
		12-30-65	471.4(1)	620.9	
		2-01-66	454.1(5)	638.2	
		3-07-66	454.1(5)	638.2	
		4-01-66	452.4(5)	639.9	
		5-02-66	453.5(5)	638.8	
		6-01-66	455.3(5)	637.0	
		7-01-66	456.4(5)	635.9	
		8-01-66	457.6(5)	634.7	
		9-01-66	457.0(5)	635.3	
		9-15-66	459.3(5)	633.0	
01S/07W-20A01S	1070.1	10-11-65	431.8(5)	638.3	228
		11-23-65	430.8(5)	639.3	
		3-15-66	428.8(5)	641.3	
		4-13-66	429.8(5)	640.3	
01S/07W-21C01S	1053.0	10-11-65	409.0(5)	644.0	228
		11-23-65	407.0(5)	646.0	
		3-15-66	407.0(5)	646.0	
		4-13-66	408.0(5)	645.0	
01S/07W-21D01S	1056.0	10-11-65	(1)		228
		11-23-65	426.3(5)	629.7	
		3-15-66	426.3(5)	629.7	
		4-13-66	432.3(5)	623.7	
01S/07W-22B01S	1020.0	10-11-65	353.0(5)	667.0	228
		11-23-65	352.0(5)	668.0	
		3-15-66	351.0(5)	669.0	
		4-13-66	352.0(5)	668.0	
01S/07W-27D01S	958.0	3-15-65	288.7(5)	669.3	228
		4-13-65	290.7(5)	667.3	
		10-11-65	292.7(5)	665.3	
		11-23-65	289.7(5)	668.3	
01S/07W-28M02S	937.0	10-11-65	(1)		228
		11-23-65	(1)		
		3-15-66	325.0(5)	612.0	
		4-13-66	324.0(5)	613.0	
01S/07W-28R02S	907.0	10-11-65	268.0(5)	639.0	228
		11-23-65	268.0(5)	639.0	
		3-15-66	266.0(5)	641.0	
		4-13-66	264.0(5)	643.0	
01S/07W-29A01S	962.0	10-11-65	327.0(5)	635.0	228
		11-23-65	325.0(5)	637.0	
		3-15-66	324.0(5)	638.0	
		4-13-66	323.0(5)	639.0	
01S/07W-30Q01S	921.6	11-23-65	310.0(5)	611.6	228
		3-15-66	309.0(5)	612.6	
		4-13-66	308.0(5)	613.6	
01S/07W-30R01S	930.4	10-11-65	314.9(5)	615.5	228
		11-23-65	312.9(5)	617.5	
		3-15-66	312.9(5)	617.5	
		4-13-66	315.9(5)	614.5	
01S/07W-34A01S	891.0	10-11-65	228.0(5)	663.0	228
		11-23-65	228.0(5)	663.0	
		3-15-66	226.0(5)	665.0	
		4-13-66	224.0(5)	667.0	
01S/08W-01D02S	1542.0	7-21-65	522.8(1)	1019.2	719
		9-01-65	522.0(1)	1020.0	
		12-01-65	402.0(5)	1140.0	
		1-07-66	387.0(5)	1155.0	
		2-16-66	450.1(1)	1091.9	
		3-01-66	384.6(5)	1157.4	
		3-16-66	386.7(5)	1155.3	
		4-04-66	372.6(5)	1169.4	
		5-02-66	379.1(5)	1162.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
015/08W-01D02S (CONT.)	1542.0	6-08-66	377.6(5)	1164.4	719
		8-01-66	318.0(5)	1224.0	
015/08W-01D03S	1555.0	7-21-65	522.8(5)	1032.2	101
		9-01-65	325.0(1)	1230.0	
		12-01-65	402.0(5)	1153.0	
		1-07-66	387.0(5)	1168.0	
		2-16-66	391.0(5)	1164.0	
		3-01-66	384.6(5)	1170.4	
		3-16-66	386.7(5)	1168.3	
		4-04-66	372.6(1)	1182.4	
		5-02-66	379.1(5)	1175.9	
		6-08-66	377.6(5)	1177.4	
015/08W-02B01S	1552.0	7-21-65	491.0(1)	1061.0	719
		9-01-65	495.8(1)	1056.2	719
		12-01-65	483.0(5)	1069.0	719
		1-07-66	476.0(1)	1076.0	719
		2-16-66	460.0(5)	1092.0	719
		3-01-66	234.1(5)	1317.9	719
		3-16-66	199.8(1)	1352.2	719
		4-04-66	175.4(1)	1376.6	719
		5-02-66	154.6(5)	1397.4	719
		6-08-66	155.4(5)	1396.6	719
		8-01-66	206.0(5)	1346.0	
015/08W-10B01S	1301.0	7-07-65	497.8(5)	803.2	101
		8-21-65	449.8(5)	851.2	
		9-01-65	488.8(5)	812.2	
		9-21-65	449.8(5)	851.2	
		10-15-65	499.8(5)	801.2	
		11-01-65	469.8(5)	831.2	
		11-15-65	452.8(5)	848.2	
		12-01-65	481.8(5)	819.2	
		12-14-65	448.8(5)	852.2	
		12-21-65	450.8(5)	850.2	
		12-28-65	450.8(5)	850.2	
		1-07-66	496.8(5)	804.2	
		1-21-66	457.8(5)	843.2	
		1-28-66	459.8(5)	841.2	
		2-14-66	453.8(5)	847.2	
		2-21-66	497.8(5)	803.2	
		2-28-66	457.8(5)	843.2	
		3-07-66	501.8(5)	799.2	
		3-14-66	447.8(5)	853.2	
		4-28-66	459.8(5)	841.2	
		5-15-66	453.8(5)	847.2	
		6-15-66	452.8(5)	848.2	
015/08W-10N12S	1137.6	7-15-65	367.8(5)	769.8	101
		8-21-65	320.8(5)	816.8	
		9-01-65	363.8(5)	773.8	
		10-01-65	353.8(5)	783.8	
		10-21-65	339.0	798.6	
		11-07-65	358.8(5)	778.8	
		12-01-65	348.8(5)	788.8	
		1-07-66	347.8(5)	789.8	
		1-14-66	370.8(5)	766.8	
		2-15-66	309.8(5)	827.8	
		3-07-66	348.8(5)	788.8	
		4-28-66	335.8(5)	801.8	
		5-15-66	318.8(5)	818.8	
		6-07-66	354.0	783.6	
		6-21-66	327.0	810.6	
015/08W-11R01S	1219.9	3-07-66	575.0(5)	644.9	235
		4-04-66	575.0(5)	644.9	
		4-11-66	575.0(5)	644.9	
		5-02-66	575.0(5)	644.9	
		6-01-66	585.0(1)	634.9	
		7-05-66	575.0(5)	644.9	
		8-01-66	585.0(1)	634.9	
		9-01-66	582.0(1)	637.9	
015/08W-12J01S	1042.0	7-07-65	356.7	685.3	101
		8-02-65	357.7	684.3	
		9-01-65	359.1	682.9	
		10-04-65	360.7	681.3	
		11-02-65	361.5	680.5	
		12-13-65	362.0	680.0	
		1-10-66	362.7	679.3	
		2-01-66	363.2	678.8	
		3-01-66	363.4	678.6	
		4-06-66	364.3	677.7	
		5-02-66	364.8	677.2	
		6-06-66	365.8	676.2	
015/08W-12K01S	1255.0	7-21-65	621.0(1)	634.0	719

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
015/08W-12K01S (CONT.)	1255.0	9-01-65	621.0(1)	634.0	719
		10-06-65	621.0(1)	634.0	
		12-01-65	598.0(5)	657.0	
		1-07-66	597.9(5)	657.1	
		2-16-66	602.5(5)	652.5	
		3-01-66	602.5(5)	652.5	
		3-16-66	602.5(5)	652.5	
		4-04-66	603.6(5)	651.4	
		5-02-66	603.1(5)	651.9	
015/08W-12P01S	1214.6	7-21-65	613.6(1)	601.0	719
		9-01-65	612.9(1)	601.7	
		12-01-65	588.6(5)	626.0	
		1-07-66	587.6(5)	627.0	
		2-16-66	587.6(5)	627.0	
		3-01-66	587.6(5)	627.0	
		3-16-66	587.6(5)	627.0	
		4-04-66	607.6(1)	607.0	
		5-02-66	611.2(1)	603.4	
		6-08-66	609.7(1)	604.9	
		8-01-66	613.6(1)	601.0	
015/08W-14A03S	1190.0	12-23-65	559.9(1)	630.1	100
		1-06-66	556.7(1)	633.3	
		1-20-66	557.5(1)	632.5	
		1-27-66	550.5(1)	639.5	
		2-03-66	552.5(1)	637.5	
		3-11-66	559.9(1)	630.1	
		4-14-66	546.4	643.6	
		6-09-66	564.0(1)	626.0	
		7-08-66	558.6(1)	631.4	
		8-10-66	(1)		
		9-01-66	563.6(1)	626.4	
015/08W-14D01S	1178.0	12-23-65	550.1	627.9	100
		1-06-66	552.0	626.0	
		1-20-66	551.6	626.4	
		1-27-66	545.9	632.1	
		2-03-66	550.4	627.6	
		3-11-66	551.0	627.0	
		4-14-66	556.6	621.4	
		6-09-66	558.3	619.7	
		7-08-66	558.6	619.4	
		8-10-66	562.6(6)	615.4	
		9-01-66	560.3	617.7	
015/08W-15H01S	1125.0	9-16-65	510.0	615.0	100
		9-23-65	500.5	624.5	
		9-30-65	507.6	617.4	
		10-08-65	510.0	615.0	
		10-14-65	509.8	615.2	
		10-22-65	508.7	616.3	
		10-28-65	513.1	611.9	
		11-04-65	511.9	613.1	
		11-12-65	511.1	613.9	
		11-18-65	510.7	614.3	
		12-16-65	505.7	619.3	
		12-23-65	505.6	619.4	
		1-06-66	507.1	617.9	
		1-20-66	507.1	617.9	
		1-27-66	500.2	624.8	
		2-03-66	503.0	622.0	
		3-11-66	506.5	618.5	
		4-14-66	512.0	613.0	
		6-09-66	510.8	614.2	
		7-08-66	516.2	608.8	
		8-10-66	519.5	605.5	
		9-01-66	519.8	605.2	
015/08W-15J01S	1097.0	11-01-65	518.0(1)	579.0	101
		1-01-66	489.2	607.8	
		1-06-66	505.9(1)	591.1	100
		1-20-66	507.3(1)	589.7	
		1-27-66	501.9(1)	595.1	
		2-03-66	475.2	621.8	
		2-22-66	516.0(1)	581.0	101
		3-11-66	509.9(1)	587.1	100
		4-14-66	481.2	615.8	
		6-09-66	512.4(1)	584.6	
		7-08-66	513.8(1)	583.2	
		8-10-66	(1)		
		9-01-66	509.0(1)	588.0	
015/08W-15P02S	1062.0	8-15-65	453.0(5)	609.0	101
		9-21-65	449.0(5)	613.0	
		10-21-65	455.0(5)	607.0	
		11-15-65	451.5(5)	610.5	
		12-01-65	453.5(5)	608.5	
		1-15-66	447.0(5)	615.0	
		2-21-66	451.0(5)	611.0	
		3-21-66	454.0(5)	608.0	
		4-28-66	452.0(5)	610.0	
		5-07-66	454.0(5)	608.0	
		6-07-66	452.0(5)	610.0	
		6-09-66	475.8(1)	586.2	100
		7-08-66	476.4(1)	585.6	
		8-10-66	(1)		
		9-01-66	483.1(1)	578.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-15P05S	1045.2	2-03-66	430.1	615.1	100
		3-11-66	428.8	616.4	
		4-14-66	431.2	614.0	
		6-09-66	432.7	612.5	
		7-08-66	474.3(1)	570.9	
		8-10-66	(1)		
		9-01-66	440.6	604.6	
01S/08W-15Q02S	1047.6	9-16-65	425.0	622.6	100
		9-30-65	(1)		
		10-08-65	423.0	624.6	
		10-14-65	424.1	623.5	
		10-22-65	443.5(1)	604.1	
		10-28-65	(1)		
		11-04-65	(1)		
		11-12-65	(1)		
		11-18-65	430.5	617.1	
		12-16-65	417.7	629.9	
		12-23-65	430.2	617.4	
		1-06-66	407.3	640.3	
		1-20-66	416.1	631.5	
		1-27-66	420.6	627.0	
		2-03-66	425.8	621.8	
		3-11-66	429.6	618.0	
		4-14-66	433.9	613.7	
		6-09-66	441.8(1)	605.8	
		7-08-66	442.1(1)	605.5	
		8-10-66	(1)		
		9-01-66	427.2(1)	620.4	
01S/08W-22M01S	977.5	11-03-65	366.7	610.8	101
		1-27-66	352.1	625.4	100
		2-03-66	358.8	618.7	
		3-11-66	354.5	623.0	
		4-11-66	361.5	616.0	101
		4-14-66	363.0	614.5	100
		6-09-66	351.6	625.9	
		7-08-66	344.5(3)	633.0	
		8-10-66	359.3	618.2	
		9-01-66	371.7	605.8	
01S/08W-23A03S	1073.0	9-30-65	457.9(1)	615.1	100
		10-08-65	459.5(1)	613.5	
		10-14-65	437.3	635.7	
		10-22-65	438.1	634.9	
		10-28-65	463.8(1)	609.2	
		11-05-65	439.2	633.8	
		11-12-65	440.2	632.8	
		12-16-65	420.6	652.4	
		12-23-65	422.7	650.3	
		1-06-66	433.8	639.2	
		1-20-66	429.3	643.7	
		1-27-66	429.6	643.4	
		2-03-66	435.7	637.3	
		3-11-66	438.3	634.7	
		4-14-66	438.4	634.6	
		6-09-66	468.6(1)	604.4	
		7-08-66	466.8(1)	606.2	
		8-10-66	(1)		
		9-01-66	468.6(1)	604.4	
01S/08W-23N02S	990.0	9-02-65	364.2	625.8	100
		9-10-65	365.4	624.6	
		9-16-65	364.5	625.5	
		9-23-65	365.5	624.5	
		9-30-65	365.8	624.2	
		10-08-65	365.0	625.0	
		10-14-65	365.0	625.0	
		10-22-65	367.1	622.9	
		10-28-65	366.2	623.8	
		11-04-65	366.5	623.5	
		11-12-65	366.5	623.5	
		11-18-65	366.3	623.7	
		12-16-65	365.3	624.7	
		12-23-65	365.5	624.5	
		1-06-66	365.2	624.8	
		1-20-66	364.9	625.1	
		1-27-66	364.9	625.1	
		2-03-66	365.4	624.6	
		3-11-66	371.4	618.6	
		4-14-66	365.0	625.0	
		6-09-66	366.7	623.3	
		7-08-66	366.6	623.4	
		8-10-66	370.1	619.9	
		9-01-66	382.6	607.4	
01S/08W-24E01S	1032.0	8-19-65	403.6	628.4	100
		8-26-65	414.8(1)	617.2	
		9-02-65	400.3	631.7	
		9-10-65	400.9	631.1	
		9-16-65	399.1	632.9	
		9-23-65	401.1	630.9	
		9-30-65	412.0	620.0	
		10-08-65	400.0	632.0	
		10-14-65	400.0	632.0	
		10-22-65	400.0	632.0	
		10-28-65	400.0	632.0	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-24E01S (CONT.)	1032.0	11-05-65	400.5	631.5	100
		11-12-65	403.8	628.2	
		12-16-65	391.7	640.3	
		12-23-65	392.4	639.6	
		1-06-66	402.4	629.6	
		1-20-66	397.5	634.5	
		1-27-66	396.8	635.2	
		2-03-66	399.1	632.9	
		3-11-66	404.2	627.8	
		4-14-66	402.2	629.8	
		6-09-66	403.6	628.4	
		7-08-66	421.0(1)	611.0	
		8-10-66	408.7	623.3	
		9-01-66	406.9	625.1	
01S/08W-25B01S	973.3	7-01-65	370.1(1)	603.2	100
		7-08-65	345.2	628.1	
		7-15-65	346.3	627.0	
		7-22-65	351.7	621.6	
		7-29-65	346.5	626.8	
		8-06-65	369.1(1)	604.2	
		8-12-65	349.8	623.5	
		8-19-65	350.4	622.9	
		8-26-65	352.4	620.9	
		9-02-65	352.8	620.5	
		9-10-65	353.1	620.2	
		9-16-65	348.3	625.0	
		9-23-65	348.5	624.8	
		9-30-65	348.3	625.0	
		10-08-65	348.3	625.0	
		10-14-65	347.9	625.4	
		10-22-65	385.0(1)	588.3	
		10-28-65	(8)		
		11-05-65	348.0	625.3	
		11-12-65	(1)		
		12-16-65	352.3	621.0	
		12-23-65	352.8	620.5	
		1-06-66	352.7	620.6	
		1-20-66	347.4	625.9	
		1-27-66	347.5	625.8	
		2-03-66	356.2	617.1	
		3-11-66	(1)		
		6-09-66	(1)		
		7-08-66	340.4	632.9	
		8-10-66	361.1(4)	612.2	
		9-01-66	363.3(4)	610.0	
01S/08W-25Q01S	918.0	10-28-65	318.9(1)	599.1	100
		11-05-65	318.8(1)	599.2	
		11-12-65	317.2(1)	600.8	
		11-18-65	309.9	608.1	
		12-16-65	299.5	618.5	
		12-23-65	298.0	620.0	
		1-06-66	310.5(1)	607.5	
		1-20-66	305.3(1)	612.7	
		1-27-66	305.2(1)	612.8	
		2-03-66	319.9(1)	598.1	
		3-11-66	312.1(1)	605.9	
		6-09-66	309.7(1)	608.3	
		7-08-66	318.9(1)	599.1	
		8-10-66	(1)		
		9-01-66	314.5(1)	603.5	
01S/08W-25Q02S	915.0	10-11-65	312.0(5)	603.0	228
		11-23-65	311.0(5)	604.0	
		3-15-66	308.0(5)	607.0	
		4-13-66	310.0(5)	605.0	
01S/08W-27K01S	910.0	10-22-65	309.2(1)	600.8	100
		10-28-65	301.8	608.2	
		11-05-65	301.4	608.6	
		11-12-65	311.5(1)	598.5	
		12-16-65	301.3	608.7	
		12-23-65	300.8	609.2	
		1-06-66	300.9	609.1	
		1-20-66	299.9	610.1	
		1-27-66	300.5	609.5	
		2-03-66	(3)		
		3-11-66	(3)		
		6-09-66	(1)		
		7-08-66	(2)		
		8-10-66	(1)		
		9-01-66	(1)		
01S/08W-28E01S	883.0	7-01-65	300.4	582.6	101
		7-15-65	303.9	579.1	
		8-01-65	300.4	582.6	
		8-15-65	337.4(1)	545.6	
		9-15-65	340.1(1)	542.9	
		10-01-65	325.9(1)	557.1	
		11-01-65	300.4	582.6	
		11-15-65	309.7	573.3	
		12-01-65	295.8	587.2	
		1-01-66	287.8(5)	595.2	
		2-01-66	307.4(1)	575.6	
		3-01-66	302.8(1)	580.2	
		5-01-66	300.3	582.7	
		6-01-66	303.8(5)	579.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-28E02S	890.0	7-01-65	282.2	607.8	101
		7-15-65	305.7	584.3	
		7-22-65	343.7(1)	546.3	100
		7-29-65	(1)		
		8-01-65	302.2	587.8	101
		8-06-65	343.9(1)	546.1	100
		8-12-65	343.9(1)	546.1	
		8-19-65	338.6(1)	551.4	
		8-26-65	345.2(1)	544.8	
		9-01-65	346.1(1)	543.9	101
		9-02-65	344.9(1)	545.1	100
		9-10-65	343.5(1)	546.5	
		9-16-65	334.0(1)	556.0	
		9-23-65	321.0(1)	569.0	
		9-30-65	(9)		
		10-01-65	308.0	582.0	101
		10-08-65	304.1	585.9	100
		10-14-65	304.1	585.9	
		10-15-65	310.4	579.6	101
		10-22-65	319.5(1)	570.5	100
		10-28-65	304.0	586.0	
		11-01-65	303.4	586.6	101
		11-04-65	303.2	586.8	100
		11-12-65	307.4	582.6	
		11-15-65	302.2	587.8	101
		11-18-65	301.9	588.1	100
		12-01-65	298.8	591.2	101
		12-16-65	297.8	592.2	100
		12-23-65	303.0	587.0	
		1-01-66	287.2(5)	602.8	101
		1-06-66	298.2	591.8	100
		1-20-66	300.8	589.2	
		1-27-66	300.2	589.8	
		2-03-66	294.1	595.9	
		3-01-66	293.0(5)	597.0	101
		3-11-66	301.8	588.2	100
		4-01-66	297.6(5)	592.4	101
		5-01-66	311.4(5)	578.6	
		6-01-66	304.6(5)	585.4	
		6-09-66	315.2	574.8	100
		8-10-66	(1)		
		9-01-66	319.3(4)	570.7	
01S/08W-28F02S	887.5	8-01-65	312.1(1)	575.4	101
		8-15-65	327.1(5)	560.4	
		9-01-65	331.7(1)	555.8	
		10-01-65	313.2(1)	574.3	
		10-15-65	317.5(1)	570.0	
		11-01-65	321.3(1)	566.2	
		12-01-65	295.9(5)	591.6	
		1-01-66	285.5(5)	602.0	
		2-01-66	295.9(1)	591.6	
		3-01-66	300.5(1)	587.0	
		4-01-66	300.5(1)	587.0	
		5-01-66	298.2(5)	589.3	
		6-01-66	300.5(5)	587.0	
01S/08W-28G01S	894.0	7-01-65	333.3(1)	560.7	100
		7-08-65	341.9(1)	552.1	
		7-15-65	341.1(1)	552.9	
		7-22-65	310.0	584.0	
		7-29-65	(1)		
		8-01-65	305.6	588.4	101
		8-06-65	(9)		100
		8-12-65	(9)		
		9-01-65	348.3(1)	545.7	101
		9-02-65	354.8(1)	539.2	100
		9-10-65	323.6(4)	570.4	
		9-16-65	329.7(1)	564.3	
		9-23-65	329.3(1)	564.7	
		9-30-65	336.7(1)	557.3	
		10-01-65	335.6(1)	558.4	101
		10-08-65	306.8	587.2	100
		10-14-65	308.1	585.9	
		10-15-65	341.5(1)	552.5	101
		10-22-65	345.4(1)	548.6	100
		10-28-65	344.2(1)	549.8	
		11-04-65	338.0(1)	556.0	
		11-12-65	335.9(1)	558.1	
		11-15-65	305.1	588.9	101
		11-18-65	305.5	588.5	100
		12-01-65	303.3	590.7	101
		1-01-66	296.4(5)	597.6	
		2-01-66	298.7(5)	595.3	
		3-01-66	321.8(1)	572.2	
		4-01-66	326.4(1)	567.6	
		5-01-66	307.0(5)	587.0	
		6-01-66	307.9(5)	586.1	
01S/08W-28G02S	903.0	7-01-65	307.0(5)	596.0	101
		9-02-65	325.2	577.8	100
		9-10-65	(9)		
		9-16-65	(9)		
		9-22-65	(9)		
		9-30-65	(9)		
		10-08-65	(9)		
		10-14-65	(9)		

Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-28G02S	903.0	10-22-65	(9)		100
(CONT.)		10-28-65	(9)		
		11-01-65	308.0(5)	595.0	101
		11-04-65	(9)		100
		11-12-65	(9)		
		11-18-65	(9)		
		12-16-65	303.6	599.4	
		12-23-65	301.5	601.5	
		1-01-66	301.7(5)	601.3	101
		1-06-66	303.6	599.4	100
		1-20-66	300.2	602.8	
		1-27-66	302.3	600.7	
		2-01-66	307.5(5)	595.5	101
		2-03-66	304.7	598.3	100
		3-01-66	304.1(5)	598.9	101
		3-11-66	320.4(1)	582.6	100
		4-01-66	304.1(5)	598.9	101
		5-01-66	313.0(5)	590.0	
		6-01-66	311.0(5)	592.0	
		6-09-66	324.6(1)	578.4	100
		7-08-66	325.4(1)	577.6	
		8-10-66	(1)		
		9-01-66	324.2	578.8	
01S/08W-28L01S	873.7	7-01-65	302.3(5)	571.4	101
		8-01-65	288.4(5)	585.3	
		9-01-65	332.3(1)	541.4	
		10-01-65	311.5(1)	562.2	
		10-15-65	316.8(1)	556.9	
		11-01-65	311.5(1)	562.2	
		11-15-65	286.1(5)	587.6	
		12-01-65	283.8(5)	589.9	
		1-01-66	273.4(5)	600.3	
		2-01-66	279.2(5)	594.5	
		3-01-66	302.3(1)	571.4	
		4-01-66	302.3(1)	571.4	
		5-01-66	286.1(5)	587.6	
		6-01-66	297.7(5)	576.0	
01S/08W-28M01S	868.0	7-15-65	289.0	579.0	101
		8-01-65	284.4	583.6	
		9-15-65	322.5(1)	545.5	
		10-01-65	291.3	576.7	
		11-01-65	286.7	581.3	
		12-01-65	279.8	588.2	
		2-01-66	275.1(5)	592.9	
		4-01-66	281.3(5)	586.7	
		6-01-66	290.5(5)	577.5	
01S/08W-28M02S	870.0	7-01-65	287.7(5)	582.3	101
		8-01-65	285.4(5)	584.6	
		9-15-65	323.5(1)	546.5	
		1-01-66	272.7(5)	597.3	
		3-01-66	292.3(1)	577.7	
		4-01-66	282.3(5)	587.7	
		5-01-66	283.4(5)	586.6	
		6-01-66	300.8(1)	569.2	
01S/08W-28M03S	864.0	7-01-65	277.4(5)	586.6	101
		7-15-65	284.4(5)	579.6	
		8-01-65	278.5(5)	585.5	
		9-01-65	312.0(1)	552.0	
		9-15-65	313.2(1)	550.8	
		10-01-65	285.5(5)	578.5	
		12-01-65	280.9(5)	583.1	
		1-01-66	263.5(5)	600.5	
		2-01-66	273.9(1)	590.1	
		3-01-66	272.8(5)	591.2	
		4-01-66	273.9(5)	590.1	
		5-01-66	273.9(5)	590.1	
		6-01-66	285.5(5)	578.5	
01S/08W-28N01S	857.0	7-01-65	272.1(5)	584.9	101
		7-15-65	301.0(1)	556.0	
		8-15-65	309.1(1)	547.9	
		9-15-65	311.4(1)	545.6	
		10-15-65	300.8(1)	556.2	
		11-01-65	304.4(1)	552.6	
		12-01-65	262.9(5)	594.1	
		1-01-66	255.9(5)	601.1	
		2-01-66	279.0(1)	578.0	
		3-01-66	283.6(1)	573.4	
		4-01-66	283.6(1)	573.4	
		5-01-66	267.5(5)	589.5	
		6-01-66	269.8(1)	587.2	
01S/08W-28N02S	859.0	7-01-65	277.1(5)	581.9	101
		8-01-65	275.9(5)	583.1	
		9-01-65	324.4(1)	534.6	
		10-01-65	306.0(1)	553.0	
		10-15-65	310.3(1)	548.7	
		11-15-65	310.6(1)	548.4	
		12-01-65	269.0(5)	590.0	
		1-01-66	258.6(5)	600.4	
		2-01-66	287.5(1)	571.5	
		3-01-66	294.4(1)	564.6	
		4-01-66	294.4(1)	564.6	
		5-01-66	271.3(5)	587.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/08W-28N02S (CONT.)	859.0	6-01-66	273.6(5)	585.4	101
01S/08W-29H02S	886.0	11-03-65	295.4	590.6	101
		4-06-66	285.1	600.9	
01S/08W-31J01S	808.0	7-01-65	165.6(1)	642.4	101
		8-01-65	165.6(1)	642.4	
		8-15-65	165.6(1)	642.4	
		9-01-65	167.9(1)	640.1	
		9-15-65	170.2(1)	637.8	
		10-01-65	161.0(1)	647.0	
		10-15-65	167.0(1)	641.0	
		11-01-65	165.6(1)	642.4	
		11-09-65	155.9	652.1	
		12-01-65	167.9(1)	640.1	
		1-01-66	170.2(1)	637.8	
		2-01-66	170.2(1)	637.8	
		3-01-66	170.2(1)	637.8	
		4-01-66	172.5(1)	635.5	
		4-11-66	157.7	650.3	
		5-01-66	157.0(5)	651.0	
		6-01-66	169.3(1)	638.7	
01S/08W-31Q01S	783.0	7-07-65	115.5	667.5	101
		8-03-65	115.7	667.3	
		9-01-65	116.4	666.6	
		10-04-65	116.6	666.4	
		11-03-65	117.1	665.9	
		12-14-65	113.5	669.5	
		2-09-66	113.9	669.1	
		3-01-66	117.6	665.4	
		4-06-66	117.9	665.1	
		5-02-66	118.0	665.0	
		6-06-66	117.4	665.6	
01S/08W-32G01S	818.0	11-09-65	226.1	591.9	101
		4-11-66	221.3(5)	596.7	
01S/08W-32L01S	803.0	11-03-65	213.1	589.9	101
		4-06-66	208.4	594.6	
01S/08W-33B01S	855.0	12-07-65	258.4	596.6	100
		4-07-66	259.8	595.2	
01S/08W-33D01S	843.0	7-01-65	275.8(1)	567.2	101
		7-15-65	279.3(1)	563.7	
		8-15-65	296.6(1)	546.4	
		9-01-65	293.1(1)	549.9	
		9-15-65	289.7(1)	553.3	
		10-01-65	276.9(1)	566.1	
		11-01-65	283.9(1)	559.1	
		11-15-65	280.4(1)	562.6	
		12-01-65	236.5	606.5	
		1-01-66	241.2(5)	601.8	
		2-01-66	248.1(5)	594.9	
		3-01-66	242.3(5)	600.7	
		4-01-66	251.5(5)	591.5	
		5-01-66	252.7(5)	590.3	
01S/08W-33J02S	825.0	7-00-65	229.3(5)	595.7	776
		8-00-65	229.3(5)	595.7	
		9-00-65	231.3(5)	593.7	
		10-00-65	229.3(5)	595.7	
		11-00-65	229.3(5)	595.7	
		12-00-65	226.3(5)	598.7	
		1-00-66	226.0(5)	599.0	
		2-00-66	224.0(5)	601.0	
		3-00-66	222.0(5)	603.0	
		4-00-66	229.0(5)	596.0	
		5-00-66	230.0(5)	595.0	
		6-00-66	232.0(5)	593.0	
		7-00-66	232.0(5)	593.0	
		8-00-66	236.0(5)	589.0	
		9-00-66	242.0(5)	583.0	
01S/08W-35M01S	844.0	12-07-65	252.6	591.4	100
		4-07-66	276.3	567.7	
01S/08W-35M02S	870.0	7-00-65	251.2(5)	618.8	776
		8-00-65	251.2(5)	618.8	
		9-00-65	251.2(5)	618.8	
		10-00-65	253.2(5)	616.8	
		11-00-65	251.2(5)	618.8	
		12-00-65	250.2(5)	619.8	
		1-00-66	249.2(5)	620.8	
		2-00-66	249.2(5)	620.8	
		3-00-66	249.2(5)	620.8	
		4-00-66	255.2(5)	614.8	
		5-00-66	255.2(5)	614.8	
		6-00-66	252.2(5)	617.8	
		7-00-66	256.2(5)	613.8	
		8-00-66	259.2(5)	610.8	
		9-00-66	259.2(5)	610.8	
01S/08W-36M01S	868.0	12-07-65	253.9	614.1	100
		4-07-66	254.4	613.6	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-07F01S	900.0	4-20-66	36.6	863.4	103
02S/05W-07M01S	851.0	11-19-65	12.1	838.9	718
		4-19-66	15.9	835.1	
02S/05W-07R03S	878.0	11-17-65	15.6	862.4	718
		4-14-66	15.2	862.8	
02S/05W-18C02S	861.0	8-02-65	49.5	811.5	718
		11-17-65	49.9	811.1	
		4-14-66	51.5	809.5	
02S/05W-19Q01S	847.0	9-14-65	49.9	797.1	718
		11-19-65	49.1	797.9	
		4-19-66	47.1	799.9	
02S/06W-01Q01S	875.0	12-01-65	52.9	822.1	103
		4-20-66	51.4	823.6	
02S/06W-03C01S	857.0	11-19-65	141.9	715.1	100
		4-07-66	141.7	715.3	
02S/06W-05A01S	846.0	12-02-65	(2)		100
		4-07-66	(1)		
02S/06W-05B01S	845.3	12-02-65	186.8	658.5	100
		12-02-65	186.9	658.4	103
		4-07-66	(1)		100
		4-18-66	186.2	659.1	103
02S/06W-05B02S	830.0	12-02-65	187.4	642.6	103
		4-18-66	186.4	643.6	
02S/06W-06N01S	802.5	4-07-66	(1)		100
02S/06W-06N02S	806.0	12-02-65	178.7	627.3	103
		4-18-66	(1)		
02S/06W-07B03S	792.0	5-05-66	167.2	624.8	100
		6-03-66	167.7	624.3	
		6-29-66	168.8	623.2	
		8-04-66	169.2	622.8	
		8-29-66	169.7	622.3	
02S/06W-08D01S	784.3	11-19-65	162.7	621.6	100
		4-07-66	160.8	623.5	
02S/06W-08D03S	782.0	4-18-66	158.4	623.6	103
02S/06W-10P01S	742.0	12-01-65	118.0	624.0	103
		4-20-66	(4)		
02S/06W-11J02S	770.0	11-19-65	58.8(2)	711.2	718
		12-02-65	58.0	712.0	100
		4-07-66	47.7	722.3	
		4-19-66	45.4	724.6	718
02S/06W-11K03S	755.0	4-19-66	18.7	736.3	718
02S/06W-11Q01S	745.0	4-19-66	27.9	717.1	718
02S/06W-11R02S	764.0	11-19-65	69.4(4)	694.6	718
		4-19-66	48.4	715.6	
02S/06W-12L01S	817.0	11-19-65	55.4	761.6	718
		4-19-66	54.9	762.1	
02S/06W-12M03S	795.9	11-19-65	26.2	769.7	718
		12-02-65	25.9	770.0	103
		4-19-66	25.7	770.2	718
		4-20-66	26.8	769.1	103
02S/06W-12N02S	775.0	11-19-65	36.9	738.1	718
		4-19-66	38.9	736.1	
02S/06W-13B04S	784.0	8-02-65	33.3(2)	750.7	718
		11-18-65	35.2	748.8	
		4-15-66	33.3(4)	750.7	
02S/06W-13B05S	780.0	11-18-65	26.8	753.2	718
		4-15-66	25.1	754.9	
02S/06W-13B06S	783.0	11-18-65	46.0	737.0	718
		4-19-66	46.2(2)	736.8	
02S/06W-13C06S	774.0	11-18-65	40.3	733.7	718
		4-15-66	39.0(4)	735.0	
02S/06W-13C07S	770.0	8-06-65	43.1	726.9	718
		11-18-65	35.0	735.0	
		4-15-66	36.1	733.9	
02S/06W-13F01S	764.0	11-18-65	49.9	714.1	718
		4-15-66	47.3(2)	716.7	
02S/06W-13F02S	755.0	7-30-65	34.0(2)	721.0	718
		11-18-65	37.7	717.3	
		4-15-66	35.1(2)	719.9	

TABLE C-I

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/06W-13G03S	775.0	11-18-65	51.2	723.8	718
		4-15-66	48.5(2)	726.5	
02S/06W-13M02S	753.0	7-30-65	33.8(2)	719.2	718
		11-18-65	38.7	714.3	
		4-15-66	36.4(2)	716.6	
02S/06W-13M03S	753.0	11-18-65	38.5	714.5	718
		4-15-66	36.1(2)	716.9	
02S/06W-14C02S	734.5	8-02-65	30.2	704.3	718
		11-19-65	30.2	704.3	
		4-19-66	28.8	705.7	
02S/06W-14G02S	734.0	8-02-65	27.0	707.0	718
		11-19-65	28.0(4)	706.0	
		4-19-66	26.9	707.1	
02S/06W-14H02S	737.0	7-30-65	27.3	709.7	718
		11-19-65	30.9	706.1	
		4-25-66	28.5	708.5	
02S/06W-14L01S	711.0	8-02-65	17.3	693.7	718
		11-19-65	18.5	692.5	
		4-19-66	17.0	694.0	
02S/06W-16B02S	727.6	4-19-66	110.2	617.4	718
02S/06W-16D02S	735.0	11-19-65	122.3(4)	612.7	718
		4-19-66	120.2	614.8	
02S/06W-16M01S	726.3	12-03-65	113.1	613.2	100
		4-08-66	(1)		
02S/06W-18A01S	732.0	4-18-66	118.5	613.5	103
02S/06W-18P01S	701.5	10-05-65	102.6	598.9	102
		3-28-66	97.2	604.3	
		9-21-66	104.9	596.6	
02S/06W-19P01S	672.2	12-07-65	82.0	590.2	100
		4-07-66	76.9	595.3	
02S/06W-21D02S	708.0	4-08-66	(1)		100
02S/06W-21D03S	709.0	11-19-65	100.4	608.6	718
		4-19-66	(1)		
		4-22-66	(1)		
02S/06W-21E01S	695.2	4-19-66	86.5	608.7	718
02S/06W-21Q01S	659.4	12-03-65	41.5	617.9	100
		4-08-66	41.4	618.0	
		5-05-66	43.7	615.7	
		6-03-66	43.3	616.1	
		6-29-66	42.2	617.2	
		8-04-66	42.1	617.3	
		8-29-66	42.2	617.2	
02S/06W-22G01S	692.0	12-02-65	44.6	647.4	103
		4-20-66	43.8	648.2	
02S/06W-22R02S	686.0	9-14-65	60.9	625.1	718
		11-19-65	55.2	630.8	
		4-19-66	46.8	639.2	
02S/06W-23A01S	748.0	11-19-65	47.2	700.8	718
		4-19-66	48.2	699.8	
02S/06W-23G01S	707.0	9-14-65	51.5(4)	655.5	718
		11-18-65	46.2(4)	660.8	
		12-02-65	44.8	662.2	103
		4-21-66	44.0	663.0	
		4-25-66	45.3(4)	661.7	718
02S/06W-23G04S	708.6	4-25-66	46.8	661.8	718
02S/06W-25C01S	736.0	8-06-65	30.0	706.0	718
		9-14-65	29.8	706.2	
		11-19-65	29.7	706.3	
		4-19-66	49.3	686.7	
02S/06W-26D01S	684.1	9-14-65	61.6	622.5	718
		11-18-65	55.7	628.4	
		4-25-66	53.3	630.8	
02S/06W-26D02S	686.0	12-02-65	55.5	630.5	103
		12-02-65	55.5	630.5	
		4-21-66	53.0	633.0	
		4-21-66	53.0(4)	633.0	
		4-25-66	55.1	630.9	718
02S/06W-27A01S	660.5	9-14-65	21.7	638.8	718
		12-06-65	18.9	641.6	
		4-19-66	17.9	642.6	
02S/06W-27D04S	650.0	8-03-65	21.0	629.0	718
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
CHINO HYDRO SUBAREA Y-01.81					
02S/06W-27D04S	650.0	11-19-65	20.1	629.9	718
(CONT.)		4-19-66	18.0	632.0	
02S/06W-28B01S	647.0	7-07-65	27.1	619.9	103
		8-03-65	27.5	619.5	
		9-13-65	27.9	619.1	
		12-01-65	26.5	620.5	
		12-27-65	26.3	620.7	
		1-14-66	26.1	620.9	
		2-08-66	26.7	620.3	
		3-11-66	26.8	620.2	
		4-18-66	26.6	620.4	
		5-24-66	26.5	620.5	
		7-05-66	26.8	620.2	
		8-02-66	27.3	619.7	
		9-01-66	24.7	622.3	
02S/06W-28E01S	626.0	7-07-65	17.2	608.8	103
		8-03-65	17.3	608.7	
		9-13-65	17.6	608.4	
		12-01-65	16.3	609.7	
		12-03-65	16.6	609.4	100
		12-27-65	17.2	608.8	103
		1-14-66	17.5	608.5	
		2-08-66	17.1	608.9	
		3-14-66	17.5	608.5	
		4-08-66	16.6	609.4	100
		4-18-66	16.9	609.1	103
		5-24-66	17.3	608.7	
		7-05-66	17.7	608.3	
		8-02-66	17.8	608.2	
		9-01-66	17.8	608.2	
02S/06W-29P01S	607.9	10-05-65	18.8(1)	589.1	102
		3-28-66	19.8(1)	588.1	
		9-21-66	19.7(1)	588.2	
02S/06W-30J02S	650.6	12-03-65	64.7	585.9	100
		3-28-66	62.1	588.5	102
		4-08-66	64.2	586.4	100
		9-21-66	69.4	581.2	102
02S/06W-30R03S	617.7	8-03-65	23.3(2)	594.4	103
		9-13-65	28.2(2)	589.5	
		12-01-65	29.8	587.9	
		12-03-65	29.7	588.0	100
		12-27-65	29.2	588.5	103
		1-14-66	29.1	588.6	
		2-08-66	28.7	589.0	
		3-14-66	28.2	589.5	
		4-08-66	27.8	589.9	100
		4-18-66	26.8(2)	590.9	103
		5-24-66	27.7(2)	590.0	
		7-05-66	27.6(2)	590.1	
		8-02-66	29.9(2)	587.8	
		9-01-66	31.7(2)	586.0	
02S/06W-31C01S	601.0	8-03-65	(1)		103
		9-13-65	34.4(1)	566.6	
		12-01-65	32.0	569.0	
		12-27-65	28.9	572.1	
		1-14-66	27.4	573.6	
		2-08-66	26.5	574.5	
		3-14-66	25.6	575.4	
		4-18-66	28.2	572.8	
		5-24-66	(1)		
		7-05-66	31.7	569.3	
		8-02-66	33.6(2)	567.4	
		9-01-66	(8)		
02S/06W-31D01S	628.6	4-15-66	56.5	572.1	103
02S/06W-32B01S	601.7	4-25-66	6.7	595.0	718
02S/06W-32B02S	601.6	12-06-65	5.8	595.8	718
		4-25-66	6.5	595.1	
02S/06W-33E01S	715.9	12-06-65	109.3	606.6	718
		4-22-66	101.9	614.0	
02S/06W-33F02S	743.6	12-06-65	30.2	713.4	718
		4-25-66	31.0	712.6	
02S/07W-02K01S	801.5	12-02-65	179.9	621.6	100
		4-07-66	177.0	624.5	
02S/07W-04A01S	837.0	12-07-65	207.0	630.0	100
		4-07-66	208.4	628.6	
02S/07W-05D01S	849.0	12-07-65	228.5	620.5	100
		4-07-66	(7)		
		4-11-66	(1)		
02S/07W-05D02S	839.5	12-07-65	234.5	605.0	100
		4-07-66	234.0	605.5	
02S/07W-05J02S	807.0	12-07-65	193.6	613.4	100
		4-07-66	191.6	615.4	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/07W-09M01S	751.0	12-02-65	150.7	600.3	100
		4-07-66	158.7	592.3	
02S/07W-09P01S	723.0	12-02-65	126.1	596.9	100
		4-07-66	123.5	599.5	
02S/07W-10B01S	775.0	12-02-65	155.1	619.9	100
		4-07-66	151.1	623.9	
02S/07W-10R01S	746.3	12-02-65	140.7	605.6	100
		4-07-66	147.1	599.2	
02S/07W-12A01S	795.0	12-02-65	170.8	624.2	100
		4-07-66	169.0	626.0	
02S/07W-13J02S	727.0	12-02-65	124.1	602.9	100
		4-07-66	(1)		
02S/07W-15E02S	705.0	12-02-65	114.6	590.4	100
		4-07-66	(1)		
02S/07W-15K01S	707.9	10-05-65	(9)		102
		12-02-65	(2)		100
		3-28-66	(9)		102
		4-07-66	(2)		100
		9-21-66	120.0	587.9	102
02S/07W-16D01S	713.3	12-02-65	126.7	586.6	100
		4-07-66	128.5	584.8	
02S/07W-17J01S	689.7	10-07-65	(1)		102
		3-29-66	(1)		
		9-21-66	118.7	571.0	
02S/07W-17P02S	680.0	12-06-65	105.0	575.0	100
		4-08-66	99.2	580.8	
02S/07W-18E01S	690.0	11-19-65	119.5	570.5	100
		4-08-66	114.1	575.9	
02S/07W-18Q01S	675.8	10-07-65	113.0	562.8	102
		12-06-65	107.3	568.5	100
		3-29-66	103.7	572.1	102
		4-08-66	105.4	570.4	100
		9-21-66	116.4	559.4	102
02S/07W-19J02S	635.5	8-05-65	82.6(3)	552.9	100
		9-01-65	(7)		
		10-01-65	(1)		
		11-01-65	(1)		
		12-07-65	80.2	555.3	
		1-04-66	(3)		
		5-05-66	(3)		
		6-03-66	86.6	548.9	
		6-29-66	(1)		
		8-04-66	(1)		
		8-29-66	83.1	552.4	
02S/07W-22K01S	657.6	10-05-65	82.7	574.9	102
		3-28-66	70.5	587.1	
		9-21-66	87.5	570.1	
02S/07W-24A01S	702.7	12-02-65	106.7	596.0	100
		4-07-66	106.8	595.9	
02S/07W-24R01S	665.2	10-05-65	81.7	583.5	102
		3-28-66	72.6	592.6	
		9-21-66	83.6	581.6	
02S/07W-25M01S	624.4	12-01-65	52.8(4)	571.6	103
		4-15-66	49.8	574.6	
02S/07W-27A02S	643.1	12-07-65	61.6	581.5	100
		4-07-66	59.6(4)	583.5	
		5-05-66	63.3	579.8	
		6-03-66	68.1(1)	575.0	
		6-29-66	69.5(4)	573.6	
		8-04-66	80.3	562.8	
		8-29-66	82.0	561.1	
02S/07W-27J01S	626.0	10-05-65	62.7	563.3	102
		3-28-66	(8)		
		9-21-66	62.8	563.2	
02S/07W-27P01S	607.5	10-05-65	52.2	555.3	102
		3-28-66	38.4	569.1	
		9-21-66	55.4	552.1	
02S/07W-27R01S	617.4	12-01-65	48.4(4)	569.0	103
		4-15-66	46.2	571.2	
02S/07W-28D02S	630.8	12-06-65	68.2	562.6	100
		4-08-66	(6)		
02S/07W-28N01S	607.1	12-06-65	45.8	561.3	100
		4-08-66	40.0	567.1	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/07W-29K01S	610.7	10-07-65	66.4	544.3	102
		3-29-66	44.1	566.6	
		9-21-66	65.3	545.4	
02S/07W-30K02S	587.9	10-07-65	(8)		102
		3-29-66	48.5	539.4	
		9-22-66	(1)		
02S/07W-30R02S	581.3	10-07-65	74.0	507.3	102
		3-29-66	51.1	530.2	
		9-22-66	(1)		
02S/07W-31B01S	573.4	10-07-65	(4)		102
02S/07W-31L03S	559.2	12-03-65	36.4	522.8	100
		4-08-66	31.7	527.5	
02S/07W-31L04S	548.8	10-07-65	23.0	525.8	102
02S/07W-31R01S	547.9	7-13-65	17.1	530.8	102
		8-11-65	20.8	527.1	
		10-07-65	22.6	525.3	
		11-05-65	22.2	525.7	
		3-11-66	14.2	533.7	
		3-30-66	14.5	533.4	
		4-29-66	15.2	532.7	
		5-26-66	16.1	531.8	
		6-23-66	17.2	530.7	
		7-29-66	19.4	528.5	
		8-24-66	20.8	527.1	
		9-22-66	21.6	526.3	
02S/07W-32G01S	575.9	10-07-65	57.7	518.2	102
		3-30-66	35.2	540.7	
		9-22-66	63.8	512.1	
02S/07W-32H01S	575.8	8-05-65	69.4	506.4	100
		9-01-65	72.8	503.0	
		10-01-65	68.8	507.0	
		11-01-65	70.0	505.8	
		12-06-65	48.7	527.1	
		12-07-65	48.7	527.1	
		1-04-66	43.4	532.4	
		1-31-66	41.8	534.0	
		3-03-66	41.7	534.1	
		4-01-66	41.5	534.3	
		4-08-66	48.3	527.5	
		5-05-66	53.0	522.8	
		6-03-66	56.6	519.2	
		6-29-66	56.3	519.5	
		8-04-66	82.8(1)	493.0	
		8-29-66	(1)		
02S/07W-33A01S	602.2	12-06-65	40.6	561.6	100
		4-08-66	37.9	564.3	
02S/07W-33F01S	593.8	10-05-65	(4)		102
		3-29-66	35.4	558.4	
		9-21-66	DRY		
02S/07W-34H01S	595.5	12-01-65	33.9	561.6	103
		4-15-66	32.4	563.1	
02S/07W-34J01S	585.2	12-01-65	28.7	556.5	103
		12-03-65	29.9	555.3	100
		4-08-66	27.2	558.0	
		4-15-66	29.3	555.9	103
02S/07W-34N01S	567.6	12-01-65	21.6	546.0	103
		4-15-66	(1)		
02S/07W-34R01S	580.9	11-30-65	32.5	548.4	103
		4-15-66	(1)		
02S/07W-35B01S	613.0	12-03-65	45.3	567.7	100
		4-08-66	43.4	569.6	
02S/07W-35C02S	613.0	10-05-65	(1)		102
		12-01-65	46.8	566.2	103
		3-28-66	(1)		102
		4-15-66	(4)		103
		9-21-66	53.7	559.3	102
02S/07W-35J03S	597.0	12-03-65	42.5	554.5	100
		4-08-66	41.2	555.8	
02S/07W-36D01S	609.8	12-01-65	(9)		103
		4-15-66	46.9	562.9	
02S/07W-36E01S	601.5	12-01-65	41.1	560.4	103
		4-15-66	38.5	563.0	
02S/07W-36E02S	606.1	12-01-65	44.8	561.3	103
		4-15-66	(1)		
02S/07W-36L01S	570.5	10-05-65	(1)		102
		12-01-65	11.3	559.2	103
		3-28-66	9.9	560.6	102

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
CHINO HYDRO SUBAREA Y-01.81					
02S/07W-36L01S (CONT.)	570.5	4-15-66	9.8	560.7	103
		9-21-66	14.7	555.8	
02S/07W-36M01S	612.6	10-05-65	59.3	553.3	102
		3-28-66	52.4	560.2	
		9-21-66	58.7	553.9	
02S/07W-36M02S	613.1	12-01-65	55.9	557.2	103
		4-15-66	53.1	560.0	
02S/08W-04A02S	783.0	7-00-65	192.2(5)	590.8	776
		8-00-65	189.2(5)	593.8	
		9-00-65	195.2(5)	587.8	
		10-00-65	192.2(5)	590.8	
		11-00-65	189.2(5)	593.8	
		12-00-65	188.2(5)	594.8	
		1-00-66	185.2(5)	597.8	
		2-00-66	183.2(5)	599.8	
		3-00-66	185.2(5)	597.8	
		4-00-66	188.2(5)	594.8	
		5-00-66	191.2(5)	591.8	
		6-00-66	194.2(5)	588.8	
		7-00-66	199.2(5)	583.8	
		8-00-66	198.2(5)	584.8	
		9-00-66	201.2(5)	581.8	
02S/08W-04B01S	797.6	8-03-65	175.6	622.0	101
		9-01-65	184.2	613.4	
		10-04-65	DRY		
		11-03-65	DRY		
		12-14-65	DRY		
		1-04-66	DRY		
		2-09-66	DRY		
		3-01-66	DRY		
		4-06-66	DRY		
		5-02-66	DRY		
		6-06-66	DRY		
02S/08W-04C01S	786.0	11-03-65	DRY		101
		4-06-66	DRY		
02S/08W-04P01S	745.0	7-07-65	162.2	582.8	101
		8-03-65	164.2	580.8	
		9-01-65	164.9	580.1	
		10-04-65	165.8	579.2	
		11-03-65	161.4	583.6	
		12-14-65	144.4	600.6	
		2-09-66	141.5	603.5	
		3-01-66	149.7	595.3	
		4-01-66	147.8	597.2	100
		4-06-66	153.2	591.8	101
		5-02-66	158.6	586.4	
		5-05-66	158.4	586.6	100
		6-03-66	148.6	596.4	
		6-06-66	161.7	583.3	101
		6-29-66	149.5(3)	595.5	100
		8-04-66	157.4(3)	587.6	
		8-29-66	170.1	574.9	
02S/08W-05G01S	775.0	11-03-65	179.3	595.7	101
		4-06-66	172.3	602.7	
02S/08W-09D02S	706.0	11-19-65	145.7	560.3	100
		4-07-66	(1)		
		4-11-66	141.0	565.0	
02S/08W-12F01S	741.0	5-05-66	156.3	584.7	100
		6-03-66	152.4	588.6	
		6-29-66	167.5(1)	573.5	
		8-04-66	(1)		
		8-29-66	160.4	580.6	
02S/08W-14A01S	695.0	11-19-65	(9)		100
		4-07-66	81.9(3)	613.1	
02S/08W-15K01S	655.0	12-06-65	92.7	562.3	100
		4-08-66	120.8	534.2	
		4-11-66	92.4	562.6	
02S/08W-16B08S	682.0	12-06-65	109.9	572.1	100
		4-08-66	104.5	577.5	
02S/08W-16J03S	657.9	12-06-65	54.8	603.1	100
		4-11-66	54.7	603.2	
02S/08W-20L01S	737.0	12-03-65	17.2	719.8	100
		4-08-66	14.4	722.6	
02S/08W-21C01S	675.0	12-03-65	22.2	652.8	100
		4-08-66	21.4	653.6	
02S/08W-22D03S	646.3	12-06-65	120.8	525.5	100
		4-08-66	114.6	531.7	
02S/08W-23M01S	605.4	12-03-65	87.0	518.4	100
		4-08-66	95.6(1)	509.8	
02S/08W-25M01S	571.1	10-07-65	39.9	531.2	102
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
CHINO HYDRO SUBAREA Y-01.81					
02S/08W-25M01S (CONT.)	571.1	3-29-66	41.6	529.5	102
		9-22-66	48.0	523.1	
02S/08W-26J02S	572.6	3-03-66	39.0	533.6	100
		4-01-66	38.3	534.3	
		5-05-66	44.1	528.5	
		6-03-66	46.3	526.3	
		6-29-66	47.2	525.4	
		8-04-66	48.5	524.1	
		8-29-66	50.4	522.2	
02S/08W-26K03S	583.5	12-03-65	DRY		100
		4-08-66	DRY		
		4-11-66	74.0	509.5	
02S/08W-26L01S	590.7	10-07-65	(1)		102
		3-29-66	66.6	524.1	
		9-22-66	(1)		
02S/08W-36B01S	560.5	10-07-65	44.0	516.5	102
		3-29-66	34.5	526.0	
		9-22-66	44.7	515.8	
02S/08W-36C02S	545.4	10-07-65	39.4	506.0	102
		3-29-66	28.0	517.4	
		9-22-66	38.4	507.0	
02S/08W-36C03S	545.7	12-03-65	34.0	511.7	100
		4-08-66	29.6	516.1	
02S/08W-36K01S	534.4	7-13-65	29.8	504.6	102
		8-11-65	(1)		
		10-07-65	31.0	503.4	
		11-05-65	28.3	506.1	
		3-11-66	21.1	513.3	
		3-29-66	(1)		
		4-29-66	24.3	510.1	
		5-26-66	28.4	506.0	
		6-23-66	(1)		
		7-29-66	29.7	504.7	
		8-24-66	29.9	504.5	
		9-22-66	31.3	503.1	
02S/08W-36Q01S	527.2	7-13-65	DRY		102
		8-11-65	DRY		
		10-07-65	DRY		
		11-05-65	DRY		
		3-11-66	17.7	509.5	
		3-29-66	15.5	511.7	
		4-29-66	20.3	506.9	
		5-26-66	DRY		
		6-23-66	DRY		
		7-29-66	DRY		
		8-24-66	DRY		
		9-22-66	DRY		
03S/07W-02M01S	545.9	10-05-65	14.6	531.3	102
		3-28-66	11.1	534.8	
		9-21-66	13.4	532.5	
03S/07W-02N01S	542.3	7-07-65	12.3	530.0	103
		8-03-65	12.3	530.0	
		9-13-65	12.4	529.9	
		11-30-65	10.8	531.5	
		12-27-65	10.5	531.8	
		1-14-66	10.5	531.8	
		2-08-66	10.4	531.9	
		3-14-66	10.4	531.9	
		4-15-66	11.3	531.0	
		5-24-66	11.5	530.8	
		7-05-66	12.0	530.3	
		8-02-66	13.1	529.2	
		9-01-66	13.2	529.1	
03S/07W-03A02S	579.0	12-03-65	30.9	548.1	100
		4-08-66	29.7	549.3	
03S/07W-03J01S	581.0	11-20-65	44.1	536.9	103
		12-03-65	44.0	537.0	100
		4-08-66	(2)		
		4-15-66	(1)		103
03S/07W-03N01S	561.5	7-13-65	(1)		102
		8-11-65	(1)		
		10-05-65	43.7	517.8	
		11-05-65	(1)		
		11-30-65	38.9	522.6	103
		12-03-65	38.4	523.1	100
		3-11-66	(1)		102
		3-29-66	41.8	519.7	
		4-08-66	54.2(1)	507.3	100
		4-15-66	(1)		103
		4-29-66	(1)		102
		5-26-66	(1)		
		6-23-66	(1)		
		7-29-66	(1)		
		8-24-66	44.5	517.0	
		9-21-66	42.8	518.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07w-03R01S	582.8	10-05-65	52.8	530.0	102
		3-28-66	49.7	533.1	
		9-21-66	52.2	530.6	
03S/07w-04H01S	565.8	10-05-65	36.5	529.3	102
		12-03-65	31.6	534.2	100
		3-29-66	29.3	536.5	102
		4-08-66	29.4(4)	536.4	100
		9-21-66	36.0	529.8	102
03S/07w-05J02S	552.0	10-07-65	45.7	506.3	102
		12-03-65	46.0	506.0	100
		3-30-66	46.3	505.7	102
		4-08-66	45.8	506.2	100
		9-22-66	46.8	505.2	102
03S/07w-06A01S	539.2	10-07-65	26.5	512.7	102
		12-06-65	(6)		100
		2-08-66	(6)		
		3-30-66	23.4	515.8	102
		9-22-66	26.0	513.2	
03S/07w-06L01S	509.9	10-07-65	29.2	480.7	102
		3-29-66	6.6	503.3	
		9-22-66	22.1	487.8	
03S/07w-06L02S	509.5	10-07-65	24.2	485.3	102
		3-29-66	5.1	504.4	
		9-22-66	18.2	491.3	
03S/07w-07G02S	515.0	12-03-65	13.0	502.0	100
		4-08-66	11.8	503.2	
03S/07w-07R01S	510.3	7-13-65	33.4	476.9	102
		8-11-65	40.5	469.8	
		10-07-65	40.5	469.8	
		11-05-65	41.8	468.5	
		3-29-66	27.6	482.7	
		4-29-66	23.6	486.7	
		5-26-66	25.6	484.7	
		6-28-66	30.0	480.3	
		7-28-66	33.7	476.6	
		8-24-66	43.0	467.3	
		9-22-66	38.5	471.8	
03S/07w-08F02S	490.2	7-13-65	5.9	484.3	102
		8-11-65	DRY		
		10-12-65	DRY		
		11-05-65	DRY		
		3-11-66	2.1	488.1	
		3-30-66	.5	489.7	
		4-29-66	3.1	487.1	
		5-26-66	4.2	486.0	
		6-23-66	5.3	484.9	
		7-29-66	6.7	483.5	
		8-24-66	6.9	483.3	
		9-26-66	6.9	483.3	
03S/07w-08J01S	491.5	7-08-65	8.4	483.1	103
		8-03-65	9.6	481.9	
		9-13-65	10.7	480.8	
		11-30-65	(9)		
		12-27-65	7.3	484.2	
		1-14-66	6.4	485.1	
		2-08-66	5.6	485.9	
		3-14-66	6.1	485.4	
		4-15-66	6.0	485.5	
		5-24-66	8.1	483.4	
		7-05-66	9.4	482.1	
		8-02-66	10.2	481.3	
		9-01-66	10.9	480.6	
03S/07W-08L01S	533.6	11-30-65	53.2	480.4	103
		12-27-65	51.8	481.8	
		1-14-66	50.9	482.7	
		2-08-66	49.8	483.8	
		3-14-66	48.6	485.0	
		4-15-66	48.1	485.5	
		5-24-66	48.4	485.2	
		7-05-66	49.0	484.6	
		8-02-66	49.7	483.9	
		9-01-66	50.6	483.0	
03S/07w-08Q01S	487.8	7-08-65	4.7	483.1	103
		8-03-65	5.8	482.0	
		9-13-65	7.1	480.7	
		10-27-65	.2	487.6	
		11-30-65	(9)		
		12-27-65	.2	487.6	
		1-14-66	(9)		
		2-08-66	-.1	487.9	
		3-14-66	.6	487.2	
		4-15-66	1.0	486.8	
		5-24-66	2.4	485.4	
		7-05-66	3.2	484.6	
		8-02-66	3.7	484.1	
		9-01-66	4.3	483.5	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-09A02S	545.3	10-05-65	40.9	504.4	102
		3-29-66	(1)		
		9-21-66	42.6	502.7	
03S/07W-09J01S	515.0	12-01-65	17.7	497.3	103
		4-15-66	16.7	498.3	
03S/07W-09L01S	539.5	7-13-65	47.0	492.5	102
		8-11-65	(9)		
		10-12-65	48.9	490.6	
		11-05-65	47.9	491.6	
		3-11-66	42.3	497.2	
		3-30-66	43.8	495.7	
		4-29-66	44.8	494.7	
		5-26-66	46.6	492.9	
		6-23-66	45.5	494.0	
		7-28-66	47.3	492.2	
		8-24-66	47.8	491.7	
		9-26-66	(9)		
03S/07W-09R01S	512.2	7-07-65	10.9	501.3	103
		8-03-65	11.7	500.5	
		9-13-65	12.8	499.4	
		11-30-65	10.4	501.8	
		12-27-65	10.4	501.8	
		1-14-66	10.0	502.2	
		2-08-66	9.8	502.4	
		3-14-66	9.6	502.6	
		4-15-66	9.2	503.0	
		5-24-66	10.8	501.4	
		7-05-66	11.4	500.8	
		8-02-66	11.8	500.4	
		9-01-66	12.2	500.0	
03S/07W-10C03S	575.0	12-03-65	49.4	525.6	100
		4-08-66	50.1(1)	524.9	
03S/07W-10D01S	553.6	12-01-65	37.9	515.7	103
		4-15-66	35.7	517.9	
03S/07W-10G01S	534.5	10-05-65	15.6	518.9	102
		3-28-66	11.9	522.6	
		9-21-66	16.1	518.4	
03S/07W-10P01S	516.7	10-12-65	9.1	507.6	102
		3-30-66	7.0	509.7	
		9-26-66	8.5	508.2	
03S/07W-10R02S	566.8	7-13-65	53.5	513.3	102
		8-11-65	54.0	512.8	
		10-12-65	53.6	513.2	
		11-05-65	54.1	512.7	
		3-11-66	53.4	513.4	
		4-01-66	54.5	512.3	
		4-29-66	56.2	510.6	
		5-26-66	56.6	510.2	
		6-23-66	56.7	510.1	
		7-29-66	57.5	509.3	
		8-24-66	57.6	509.2	
		9-26-66	57.7	509.1	
03S/07W-11B01S	588.1	10-14-65	54.3	533.8	102
		4-07-66	56.2	531.9	
		9-27-66	56.8	531.3	
03S/07W-11P01S	570.7	10-14-65	53.6	517.1	102
		11-30-65	52.4	518.3	103
		4-07-66	53.5	517.2	102
		4-14-66	53.3	517.4	103
		9-27-66	56.0	514.7	102
03S/07W-16B01S	500.0	7-13-65	5.4	494.6	102
		8-11-65	6.3	493.7	
		10-12-65	7.3	492.7	
		11-05-65	7.1	492.9	
		3-11-66	(9)		
		4-07-66	4.2	495.8	
		4-29-66	4.4	495.6	
		5-26-66	4.7	495.3	
		6-23-66	5.1	494.9	
		7-29-66	5.3	494.7	
		8-24-66	5.5	494.5	
		9-26-66	5.7	494.3	
03S/07W-17D01S	480.2	7-08-65	4.5	475.7	103
		8-03-65	5.0	475.2	
		9-13-65	5.5	474.7	
		11-30-65	(9)		
		12-27-65	(9)		
		1-14-66	(9)		
		2-08-66	(9)		
		3-14-66	2.1	478.1	
		4-15-66	2.9	477.3	
		5-24-66	3.8	476.4	
		7-05-66	5.1	475.1	
		8-02-66	6.0	474.2	
		9-01-66	7.1	473.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-17F01S	487.6	7-13-65	7.7	479.9	102
		8-11-65	9.7	477.9	
		10-12-65	9.2	478.4	
		11-05-65	9.1	478.5	
		3-11-66	5.6	482.0	
		3-30-66	4.5	483.1	
		4-29-66	5.1	482.5	
		5-26-66	5.6	482.0	
		6-23-66	6.4	481.2	
		7-29-66	7.6	480.0	
		8-24-66	7.9	479.7	
		9-26-66	8.0	479.6	
03S/07W-17K01S	489.5	7-13-65	9.2	480.3	102
		8-11-65	9.7	479.8	
		10-17-65	10.0	479.5	
		11-05-65	10.0	479.5	
		3-11-66	5.6	483.9	
		3-30-66	6.0	483.5	
		4-29-66	6.7	482.8	
		5-26-66	6.8	482.7	
		6-23-66	7.2	482.3	
		7-28-66	7.8	481.7	
		8-24-66	8.2	481.3	
		9-26-66	8.4	481.1	
03S/07W-17K02S	486.1	10-12-65	8.8	477.3	102
		3-30-66	4.6	481.5	
		9-26-66	6.8	479.3	
03S/07W-17R02S	487.0	10-12-65	7.3	479.7	102
		3-30-66	(5)		
		9-26-66	5.8	481.2	
03S/07W-20C03S	475.9	7-13-65	5.7	470.2	102
		8-11-65	(5)		
		10-12-65	12.4	463.5	
		11-05-65	11.0	464.9	
		3-30-66	2.3	473.6	
		4-29-66	2.8	473.1	
		5-26-66	(9)		
		6-23-66	2.9	473.0	
		7-28-66	3.2	472.7	
		8-24-66	3.4	472.5	
		9-26-66	3.1	472.8	
03S/07W-20D01S	478.9	10-12-65	10.5	468.4	102
		3-30-66	4.1	474.8	
		4-08-66	3.3	475.6	100
		9-26-66	5.6	473.3	102
03S/07W-20D02S	474.0	11-29-65	(9)		103
		4-14-66	1.3	472.7	
03S/07W-20D04S	478.3	10-12-65	13.4	464.9	102
		3-30-66	3.6	474.7	
		9-26-66	5.1	473.2	
03S/07W-20D05S	473.0	11-29-65	(9)		103
		4-14-66	-1.0	474.0	
03S/07W-20E01S	476.4	7-11-65	DRY		102
		7-13-65	DRY		
		10-12-65	DRY		
		11-05-65	DRY		
		3-30-66	5.4	471.0	
		4-29-66	3.6	472.8	
		5-26-66	6.1	470.3	
		6-23-66	6.5	469.9	
		7-28-66	6.7	469.7	
		8-24-66	6.9	469.5	
		9-26-66	6.7	469.7	
03S/07W-20E02S	471.0	7-08-65	3.5	467.5	103
		7-13-65	5.6	465.4	102
		8-04-65	11.3(2)	459.7	103
		8-11-65	11.8	459.2	102
		9-14-65	15.2(2)	455.8	103
		10-12-65	12.0	459.0	102
		11-05-65	11.5	459.5	
		11-29-65	(9)		103
		12-28-65	(9)		
		1-18-66	(9)		
		2-09-66	(9)		
		3-15-66	.6	470.4	
		3-30-66	-.2	471.2	102
		4-14-66	1.1	469.9	103
		4-29-66	.5	470.5	102
		5-24-66	1.4	469.6	103
		5-26-66	.5	470.5	102
		6-23-66	.5	470.5	
		7-06-66	1.5	469.5	103
		7-28-66	.9	470.1	102
		8-03-66	1.8	469.2	103
		8-24-66	1.1	469.9	102
		9-02-66	1.9	469.1	103
		9-26-66	1.0	470.0	102

Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-20E03S	471.4	11-29-65	(9)		103
		4-14-66	.3	471.1	
03S/07W-20E05S	480.0	7-13-65	(1)		102
		8-11-65	(1)		
		10-08-65	17.6	462.4	
		11-05-65	17.6	462.4	
		3-30-66	1.5	478.5	
		4-29-66	2.3	477.7	
		5-26-66	2.3	477.7	
		6-23-66	2.7	477.3	
		7-28-66	2.8	477.2	
		8-24-66	2.9	477.1	
		9-23-66	2.9	477.1	
03S/07W-20F01S	470.0	7-13-65	.0	470.0	102
		8-11-65	1.7	468.3	
		10-08-65	2.8	467.2	
		11-05-65	2.8	467.2	
		3-30-66	(9)		
		4-29-66	(9)		
		5-26-66	(9)		
		6-23-66	(9)		
		7-28-66	-1.1	471.1	
		8-24-66	-.9	470.9	
		9-23-66	-1.3	471.3	
03S/07W-20M01S	478.0	7-13-65	13.3	464.7	102
		8-11-65	18.7	459.3	
		10-08-65	(1)		
		11-05-65	(1)		
		3-30-66	10.5	467.5	
		4-29-66	10.9	467.1	
		5-26-66	10.9	467.1	
		6-23-66	11.2	466.8	
		7-28-66	12.3	465.7	
		8-24-66	12.5	465.5	
		9-23-66	11.9	466.1	
03S/07W-20M02S	480.0	7-13-65	7.8	472.2	102
		8-11-65	(1)		
		10-08-65	(1)		
		11-05-65	(1)		
		3-30-66	2.0	478.0	
		4-29-66	2.4	477.6	
		5-26-66	2.6	477.4	
		6-23-66	2.7	477.3	
		7-28-66	2.8	477.2	
		8-24-66	2.8	477.2	
		9-23-66	3.3	476.7	
03S/08W-01J01S	523.2	12-03-65	21.7	501.5	100
		4-08-66	18.6	504.6	
03S/08W-01J02S	511.8	10-07-65	16.9	494.9	102
		3-29-66	6.4	505.4	
		9-22-66	12.7	499.1	
03S/08W-01J05S	524.0	7-13-65	23.9	500.1	102
		8-11-65	46.4	477.6	
		10-07-65	24.4	499.6	
		11-05-65	24.4	499.6	
		3-11-66	18.6	505.4	
		3-29-66	18.5	505.5	
		4-29-66	(1)		
		5-26-66	21.2	502.8	
		6-23-66	22.3	501.7	
		7-29-66	30.1	493.9	
		8-24-66	22.9	501.1	
		9-22-66	23.2	500.8	
01N/06W-35A01S	1438.1	4-11-66	482.0	956.1	100
01N/08W-25K03S	1830.0	7-06-65	311.0(1)	1519.0	235
		7-12-65	271.0(5)	1559.0	
		7-19-65	305.0(1)	1525.0	
		7-21-65	364.0(5)	1466.0	101
		7-21-65	364.0(1)	1466.0	719
		7-26-65	277.0(5)	1553.0	235
		8-02-65	274.0(5)	1556.0	
		8-09-65	305.0(1)	1525.0	
		8-16-65	273.0(5)	1557.0	
		8-23-65	314.0(1)	1516.0	
		9-01-65	362.0(1)	1468.0	101
		9-01-65	362.0(5)	1468.0	719
		9-07-65	261.0(5)	1569.0	235
		9-13-65	264.0(5)	1566.0	
		9-20-65	260.0(5)	1570.0	
		9-27-65	263.0(5)	1567.0	
		10-04-65	305.0(1)	1525.0	
		10-11-65	265.0(5)	1565.0	
		10-18-65	266.0(5)	1564.0	
		10-25-65	267.0(5)	1563.0	
		11-01-65	291.0(1)	1539.0	
		11-08-65	265.0(5)	1565.0	
		11-15-65	290.0(1)	1540.0	
		11-17-65	243.0(5)	1587.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CHINO HYDRO SUBAREA Y-01.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/08W-25K03S (CONT.)	1830.0	12-13-65	242.0(5)	1588.0	235
		12-20-65	271.0(1)	1559.0	
		12-27-65	243.0(5)	1587.0	
		1-03-66	227.0(5)	1603.0	
		1-07-66	197.2(5)	1632.8	101
		1-07-66	197.2(5)	1632.8	719
		1-16-66	200.0(5)	1630.0	235
		1-17-66	175.0(5)	1655.0	
		1-31-66	120.0(5)	1710.0	
		2-07-66	120.0(5)	1710.0	
		2-14-66	120.0(5)	1710.0	
		2-16-66	92.0(5)	1738.0	101
		2-16-66	92.0(5)	1738.0	719
		2-21-66	120.0(5)	1710.0	235
		2-28-66	120.0(5)	1710.0	
		3-01-66	80.1(5)	1749.9	101
		3-01-66	80.1(5)	1749.9	719
		3-07-66	120.0(5)	1710.0	235
		3-14-66	120.0(1)	1710.0	
		3-16-66	79.0(5)	1751.0	101
		3-16-66	79.0(5)	1751.0	719
		3-21-66	120.0(1)	1710.0	235
		3-28-66	120.0(1)	1710.0	
		4-04-66	86.0(5)	1744.0	101
		4-04-66	86.0(5)	1744.0	719
		4-04-66	120.0(1)	1710.0	235
		4-11-66	120.0(1)	1710.0	
		4-18-66	120.0(5)	1710.0	
		4-25-66	142.0(1)	1688.0	
		5-02-66	96.1(1)	1733.9	101
		5-02-66	96.1(1)	1733.9	719
		5-02-66	156.0(1)	1674.0	235
		5-09-66	130.0(5)	1700.0	
		5-16-66	153.0(1)	1677.0	
		5-23-66	156.0(1)	1674.0	
		6-01-66	165.0(1)	1665.0	
		6-06-66	166.0(1)	1664.0	
		6-08-66	123.0(1)	1707.0	101
		6-08-66	123.0(1)	1707.0	719
		6-13-66	164.0(1)	1666.0	235
		6-20-66	180.0(1)	1650.0	
		6-27-66	159.0(1)	1671.0	
		7-05-66	165.0(1)	1665.0	
		7-11-66	172.0(1)	1658.0	
		7-18-66	183.0(1)	1647.0	
		7-25-66	186.0(1)	1644.0	
		8-01-66	185.0(1)	1645.0	
		8-08-66	183.0(1)	1647.0	
		8-15-66	186.0(1)	1644.0	
		9-01-66	161.0(5)	1669.0	
		9-05-66	162.0(5)	1668.0	
		9-19-66	189.0(5)	1641.0	
		9-26-66	186.0(5)	1644.0	
01N/08W-35J03S	1618.0	7-30-65	542.9(1)	1075.1	748
		8-30-65	(1)		
		9-30-65	(1)		
		11-01-65	(1)		
		11-30-65	416.7(5)	1201.3	
		12-30-65	401.7(5)	1216.3	
		2-01-66	384.9(5)	1233.1	
		3-07-66	248.0(5)	1370.0	
		4-01-66	222.6(5)	1395.4	
		5-02-66	220.4	1397.6	
		6-01-66	245.7(1)	1372.3	
		7-01-66	252.7(1)	1365.3	
		8-01-66	261.9	1356.1	
		9-01-66	366.4(1)	1251.6	
		9-15-66	371.1(1)	1246.9	
01N/08W-35Q01S	1574.4	9-15-65	415.0(5)	1159.4	101
		10-15-65	415.0(5)	1159.4	
		11-01-65	415.0(5)	1159.4	
		11-21-65	415.0	1159.4	
		12-06-65	380.0	1194.4	
		12-15-65	415.0	1159.4	
		1-17-66	355.0	1219.4	
		3-07-66	209.0(5)	1365.4	
		4-01-66	189.0(5)	1385.4	
		5-21-66	170.0	1404.4	
		6-21-66	179.0	1395.4	
01N/08W-35R01S	1605.0	7-30-65	429.2(5)	1175.8	748
		8-30-65	429.2(5)	1175.8	
		9-30-65	440.2(5)	1164.8	
		11-01-65	428.7(5)	1176.3	
		11-30-65	429.2(5)	1175.8	
		12-30-65	428.7(5)	1176.3	
		2-01-66	426.9(5)	1178.1	
		3-07-66	424.0(5)	1181.0	
		4-01-66	416.5(5)	1188.5	
		5-02-66	400.1	1204.9	
		6-01-66	369.0	1236.0	
		7-01-66	356.1	1248.9	
		8-01-66	352.4	1252.6	
		9-01-66	371.2	1233.8	
		9-15-66	350.3	1254.7	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

HARRISON HYDRO SUBAREA Y-01.82

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-08H01S	1176.0	7-01-65	354.5(5)	821.5	101
		9-01-65	369.5(5)	806.5	
		9-15-65	391.5(1)	784.5	
		10-15-65	368.0(5)	808.0	
		11-01-65	370.7(5)	805.3	
		11-15-65	363.7(5)	812.3	
		12-01-65	361.4(5)	814.6	
		1-01-66	356.8(5)	819.2	
		2-01-66	353.4(5)	822.6	
		3-01-66	349.9(5)	826.1	
		4-01-66	368.4(5)	807.6	
		5-01-66	368.0(5)	808.0	
		6-01-66	359.1(5)	816.9	
01S/08W-08J01S	1132.0	11-02-65	354.4	777.6	101
		4-06-66	357.9	774.1	
01S/08W-09D01S	1225.0	7-01-65	385.8(1)	839.2	101
		7-15-65	332.7(1)	892.3	
		8-01-65	387.0(1)	838.0	
		8-15-65	391.6(1)	833.4	
		10-15-65	387.5(1)	837.5	
		1-01-66	323.8(5)	901.2	
		2-01-66	320.3(5)	904.7	
		3-01-66	319.2(5)	905.8	
		4-01-66	319.2(5)	905.8	
		5-01-66	319.2(5)	905.8	
		6-01-66	314.5(5)	910.5	
01S/08W-09H01S	1230.0	11-08-65	452.3	777.7	101
		4-12-66	457.0	773.0	
01S/08W-09L01S	1174.0	7-15-65	288.5(5)	885.5	101
		8-15-65	290.5(5)	883.5	
		9-15-65	284.5(5)	889.5	
		10-01-65	272.5(5)	901.5	
		11-07-65	283.5(5)	890.5	
		12-01-65	266.5(5)	907.5	
		1-15-66	287.5(5)	886.5	
		2-15-66	294.5(5)	879.5	
		3-15-66	277.5(5)	896.5	
		4-15-66	295.5(5)	878.5	
		5-15-66	295.5(5)	878.5	
		6-15-66	300.5(5)	873.5	
01S/08W-09M01S	1155.0	7-15-65	271.5(5)	883.5	101
		8-15-65	343.5(5)	811.5	
		9-21-65	329.5(5)	825.5	
		10-01-65	269.5(5)	885.5	
		11-07-65	315.5(5)	839.5	
		12-01-65	262.5(5)	892.5	
		1-15-66	315.5(5)	839.5	
		2-01-66	350.5(5)	804.5	
		3-01-66	275.5(5)	879.5	
		4-01-66	340.5(5)	814.5	
		5-01-66	289.5(5)	865.5	
		6-07-66	282.5(5)	872.5	
01S/08W-09P01S	1118.0	7-15-65	357.0	761.0	101
		8-15-65	334.0	784.0	
		9-01-65	298.0	820.0	
		10-01-65	304.4	813.6	
		10-21-65	318.4	799.6	
		12-01-65	284.4	833.6	
		1-15-66	316.0(5)	802.0	
		2-07-66	302.0(5)	816.0	
		3-15-66	298.0(5)	820.0	
		4-28-66	294.0(5)	824.0	
		5-28-66	308.4	809.6	
		6-15-66	353.0(5)	765.0	
01S/08W-16B01S	1114.0	7-07-65	332.5(5)	781.5	101
		8-15-65	343.5(5)	770.5	
		9-07-65	328.5(5)	785.5	
		9-21-65	335.5(5)	778.5	
		10-21-65	338.5(5)	775.5	
		11-07-65	336.5	777.5	
		12-01-65	332.5	781.5	
		1-15-66	311.5(5)	802.5	
		2-07-66	329.5(5)	784.5	
		3-15-66	318.5(5)	795.5	
		4-15-66	335.5(5)	778.5	
		4-28-66	333.5(5)	780.5	
		5-21-66	350.5(5)	763.5	
		6-07-66	330.5(5)	783.5	
01S/08W-16F01S	1062.0	12-02-65	243.8	818.2	101
		4-11-66	245.8	816.2	
01S/08W-16G01S	1073.0	12-02-65	253.5	819.5	101
		4-11-66	261.0	812.0	
01S/08W-17K01S	1015.0	7-01-65	436.6(1)	578.4	101
		7-15-65	438.9	576.1	
		9-01-65	455.1	559.9	
		10-01-65	443.6	571.4	
		11-01-65	443.5(5)	571.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

HARRISON HYDRO SUBAREA Y-01.82

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-17K01S (CONT.)	1015.0	12-01-65	440.1(5)	574.9	101
		12-15-65	438.9(5)	576.1	
		2-01-66	433.2(5)	581.8	
		2-15-66	435.5(5)	579.5	
		3-15-66	436.6(5)	578.4	
01S/08W-17K02S	999.4	7-01-65	471.3(1)	528.1	101
		7-15-65	481.7(1)	517.7	
		9-01-65	486.3(1)	513.1	
		10-01-65	479.4(1)	520.0	
		12-01-65	424.1(5)	575.3	
		12-15-65	425.8(5)	573.6	
		1-01-66	481.7(1)	517.7	
		2-01-66	419.4(5)	580.0	
		3-15-66	484.0(5)	515.4	
		4-01-66	481.7(5)	517.7	
01S/08W-17K03S	1004.2	4-06-66	450.2	554.0	101
01S/08W-17P01S	966.0	12-02-65	223.4	742.6	101
		4-18-66	231.0	735.0	
01S/08W-17P02S	969.0	12-02-65	228.4	740.6	101
01S/08W-17P04S	991.2	7-15-65	520.9(1)	470.3	101
		8-01-65	522.1(1)	469.1	
		8-15-65	520.9(1)	470.3	
		9-15-65	525.5(1)	465.7	
		10-01-65	524.4(1)	466.8	
		10-15-65	524.0(1)	467.2	
		11-15-65	526.7(1)	464.5	
		12-01-65	487.4	503.8	
		4-01-66	515.0(1)	476.2	
		5-01-66	482.7(5)	508.5	
		6-01-66	533.5(1)	457.7	
01S/08W-20B01S	942.0	4-06-66	250.8	691.2	101
01S/08W-20B02S	948.0	4-21-66	552.0	396.0	101

CLAREMONT HEIGHTS HYDRO SUBAREA Y-01.83

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-02B02S	1549.3	12-01-65	463.3(5)	1086.0	101
		12-01-65	463.3(1)	1086.0	719
		1-07-66	434.3(5)	1115.0	101
		1-07-66	434.3(5)	1115.0	719
		3-16-66	179.7(5)	1369.6	101
		3-16-66	179.7(5)	1369.6	719
		4-04-66	159.9(5)	1389.4	101
		4-04-66	159.9(5)	1389.4	719
		5-02-66	169.3(1)	1380.0	101
		5-02-66	169.3(1)	1380.0	719
		6-08-66	130.3(1)	1419.0	101
		6-08-66	130.3(1)	1419.0	719
		8-01-66	213.3(1)	1336.0	
01S/08W-02D01S	1481.8	7-21-65	272.3(5)	1209.5	101
		7-21-65	272.3(5)	1209.5	719
		9-01-65	272.3(5)	1209.5	101
		9-01-65	272.3(5)	1209.5	719
		10-06-65	272.3(5)	1209.5	101
		10-06-65	272.3(5)	1209.5	719
		12-01-65	272.3(5)	1209.5	101
01S/08W-02F01S	1470.0	7-21-65	278.0(1)	1192.0	719
		9-01-65	325.0(1)	1145.0	
		10-06-65	325.0(1)	1145.0	
		12-01-65	320.0(5)	1150.0	
		1-07-66	325.0(1)	1145.0	
		2-16-66	325.0(1)	1145.0	
		3-01-66	323.0(1)	1147.0	
		3-16-66	323.0(1)	1147.0	
		4-04-66	320.0(1)	1150.0	
		5-02-66	304.0(1)	1166.0	
		8-01-66	317.0(1)	1153.0	
01S/08W-03A01S	1511.8	7-07-65	289.5	1222.3	101
		8-03-65	293.7	1218.1	
		8-10-65	294.5	1217.3	
		9-01-65	293.5	1218.3	
		10-04-65	296.3	1215.5	
		11-03-65	317.8	1194.0	
		12-01-65	292.7	1219.1	
		12-09-65	295.6	1216.2	
		12-22-65	287.7	1224.1	
		1-03-66	288.6	1223.2	
		1-10-66	286.7	1225.1	
		1-17-66	286.0	1225.8	
		2-01-66	281.6	1230.2	
		2-21-66	210.7	1301.1	
		3-14-66	170.3	1341.5	
		3-25-66	159.1	1352.7	
		4-13-66	141.0	1370.8	
		4-27-66	156.3	1355.5	
		5-04-66	132.1	1379.7	
		5-11-66	129.7	1382.1	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CLAREMONT HEIGHTS HYDRO SUBAREA Y-01.83

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/08W-03A01S (CONT.)	1511.8	5-18-66	129.0	1382.8	101
		5-25-66	128.1	1383.7	
		6-08-66	127.6	1384.2	
01S/08W-03F01S	1372.0	7-01-65	147.3(5)	1224.7	101
		7-15-65	148.5(5)	1223.5	
		8-01-65	149.7(5)	1222.3	
		8-15-65	149.7(5)	1222.3	
		10-01-65	142.7(5)	1229.3	
		10-15-65	154.3(5)	1217.7	
		11-01-65	152.0(5)	1220.0	
		11-15-65	154.3(5)	1217.7	
		12-01-65	133.5(5)	1238.5	
		1-01-66	120.8(5)	1251.2	
		2-01-66	110.4(5)	1261.6	
		3-01-66	112.7(5)	1259.3	
		4-01-66	112.7(5)	1259.3	
		5-01-66	110.4(5)	1261.6	
		6-01-66	112.7(5)	1259.3	
01S/08W-03F02S	1374.5	7-01-65	205.8(5)	1168.7	101
		7-15-65	205.8(5)	1168.7	
		8-15-65	207.0(5)	1167.5	
		9-01-65	207.0(5)	1167.5	
		10-01-65	201.2(5)	1173.3	
		11-01-65	205.9(5)	1168.6	
		11-15-65	208.1(5)	1166.4	
		12-01-65	208.1(5)	1166.4	
		1-01-66	202.5(5)	1172.0	
		2-01-66	187.3(5)	1187.2	
		3-01-66	187.3(5)	1187.2	
		4-01-66	182.7(5)	1191.8	
		5-01-66	170.0(5)	1204.5	
		6-01-66	175.8(5)	1198.7	
01S/08W-03F03S	1377.5	7-15-65	245.6(1)	1131.9	101
		8-01-65	238.7(1)	1138.8	
		9-01-65	245.6(1)	1131.9	
		10-01-65	244.5(1)	1133.0	
		10-15-65	247.5(1)	1130.0	
		11-15-65	248.0(1)	1129.5	
		12-01-65	208.7(5)	1168.8	
		1-01-66	248.0(1)	1129.5	
		2-01-66	241.0(1)	1136.5	
		3-01-66	231.8(1)	1145.7	
		4-01-66	227.2(1)	1150.3	
		5-01-66	176.3(5)	1201.2	
		6-10-66	231.8(1)	1145.7	
01S/08W-03J01S	1411.0	12-01-65	211.7	1199.3	101
		1-17-66	205.2	1205.8	
		2-01-66	201.9	1209.1	
		2-09-66	193.1	1217.9	
		2-21-66	201.4	1209.6	
		2-28-66	202.5	1208.5	
		3-08-66	201.2	1209.8	
		3-21-66	200.4	1210.6	
		3-28-66	200.1	1210.9	
		4-07-66	199.6	1211.4	
		4-27-66	194.8	1216.2	
		5-04-66	198.9	1212.1	
		5-18-66	186.3	1224.7	
		5-25-66	184.1	1226.9	
		6-08-66	177.8	1233.2	
01S/08W-03L02S	1344.0	7-07-65	112.2	1231.8	101
		8-03-65	113.0	1231.0	
		9-01-65	112.8	1231.2	
		10-04-65	112.6	1231.4	
		11-03-65	112.9	1231.1	
		12-06-65	113.1	1230.9	
		1-03-66	100.7	1243.3	
		2-01-66	111.4	1232.6	
		3-01-66	121.5	1222.5	
		4-12-66	118.3	1225.7	
		5-02-66	106.7	1237.3	
		5-18-66	112.1	1231.9	
		6-06-66	110.4	1233.6	
01S/08W-03M03S	1329.0	7-07-65	146.9	1182.1	101
		8-03-65	162.8	1166.2	
		9-01-65	168.8	1160.2	
		10-04-65	171.7	1157.3	
		11-03-65	161.5	1167.5	
		12-06-65	145.4	1183.6	
		1-03-66	142.0	1187.0	
		2-01-66	134.6	1194.4	
		2-21-66	137.3	1191.7	
		2-28-66	143.1	1185.9	
		3-08-66	148.7	1180.3	
		3-21-66	142.8	1186.2	
		3-28-66	142.4	1186.6	
		4-06-66	142.4	1186.6	
		4-13-66	147.1	1181.9	
		5-02-66	134.1	1194.9	
		5-11-66	132.6	1196.4	
		5-18-66	133.6	1195.4	
		6-06-66	134.1	1194.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CLAREMONT HEIGHTS HYDRO SUBAREA Y-01.83

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/08W-04K01S	1318.8	7-07-65	239.3	1079.5	101
		8-03-65	240.2	1078.6	
		9-01-65	241.5	1077.3	
		10-28-65	243.3	1075.5	
		11-02-65	243.2	1075.6	
		12-06-65	183.7	1135.1	
		1-03-66	170.2	1148.6	
		1-10-66	176.8	1142.0	
		1-26-66	172.4	1146.4	
		2-01-66	168.4	1150.4	
		2-28-66	207.2	1111.6	
		3-14-66	218.1	1100.7	
		3-29-66	228.1	1090.7	
		4-07-66	238.5	1080.3	
		4-20-66	238.7	1080.1	
		4-27-66	235.6	1083.2	
		5-02-66	238.8	1080.0	
		5-18-66	237.6	1081.2	
		5-25-66	238.6	1080.2	
		6-02-66	239.4	1079.4	
01N/08W-23J01S	2069.0	11-03-65	46.5	2022.5	101
		12-01-65	18.7	2050.3	
		12-15-65	19.5	2049.5	
		1-03-66	19.6	2049.4	
		1-10-66	18.9	2050.1	
		2-09-66	20.0	2049.0	
		2-21-66	19.9	2049.1	
		2-28-66	20.1	2048.9	
		3-09-66	20.2	2048.8	
		3-21-66	27.3	2041.7	
		3-29-66	21.8	2047.2	
		4-07-66	28.6	2040.4	
		4-27-66	31.4	2037.6	
		5-04-66	33.6	2035.4	
		5-11-66	34.5	2034.5	
		5-18-66	34.9	2034.1	
		5-25-66	35.6	2033.4	
01N/08W-24E01S	2141.7	7-06-65	133.0(5)	2008.7	101
		7-06-65	133.0(5)	2008.7	235
		7-12-65	133.0(5)	2008.7	
		7-19-65	133.0(5)	2008.7	
		7-26-65	132.0(5)	2009.7	
		8-02-65	133.0(5)	2008.7	101
		8-02-65	133.0(5)	2008.7	235
		8-09-65	133.0(5)	2008.7	
		8-16-65	132.0(5)	2009.7	
		8-23-65	133.0(5)	2008.7	
		9-07-65	132.0	2009.7	101
		9-07-65	133.0(5)	2008.7	235
		9-13-65	132.0(1)	2009.7	
		9-20-65	129.0(5)	2012.7	
		9-27-65	131.0(5)	2010.7	
		10-04-65	132.0	2009.7	101
		10-04-65	132.0(5)	2009.7	235
		10-11-65	133.0(5)	2008.7	
		10-18-65	133.0(5)	2008.7	
		10-25-65	132.0(5)	2009.7	
		11-01-65	133.0	2008.7	101
		11-01-65	133.0(5)	2008.7	235
		11-08-65	133.0(5)	2008.7	
		11-15-65	133.0	2008.7	101
		11-15-65	133.0(5)	2008.7	235
		11-22-65	97.0(5)	2044.7	
		1-03-66	40.0(5)	2101.7	
		1-10-66	50.0	2091.7	101
		1-10-66	40.0(5)	2101.7	235
		1-17-66	40.0(5)	2101.7	
		1-31-66	40.0(5)	2101.7	
		2-07-66	50.0	2091.7	101
		2-07-66	60.0(5)	2081.7	235
		2-14-66	75.0(1)	2066.7	
		2-21-66	79.0(1)	2062.7	
		2-28-66	84.0(1)	2057.7	
		3-07-66	88.0(1)	2053.7	101
		3-07-66	88.0(1)	2053.7	235
		3-14-66	91.0(1)	2050.7	
		3-21-66	95.0(1)	2046.7	
		3-28-66	98.0(1)	2043.7	
		4-04-66	99.0(1)	2042.7	101
		4-04-66	99.0(1)	2042.7	235
		4-11-66	103.0(1)	2038.7	
		4-18-66	107.0(1)	2034.7	
		4-25-66	110.0(1)	2031.7	
		5-02-66	113.0(1)	2028.7	101
		5-02-66	113.0(1)	2028.7	235
		5-09-66	116.0(1)	2025.7	
		5-16-66	122.0(1)	2019.7	
		5-23-66	128.0(1)	2013.7	
		6-01-66	124.0(1)	2017.7	101
		6-01-66	124.0(1)	2017.7	235
		6-06-66	131.0(1)	2010.7	
		6-13-66	131.0(1)	2010.7	
		6-21-66	131.0(1)	2010.7	
		6-27-66	129.0(1)	2012.7	
		7-05-66	128.0(1)	2013.7	

Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CLAREMONT HEIGHTS HYDRO SUBAREA Y-01.83

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/08W-24E01S (CONT.)	2141.7	7-11-66	128.0(1)	2013.7	235
		7-18-66	129.0(1)	2012.7	
		7-25-66	133.0(1)	2008.7	
		8-01-66	135.0(1)	2006.7	
		8-08-66	138.0(1)	2003.7	
		8-15-66	133.0(5)	2008.7	
		9-01-66	138.0(1)	2003.7	
		9-05-66	137.0(1)	2004.7	
		9-19-66	137.0(1)	2004.7	
		9-26-66	132.0(5)	2009.7	
01N/08W-24L01S	2137.6	7-06-65	197.0(1)	1940.6	235
		7-12-65	198.0(1)	1939.6	
		7-19-65	198.0(1)	1939.6	
		7-26-65	196.0(1)	1941.6	101
		7-26-65	196.0(5)	1941.6	235
		8-02-65	199.0(1)	1938.6	
		8-09-65	197.0(1)	1940.6	
		8-16-65	200.0(1)	1937.6	
		8-23-65	197.0(1)	1940.6	101
		8-23-65	197.0(1)	1940.6	235
		9-07-65	195.0(1)	1942.6	
		9-13-65	197.0(1)	1940.6	101
		9-13-65	197.0(5)	1940.6	235
		9-20-65	197.0(1)	1940.6	
		9-27-65	197.0(1)	1940.6	
		10-04-65	197.0(1)	1940.6	101
		10-04-65	197.0(1)	1940.6	235
		10-11-65	197.0(1)	1940.6	101
		10-11-65	197.0(1)	1940.6	235
		10-18-65	199.0(1)	1938.6	101
		10-18-65	199.0(1)	1938.6	235
		10-25-65	198.0(1)	1939.6	
		11-01-65	198.0(1)	1939.6	101
		11-01-65	198.0(1)	1939.6	235
		11-08-65	199.0(5)	1938.6	
		11-15-65	197.0	1940.6	101
		11-15-65	197.0(5)	1940.6	235
		11-22-65	177.0(5)	1960.6	
		1-03-66	40.0(5)	2097.6	
		1-10-66	50.0	2087.6	101
		1-10-66	40.0(5)	2097.6	235
		1-17-66	40.0(5)	2097.6	
		1-31-66	40.0(5)	2097.6	
		2-07-66	50.0	2087.6	101
		2-07-66	40.0(5)	2097.6	235
		2-14-66	50.0	2087.6	101
		2-14-66	40.0(5)	2097.6	235
		2-21-66	50.0(5)	2087.6	
		2-28-66	50.0(5)	2087.6	
		3-07-66	65.0(5)	2072.6	
		3-14-66	70.0	2067.6	101
		3-14-66	70.0(5)	2067.6	235
		3-21-66	75.0(5)	2062.6	
		3-28-66	80.0(5)	2057.6	
		4-04-66	85.0	2052.6	101
		4-04-66	85.0(5)	2052.6	235
		4-11-66	134.0(1)	2003.6	101
		4-11-66	134.0(5)	2003.6	235
		4-18-66	137.0(5)	2000.6	
		4-25-66	145.0(5)	1992.6	
		5-02-66	153.0(1)	1984.6	101
		5-02-66	153.0(1)	1984.6	235
		5-09-66	155.0(1)	1982.6	
		5-16-66	159.0(1)	1978.6	
		5-23-66	168.0(1)	1969.6	101
		5-23-66	168.0(1)	1969.6	235
		6-01-66	176.0(1)	1961.6	101
		6-01-66	176.0(1)	1961.6	235
		6-06-66	180.0(1)	1957.6	
		6-13-66	186.0(1)	1951.6	
		6-21-66	196.0(1)	1941.6	
		6-27-66	210.0(1)	1927.6	101
		6-27-66	210.0(1)	1927.6	235
		7-05-66	197.0(5)	1940.6	
		7-11-66	197.0(5)	1940.6	
		7-18-66	197.0(5)	1940.6	
		7-25-66	197.0(5)	1940.6	
		8-01-66	197.0(5)	1940.6	
		8-08-66	197.0(5)	1940.6	
		8-29-66	198.0(5)	1939.6	
		9-01-66	197.0(5)	1940.6	
		9-05-66	198.0(5)	1939.6	
		9-19-66	198.0(5)	1939.6	
01N/08W-25K02S	1855.0	7-12-65	271.0(5)	1584.0	101
		8-02-65	274.0(5)	1581.0	
		9-13-65	264.0(5)	1591.0	
		10-11-65	265.0(5)	1590.0	
		11-08-65	265.0(5)	1590.0	
		11-22-65	243.0(5)	1612.0	
		11-29-65	240.0(5)	1615.0	
		12-13-65	242.0(5)	1613.0	
		12-27-65	243.0(5)	1612.0	
		1-03-66	227.0(5)	1628.0	
		1-10-66	200.0(5)	1655.0	
		1-17-66	175.0(5)	1680.0	
		1-31-66	150.0(5)	1705.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.B0

CLAREMONT HEIGHTS HYDRO SUBAREA Y-01.B3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/08W-25K02S (CONT.)	1855.0	2-07-66	150.0(5)	1705.0	101
		2-28-66	120.0(5)	1735.0	
		3-07-66	120.0(5)	1735.0	
		4-18-66	120.0(5)	1735.0	
		5-09-66	130.0(5)	1725.0	
		6-01-66	165.0(1)	1690.0	
01N/08W-25M01S	1864.9	1-07-66	258.0(5)	1606.9	101
		1-07-66	258.0(5)	1606.9	719
		2-16-66	140.6(5)	1724.3	101
		2-16-66	140.6(5)	1724.3	719
		3-01-66	142.8(5)	1722.1	101
		3-01-66	142.8(5)	1722.1	719
		3-16-66	146.0(5)	1718.9	101
		3-16-66	146.0(5)	1718.9	719
		4-04-66	152.0(5)	1712.9	101
		4-04-66	152.0(5)	1712.9	719
		5-02-66	164.4(5)	1700.5	101
		5-02-66	164.4(5)	1700.5	719
		6-08-66	171.2(1)	1693.7	101
		6-08-66	171.2(1)	1693.7	719
		8-01-66	200.0(1)	1664.9	
01N/08W-25Q01S	1831.7	7-15-65	210.0	1621.7	101
		7-30-65	210.2(5)	1621.5	748
		8-16-65	210.7	1621.0	101
		8-30-65	211.4(5)	1620.3	748
		9-30-65	212.7	1619.0	101
		9-30-65	212.7(5)	1619.0	748
		10-18-65	210.2	1621.5	101
		11-01-65	209.7	1622.0	
		11-01-65	209.7(5)	1622.0	748
		11-30-65	204.7(5)	1627.0	
		12-15-65	202.0	1629.7	101
		12-30-65	197.8	1633.9	
		12-30-65	197.8(5)	1633.9	748
		2-01-66	145.2	1686.5	101
		2-01-66	145.2(5)	1686.5	748
		3-07-66	78.7	1753.0	101
		3-07-66	78.7(5)	1753.0	748
		4-01-66	82.7	1749.0	101
		4-01-66	82.7(5)	1749.0	748
		5-02-66	94.8	1736.9	101
		5-02-66	94.8(5)	1736.9	748
		6-01-66	106.0	1725.7	101
		6-01-66	106.0(5)	1725.7	748
		7-01-66	119.3(5)	1712.4	
		8-01-66	128.9(5)	1702.8	
		9-01-66	139.2(5)	1692.5	
		9-15-66	142.8(5)	1688.9	
01N/08W-26P01S	1740.3	7-02-65	273.2	1467.1	101
		7-29-65	273.6	1466.7	
		8-12-65	273.7	1466.6	
		8-19-65	273.7	1466.6	
		9-02-65	273.7	1466.6	
		9-16-65	273.3	1467.0	
		9-23-65	273.3	1467.0	
		10-07-65	273.1	1467.2	
		10-14-65	273.0	1467.3	
		10-24-65	272.7	1467.6	
		11-04-65	272.2	1468.1	
		11-18-65	271.0	1469.3	
		11-27-65	270.8	1469.5	
		12-01-65	272.2	1468.1	
		12-08-65	272.2	1468.1	
		12-15-65	255.5	1484.8	
		12-22-65	240.4	1499.9	
		12-30-65	218.3	1522.0	
		1-06-66	204.9	1535.4	
		1-19-66	143.0	1597.3	
		1-26-66	141.0	1599.3	
		2-02-66	141.7	1598.6	
		2-09-66	145.2	1595.1	
		2-16-66	151.6	1588.7	
		2-23-66	158.7	1581.6	
		3-02-66	165.2	1575.1	
		3-09-66	172.4	1567.9	
		3-16-66	179.4	1560.9	
		3-23-66	176.8	1563.5	
		3-30-66	192.2	1548.1	
		4-06-66	198.3	1542.0	
		4-13-66	203.6	1536.7	
		4-20-66	208.5	1531.8	
		5-04-66	217.3	1523.0	
		5-11-66	221.2	1519.1	
		5-18-66	224.6	1515.7	
		5-25-66	227.8	1512.5	
		6-01-66	231.0	1509.3	
		6-16-66	236.9	1503.4	
		6-23-66	239.3	1501.0	
		6-30-66	241.7	1498.6	
01N/08W-34A02S	1648.0	11-03-65	251.2	1396.8	101
		2-21-66	154.7	1493.3	
		2-28-66	148.1	1499.9	
		3-08-66	159.2	1488.8	
		3-21-66	163.9	1484.1	
		3-28-66	167.3	1480.7	
		4-07-66	172.3	1475.7	
		4-27-66	180.4	1467.6	
		5-04-66	183.4	1464.6	
		5-11-66	184.7	1463.3	
		5-18-66	187.9	1460.1	
		5-25-66	188.2	1459.8	
		6-02-66	192.1	1455.9	
01N/08W-34A03S	1635.0	11-03-65	322.4	1312.6	101
		2-21-66	229.9	1405.1	
		2-28-66	212.6	1422.4	
		3-08-66	201.0	1434.0	
		3-21-66	195.8	1439.2	
		3-28-66	195.0	1440.0	
		4-07-66	194.2	1440.8	
		4-27-66	198.6	1436.4	
		5-04-66	201.1	1433.9	
		5-11-66	204.7	1430.3	
		5-18-66	205.1	1429.9	
		5-25-66	207.2	1427.8	
		6-02-66	209.5	1425.5	
01N/08W-34H01S	1589.0	2-23-66	193.4	1395.6	101
		3-28-66	167.5	1421.5	
		4-13-66	166.5	1422.5	
01N/08W-34K01S	1518.0	11-03-65	234.9	1283.1	101
		2-28-66	197.3	1320.7	
		3-14-66	166.3	1351.7	
		3-28-66	132.2	1385.8	
		5-10-66	120.7	1397.3	
		5-18-66	125.3	1392.7	
01N/08W-34L01S	1503.0	11-03-65	259.5	1243.5	101
		2-24-66	203.9	1299.1	
		3-08-66	206.6(1)	1296.4	
		3-21-66	150.6	1352.4	
		3-28-66	140.2	1362.8	
		4-07-66	152.3(1)	1350.7	
		5-04-66	148.1(1)	1354.9	
		5-18-66	145.9	1357.1	
		5-25-66	126.8	1376.2	
		6-02-66	127.0	1376.0	
01N/08W-35E01S	1631.0	11-15-65	377.9	1253.1	101
		2-23-66	291.9	1339.1	
		3-08-66	266.7	1364.3	
		3-21-66	239.9	1391.1	
		3-28-66	236.6	1394.4	
		4-13-66	230.4	1400.6	
01N/08W-35J01S	1618.0	7-15-65	553.0(5)	1065.0	101
		11-16-65	424.2	1193.8	
		11-30-65	416.7	1201.3	
		12-15-65	405.7(5)	1212.3	
		1-15-66	394.2(5)	1223.8	
		2-01-66	384.9(5)	1233.1	
		3-07-66	248.1(5)	1369.9	
		4-01-66	222.6(5)	1395.4	
		5-02-66	220.4(5)	1397.6	
		6-01-66	245.7(1)	1372.3	
01N/08W-35J02S	1607.0	7-15-65	429.2(5)	1177.8	101
		8-30-65	429.2(5)	1177.8	
		9-30-65	440.2(5)	1166.8	
		10-18-65	441.3(5)	1165.7	
		11-01-65	428.7(5)	1178.3	
		12-15-65	428.7(5)	1178.3	
		1-15-66	426.9(5)	1180.1	
		2-01-66	426.9(5)	1180.1	
		3-07-66	424.0(5)	1183.0	
		4-01-66	416.5(5)	1190.5	
		5-02-66	400.0(5)	1207.0	
		6-01-66	369.0(5)	1238.0	
01N/08W-35K01S	1638.0	7-15-65	534.3(5)	1103.7	101
		10-18-65	525.1(5)	1112.9	
		11-01-65	537.7(5)	1100.3	
		11-30-65	417.0	1221.0	
		12-15-65	408.3(5)	1229.7	
		12-30-65	401.4(5)	1236.6	
		1-15-66	394.5(5)	1243.5	
		2-01-66	381.2(5)	1256.8	
		3-07-66	269.7(5)	1368.3	
		4-01-66	239.7(5)	1398.3	
		5-02-66	220.4(5)	1417.6	
		6-01-66	230.4(5)	1407.6	
01N/08W-35K02S	1635.0	7-30-65	510.5(1)	1124.5	748
		8-30-65	(1)		
		9-30-65	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CLAREMONT HEIGHTS HYDRO SUBAREA Y-01.83

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/08W-35K02S (CONT.)	1635.0	11-01-65	537.7(1)	1097.3	748
		11-30-65	417.0(5)	1218.0	
		12-30-65	401.4(5)	1233.6	
		2-01-66	381.2(5)	1253.8	
		3-07-66	269.7(5)	1365.3	
		4-01-66	239.7(5)	1395.3	
		5-02-66	220.4	1414.6	
		6-01-66	230.4	1404.6	
		7-01-66	332.1(1)	1302.9	
		8-01-66	352.9(1)	1282.1	
		9-01-66	389.3(1)	1245.7	
		9-15-66	389.3(1)	1245.7	
01N/08W-36D01S	1760.0	7-15-65	280.0	1480.0	101
		7-30-65	280.0(5)	1480.0	748
		8-16-65	279.5	1480.5	101
		8-16-65	279.5(5)	1480.5	748
		9-30-65	280.5	1479.5	101
		9-30-65	280.5(5)	1479.5	748
		10-18-65	279.0	1481.0	101
		11-01-65	279.0	1481.0	
		11-01-65	279.0(5)	1481.0	748
		11-16-65	279.0	1481.0	101
		11-30-65	278.2(5)	1481.8	748
		12-06-65	279.4	1480.6	101
		12-15-65	277.6	1482.4	
		12-30-65	267.0	1493.0	
		12-30-65	277.0(5)	1483.0	748
		1-15-66	249.6	1510.4	101
		2-01-66	229.0	1531.0	
		2-01-66	229.0(5)	1531.0	748
		3-07-66	232.0	1528.0	101
		3-07-66	232.0(5)	1528.0	748
		4-01-66	240.5	1519.5	101
		4-01-66	240.5(5)	1519.5	748
		5-02-66	287.3	1472.7	101
		5-02-66	250.6(5)	1509.4	748
		6-01-66	257.0	1503.0	101
		6-01-66	257.0(5)	1503.0	748
		7-01-66	258.6(5)	1501.4	
		8-01-66	263.5(5)	1496.5	
		9-01-66	266.0(5)	1494.0	
		9-15-66	266.6(5)	1493.4	

CUCAMONGA HYDRO SUBAREA Y-01.84

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/07W-04A01S	1422.0	7-01-65	487.1(1)	934.9	702
		8-01-65	500.1(1)	921.9	
		9-01-65	503.1(1)	918.9	
		10-01-65	448.6(1)	973.4	
		11-01-65	454.1(1)	967.9	
		12-01-65	385.1(5)	1036.9	
		1-01-66	385.1(5)	1036.9	
		2-01-66	426.1(1)	995.9	
		3-01-66	436.1(1)	985.9	
		4-01-66	452.1(1)	969.9	
		5-01-66	456.1(1)	965.9	
		6-01-66	468.1(1)	953.9	
		7-01-66	480.1(1)	941.9	
		8-01-66	479.1(1)	942.9	
		9-01-66	482.1(1)	939.9	
01S/07W-04B01S	1428.2	7-02-65	273.0	1155.2	702
		8-01-65	280.0	1148.2	
		9-04-65	284.0	1144.2	
		10-03-65	288.0	1140.2	
		11-01-65	268.0	1160.2	
		12-03-65	255.5	1172.7	
		1-01-66	248.0	1180.2	
		2-04-66	250.5	1177.7	
		3-04-66	243.0	1185.2	
		4-04-66	253.0	1175.2	
		5-05-66	248.0	1180.2	
		6-06-66	272.0(1)	1156.2	
		7-03-66	281.0(1)	1147.2	
		8-03-66	253.0	1175.2	
		9-01-66	274.0	1154.2	
01S/07W-04B02S	1428.2	7-02-65	270.8	1157.4	702
		8-01-65	277.3	1150.9	
		9-04-65	281.8	1146.4	
		10-03-65	285.8	1142.4	
		11-01-65	264.3	1163.9	
		12-03-65	251.8	1176.4	
		1-01-66	244.3	1183.9	
		2-04-66	247.8	1180.4	
		3-04-66	239.8	1188.4	
		4-04-66	249.8	1178.4	
		5-05-66	250.8	1177.4	
		6-06-66	257.8	1170.4	
		7-03-66	266.8	1161.4	
		8-03-66	263.8	1164.4	
		9-01-66	270.3	1157.9	
01S/07W-04B03S	1451.8	7-02-65	322.3(1)	1129.5	702
		9-04-65	334.3(1)	1117.5	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CUCAMONGA HYDRO SUBAREA Y-01.84

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/07W-04B03S (CONT.)	1451.8	10-03-65	341.3(1)	1110.5	702
		11-01-65	291.8	1160.0	
		12-03-65	280.3	1171.5	
		1-01-66	272.3	1179.5	
		2-04-66	298.8(1)	1153.0	
		3-04-66	291.3(1)	1160.5	
		4-04-66	299.3(1)	1152.5	
		5-05-66	295.3(1)	1156.5	
		6-06-66	304.3(1)	1147.5	
		7-03-66	311.8(1)	1140.0	
		8-03-66	313.8(1)	1138.0	
		9-01-66	320.3(1)	1131.5	
01S/07W-04E02S	1395.9	7-02-65	237.8	1158.1	702
		8-01-65	245.8	1150.1	
		9-04-65	253.8	1142.1	
		10-03-65	251.8	1144.1	
		11-01-65	237.8	1158.1	
		12-03-65	225.8	1170.1	
		1-01-66	217.8	1178.1	
		2-04-66	213.3	1182.6	
		3-04-66	205.8	1190.1	
		4-04-66	206.3	1189.6	
		5-05-66	206.8	1189.1	
		6-06-66	214.8	1181.1	
		7-03-66	223.3	1172.6	
		8-03-66	219.8	1176.1	
		9-01-66	233.8	1162.1	
01S/07W-04E03S	1417.4	7-30-65	251.2(5)	1166.2	748
		8-30-65	280.1(1)	1137.3	
		9-30-65	284.7(1)	1132.7	
		11-01-65	281.2(1)	1136.2	
		11-30-65	254.6(5)	1162.8	
		12-30-65	243.1(5)	1174.3	
		2-01-66	235.6(5)	1181.8	
		3-07-66	228.7(5)	1188.7	
		4-01-66	220.6(5)	1196.8	
		5-02-66	218.7(5)	1198.7	
		6-01-66	233.3(1)	1184.1	
		7-01-66	245.4(1)	1172.0	
		8-01-66	251.7(1)	1165.7	
		9-01-66	259.9(1)	1157.5	
		9-15-66	262.7(1)	1154.7	
01N/07W-23K01S	1944.0	4-11-66	393.0	1551.0	100
01N/07W-27D02S	1560.0	7-02-65	506.0(1)	1054.0	702
		8-01-65	520.0(1)	1040.0	
		9-04-65	528.0(1)	1032.0	
		10-03-65	531.0(1)	1029.0	
		11-01-65	411.0(5)	1149.0	
		12-03-65	397.0(5)	1163.0	
		1-01-66	400.0(5)	1160.0	
		2-04-66	386.0(5)	1174.0	
		3-04-66	459.0(1)	1101.0	
		4-04-66	473.0(1)	1087.0	
		5-05-66	414.0(5)	1146.0	
		6-06-66	487.0(1)	1073.0	
		7-03-66	505.0(1)	1055.0	
		8-03-66	510.0(1)	1050.0	
		9-01-66	507.0(1)	1053.0	
01N/07W-29E01S	1839.9	7-15-65	476.9(5)	1363.0	101
		7-30-65	476.9(5)	1363.0	748
		8-30-65	572.8(5)	1267.1	101
		8-30-65	572.7(1)	1267.2	748
		9-30-65	583.2(5)	1256.7	101
		9-30-65	583.1(1)	1256.8	748
		10-18-65	587.8(5)	1252.1	101
		11-01-65	587.8(5)	1252.1	
		11-01-65	587.8(1)	1252.1	748
		11-16-65	490.8(5)	1349.1	101
		11-30-65	487.9(5)	1352.0	
		11-30-65	487.9(5)	1352.0	748
		12-15-65	487.3(5)	1352.6	101
		12-30-65	485.0(5)	1354.9	748
		1-15-66	478.6(5)	1361.3	101
		2-01-66	468.8(5)	1371.1	
		2-01-66	468.8(5)	1371.1	748
		3-07-66	445.7(5)	1394.2	101
		3-07-66	445.7(5)	1394.2	748
		4-01-66	427.2(5)	1412.7	101
		4-01-66	427.2(5)	1412.7	748
		5-02-66	401.2(5)	1438.7	101
		5-02-66	401.2(5)	1438.7	748
		6-01-66	385.6(5)	1454.3	101
		6-01-66	385.6(5)	1454.3	748
		7-01-66	380.4(5)	1459.5	
		8-01-66	378.7(5)	1461.2	
		9-01-66	447.4(1)	1392.5	
		9-15-66	459.6(1)	1380.3	
01N/07W-29R03S	1702.3	7-30-65	556.1(1)	1146.2	748
		8-30-65	565.9(1)	1136.4	
		9-30-65	581.0(1)	1121.3	
		11-01-65	589.1(1)	1113.2	
		11-16-65	511.7(5)	1190.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CUCAMONGA HYDRO SUBAREA Y-01.84

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/07W-29R03S (CONT.)	1702.3	12-30-65	499.5(5)	1202.8	748
		2-01-66	489.7(5)	1212.6	
		3-07-66	475.7(5)	1226.6	
		4-01-66	463.1(5)	1239.2	
		5-02-66	455.1(5)	1247.2	
		6-01-66	452.2(5)	1250.1	
		7-01-66	453.3(5)	1249.0	
		8-01-66	510.5(1)	1191.8	
		9-01-66	511.1(1)	1191.2	
		9-15-66	514.5(1)	1187.8	
01N/07W-29R04S	1684.4	7-30-65	525.2(1)	1159.2	748
		8-30-65	539.6(1)	1144.8	
		9-30-65	533.8(1)	1150.6	
		11-01-65	533.3(1)	1151.1	
		11-30-65	481.3(5)	1203.1	
		12-30-65	473.8(5)	1210.6	
		2-01-66	465.7(5)	1218.7	
		3-07-66	454.1(5)	1230.3	
		4-01-66	444.9(5)	1239.5	
		5-02-66	441.4(5)	1243.0	
		6-01-66	436.8(5)	1247.6	
		7-01-66	475.5(1)	1208.9	
		8-01-66	488.2(1)	1196.2	
		9-01-66	495.7(1)	1188.7	
		9-15-66	496.9(1)	1187.5	
01N/07W-32R02S	1490.0	7-30-65	316.7(5)	1173.3	748
		8-30-65	325.3(5)	1164.7	
		9-30-65	339.2(1)	1150.8	
		11-01-65	344.4(9)	1145.6	
		11-30-65	326.5(5)	1163.5	
		12-30-65	313.8(5)	1176.2	
		2-01-66	307.4(5)	1182.6	
		3-07-66	298.8(5)	1191.2	
		4-01-66	289.5(5)	1200.5	
		5-02-66	285.5(5)	1204.5	
		6-01-66	283.1(5)	1206.9	
		7-01-66	297.6(5)	1192.4	
		8-01-66	294.1(5)	1195.9	
		9-01-66	302.8(5)	1187.2	
		9-15-66	315.0(5)	1175.0	
01N/07W-32R03S	1496.0	7-30-65	317.5(5)	1178.5	748
		8-30-65	325.6(5)	1170.4	
		9-30-65	327.4(5)	1168.6	
		11-01-65	334.9(5)	1161.1	
		11-30-65	329.7(5)	1166.3	
		12-30-65	320.4(5)	1175.6	
		2-01-66	311.8(5)	1184.2	
		3-07-66	299.0(5)	1197.0	
		4-01-66	286.2(5)	1209.8	
		5-02-66	278.3(5)	1217.7	
		6-01-66	273.6(5)	1222.4	
		7-01-66	277.1(5)	1218.9	
		8-01-66	282.9(5)	1213.1	
		9-01-66	292.1(5)	1203.9	
		9-15-66	295.0(5)	1201.0	
01N/07W-33A01S	1541.5	7-21-65	385.6(1)	1155.9	719
		9-01-65	369.6(5)	1171.9	
		10-06-65	378.6(1)	1162.9	
		12-01-65	369.6(5)	1171.9	
		1-07-66	367.6(5)	1173.9	
		2-16-66	365.6(5)	1175.9	
		3-01-66	364.6(5)	1176.9	
		3-16-66	363.6(5)	1177.9	
		4-04-66	371.6(1)	1169.9	
		5-02-66	371.6(1)	1169.9	
		6-08-66	371.6(1)	1169.9	
		8-01-66	371.6(1)	1169.9	
01N/07W-33N01S	1488.2	7-30-65	315.5	1172.7	748
		8-30-65	344.4(1)	1143.8	
		9-30-65	346.8(1)	1141.4	
		10-30-65	338.5	1149.7	
		11-30-65	324.0	1164.2	
		12-30-65	315.0	1173.2	
		2-01-66	306.9(5)	1181.3	
		3-07-66	298.8(5)	1189.4	
		4-01-66	290.2(5)	1198.0	
		5-02-66	287.9(5)	1200.3	
		6-01-66	284.4(5)	1203.8	
		7-01-66	303.4(1)	1184.8	
		8-01-66	297.7(5)	1190.5	
		9-01-66	319.0(5)	1169.2	
		9-15-66	326.6(1)	1161.6	
01N/07W-33N02S	1483.9	7-01-65	314.0	1169.9	748
		8-30-65	322.0	1161.9	
		9-30-65	326.0	1157.9	
01N/07W-33N03S	1490.0	7-30-65	321.4(5)	1168.6	748
		8-30-65	328.9(5)	1161.1	
		9-30-65	336.4(5)	1153.6	
		11-01-65	360.7(1)	1129.3	
		11-30-65	328.9(5)	1161.1	
		12-30-65	319.1(5)	1170.9	

Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80

CUCAMONGA HYDRO SUBAREA Y-01.84

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/07W-33N03S (CONT.)	1490.0	2-01-66	310.6(5)	1179.4	748
		3-07-66	301.8(5)	1188.2	
		4-01-66	293.1(5)	1196.9	
		5-02-66	287.9(5)	1202.1	
		6-01-66	286.2(5)	1203.8	
		7-01-66	311.6(1)	1178.4	
		8-01-66	297.1(5)	1192.9	
		9-01-66	306.4(5)	1183.6	
		9-15-66	330.6(1)	1159.4	
01N/07W-33P01S	1485.0	7-30-65	313.3	1171.7	748
		8-30-65	321.0	1164.0	
		9-30-65	326.5	1158.5	
		11-01-65	332.0	1153.0	
		11-30-65	322.0	1163.0	
		12-30-65	312.5	1172.5	
		2-01-66	303.0	1182.0	
		3-07-66	297.2	1187.8	
		4-01-66	291.5	1193.5	
		5-02-66	287.3	1197.7	
		6-01-66	281.9	1203.1	
		7-01-66	288.2	1196.8	
		8-01-66	321.9(1)	1163.1	
		9-01-66	330.5(1)	1154.5	
		9-15-66	308.6	1176.4	
01N/07W-35M01S	1395.0	7-01-65	261.0	1134.0	702
		8-01-65	350.5(1)	1044.5	
		10-01-65	359.0(1)	1036.0	
		11-01-65	371.0(1)	1024.0	
		12-01-65	376.0(1)	1019.0	
		1-01-66	379.0(1)	1016.0	
		3-01-66	371.0(1)	1024.0	
		4-01-66	372.0(1)	1023.0	
		5-01-66	391.0(1)	1004.0	
		6-01-66	396.0(1)	999.0	
		7-01-66	356.5(1)	1038.5	
		8-01-66	389.0(1)	1006.0	
		9-01-66	400.0(1)	995.0	

TEMESCAL HYDRO SUBAREA Y-01.85

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-28D01S	940.0	7-02-65	81.0	859.0	720
		7-30-65	76.2	863.8	
		8-20-65	126.9(1)	813.1	
		9-17-65	102.2	837.8	
		10-15-65	89.6	850.4	
		11-19-65	84.4	855.6	
		11-24-65	79.8	860.2	718
		12-17-65	73.5	866.5	720
		1-21-66	71.8	868.2	
		2-18-66	68.1	871.9	
		3-11-66	68.1	871.9	
		4-08-66	71.8	868.2	
		5-13-66	72.2	867.8	
		6-24-66	76.1	863.9	
		7-22-66	77.5	862.5	
		8-19-66	80.0	860.0	
		9-30-66	82.9	857.1	
03S/06W-06K02S	629.0	7-07-65	47.4	581.6	103
		8-03-65	47.3	581.7	
		9-13-65	47.3	581.7	
		11-30-65	47.3	581.7	
		12-27-65	47.3	581.7	
		1-18-66	47.2	581.8	
		2-08-66	46.9	582.1	
		3-14-66	46.8	582.2	
		4-14-66	46.7	582.3	
		5-24-66	46.6	582.4	
		7-05-66	47.3	581.7	
		8-02-66	46.4	582.6	
		9-01-66	46.8	582.2	
03S/06W-07A01S	649.0	11-30-65	17.6	631.4	103
		4-14-66	15.7	633.3	
03S/06W-28A02S	677.2	12-07-65	51.6	625.6	718
		4-26-66	(1)		
03S/06W-28G02S	686.0	12-07-65	64.5	621.5	718
		4-21-66	61.4	624.6	
03S/06W-28L03S	673.0	12-07-65	56.6(4)	616.4	718
		4-22-66	53.8(2)	619.2	
03S/06W-29L04S	674.8	12-07-65	58.5(4)	616.3	718
		4-22-66	55.0(4)	619.8	
03S/06W-28M01S	665.7	12-07-65	54.1(4)	611.6	718
		4-22-66	50.2(4)	615.5	
03S/06W-28M02S	666.1	12-07-65	53.4(4)	612.7	718
		4-22-66	49.8(4)	616.3	
03S/06W-28N01S	670.7	10-14-65	58.5	612.2	102

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
TEMESCAL HYDRO SUBAREA Y-01.85

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/06W-28N01S (CONT.)	670.7	4-07-66	54.1	616.6	102
		9-27-66	(1)		
03S/06W-29Q03S	650.7	11-26-65	(9)		103
		4-13-66	(1)		
03S/06W-29Q04S	655.0	7-17-65	56.8(1)	598.2	272
		8-21-65	58.5(1)	596.5	
		9-18-65	58.3(1)	596.7	
		10-15-65	59.2(1)	595.8	
		11-20-65	49.0	606.0	
		12-11-65	47.2	607.8	
		12-25-65	46.4	608.6	
		1-08-66	45.5	609.5	
		1-22-66	44.5	610.5	
		2-12-66	44.3	610.7	
		2-26-66	43.7	611.3	
		4-09-66	42.9	612.1	
		4-23-66	42.7	612.3	
		5-21-66	42.5	612.5	
		6-11-66	42.5	612.5	
		6-25-66	42.5	612.5	
		6-25-66	42.5	612.5	
		7-09-66	42.5	612.5	
		7-23-66	42.6	612.4	
		8-20-66	42.9	612.1	
		9-10-66	43.1	611.9	
		9-24-66	43.6	611.4	
03S/06W-30K01S	612.3	11-30-65	51.8	560.5	103
		4-15-66	46.6	565.7	
03S/06W-30Q02S	624.6	10-14-65	65.2(1)	559.4	102
		4-07-66	55.7	568.9	
		9-27-66	(1)		
03S/06W-31D01S	690.0	7-17-65	147.5(1)	542.5	272
		8-21-65	147.8(1)	542.2	
		9-18-65	130.9	559.1	
		10-23-65	148.5(1)	541.5	
		11-20-65	145.3(1)	544.7	
		12-18-65	144.0(1)	546.0	
		1-15-66	138.4(1)	551.6	
		2-19-66	139.2(1)	550.8	
		4-16-66	138.5(1)	551.5	
		5-21-66	140.5(1)	549.5	
		6-18-66	142.8(1)	547.2	
		7-16-66	143.5(1)	546.5	
		8-20-66	145.8(1)	544.2	
		9-17-66	143.2(1)	546.8	
03S/06W-31D02S	690.0	7-17-65	148.3(1)	541.7	272
		8-21-65	149.0(1)	541.0	
		9-18-65	149.3(1)	540.7	
		10-23-65	145.1	544.9	
		11-13-65	145.0	545.0	
		11-27-65	144.0	546.0	
		12-11-65	143.3	546.7	
		12-25-65	141.2	548.8	
		1-15-66	145.7(1)	544.3	
		2-19-66	144.6(1)	545.4	
		4-16-66	143.2(1)	546.8	
		5-21-66	145.3(1)	544.7	
		6-18-66	148.0(1)	542.0	
		7-16-66	147.8(1)	542.2	
		8-20-66	148.3(1)	541.7	
		9-10-66	141.3	548.7	
		9-24-66	141.5	548.5	
03S/06W-31J01S	647.0	10-14-65	64.1	582.9	102
		11-26-65	61.9	585.1	103
		4-07-66	54.1	592.9	102
		4-14-66	65.3	581.7	103
		9-27-66	60.0	587.0	102
03S/06W-32H01S	663.7	10-14-65	68.7	595.0	102
		11-26-65	65.9	597.8	103
		4-07-66	59.4	604.3	102
		4-13-66	59.2	604.5	103
		9-27-66	59.9	603.8	102
03S/07W-14Q01S	580.8	10-14-65	67.8	513.0	102
		11-29-65	66.4	514.4	103
		4-01-66	57.9	522.9	102
		4-14-66	57.2	523.6	103
		9-27-66	59.3	521.5	102
03S/07W-20L01S	474.3	7-13-65	1.6	472.7	102
		8-11-65	(5)		
		10-08-65	2.1	472.2	
		11-05-65	2.0	472.3	
		4-01-66	(6)		
03S/07W-20L03S	480.0	7-13-65	6.3	473.7	102
		8-11-65	6.4	473.6	
		10-08-65	6.6	473.4	
		11-05-65	6.4	473.6	
		4-01-66	4.2	475.8	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
TEMESCAL HYDRO SUBAREA Y-01.85

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-20L03S (CONT.)	480.0	4-29-66	4.7	475.3	102
		5-26-66	4.9	475.1	
		6-23-66	(4)		
		7-28-66	5.8	474.2	
		8-24-66	6.0	474.0	
		9-23-66	6.0	474.0	
03S/07W-20L04S	479.6	7-13-65	6.6	473.0	102
		8-11-65	6.4	473.2	
		10-08-65	6.5	473.1	
		11-05-65	6.4	473.2	
		4-01-66	4.8	474.8	
		4-29-66	5.1	474.5	
		5-26-66	5.2	474.4	
		6-23-66	5.5	474.1	
		7-28-66	5.9	473.7	
		8-24-66	5.9	473.7	
		9-23-66	6.0	473.6	
03S/07W-20P01S	472.0	7-13-65	1.9	470.1	102
		8-11-65	2.4	469.6	
		10-08-65	4.9	467.1	
		11-05-65	12.8	459.2	
		4-01-66	.1	471.9	
		4-29-66	.7	471.3	
		5-26-66	1.1	470.9	
		6-27-66	1.6	470.4	
		7-28-66	2.2	469.8	
		8-24-66	2.6	469.4	
		9-23-66	3.1	468.9	
03S/07W-20P02S	471.5	7-13-65	4.6	466.9	102
		8-11-65	6.0	465.5	
		10-08-65	13.7	457.8	
		11-05-65	16.1	455.4	
		4-01-66	(9)		
		4-29-66	3.4	468.1	
		5-26-66	3.7	467.8	
		6-23-66	3.9	467.6	
		7-28-66	4.5	467.0	
		8-24-66	4.9	466.6	
		9-23-66	5.3	466.2	
03S/07W-20P03S	473.0	7-13-65	3.0	470.0	102
		8-11-65	3.9	469.1	
		10-08-65	8.9	464.1	
		11-05-65	5.4	467.6	
		4-01-66	3.8	469.2	
		4-29-66	4.3	468.7	
		5-26-66	4.5	468.5	
		6-23-66	4.7	468.3	
		7-28-66	5.2	467.8	
		8-24-66	5.5	467.5	
		9-23-66	5.9	467.1	
03S/07W-20Q01S	490.2	7-13-65	7.8	482.4	102
		8-11-65	8.0	482.2	
		10-08-65	8.2	482.0	
		11-05-65	8.0	482.2	
		4-01-66	6.7	483.5	
		4-29-66	6.9	483.3	
		5-26-66	7.0	483.2	
		6-23-66	7.2	483.0	
		7-28-66	7.4	482.8	
		8-24-66	7.4	482.8	
		9-23-66	7.4	482.8	
03S/07W-21B05S	495.2	10-08-65	3.6	491.6	102
		4-01-66	1.5	493.7	
		9-23-66	2.3	492.9	
03S/07W-21C02S	492.3	7-13-65	1.7	490.6	102
		8-11-65	1.9	490.4	
		10-08-65	1.9	490.4	
		11-05-65	2.0	490.3	
		4-01-66	.0	492.3	
		4-29-66	.3	492.0	
		5-26-66	.2	492.1	
		6-23-66	.5	491.8	
		7-28-66	.7	491.6	
		8-24-66	(9)		
		9-23-66	.9	491.4	
03S/07W-21C03S	492.0	10-08-65	1.7	490.3	102
		11-29-65	.8	491.2	103
		4-01-66	-.3	492.3	102
		4-14-66	1.6	490.4	103
		9-23-66	.3	491.7	102
03S/07W-21G01S	505.9	10-08-65	10.9	495.0	102
		11-29-65	10.5	495.4	103
		4-01-66	8.1	497.8	102
		4-14-66	9.1	496.8	103
		9-23-66	10.2	495.7	102
03S/07W-21K01S	512.2	7-13-65	15.4	496.8	102
		8-11-65	15.9	496.3	
		10-08-65	16.5	495.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
TEMESCAL HYDRO SUBAREA Y-01.85					
03S/07W-21K01S (CONT.)	512.2	11-05-65	16.7	495.5	102
		4-04-66	13.5	498.7	
		4-29-66	13.7	498.5	
		5-26-66	14.0	498.2	
		6-23-66	14.4	497.8	
		7-28-66	15.1	497.1	
		8-24-66	15.7	496.5	
		9-23-66	15.7	496.5	
03S/07W-21K02S	511.8	10-08-65	15.9	495.9	102
		4-01-66	12.9	498.9	
		9-23-66	15.1	496.7	
03S/07W-21M01S	488.8	10-08-65	2.3	486.5	102
		11-29-65	(9)		103
		4-01-66	1.2	487.6	102
		4-14-66	1.3	487.5	103
		9-23-66	1.9	486.9	102
03S/07W-21M02S	492.0	7-08-65	4.4	487.6	103
		7-13-65	6.5	485.5	102
		8-04-65	4.4	487.6	103
		8-11-65	6.7	485.3	102
		9-14-65	4.9	487.1	103
		10-08-65	6.9	485.1	102
		11-05-65	6.8	485.2	
		11-29-65	(9)		103
		12-28-65	3.3	488.7	
		1-18-66	3.0	489.0	
		2-09-66	2.5	489.5	
		3-15-66	3.2	488.8	
		4-01-66	5.3	486.7	102
		4-14-66	3.4	488.6	103
		4-29-66	5.6	486.4	102
		5-24-66	3.7	488.3	103
		5-26-66	5.6	486.4	102
		6-23-66	5.9	486.1	
		7-06-66	3.9	488.1	103
		7-28-66	6.2	485.8	102
		8-03-66	4.1	487.9	103
		8-24-66	6.1	485.9	102
		9-02-66	4.1	487.9	103
		9-23-66	6.2	485.8	102
03S/07W-21M03S	486.9	10-08-65	1.3	485.6	102
		4-01-66	-.1	487.0	
		9-23-66	.7	486.2	
03S/07W-21M06S	496.5	10-08-65	7.8	488.7	102
		4-01-66	5.8(1)	490.7	
		9-23-66	7.1(1)	489.4	
03S/07W-22G02S	528.3	10-12-65	23.7	504.6	102
		4-01-66	17.7	510.6	
		9-26-66	22.7	505.6	
03S/07W-22H01S	537.5	10-14-65	32.2	505.3	102
		4-01-66	26.1	511.4	
		9-26-66	30.8	506.7	
03S/07W-22J02S	533.8	11-29-65	25.0	508.8	103
		4-14-66	24.8	509.0	
03S/07W-22L01S	527.8	10-08-65	24.6	503.2	102
		11-29-65	23.6	504.2	103
		4-01-66	27.9(1)	499.9	102
		4-14-66	(1)		103
		9-23-66	23.8	504.0	102
03S/07W-23C03S	546.2	11-29-65	34.9	511.3	103
		4-14-66	30.7	515.5	
03S/07W-23D01S	534.9	10-14-65	28.6	506.3	102
		4-01-66	23.3	511.6	
		9-26-66	27.7	507.2	
03S/07W-23L01S	576.0	7-10-65	55.5	520.5	272
		7-24-65	56.0	520.0	
		8-14-65	59.3	516.7	
		8-28-65	59.3	516.7	
		9-11-65	60.0	516.0	
		9-25-65	59.5	516.5	
		10-08-65	59.5	516.5	
		10-23-65	60.0	516.0	
		12-11-65	57.3	518.7	
		12-25-65	56.6	519.4	
		1-08-66	55.5	520.5	
		1-22-66	55.8	520.2	
		2-12-66	54.4	521.6	
		2-26-66	53.3	522.7	
		4-09-66	53.9	522.1	
		4-23-66	54.3	521.7	
		5-14-66	54.9	521.1	
		5-28-66	55.3	520.7	
		6-11-66	56.4	519.6	
		6-25-66	56.9	519.1	
		7-09-66	57.2	518.8	
		7-23-66	57.5	518.5	
Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
TEMESCAL HYDRO SUBAREA Y-01.85					
03S/07W-23L01S (CONT.)	576.0	8-20-66	58.4	517.6	272
		9-10-66	59.5	516.5	
		9-24-66	59.5	516.5	
03S/07W-23M01S	555.2	10-12-65	45.5	509.7	102
		4-01-66	40.2	515.0	
		9-26-66	44.9	510.3	
03S/07W-23M02S	551.1	10-12-65	41.5	509.6	102
		11-29-65	41.8	509.3	103
		4-01-66	50.8(1)	500.3	102
		4-14-66	(1)		103
		9-26-66	41.0	510.1	102
03S/07W-23M03S	548.7	10-12-65	39.6	509.1	102
		4-01-66	34.6	514.1	
		9-26-66	39.2	509.5	
03S/07W-23N01S	592.2	10-12-65	80.6	511.6	102
		4-06-66	75.4	516.8	
		9-20-66	80.9	511.3	
03S/07W-24K01S	594.0	11-30-65	67.7	526.3	103
		4-14-66	(8)		
03S/07W-24L01S	583.2	10-14-65	60.4	522.8	102
		11-30-65	55.9	527.3	103
		4-07-66	49.2	534.0	102
		4-14-66	49.5	533.7	103
		9-27-66	59.9	523.3	102
03S/07W-25A01S	595.0	7-08-65	58.5	536.5	103
		8-03-65	60.5	534.5	
		9-14-65	62.4	532.6	
		10-14-65	63.2	531.8	102
		11-30-65	59.4	535.6	103
		12-28-65	57.9	537.1	
		1-14-66	55.7	539.3	
		2-09-66	60.3	534.7	
		3-15-66	52.1	542.9	
		4-14-66	56.6	538.4	
		5-24-66	54.8	540.2	
		7-06-66	58.1	536.9	
		8-03-66	60.0	535.0	
		9-02-66	61.7	533.3	
03S/07W-25D01S	582.0	7-13-65	55.3	526.7	701
		8-10-65	57.0	525.0	
		9-11-65	58.4	523.6	
		10-13-65	59.0	523.0	
		11-09-65	59.5	522.5	
		12-15-65	56.4	525.6	
		1-15-66	51.8	530.2	
		2-08-66	52.6	529.4	
		3-09-66	49.0	533.0	
		4-13-66	51.2	530.8	
		5-10-66	52.5	529.5	
		6-14-66	57.7	524.3	
		7-08-66	55.2	526.8	
		8-09-66	56.8	525.2	
		9-14-66	58.0	524.0	
03S/07W-25E01S	604.0	7-13-65	97.4(1)	506.6	701
		8-10-65	97.5(1)	506.5	
		9-11-65	97.7(1)	506.3	
		10-13-65	98.1(1)	505.9	
		11-09-65	98.4(1)	505.6	
		12-15-65	76.2	527.8	
		1-15-66	73.6	530.4	
		2-08-66	72.1	531.9	
		3-09-66	70.3	533.7	
		4-13-66	77.6(1)	526.4	
		5-10-66	96.5(1)	507.5	
		6-14-66	97.6(1)	506.4	
		7-08-66	97.8(1)	506.2	
		8-09-66	98.0(1)	506.0	
		9-14-66	97.8(1)	506.2	
03S/07W-25H01S	606.9	10-14-65	(1)		102
		11-30-65	(1)		103
		4-07-66	(1)		102
		4-14-66	66.8	540.1	103
		9-27-66	72.2	534.7	102
03S/07W-25J01S	642.0	7-10-65	101.2	540.8	272
		7-31-65	99.8	542.2	
		8-14-65	107.2(1)	534.8	
		11-13-65	105.7	536.3	
		11-27-65	104.6	537.4	
		12-11-65	102.8	539.2	
		12-25-65	101.3	540.7	
		1-15-66	99.8(1)	542.2	
		2-12-66	98.4	543.6	
		2-26-66	97.5	544.5	
		4-16-66	101.5(1)	540.5	
		5-21-66	103.4(1)	538.6	
		6-18-66	105.2(1)	536.8	
		7-16-66	101.5(1)	540.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
TEMESCAL HYDRO SUBAREA Y-01.85

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-25J01S (CONT.)	642.0	8-20-66	103.3(1)	538.7	272
		9-17-66	103.3(1)	538.7	
03S/07W-25M01S	629.0	7-13-65	106.5(1)	522.5	701
		8-10-65	107.2(1)	521.8	
		9-11-65	108.9(1)	520.1	
		10-13-65	109.9(1)	519.1	
		11-09-65	110.3(1)	518.7	
		12-15-65	104.4	524.6	
		1-15-66	94.9	534.1	
		2-08-66	93.5	535.5	
		3-09-66	92.5	536.5	
		4-13-66	99.7(1)	529.3	
		5-10-66	104.0(1)	525.0	
		6-14-66	95.4(1)	533.6	
		7-08-66	106.6(1)	522.4	
		8-09-66	108.1(1)	520.9	
		9-14-66	109.0(1)	520.0	
03S/07W-25M02S	661.0	7-17-65	174.9(1)	486.1	272
		8-21-65	178.5(1)	482.5	
		9-18-65	174.2(1)	486.8	
		10-15-65	190.3(1)	470.7	
		11-20-65	173.0(1)	488.0	
		12-18-65	170.0(1)	491.0	
		1-15-66	170.5(1)	490.5	
		2-12-66	129.0	532.0	
		2-26-66	128.1	532.9	
		4-16-66	164.8(1)	496.2	
		5-21-66	165.8(1)	495.2	
		6-18-66	171.8(1)	489.2	
		7-16-66	175.8(1)	485.2	
		8-20-66	171.3(1)	489.7	
		9-17-66	172.0(1)	489.0	
03S/07W-26G01S	640.0	7-13-65	122.9(1)	517.1	701
		8-10-65	122.7(1)	517.3	
		9-11-65	127.3(1)	512.7	
		10-13-65	128.7(1)	511.3	
		11-09-65	129.5(1)	510.5	
		12-15-65	116.7	523.3	
		1-15-66	113.7	526.3	
		2-08-66	112.7	527.3	
		3-09-66	110.0	530.0	
		4-13-66	117.0(1)	523.0	
		5-10-66	119.6(1)	520.4	
		6-14-66	122.0(1)	518.0	
		7-08-66	122.8(1)	517.2	
		8-09-66	123.1(1)	516.9	
		9-14-66	125.0(1)	515.0	
03S/07W-26K01S	677.8	7-13-65	159.0(1)	518.8	701
		8-10-65	162.3(1)	515.5	
		9-11-65	163.8(1)	514.0	
		10-13-65	166.4(1)	511.4	
		11-09-65	167.3(1)	510.5	
		12-15-65	154.6	523.2	
		1-15-66	148.6	529.2	
		2-08-66	148.0	529.8	
		3-09-66	147.2	530.6	
		4-13-66	146.9	530.9	
		5-10-66	155.2(1)	522.6	
		6-14-66	152.8(1)	525.0	
		7-08-66	155.2(1)	522.6	
		8-09-66	156.5(1)	521.3	
		9-14-66	158.0(1)	519.8	
03S/07W-27A01S	631.0	10-12-65	(4)		102
		4-01-66	110.9	520.1	
		9-26-66	(4)		
03S/07W-27F01S	658.0	7-17-65	165.8(1)	492.2	272
		8-07-65	159.9	498.1	
		9-18-65	168.3(1)	489.7	
		10-15-65	170.0(1)	488.0	
		11-20-65	159.8	498.2	
		12-18-65	158.0	500.0	
		1-22-66	156.6	501.4	
		2-19-66	155.7(1)	502.3	
		4-16-66	164.3(1)	493.7	
		5-21-66	155.6	502.4	
		6-11-66	156.4	501.6	
		6-25-66	157.6	500.4	
		7-23-66	167.9(1)	490.1	
		8-20-66	168.0(1)	490.0	
		9-17-66	168.8(1)	489.2	
03S/07W-27G01S	650.0	7-17-65	150.8(1)	499.2	272
		8-21-65	153.2(1)	496.8	
		9-18-65	153.4(1)	496.6	
		10-15-65	149.6(1)	500.4	
		11-20-65	148.4(1)	501.6	
		12-11-65	143.8(5)	506.2	
		12-25-65	143.2(5)	506.8	
		1-15-66	148.4(1)	501.6	
		2-26-66	143.8(1)	506.2	
		4-09-66	138.0(5)	512.0	
		5-21-66	147.3(1)	502.7	

Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
TEMESCAL HYDRO SUBAREA Y-01.85

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/07W-27G01S (CONT.)	650.0	6-18-66	149.6(1)	500.4	272
		7-16-66	147.3(1)	502.7	
		8-20-66	145.7(1)	504.3	
		9-17-66	150.1(1)	499.9	
03S/07W-27H01S	661.5	10-12-65	147.0	514.5	102
		11-29-65	146.3	515.2	103
		4-01-66	148.1	513.4	102
		4-14-66	140.7	520.8	103
		9-26-66	154.7	506.8	102
03S/07W-28F01S	571.7	7-08-65	70.3	501.4	103
		8-04-65	70.9	500.8	
		9-14-65	71.6	500.1	
		11-29-65	71.7	500.0	
		12-28-65	70.7	501.0	
		1-18-66	70.0	501.7	
		2-09-66	69.6	502.1	
		3-15-66	69.0	502.7	
		4-14-66	68.9	502.8	
		5-24-66	69.3	502.4	
		7-06-66	69.6	502.1	
		8-03-66	70.4	501.3	
		9-02-66	71.0	500.7	
03S/07W-28F02S	573.0	7-13-65	71.8	501.2	102
		8-11-65	72.4	500.6	
		10-08-65	73.3	499.7	
		11-05-65	73.7	499.3	
		3-11-66	70.3	502.7	
		4-07-66	70.4	502.6	
		4-29-66	71.4	501.6	
		5-26-66	70.5	502.5	
		6-23-66	72.0	501.0	
		7-28-66	71.5	501.5	
		8-24-66	72.1	500.9	
		9-23-66	72.5	500.5	
03S/07W-28F03S	564.1	10-08-65	63.7	500.4	102
		4-01-66	62.7	501.4	
		9-23-66	62.9	501.2	
03S/07W-35C01S	730.0	7-13-65	203.9(1)	526.1	701
		8-10-65	205.3(1)	524.7	
		9-11-65	206.0(1)	524.0	
		10-13-65	206.4(1)	523.6	
		11-09-65	206.4(1)	523.6	
		12-15-65	195.4	534.6	
		1-15-66	192.9	537.1	
		2-08-66	190.8	539.2	
		3-09-66	189.2	540.8	
		4-13-66	198.8(1)	531.2	
		5-10-66	201.7(1)	528.3	
		6-14-66	202.6(1)	527.4	
		7-08-66	204.7(1)	525.3	
		8-09-66	205.6(1)	524.4	
		9-14-66	206.2(1)	523.8	
04S/07W-03F01S	951.1	9-27-66	(1)		102
04S/07W-03L01S	969.1	4-14-66	112.1	857.0	103
04S/07W-03L02S	980.4	11-29-65	155.9	824.5	103
		4-07-66	(1)		102
		4-14-66	(2)		103
		9-27-66	(1)		102

ARLINGTON HYDRO SUBAREA Y-01.86

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-14G03S	801.3	11-19-65	51.3(1)	750.0	204
		1-26-66	18.3(1)	783.0	
		4-28-66	19.3	782.0	
		7-06-66	21.3	780.0	
02S/06W-36R01S	733.0	4-20-66	12.9(4)	720.1	718
03S/05W-05B01S	766.3	7-09-65	23.1	743.2	103
		8-04-65	23.1	743.2	
		9-14-65	23.1	743.2	
		11-26-65	23.2	743.1	
		12-06-65	23.1	743.2	718
		12-28-65	23.1	743.2	103
		1-18-66	22.8	743.5	
		2-09-66	22.6	743.7	
		3-15-66	22.3	744.0	
		4-13-66	22.1	744.2	
		4-20-66	22.1	744.2	718
		5-25-66	23.5	742.8	103
		7-06-66	21.9	744.4	
		8-03-66	22.2	744.1	
		9-02-66	22.4	743.9	
03S/05W-05M03S	756.6	7-09-65	13.4	743.2	103
		8-04-65	13.4	743.2	
		9-14-65	(9)		
		11-26-65	13.2	743.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
ARLINGTON HYDRO SUBAREA Y-01.86

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/05W-05M03S (CONT.)	756.6	12-28-65	12.8	743.8	103
		1-18-66	12.6	744.0	
		2-09-66	12.0	744.6	
		3-15-66	12.2	744.4	
		4-13-66	12.2	744.4	
		5-25-66	12.6	744.0	
		7-06-66	14.5	742.1	
		8-03-66	15.3	741.3	
		9-02-66	15.7	740.9	
03S/05W-06Q01S	739.9	12-06-65	8.7	731.2	718
		4-20-66	8.8	731.1	
03S/05W-06Q02S	752.0	2-24-66	13.2	738.8	204
		3-23-66	13.2	738.8	
		4-21-66	13.2	738.8	
		5-26-66	13.2	738.8	
		6-09-66	13.2	738.8	
		7-29-66	22.2	729.8	
		8-25-66	30.2(1)	721.8	
		9-29-66	16.2	735.8	
03S/05W-06Q04S	752.0	7-16-65	14.2	737.8	204
		8-14-65	14.2	737.8	
		9-15-65	14.0	738.0	
		10-15-65	13.8	738.2	
		11-19-65	14.2	737.8	
		12-23-65	12.2	739.8	
		1-20-66	12.2	739.8	
		2-24-66	12.2	739.8	
		3-24-66	12.2	739.8	
		4-21-66	12.2	739.8	
		5-26-66	12.2	739.8	
		6-09-66	12.2	739.8	
		7-15-66	39.2(1)	712.8	
		8-18-66	31.2	720.8	
		9-29-66	15.2	736.8	
03S/05W-06Q05S	752.0	2-12-66	12.4	739.6	204
		4-13-66	12.4	739.6	
		5-05-66	12.4	739.6	
		6-09-66	12.4	739.6	
		7-15-66	35.4(1)	716.6	
		8-18-66	35.4	716.6	
		9-22-66	15.4	736.6	
03S/05W-07J01S	788.0	12-09-65	38.6(4)	749.4	718
		4-21-66	38.3(4)	749.7	
03S/05W-08B02S	803.0	12-07-65	49.5	753.5	718
		4-21-66	48.8	754.2	
03S/05W-08E02S	786.0	12-09-65	37.5(2)	748.5	718
		4-21-66	37.0	749.0	
03S/05W-08G01S	811.7	12-07-65	56.3(4)	755.4	718
		4-21-66	55.6	756.1	
03S/05W-09A01S	887.0	12-07-65	123.3	763.7	718
		12-07-65	123.3	763.7	103
		4-22-66	(1)		718
		4-22-66	(1)		103
		7-01-66	123.0	764.0	
		7-06-66	(1)		
		8-03-66	123.2	763.8	
		9-02-66	122.8	764.2	
03S/05W-09E01S	856.0	12-07-65	95.7	760.3	718
		12-07-65	95.7	760.3	103
		4-21-66	95.9	760.1	
		4-21-66	95.9	760.1	718
		7-01-66	98.6	757.4	103
		7-06-66	95.9	760.1	
		8-03-66	(1)		
		9-02-66	96.0	760.0	
03S/05W-09M01S	859.1	12-07-65	97.2	761.9	718
		4-22-66	97.6	761.5	
03S/05W-14E01S	1111.4	12-08-65	20.0	1091.4	718
		4-21-66	18.0	1093.4	
03S/05W-17K02S	878.0	12-07-65	69.5	808.5	718
		4-20-66	69.8	808.2	
03S/05W-17Q01S	892.4	11-26-65	72.5	819.9	103
		12-07-65	72.2	820.2	718
		4-13-66	(1)		103
		4-26-66	73.1	819.3	718
03S/05W-19E02S	844.4	12-08-65	5.0	839.4	718
		4-21-66	6.2	838.2	
03S/05W-19F03S	832.7	12-08-65	4.4	828.3	718
		4-21-66	4.6	828.1	
03S/05W-19E04S	834.2	12-06-65	7.8	826.4	718
		4-21-66	7.3	826.9	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
ARLINGTON HYDRO SUBAREA Y-01.86

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/05W-19P01S	903.0	12-08-65	DRY		718
		4-21-66	DRY		
03S/05W-19P02S	908.9	12-08-65	16.2	892.7	718
		4-21-66	18.0	890.9	
03S/05W-19P03S	910.3	12-08-65	17.4	892.9	718
		4-21-66	17.5	892.8	
03S/05W-28B01S	1015.0	10-17-65	61.1	953.9	718
		11-26-65	60.9	954.1	
		12-13-65	60.7	954.3	
		4-12-66	59.8	955.2	
03S/06W-03L01S	802.0	7-09-65	16.7	785.3	103
		8-04-65	16.7	785.3	
		9-14-65	16.6	785.4	
		11-26-65	14.4	787.6	
		12-28-65	12.3	789.7	
		1-18-66	11.8	790.2	
		2-09-66	12.0	790.0	
		3-15-66	12.0	790.0	
		4-13-66	(9)		
		5-25-66	(1)		
		7-06-66	16.2	785.8	
		8-03-66	(1)		
		9-02-66	16.1	785.9	
03S/06W-10G01S	742.6	12-06-65	9.3	733.3	718
		4-22-66	9.8	732.8	
03S/06W-11M02S	719.0	7-09-65	12.8	706.2	103
		8-04-65	13.0	706.0	
		9-14-65	13.7	705.3	
		11-26-65	12.8	706.2	
		12-28-65	11.5	707.5	
		1-18-66	11.7	707.3	
		2-09-66	11.3	707.7	
		3-15-66	11.3	707.7	
		4-13-66	11.7	707.3	
		5-25-66	12.1	706.9	
		7-06-66	12.4	706.6	
		8-03-66	12.8	706.2	
		9-02-66	13.1	705.9	
03S/06W-13A01S	756.7	7-08-65	48.6	708.1	103
		8-04-65	50.0	706.7	
		9-14-65	51.3	705.4	
		11-26-65	49.0	707.7	
		12-28-65	49.1	707.6	
		1-18-66	47.9	708.8	
		2-09-66	47.6	709.1	
		3-15-66	47.9	708.8	
		4-13-66	48.5	708.2	
		5-25-66	(3)		
		7-06-66	(1)		
		8-03-66	(1)		
		9-02-66	53.3(2)	703.4	
03S/06W-13B01S	754.0	12-07-65	49.4(4)	704.6	718
		4-25-66	49.7(4)	704.3	
03S/06W-13B02S	755.0	12-07-65	50.2(4)	704.8	718
		4-25-66	50.4	704.6	
03S/06W-13E05S	716.9	12-07-65	38.8(4)	678.1	718
		4-25-66	40.6(4)	676.3	
03S/06W-13M03S	717.8	12-07-65	39.2(2)	678.6	718
		4-25-66	(1)		
03S/06W-13M04S	718.8	10-14-65	(1)		102
		4-07-66	41.7	677.1	
		9-27-66	44.7	674.1	
03S/06W-13N01S	725.2	12-07-65	46.3(4)	678.9	718
		4-25-66	43.7(2)	681.5	
03S/06W-13N02S	724.8	12-07-65	46.1(4)	678.7	718
		4-25-66	43.5(4)	681.3	
03S/06W-13P01S	736.8	12-07-65	50.5	686.3	718
		4-21-66	47.7	689.1	
03S/06W-13Q01S	744.8	11-26-65	43.2	701.6	103
		12-07-65	53.0	691.8	718
		4-13-66	49.8	695.0	103
		4-21-66	51.1	693.7	718
03S/06W-14Q01S	721.8	12-07-65	48.4(4)	673.4	718
		4-25-66	44.8(4)	677.0	
03S/06W-22K01S	687.4	12-07-65	48.2(4)	639.2	718
03S/06W-22L01S	685.6	10-14-65	(1)		102
		4-07-66	40.4	645.2	
		9-27-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
ARLINGTON HYDRO SUBAREA Y-01.86					
03S/06W-22L03S	685.8	12-07-65	44.1(4)	641.7	718
		4-25-66	(1)		
03S/06W-24G01S	804.6	11-26-65	4.5	800.1	103
		4-13-66	7.3	797.3	
03S/06W-24P02S	796.0	12-08-65	23.1	772.9	718
		4-21-66	27.0	769.0	
03S/06W-24Q01S	811.7	7-08-65	5.8	805.9	103
		8-04-65	5.8	805.9	
		9-14-65	5.8	805.9	
		11-26-65	(1)		
		12-08-65	5.5	806.2	718
		12-28-65	5.5	806.2	103
		1-18-66	5.6	806.1	
		2-09-66	5.7	806.0	
		3-15-66	5.9	805.8	
		4-13-66	5.8	805.9	
		4-21-66	5.4	806.3	718
		5-25-66	5.4	806.3	103
		7-06-66	5.8	805.9	
		8-03-66	6.1	805.6	
		9-02-66	5.8	805.9	
RIVERSIDE HYDRO SUBAREA Y-01.87					
01S/04W-28L01S	941.0	8-09-65	133.2	807.8	783
		9-06-65	134.0	807.0	
		10-11-65	134.2	806.8	
		11-08-65	136.6	804.4	
		11-20-65	134.5	806.5	718
		12-06-65	132.8	808.2	783
		1-11-66	133.0	808.0	
		2-07-66	130.0	811.0	
		3-07-66	126.8	814.2	
		4-12-66	124.2	816.8	
		4-26-66	(1)		718
		5-10-66	112.1	828.9	783
		6-06-66	120.6	820.4	
		7-12-66	114.8	826.2	
		8-09-66	134.4(9)	806.6	
		9-05-66	115.3	825.7	
01S/04W-28L02S	940.0	7-06-65	191.0(1)	749.0	783
		8-09-65	139.0	801.0	
		9-06-65	143.7	796.3	
		10-11-65	152.8	787.2	
		11-08-65	138.0	802.0	
		12-06-65	133.0	807.0	
		1-11-66	163.8(1)	776.2	
		2-07-66	163.6(1)	776.4	
		3-07-66	167.0(1)	773.0	
		4-12-66	171.0(1)	769.0	
		5-10-66	115.8	824.2	
		6-06-66	160.0(1)	780.0	
		7-12-66	155.8(1)	784.2	
		8-09-66	159.3(1)	780.7	
		9-05-66	154.8(1)	785.2	
01S/04W-28M01S	935.0	11-20-65	133.5	801.5	718
		4-08-66	103.3	831.7	
01S/04W-28N05S	927.0	7-06-65	180.1(1)	746.9	783
		8-09-65	176.5(1)	750.5	
		9-06-65	184.2(1)	742.8	
		10-11-65	183.0(1)	744.0	
		11-08-65	187.8(1)	739.2	
		11-20-65	130.7	796.3	718
		12-06-65	123.2	803.8	783
		1-11-66	112.7	814.3	
		2-07-66	107.5	819.5	
		3-07-66	108.4	818.6	
		4-12-66	135.0(1)	792.0	
		4-26-66	(1)		718
		5-10-66	135.2(1)	791.8	783
		6-06-66	140.3(1)	786.7	
		7-12-66	141.8(1)	785.2	
		8-09-66	143.2(1)	783.8	
		9-05-66	168.0(1)	759.0	
01S/04W-28R01S	995.0	11-24-65	114.9	880.1	718
		4-08-66	114.4	880.6	
01S/04W-28R02S	993.6	7-10-65	114.2	879.4	713
		9-04-65	114.2	879.4	
		11-06-65	114.2	879.4	
		12-11-65	114.0	879.6	
		1-08-66	114.1	879.5	
		3-05-66	114.0	879.6	
		5-07-66	113.2	880.4	
		7-16-66	117.6	876.0	
		9-10-66	112.9	880.7	
01S/04W-29H01S	932.0	7-23-65	117.3	814.7	720
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
RIVERSIDE HYDRO SUBAREA Y-01.87					
01S/04W-29H01S (CONT.)	932.0	8-06-65	121.1	810.9	720
		9-10-65	125.6	806.4	
		10-15-65	128.1	803.9	
		11-12-65	131.2	800.8	
		11-26-65	123.2	808.8	
		12-17-65	110.6	821.4	
		1-21-66	103.3	828.7	
		2-18-66	97.7	834.3	
		3-18-66	96.6	835.4	
		4-15-66	94.9	837.1	
		5-20-66	95.9	836.1	
		6-19-66	97.7	834.3	
		7-21-66	99.5	832.5	
		8-19-66	100.3	831.7	
		9-23-66	103.1	828.9	
01S/04W-29H02S	937.1	7-16-65	119.8	817.3	720
		8-20-65	123.7	813.4	
		9-17-65	125.7	811.4	
		10-22-65	128.2	808.9	
		11-19-65	130.2	806.9	
		12-17-65	113.2	823.9	
		1-21-66	105.2	831.9	
		2-18-66	99.0	838.1	
		3-18-66	98.6	838.5	
		4-15-66	94.0	843.1	
		5-13-66	92.4	844.7	
		6-19-66	95.3	841.8	
		7-21-66	97.6	839.5	
		8-19-66	100.0	837.1	
		9-23-66	103.6	833.5	
01S/04W-29Q01S	924.5	7-02-65	163.7(1)	760.8	718
		7-09-65	126.3	798.2	720
		8-06-65	127.9	796.6	718
		8-06-65	127.8	796.7	720
		9-03-65	132.4	792.1	718
		9-10-65	133.4	791.1	720
		10-01-65	167.4(1)	757.1	718
		10-28-65	139.7	784.8	720
		11-05-65	140.1	784.4	718
		11-19-65	128.3	796.2	
		11-19-65	128.2	796.3	720
		11-26-65	121.3	803.2	718
		12-02-65	115.2	809.3	
		12-16-65	106.2	818.3	720
		1-14-66	104.5	820.0	
		2-18-66	101.7	822.8	
		3-17-66	102.6	821.9	
		4-15-66	104.3	820.2	
		5-20-66	105.8	818.7	
		6-19-66	106.8	817.7	
		7-21-66	108.1	816.4	
		8-19-66	107.1	817.4	
		9-23-66	107.1	817.4	
01S/04W-29Q03S	928.0	8-20-65	179.5(1)	748.5	720
		9-17-65	183.4(1)	744.6	
		10-15-65	149.3(1)	778.7	
		11-12-65	138.9	789.1	
		12-16-65	112.8	815.2	
		1-14-66	106.0	822.0	
		2-18-66	102.0	826.0	
		3-17-66	103.2	824.8	
		4-15-66	104.4	823.6	
		5-20-66	105.6	822.4	
		6-19-66	106.8	821.2	
		7-21-66	108.0	820.0	
		8-19-66	107.3	820.7	
		9-16-66	107.3	820.7	
01S/04W-29R01S	931.0	7-16-65	128.5	802.5	720
		8-06-65	129.9	801.1	
		9-17-65	182.2(1)	748.8	
		10-08-65	142.0	789.0	
		11-19-65	133.4	797.6	
		12-16-65	113.6	817.4	
		1-21-66	107.0	824.0	
		2-18-66	103.0	828.0	
		3-11-66	102.7	828.3	
		4-15-66	103.9	827.1	
		5-20-66	105.7	825.3	
		6-19-66	106.3	824.7	
		7-21-66	107.7	823.3	
		8-19-66	106.8	824.2	
		9-23-66	107.8	823.2	
01S/04W-30D06S	985.9	12-03-65	(1)		718
		4-12-66	(1)		
01S/04W-30J05S	922.0	7-10-65	87.0	835.0	713
		8-07-65	89.3	832.7	
		9-04-65	90.2	831.8	
		10-09-65	92.1	829.9	
		11-06-65	93.4	828.6	
		12-11-65	92.7	829.3	
		1-08-66	89.6	832.4	
		2-12-66	87.4	834.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-30J05S (CONT.)	922.0	3-05-66	85.7	836.3	713
		4-16-66	84.8	837.2	
		5-07-66	83.2	838.8	
		6-04-66	83.0	839.0	
		7-16-66	83.5	838.5	
		8-06-66	83.6	838.4	
		9-10-66	83.7	838.3	
01S/04W-30K03S	900.0	4-12-66	57.4(4)	842.6	718
01S/04W-30L01S	904.0	8-05-65	50.5	853.5	100
		9-01-65	52.2	851.8	
		10-01-65	52.9	851.1	
		11-01-65	52.9	851.1	
		12-07-65	50.5	853.5	
		1-04-66	47.3	856.7	
		1-31-66	46.4	857.6	
		3-03-66	47.1	856.9	
		4-01-66	48.3(4)	855.7	
		5-05-66	48.2	855.8	
		6-03-66	48.8	855.2	
		6-29-66	49.1	854.9	
		8-04-66	49.4	854.6	
		8-29-66	49.4	854.6	
01S/04W-31J01S	935.5	11-24-65	137.1	798.4	718
		4-11-66	121.7	813.8	
01S/04W-32B01S	917.0	11-24-65	123.4	793.6	718
		4-26-66	(1)		
01S/04W-32B02S	922.0	4-26-66	(1)		718
01S/04W-32E07S	905.6	11-23-65	104.1	801.5	718
		4-11-66	88.5	817.1	
01S/04W-32E10S	906.0	7-10-65	104.0	802.0	713
		8-07-65	107.5	798.5	
		9-04-65	109.6	796.4	
		10-09-65	113.3	792.7	
		11-06-65	112.2	793.8	
		11-23-65	106.0	800.0	718
		12-11-65	98.3	807.7	
		12-11-65	99.4	806.6	713
		1-08-66	92.8	813.2	718
		1-08-66	93.9	812.1	713
		2-12-66	89.4	816.6	
		3-05-66	86.1	819.9	718
		3-05-66	87.2	818.8	713
		4-11-66	89.3(2)	816.7	718
		4-16-66	91.7	814.3	
		4-16-66	92.8	813.2	713
		5-07-66	94.6	811.4	
		6-04-66	93.7	812.3	
		7-16-66	97.6	808.4	
		8-06-66	95.4	810.6	
		9-10-66	98.3	807.7	
01S/04W-32E11S	906.0	4-11-66	89.6(2)	816.4	718
01S/04W-32E12S	903.0	7-10-65	87.3	815.7	713
		8-07-65	90.7	812.3	
		9-04-65	93.1	809.9	
		10-09-65	96.0	807.0	
		11-06-65	99.9	803.1	718
		11-06-65	96.7	806.3	713
		12-11-65	82.9	820.1	
		12-14-65	85.2	817.8	718
		1-08-66	80.8	822.2	
		1-08-66	77.6	825.4	713
		2-12-66	73.0	830.0	
		3-05-66	76.0	827.0	718
		3-05-66	72.8	830.2	713
		4-11-66	75.7	827.3	718
		4-16-66	76.4	826.6	
		4-16-66	73.2	829.8	713
		5-07-66	71.6	831.4	
		6-04-66	73.8	829.2	
		7-16-66	75.8	827.2	
		8-06-66	75.7	827.3	
		9-10-66	75.7	827.3	
01S/04W-32G01S	915.0	11-24-65	117.7	797.3	718
		4-08-66	99.4(2)	815.6	
01S/04W-32G04S	914.0	11-24-65	122.9	791.1	718
		4-08-66	100.6(2)	813.4	
01S/04W-32M01S	935.0	7-06-65	117.6	817.4	783
		8-09-65	122.3	812.7	
		9-06-65	124.7	810.3	
		10-11-65	127.7	807.3	
		11-08-65	128.3	806.7	
		11-23-65	136.8	798.2	718
		12-06-65	120.8	814.2	783
		1-11-66	116.1	818.9	
		2-07-66	110.6	824.4	
		3-07-66	107.5	827.5	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-32M01S (CONT.)	935.0	4-11-66	120.6	814.4	718
		4-12-66	109.5	825.5	
		5-10-66	109.5	825.5	
		6-06-66	110.7	824.3	
		7-12-66	112.4	822.6	
		8-09-66	113.5	821.5	
		9-05-66	114.8	820.2	
01S/04W-33B03S	974.0	11-24-65	103.7	870.3	718
		4-08-66	104.3	869.7	
01S/04W-33B05S	940.0	7-06-65	129.3	810.7	783
		8-09-65	129.5	810.5	
		9-06-65	132.6	807.4	
		10-11-65	132.2	807.8	
		11-08-65	133.5	806.5	
		11-24-65	127.7	812.3	718
		12-06-65	132.4	807.6	783
		1-11-66	127.8	812.2	
		2-07-66	120.6	819.4	
		3-07-66	127.0	813.0	
		4-08-66	118.9	821.1	718
		4-12-66	124.0	816.0	783
		5-10-66	121.6	818.4	
		6-06-66	118.7	821.3	
		7-12-66	116.6	823.4	
		8-09-66	114.1	825.9	
		9-05-66	112.3	827.7	
01S/05W-23N01S	1037.6	8-03-65	232.0(1)	805.6	124
		9-02-65	235.0(1)	802.6	
		10-01-65	236.0(1)	801.6	
		11-01-65	236.0(1)	801.6	
		12-01-65	221.0(1)	816.6	
		1-03-66	218.0	819.6	
		2-01-66	218.0	819.6	
		3-01-66	217.0	820.6	
		4-06-66	216.0	821.6	
		5-02-66	216.0	821.6	
		6-07-66	219.0	818.6	
		7-07-66	234.0(1)	803.6	
		8-01-66	236.0(1)	801.6	
		9-06-66	223.0	814.6	
01S/05W-23Q01S	1021.0	12-02-65	193.3	827.7	100
		4-07-66	191.1	829.9	
01S/05W-24E01S	1070.0	11-30-65	235.4	834.6	718
		4-11-66	234.7	835.3	
01S/05W-25A02S	1009.0	12-03-65	174.4(2)	834.6	718
		4-12-66	172.6(2)	836.4	
01S/05W-25A03S	997.0	12-03-65	163.3(2)	833.7	718
		4-11-66	161.7(2)	835.3	
01S/05W-25B02S	998.9	12-01-65	166.7	832.2	718
		12-02-65	(1)		100
		4-07-66	166.7(4)	832.2	
		4-12-66	164.1	834.8	718
01S/05W-25E01S	963.6	11-24-65	139.0(4)	824.6	718
		4-11-66	135.7	827.9	
01S/05W-25L02S	940.0	11-30-65	115.4	824.6	718
		4-11-66	112.4	827.6	
01S/05W-25R04S	880.0	12-15-65	50.8(2)	829.2	718
		1-08-66	49.8	830.2	
		3-05-66	49.0	831.0	
		4-12-66	50.6(2)	829.4	
		4-16-66	50.1	829.9	
01S/05W-33A01S	1006.0	4-13-66	196.5(4)	809.5	718
01S/05W-33A02S	1005.8	12-01-65	197.7	808.1	718
		4-13-66	196.3(4)	809.5	
01S/05W-33F01S	1029.0	12-01-65	105.7	923.3	718
		4-13-66	106.2	922.8	
01S/05W-33L01S	1016.0	12-01-65	111.7	904.3	718
		4-13-66	108.3	907.7	
01S/05W-34K02S	943.0	11-06-65	138.1	804.9	718
		1-08-66	134.0	809.0	
		3-05-66	154.3(1)	788.7	
		4-16-66	134.5	808.5	
01S/05W-34K03S	943.0	10-09-65	150.5(1)	792.5	718
		11-06-65	143.1	799.9	
		12-11-65	141.0	802.0	
		1-08-66	138.5	804.5	
		3-05-66	150.3(1)	792.7	
		4-16-66	138.4	804.6	
01S/05W-34L02S	958.7	11-30-65	153.6	805.1	718
		4-26-66	152.0	806.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.R7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/05W-34M01S	951.2	4-22-66	143.1	808.1	718
01S/05W-35D01S	967.0	12-02-65	(1)		100
		1-31-66	150.7(3)	816.3	
		3-03-66	(1)		
		4-01-66	(1)		
		4-07-66	171.2(1)	795.8	
		5-05-66	(1)		
		6-02-66	(1)		
		6-29-66	152.2	814.8	
		8-04-66	186.3(1)	780.7	
		8-29-66	154.9	812.1	
01S/05W-35G02S	920.0	12-01-65	106.5	813.5	718
01S/05W-35R01S	887.0	12-02-65	70.7	816.3	100
		4-07-66	69.9(1)	817.1	
01S/05W-36A01S	870.0	11-30-65	(9)		718
		12-14-65	27.7	842.3	
		4-12-66	23.7	846.3	
01S/05W-36C04S	875.8	12-02-65	(1)		100
		4-08-66	51.0	824.8	
01S/05W-36C10S	876.0	11-24-65	54.0	822.0	718
		4-12-66	50.3	825.7	
01S/05W-36C11S	886.0	5-05-66	65.6	820.4	718
01S/05W-36L01S	860.0	10-06-65	51.3	808.7	204
		11-19-65	48.0	812.0	
		1-26-66	44.0	816.0	
		4-28-66	44.0	816.0	
		7-06-66	53.0(1)	807.0	
02S/04W-05C01S	976.0	7-08-65	200.3(1)	775.7	847
		7-22-65	202.5(1)	773.5	
		7-30-65	170.6	805.4	
		8-04-65	170.8	805.2	
		8-13-65	204.5(1)	771.5	
		8-20-65	205.3(1)	770.7	
		8-27-65	207.9(1)	768.1	
		8-31-65	174.8	801.2	
		9-08-65	210.5(1)	765.5	
		9-16-65	177.2	798.8	
		9-22-65	174.9	801.1	
		9-24-65	208.5(1)	767.5	
		9-30-65	176.2	799.8	
		10-09-65	208.4(1)	767.6	
		10-17-65	178.2	797.8	
		10-29-65	177.8	798.2	
		11-04-65	210.0(1)	766.0	
		11-11-65	178.5	797.5	
		11-18-65	177.4	798.6	
		11-24-65	176.7	799.3	
		12-02-65	175.0	801.0	
		12-09-65	173.4	802.6	
		12-16-65	172.9	803.1	
		12-23-65	171.5	804.5	
		12-30-65	172.0	804.0	
		1-07-66	170.7	805.3	
		1-14-66	169.6	806.4	
		1-20-66	168.8	807.2	
		1-26-66	168.0	808.0	
		2-02-66	167.8	808.2	
		2-11-66	167.2	808.8	
		2-16-66	166.4	809.6	
		2-23-66	165.5	810.5	
		3-02-66	164.5	811.5	
		3-09-66	165.0	811.0	
		3-16-66	188.8(1)	787.2	
		3-23-66	165.3	810.7	
		3-30-66	163.7	812.3	
		4-07-66	164.2	811.8	
		4-12-66	164.4	811.6	
		4-20-66	164.2	811.8	
		4-27-66	165.2	810.8	
		5-04-66	164.6	811.4	
		5-11-66	192.8(1)	783.2	
		5-18-66	165.8	810.2	
		5-25-66	166.0	810.0	
		6-02-66	165.5	810.5	
		6-07-66	165.8	810.2	
		6-15-66	165.7	810.3	
		6-20-66	196.2(1)	779.8	
		6-29-66	166.5	809.5	
		7-06-66	196.7(1)	779.3	
		7-13-66	199.2(1)	776.8	
		7-20-66	197.8(1)	778.2	
		7-27-66	168.2	807.8	
		8-03-66	197.8(1)	778.2	
		8-10-66	198.4(1)	777.6	
		8-17-66	200.0(1)	776.0	
		8-24-66	201.6(1)	774.4	
		8-31-66	170.8	805.2	
		9-09-66	168.8	807.2	
02S/04W-05C01S (CONT.)	976.0	9-14-66	170.0	806.0	847
		9-21-66	200.5(1)	775.5	
		9-28-66	170.8	805.2	
02S/04W-05F01S	983.5	4-12-66	172.3	811.2	718
02S/04W-05N01S	946.0	8-09-65	144.6(1)	801.4	783
		9-06-65	157.8(1)	788.2	
		10-11-65	152.2(1)	793.8	
		11-08-65	155.4(1)	790.6	
		12-06-65	145.1	800.9	
		1-11-66	142.2	803.8	
		2-07-66	140.2	805.8	
		3-07-66	138.7	807.3	
		4-12-66	143.2(1)	802.8	
		5-10-66	143.8(1)	802.2	
		6-06-66	148.3(1)	797.7	
		7-12-66	152.2(1)	793.8	
		8-09-66	154.1(1)	791.9	
		9-05-66	155.6(1)	790.4	
02S/04W-05P01S	992.4	4-12-66	180.8	811.6	718
02S/04W-06K02S	920.4	4-12-66	110.8	809.6	718
02S/04W-06Q03S	904.6	4-12-66	95.5	809.1	718
02S/04W-06R01S	946.0	11-30-65	144.8	801.2	718
		4-26-66	(1)		
02S/04W-06R04S	948.0	12-01-65	140.9(2)	807.1	718
		4-12-66	133.0(4)	815.0	
02S/04W-06R05S	947.8	12-01-65	146.9(4)	800.9	718
		4-12-66	138.8(2)	809.0	
02S/04W-06R06S	943.9	12-01-65	142.9	801.0	718
		4-12-66	134.9(2)	809.0	
02S/04W-07L01S	883.1	7-16-65	92.8	790.3	204
		7-16-65	92.8	790.3	
		8-14-65	122.0(1)	761.1	
		8-14-65	122.0(1)	761.1	
		9-15-65	99.8	783.3	
		9-15-65	99.8	783.3	
		10-15-65	96.5	786.6	
		10-15-65	96.5	786.6	
		11-19-65	93.0	790.1	
		11-19-65	93.0	790.1	
		12-16-65	89.0	794.1	
		12-23-65	89.0	794.1	
		1-20-66	87.0	796.1	
		1-22-66	87.0	796.1	
		2-17-66	86.0	797.1	
		2-17-66	86.0	797.1	
		3-16-66	85.0	798.1	
		3-23-66	85.0	798.1	
		4-13-66	85.0	798.1	
		4-21-66	88.0	795.1	
		5-05-66	87.0	796.1	
		5-26-66	86.0	797.1	
		6-16-66	89.0	794.1	
		6-16-66	87.0	796.1	
		7-22-66	95.0	788.1	
		7-29-66	92.0	791.1	
		8-25-66	92.0	791.1	
		8-31-66	87.0	796.1	
		9-29-66	95.0	788.1	
		9-29-66	93.0	790.1	
02S/04W-07N03S	875.0	7-23-65	91.0	784.0	204
		8-14-65	122.0(1)	753.0	
		8-20-65	115.0(1)	760.0	
		9-15-65	90.6	784.4	
		9-22-65	94.0	781.0	
		10-15-65	92.0	783.0	
		10-22-65	87.0	788.0	
		11-19-65	90.0	785.0	
		11-25-65	84.0	791.0	
		12-16-65	87.0	788.0	
		12-23-65	82.0	793.0	
		1-14-66	86.0	789.0	
		1-20-66	80.0	795.0	
		2-17-66	84.0	791.0	
		2-24-66	79.0	796.0	
		3-16-66	84.0	791.0	
		3-23-66	79.0	796.0	
		4-21-66	88.0	787.0	
		4-28-66	81.0	794.0	
		5-05-66	87.0	788.0	
		5-26-66	81.0	794.0	
		6-16-66	89.0	786.0	
		6-23-66	84.0	791.0	
		7-22-66	95.0	780.0	
		7-29-66	87.0	788.0	
		8-05-66	95.0	780.0	
		8-25-66	87.0	788.0	
		9-22-66	93.0	782.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/04W-07N03S (CONT.)	975.0	9-29-66	88.0	787.0	204
02S/04W-07R01S	964.2	4-13-66	(4)		103
02S/04W-08D04S	960.0	2-17-66	156.0	804.0	204
		3-16-66	154.0	806.0	
		4-21-66	155.0	805.0	
		5-12-66	154.0	806.0	
		6-16-66	154.0	806.0	
		7-15-66	155.0	805.0	
		8-18-66	159.0	801.0	
		9-15-66	148.0	812.0	
02S/04W-08F01S	987.0	9-29-65	186.3	800.7	204
		10-27-65	186.0	801.0	
		11-25-65	183.0	804.0	
		12-23-65	181.0	806.0	
		1-26-66	179.0	808.0	
		2-24-66	179.0	808.0	
		3-23-66	176.0	811.0	
		4-13-66	178.0	809.0	
		5-05-66	173.0	814.0	
		6-16-66	177.0	810.0	
		7-15-66	177.0	810.0	
		8-05-66	183.0	804.0	
		9-15-66	181.0(1)	806.0	
02S/04W-08M01S	1000.0	7-00-65	201.1(1)	798.9	783
		8-00-65	191.8	808.2	
		9-00-65	202.3(1)	797.7	
		10-00-65	194.5	805.5	
		11-00-65	197.6	802.4	
		11-24-65	196.2	803.8	718
		12-00-65	193.6	806.4	783
		1-00-66	192.0	808.0	
		2-00-66	189.8	810.2	
		3-00-66	188.0	812.0	
		4-00-66	190.0	810.0	
		4-12-66	189.4(2)	810.6	718
		5-00-66	190.2	809.8	783
		6-00-66	197.7(1)	802.3	
		7-00-66	197.8(1)	802.2	
		8-00-66	199.8(1)	800.2	
		9-00-66	200.4(1)	799.6	
02S/04W-08M02S	983.0	7-06-65	181.4(1)	801.6	783
		8-09-65	182.8(1)	800.2	
		9-06-65	184.8(1)	798.2	
		10-11-65	183.5(1)	799.5	
		11-08-65	186.4(1)	796.6	
		11-24-65	180.1	802.9	718
		12-06-65	181.0	802.0	783
		1-11-66	179.7	803.3	
		2-07-66	177.9	805.1	
		3-07-66	176.1	806.9	
		4-12-66	177.5(1)	805.5	
		4-26-66	(1)		718
		5-10-66	178.7(1)	804.3	783
		6-06-66	179.1	803.9	
		7-12-66	177.5(1)	805.5	
		8-09-66	179.4	803.6	
		9-05-66	182.0(1)	801.0	
02S/04W-18E01S	907.9	11-26-65	112.7(4)	795.2	103
		12-03-65	112.4	795.5	718
		4-13-66	107.7	800.2	
		4-13-66	107.9	800.0	103
02S/04W-19A01S	994.0	12-03-65	188.1	805.9	718
		4-13-66	186.5	807.5	
02S/04W-19E01S	938.5	12-14-65	142.3	796.2	718
		4-13-66	138.9(4)	799.6	
02S/04W-19J01S	1020.0	9-15-65	222.1	797.9	204
		10-27-65	212.5	807.5	
		11-25-65	213.5	806.5	
		12-23-65	212.5	807.5	
		1-20-66	210.5	809.5	
		2-24-66	212.5	807.5	
		3-23-66	211.5	808.5	
		4-21-66	211.5	808.5	
		5-26-66	210.5	809.5	
		6-23-66	209.5	810.5	
		7-29-66	209.5	810.5	
		8-25-66	203.5	816.5	
		9-29-66	204.5	815.5	
02S/04W-19J02S	1027.0	12-03-65	208.6	818.4	718
		4-13-66	206.2	820.8	
02S/04W-19P01S	997.7	12-03-65	192.7	805.0	718
		4-13-66	190.4	807.3	
02S/04W-19R01S	1033.0	8-23-65	211.4	821.6	718
02S/04W-29M01S	1050.0	12-03-65	58.5	991.5	718

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/04W-29M01S (CONT.)	1050.0	4-13-66	61.8	988.2	718
02S/04W-30B01S	1014.0	8-03-65	184.1	829.9	103
		9-13-65	184.2	829.8	
		11-19-65	180.9	833.1	
		12-27-65	184.0	830.0	
		1-13-66	183.8	830.2	
		2-04-66	183.5	830.5	
		3-11-66	186.7	827.3	
		4-13-66	184.1	829.9	
		5-24-66	183.1	830.9	
		7-05-66	183.2	830.8	
		8-02-66	183.7	830.3	
		9-01-66	184.2	829.8	
02S/04W-33R02S	1496.0	4-20-66	(1)		103
02S/05W-01G01S	854.6	10-06-65	37.1	817.5	204
		11-19-65	37.0	817.6	
		1-26-66	31.0	823.6	
		4-25-66	33.0	821.6	
		7-06-66	36.0	818.6	
02S/05W-01G02S	844.0	11-19-65	46.0	798.0	204
		1-26-66	39.0	805.0	
		4-28-66	41.0	803.0	
		7-06-66	44.0	800.0	
02S/05W-01J01S	842.8	7-10-65	45.0	797.8	713
		8-07-65	46.6	796.2	
		9-04-65	47.3	795.5	
		10-09-65	46.9	795.9	718
		10-09-65	46.9	795.9	713
		11-06-65	46.7	796.1	718
		11-06-65	46.7	796.1	713
		12-11-65	42.1	800.7	718
		12-11-65	42.1	800.7	713
		1-08-66	38.8	804.0	718
		1-08-66	38.8	804.0	713
		2-12-66	38.4	804.4	
		3-05-66	38.4	804.4	718
		3-05-66	38.4	804.4	713
		4-16-66	39.9	802.9	718
		4-16-66	39.9	802.9	713
		5-07-66	41.5	801.3	
		6-04-66	42.6	800.2	
		7-16-66	45.5	797.3	
		8-09-66	46.7	796.1	
		9-10-66	47.0	795.8	
02S/05W-01J02S	843.0	11-06-65	44.7	798.3	718
		12-11-65	40.8	802.2	
		1-08-66	38.2	804.8	
		3-05-66	34.6	808.4	
		4-16-66	37.1	805.9	
02S/05W-01J03S	845.0	10-16-65	45.9	799.1	204
		11-19-65	45.0	800.0	
		1-26-66	37.0	808.0	
		4-28-66	39.0(1)	806.0	
02S/05W-01J04S	845.0	8-07-65	42.3	802.7	713
		9-04-65	43.4	801.6	
		10-09-65	43.5	801.5	
		11-06-65	43.2	801.8	
		12-11-65	39.3	805.7	
		1-08-66	36.7	808.3	
		2-12-66	35.2	809.8	
		3-05-66	33.1	811.9	
		4-16-66	35.6	809.4	
		5-07-66	36.3	808.7	
		6-04-66	(1)		
		7-16-66	41.3	803.7	
		8-06-66	42.8	802.2	
		9-10-66	(1)		
02S/05W-01Q01S	956.0	8-05-65	42.0	914.0	720
		9-16-65	43.7	912.3	
		10-14-65	42.9	913.1	
		11-19-65	42.7	913.3	
		12-10-65	30.9	925.1	
		1-14-66	35.0	921.0	
		2-18-66	34.0	922.0	
		3-11-66	34.0	922.0	
		4-01-66	34.8	921.2	
02S/05W-02C01S	936.2	4-13-66	125.7	810.5	718
02S/05W-02E01S	953.5	4-16-66	150.0	803.5	718
02S/05W-02E03S	917.6	10-09-65	112.9	804.7	718
		11-06-65	113.1	804.5	
		12-11-65	113.8	803.8	
		1-08-66	113.2	804.4	
		3-05-66	110.3	807.3	
		4-16-66	113.4	804.2	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-02F01S (CONT.)	945.4	8-07-65	155.7	789.7	713
		9-04-65	151.4	794.0	
		11-06-65	151.3	794.1	
		12-11-65	145.7	799.7	
		1-08-66	143.9	801.5	
		3-05-66	143.2	802.2	
		4-16-66	144.8	800.6	
		5-07-66	(1)		
		6-04-66	146.8	798.6	
		8-06-66	151.1	794.3	
		9-10-66	151.6	793.8	
02S/05W-02F02S	897.8	10-09-65	98.3	799.5	718
		11-06-65	98.5	799.3	
		12-11-65	96.2	801.6	
		1-08-66	94.8	803.0	
		3-05-66	94.9	802.9	
		4-16-66	96.8	801.0	
02S/05W-02L01S	896.2	10-09-65	100.8	795.4	718
		11-06-65	100.4	795.8	
		12-11-65	99.9	796.3	
		1-08-66	95.1	801.1	
		3-05-66	94.7	801.5	
		4-16-66	(1)		
02S/05W-02L02S	909.0	7-10-65	112.7	796.3	713
		8-07-65	113.6	795.4	
		9-04-65	115.2	793.8	
		10-09-65	115.3	793.7	718
		10-09-65	113.5	795.5	713
		11-06-65	114.8	794.2	718
		11-06-65	113.0	796.0	713
		12-11-65	111.7	797.3	718
		12-11-65	109.9	799.1	713
		1-08-66	109.1	799.9	718
		1-08-66	107.3	801.7	713
		2-12-66	106.3	802.7	
		3-05-66	108.6	800.4	718
		3-05-66	106.8	802.2	713
		4-16-66	108.5	800.5	
		4-16-66	110.3	798.7	718
		5-07-66	110.0	799.0	713
		6-16-66	113.0	796.0	
		8-06-66	114.7	794.3	
		9-10-66	115.7	793.3	
02S/05W-02L03S	902.0	7-10-65	(1)		713
		8-07-65	(1)		
		9-04-65	108.9	793.1	
		10-09-65	(1)		718
		10-09-65	(1)		713
		11-06-65	(1)		718
		11-06-65	(1)		713
		12-11-65	102.9	799.1	718
		12-11-65	102.9	799.1	713
		1-08-66	101.0	801.0	718
		1-08-66	101.0	801.0	713
		2-02-66	100.8	801.2	
		3-05-66	100.8	801.2	718
		3-05-66	100.8	801.2	713
		4-16-66	102.9	799.1	718
		4-16-66	102.9	799.1	713
		5-07-66	(1)		
		6-04-66	(1)		
		7-16-66	(1)		
		8-06-66	109.4	792.6	
		9-10-66	110.7	791.3	
02S/05W-02L04S	904.6	4-16-66	112.1	792.5	718
02S/05W-02L05S	894.4	3-05-66	98.6	795.8	718
		4-16-66	100.7	793.7	
02S/05W-02M01S	905.8	10-09-65	79.2	826.6	718
		11-06-65	87.0	818.8	
		12-11-65	96.7	809.1	
		3-05-66	102.1	803.7	
		4-16-66	103.9	801.9	
02S/05W-02M05S	894.1	11-06-65	92.1	802.0	718
		12-11-65	91.7	802.4	
		3-05-66	90.0	804.1	
		4-16-66	91.2	802.9	
02S/05W-02M06S	926.7	3-05-66	127.2	799.5	718
		4-16-66	127.2	799.5	
02S/05W-02M08S	900.2	11-06-65	96.1	804.1	718
		12-11-65	96.7	803.5	
		1-08-66	96.1	804.1	
		3-05-66	95.3	804.9	
		4-16-66	96.7	803.5	
02S/05W-02Q07S	826.0	7-17-65	43.6(1)	782.4	720
		8-20-65	45.1(1)	780.9	
		9-17-65	44.2(1)	781.8	
		10-22-65	37.4	788.6	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-02Q07S (CONT.)	826.0	11-12-65	37.5	788.5	720
		12-10-65	30.6	795.4	
		1-21-66	27.8	798.2	
		2-04-66	26.1	799.9	
		3-25-66	29.5	796.5	
		4-08-66	28.0	798.0	
		5-20-66	44.7(1)	781.3	
		6-17-66	42.6(1)	783.4	
		7-22-66	45.5(1)	780.5	
		8-12-66	41.3	784.7	
		9-16-66	45.3	780.7	
02S/05W-02R01S	823.0	8-13-65	44.1(1)	778.9	720
		9-17-65	43.8(1)	779.2	
		10-15-65	32.8	790.2	
		11-19-65	29.8	793.2	
		12-17-65	27.7	795.3	
		1-14-66	25.6	797.4	
		2-18-66	23.4	799.6	
		3-25-66	27.4	795.6	
		4-22-66	40.7(1)	782.3	
		5-20-66	42.0(1)	781.0	
		6-17-66	44.4(1)	778.6	
		7-22-66	46.0(1)	777.0	
		8-19-66	47.9(1)	775.1	
		9-23-66	48.0(1)	775.0	
02S/05W-02R02S	823.0	7-17-65	42.5(1)	780.5	720
		8-20-65	36.4	786.6	
		9-17-65	37.3	785.7	
		10-08-65	32.9	790.1	
		11-19-65	29.4	793.6	
		12-17-65	27.1	795.9	
		1-21-66	25.6	797.4	
		2-25-66	25.1	797.9	
		3-25-66	29.3	793.7	
		4-15-66	33.5	789.5	
		5-20-66	35.5	787.5	
		6-24-66	38.9	784.1	
		7-22-66	39.0	784.0	
		8-12-66	46.0(1)	777.0	
		9-16-66	45.0(1)	778.0	
02S/05W-02R03S	826.6	7-17-65	39.9(1)	786.7	720
		8-20-65	39.9(1)	786.7	
		9-17-65	40.3(1)	786.3	
		10-22-65	31.4	795.2	
		11-19-65	28.1	798.5	
		12-17-65	26.0	800.6	
		1-21-66	24.2	802.4	
		2-18-66	23.9	802.7	
		3-25-66	25.9	800.7	
		4-22-66	37.7(1)	788.9	
		5-20-66	38.9(1)	787.7	
		6-17-66	41.3(1)	785.3	
		7-15-66	42.6(1)	784.0	
		8-19-66	44.0(1)	782.6	
		9-23-66	44.7(1)	781.9	
02S/05W-03A01S	953.4	9-14-65	152.8	800.6	718
		11-30-65	151.2	802.2	
		4-13-66	147.3	806.1	
02S/05W-03G02S	904.4	11-06-65	101.7	802.7	718
		12-11-65	101.6	802.8	
		1-08-66	99.1	805.3	
		3-05-66	97.1	807.3	
		4-16-66	95.2	809.2	
02S/05W-03H03S	957.5	11-06-65	141.4	816.1	718
		12-11-65	137.1	820.4	
		1-08-66	137.3	820.2	
02S/05W-05R02S	939.8	4-14-66	223.4	716.4	718
02S/05W-08G01S	903.0	12-09-65	(9)		718
		4-26-66	203.9(4)	699.1	
02S/05W-08G04S	903.7	12-09-65	200.4	703.3	718
		4-26-66	207.3	696.4	
02S/05W-08K02S	892.6	12-02-65	182.7	709.9	718
		4-26-66	185.4(2)	707.2	
02S/05W-10G01S	849.8	7-10-65	63.1	786.7	713
		8-07-65	63.9	785.9	
		9-04-65	(1)		
		10-09-65	64.0	785.8	718
		10-09-65	64.0	785.8	713
		11-06-65	64.8	785.0	718
		11-06-65	64.8	785.0	713
		12-02-65	(1)		100
		12-11-65	62.4	787.4	718
		12-11-65	62.4	787.4	713
		1-08-66	61.5	788.3	718
		1-08-66	61.5	788.3	713
		2-12-66	(1)		
		3-05-66	61.5	788.3	718

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-10G01S (CONT.)	849.8	3-05-66	61.5	788.3	713
		4-07-66	61.9	787.9	100
		4-16-66	(1)		713
		5-07-66	62.8	787.0	
		6-04-66	63.7	786.1	
		7-16-66	63.8	786.0	
		8-06-66	(1)		
		9-10-66	(1)		
02S/05W-10G07S	842.0	9-14-65	61.5	780.5	718
		11-17-65	62.0	780.0	
		4-14-66	58.6	783.4	
02S/05W-10L05S	867.7	4-14-66	86.4(4)	781.3	718
02S/05W-10P01S	857.5	12-15-65	83.0	774.5	718
		4-22-66	82.1	775.4	
02S/05W-11A01S	824.8	8-20-65	45.8(1)	779.0	720
		9-17-65	45.8(1)	779.0	
		10-15-65	32.4	792.4	
		11-19-65	28.7	796.1	
		12-17-65	25.6	799.2	
		1-21-66	24.3	800.5	
		2-18-66	23.8	801.0	
		3-25-66	25.7	799.1	
		4-15-66	41.8(1)	783.0	
		5-20-66	43.5(1)	781.3	
		6-17-66	32.0	792.8	
		7-15-66	48.5(1)	776.3	
		8-19-66	50.5(1)	774.3	
		9-23-66	50.1(1)	774.7	
02S/05W-11K02S	819.0	8-03-65	29.6	789.4	103
		9-13-65	30.5	788.5	
		9-14-65	30.2	788.8	718
		11-26-65	24.6	794.4	103
		11-30-65	25.5	793.5	718
		12-11-65	26.6	792.4	
		12-27-65	27.2	791.8	103
		1-08-66	25.3	793.7	718
		1-13-66	25.8	793.2	103
		2-04-66	26.0	793.0	
		3-05-66	25.8	793.2	718
		3-11-66	26.4	792.6	103
		4-12-66	27.2	791.8	718
		4-13-66	27.3	791.7	103
		4-16-66	27.1	791.9	718
		5-24-66	29.0	790.0	103
		7-05-66	27.1	791.9	
		8-02-66	32.7(2)	786.3	
		9-01-66	34.6	784.4	
02S/05W-12A01S	836.8	8-20-65	77.9(1)	758.9	204
		9-29-65	41.7	795.1	
		10-15-65	43.1	793.7	
		11-25-65	40.4	796.4	
		12-23-65	35.4	801.4	
		1-26-66	35.4	801.4	
		2-24-66	33.4	803.4	
		3-23-66	35.4	801.4	
		4-21-66	41.4	795.4	
		5-12-66	39.4	797.4	
		6-09-66	40.4	796.4	
		7-22-66	75.4(1)	761.4	
		8-25-66	78.4(1)	758.4	
		9-22-66	44.4	792.4	
02S/05W-12B01S	833.8	9-29-65	37.2	796.6	204
		10-15-65	37.2	796.6	
		11-25-65	34.2	799.6	
		12-16-65	30.2	803.6	
		1-14-66	29.2	804.6	
		2-17-66	28.2	805.6	
		3-16-66	29.2	804.6	
		4-21-66	35.2	798.6	
		5-12-66	34.2	799.6	
		6-30-66	45.2	788.6	
		7-22-66	46.2	787.6	
		8-18-66	45.2	788.6	
		9-22-66	38.2	795.6	
02S/05W-12J01S	849.2	7-07-65	56.7	792.5	103
		7-10-65	56.3	792.9	713
		8-03-65	57.9	791.3	103
		8-07-65	58.5	790.7	713
		9-04-65	60.5	788.7	
		9-13-65	60.5	788.7	103
		10-09-65	59.1	790.1	718
		10-09-65	59.0	790.2	713
		11-06-65	58.9	790.3	718
		11-06-65	58.8	790.4	713
		11-06-65	59.0	790.2	103
		11-26-65	57.5	791.7	
		12-11-65	55.7	793.5	718
		12-11-65	55.6	793.6	713
		12-27-65	54.4	794.8	103
		1-08-66	53.4	795.8	718

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-12J01S (CONT.)	849.2	1-08-66	53.3	795.9	713
		1-13-66	53.0	796.2	103
		2-04-66	51.9	797.3	
		2-12-66	51.4	797.8	713
		3-05-66	50.5	798.7	718
		3-05-66	50.4	798.8	713
		3-05-66	50.6	798.6	103
		3-11-66	50.6	798.6	
		4-13-66	52.0	797.2	
		4-16-66	52.6	796.6	718
		4-16-66	52.5	796.7	713
		5-07-66	52.6	796.6	
		5-07-66	52.8	796.4	103
		5-24-66	54.7	794.5	
		6-04-66	54.5	794.7	713
		7-05-66	56.6	792.6	103
		7-16-66	58.2	791.0	713
		8-02-66	59.3	789.9	103
		8-06-66	59.8	789.4	713
		9-01-66	60.7	788.5	103
		9-10-66	60.7	788.5	713
02S/05W-12K02S	836.2	8-20-65	86.3(1)	749.9	204
		9-22-65	83.9	752.3	
		9-22-65	83.9(1)	752.3	
		9-29-65	39.8	796.4	
		10-06-65	48.4	787.8	
		10-15-65	42.3	793.9	
		11-19-65	44.0	792.2	
		11-19-65	44.0	792.2	
		12-16-65	35.0	801.2	
		12-16-65	35.0	801.2	
		1-20-66	34.0	802.2	
		1-21-66	34.0	802.2	
		2-24-66	33.0	803.2	
		2-24-66	33.0	803.2	
		3-23-66	35.0	801.2	
		3-30-66	34.0	802.2	
		4-13-66	81.0	755.2	
		4-13-66	81.0(1)	755.2	
		5-05-66	40.0	796.2	
		5-26-66	79.0	757.2	
		6-09-66	39.0	797.2	
		6-30-66	84.0	752.2	
		7-15-66	87.0(1)	749.2	
		7-29-66	85.0	751.2	
		8-18-66	86.0(1)	750.2	
		8-25-66	86.0	750.2	
		9-15-66	84.0	752.2	
		9-22-66	43.0	793.2	
		9-22-66	43.0	793.2	
02S/05W-12P01S	823.2	10-06-65	49.9	773.3	204
		11-04-65	45.7	777.5	
		11-25-65	33.7	789.5	
		12-16-65	30.7	792.5	
		1-20-66	30.7	792.5	
		2-24-66	27.7	795.5	
		3-23-66	30.7	792.5	
		4-21-66	128.7(1)	694.5	
		5-05-66	35.7	787.5	
		6-09-66	34.7	788.5	
		7-15-66	133.7(1)	689.5	
		8-31-66	61.7	761.5	
		9-29-66	40.7	782.5	
02S/05W-12P02S	818.0	1-26-66	43.5(1)	774.5	204
		4-28-66	45.5(1)	772.5	
		7-06-66	44.5(1)	773.5	
02S/05W-13Q02S	880.0	8-20-65	132.5(1)	747.5	720
		9-17-65	109.8	770.2	
		10-15-65	107.2	772.8	
		11-19-65	106.3	773.7	
		12-17-65	103.9	776.1	
		1-14-66	101.3	778.7	
		2-18-66	100.1	779.9	
		3-11-66	99.4	780.6	
		4-15-66	99.6	780.4	
		5-13-66	99.0	781.0	
		6-17-66	99.2	780.8	
		7-23-66	102.3	777.7	
		8-05-66	102.8	777.2	
		9-16-66	107.5	772.5	
02S/05W-14D01S	802.0	8-03-65	19.1	782.9	103
		9-14-65	19.6	782.4	
		11-26-65	14.4	787.6	
		12-27-65	17.5	784.5	
		1-13-66	16.7	785.3	
		2-04-66	16.8	785.2	
		3-14-66	17.3	784.7	
		4-13-66	17.5	784.5	
		5-24-66	19.6	782.4	
		7-05-66	20.0	782.0	
		8-02-66	21.3	780.7	
		9-01-66	22.4	779.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
02S/05W-14E01S (CONT.)	770.0	1-26-66	12.0	758.0	204
		4-28-66	14.0	756.0	
		7-06-66	53.0(1)	717.0	
02S/05W-14G01S	790.0	4-13-66	15.1	774.9	103
02S/05W-15M01S	775.1	4-22-66	12.7(4)	762.4	718
02S/05W-16E06S	790.8	12-02-65	44.7	746.1	718
		4-26-66	42.8	748.0	
02S/05W-16G04S	774.1	12-02-65	16.3	757.8	718
		4-14-66	14.3	759.8	
02S/05W-16R01S	767.5	4-14-66	9.6(4)	757.9	718
02S/05W-17A01S	815.0	8-03-65	71.3	743.7	103
		9-13-65	72.3	742.7	
		12-01-65	73.3	741.7	
		12-27-65	72.2	742.8	
		1-14-66	80.7	734.3	
		2-08-66	70.6	744.4	
		3-11-66	71.7	743.3	
		4-20-66	71.7	743.3	
		5-24-66	72.2	742.8	
		7-05-66	73.1	741.9	
		8-02-66	73.5	741.5	
		9-01-66	73.5	741.5	
02S/05W-17A02S	825.0	4-22-66	84.1	740.9	718
02S/05W-17K01S	809.0	12-02-65	63.4	745.6	718
		4-14-66	61.9	747.1	
02S/05W-17L01S	853.0	4-14-66	56.9	796.1	718
02S/05W-20A01S	771.7	12-02-65	(1)		100
		4-07-66	(1)		
02S/05W-20A02S	752.0	8-03-65	5.5	746.5	103
		9-13-65	9.3	742.7	
		12-01-65	8.7	743.3	
		12-27-65	8.0	744.0	
		1-14-66	8.4	743.6	
		2-08-66	7.7	744.3	
		3-11-66	7.9	744.1	
		4-20-66	10.1	741.9	
		5-24-66	8.4	743.6	
		7-05-66	9.0	743.0	
		8-02-66	(1)		
		9-01-66	9.7(1)	742.3	
02S/05W-20J02S	740.0	9-14-65	5.3(4)	734.7	718
		12-02-65	4.0(4)	736.0	
		4-14-66	3.9(4)	736.1	
02S/05W-20J03S	735.7	12-02-65	2.4	733.3	718
		4-14-66	2.3	733.4	
02S/05W-20K01S	767.0	12-02-65	28.4	738.6	718
		4-14-66	27.9	739.1	
		4-20-66	(9)		103
02S/05W-20K03S	768.4	4-14-66	29.8	738.6	718
02S/05W-20R01S	740.0	9-14-65	9.9(1)	730.1	718
		12-02-65	7.7(4)	732.3	
		4-14-66	7.3	732.7	
02S/05W-21E01S	747.3	12-02-65	6.6	740.7	718
		4-14-66	5.7	741.6	
02S/05W-22D01S	763.8	11-18-65	9.8	754.0	718
		4-14-66	7.0	756.8	
02S/05W-22R02S	795.0	4-13-66	31.4	763.6	718
02S/05W-23F01S	843.8	7-08-65	78.4	765.4	103
		8-04-65	79.9	763.9	
		9-14-65	82.0	761.8	
		11-29-65	81.1	762.7	
		12-04-65	80.9	762.9	718
		12-28-65	79.7	764.1	103
		1-14-66	78.8	765.0	
		2-09-66	77.7	766.1	
		3-14-66	77.7	766.1	
		4-14-66	75.8	768.0	718
		4-14-66	81.9	761.9	103
		5-24-66	80.0	763.8	
		7-05-66	74.9	768.9	
		8-02-66	75.9	767.9	
		9-01-66	77.3	766.5	
02S/05W-23J01S	869.4	9-22-65	109.0	760.4	204
		10-27-65	106.0	763.4	
		11-19-65	105.0	764.4	
		12-23-65	102.0	767.4	
		1-26-66	100.0	769.4	

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-23J01S (CONT.)	869.4	2-24-66	100.0	769.4	204
		3-23-66	100.0	769.4	
		4-21-66	98.0	771.4	
		5-26-66	97.0	772.4	
		6-23-66	97.0	772.4	
		7-15-66	98.0	771.4	
		8-25-66	96.0	773.4	
		9-22-66	100.0	769.4	
02S/05W-23Q01S	854.9	7-23-65	92.8	762.1	720
		8-20-65	94.9	760.0	
		9-17-65	113.1(1)	741.8	
		10-22-65	92.8	762.1	
		11-19-65	92.6	762.3	
		12-17-65	90.4	764.5	
		1-21-66	88.8	766.1	
		2-18-66	87.5	767.4	
		3-18-66	85.8	769.1	
		4-15-66	86.5	768.4	
		5-21-66	85.9	769.0	
		6-17-66	85.8	769.1	
		7-15-66	85.9	769.0	
		8-19-66	90.4	764.5	
		9-23-66	90.5	764.4	
02S/05W-23R01S	864.2	7-23-65	127.0(1)	737.2	720
		8-20-65	114.7	749.5	
		9-24-65	115.1	749.1	
		10-22-65	112.5	751.7	
		11-19-65	111.9	752.3	
		12-17-65	109.8	754.4	
		1-21-66	107.8	756.4	
		2-18-66	106.8	757.4	
		3-18-66	106.0	758.2	
		4-22-66	105.4	758.8	
		5-20-66	105.1	759.1	
		6-17-66	104.9	759.3	
		7-29-66	107.3	756.9	
		8-19-66	109.1	755.1	
		9-23-66	110.0	754.2	
02S/05W-24D01S	873.7	7-23-65	104.3	769.4	720
		8-20-65	109.5	764.2	
		9-17-65	109.9	763.8	
		10-15-65	108.8	764.9	
		11-19-65	107.0	766.7	
		12-17-65	105.8	767.9	
		1-14-66	104.0	769.7	
		2-18-66	102.7	771.0	
		3-11-66	102.6	771.1	
		6-17-66	100.8	772.9	
		7-17-66	102.1	771.6	
		8-19-66	104.7	769.0	
		9-23-66	107.6	766.1	
02S/05W-25A01S	948.4	4-13-66	171.1	777.3	103
02S/05W-25F01S	912.0	12-23-65	140.0	772.0	204
		1-26-66	139.0	773.0	
		2-24-66	139.0	773.0	
		3-23-66	138.0	774.0	
		4-25-66	137.0	775.0	
		5-26-66	136.0	776.0	
		6-23-66	135.0	777.0	
		7-15-66	133.0	779.0	
		8-10-66	134.0	778.0	
		9-22-66	134.0	778.0	
02S/05W-26E01S	842.8	4-22-66	78.4	764.4	718
02S/05W-26E02S	820.0	7-08-65	56.1	763.9	847
		7-22-65	53.6	766.4	
		7-30-65	51.9	768.1	
		8-04-65	78.9(1)	741.1	
		8-13-65	80.8(1)	739.2	
		8-19-65	79.2(1)	740.8	
		8-26-65	52.8	767.2	
		8-31-65	51.9	768.1	
		9-09-65	53.3	766.7	
		9-16-65	53.4	766.6	
		9-23-65	55.0	765.0	
		9-30-65	53.8	766.2	
		10-09-65	79.8(1)	740.2	
		10-17-65	53.3	766.7	
		10-21-65	79.3(1)	740.7	
		10-29-65	80.9(1)	739.1	
		11-03-65	52.8	767.2	
		11-11-65	52.6	767.4	
		11-18-65	52.6	767.4	
		11-24-65	52.2	767.8	
		12-03-65	51.7	768.3	
		12-08-65	50.9	769.1	
		12-16-65	50.7	769.3	
		12-23-65	50.5	769.5	
		12-30-65	50.2	769.8	
		1-07-66	50.1	769.9	
		1-14-66	49.4	770.6	
		1-20-66	49.0	771.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80
RIVERSIDE HYDRO SUBAREA Y-01.87

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-26E02S	820.0	1-26-66	49.0	771.0	847
(CONT.)		2-04-66	49.0	771.0	
		2-11-66	48.7	771.3	
		2-17-66	48.5	771.5	
		2-23-66	47.8	772.2	
		3-03-66	47.8	772.2	
		3-09-66	47.9	772.1	
		3-17-66	49.1	770.9	
		3-23-66	48.1	771.9	
		3-30-66	48.1	771.9	
		4-06-66	47.8	772.2	
		4-12-66	47.3	772.7	
		4-20-66	48.2	771.8	
		4-27-66	47.2	772.8	
		5-04-66	46.5	773.5	
		5-11-66	46.7	773.3	
		5-18-66	73.4(1)	746.6	
		5-25-66	46.6	773.4	
		6-02-66	46.8	773.2	
		6-08-66	47.9	772.1	
		6-15-66	46.9	773.1	
		6-21-66	48.6	771.4	
		6-29-66	47.3	772.7	
		7-06-66	71.7(1)	748.3	
		7-13-66	49.1	770.9	
		7-20-66	49.5	770.5	
		7-27-66	71.4(1)	748.6	
		8-03-66	73.2(1)	746.8	
		8-10-66	75.2(1)	744.8	
		8-18-66	77.6(1)	742.4	
		8-24-66	77.0(1)	743.0	
		8-31-66	77.2(1)	742.8	
		9-08-66	77.7(1)	742.3	
		9-14-66	77.5(1)	742.5	
		9-21-66	77.6(1)	742.4	
		9-28-66	83.4(1)	736.6	
02S/05W-26F01S	810.0	7-08-65	69.6(1)	740.4	847
		7-22-65	52.1	757.9	
		7-30-65	50.6	759.4	
		8-04-65	63.8(1)	746.2	
		8-13-65	65.8(1)	744.2	
		8-18-65	53.3	756.7	
		8-26-65	50.3	759.7	
		9-09-65	63.2(1)	746.8	
		9-16-65	52.6	757.4	
		9-23-65	65.1(1)	744.9	
		9-30-65	52.9	757.1	
		10-09-65	53.0	757.0	
		10-17-65	52.0	758.0	
		10-21-65	65.0(1)	745.0	
		10-29-65	52.9	757.1	
		11-03-65	51.4	758.6	
		11-11-65	51.3	758.7	
		11-18-65	51.3	758.7	
		11-23-65	50.2	759.8	
		12-03-65	50.3	759.7	
		12-09-65	49.3	760.7	
		12-16-65	49.4	760.6	
		12-23-65	48.2	761.8	
		12-31-65	49.9	760.1	
		1-07-66	48.6	761.4	
		1-14-66	47.9	762.1	
		1-20-66	47.8	762.2	
		1-26-66	47.4	762.6	
		2-03-66	47.7	762.3	
		2-11-66	47.3	762.7	
		2-17-66	47.1	762.9	
		2-23-66	46.6	763.4	
		3-03-66	46.0	764.0	
		3-10-66	46.6	763.4	
		3-16-66	58.0(1)	752.0	
		3-23-66	46.0	764.0	
		3-30-66	46.2	763.8	
		4-06-66	45.7	764.3	
		4-12-66	45.8	764.2	
		4-20-66	57.8(1)	752.2	
		4-27-66	45.2	764.8	
		5-04-66	45.0	765.0	
		5-12-66	45.2	764.8	
		5-18-66	47.1	762.9	
		5-25-66	45.4	764.6	
		6-02-66	45.0	765.0	
		6-08-66	58.2(1)	751.8	
		6-15-66	45.6	764.4	
		6-21-66	46.6	763.4	
		6-29-66	45.9	764.1	
		7-05-66	46.5	763.5	
		7-13-66	58.7(1)	751.3	
		7-20-66	59.3(1)	750.7	
		7-27-66	59.1(1)	750.9	
		8-03-66	60.0(1)	750.0	
		8-10-66	50.1	759.9	
		8-17-66	61.5(1)	748.5	
		8-24-66	50.3	759.7	
		8-31-66	50.5	759.5	
		9-08-66	50.8	759.2	
		9-14-66	50.8	759.2	
MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.80					
RIVERSIDE HYDRO SUBAREA Y-01.87					
02S/05W-26F01S	810.0	9-21-66	51.3	758.7	847
(CONT.)		9-28-66	51.2	758.8	
02S/05W-26M01S	820.0	7-01-65	50.6	769.4	847
		7-08-65	67.4(1)	752.6	
		7-22-65	53.2	766.8	
		7-30-65	51.6	768.4	
		8-04-65	56.1	763.9	
		8-13-65	66.3(1)	753.7	
		8-19-65	57.2	762.8	
		8-26-65	54.1	765.9	
		8-31-65	55.1	764.9	
		9-09-65	53.4	766.6	
		9-16-65	53.5	766.5	
		9-23-65	57.9	762.1	
		9-30-65	56.4	763.6	
		10-17-65	53.2	766.8	
		10-21-65	57.8	762.2	
		10-29-65	57.2	762.8	
		11-03-65	52.9	767.1	
		11-11-65	52.6	767.4	
		11-18-65	54.1	765.9	
		11-24-65	51.7	768.3	
		12-03-65	52.1	767.9	
		12-08-65	52.8	767.2	
		12-16-65	50.6	769.4	
		12-23-65	49.8	770.2	
		12-31-65	49.8	770.2	
		1-07-66	49.5	770.5	
		1-15-66	49.3	770.7	
		1-20-66	49.0	771.0	
		1-26-66	48.7	771.3	
		2-03-66	48.6	771.4	
		2-11-66	48.3	771.7	
		2-17-66	49.0	771.0	
		2-23-66	47.9	772.1	
		3-03-66	48.5	771.5	
		3-10-66	48.7	771.3	
		3-16-66	49.1	770.9	
		3-24-66	49.2	770.8	
		3-29-66	47.7	772.3	
		4-06-66	47.3	772.7	
		4-12-66	47.1	772.9	
		4-20-66	53.6(1)	766.4	
		4-27-66	46.9	773.1	
		5-04-66	46.9	773.1	
		5-11-66	46.7	773.3	
		5-18-66	46.7	773.3	
		5-25-66	46.6	773.4	
		6-02-66	46.2	773.8	
		6-08-66	53.8(1)	766.2	
		6-15-66	56.9	763.1	
		6-21-66	59.9	760.1	
		6-29-66	54.3	765.7	
		7-06-66	47.2	772.8	
		7-13-66	48.1	771.9	
		7-20-66	49.8	770.2	
		7-27-66	50.1	769.9	
		8-03-66	57.2(2)	762.8	
		8-10-66	56.1(2)	763.9	
		8-17-66	55.0(2)	765.0	
		8-24-66	55.2(2)	764.8	
		8-31-66	53.9	766.1	
		9-08-66	60.0(2)	760.0	
		9-14-66	56.7(2)	763.3	
		9-21-66	52.1	767.9	
		9-28-66	55.8(2)	764.2	
02S/05W-26R01S	855.0	4-14-66	85.1	769.9	718
02S/05W-29D02S	745.0	7-10-65	(1)		713
		9-04-65	16.7	728.3	
		11-06-65	17.4	727.6	718
		11-06-65	17.4	727.6	713
		1-08-66	14.0	731.0	718
		1-08-66	14.0	731.0	713
		3-05-66	13.0	732.0	718
		3-05-66	13.0	732.0	713
		5-07-66	11.9	733.1	
		7-16-66	17.0	728.0	
		9-10-66	14.4	730.6	
02S/05W-29D10S	745.0	7-10-65	12.8	732.2	713
		9-04-65	15.0	730.0	
		11-06-65	(1)		
		1-08-66	(1)		
		3-05-66	(8)		
		5-07-66	(1)		
		6-16-66	(8)		
		9-10-66	(8)		
02S/05W-29E02S	717.3	7-07-65	7.6	709.7	103
		8-03-65	8.9	708.4	
		9-13-65	9.7	707.6	
		9-14-65	7.5	709.8	718
		12-01-65	7.1	710.2	103
		12-02-65	4.9	712.4	718
		12-27-65	6.8	710.5	103

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

MIDDLE SANTA ANA RIV HYDR SUBUNIT Y-01.B0
RIVERSIDE HYDRO SUBAREA Y-01.B7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/05W-29E02S (CONT.)	717.3	1-14-66	6.1	711.2	103
		2-08-66	5.8	711.5	
		3-11-66	4.4	712.9	
		4-14-66	2.9	714.4	718
		4-20-66	3.6	713.7	103
		5-24-66	6.1	711.2	
		7-05-66	6.6	710.7	
		8-02-66	7.3	710.0	
		9-01-66	7.8	709.5	
02S/05W-29E06S	738.3	12-02-65	25.3	713.0	718
		4-14-66	23.3(4)	715.0	
02S/05W-32A01S	783.0	12-06-65	51.3	731.7	718
		4-20-66	50.1	732.9	
02S/05W-32H01S	780.1	4-20-66	47.9	732.2	718
02S/05W-32K01S	777.5	7-09-65	40.3	737.2	103
		8-04-65	40.3	737.2	
		9-14-65	39.9	737.6	
		11-26-65	40.5	737.0	
		12-06-65	39.5	738.0	718
		12-28-65	40.0	737.5	103
		1-18-66	39.7	737.8	
		2-09-66	39.5	738.0	
		3-15-66	39.3	738.2	
		4-13-66	39.1	738.4	
		4-20-66	38.2	739.3	718
		5-25-66	38.9	738.6	103
		7-06-66	38.7	738.8	
		8-03-66	38.8	738.7	
		9-02-66	38.9	738.6	
02S/05W-36A01S	915.0	11-26-65	(9)		103
		4-13-66	67.5	847.5	
03S/05W-03F01S	880.0	8-20-65	127.3	752.7	720
		9-17-65	120.7	759.3	
		10-15-65	120.7	759.3	
		11-18-65	121.6	758.4	
		11-19-65	121.6	758.4	718
		12-17-65	120.4	759.6	720
		1-21-66	122.7	757.3	
		2-18-66	120.1	759.9	
		3-17-66	124.6	755.4	
		4-15-66	119.3	760.7	718
		4-22-66	119.2	760.8	720
		5-21-66	128.2(9)	751.8	
		6-17-66	132.4(9)	747.6	
		7-23-66	118.5	761.5	
		8-19-66	118.5	761.5	
		9-23-66	119.3	760.7	

LAKE MATHEWS HYDRO SUBUNIT Y-01.C0
COLDWATER HYDRO SUBAREA Y-01.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/06W-02P01S	1110.3	7-17-65	138.9	971.4	717
		8-14-65	139.4	970.9	
		9-11-65	140.2	970.1	
		10-09-65	141.5	968.8	
		11-13-65	141.1	969.2	
		12-11-65	141.9	968.4	
		1-15-66	142.5	967.8	
		2-12-66	142.6	967.7	
		3-12-66	142.4	967.9	
		4-09-66	142.2	968.1	
		5-14-66	141.6	968.7	
		6-11-66	142.5	967.8	
		7-09-66	141.8	968.5	
		8-13-66	143.3	967.0	
		9-17-66	142.8	967.5	
05S/06W-03C01S	1121.0	11-13-65	233.6	887.4	717
		12-11-65	230.2	890.8	
		1-15-66	211.0	910.0	
		2-12-66	203.1	917.9	
		3-12-66	195.9	925.1	
		4-09-66	193.9	927.1	
		5-14-66	193.4	927.6	
		6-11-66	(7)		
		7-09-66	197.2	923.8	
		8-13-66	202.4	918.6	
		9-17-66	207.8	913.2	
05S/06W-03J04S	1115.0	7-24-65	242.5	872.5	272
		8-14-65	245.5	869.5	
		8-28-65	247.9	867.1	
		9-11-65	249.8	865.2	
		9-25-65	251.4	863.6	
		10-08-65	253.1	861.9	
		10-23-65	254.5	860.5	
		11-13-65	241.7	873.3	
		11-27-65	256.4	858.6	
		12-11-65	246.9	868.1	
		12-25-65	243.0	872.0	
		1-08-66	226.4	888.6	
		1-22-66	222.5	892.5	
		2-12-66	219.6	895.4	
		2-26-66	215.6	899.4	
		3-12-66	213.1	901.9	
		4-16-66	225.5(1)	889.5	
		5-14-66	212.7	902.3	
		5-28-66	213.2	901.8	
		6-11-66	207.5	907.5	
		6-25-66	215.9	899.1	
		7-16-66	229.6(1)	885.4	
		8-13-66	224.0	891.0	
		8-27-66	225.7	889.3	
		9-10-66	227.1	887.9	
		9-24-66	229.5	885.5	
05S/06W-03K01S	1122.0	9-18-65	269.6(1)	852.4	272
		10-15-65	274.5(1)	847.5	
		11-20-65	276.3(1)	845.7	
		12-11-65	261.5	860.5	
		12-25-65	257.8	864.2	
		1-08-66	243.0	879.0	
		1-22-66	238.0	884.0	
		2-12-66	234.3	887.7	
		2-26-66	230.6	891.4	
		3-12-66	228.3	893.7	
		3-26-66	227.7	894.3	
		4-09-66	226.9	895.1	
		4-23-66	226.7	895.3	
		5-21-66	239.8(1)	882.2	
		6-18-66	242.5(1)	879.5	
		7-16-66	248.3(1)	873.7	
		8-20-66	243.2(1)	878.8	
		9-17-66	247.3(1)	874.7	
05S/06W-03Q01S	1285.0	7-17-65	281.7(1)	1003.3	272
		8-21-65	287.1(1)	997.9	
		9-18-65	290.8(1)	994.2	
		10-15-65	293.9(1)	991.1	
		11-20-65	297.9(1)	987.1	
		12-18-65	277.3	1007.7	
		1-08-66	261.8	1023.2	
		1-22-66	253.9	1031.1	
		2-12-66	250.5	1034.5	
		2-26-66	246.2	1038.8	
		3-12-66	243.7	1041.3	
		3-26-66	242.7	1042.3	
		4-09-66	242.1	1042.9	
		4-23-66	241.5	1043.5	
		5-14-66	242.1	1042.9	
		5-28-66	243.2	1041.8	
		6-11-66	243.3	1041.7	
		6-25-66	245.5	1039.5	
		7-09-66	247.9	1037.1	
		7-23-66	250.0	1035.0	
		8-20-66	264.6(1)	1020.4	
		9-17-66	268.3(9)	1016.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT					Y-01.00
LAKE MATHEWS HYDRO SUBUNIT					Y-01.C0
BEDFORD HYDRO SUBAREA					Y-01.C2
04S/06W-16C01S	781.0	8-21-65	63.2(1)	717.8	272
		9-18-65	67.7(1)	713.3	
		10-08-65	55.6	725.4	
		10-23-65	54.8	726.2	
		11-13-65	55.4	725.6	
		11-27-65	48.5	732.5	
		12-18-65	44.0(1)	737.0	
		1-15-66	37.7(1)	743.3	
		2-19-66	31.8(1)	749.2	
		3-19-66	30.0(1)	751.0	
		4-16-66	31.5(1)	749.5	
		5-21-66	35.3(1)	745.7	
		6-18-66	36.7(1)	744.3	
		7-16-66	38.1(1)	742.9	
		8-20-66	40.8(1)	740.2	
		9-17-66	42.3(1)	738.7	
04S/06W-16C02S	790.0	7-17-65	63.9(1)	726.1	717
		8-14-65	67.4(1)	722.6	
		9-11-65	70.8	719.2	
		10-09-65	72.8(1)	717.2	
		11-13-65	62.4	727.6	
		12-11-65	36.5	753.5	
		1-15-66	27.8	762.2	
		2-12-66	24.4	765.6	
		3-12-66	20.2	769.8	
		4-09-66	29.5	760.5	
		5-14-66	35.2(1)	754.8	
		6-11-66	36.5(1)	753.5	
		7-09-66	40.0(1)	750.0	
		8-13-66	38.1(1)	751.9	
		9-17-66	46.0(1)	744.0	
04S/06W-35G01S	956.0	7-17-65	35.2	920.8	717
		8-14-65	35.1	920.9	
		9-11-65	35.1	920.9	
		10-09-65	35.5	920.5	
		11-13-65	35.8	920.2	
		12-11-65	27.0	929.0	
		1-15-66	16.4	939.6	
		2-12-66	14.9	941.1	
		3-12-66	14.8	941.2	
		4-09-66	17.5	938.5	
		5-14-66	23.2(1)	932.8	
		6-11-66	20.6	935.4	
		7-09-66	26.9(1)	929.1	
		8-13-66	29.2(1)	926.8	
		9-17-66	32.0(1)	924.0	
04S/06W-35G02S	956.0	7-17-65	34.8	921.2	717
		8-14-65	34.7	921.3	
		9-11-65	34.7	921.3	
		10-09-65	35.0	921.0	
		11-13-65	35.5	920.5	
		12-11-65	26.6	929.4	
		1-15-66	16.0	940.0	
		2-12-66	14.5	941.5	
		3-12-66	14.4	941.6	
		4-09-66	17.1	938.9	
		5-14-66	22.2	933.8	
		6-11-66	20.3	935.7	
		7-09-66	26.5	929.5	
		8-13-66	28.8	927.2	
		9-17-66	31.6	924.4	
LEE LAKE HYDRO SUBAREA					Y-01.C4
05S/05W-07C01S	1095.0	8-14-65	32.0(1)	1063.0	717
		9-11-65	32.1(1)	1062.9	
		10-09-65	31.9(1)	1063.1	
		11-13-65	27.6(1)	1067.4	
		12-11-65	11.5	1083.5	
		1-15-66	5.8	1089.2	
		2-12-66	6.0	1089.0	
		3-12-66	6.0	1089.0	
		4-09-66	27.2(1)	1067.8	
		5-14-66	23.2(1)	1071.8	
		6-11-66	27.1(1)	1067.9	
		7-09-66	27.2(1)	1067.8	
		8-13-66	27.0(1)	1068.0	
		9-17-66	27.2(1)	1067.8	
05S/05W-08N01S	1175.0	8-14-65	85.0(1)	1090.0	717
		9-11-65	85.1(1)	1089.9	
		10-09-65	85.2(1)	1089.8	
		11-13-65	86.1(1)	1088.9	
		12-11-65	60.9	1114.1	
		1-15-66	54.2	1120.8	
		2-12-66	51.5	1123.5	
		3-12-66	49.7	1125.3	
		4-09-66	75.1(1)	1099.9	
		5-14-66	76.0(1)	1099.0	
		6-11-66	75.9(1)	1099.1	
		7-09-66	76.9(1)	1098.1	
		8-13-66	76.9(1)	1098.1	
LAKE MATHEWS HYDRO SUBUNIT					Y-01.C0
LEE LAKE HYDRO SUBAREA					Y-01.C4
05S/05W-08N01S (CONT.)	1175.0	9-17-66	76.9(1)	1098.1	717
05S/05W-08P01S	1190.0	7-17-65	91.4(1)	1098.6	717
		8-14-65	91.3(1)	1098.7	
		9-11-65	91.4(1)	1098.6	
		10-09-65	91.3(1)	1098.7	
		11-13-65	91.3(1)	1098.7	
		12-11-65	70.8	1119.2	
		1-15-66	65.2	1124.8	
		2-12-66	61.9	1128.1	
		3-12-66	60.2	1129.8	
		4-09-66	88.6(1)	1101.4	
		5-14-66	89.9(1)	1100.1	
		6-11-66	88.8(1)	1101.2	
		7-09-66	89.4(1)	1100.6	
		8-13-66	89.7(1)	1100.3	
		9-17-66	90.0(1)	1100.0	
05S/05W-27P01S	1503.5	7-15-65	45.6	1457.9	103
		8-06-65	44.8	1458.7	
		9-15-65	44.5	1459.0	
		10-26-65	44.3	1459.2	
		12-21-65	43.3	1460.2	
		1-11-66	42.6	1460.9	
		2-02-66	42.7	1460.8	
		3-09-66	43.1	1460.4	
		4-27-66	42.2	1461.3	
		5-27-66	45.6	1457.9	
		7-08-66	46.9	1456.6	
		8-05-66	46.4(1)	1457.1	
		9-07-66	44.8(1)	1458.7	
TERRA COTTA HYDRO SUBAREA					Y-01.C5
05S/04W-31E03S	1275.0	4-27-66	31.8	1243.2	103
05S/04W-31R02S	1300.0	4-29-66	38.0	1262.0	103
05S/05W-36J01S	1260.0	4-27-66	11.1	1248.9	103

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

COLTON-RIALTO HYDRO SUBUNIT Y-01.00

LOWER LYTLE HYDRO SUBAREA Y-01.02

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/05W-23P04S	1457.0	8-03-65	322.0(1)	1135.0	124
		9-02-65	325.0(1)	1132.0	
		10-01-65	325.0(1)	1132.0	
		11-01-65	329.0(1)	1128.0	
		12-01-65	338.0(1)	1119.0	
		1-03-66	251.0	1206.0	
		2-01-66	238.0	1219.0	
		3-01-66	238.0	1219.0	
		4-06-66	210.0	1247.0	
		5-02-66	234.0	1223.0	
		6-07-66	276.0(1)	1181.0	
		7-07-66	275.0(1)	1182.0	
		8-01-66	276.0(1)	1181.0	
01N/05W-17G01S	1850.0	11-01-65	65.0	1785.0	718
01N/05W-17K01S	1851.0	12-01-65	62.3	1788.7	718
01N/05W-17K02S	1852.6	11-01-65	61.5	1791.1	718
		12-01-65	65.5	1787.1	
01N/05W-18E01S	1895.0	4-08-66	142.0	1753.0	100
01N/06W-13N01S	1675.0	4-08-66	156.9	1518.1	100

RECHE HYDRO SUBAREA Y-01.04

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-07C01S	1199.6	8-26-65	208.5	991.1	230
		11-12-65	209.3	990.3	
		11-19-65	197.4	1002.2	100
		11-24-65	208.2	991.4	230
		2-10-66	207.5	992.1	
		4-07-66	202.8	996.8	100
		4-13-66	207.3	992.3	230
		7-13-66	(1)		
		9-27-66	(1)		
01S/04W-18B01S	1134.9	7-30-65	255.8(1)	879.1	201
		8-27-65	254.8	860.1	
		10-01-65	254.8	880.1	
		11-01-65	255.8	879.1	
		12-01-65	253.8	881.1	
		1-03-66	253.8	881.1	
		2-01-66	255.8	879.1	
		3-01-66	253.8	881.1	
		4-01-66	253.8	881.1	
		5-01-66	253.8	881.1	
		6-01-66	254.8	880.1	
		7-01-66	258.8	876.1	
01S/04W-18B02S	1105.5	8-26-65	237.0	868.5	230
		11-18-65	233.2	872.3	
		2-11-66	(4)		
01S/04W-18E01S	1115.5	3-03-66	241.2	874.3	100
		4-01-66	238.3	877.2	
		5-05-66	240.5	875.0	
		6-03-66	241.3	874.2	
		6-29-66	244.6	870.9	
		8-04-66	252.6	862.9	
		8-29-66	252.6	862.9	
01S/04W-18F01S	1100.4	7-30-65	230.0(1)	870.4	201
		8-27-65	224.0	876.4	
		10-01-65	225.0	875.4	
		11-01-65	226.0	874.4	
		12-01-65	225.0	875.4	
		1-03-66	225.0	875.4	
		2-01-66	225.0	875.4	
		3-01-66	224.0	876.4	
		4-01-66	224.0	876.4	
		5-01-66	224.0	876.4	
		6-01-66	225.0	875.4	
		7-01-66	226.0	874.4	
01S/04W-18G01S	1093.6	7-30-65	222.0	871.6	201
		8-27-65	223.0	870.6	
		10-01-65	224.0	869.6	
		11-01-65	225.0	868.6	
		12-01-65	224.0	869.6	
		1-03-66	224.0	869.6	
		2-01-66	224.0	869.6	
		3-01-66	223.0	870.6	
		4-01-66	223.0	870.6	
		5-01-66	223.0	870.6	
		6-01-66	224.0	869.6	
		7-01-66	225.0	868.6	
01S/04W-18J02S	1068.0	11-30-65	203.3	864.7	718
		4-11-66	201.3	866.7	
01S/04W-20K01S	981.0	7-19-65	134.5	846.5	400
		8-24-65	136.1	844.9	
		9-27-65	135.7	845.3	
		10-27-65	DRY		

Y-01.00

COLTON-RIALTO HYDRO SUBUNIT Y-01.00

RECHE HYDRO SUBAREA Y-01.04

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-20K01S (CONT.)	981.0	11-29-65	140.2	840.8	400
		11-30-65	140.1	840.9	718
		12-27-65	141.6	839.4	400
		1-17-66	140.4	840.6	
		2-23-66	134.6	846.4	
		3-28-66	132.8	848.2	
		4-11-66	132.1	848.9	718
		5-14-66	131.2	849.8	400
		6-28-66	131.1	849.9	
		8-03-66	134.1	846.9	
		9-08-66	135.9	845.1	
		9-29-66	135.2	845.8	
01S/04W-21J05S	968.0	7-10-65	42.8	925.2	713
		8-07-65	43.4	924.6	
		9-04-65	43.6	924.4	
		10-09-65	43.8	924.2	
		11-06-65	43.8	924.2	
		12-11-65	27.0	941.0	
		1-08-66	21.3	946.7	
		2-12-66	20.7	947.3	
		3-05-66	21.0	947.0	
		4-16-66	25.1	942.9	
		5-07-66	25.9	942.1	
		6-04-66	29.5	938.5	
		7-16-66	34.7	933.3	
		8-06-66	38.0	930.0	
		9-10-66	38.4	929.6	
01S/04W-21K08S	955.0	8-24-65	38.3	916.7	400
		9-27-65	36.4	918.6	
		10-27-65	39.1	915.9	
		11-29-65	38.2	916.8	
		12-27-65	27.6	927.4	
		1-17-66	24.4	930.6	
		2-23-66	22.3	932.7	
		3-28-66	21.9	933.1	
		5-14-66	24.4	930.6	
		6-28-66	31.6	923.4	
		8-03-66	35.0	920.0	
		9-08-66	36.9	918.1	
		9-29-66	38.1	916.9	
01S/04W-21K10S	959.0	7-10-65	40.3	918.7	713
		8-07-65	43.8	915.2	
		9-04-65	47.9	911.1	
		10-09-65	50.6	908.4	
		11-06-65	52.0	907.0	
		12-11-65	41.5	917.5	
		1-08-66	29.8	929.2	
		2-12-66	25.3	933.7	
		3-05-66	23.2	935.8	
		4-16-66	22.1	936.9	
		5-07-66	22.9	936.1	
		6-04-66	25.4	933.6	
		7-16-66	30.3	928.7	
		8-06-66	33.9	925.1	
		9-10-66	38.1	920.9	
01S/04W-21L01S	956.0	7-09-65	145.8(1)	810.2	720
		8-06-65	101.4	854.6	
		8-27-65	(1)		230
		9-10-65	148.6(1)	807.4	720
		10-08-65	97.6	858.4	
		10-22-65	106.7	849.3	
		11-18-65	97.0	859.0	230
		11-19-65	96.0	860.0	720
		12-17-65	88.8	867.2	
		1-21-66	83.6	872.4	
		2-10-66	81.0	875.0	230
		2-18-66	80.8	875.2	720
		3-11-66	76.6	879.4	
		4-13-66	82.2	873.8	230
		4-22-66	88.2	867.8	720
		5-20-66	88.1	867.9	
		6-10-66	83.3	872.7	
		7-13-66	(1)		230
		7-29-66	86.7	869.3	720
		8-26-66	88.1	867.9	
		9-27-66	97.2	858.8	230
		9-30-66	98.9	857.1	720
01S/04W-21N01S	963.3	7-13-66	(1)		230
		9-27-66	(1)		
01S/04W-21P01S	947.5	7-13-65	43.1	904.4	720
		9-30-65	45.6	901.9	
		10-16-65	48.0	899.5	
		11-19-65	52.7	894.8	
		12-03-65	40.7	906.8	
		1-07-66	33.4	914.1	
		2-04-66	26.3	921.2	
		3-03-66	25.5	922.0	
		4-11-66	24.8	922.7	
		5-30-66	25.9	921.6	
		7-10-66	31.7	915.8	
		8-11-66	35.1	912.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

COLTON-RIALTO HYDRO SUBUNIT Y-01.00
RECHE HYDRO SUBAREA Y-01.04

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-21Q01S	945.5	9-30-65	46.5	899.0	720
(CONT.)		10-16-65	43.8	901.7	
		11-19-65	46.5	899.0	
		12-03-65	44.8	900.7	
		1-07-66	37.4	908.1	
		2-04-66	29.8	915.7	
		3-03-66	24.5	921.0	
		4-11-66	27.7	917.8	
		5-30-66	28.8	916.7	
		7-13-66	29.4	916.1	
		8-11-66	30.2	915.3	
01S/04W-21Q03S	955.2	7-09-65	102.3	852.9	720
		8-13-65	105.2	850.0	
		9-10-65	107.8	847.4	
		10-08-65	98.8	856.4	
		10-29-65	108.0	847.2	
		11-12-65	108.2	847.0	
		11-26-65	93.7	861.5	
		12-17-65	88.7	866.5	
		1-21-66	82.5	872.7	
		2-18-66	78.6	876.6	
		3-11-66	74.9	880.3	
		4-15-66	78.4	876.8	
		5-13-66	79.3	875.9	
		5-27-66	91.0	864.2	
		6-10-66	83.2	872.0	
		6-24-66	93.5	861.7	
		7-15-66	95.1	860.1	
		7-29-66	104.2	851.0	
		8-05-66	95.7	859.5	
		8-26-66	88.0	867.2	
		9-16-66	97.9	857.3	
01S/04W-21R03S	965.0	11-30-65	30.6	934.4	718
		4-11-66	22.5	942.5	
01S/04W-21R04S	965.0	11-30-65	28.6	936.4	718
		4-11-66	20.6	944.4	
01S/04W-21R05S	965.0	11-30-65	32.9	932.1	718
		4-11-66	21.0	944.0	
01S/04W-21R06S	965.0	11-30-65	32.3	932.7	718
		4-11-66	21.8	943.2	
01S/04W-21R07S	965.0	11-30-65	39.9	925.1	718
		4-11-66	25.1	939.9	
01S/04W-22N01S	980.0	7-19-65	84.3	895.7	400
		8-24-65	84.0(1)	896.0	
		9-27-65	(1)		
		10-27-65	(2)		
		11-29-65	(2)		
		12-27-65	(2)		
		1-17-66	(2)		
		2-23-66	(2)		
		3-28-66	(2)		
		4-15-66	(2)		
		6-28-66	(2)		
		8-03-66	(2)		
		9-08-66	(2)		
01S/04W-27L01S	993.0	11-30-65	94.7	898.3	718
		4-08-66	87.2	905.8	
01S/04W-27N01S	1015.0	11-24-65	118.4	896.6	718
		4-08-66	115.9	899.1	
01S/04W-28A05S	960.0	11-20-65	93.0	867.0	718
		4-08-66	60.5	899.5	
01S/04W-28C01S	948.0	7-16-65	93.9	854.1	720
		8-20-65	97.2	850.8	
		9-17-65	102.9	845.1	
		10-29-65	101.9	846.1	
		11-19-65	94.9	853.1	
		12-17-65	85.3	862.7	
		1-21-66	79.5	868.5	
		2-18-66	74.2	873.8	
		3-11-66	70.9	877.1	
		4-15-66	79.0	869.0	
		5-21-66	80.6	867.4	
		6-24-66	87.4	860.6	
		7-22-66	87.6	860.4	
		8-19-66	92.4	855.6	
		9-09-66	88.9	859.1	
01S/04W-28E01S	936.0	7-10-65	70.1	865.9	713
		8-07-65	74.3	861.7	
		9-04-65	60.9	875.1	
		10-09-65	66.8	869.2	
		11-06-65	71.0	865.0	
		11-24-65	(9)		718
		12-11-65	(7)		713
		12-14-65	(9)		718
		1-08-66	35.8	900.2	
		1-08-66	35.5	900.5	713

COLTON-RIALTO HYDRO SUBUNIT Y-01.00
RECHE HYDRO SUBAREA Y-01.04

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-28E01S	936.0	2-12-66	36.6	899.4	713
(CONT.)		3-05-66	35.7	900.3	718
		3-05-66	35.4	900.6	713
		4-08-66	33.5	902.5	718
		4-16-66	35.6	900.4	
		4-16-66	35.3	900.7	713
		5-07-66	35.4	900.6	
		6-04-66	35.7	900.3	
		7-16-66	35.6	900.4	
		8-06-66	35.4	900.6	
		9-10-66	35.3	900.7	
01S/04W-28G01S	954.0	9-04-65	(1)		713
		11-06-65	71.7	882.3	
		11-20-65	70.0	884.0	718
		1-08-66	63.7	890.3	713
		3-05-66	58.5	895.5	
		4-08-66	57.0	897.0	718
		5-07-66	(1)		713
		7-16-66	57.3	896.7	
		9-10-66	59.7	894.3	
01S/04W-28K01S	947.0	7-06-65	78.0	869.0	783
		8-09-65	166.0(1)	781.0	
		9-06-65	172.3(1)	774.7	
		10-11-65	203.0(1)	744.0	
		11-08-65	205.7(1)	741.3	
		11-20-65	99.1	847.9	718
		12-06-65	78.5	868.5	783
		1-11-66	65.8	881.2	
		2-07-66	60.4	886.6	
		3-07-66	58.4	888.6	
		4-08-66	59.9(2)	887.1	718
		4-12-66	60.2	886.8	783
		5-10-66	62.2	884.8	
		6-06-66	58.8	888.2	
		7-12-66	60.2	886.8	
		8-09-66	61.8	885.2	
		9-05-66	60.0	887.0	
01S/04W-28K02S	952.4	7-10-65	65.4	887.0	713
		7-19-65	63.1	889.3	400
		8-24-65	89.4(1)	863.0	
		9-04-65	68.1	884.3	713
		10-27-65	67.4(2)	885.0	400
		11-06-65	69.4	883.0	713
		11-20-65	74.3	878.1	718
		11-29-65	66.1	886.3	400
		12-11-65	69.8	882.6	718
		12-11-65	63.5	888.9	713
		12-27-65	61.3	891.1	400
		1-08-66	65.4	887.0	718
		1-08-66	59.1	893.3	713
		1-17-66	58.9	893.5	400
		2-23-66	57.0	895.4	
		3-05-66	62.3	890.1	718
		3-05-66	56.0	896.4	713
		3-28-66	56.7	895.7	400
		4-08-66	61.9(2)	890.5	718
		5-07-66	(1)		713
		5-14-66	56.7	895.7	400
		6-28-66	54.7	897.7	
		7-16-66	(1)		713
		8-03-66	56.7	895.7	400
		9-08-66	57.7	894.7	
		9-10-66	(1)		713
		9-29-66	59.4	893.0	400
01S/05W-02C01S	1343.5	4-22-66	368.0	975.5	124
		5-02-66	376.0(1)	967.5	
01S/05W-02K01S	1287.0	7-01-65	335.0(1)	952.0	124
		8-03-65	336.0(1)	951.0	
		9-02-65	336.0(1)	951.0	
		10-01-65	336.0(1)	951.0	
		12-01-65	340.0(1)	947.0	
		1-03-66	318.0	969.0	
		2-01-66	339.0(1)	948.0	
		3-01-66	338.0(1)	949.0	
		4-06-66	321.0	966.0	
		5-02-66	321.0	966.0	
		6-07-66	340.0(1)	947.0	
		7-07-66	340.0(1)	947.0	
		8-01-66	343.0(1)	944.0	
		9-06-66	342.0(1)	945.0	
01S/05W-03J01S	1300.0	11-19-65	(7)		100
		4-07-66	364.3	935.7	
01S/05W-12L01S	1180.0	8-03-65	280.8(1)	899.2	124
		9-02-65	269.8(1)	910.2	
		10-01-65	261.8	918.2	
		11-01-65	261.8	918.2	
		12-01-65	287.8(1)	892.2	
		1-03-66	285.8(1)	894.2	
		2-01-66	264.8	915.2	
		3-01-66	263.8	916.2	
		4-06-66	263.8	916.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT					Y-01.00
COLTON-RIALTO HYDRO SUBUNIT					Y-01.D0
RECHE HYDRO SUBAREA					Y-01.D4
01S/05W-12L01S (CONT.)	1180.0	5-02-66	279.8(1)	900.2	124
		6-07-66	284.8(1)	895.2	
		7-07-66	286.8(1)	893.2	
		8-01-66	285.8(1)	894.2	
		9-06-66	284.8(1)	895.2	
01S/05W-12N01S	1173.0	8-03-65	261.3(1)	911.7	124
		9-02-65	250.3(1)	922.7	
		10-01-65	256.3(1)	916.7	
		11-01-65	250.3	922.7	
		12-01-65	252.3	920.7	
		1-03-66	250.3	922.7	
		2-01-66	250.3	922.7	
		3-01-66	250.3	922.7	
		4-06-66	251.3	921.7	
		5-02-66	251.3	921.7	
		6-07-66	263.3(1)	909.7	
		7-07-66	263.3(1)	909.7	
		8-01-66	271.3(1)	901.7	
		9-06-66	266.3(1)	906.7	
01N/05W-28J01S	1514.2	12-01-65	443.0	1071.2	718
01N/05W-29A01S	1628.0	5-05-66	484.8	1143.2	100
		6-03-66	485.5	1142.5	
		6-29-66	485.5	1142.5	
		8-04-66	483.8	1144.2	
		8-29-66	484.2	1143.8	
UPPER SANTA ANA HYDRO SUBUNIT					Y-01.E0
BUNKER HILL HYDRO SUBAREA					Y-01.E2
01S/02W-17C01S	1765.0	7-19-65	(1)		400
		8-24-65	(1)		
01S/03W-01H01S	1541.3	7-19-65	411.8(1)	1129.5	400
		8-19-65	417.6(1)	1123.7	
		8-24-65	376.2	1165.1	
		8-26-65	(1)		230
		9-27-65	415.3(1)	1126.0	400
		10-27-65	378.5	1162.8	
		11-12-65	378.0	1163.3	230
		11-23-65	374.7	1166.6	
		11-29-65	376.7	1164.6	400
		12-27-65	354.1	1187.2	
		1-17-66	359.4	1181.9	
		2-09-66	(9)		230
		2-23-66	351.9	1189.4	400
		4-06-66	397.8(1)	1143.5	
		4-12-66	(1)		230
		5-14-66	343.8	1197.5	400
		6-28-66	(1)		
		7-12-66	(1)		230
		8-03-66	(1)		400
		9-08-66	(1)		
		9-21-66	332.6	1208.7	
		9-23-66	(1)		230
01S/03W-02J01S	1397.4	7-19-65	(9)		400
		8-24-65	336.7(1)	1060.7	
		9-27-65	(1)		
		10-27-65	325.8(1)	1071.6	
		11-29-65	273.2	1124.2	
		12-27-65	268.0	1129.4	
		1-17-66	265.7	1131.7	
		2-23-66	256.8	1140.6	
		4-06-66	250.3	1147.1	
		5-14-66	246.7(3)	1150.7	
		6-28-66	(1)		
		8-03-66	(1)		
		9-08-66	(1)		
01S/03W-02P02S	1345.3	7-19-65	339.9(1)	1005.4	400
		8-24-65	(1)		
		9-27-65	338.8(1)	1006.5	
		10-27-65	(1)		
		11-29-65	269.6	1075.7	
		12-27-65	263.9	1081.4	
		1-17-66	261.1	1084.2	
		2-23-66	256.8	1088.5	
		4-06-66	260.3	1085.0	
		5-14-66	253.9	1091.4	
		6-28-66	254.0	1091.3	
		8-03-66	256.4	1088.9	
		9-08-66	(1)		
		9-29-66	263.3	1082.0	
01S/03W-03D02S	1284.0	8-26-65	272.4	1011.6	230
		11-12-65	276.9	1007.1	
		11-23-65	277.1	1006.9	
		2-09-66	276.9	1007.1	
		4-12-66	273.4	1010.6	
		7-12-66	275.1	1008.9	
		9-22-66	275.2	1008.8	
01S/03W-03D03S	1284.0	8-02-65	277.6	1006.4	104
		9-20-65	276.3	1007.7	
		2-23-66	276.4	1007.6	
		3-22-66	280.6	1003.4	
		4-19-66	288.7	995.3	
		5-26-66	282.4	1001.6	
		6-24-66	277.8	1006.2	
		7-28-66	278.0	1006.0	
		8-30-66	285.2	998.8	
01S/03W-03N07S	1241.0	8-02-65	(1)		104
		9-20-65	(1)		
		2-23-66	238.2	1002.8	
		3-22-66	243.0	998.0	
		4-18-66	251.5	989.5	
		5-26-66	252.5	988.5	
		6-24-66	251.5	989.5	
		7-28-66	254.2	986.8	
		8-30-66	256.0	985.0	
01S/03W-03R01S	1302.0	7-19-65	357.1(1)	944.9	400
		8-24-65	(1)		
		9-27-65	356.0(1)	946.0	
		10-27-65	(1)		
		11-29-65	(3)		
		12-27-65	(4)		
		1-17-66	(4)		
		2-23-66	(4)		
		3-28-66	(4)		
		5-14-66	282.3	1019.7	
		6-28-66	280.3	1021.7	
		8-03-66	282.9	1019.1	
		9-08-66	(4)		
		9-29-66	(4)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/03W-04B02S	1296.0	8-02-65	291.4	1004.6	104
		9-20-65	292.0	1004.0	
		2-23-66	282.4	1013.6	
		3-22-66	289.0	1007.0	
		4-25-66	(1)		
		5-25-66	(1)		
		6-27-66	(1)		
		7-28-66	290.7	1005.3	
		8-30-66	296.1	999.9	
01S/03W-04C01S	1285.2	8-26-65	(1)		230
		11-12-65	293.8	991.4	
		11-23-65	294.2	991.0	
		2-09-66	294.8	990.4	
		4-12-66	290.2	995.0	
		7-12-66	293.0	992.2	
		9-23-66	294.4	990.8	
01S/03W-04J01S	1242.0	7-19-65	291.3(1)	950.7	400
		8-24-65	(1)		
		9-27-65	290.7(1)	951.3	
		10-27-65	(1)		
		11-29-65	240.2	1001.8	
		12-27-65	216.0	1026.0	
		1-17-66	239.8	1002.2	
		2-23-66	237.3	1004.7	
		3-28-66	238.5	1003.5	
		5-14-66	232.7	1009.3	
		6-28-66	229.6	1012.4	
		8-03-66	243.3	998.7	
		9-08-66	250.4	991.6	
		9-29-66	(1)		
01S/03W-04R02S	1242.2	8-26-65	(1)		230
		11-12-65	(1)		
		11-23-65	247.0	995.2	
		2-09-66	238.0	1004.2	
		4-12-66	(1)		
		7-12-66	(1)		
		9-23-66	(1)		
01S/03W-05J03S	1192.6	8-26-65	209.2	983.4	230
		11-12-65	214.4	978.2	
		11-23-65	212.8	979.8	
		2-09-66	211.2	981.4	
		4-12-66	209.2	983.4	
		7-12-66	209.9	982.7	
		9-23-66	214.4	978.2	
01S/03W-06H03S	1148.6	7-02-65	181.2	967.4	104
		8-02-65	184.8	963.8	
		9-30-65	186.8	961.8	
		2-23-66	204.5(2)	944.1	
		3-22-66	207.0(2)	941.6	
		4-19-66	195.3(2)	953.3	
		5-26-66	204.2(2)	944.4	
		6-24-66	194.0(2)	954.6	
		7-28-66	193.2(2)	955.4	
		8-30-66	198.4(2)	950.2	
		9-30-66	198.5(2)	950.1	
01S/03W-06H04S	1148.6	7-16-65	186.4(1)	962.2.	104
		8-02-65	186.1(1)	962.5	
		9-30-65	187.7(1)	960.9	
		2-23-66	195.4(1)	953.2	
		3-22-66	209.0(1)	939.6	
		4-19-66	194.7(1)	953.9	
		5-26-66	204.0(1)	944.6	
		6-24-66	193.8(1)	954.8	
		7-28-66	198.1(1)	950.5	
		8-29-66	205.9(1)	942.7	
		9-28-66	206.0(1)	942.6	
01S/03W-06K01S	1132.0	8-02-65	167.1	964.9	104
		9-20-65	169.3	962.7	
		2-23-66	166.4	965.6	
		3-23-66	165.0	967.0	
		4-18-66	166.6	965.4	
		5-25-66	169.0	963.0	
		6-24-66	171.9	960.1	
		7-28-66	175.4	956.6	
		8-30-66	177.5	954.5	
01S/03W-06M04S	1114.2	7-02-65	161.1	953.1	104
		8-02-65	153.6	960.6	
		9-20-65	154.7	959.5	
01S/03W-09D01S	1197.0	8-02-65	(1)		104
		9-20-65	(1)		
		2-24-66	176.8(1)	1020.2	
		3-22-66	231.0(1)	966.0	
		4-19-66	233.4(1)	963.6	
		5-26-66	232.6(1)	964.4	
		6-24-66	219.8	977.2	
		7-28-66	221.1	975.9	
		8-30-66	225.6	971.4	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/03W-09E02S	1190.0	7-19-65	219.9(2)	970.1	400
		8-24-65	220.0(1)	970.0	
		9-27-65	(1)		
		10-27-65	231.2(1)	958.8	
		11-29-65	214.4(2)	975.6	
		12-27-65	231.1(1)	958.9	
		1-17-66	(1)		
		2-24-66	228.9(1)	961.1	
		3-28-66	(1)		
		5-14-66	208.5(4)	981.5	
		6-28-66	211.0(2)	979.0	
		8-03-66	213.0(2)	977.0	
		9-08-66	(1)		
		9-29-66	216.7	973.3	
01S/03W-10D01S	1255.0	8-02-65	(1)		104
		8-24-65	244.3	1010.7	400
		9-20-65	251.3	1003.7	104
		9-27-65	252.4(1)	1002.6	400
		10-27-65	(1)		
		11-29-65	248.8	1006.2	
		12-27-65	247.6	1007.4	
		1-17-66	247.0	1008.0	
		2-23-66	247.7(1)	1007.3	
		2-23-66	257.7(1)	997.3	104
		3-22-66	296.5	958.5	
		3-28-66	242.5	1012.5	400
		4-18-66	297.5(1)	957.5	104
		5-14-66	238.7	1016.3	400
		5-26-66	284.8(1)	970.2	104
		6-24-66	284.0	971.0	
		6-28-66	(1)		400
		7-28-66	296.3(1)	958.7	104
		8-03-66	(1)		400
		8-30-66	251.6	1003.4	104
		9-08-66	(1)		400
		9-29-66	(1)		
01S/03W-14R01S	1481.0	6-04-66	(1)		400
		6-30-66	(1)		
		8-04-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/03W-15A01S	1315.0	4-07-66	228.9	1086.1	400
		6-04-66	225.0	1090.0	
		6-30-66	271.1	1043.9	
		8-04-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/03W-15F01S	1282.0	7-20-65	244.6(1)	1037.4	400
		8-25-65	(1)		
		9-28-65	(1)		
		10-28-65	(1)		
		12-02-65	224.6	1057.4	
		12-28-65	219.3	1062.7	
		1-18-66	215.1	1066.9	
		2-24-66	215.2	1066.8	
		4-07-66	213.5	1068.5	
		6-04-66	215.5	1066.5	
		6-30-66	217.5	1064.5	
		8-02-66	219.4	1062.6	
		9-28-66	221.8	1060.2	
01S/03W-15M03S	1334.6	7-20-65	296.3(1)	1038.3	400
		8-25-65	(1)		
		9-28-65	294.9(1)	1039.7	
		10-28-65	(1)		
		12-02-65	276.7	1057.9	
		12-30-65	272.9	1061.7	
		1-18-66	270.7	1063.9	
		2-24-66	267.8	1066.8	
		4-07-66	267.0	1067.6	
		6-04-66	(1)		
		6-29-66	(1)		
		8-02-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/03W-15R01S	1394.0	7-20-65	331.4(1)	1062.6	400
		8-25-65	(1)		
		9-28-65	329.1(1)	1064.9	
		10-28-65	(2)		
		12-02-65	(2)		
		12-28-65	(2)		
		1-18-66	(2)		
		2-24-66	(2)		
		4-07-66	(2)		
		6-04-66	(2)		
		6-30-66	(2)		
		8-04-66	(2)		
		9-08-66	(2)		
01S/03W-16F01S	1257.0	7-20-65	(1)		400
		8-25-65	(1)		
		9-28-65	(1)		
		10-28-65	252.8	1004.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT Y-01.00					
UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0					
BUNKER HILL HYDRO SUBAREA Y-01.F2					
01S/03W-16F01S (CONT.)	1257.0	12-02-65	250.6	1006.4	400
		12-30-65	248.5	1008.5	
		1-18-66	247.2	1009.8	
		2-24-66	241.9	1015.1	
		4-07-66	(1)		
		6-04-66	(1)		
		6-30-66	(1)		
		8-02-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/03W-16J01S	1303.1	8-24-65	(1)		400
		9-28-65	267.0(1)	1036.1	
		10-28-65	(1)		
		12-02-65	(2)		
		12-30-65	(7)		
		1-18-66	252.7	1050.4	
		2-24-66	247.9	1055.2	
		4-07-66	248.3	1054.8	
		6-04-66	(1)		
		6-30-66	(1)		
		8-02-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/03W-17C03S	1175.9	7-05-65	192.5	983.4	847
		7-12-65	192.4	983.5	
		7-19-65	192.5	983.4	
		7-26-65	193.3	982.6	
		8-02-65	193.7	982.2	
		8-09-65	194.1	981.8	
		8-16-65	194.0	981.9	
		8-23-65	194.2	981.7	
		8-30-65	196.6	979.3	
		9-06-65	196.4	979.5	
		9-13-65	190.7	985.2	
		9-13-65	196.6	979.3	
		9-20-65	196.2	979.7	
		9-27-65	196.9	979.0	
		10-04-65	197.3	978.6	
		10-11-65	197.8	978.1	
		10-18-65	199.2	976.7	
		10-25-65	198.5	977.4	
		11-01-65	199.7	976.2	
		11-08-65	199.2	976.7	
		11-15-65	199.8	976.1	
		11-22-65	199.0	976.9	
		11-29-65	199.1	976.8	
		12-06-65	198.5	977.4	
		12-13-65	197.5	978.4	
		12-20-65	196.9	979.0	
		12-27-65	197.5	978.4	
		1-03-66	196.4	979.5	
		1-10-66	195.4	980.5	
		1-17-66	194.4	981.5	
		1-24-66	193.5	982.4	
		1-31-66	192.2	983.7	
		2-07-66	190.8	985.1	
		2-14-66	189.7	986.2	
		2-21-66	188.0	987.9	
		2-28-66	188.3	987.6	
		3-07-66	188.0	987.9	
		3-14-66	187.8	988.1	
		3-21-66	187.6	988.3	
		3-28-66	188.1	987.8	
		4-04-66	188.8	987.1	
		4-11-66	189.8	986.1	
		4-18-66	189.2	986.7	
		4-25-66	189.7	986.2	
		5-02-66	190.3	985.6	
		5-09-66	190.5	985.4	
		5-16-66	191.3	984.6	
		5-23-66	191.4	984.5	
		5-30-66	192.6	983.3	
		6-06-66	192.5	983.4	
		6-13-66	193.2	982.7	
		6-20-66	193.7	982.2	
		6-27-66	193.9	982.0	
		7-04-66	194.8	981.1	
		7-11-66	195.5	980.4	
		7-18-66	196.1	979.8	
		7-25-66	196.7	979.2	
		8-01-66	197.4	978.5	
		8-08-66	197.6	978.3	
		8-15-66	198.7	977.2	
		8-22-66	198.8	977.1	
		8-29-66	199.6	976.3	
		9-05-66	199.9	976.0	
		9-12-66	200.2	975.7	
		9-19-66	200.7	975.2	
		9-26-66	201.4	974.5	
01S/03W-17H03S	1205.2	4-07-66	224.6	980.6	400
		6-04-66	227.0	978.2	
		6-30-66	230.4(2)	974.8	
		8-02-66	232.9(2)	972.3	
		9-08-66	236.8(2)	968.4	
		9-28-66	237.0	968.2	
UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0					
BUNKER HILL HYDRO SUBAREA Y-01.E2					
01S/03W-17L01S	1188.8	7-20-65	222.3	966.5	400
		8-25-65	248.0(1)	940.8	
		9-28-65	(1)		
		10-28-65	251.3(1)	937.5	
		12-02-65	217.0	971.8	
		12-30-65	213.4	975.4	
		1-18-66	211.8	977.0	
		2-24-66	208.7	980.1	
		4-06-66	231.1(1)	957.7	
		6-04-66	(1)		
		6-30-66	(1)		
		8-02-66	(1)		
		9-01-66	(1)		
		9-28-66	(1)		
01S/03W-17R01S	1216.0	7-20-65	202.2(1)	1013.8	400
		8-25-65	(1)		
		9-28-65	201.4(1)	1014.6	
		10-28-65	(1)		
		12-02-65	140.0	1076.0	
		12-30-65	188.2	1027.8	
		1-18-66	186.2	1029.8	
		2-24-66	182.7	1033.3	
		4-07-66	186.9	1029.1	
		5-04-66	(1)		
		6-30-66	(8)		
		8-02-66	(8)		
		9-01-66	(8)		
		9-28-66	(8)		
01S/03W-18L01S	1127.1	7-09-65	189.7(1)	937.4	400
		7-21-65	(1)		
		8-25-65	190.2(1)	936.9	
		9-28-65	(1)		
		10-28-65	191.9(1)	935.2	
		12-03-65	175.5	951.6	
		12-30-65	175.0	952.1	
		1-19-66	172.6	954.5	
		2-25-66	(1)		
		4-07-66	(1)		
		5-28-66	(1)		
		7-01-66	(1)		
		8-02-66	(1)		
		8-31-66	(1)		
		9-27-66	(1)		
01S/03W-19G02S	1134.4	8-25-65	(1)		400
		9-28-65	222.1(1)	912.3	
		10-28-65	(1)		
		12-03-65	191.6	942.8	
		12-30-65	186.0	948.4	
		1-19-66	186.1	948.3	
		2-25-66	201.5(1)	932.9	
		4-07-66	223.3	911.1	
		5-28-66	213.3(1)	921.1	
		7-01-66	224.7(1)	909.7	
		8-02-66	(1)		
		8-31-66	(1)		
		9-27-66	(1)		
01S/03W-19J02S	1160.4	7-21-65	(4)		400
		8-25-65	(4)		
		9-28-65	(4)		
		10-29-65	(4)		
		12-03-65	196.3	964.1	
		12-30-65	193.4	967.0	
		1-19-66	185.5	974.9	
		2-25-66	187.4	973.0	
		4-07-66	(2)		
		6-04-66	(3)		
		7-01-66	210.1	950.3	
		8-02-66	(3)		
		8-31-66	(3)		
		9-27-66	(3)		
01S/03W-20F01S	1192.0	7-20-65	(1)		400
		8-25-65	(1)		
		2-04-66	201.9	990.1	
		2-24-66	203.8	988.2	
		4-06-66	201.8	990.2	
		6-04-66	(1)		
		6-30-66	203.2(1)	988.8	
		8-02-66	(1)		
		9-01-66	(1)		
		9-28-66	(1)		
01S/03W-20P01S	1194.0	7-20-65	212.1	981.9	400
		8-25-65	213.5	980.5	
		9-28-65	212.1	981.9	
		10-28-65	239.6	954.4	
		12-03-65	218.8	975.2	
		12-30-65	214.8	979.2	
		1-19-66	212.5	981.5	
		2-24-66	212.3	981.7	
		4-07-66	243.0(1)	951.0	
		6-04-66	(1)		
		6-30-66	243.7	950.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/03W-20P01S (CONT.)	1194.0	8-02-66	(7)		400
		9-01-66	(7)		
		9-28-66	(1)		
01S/03W-21E02S	1240.0	9-28-65	220.5(1)	1019.5	400
		11-28-65	(1)		
		12-03-65	211.3	1028.7	
		12-30-65	208.0	1032.0	
		2-24-66	202.0	1038.0	
		4-07-66	206.4	1033.6	
		6-04-66	211.0	1029.0	
		6-30-66	215.3(2)	1024.7	
		8-02-66	217.0(3)	1023.0	
		9-01-66	219.4	1020.6	
		9-28-66	222.7	1017.3	
01S/03W-21H01S	1318.1	7-20-65	289.9(1)	1028.2	400
		7-27-65	272.5	1045.6	203
		8-25-65	(1)		400
		8-26-65	274.5	1043.6	203
		9-24-65	277.0	1041.1	
		9-28-65	287.8(1)	1030.3	400
		10-28-65	264.0	1054.1	
		10-28-65	281.0	1037.1	203
		11-23-65	281.0	1037.1	
		12-02-65	289.6(1)	1028.5	400
		12-23-65	278.0(1)	1040.1	203
		12-30-65	(1)		400
		1-18-66	279.5(1)	1038.6	
		1-25-66	266.5	1051.6	203
		2-24-66	263.9	1054.2	400
		2-24-66	261.0	1057.1	203
		3-25-66	261.5	1056.6	
		4-07-66	283.2(1)	1034.9	400
		4-11-66	281.0(1)	1037.1	203
		5-25-66	275.0	1043.1	
		6-04-66	275.6(2)	1042.5	400
		6-29-66	277.0	1041.1	203
		6-30-66	277.8(2)	1040.3	400
		7-27-66	277.4	1040.7	203
		8-02-66	(1)		400
		8-25-66	281.6	1036.5	203
		9-08-66	(1)		400
		9-27-66	281.0	1037.1	203
		9-28-66	(1)		400
01S/03W-21H06S	1320.0	12-23-65	277.0	1043.0	203
		1-25-66	265.5	1054.5	
		2-24-66	267.0	1053.0	
		3-25-66	260.0	1060.0	
		4-11-66	262.0	1058.0	
		5-24-66	(9)		
		6-29-66	274.0	1046.0	
		7-27-66	(9)		
		8-25-66	278.0	1042.0	
01S/03W-21H07S	1319.0	7-17-65	273.5	1045.5	203
		7-27-65	270.0	1049.0	
		8-26-65	271.5	1047.5	
		9-24-65	273.5	1045.5	
		10-28-65	301.0(1)	1018.0	
		11-23-65	277.0	1042.0	
		12-23-65	275.0	1044.0	
		1-25-66	264.0	1055.0	
		2-24-66	258.0	1061.0	
		3-25-66	263.0	1056.0	
		4-11-66	265.0	1054.0	
		5-24-66	281.0	1038.0	
		6-27-66	286.0(1)	1033.0	
		7-27-66	286.8(1)	1032.2	
		8-25-66	291.0(1)	1028.0	
		9-27-66	290.0(1)	1029.0	
01S/03W-23A03S	1475.0	7-20-65	379.1(1)	1095.9	400
		8-25-65	(1)		
		9-28-65	377.3(1)	1097.7	
		10-28-65	(1)		
		12-02-65	355.6	1119.4	
		12-28-65	352.1	1122.9	
		1-18-66	349.7	1125.3	
		2-24-66	343.8	1131.2	
		4-07-66	344.1	1130.9	
		6-04-66	352.7	1122.3	
		6-30-66	(1)		
		8-04-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/03W-28E02S	1249.0	9-27-66	(1)		400
01S/03W-28E03S	1250.8	7-21-65	148.6	1102.2	400
		8-25-65	149.0	1101.8	
		9-28-65	148.7	1102.1	
		10-29-65	148.6(2)	1102.2	
		12-03-65	148.6	1102.2	
		12-30-65	148.5	1102.3	
		1-19-66	149.6	1101.2	
		2-25-66	148.5	1102.3	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/03W-28E03S (CONT.)	1250.8	4-07-66	148.9	1101.9	400
		6-11-66	148.4	1102.4	
		7-01-66	148.8(2)	1102.0	
		8-02-66	150.0(2)	1100.8	
		8-31-66	148.5	1102.3	
		9-27-66	148.5(2)	1102.3	
01S/03W-28H01S	1308.0	7-27-65	278.5(1)	1029.5	203
		8-26-65	280.0(1)	1028.0	
		9-29-65	282.4(1)	1025.6	
		10-28-65	293.5(1)	1014.5	
		11-26-65	267.0	1041.0	
		12-23-65	242.0	1066.0	
		1-25-66	240.0	1068.0	
		2-24-66	241.0	1067.0	
		3-25-66	276.0(1)	1032.0	
		4-11-66	277.5(1)	1030.5	
		5-25-66	276.5(1)	1031.5	
		6-30-66	287.8(1)	1020.2	
		7-28-66	290.7(1)	1017.3	
		8-25-66	288.8(1)	1019.2	
		9-27-66	292.0(1)	1016.0	
01S/03W-29G01S	1197.4	8-31-66	109.2	1088.2	400
		9-27-66	102.4	1095.0	
01S/03W-29H01S	1235.8	7-21-65	(8)		400
01S/03W-29L01S	1183.4	7-21-65	51.8	1131.6	400
		8-25-65	49.7	1133.7	
		9-28-65	51.1	1132.3	
		10-29-65	51.0	1132.4	
		12-03-65	50.7	1132.7	
		12-30-65	51.0	1132.4	
		1-19-66	51.5	1131.9	
		2-25-66	52.4	1131.0	
		4-07-66	53.2	1130.2	
		5-28-66	(3)		
		8-02-66	DRY		
		8-31-66	DRY		
		9-27-66	DRY		
01S/03W-30D04S	1136.0	7-21-65	112.8	1023.2	400
		8-25-65	118.5	1017.5	
		9-28-65	118.9	1017.1	
		10-28-65	117.5	1018.5	
		12-03-65	118.4	1017.6	
		12-30-65	116.0	1020.0	
		1-19-66	118.7	1017.3	
		2-24-66	118.3	1017.7	
		4-07-66	119.2	1016.8	
		5-28-66	120.2	1015.8	
		7-01-66	120.0	1016.0	
		8-02-66	119.1	1016.9	
		8-31-66	119.3(2)	1016.7	
		9-27-66	119.2(2)	1016.8	
01S/03W-31A06S	1227.0	8-25-65	231.9	995.1	400
		9-28-65	231.3	995.7	
		10-29-65	244.3	982.7	
		12-03-65	230.6	996.4	
		12-30-65	223.8	1003.2	
		1-19-66	220.1	1006.9	
		2-25-66	214.9	1012.1	
		4-07-66	226.4	1000.6	
		7-01-66	234.8	992.2	
		8-02-66	242.7	984.3	
		8-31-66	247.4	979.6	
		9-27-66	247.6	979.4	
01S/03W-32D01S	1206.2	7-21-65	209.6	996.6	400
		8-25-65	211.5	994.7	
		9-28-65	211.7	994.5	
		10-29-65	226.4	979.8	
		12-03-65	219.7	986.5	
		12-30-65	214.8	991.4	
		1-19-66	210.4	995.8	
		2-25-66	207.3	998.9	
		4-07-66	211.8	994.4	
		6-11-66	214.5	991.7	
		7-01-66	217.5	988.7	
		8-02-66	223.4	982.8	
		8-31-66	224.8	981.4	
		9-27-66	227.1	979.1	
01S/03W-32G03S	1240.2	7-21-65	(1)		400
		8-25-65	(1)		
		10-29-65	(2)		
		12-03-65	176.7	1063.5	
		12-30-65	173.7	1066.5	
		1-19-66	171.4	1068.8	
		2-25-66	168.1	1072.1	
		4-07-66	190.9(1)	1049.3	
		6-11-66	250.5(1)	989.7	
		7-01-66	(1)		
		8-02-66	(1)		
		8-31-66	(1)		
		9-27-66	(1)		

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-01A01S	1110.0	7-19-65	(3)		400
		8-24-65	(3)		
01S/04W-01A06S	1096.2	7-17-65	111.0	985.2	720
		9-25-65	112.4	983.8	
		10-17-65	113.5	982.7	
		11-18-65	113.6	982.6	
		12-06-65	112.8	983.4	
		1-07-66	111.9	984.3	
		2-03-66	114.4	981.8	
		3-03-66	113.9	982.3	
		4-11-66	115.3	980.9	
		5-23-66	116.2	980.0	
		6-09-66	116.6	979.6	
		7-11-66	121.6	974.6	
		8-11-66	118.2	978.0	
		9-08-66	126.9	969.3	
01S/04W-01B04S	1096.8	7-02-65	148.6	948.2	104
		8-02-65	154.5	942.3	
		9-20-65	157.6	939.2	
		2-09-66	143.0	953.8	
		3-25-66	141.4	955.4	
		4-19-66	149.5	947.3	
		5-25-66	145.2	951.6	
		6-24-66	151.3	945.5	
		7-28-66	154.6	942.2	
		8-31-66	163.2	933.6	
		9-30-66	163.0	933.8	
01S/04W-01E02S	1070.0	7-16-65	164.9(1)	905.1	104
		8-02-65	147.5	922.5	
		9-20-65	156.5	913.5	
		2-23-66	163.2(1)	906.8	
		3-23-66	160.6(1)	909.4	
		4-18-66	157.9(1)	912.1	
		5-25-66	160.1(1)	909.9	
		6-24-66	165.5(1)	904.5	
		7-28-66	167.8(1)	902.2	
		8-30-66	171.4(1)	898.6	
01S/04W-01H04S	1108.0	2-09-66	DRY		230
		4-12-66	DRY		
01S/04W-01H07S	1100.0	7-02-65	150.9	949.1	104
		8-02-65	153.5	946.5	
		9-20-65	149.8	950.2	
		2-25-66	140.2	959.8	
		3-23-66	128.0	972.0	
		4-18-66	143.5	956.5	
		5-25-66	142.6	957.4	
		6-24-66	150.4	949.6	
		7-28-66	152.9	947.1	
		8-30-66	154.1	945.9	
01S/04W-01K04S	1092.0	7-02-65	120.1	971.9	104
		8-02-65	117.8	974.2	
		9-20-65	120.3	971.7	
		3-24-66	134.3	957.7	
		4-25-66	137.8	954.2	
		5-31-66	136.3	955.7	
		6-24-66	139.0	953.0	
		7-29-66	142.1	949.9	
		8-30-66	141.7	950.3	
		9-30-66	141.8	950.2	
01S/04W-01Q01S	1091.0	7-19-65	150.0	941.0	051
		8-19-65	154.8	936.2	
		9-19-65	153.1	937.9	
		10-19-65	150.7	940.3	
		11-19-65	143.7	947.3	
		12-19-65	137.5	953.5	
		1-19-66	138.3	952.7	
		2-19-66	135.0	956.0	
		3-19-66	139.5	951.5	
		4-19-66	145.8(2)	945.2	
		5-19-66	144.1	946.9	
		6-19-66	150.1	940.9	
		7-19-66	(7)		
		8-19-66	163.5	927.5	
		9-19-66	158.0	933.0	
01S/04W-02A05S	1087.0	7-02-65	125.0	962.0	104
		8-05-65	(1)		
		9-20-65	127.1	959.9	
		2-24-66	129.0	958.0	
		3-24-66	131.7	955.3	
		4-25-66	130.4	956.6	
		5-25-66	131.2	955.8	
		6-24-66	142.0(1)	945.0	
		7-28-66	142.5(1)	944.5	
		8-30-66	140.3(1)	946.7	
01S/04W-02D01S	1093.3	7-19-65	(7)		400
		8-24-65	(7)		
		9-27-65	(7)		
		10-27-65	(7)		

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-02D01S	1093.3	11-29-65	(7)		400
(CONT.)		12-27-65	(7)		
		1-17-66	(7)		
		2-23-66	(7)		
		3-28-66	(7)		
		5-14-66	(7)		
		6-28-66	(7)		
		8-03-66	(7)		
01S/04W-02K01S	1056.3	8-24-65	153.6(2)	902.7	230
		8-24-65	153.6(2)	902.7	
		9-28-65	148.1	908.2	
		9-28-65	148.1	908.2	
		11-23-65	125.1	931.2	
		11-23-65	125.1	931.2	
		12-21-65	126.3	930.0	
		12-21-65	126.3	930.0	
		1-25-66	125.1	931.2	
		1-25-66	125.1	931.2	
		3-08-66	128.9	927.4	
		3-08-66	128.9	927.4	
		4-13-66	135.1	921.2	
		4-13-66	135.1	921.2	
		5-12-66	139.6	916.7	
		5-12-66	139.6	916.7	
		6-17-66	148.1(2)	908.2	
		6-17-66	148.1(2)	908.2	
		7-14-66	158.9(2)	897.4	
		7-14-66	158.9(2)	897.4	
		9-13-66	165.7	890.6	
		9-13-66	165.7	890.6	
01S/04W-02K02S	1057.8	8-24-65	126.5(2)	931.3	230
		9-28-65	123.3	934.5	
		10-14-65	166.3(1)	891.5	
		10-14-65	120.7	937.1	
		11-23-65	103.3	954.5	
		12-21-65	106.5	951.3	
		1-25-66	105.0	952.8	
		3-08-66	108.3	949.5	
		4-13-66	113.8	944.0	
		5-12-66	117.8	940.0	
		6-17-66	168.8(1)	889.0	
		7-14-66	169.0(1)	888.8	
		9-13-66	132.0	925.8	
01S/04W-02K03S	1053.2	8-24-65	155.5(1)	897.7	230
		9-28-65	137.7	915.5	
		10-14-65	150.2(1)	903.0	
		10-14-65	134.8	918.4	
		11-23-65	114.7	938.5	
		12-21-65	119.1	934.1	
		1-25-66	118.6	934.6	
		3-08-66	123.3	929.9	
		4-13-66	129.1	924.1	
		5-12-66	132.9	920.3	
		6-17-66	141.1(2)	912.1	
		7-14-66	147.6(2)	905.6	
		9-13-66	160.5	892.7	
01S/04W-02L02S	1050.0	9-17-65	139.3	910.7	204
		10-22-65	138.0	912.0	
		11-19-65	123.0	927.0	
		12-17-65	118.0	932.0	
		1-28-66	112.0	938.0	
		2-18-66	115.0	935.0	
		3-11-66	123.0	927.0	
		4-15-66	131.0	919.0	
		5-20-66	132.0	918.0	
		6-17-66	140.0	910.0	
		7-15-66	148.0	902.0	
		8-20-66	151.0	899.0	
		9-23-66	148.0	902.0	
01S/04W-02M01S	1048.6	8-26-65	(1)		230
		11-10-65	80.0	968.6	
		11-23-65	78.6	970.0	
		2-09-66	75.2	973.4	
		4-12-66	(1)		
		7-12-66	(1)		
		9-23-66	(1)		
01S/04W-02N01S	1037.0	8-02-65	76.6	960.4	104
		9-20-65	77.5	959.5	
		1-18-66	79.1	957.9	
		2-23-66	78.0	959.0	
		3-22-66	73.0	964.0	
		4-18-66	80.4	956.6	
		5-24-66	78.0	959.0	
		6-24-66	89.5	947.5	
		7-28-66	91.2	945.8	
		8-30-66	94.7	942.3	
		9-30-66	94.5	942.5	
01S/04W-02N02S	1040.1	9-10-65	131.5	908.6	204
		10-08-65	130.0	910.1	
		11-19-65	113.0	927.1	
		12-31-65	103.0	937.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-02N02S (CONT.)	1040.1	1-14-66	107.0	933.1	204
		2-11-66	101.6	938.5	
		3-18-66	115.0	925.1	
		4-22-66	123.0	917.1	
		5-26-66	128.0	912.1	
		6-17-66	134.0	906.1	
		7-15-66	140.0	900.1	
		8-26-66	141.0	899.1	
		9-23-66	138.0	902.1	
01S/04W-02N13S	1040.0	8-02-65	137.0	903.0	104
		9-20-65	128.8	911.2	
		2-23-66	110.5	929.5	
		3-22-66	128.5	911.5	
		4-18-66	125.5	914.5	
		5-25-66	128.2	911.8	
		6-24-66	132.4	907.6	
		7-28-66	136.7	903.3	
		8-30-66	143.2	896.8	
01S/04W-02N14S	1039.0	8-02-65	129.9	909.1	104
		9-20-65	115.6	923.4	
		2-23-66	105.9	933.1	
		3-22-66	115.1	923.9	
		4-18-66	117.2	921.8	
		5-25-66	124.3	914.7	
		6-24-66	128.7	910.3	
		7-28-66	133.1	905.9	
		8-30-66	139.3	899.7	
01S/04W-02P02S	1037.6	9-24-65	131.0	906.6	204
		10-22-65	130.0	907.6	
		11-19-65	116.0	921.6	
		12-24-65	109.0	928.6	
		1-14-66	111.0	926.6	
		2-11-66	106.0	931.6	
		3-25-66	114.0	923.6	
		4-22-66	126.0	911.6	
		5-26-66	130.0	907.6	
		6-17-66	137.0	900.6	
		7-22-66	139.0	898.6	
		8-12-66	144.0	893.6	
		9-23-66	141.0	896.6	
01S/04W-02P03S	1040.5	9-10-65	134.8	905.7	204
		10-08-65	134.6	905.9	
		11-05-65	126.4	914.1	
		11-26-65	108.0	932.5	
		12-31-65	104.0	936.5	
		1-14-66	110.0	930.5	
		2-11-66	105.0	935.5	
		3-11-66	118.0	922.5	
		4-15-66	125.0	915.5	
		5-26-66	130.0	910.5	
		6-24-66	136.0	904.5	
		7-15-66	142.0	898.5	
		8-12-66	143.0	897.5	
		9-16-66	141.0	899.5	
01S/04W-02Q04S	1057.5	8-02-65	160.8(2)	896.7	104
		9-20-65	123.2	934.3	
		3-30-66	133.0(2)	924.5	
		4-18-66	151.7(2)	905.8	
		5-25-66	156.0	901.5	
		6-24-66	164.0(1)	893.5	
		7-28-66	166.5(2)	891.0	
		8-30-66	170.1(2)	887.4	
		9-30-66	170.0(2)	887.5	
01S/04W-02Q05S	1055.5	1-18-66	128.4	927.1	104
		2-23-66	130.0	925.5	
		3-29-66	131.5	924.0	
		4-18-66	135.1	920.4	
		5-25-66	133.0	922.5	
		6-24-66	132.6	922.9	
		7-28-66	154.0	901.5	
		8-30-66	164.8	890.7	
		9-30-66	164.6	890.9	
01S/04W-02Q08S	1055.0	7-16-65	162.3(1)	892.7	104
		8-02-65	178.7(1)	876.3	
		9-20-65	116.0(2)	939.0	
		1-18-66	124.3	930.7	
		2-23-66	136.5(1)	918.5	
		3-25-66	121.5	933.5	
		4-18-66	156.5(1)	898.5	
		5-25-66	152.0(2)	903.0	
		6-24-66	155.3(2)	899.7	
		7-28-66	156.7(1)	898.3	
		8-30-66	161.3(1)	893.7	
01S/04W-03D01S	1096.4	8-27-65	126.8	969.6	230
		11-12-65	128.6	967.8	
		11-24-65	128.4	968.0	
		2-11-66	126.6	969.8	
		4-12-66	127.6	968.8	
		7-12-66	128.3	968.1	
		9-27-66	128.9	967.5	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-03J05S	1034.1	7-15-65	151.4(1)	882.7	230
		8-24-65	149.8(1)	884.3	
		9-28-65	150.7(1)	883.4	
		10-19-65	150.4(1)	883.7	
		11-23-65	116.9	917.2	
		12-21-65	118.6	915.5	
		1-20-66	117.9	916.2	
		3-11-66	136.6(1)	897.5	
		4-14-66	141.4(1)	892.7	
		5-11-66	128.1	906.0	
		6-16-66	152.9(1)	881.2	
		7-14-66	157.4(1)	876.7	
		9-13-66	146.9	887.2	
01S/04W-03Q01S	1041.8	8-26-65	78.3	963.5	230
		11-10-65	82.8	959.0	
		11-22-65	82.5	959.3	
		2-09-66	80.6	961.2	
		4-12-66	82.0	959.8	
		7-12-66	85.5	956.3	
		9-23-66	88.0	953.8	
01S/04W-05C03S	1176.0	8-26-65	201.5	974.5	230
		11-12-65	203.8	972.2	
		11-18-65	204.0	972.0	
		2-09-66	204.8	971.2	
		4-12-66	(1)		
		7-13-66	205.8	970.2	
		9-27-66	(1)		
01S/04W-05E05S	1160.0	7-01-65	218.0(1)	942.0	124
		8-03-65	245.0(1)	915.0	
		9-02-65	225.0(1)	935.0	
		10-01-65	222.0(1)	938.0	
		12-01-65	226.0(1)	934.0	
		1-03-66	225.0(1)	935.0	
		2-01-66	227.0(1)	933.0	
		3-01-66	230.0(1)	930.0	
		4-06-66	232.0(1)	928.0	
		5-01-66	231.0(1)	929.0	
		6-07-66	232.0(1)	928.0	
		8-01-66	240.0(1)	920.0	
		9-06-66	240.0(1)	920.0	
01S/04W-06H01S	1160.0	7-01-65	231.5(1)	928.5	124
		8-03-65	235.5(1)	924.5	
		9-02-65	238.5(1)	921.5	
		10-01-65	253.5(1)	906.5	
		11-01-65	221.5(1)	938.5	
		12-01-65	192.5	967.5	
		1-03-66	191.5	968.5	
		2-01-66	191.5	968.5	
		3-03-66	190.5	969.5	
		4-06-66	265.5(1)	894.5	
		5-01-66	189.5	970.5	
		6-07-66	191.5	968.5	
		7-07-66	191.5	968.5	
		8-01-66	193.5	966.5	
		9-06-66	194.5	965.5	
01S/04W-06J01S	1160.0	7-01-65	174.0	986.0	124
		8-03-65	188.0	972.0	
		12-01-65	186.0	974.0	
		4-06-66	191.0	969.0	
		8-01-66	176.0	984.0	
		9-06-66	187.0	973.0	
01S/04W-08A01S	1093.9	8-26-65	121.7	972.2	230
		11-18-65	123.7	970.2	
		2-10-66	123.7	970.2	
		4-14-66	123.3	970.6	
		7-13-66	126.3	967.6	
		9-27-66	129.7	964.2	
01S/04W-08C01S	1106.3	7-30-65	199.7(1)	906.6	201
		8-27-65	179.7(1)	926.6	
		10-01-65	167.7	938.6	
		11-01-65	177.7	928.6	
		12-01-65	157.7	948.6	
		1-03-66	154.7	951.6	
		2-01-66	156.7	949.6	
		3-01-66	157.7	948.6	
		4-01-66	160.7	945.6	
		5-01-66	174.7	931.6	
		6-01-66	174.7	931.6	
		7-01-66	179.7	926.6	
01S/04W-08F02S	1104.4	8-26-65	190.2(1)	914.2	230
		11-12-65	181.7(1)	922.7	
		11-18-65	181.3(1)	923.1	
		2-11-66	(9)		
		4-13-66	153.7	950.7	
		7-13-66	205.3(1)	899.1	
		9-27-66	189.1	915.3	
01S/04W-08F07S	1094.9	7-30-65	199.6(1)	895.3	201
		8-27-65	187.6	907.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-08F07S (CONT.)	1094.9	10-01-65	167.6	927.3	201
		11-01-65	191.6	903.3	
		12-01-65	166.6	928.3	
		1-03-66	158.6	936.3	
		2-01-66	154.6	940.3	
		3-01-66	159.6	935.3	
		4-01-66	159.6	935.3	
		5-01-66	179.6	915.3	
		6-01-66	179.6	915.3	
		7-01-66	192.6	902.3	
01S/04W-08F08S	1094.5	7-30-65	200.0(1)	894.5	201
		8-27-65	188.0	906.5	
		10-01-65	168.0	926.5	
		11-01-65	192.0	902.5	
		12-01-65	167.0	927.5	
		1-03-66	159.0	935.5	
		2-01-66	155.0	939.5	
		3-01-66	160.0	934.5	
		4-01-66	160.0	934.5	
		5-01-66	180.0	914.5	
		6-01-66	180.0	914.5	
		7-01-66	193.0	901.5	
01S/04W-08F10S	1096.8	7-30-65	199.6(1)	897.2	201
		8-26-65	(1)		230
		8-27-65	187.6	909.2	201
		10-01-65	167.6	929.2	
		11-01-65	187.6	909.2	
		11-18-65	(1)		230
		12-01-65	164.6	932.2	201
		1-03-66	158.6	938.2	
		2-01-66	154.6	942.2	
		2-10-66	155.0	941.8	230
		3-01-66	159.6	937.2	201
		4-01-66	159.6	937.2	
		4-13-66	(1)		230
		5-01-66	179.6	917.2	201
		6-01-66	179.6	917.2	
		7-01-66	192.6	904.2	
		7-13-66	(1)		230
		9-27-66	198.9	897.9	
01S/04W-08Q01S	1075.5	7-30-65	176.6(1)	898.9	201
		8-27-65	163.6	911.9	
		11-01-65	154.6	920.9	
		12-01-65	147.6	927.9	
		1-03-66	140.6	934.9	
		2-01-66	134.6	940.9	
		3-01-66	143.6	931.9	
		4-01-66	145.6	929.9	
		5-01-66	150.6	924.9	
		6-01-66	151.6	923.9	
		7-01-66	165.6	909.9	
01S/04W-08Q03S	1074.4	8-27-65	153.0	921.4	230
		11-18-65	141.5	932.9	
		2-10-66	129.0	945.4	
		4-13-66	138.0	936.4	
		7-13-66	154.6	919.8	
		9-27-66	173.6	900.8	
01S/04W-08R01S	1073.9	7-30-65	168.0(1)	905.9	201
		8-27-65	154.0	919.9	
		10-01-65	144.0	929.9	
		11-01-65	148.0	925.9	
		12-01-65	139.0	934.9	
		1-03-66	132.0	941.9	
		2-01-66	130.0	943.9	
		3-01-66	130.0	943.9	
		4-01-66	135.0	938.9	
		5-01-66	142.0	931.9	
		6-01-66	146.0	927.9	
		7-01-66	158.0	915.9	
01S/04W-08R04S	1075.7	7-30-65	169.0(1)	906.7	201
		8-27-65	155.0	920.7	
		10-01-65	142.0	933.7	
		11-01-65	146.0	929.7	
		12-01-65	139.0	936.7	
		1-03-66	132.0	943.7	
		2-01-66	130.0	945.7	
		3-01-66	132.0	943.7	
		4-01-66	135.0	940.7	
		5-01-66	140.0	935.7	
		6-01-66	144.0	931.7	
		7-01-66	156.0	919.7	
01S/04W-08R05S	1074.5	7-30-65	170.0(1)	904.5	201
		8-27-65	153.0	921.5	
		10-01-65	140.0	934.5	
		11-01-65	144.0	930.5	
		12-01-65	136.0	938.5	
		1-03-66	131.0	943.5	
		2-01-66	129.0	945.5	
		3-01-66	130.0	944.5	
		4-01-66	135.0	939.5	
		5-01-66	142.0	932.5	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-08R05S (CONT.)	1074.5	6-01-66	146.0	928.5	201
		7-01-66	158.0	916.5	
01S/04W-09B01S	1069.9	8-27-65	99.4	970.5	230
		11-18-65	100.9	969.0	
		2-11-66	98.4	971.5	
		4-13-66	100.1	969.8	
		7-13-66	106.1	963.8	
		9-27-66	107.4	962.5	
01S/04W-09B03S	1071.6	8-27-65	105.1	966.5	230
		8-27-65	113.5(1)	958.1	
		11-18-65	(1)		
		2-11-66	(1)		
		4-13-66	(1)		
		7-13-66	(1)		
		9-27-66	(1)		
01S/04W-09E02S	1070.0	7-30-65	172.0(1)	898.0	201
		8-27-65	161.0	909.0	
		10-01-65	148.0	922.0	
		11-01-65	153.0	917.0	
		12-01-65	143.0	927.0	
		1-03-66	140.0	930.0	
		2-01-66	134.0	936.0	
		3-01-66	138.0	932.0	
		4-01-66	140.0	930.0	
		5-01-66	150.0	920.0	
		6-01-66	151.0	919.0	
		7-01-66	166.0	904.0	
01S/04W-09J01S	1029.5	7-20-65	70.8	958.7	230
		8-13-65	73.4	956.1	
		9-23-65	71.0	958.5	
		10-19-65	71.3	958.2	
		11-18-65	73.5	956.0	
		12-21-65	70.2	959.3	
		1-25-66	70.0	959.5	
		3-10-66	70.5	959.0	
		4-13-66	70.7	958.8	
		5-12-66	71.6	957.9	
		6-17-66	73.8	955.7	
		7-13-66	76.2	953.3	
		9-15-66	77.6	951.9	
01S/04W-09N01S	1063.0	7-30-65	114.0(1)	949.0	201
		8-27-65	116.0	947.0	
		11-01-65	97.0	966.0	
		12-01-65	94.0	969.0	
		1-03-66	93.0	970.0	
		2-01-66	92.0	971.0	
		3-01-66	92.0	971.0	
		4-01-66	93.0	970.0	
		6-01-66	94.0	969.0	
01S/04W-09N06S	1060.2	8-27-65	116.3	943.9	230
		11-18-65	113.1	947.1	
		2-10-66	107.3	952.9	
		4-13-66	110.0	950.2	
		7-13-66	119.7	940.5	
		9-27-66	120.3	939.9	
01S/04W-09P01S	1052.4	7-20-65	91.2	961.2	230
		8-13-65	93.8	958.6	
		9-23-65	93.2	959.2	
		10-19-65	93.2	959.2	
		11-18-65	95.0	957.4	
		12-21-65	92.5	959.9	
		1-25-66	91.2	961.2	
		3-10-66	92.0	960.4	
		4-13-66	92.5	959.9	
		6-17-66	95.2	957.2	
		7-13-66	98.2	954.2	
		9-15-66	100.0	952.4	
01S/04W-10C01S	1037.1	8-27-65	75.3	961.8	230
		11-18-65	76.6	960.5	
		2-11-66	75.3	961.8	
		4-13-66	(6)		
01S/04W-10F01S	1029.7	8-13-65	151.0(1)	878.7	230
		9-24-65	150.2(1)	879.5	
		10-19-65	149.6(1)	880.1	
		11-18-65	140.4(1)	889.3	
		11-22-65	138.7(1)	891.0	
		12-21-65	96.0	933.7	
		1-21-66	94.7	935.0	
		3-01-66	136.0(1)	893.7	
		4-13-66	142.0(1)	887.7	
		5-12-66	144.2(1)	885.5	
		6-16-66	153.5(1)	876.2	
		7-14-66	156.8(1)	872.9	
		9-13-66	155.0(1)	874.7	
01S/04W-10M02S	1012.0	8-27-65	101.1	910.9	230
		11-18-65	96.1	915.9	
		2-10-66	71.9	940.1	
		4-13-66	87.1	924.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT Y-01.00					
UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0					
BUNKER HILL HYDRO SUBAREA Y-01.F2					
01S/04W-10M02S (CONT.)	1012.0	7-13-66	107.1	904.9	230
		9-27-66	108.4	903.6	
01S/04W-10N06S	1001.4	8-13-65	52.3	949.1	230
		9-23-65	52.3	949.1	
		10-14-65	100.3(1)	901.1	
		10-14-65	58.0	943.4	
		11-18-65	102.9(1)	898.5	
		12-21-65	55.0	946.4	
		1-25-66	52.3	949.1	
		4-14-66	50.8	950.6	
		5-12-66	51.7	949.7	
		6-17-66	54.7	946.7	
		7-13-66	102.6(1)	898.8	
		9-13-66	104.1(1)	897.3	
01S/04W-11D01S	1034.4	9-17-65	131.5	902.9	204
		10-08-65	132.6	901.8	
		11-05-65	125.0	909.4	
		12-17-65	111.9	922.5	
		1-07-66	105.0	929.4	
		2-11-66	95.0	939.4	
		3-04-66	104.0	930.4	
		4-08-66	121.5	912.9	
		5-06-66	125.8	908.6	
		6-10-66	130.0	904.4	
		7-08-66	137.0	897.4	
		8-05-66	140.0	894.4	
		9-09-66	135.0	899.4	
01S/04W-11D02S	1034.5	9-10-65	165.7(1)	868.8	204
		10-15-65	163.7(1)	870.8	
		11-19-65	152.7(1)	881.8	
		12-31-65	92.3	942.2	
		1-07-66	105.7	928.8	
		2-11-66	90.7	943.8	
		3-04-66	105.7	928.8	
		4-08-66	158.7(1)	875.8	
		5-06-66	159.7(1)	874.8	
		6-17-66	165.7(1)	868.8	
		7-22-66	127.7	906.8	
		8-20-66	170.7(1)	863.8	
		9-30-66	125.7	908.8	
01S/04W-11D03S	1033.3	9-17-65	158.0(1)	875.3	204
		10-15-65	152.6(1)	880.7	
		11-12-65	116.0	917.3	
		12-31-65	93.0	940.3	
		1-28-66	136.3(1)	897.0	
		2-11-66	94.0	939.3	
		3-11-66	141.0(1)	892.3	
		4-15-66	146.0(1)	887.3	
		5-20-66	149.0(1)	884.3	
		6-17-66	158.0(1)	875.3	
		7-15-66	165.0(1)	868.3	
		8-26-66	170.0(1)	863.3	
		9-30-66	127.0	906.3	
01S/04W-11D04S	1020.8	9-10-65	133.3	887.5	204
		10-08-65	134.0	886.8	
		11-12-65	113.8	907.0	
		12-24-65	111.6	909.2	
		1-07-66	103.0	917.8	
		2-11-66	92.0	928.8	
		3-11-66	117.0	903.8	
		4-15-66	124.0	896.8	
		5-26-66	128.0	892.8	
		6-17-66	135.0	885.8	
		7-15-66	141.0	879.8	
		8-20-66	144.0	876.8	
		9-23-66	138.0	882.8	
01S/04W-11H01S	1051.8	6-26-65	(1)		230
		11-10-65	105.3	946.5	
		11-24-65	103.5	948.3	
		2-09-66	97.2	954.6	
		4-12-66	(1)		
		7-12-66	(1)		
		9-23-66	113.0	938.8	
01S/04W-12B05S	1089.3	7-16-65	165.2(1)	924.1	104
		8-02-65	170.8(1)	918.5	
		9-20-65	171.6(1)	917.7	
		1-18-66	134.4	954.9	
		2-23-66	159.0(1)	930.3	
		3-23-66	157.0(1)	932.3	
		4-18-66	160.5(1)	928.8	
		5-25-66	159.1(1)	930.2	
		6-24-66	165.4(1)	923.9	
		7-28-66	170.1(1)	919.2	
		8-30-66	171.6(1)	917.7	
01S/04W-12M03S	1057.2	7-19-65	112.1	945.1	400
		8-24-65	108.1	949.1	
		9-27-65	106.7	950.5	
		10-27-65	109.5	947.7	
		11-29-65	111.5	945.7	
		12-27-65	111.5	945.7	
UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0					
BUNKER HILL HYDRO SUBAREA Y-01.E2					
01S/04W-12M03S (CONT.)	1057.2	1-17-66	110.9	946.3	400
		2-23-66	109.8	947.4	
		3-28-66	109.1	948.1	
		5-14-66	109.5	947.7	
		6-28-66	111.9	945.3	
		8-03-66	112.2	945.0	
		9-08-66	(3)		
		9-29-66	119.7	937.5	
01S/04W-13F02S	1059.0	7-06-65	128.6	930.4	847
		7-13-65	129.0	930.0	
		7-20-65	129.3	929.7	
		7-27-65	130.1	928.9	
		8-03-65	150.5(1)	908.5	
		8-10-65	140.3(1)	918.7	
		8-17-65	144.3(1)	914.7	
		8-24-65	144.3(1)	914.7	
		8-31-65	145.6(1)	913.4	
		9-08-65	142.0(1)	917.0	
		9-16-65	138.9	920.1	
		9-23-65	136.6	922.4	
		9-28-65	138.0	921.0	
		10-05-65	139.0	920.0	
		10-17-65	149.3(1)	909.7	
		10-24-65	150.1(1)	908.9	
		11-02-65	156.1(1)	902.9	
		11-09-65	142.3	916.7	
		11-16-65	140.0	919.0	
		11-23-65	132.6	926.4	
		11-30-65	121.2	937.8	
		12-08-65	125.1	933.9	
		12-14-65	122.7	936.3	
		12-21-65	127.3	931.7	
		12-28-65	127.2	931.8	
		1-04-66	126.0	933.0	
		1-11-66	125.9	933.1	
		1-18-66	123.5	935.5	
		1-25-66	124.3	934.7	
		2-01-66	124.0	935.0	
		2-08-66	122.3	936.7	
		2-15-66	121.1	937.9	
		2-22-66	122.2	936.8	
		3-01-66	122.1	936.9	
		3-08-66	123.5	935.5	
		3-15-66	125.0	934.0	
		3-23-66	127.0	932.0	
		3-29-66	128.0	931.0	
		4-05-66	128.0	931.0	
		4-12-66	128.1	930.9	
		4-19-66	130.1	928.9	
		4-26-66	130.4	928.6	
		5-03-66	131.5	927.5	
		5-24-66	131.9	927.1	
		6-07-66	155.8(1)	903.2	
		6-14-66	159.4(1)	899.6	
		6-21-66	161.4(1)	897.6	
		6-28-66	162.6(1)	896.4	
		7-04-66	155.4(1)	903.6	
		7-19-66	142.4	916.6	
		7-26-66	144.3	914.7	
		8-02-66	142.0	917.0	
		8-09-66	141.7	917.3	
		8-16-66	162.1(1)	896.9	
		8-23-66	162.5(1)	896.5	
		8-30-66	161.5(1)	897.5	
		9-06-66	161.9(1)	897.1	
		9-13-66	164.1(1)	894.9	
		9-21-66	166.7(1)	892.3	
		9-27-66	169.7(1)	889.3	
01S/04W-13G02S	1060.0	7-06-65	144.3(1)	915.7	847
		7-13-65	144.8(1)	915.2	
		7-20-65	146.8(1)	913.2	
		7-27-65	146.5(1)	913.5	
		8-03-65	146.0(1)	914.0	
		8-10-65	153.6(1)	906.4	
		8-16-65	148.0(1)	912.0	
		8-24-65	149.1(1)	910.9	
		8-31-65	151.1(1)	908.9	
		9-08-65	152.9(1)	907.1	
		9-16-65	151.5(1)	908.5	
		9-22-65	153.8(1)	906.2	
		9-28-65	156.3(1)	903.7	
		10-05-65	158.0(1)	902.0	
		10-13-65	158.1(1)	901.9	
		10-17-65	157.8(1)	902.2	
		10-23-65	155.8(1)	904.2	
		11-02-65	157.8(1)	902.2	
		11-07-65	158.8(1)	901.2	
		11-16-65	146.7(4)	913.3	
		11-23-65	140.1	919.9	
		11-30-65	140.3	919.7	
		12-08-65	137.5	922.5	
		12-14-65	137.0	923.0	
		12-21-65	135.5	924.5	
		12-28-65	136.1	923.9	
		1-04-66	134.1	925.9	
		1-11-66	133.5	926.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-13G02S (CONT.)	1060.0	1-18-66	132.5	927.5	847
		1-25-66	131.8	928.2	
		2-01-66	131.4	928.6	
		2-07-66	129.8	930.2	
		2-15-66	128.9	931.1	
		2-22-66	130.0	930.0	
		3-23-66	183.4(1)	876.6	
		3-29-66	190.1(1)	869.9	
		4-05-66	195.0(1)	865.0	
		4-12-66	207.2(1)	852.8	
		4-19-66	209.5(1)	850.5	
		4-26-66	203.7(1)	856.3	
		5-03-66	203.5(1)	856.5	
		5-10-66	202.1(1)	857.9	
		5-17-66	206.5(1)	853.5	
		5-24-66	195.5(1)	864.5	
		6-01-66	200.5(1)	859.5	
		6-07-66	192.2(1)	867.8	
		6-14-66	178.2(1)	881.8	
		6-20-66	176.6(1)	883.4	
		6-28-66	178.1(1)	881.9	
		7-05-66	180.8(1)	879.2	
		7-13-66	175.8(1)	884.2	
		7-19-66	187.5(1)	872.5	
		7-26-66	190.0(1)	870.0	
		8-02-66	193.4(1)	866.6	
		8-09-66	196.3(1)	863.7	
		8-16-66	196.2(1)	863.8	
		8-23-66	190.8(1)	869.2	
		8-30-66	195.1(1)	864.9	
		9-06-66	197.3(1)	862.7	
		9-13-66	194.4(1)	865.6	
		9-21-66	199.5(1)	860.5	
		9-27-66	201.3(1)	858.7	
01S/04W-13G03S	1060.0	7-06-65	165.8(1)	894.2	847
		7-13-65	170.3(1)	889.7	
		7-19-65	172.9(1)	887.1	
		8-03-65	178.0(1)	882.0	
		8-10-65	177.5(1)	882.5	
		8-17-65	179.5(1)	880.5	
		8-24-65	180.5(1)	879.5	
		8-31-65	180.9(1)	879.1	
		9-08-65	178.7(1)	881.3	
		9-16-65	179.2(1)	880.8	
		9-22-65	179.7(1)	880.3	
		9-29-65	181.5(1)	878.5	
		10-05-65	190.8(1)	869.2	
		10-13-65	188.4(1)	871.6	
		10-17-65	189.0(1)	871.0	
		10-25-65	188.3(1)	871.7	
		11-02-65	189.7(1)	870.3	
		11-09-65	188.6(1)	871.4	
		11-16-65	152.6(1)	907.4	
		11-23-65	135.3(1)	924.7	
		11-30-65	138.0(1)	922.0	
		12-08-65	134.8(1)	925.2	
		12-14-65	137.3(1)	922.7	
		12-21-65	111.8	948.2	
		12-28-65	112.9	947.1	
		1-04-66	111.0	949.0	
		1-11-66	109.2	950.8	
		1-18-66	107.9	952.1	
		1-25-66	108.5	951.5	
		2-01-66	109.4	950.6	
		2-08-66	105.8	954.2	
		2-15-66	104.9	955.1	
		2-21-66	105.7	954.3	
		2-22-66	145.4	914.6	
		3-01-66	158.6(1)	901.4	
		3-08-66	167.0(1)	893.0	
		3-15-66	169.0(1)	891.0	
		3-24-66	167.8(1)	892.2	
		3-28-66	173.9(1)	886.1	
		4-01-66	163.1(1)	896.9	
		4-05-66	170.8(1)	889.2	
		4-12-66	169.3(1)	890.7	
		4-19-66	172.0(1)	888.0	
		4-26-66	168.8(1)	891.2	
		5-03-66	172.9(1)	887.1	
		5-10-66	174.6(1)	885.4	
		5-17-66	178.1(1)	881.9	
		5-24-66	177.2(1)	882.8	
		6-01-66	178.1(1)	881.9	
		6-07-66	172.2(1)	887.8	
		6-14-66	177.7(1)	882.3	
		6-21-66	177.1(1)	882.9	
		6-28-66	185.0(1)	875.0	
		7-05-66	186.9(1)	873.1	
		7-13-66	189.7(1)	870.3	
		7-19-66	185.2(1)	874.8	
		7-26-66	195.6(1)	864.4	
		8-02-66	187.8(1)	872.2	
		8-09-66	188.4(1)	871.6	
		8-17-66	184.2(1)	875.8	
		8-23-66	184.8(1)	875.2	
		8-30-66	183.7(1)	876.3	
		9-06-66	188.1(1)	871.9	
UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0					
BUNKER HILL HYDRO SUBAREA Y-01.E2					
01S/04W-13G03S (CONT.)	1060.0	9-13-66	187.2(1)	872.8	847
		9-21-66	191.7(1)	868.3	
		9-27-66	184.1(1)	875.9	
01S/04W-13L02S	1050.0	7-06-65	176.9(1)	873.1	847
		7-13-65	179.0(1)	871.0	
		7-20-65	180.0(1)	870.0	
		7-27-65	180.1(1)	869.9	
		8-03-65	180.5(1)	869.5	
		8-10-65	180.6(1)	869.4	
		8-17-65	184.9(1)	865.1	
		8-24-65	132.4	917.6	
		8-30-65	133.5	916.5	
		9-08-65	178.2(1)	871.8	
		9-16-65	177.0(1)	873.0	
		9-21-65	186.4(1)	863.6	
		9-28-65	188.3(1)	861.7	
		10-05-65	191.2(1)	858.8	
		10-17-65	138.9	911.1	
		10-24-65	188.1(1)	861.9	
		11-01-65	190.1(1)	859.9	
		11-09-65	191.1(1)	858.9	
		11-16-65	138.5	911.5	
		11-23-65	132.8	917.2	
		11-30-65	129.3	920.7	
		12-08-65	127.3	922.7	
		12-14-65	125.4	924.6	
		12-21-65	124.4	925.6	
		12-28-65	123.4	926.6	
		1-04-66	121.8	928.2	
		1-11-66	119.5	930.5	
		1-18-66	120.1	929.9	
		1-25-66	120.7	929.3	
		2-01-66	118.0	932.0	
		2-08-66	118.0	932.0	
		2-15-66	117.9	932.1	
		2-21-66	117.0	933.0	
		3-01-66	117.7	932.3	
		3-08-66	184.1(1)	865.9	
		3-15-66	187.7(1)	862.3	
		3-29-66	124.1	925.9	
		4-05-66	125.9	924.1	
		4-12-66	126.1	923.9	
		4-19-66	188.5(1)	861.5	
		4-26-66	127.8	922.2	
		5-03-66	166.1(1)	883.9	
		5-10-66	170.8(1)	879.2	
		5-17-66	172.3(1)	877.7	
		5-24-66	178.4(1)	871.6	
		6-01-66	175.9(1)	874.1	
		6-07-66	135.3	914.7	
		6-14-66	136.3	913.7	
		6-21-66	138.0	912.0	
		6-28-66	137.4	912.6	
		7-05-66	192.7	857.3	
		7-13-66	193.5(1)	856.5	
		7-19-66	191.8(1)	858.2	
		7-26-66	195.2(1)	854.8	
		8-02-66	192.5(1)	857.5	
		8-09-66	194.1(1)	855.9	
		8-16-66	195.0(1)	855.0	
		8-23-66	144.4	905.6	
		8-30-66	143.1	906.9	
		9-06-66	143.5	906.5	
		9-13-66	144.8	905.2	
		9-22-66	146.4	903.6	
		9-27-66	146.5	903.5	
01S/04W-13M02S	1054.0	7-06-65	162.8(1)	891.2	847
		7-13-65	165.3(1)	888.7	
		7-19-65	169.2(1)	884.8	
		7-27-65	166.5(1)	887.5	
		8-03-65	165.3(1)	888.7	
		8-10-65	163.5(1)	890.5	
		8-17-65	165.5(1)	888.5	
		8-24-65	169.4(1)	884.6	
		8-31-65	165.8(1)	888.2	
		9-08-65	168.5(1)	885.5	
		9-16-65	168.9(1)	885.1	
		9-22-65	152.1(1)	901.9	
		9-28-65	173.0(1)	881.0	
		10-05-65	176.1(1)	877.9	
		10-17-65	175.4(1)	878.6	
		10-26-65	177.0(1)	877.0	
		11-02-65	171.5(1)	882.5	
		11-09-65	171.5(1)	882.5	
		11-17-65	165.0(1)	889.0	
		11-23-65	119.5	934.5	
		11-30-65	115.5	938.5	
		12-08-65	116.5	937.5	
		12-14-65	114.5	939.5	
		12-21-65	110.5	943.5	
		12-28-65	112.5	941.5	
		1-04-66	109.5	944.5	
		1-11-66	114.8	939.2	
		1-18-66	111.5	942.5	
		1-25-66	110.5	943.5	
		2-01-66	111.0	943.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01S/04W-13M02S (CONT.)	1054.0	2-08-66	107.5	946.5	847
		2-15-66	106.6	947.4	
		2-22-66	115.7	938.3	
		3-08-66	149.5(1)	904.5	
		3-15-66	152.4(1)	901.6	
		3-23-66	157.3(1)	896.7	
		3-29-66	154.5(1)	899.5	
		4-05-66	162.5(1)	891.5	
		4-12-66	161.1(1)	892.9	
		4-20-66	158.5(1)	895.5	
		4-27-66	162.9(1)	891.1	
		5-03-66	162.4(1)	891.6	
		5-10-66	161.5(1)	892.5	
		5-17-66	162.5(1)	891.5	
		5-24-66	167.8(1)	886.2	
		6-01-66	168.5(1)	885.5	
		6-07-66	179.8(1)	874.2	
		6-14-66	176.5(1)	877.5	
		6-21-66	175.2(1)	878.8	
		6-27-66	176.2(1)	877.8	
		7-04-66	182.3(1)	871.7	
		7-13-66	180.3(1)	873.7	
		7-19-66	185.3(1)	868.7	
		7-26-66	188.5(1)	865.5	
		8-02-66	186.4(1)	867.6	
		8-11-66	197.2(1)	856.8	
		8-16-66	180.5(1)	873.5	
		8-23-66	181.5(1)	872.5	
		8-30-66	180.8(1)	873.2	
		9-06-66	181.2(1)	872.8	
		9-13-66	181.0(1)	873.0	
		9-21-66	183.6(1)	870.4	
		• 9-27-66	150.4(4)	903.6	
01S/04W-13N01S	1045.0	7-06-65	140.8(1)	904.2	847
		7-13-65	139.8(1)	905.2	
		7-19-65	141.2(1)	903.8	
		7-27-65	141.8(1)	903.2	
		8-03-65	135.1(1)	909.9	
		8-11-65	145.0(1)	900.0	
		8-18-65	140.0(1)	905.0	
		8-24-65	138.0(1)	907.0	
		8-31-65	137.0	908.0	
		9-09-65	128.0(4)	917.0	
		9-16-65	130.0(1)	915.0	
		9-21-65	142.0(1)	903.0	
		9-29-65	153.9(1)	891.1	
		10-06-65	151.8(1)	893.2	
		10-17-65	150.8(1)	894.2	
		10-25-65	153.9(1)	891.1	
		11-09-65	154.0(1)	891.0	
		11-16-65	129.9	915.1	
		11-23-65	126.0	919.0	
		11-30-65	124.0	921.0	
		12-08-65	121.2	923.8	
		12-14-65	120.5	924.5	
		12-21-65	119.1	925.9	
		12-28-65	118.0	927.0	
		1-04-66	117.1	927.9	
		1-11-66	116.0	929.0	
		1-18-66	113.0	932.0	
		1-25-66	114.4	930.6	
		2-01-66	114.9	930.1	
		2-08-66	111.9	933.1	
		2-15-66	111.0	934.0	
		2-22-66	110.9	934.1	
		3-01-66	130.4(1)	914.6	
		3-08-66	136.7(1)	908.3	
		3-15-66	136.0(1)	909.0	
		3-23-66	121.2	923.8	
		4-05-66	122.3	922.7	
		4-12-66	121.0	924.0	
		4-19-66	122.5	922.5	
		4-26-66	141.5(1)	903.5	
		5-03-66	123.4	921.6	
		5-09-66	109.0	936.0	
		5-16-66	111.5	933.5	
		5-24-66	143.8(1)	901.2	
		5-29-66	144.6(1)	900.4	
		6-07-66	147.2(1)	897.8	
		6-14-66	147.5(1)	897.5	
		6-21-66	148.3(1)	896.7	
		6-28-66	132.1	912.9	
		7-05-66	131.0	914.0	
		7-13-66	131.5	913.5	
		7-19-66	132.5	912.5	
		7-26-66	133.6	911.4	
		8-02-66	133.0(1)	912.0	
		8-04-66	147.3(1)	897.7	
		8-09-66	150.3(1)	894.7	
		8-16-66	152.1(1)	892.9	
		8-23-66	150.9(1)	894.1	
		8-30-66	149.5(1)	895.5	
		9-06-66	151.7(1)	893.3	
		9-13-66	155.0(1)	890.0	
		9-21-66	158.7(1)	886.3	
		9-27-66	157.1(1)	887.9	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-13N02S	1045.0	7-06-65	143.0(1)	902.0	847
		7-13-65	141.8(1)	903.2	
		7-20-65	142.5(1)	902.5	
		7-27-65	142.0(1)	903.0	
		8-03-65	146.0(1)	899.0	
		8-10-65	147.0(1)	898.0	
		8-17-65	148.2(1)	896.8	
		8-24-65	146.0(1)	899.0	
		8-31-65	147.2(1)	897.8	
		9-08-65	146.9(1)	898.1	
		9-16-65	149.1(1)	895.9	
		9-22-65	148.5(1)	896.5	
		9-29-65	156.5(1)	888.5	
		10-05-65	154.8(1)	890.2	
		10-17-65	152.0(1)	893.0	
		10-25-65	157.2(1)	887.8	
		11-02-65	159.1(1)	885.9	
		11-09-65	159.2(1)	885.8	
		11-16-65	134.0(4)	911.0	
		11-23-65	128.4	916.6	
		11-30-65	123.9	921.1	
		12-08-65	120.9	924.1	
		12-14-65	119.3	925.7	
		12-21-65	120.3	924.7	
		12-28-65	117.4	927.6	
		1-04-66	116.3	928.7	
		1-11-66	115.4	929.6	
		1-18-66	113.5	931.5	
		1-25-66	114.0	931.0	
		2-01-66	112.5	932.5	
		2-08-66	111.2	933.8	
		2-15-66	110.1	934.9	
		2-22-66	110.1	934.9	
		3-01-66	133.3(1)	911.7	
		3-08-66	138.1(1)	906.9	
		3-15-66	138.8(1)	906.2	
		3-23-66	138.2(1)	906.8	
		3-29-66	141.1(1)	903.9	
		4-05-66	140.2(1)	904.8	
		4-12-66	140.8(1)	904.2	
		4-19-66	142.4(1)	902.6	
		4-26-66	121.6	923.4	
		5-03-66	140.9(1)	904.1	
		5-10-66	141.5(1)	903.5	
		5-17-66	144.0(1)	901.0	
		5-24-66	123.7	921.3	
		6-01-66	122.6	922.4	
		6-07-66	147.5(1)	897.5	
		6-14-66	148.6(1)	896.4	
		6-21-66	147.3(1)	897.7	
		6-28-66	149.0(1)	896.0	
		7-05-66	148.7(1)	896.3	
		7-13-66	149.2(1)	895.8	
		7-19-66	149.6(1)	895.4	
		7-26-66	148.5(1)	896.5	
		8-02-66	150.5(1)	894.5	
		8-08-66	132.2	912.8	
		8-16-66	133.0	912.0	
		8-23-66	131.9	913.1	
		8-30-66	133.8	911.2	
		9-06-66	154.4(1)	890.6	
		9-14-66	158.3(1)	886.7	
		9-21-66	160.1(1)	884.9	
		9-27-66	159.6(1)	885.4	
01S/04W-13R01S	1100.9	7-21-65	179.4	921.5	400
		7-21-65	176.8	924.1	
		8-25-65	184.6	916.3	
		9-28-65	174.7	926.2	
		10-29-65	173.2	927.7	
		12-03-65	161.3(1)	939.6	
		12-30-65	149.1	951.8	
		1-19-66	147.7	953.2	
		2-25-66	148.5	952.4	
		4-07-66	168.2(2)	932.7	
		5-28-66	176.2(1)	924.7	
		7-01-66	182.4	918.5	
		8-02-66	190.9(1)	910.0	
		8-31-66	(1)		
		9-27-66	(1)		
01S/04W-14P02S	1026.0	9-10-65	122.2	903.8	204
		10-08-65	124.6	901.4	
		11-12-65	114.8	911.2	
		12-10-65	92.2	933.8	
		1-07-66	86.2	939.8	
		2-04-66	84.2	941.8	
		3-11-66	101.2	924.8	
		4-15-66	115.2	910.8	
		5-20-66	115.2	910.8	
		6-17-66	128.7	897.3	
		7-15-66	134.2	891.8	
		8-20-66	136.2	889.8	
		9-16-66	136.2	889.8	
01S/04W-14P06S	1027.1	9-10-65	125.8	901.3	204
		10-22-65	127.3	899.8	
		11-26-65	100.0	927.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-14P06S (CONT.)	1027.1	12-24-65	92.0	935.1	204
		1-14-66	86.0	941.1	
		2-11-66	85.0	942.1	
		3-11-66	103.0	924.1	
		4-15-66	121.0	906.1	
		5-20-66	120.0	907.1	
		6-24-66	131.5	895.6	
		7-29-66	143.0	884.1	
		8-12-66	143.0	884.1	
		9-30-66	138.0	889.1	
01S/04W-15E04S	995.0	8-27-65	63.8	931.2	230
		11-18-65	66.1	928.9	
		2-10-66	54.3	940.7	
		4-13-66	(9)		
		9-27-66	(6)		
01S/04W-15L03S	984.0	7-10-65	(1)		713
		9-04-65	(1)		
		11-06-65	(1)		
		1-08-66	(2)		
		3-05-66	(1)		
		5-07-66	(1)		
		7-16-66	(1)		
		9-10-66	(1)		
01S/04W-15M02S	984.6	8-27-65	(1)		230
		11-18-65	118.7	865.9	
		2-10-66	98.2	886.4	
		4-13-66	90.7	893.9	
		7-13-66	(1)		
		9-27-66	(1)		
01S/04W-15N02S	982.2	8-27-65	61.1	921.1	230
		11-18-65	64.1	918.1	
		2-10-66	56.5	925.7	
		4-13-66	56.5	925.7	
		7-13-66	62.6	919.6	
		9-27-66	72.6	909.6	
01S/04W-15P02S	993.0	7-10-65	71.2	921.8	713
		7-19-65	(9)		400
		8-24-65	65.4	927.6	
		9-04-65	73.9	919.1	713
		9-27-65	63.9	929.1	400
		10-27-65	78.1	914.9	
		11-06-65	76.4	916.6	713
		11-29-65	73.0	920.0	400
		12-27-65	69.1	923.9	
		1-08-66	64.9	928.1	713
		1-17-66	67.4	925.6	400
		2-23-66	66.1	926.9	
		3-05-66	62.2	930.8	713
		3-28-66	66.0	927.0	400
		5-07-66	69.8	923.2	713
		5-14-66	72.8	920.2	400
		6-28-66	77.4	915.6	
		7-16-66	76.9	916.1	713
		8-03-66	81.0	912.0	400
		9-08-66	82.3	910.7	
		9-29-66	84.0	909.0	
01S/04W-21A01S	970.2	8-27-65	DRY		230
		2-10-66	183.0	787.2	
		4-13-66	180.5	789.7	
		7-13-66	DRY		
		9-27-66	DRY		
01S/04W-22B01S	1000.0	7-30-65	92.1	907.9	720
		8-20-65	101.0(1)	899.0	
		9-17-65	101.5(1)	898.5	
		10-22-65	102.2(1)	897.8	
		11-19-65	90.4	909.6	
		12-23-65	86.9	913.1	
		1-28-66	80.4	919.6	
		2-18-66	78.2	921.8	
		3-11-66	83.1	916.9	
		4-15-66	88.1	911.9	
		5-20-66	90.6	909.4	
		6-17-66	100.0(1)	900.0	
		7-22-66	104.2(1)	895.8	
		8-19-66	106.1(1)	893.9	
		9-16-66	107.2(1)	892.8	
01S/04W-22B02S	996.0	9-24-65	202.4	793.6	204
		10-22-65	206.8	789.2	
		11-19-65	197.8	798.2	
		12-24-65	170.8	825.2	
		1-28-66	150.8	845.2	
		2-25-66	136.8	859.2	
		3-18-66	135.8	860.2	
		4-15-66	153.8	842.2	
		5-20-66	166.8	829.2	
		6-17-66	176.8	819.2	
		7-15-66	186.8	809.2	
		8-12-66	194.8	801.2	
		9-23-66	202.8	793.2	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-22B03S	999.0	7-30-65	88.3	910.7	720
		8-13-65	105.3(1)	893.7	
		8-27-65	(1)		230
		9-17-65	96.8(1)	902.2	720
		10-22-65	97.8(1)	901.2	
		11-18-65	91.1	907.9	230
		11-19-65	92.6	906.4	720
		12-17-65	89.4	909.6	
		1-21-66	85.9	913.1	
		2-10-66	78.1	920.9	230
		2-18-66	81.8	917.2	720
		3-11-66	82.5	916.5	
		4-13-66	86.6	912.4	230
		4-15-66	85.5	913.5	720
		5-20-66	88.0	911.0	
		6-24-66	91.4	907.6	
		7-13-66	(1)		230
		7-15-66	98.4(1)	900.6	720
		8-19-66	100.9(1)	898.1	
		9-16-66	101.9(1)	897.1	
		9-27-66	102.6	896.4	230
01S/04W-22B05S	996.0	7-30-65	88.2	907.8	720
		8-20-65	97.6(1)	898.4	
		9-24-65	98.4(1)	897.6	
		10-22-65	99.2(1)	896.8	
		11-19-65	92.3	903.7	
		12-17-65	87.8	908.2	
		1-14-66	84.0	912.0	
		2-18-66	30.0	966.0	
		3-11-66	79.5	916.5	
		4-15-66	84.7	911.3	
		5-20-66	87.4	908.6	
		6-24-66	92.9	903.1	
		7-22-66	102.1(1)	893.9	
		8-19-66	104.1(1)	891.9	
		9-23-66	105.1(1)	890.9	
01S/04W-22C02S	988.5	8-27-65	152.5	836.0	230
		11-18-65	159.0	829.5	
		2-10-66	129.6	858.9	
		4-13-66	122.0	866.5	
		7-13-66	146.0	842.5	
		9-08-66	160.4	828.1	
		9-08-66	162.0(1)	826.5	
01S/04W-22E06S	975.0	7-10-65	126.2	848.8	713
		8-07-65	127.7	847.3	
		9-04-65	129.3	845.7	
		10-09-65	131.4	843.6	
		11-06-65	133.8	841.2	
		12-11-65	136.0	839.0	
		1-08-66	137.6	837.4	
		2-12-66	137.7	837.3	
		3-05-66	138.6	836.4	
01S/04W-22G14S	994.0	7-30-65	96.6	897.4	720
		8-20-65	101.0(1)	893.0	
		9-17-65	101.4(1)	892.6	
		10-22-65	102.0(1)	892.0	
		11-19-65	96.6	897.4	
		12-23-65	86.9	907.1	
		1-21-66	89.1	904.9	
		2-18-66	85.2	908.8	
		3-11-66	84.1	909.9	
		4-15-66	90.9	903.1	
		5-20-66	94.0	900.0	
		6-10-66	97.0	897.0	
		7-29-66	102.1	891.9	
		8-26-66	105.6(1)	888.4	
		9-23-66	106.6(1)	887.4	
01S/04W-22G16S	994.0	7-30-65	100.2	893.8	720
		8-27-65	111.0(1)	883.0	
		9-17-65	102.8(1)	891.2	
		10-22-65	97.9(1)	896.1	
		11-19-65	97.3	896.7	
		12-23-65	87.9	906.1	
		1-21-66	84.4	909.6	
		2-18-66	80.2	913.8	
		3-11-66	79.8	914.2	
		4-15-66	86.2	907.8	
		5-20-66	89.5	904.5	
		6-10-66	92.6	901.4	
		7-15-66	103.9(1)	890.1	
		8-19-66	111.0(1)	883.0	
		9-16-66	109.0(1)	885.0	
01S/04W-22G17S	994.0	7-30-65	89.6	904.4	720
		8-20-65	94.6(1)	899.4	
		9-24-65	95.4(1)	898.6	
		10-22-65	96.0(1)	898.0	
		11-19-65	92.4	901.6	
		12-23-65	86.2	907.8	
		1-21-66	82.9	911.1	
		2-18-66	78.7	915.3	
		3-11-66	78.7	915.3	
		4-15-66	84.7	909.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-22G17S (CONT.)	994.0	5-20-66	88.7	905.3	720
		6-17-66	97.7(1)	896.3	
		7-22-66	102.6(1)	891.4	
		8-19-66	106.5(1)	887.5	
		9-09-66	106.5	887.5	
01S/04W-22G18S	995.0	8-20-65	103.8(1)	891.2	720
		9-17-65	101.0(1)	894.0	
		10-15-65	98.7(1)	896.3	
		11-19-65	98.9	896.1	
		12-17-65	88.3	906.7	
		1-14-66	86.1	908.9	
		2-18-66	80.3	914.7	
		3-11-66	80.2	914.8	
		4-15-66	86.6	908.4	
		5-20-66	89.3	905.7	
		6-17-66	100.7(1)	894.3	
		7-22-66	103.9(1)	891.1	
		8-19-66	112.9(1)	882.1	
		9-16-66	110.1(1)	884.9	
01S/04W-22G19S	995.6	7-30-65	92.9	902.7	720
		8-20-65	98.0(1)	897.6	
		9-17-65	98.8(1)	896.8	
		10-15-65	99.4(1)	896.2	
		11-19-65	95.9	899.7	
		12-17-65	90.1	905.5	
		1-21-66	85.1	910.5	
		2-18-66	81.5	914.1	
		3-11-66	81.8	913.8	
		4-15-66	87.9	907.7	
		5-20-66	87.9	907.7	
		6-12-66	94.1	901.5	
		.7-15-66	100.1(1)	895.5	
		8-19-66	104.3(1)	891.3	
		9-16-66	106.9(1)	888.7	
01S/04W-22H01S	1004.3	9-10-65	98.3	906.0	204
		10-15-65	100.0	904.3	
		11-19-65	98.6	905.7	
		12-24-65	90.0	914.3	
		1-28-66	85.0	919.3	
		2-25-66	81.0	923.3	
		3-25-66	88.0	916.3	
		4-22-66	92.6	911.7	
		5-26-66	96.0	908.3	
		6-10-66	97.0	907.3	
		7-15-66	127.0(1)	877.3	
		8-20-66	141.0(1)	863.3	
		9-30-66	105.0	899.3	
01S/04W-22H02S	1005.2	9-24-65	81.3	923.9	204
		10-15-65	84.1	921.1	
		11-19-65	69.0	936.2	
		12-17-65	59.0	946.2	
		1-14-66	56.0	949.2	
		2-11-66	52.0	953.2	
		3-11-66	64.0	941.2	
		4-08-66	149.0(1)	856.2	
		5-26-66	82.0	923.2	
		6-17-66	156.0(1)	849.2	
		7-22-66	160.0(1)	845.2	
		8-20-66	161.0(1)	844.2	
		9-16-66	160.0(1)	845.2	
01S/04W-22H03S	1003.9	9-03-65	113.0	890.9	204
		10-22-65	103.0	900.9	
		11-19-65	93.0	910.9	
		12-24-65	88.0	915.9	
		1-14-66	87.0	916.9	
		2-18-66	81.0	922.9	
		3-18-66	87.0	916.9	
		4-15-66	99.0	904.9	
		5-06-66	99.0	904.9	
		6-03-66	90.8	913.1	
		7-29-66	122.0	881.9	
		8-26-66	120.0	883.9	
		9-23-66	119.0	884.9	
01S/04W-22H04S	998.6	9-24-65	98.3	900.3	204
		10-22-65	97.3	901.3	
		11-19-65	77.6	921.0	
		12-24-65	63.0	935.6	
		1-14-66	59.0	939.6	
		2-11-66	60.0	938.6	
		3-18-66	81.0	917.6	
		4-22-66	86.0	912.6	
		5-20-66	92.0	906.6	
		6-17-66	125.0(1)	873.6	
		7-29-66	118.0	880.6	
		8-26-66	129.0(1)	869.6	
		9-30-66	112.0	886.6	
01S/04W-22L08S	980.2	11-23-65	149.3	830.9	718
		4-26-66	(1)		
01S/04W-22L09S	986.0	7-06-65	134.0	852.0	783
		8-09-65	123.0	863.0	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-22L09S (CONT.)	986.0	9-06-65	123.2	862.8	783
		10-11-65	122.5	863.5	
		11-08-65	128.7(1)	857.3	
		12-06-65	121.5	864.5	
		1-11-66	94.5	891.5	
		2-07-66	78.2	907.8	
		3-07-66	89.8	896.2	
		4-12-66	108.0	878.0	
		5-10-66	106.3	879.7	
		6-06-66	112.8	873.2	
		7-12-66	113.3	872.7	
		8-09-66	162.0(1)	824.0	
01S/04W-22L13S	980.0	7-10-65	(8)		713
		8-07-65	71.1	908.9	
		9-04-65	78.6(3)	901.4	
		10-09-65	79.2	900.8	
		11-06-65	91.1	888.9	
		12-11-65	77.6	902.4	
		1-08-66	73.9	906.1	
		2-12-66	72.6	907.4	
		3-05-66	74.7	905.3	
		4-16-66	75.9	904.1	
		5-07-66	76.8	903.2	
		6-04-66	78.1	901.9	
		7-16-66	79.6	900.4	
		8-06-66	79.9	900.1	
		9-10-66	100.7	879.3	
01S/04W-22M06S	982.0	7-06-65	171.1(1)	810.9	783
		8-09-65	187.6(1)	794.4	
		9-06-65	188.0(1)	794.0	
		10-11-65	191.2(1)	790.8	
		11-08-65	212.0(1)	770.0	
		12-06-65	139.0	843.0	
		1-11-66	120.0	862.0	
		2-07-66	108.8	873.2	
		3-07-66	99.2	882.8	
		4-12-66	138.2(1)	843.8	
		5-10-66	144.6(1)	837.4	
		6-06-66	154.2(1)	827.8	
		7-12-66	167.2(1)	814.8	
		8-09-66	183.8(1)	798.2	
		9-05-66	161.0	821.0	
01S/04W-22M07S	975.0	11-23-65	(3)		718
		4-11-66	114.0	861.0	
01S/04W-22P05S	987.0	7-06-65	208.3(1)	778.7	783
		8-09-65	243.4(1)	743.6	
		9-06-65	256.0(1)	731.0	
		10-11-65	239.8(1)	747.2	
		11-08-65	213.6(9)	773.4	
		11-23-65	193.6	793.4	718
		12-06-65	174.0(7)	813.0	783
		1-11-66	107.8	879.2	
		2-07-66	112.1	874.9	
		3-07-66	101.7	885.3	
		4-12-66	148.3(1)	838.7	
		4-26-66	(1)		718
		5-10-66	166.5(1)	820.5	783
		6-06-66	168.3(1)	818.7	
		7-12-66	188.3(1)	798.7	
		8-09-66	192.8(1)	794.2	
		9-05-66	196.0(1)	791.0	
01S/04W-23A02S	1040.0	7-01-65	124.1	915.9	847
		7-13-65	125.3	914.7	
		7-20-65	130.6	909.4	
		7-27-65	132.1	907.9	
		8-03-65	145.4(1)	894.6	
		8-10-65	146.9(1)	893.1	
		8-18-65	126.1	913.9	
		8-24-65	133.9(2)	906.1	
		8-31-65	133.9	906.1	
		9-08-65	146.1(1)	893.9	
		9-17-65	143.9(1)	896.1	
		9-22-65	149.8(1)	890.2	
		9-29-65	146.1(1)	893.9	
		10-05-65	154.6(1)	885.4	
		10-17-65	141.3(4)	898.7	
		10-25-65	140.0(4)	900.0	
		11-02-65	159.3(1)	880.7	
		11-09-65	159.7(1)	880.3	
		11-16-65	140.9(1)	899.1	
		11-23-65	126.4	913.6	
		11-31-65	132.9	907.1	
		12-08-65	130.1	909.9	
		12-14-65	130.2	909.8	
		12-21-65	128.3	911.7	
		12-28-65	127.2	912.8	
		1-04-66	126.0	914.0	
		1-11-66	122.9	917.1	
		1-18-66	123.7	916.3	
		1-25-66	123.4	916.6	
		2-01-66	123.9	916.1	
		2-08-66	120.9	919.1	
		2-15-66	121.0	919.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-23A02S	1040.0	2-22-66	121.0	919.0	847
(CONT.)		3-01-66	139.2(1)	900.8	
		3-08-66	144.9(1)	895.1	
		3-15-66	145.2(1)	894.8	
		3-23-66	141.4(1)	898.6	
		3-30-66	146.9(1)	893.1	
		4-05-66	148.3(1)	891.7	
		4-12-66	148.3(1)	891.7	
		4-19-66	149.5(1)	890.5	
		4-26-66	144.9(1)	895.1	
		5-03-66	153.4(1)	886.6	
		5-10-66	145.7(1)	894.3	
		5-17-66	157.4(1)	882.6	
		5-25-66	157.3(1)	882.7	
		6-07-66	155.1(1)	884.9	
		6-14-66	156.9(1)	883.1	
		6-21-66	159.4(1)	880.6	
		6-28-66	158.5(1)	881.5	
		7-05-66	155.2(1)	884.8	
		7-13-66	149.8(1)	890.2	
		7-19-66	156.0(1)	884.0	
		7-26-66	163.4(1)	876.6	
		8-02-66	157.4(1)	882.6	
		8-09-66	156.8(1)	883.2	
		8-16-66	167.9(1)	872.1	
		8-23-66	159.2(1)	880.8	
		8-30-66	161.0(1)	879.0	
		9-06-66	161.3(1)	878.7	
		9-13-66	170.2(1)	869.8	
		9-21-66	168.0(1)	872.0	
		9-27-66	158.4(1)	881.6	
01S/04W-23A05S	1043.0	7-05-65	163.4(1)	879.6	847
		7-13-65	165.2(1)	877.8	
		7-20-65	174.2(1)	868.8	
		7-27-65	135.5	907.5	
		8-03-65	136.7	906.3	
		8-10-65	133.4	909.6	
		8-19-65	165.5(1)	877.5	
		8-25-65	167.5(1)	875.5	
		8-31-65	170.1(1)	872.9	
		9-08-65	172.1(1)	870.9	
		9-16-65	177.0(1)	866.0	
		9-22-65	171.1(1)	871.9	
		9-29-65	176.0(1)	867.0	
		10-05-65	177.9(1)	865.1	
		10-17-65	174.5(1)	868.5	
		10-25-65	173.6(1)	869.4	
		11-02-65	134.5	908.5	
		11-09-65	129.0	914.0	
		11-16-65	126.1	916.9	
		11-23-65	115.8	927.2	
		11-30-65	110.8	932.2	
		12-08-65	111.1	931.9	
		12-14-65	108.2	934.8	
		12-21-65	104.3	938.7	
		12-28-65	106.2	936.8	
		1-04-66	103.5	939.5	
		1-11-66	103.0	940.0	
		1-18-66	101.0	942.0	
		1-25-66	103.5	939.5	
		2-01-66	105.0	938.0	
		2-08-66	100.5	942.5	
		2-15-66	101.0	942.0	
		2-22-66	104.0	939.0	
		3-01-66	105.3	937.7	
		3-08-66	155.3(1)	887.7	
		3-15-66	152.3(1)	890.7	
		3-23-66	157.0(1)	886.0	
		3-29-66	155.0(1)	888.0	
		4-05-66	167.5(1)	875.5	
		4-12-66	166.3(1)	876.7	
		4-19-66	124.8	918.2	
		4-26-66	132.8	910.2	
		5-03-66	130.8	912.2	
		5-09-66	125.5	917.5	
		5-13-66	126.2	916.8	
		5-17-66	162.6(1)	880.4	
		5-24-66	174.0(1)	869.0	
		6-01-66	134.9	908.1	
		6-07-66	182.4(1)	860.6	
		6-13-66	144.7(4)	898.3	
		6-21-66	141.3	901.7	
		6-28-66	141.5	901.5	
		7-05-66	169.7(1)	873.3	
		7-13-66	166.2(1)	876.8	
		7-19-66	190.2(1)	852.8	
		7-25-66	191.4(1)	851.6	
		8-02-66	190.9(1)	852.1	
		8-09-66	192.7(1)	850.3	
		8-16-66	152.2(2)	890.8	
		8-23-66	150.8(2)	892.2	
		8-30-66	152.4(2)	890.6	
		9-06-66	149.3(2)	893.7	
		9-13-66	151.0(2)	892.0	
		9-21-66	187.4(1)	855.6	
		9-27-66	188.1(1)	854.9	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-23C02S	1025.0	9-03-65	129.0	896.0	204
		10-15-65	120.0	905.0	
		11-12-65	112.0	913.0	
		12-10-65	90.0	935.0	
		1-14-66	80.6	944.4	
		2-11-66	81.0	944.0	
		3-11-66	98.0	927.0	
		4-08-66	116.0	909.0	
		5-13-66	104.0	921.0	
		6-17-66	178.0(1)	847.0	
		7-08-66	184.0(1)	841.0	
		8-26-66	184.0(1)	841.0	
		9-30-66	132.0	893.0	
01S/04W-23C03S	1022.8	9-10-65	123.0	899.8	204
		10-08-65	123.6	899.2	
		11-19-65	98.3	924.5	
		12-17-65	88.0	934.8	
		1-14-66	83.0	939.8	
		2-11-66	82.6	940.2	
		3-04-66	93.0	929.8	
		4-22-66	108.0	914.8	
		5-13-66	105.9	916.9	
		6-17-66	140.0(1)	882.8	
		7-15-66	146.0(1)	876.8	
		8-20-66	147.0(1)	875.8	
		9-30-66	143.0(1)	879.8	
01S/04W-23H01S	1040.0	7-06-65	138.7(1)	901.3	847
		7-13-65	131.8(1)	908.2	
		7-20-65	135.9(1)	904.1	
		7-27-65	140.2(1)	899.8	
		8-03-65	138.9(1)	901.1	
		8-10-65	128.5(4)	911.5	
		8-18-65	138.2(1)	901.8	
		8-25-65	139.0(1)	901.0	
		8-31-65	138.0(1)	902.0	
		9-08-65	142.8(1)	897.2	
		9-16-65	144.3(1)	895.7	
		9-22-65	146.6(1)	893.4	
		9-29-65	145.4(1)	894.6	
		10-05-65	148.7(1)	891.3	
		10-17-65	148.6(1)	891.4	
		10-25-65	133.3	906.7	
		11-02-65	141.5	898.5	
		11-17-65	139.9	900.1	
		11-23-65	135.8	904.2	
		11-30-65	110.1	929.9	
		12-08-65	111.2	928.8	
		12-14-65	119.0	921.0	
		12-21-65	122.1	917.9	
		12-28-65	127.5	912.5	
		1-04-66	126.2	913.8	
		1-11-66	123.5	916.5	
		1-18-66	124.5	915.5	
		1-25-66	125.3	914.7	
		2-01-66	122.5	917.5	
		2-08-66	121.0	919.0	
		2-15-66	120.1	919.9	
		2-22-66	119.3	920.7	
		3-08-66	133.3(1)	906.7	
		3-15-66	143.8(1)	896.2	
		3-23-66	144.3(1)	895.7	
		3-29-66	131.2	908.8	
		4-05-66	147.6(1)	892.4	
		4-12-66	147.9(1)	892.1	
		4-19-66	149.4(1)	890.6	
		4-26-66	150.3(1)	889.7	
		5-03-66	148.3(1)	891.7	
		5-12-66	153.0(1)	887.0	
		5-17-66	153.4(1)	886.6	
		5-24-66	154.0(1)	886.0	
		6-01-66	138.1	901.9	
		6-07-66	136.1	903.9	
		6-14-66	152.1(1)	887.9	
		6-21-66	153.6(1)	886.4	
		6-28-66	154.4(1)	885.6	
		7-05-66	140.7	899.3	
		7-13-66	141.3	898.7	
		7-19-66	151.6(1)	888.4	
		7-26-66	143.0	897.0	
		8-02-66	159.2(1)	880.8	
		8-09-66	162.0(1)	878.0	
		8-16-66	155.5(1)	884.5	
		8-23-66	153.0(1)	887.0	
		8-30-66	159.5(1)	880.5	
		9-06-66	162.2(1)	877.8	
		9-13-66	158.4(1)	881.6	
		9-21-66	160.4(1)	879.6	
		9-27-66	147.8	892.2	
01S/04W-23K01S	1042.0	7-06-65	134.9(1)	907.1	847
		7-13-65	136.3(1)	905.7	
		7-20-65	136.2(1)	905.8	
		8-03-65	139.0(1)	903.0	
		8-10-65	138.0(1)	904.0	
		8-18-65	139.1(1)	902.9	
		8-25-65	138.6(1)	903.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-23K01S	1042.0	8-31-65	140.0(1)	902.0	847
(CONT.)		9-08-65	138.5(1)	903.5	
		9-29-65	139.7(2)	902.3	
		10-05-65	134.1(2)	907.9	
		10-17-65	155.7(1)	886.3	
		11-02-65	154.0(1)	888.0	
		11-09-65	153.8(1)	888.2	
		11-17-65	128.1	913.9	
		11-23-65	125.6	916.4	
		11-30-65	133.2	908.8	
		12-08-65	121.2	920.8	
		12-14-65	131.2	910.8	
		12-21-65	128.5	913.5	
		12-28-65	124.5	917.5	
		1-04-66	127.2	914.8	
		1-11-66	126.3	915.7	
		1-18-66	124.4	917.6	
		1-25-66	126.4	915.6	
		2-01-66	123.0	919.0	
		2-08-66	122.3	919.7	
		2-15-66	121.0	921.0	
		2-22-66	120.2	921.8	
		3-15-66	140.8(1)	901.2	
		3-23-66	144.0(1)	898.0	
		3-29-66	144.2(1)	897.8	
		4-05-66	148.3(1)	893.7	
		4-12-66	132.0(4)	910.0	
		4-19-66	146.5(1)	895.5	
		4-26-66	148.0(1)	894.0	
		5-03-66	148.9(1)	893.1	
		5-11-66	151.1(1)	890.9	
		5-17-66	151.8(1)	890.2	
		5-24-66	151.9(1)	890.1	
		6-01-66	151.5(1)	890.5	
		6-14-66	136.2	905.8	
		6-21-66	140.2	901.8	
		6-28-66	138.6	903.4	
		7-05-66	154.0(1)	838.0	
		7-13-66	155.3(1)	886.7	
		7-19-66	156.8(1)	885.2	
		7-26-66	156.8(1)	885.2	
		8-02-66	158.8(1)	883.2	
		8-09-66	159.9(1)	882.1	
		8-16-66	160.7(1)	881.3	
		8-23-66	160.8(1)	881.2	
		8-30-66	161.1(1)	880.9	
		9-06-66	161.4(1)	880.6	
		9-13-66	160.6(1)	881.4	
		9-21-66	161.3(1)	880.7	
		9-27-66	159.7(1)	882.3	
01S/04W-23K02S	1041.0	7-06-65	139.1(1)	901.9	847
		7-13-65	140.8(1)	900.2	
		7-20-65	141.5(1)	899.5	
		7-27-65	140.8(1)	900.2	
		8-04-65	125.5	915.5	
		8-10-65	139.4(1)	901.6	
		8-18-65	138.2(1)	902.8	
		8-24-65	139.5(1)	901.5	
		8-31-65	127.1	913.9	
		9-08-65	138.5(1)	902.5	
		9-16-65	142.0(1)	899.0	
		9-22-65	139.4(1)	901.6	
		9-28-65	142.0(1)	899.0	
		10-05-65	141.0(1)	900.0	
		10-17-65	141.8(1)	899.2	
		10-25-65	143.0(1)	898.0	
		11-02-65	151.6(1)	889.4	
		11-09-65	148.7(1)	892.3	
		11-17-65	129.4	911.6	
		11-23-65	126.8	914.2	
		11-30-65	126.1	914.9	
		12-08-65	125.0	916.0	
		12-14-65	124.8	916.2	
		12-21-65	123.5	917.5	
		12-28-65	128.0	913.0	
		1-11-66	125.5	915.5	
		1-18-66	123.0	918.0	
		1-25-66	125.9	915.1	
		2-01-66	123.5	917.5	
		2-08-66	125.8	915.2	
		2-15-66	121.5	919.5	
		2-22-66	121.0	920.0	
		3-23-66	147.1(1)	893.9	
		3-29-66	143.0(1)	898.0	
		4-05-66	144.5(1)	896.5	
		4-12-66	151.3(1)	889.7	
		4-19-66	146.1(1)	894.9	
		4-26-66	153.7(1)	887.3	
		5-03-66	151.6(1)	889.4	
		5-12-66	148.1(1)	892.9	
		5-17-66	150.5(1)	890.5	
		5-24-66	154.6(1)	886.4	
		6-01-66	152.0(1)	889.0	
		6-07-66	155.8(1)	885.2	
		6-14-66	153.3(1)	887.7	
		6-21-66	157.5(1)	883.5	
		6-28-66	156.8(1)	884.2	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-23K02S	1041.0	7-05-66	146.1(1)	894.9	847
(CONT.)		7-13-66	147.9(1)	893.1	
		7-19-66	151.5(1)	889.5	
		7-26-66	149.3(1)	891.7	
		8-02-66	155.4(1)	885.6	
		8-09-66	166.8(1)	874.2	
		8-16-66	170.9(1)	870.1	
		8-23-66	156.9(1)	884.1	
		8-30-66	166.4(1)	874.6	
		9-06-66	160.0(1)	881.0	
		9-13-66	146.2(4)	894.8	
		9-21-66	144.3(4)	896.7	
		9-27-66	146.6(4)	894.4	
01S/04W-24J04S	1105.0	8-02-66	118.2	986.8	400
		8-31-66	117.2	987.8	
		9-27-66	117.0	988.0	
01S/04W-25J01S	1140.0	7-19-65	132.6	1007.4	400
		8-24-65	129.9	1010.1	
		9-27-65	126.1	1013.9	
		10-27-65	127.8	1012.2	
		11-29-65	125.3	1014.7	
		12-27-65	124.3	1015.7	
		1-17-66	123.8	1016.2	
		2-23-66	123.0	1017.0	
		3-28-66	124.1	1015.9	
		5-14-66	124.7	1015.3	
		6-28-66	126.1	1013.9	
		8-02-66	136.1	1003.9	
		9-08-66	128.5	1011.5	
		9-29-66	135.8	1004.2	
01S/04W-27A02S	1014.4	9-03-65	111.0	903.4	204
		10-22-65	119.6	894.8	
		11-19-65	117.6	896.8	
		12-17-65	97.0	917.4	
		1-14-66	85.0	929.4	
		2-25-66	83.0	931.4	
		3-25-66	92.9	921.5	
		4-15-66	105.0	909.4	
		5-20-66	106.0	908.4	
		6-10-66	112.0	902.4	
		7-22-66	115.0	899.4	
		8-20-66	117.0	897.4	
		9-23-66	117.0	897.4	
01S/04W-27A06S	1012.3	9-17-65	112.3	900.0	204
		10-22-65	109.0	903.3	
		11-12-65	111.0	901.3	
		12-10-65	104.0	908.3	
		1-14-66	94.0	918.3	
		2-11-66	83.0	929.3	
		3-11-66	95.6	916.7	
		4-15-66	104.0	908.3	
		5-20-66	111.0	901.3	
		6-17-66	111.0	901.3	
		7-08-66	119.0	893.3	
		8-05-66	114.0	898.3	
		9-23-66	116.0	896.3	
01S/04W-27A07S	1015.0	9-24-65	133.6	881.4	204
		10-22-65	122.6	892.4	
		11-26-65	105.0	910.0	
		12-24-65	83.0	932.0	
		1-14-66	79.0	936.0	
		2-18-66	79.0	936.0	
		3-18-66	108.0	907.0	
		4-15-66	120.0	895.0	
		5-13-66	113.0	902.0	
		6-17-66	132.0	883.0	
		7-08-66	157.0	858.0	
		8-20-66	157.0	858.0	
		9-23-66	147.0	868.0	
01S/04W-27A08S	1017.0	9-03-65	138.6	878.4	204
		10-15-65	128.0	889.0	
		11-12-65	124.3	892.7	
		12-24-65	84.0	933.0	
		1-14-66	80.0	937.0	
		2-18-66	80.0	937.0	
		3-25-66	91.6	925.4	
		4-15-66	121.0	896.0	
		5-13-66	113.0	904.0	
		6-17-66	133.0	884.0	
		7-15-66	149.6	867.4	
		8-20-66	157.0	860.0	
		9-23-66	147.0	870.0	
01S/04W-27A09S	1015.2	9-17-65	120.8	894.4	204
		10-22-65	123.8	891.4	
		11-19-65	104.5	910.7	
		12-24-65	83.5	931.7	
		1-14-66	80.5	934.7	
		2-25-66	80.5	934.7	
		3-25-66	91.5	923.7	
		4-29-66	106.5	908.7	
		5-20-66	113.5	901.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

BUNKER HILL HYDRO SUBAREA Y-01.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-27A09S (CONT.)	1015.2	6-17-66	194.5(1)	820.7	204
		7-29-66	197.5(1)	817.7	
		8-20-66	199.5(1)	815.7	
		9-16-66	193.5(1)	821.7	
01S/04W-27A10S	1015.7	9-10-65	120.3	895.4	204
		10-08-65	130.0	885.7	
		11-12-65	126.3	889.4	
		12-24-65	84.0	931.7	
		1-07-66	80.0	935.7	
		2-18-66	80.0	935.7	
		3-25-66	92.0	923.7	
		4-22-66	115.0	900.7	
		5-26-66	123.0	892.7	
		6-17-66	133.0	882.7	
		7-01-66	156.0	859.7	
		8-20-66	162.0(1)	853.7	
		9-09-66	140.0	875.7	
01S/04W-27A11S	1015.0	9-17-65	120.5	894.5	204
		10-15-65	129.3	885.7	
		11-05-65	125.5	889.5	
		12-24-65	82.5	932.5	
		1-14-66	80.1	934.9	
		2-18-66	78.5	936.5	
		3-11-66	92.5	922.5	
		4-15-66	122.1	892.9	
		5-26-66	120.5	894.5	
		6-24-66	132.8	882.2	
		7-15-66	150.5	864.5	
		8-12-66	151.5	863.5	
		9-23-66	144.5	870.5	
01S/04W-27A13S	1017.0	9-03-65	127.3	889.7	204
		10-08-65	119.7	897.3	
		11-05-65	116.3	900.7	
		12-17-65	97.3	919.7	
		1-14-66	86.7	930.3	
		2-18-66	85.7	931.3	
		3-18-66	100.7	916.3	
		4-08-66	113.7	903.3	
		5-06-66	109.7	907.3	
		6-10-66	126.7	890.3	
		7-01-66	140.7	876.3	
		8-20-66	138.3	878.7	
		9-23-66	132.7	884.3	
01S/04W-27A19S	1007.0	9-10-65	124.8	882.2	204
		10-08-65	133.6	873.4	
		11-19-65	106.0	901.0	
		12-24-65	86.6	920.4	
		1-14-66	85.0	922.0	
		2-18-66	83.0	924.0	
		3-25-66	95.0	912.0	
		4-22-66	117.0	890.0	
		5-26-66	121.0	886.0	
		6-17-66	135.0	872.0	
		7-22-66	154.0	853.0	
		8-26-66	149.0	858.0	
		9-23-66	148.0	859.0	
01S/04W-27C07S	990.0	7-10-65	44.2	945.8	713
		8-07-65	43.7	946.3	
		9-04-65	43.2	946.8	
		10-09-65	44.3	945.7	
		11-06-65	43.9	946.1	
		12-11-65	43.6	946.4	
		1-08-66	43.5	946.5	
		2-12-66	43.3	946.7	
		3-05-66	43.1	946.9	
		4-16-66	42.8	947.2	
		5-07-66	39.6	950.4	
		6-04-66	42.8	947.2	
		7-16-66	42.6	947.4	
		8-06-66	43.0	947.0	
		9-10-66	42.6	947.4	
01S/04W-27H01S	1020.0	9-03-65	114.5	905.5	204
		10-15-65	110.8	909.2	
		11-12-65	109.0	911.0	
		12-17-65	82.0	938.0	
		1-14-66	82.0	938.0	
		2-18-66	71.6	948.4	
		3-11-66	76.0	944.0	
		4-15-66	99.0(1)	921.0	
		5-26-66	101.0	919.0	
		6-24-66	103.0	917.0	
		7-15-66	117.0	903.0	
		8-12-66	119.6	900.4	
		9-02-66	119.0	901.0	
01S/04W-27H07S	1016.0	7-09-65	70.3	945.7	400
		7-19-65	81.6	934.4	
		8-24-65	(2)		
		9-27-65	79.4	936.6	
		10-27-65	77.6	938.4	
		11-29-65	64.2	951.8	
		12-27-65	61.5	954.5	
01S/04W-27H07S (CONT.)	1016.0	1-17-66	60.8	955.2	400
		2-23-66	67.3	948.7	
		3-28-66	63.4	952.6	
		5-14-66	75.0	941.0	
		6-28-66	75.5	940.5	
		8-03-66	72.6	943.4	
		9-08-66	75.1	940.9	
		9-29-66	(3)		
01S/04W-27H08S	1018.0	7-19-65	(9)		400
		8-24-65	(2)		
		9-27-65	99.0	919.0	
		10-27-65	(3)		
		11-29-65	DRY		
		12-27-65	DRY		
		1-17-66	DRY		
		2-24-66	98.2	919.8	
		3-28-66	99.3	918.7	
		5-14-66	(9)		
		6-28-66	(9)		
		8-03-66	(9)		
		9-08-66	(9)		
		9-29-66	(9)		
01S/04W-36J01S	1310.5	7-21-65	455.3(1)	855.2	400
		8-25-65	(1)		
		9-28-65	459.6(1)	850.9	
		10-28-65	(1)		
		12-03-65	371.2	939.3	
		12-30-65	366.1	944.4	
		1-19-66	362.2	948.3	
		2-23-66	259.6	1050.9	
		3-28-66	362.7(1)	947.8	
		5-28-66	368.3	942.2	
		7-01-66	(1)		
		8-02-66	(1)		
		8-31-66	(1)		
		9-27-66	(1)		
01N/03W-29M01S	1345.2	9-19-65	358.4	986.8	051
		10-19-65	362.9	982.3	
		11-19-65	362.7	982.5	
		12-19-65	(7)		
		1-19-66	352.7	992.5	
		2-19-66	351.0	994.2	
		3-19-66	352.4	992.8	
		4-19-66	354.6	990.6	
		5-19-66	358.7	986.5	
		6-19-66	366.2	979.0	
		7-19-66	372.4	972.8	
		8-19-66	(7)		
		9-19-66	374.0	971.2	
01N/03W-29N01S	1291.0	7-19-65	328.2	962.8	051
		8-19-65	320.5	970.5	
		9-19-65	324.2	966.8	
		10-19-65	326.2	964.8	
		11-19-65	325.5	965.5	
		12-19-65	320.2	970.8	
		1-19-66	319.0	972.0	
		2-19-66	317.4	973.6	
		3-19-66	317.2	973.8	
		4-19-66	319.0	972.0	
		5-19-66	322.0	969.0	
		6-19-66	360.8(1)	930.2	
		7-19-66	328.0	963.0	
		8-19-66	330.8	960.2	
		9-19-66	335.1	955.9	
01N/03W-29R01S	1368.7	8-24-65	340.1	1028.6	400
		9-27-65	338.7	1030.0	
		10-27-65	349.0	1019.7	
		11-29-65	349.4	1019.3	
		12-27-65	349.6	1019.1	
		1-17-66	349.6	1019.1	
		2-23-66	349.4	1019.3	
		3-28-66	349.4	1019.3	
		5-14-66	350.8	1017.9	
		6-28-66	351.5	1017.2	
		8-03-66	351.9	1016.8	
		9-29-66	353.8	1014.9	
01N/03W-30C02S	1355.6	7-02-65	320.5	1035.1	104
		8-05-65	323.6	1032.0	
		9-22-65	325.0	1030.6	
		2-24-66	322.0	1033.6	
		3-25-66	321.2	1034.4	
		4-20-66	321.6	1034.0	
		5-27-66	318.2	1037.4	
		6-27-66	319.7	1035.9	
		7-27-66	326.6	1029.0	
		8-29-66	331.1	1024.5	
01N/03W-30J03S	1350.0	7-02-65	358.2	991.8	104
		8-05-65	364.0	986.0	
		9-22-65	364.4	985.6	
		2-24-66	(2)		

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/03W-31B01S (CONT.)	1227.6	8-19-65	257.3	970.3	051
		9-19-65	261.1	966.5	
		10-19-65	263.8	963.8	
		11-19-65	259.7	967.9	
		12-19-65	256.5	971.1	
		1-19-66	255.3	972.3	
		2-19-66	254.0	973.6	
		3-19-66	254.3	973.3	
		4-19-66	256.2	971.4	
		5-19-66	258.0	969.6	
		6-19-66	272.7(1)	954.9	
		7-19-66	280.3(1)	947.3	
		8-19-66	282.5(1)	945.1	
		9-19-66	262.9	964.7	
01N/03W-31C02S	1210.0	7-02-65	234.0	976.0	104
		8-02-65	234.3	975.7	
		9-20-65	234.4	975.6	
		2-10-66	238.0	972.0	
		3-24-66	239.5	970.5	
		4-20-66	238.3	971.7	
		5-24-66	238.0	972.0	
		6-27-66	240.2	969.8	
		7-27-66	249.7	960.3	
		8-29-66	256.1	953.9	
01N/03W-31L03S	1149.8	7-19-65	182.4	967.4	051
		8-19-65	189.2(1)	960.6	
		9-19-65	186.2	963.6	
		10-19-65	186.4	963.4	
		11-19-65	185.1	964.7	
		12-19-65	181.4	968.4	
		1-19-66	180.4	969.4	
		2-19-66	178.9	970.9	
		3-19-66	179.7	970.1	
		4-19-66	182.1	967.7	
		5-19-66	188.4(1)	961.4	
		6-19-66	191.1(1)	958.7	
		7-19-66	195.9	953.9	
		8-19-66	193.9	955.9	
		9-19-66	194.2	955.6	
01N/03W-32C01S	1286.4	7-19-65	306.5	979.9	051
		8-19-65	310.1	976.3	
		9-19-65	313.4	973.0	
		10-19-65	314.4	972.0	
		11-19-65	313.9	972.5	
		12-19-65	311.9	974.5	
		1-19-66	310.3	976.1	
		2-19-66	308.7	977.7	
		3-19-66	309.3	977.1	
		4-19-66	310.0	976.4	
		5-19-66	312.0	974.4	
		6-19-66	313.7	972.7	
		7-19-66	316.9	969.5	
		8-19-66	319.4	967.0	
		9-19-66	321.4	965.0	
01N/03W-32C02S	1270.0	7-19-65	297.8(1)	972.2	051
		8-19-65	300.0(1)	970.0	
		9-19-65	286.9	983.1	
		10-19-65	288.0	982.0	
		11-19-65	286.5	983.5	
		12-19-65	284.3	985.7	
		1-19-66	282.4	987.6	
		2-19-66	285.6(2)	984.4	
		3-19-66	282.0	988.0	
		4-19-66	283.7	986.3	
		5-19-66	285.3	984.7	
		6-19-66	301.2(1)	968.8	
		7-19-66	280.6	989.4	
		8-19-66	293.7	976.3	
		9-19-66	309.5(1)	960.5	
01N/03W-33R02S	1314.3	8-24-65	300.2	1014.1	400
		9-27-65	300.7	1013.6	
		10-27-65	300.3	1014.0	
		11-29-65	288.6	1025.7	
		12-27-65	220.8	1093.5	
		1-17-66	200.2	1114.1	
		2-23-66	204.3	1110.0	
		3-28-66	210.6	1103.7	
		5-14-66	250.0	1064.3	
		6-28-66	257.5	1056.8	
		8-03-66	266.9	1047.4	
		9-08-66	268.2	1046.1	
		9-29-66	270.8	1043.5	
01N/03W-34H01S	1649.6	8-24-65	83.0(2)	1566.6	400
		9-27-65	77.6	1572.0	
		10-27-65	84.7	1564.9	
		11-29-65	75.1	1574.5	
		12-27-65	63.4	1586.2	
		1-17-66	56.6	1593.0	
		2-23-66	48.6	1601.0	
		4-06-66	57.8(2)	1591.8	
		5-14-66	58.9	1590.7	
		6-28-66	69.0(2)	1580.6	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/03W-34H01S (CONT.)	1649.6	8-03-66	85.0(2)	1564.6	400
		9-08-66	92.2(2)	1557.4	
		9-29-66	86.0	1563.6	
01N/04W-07F01S	1622.0	8-18-65	275.0(1)	1347.0	230
		9-23-65	232.0	1390.0	
		10-19-65	231.7	1390.3	
		11-12-65	273.8(1)	1348.2	
		11-23-65	233.0	1389.0	
		12-03-65	232.0	1390.0	
		12-21-65	229.0	1393.0	
		1-28-66	220.0	1402.0	
		3-10-66	208.4	1413.6	
		4-14-66	245.0(1)	1377.0	
		5-13-66	211.6	1410.4	
		6-21-66	253.3(1)	1368.7	
		7-12-66	255.6(1)	1366.4	
		9-15-66	264.6(1)	1357.4	
01N/04W-08M01S	1531.2	7-20-65	235.0	1296.2	230
		8-17-65	235.3	1295.9	
		9-23-65	235.7	1295.5	
		10-19-65	235.5	1295.7	
		11-12-65	235.9	1295.3	
		11-23-65	236.7	1294.5	
		12-21-65	235.5	1295.7	
		1-28-66	235.6	1295.6	
		3-10-66	232.7	1298.5	
		4-13-66	225.7	1305.5	
		5-13-66	226.9	1304.3	
		6-21-66	227.7	1303.5	
		7-12-66	222.2	1309.0	
		9-09-66	225.0	1306.2	
01N/04W-08P01S	1476.7	8-25-65	256.3	1220.4	230
		11-12-65	256.7	1220.0	
		11-23-65	256.7	1220.0	
		2-10-66	257.2	1219.5	
		4-13-66	254.4	1222.3	
		7-12-66	248.7	1228.0	
		9-23-66	247.2	1229.5	
01N/04W-14R08S	1409.1	8-26-65	14.8	1394.3	230
		11-12-65	13.6	1395.5	
		11-24-65	13.0	1396.1	
		2-11-66	11.8	1397.3	
		4-12-66	12.6	1396.5	
		7-12-66	13.2	1395.9	
		9-23-66	15.0	1394.1	
01N/04W-16E01S	1411.9	7-20-65	256.0	1155.9	230
		8-17-65	254.5	1157.4	
		9-28-65	255.6	1156.3	
		10-11-65	255.7	1156.2	
		10-11-65	259.7	1152.2	
		11-23-65	255.1	1156.8	
		12-21-65	254.8	1157.1	
		1-25-66	258.1	1153.8	
		3-10-66	255.8	1156.1	
		4-13-66	255.8	1156.1	
		5-11-66	256.3	1155.6	
		6-21-66	258.6	1153.3	
		7-14-66	259.8	1152.1	
01N/04W-16E02S	1403.3	7-20-65	249.5	1153.8	230
		8-17-65	246.5	1156.8	
		9-28-65	249.3	1154.0	
		10-11-65	268.8(1)	1134.5	
		10-11-65	251.4	1151.9	
		11-23-65	251.0	1152.3	
		12-21-65	250.7	1152.6	
		1-25-66	254.5	1148.8	
		3-10-66	251.0	1152.3	
		4-13-66	255.5	1147.8	
		5-11-66	256.1	1147.2	
		6-21-66	258.1	1145.2	
		7-14-66	257.1	1146.2	
		9-14-66	257.7(2)	1145.6	
01N/04W-16E03S	1407.0	7-20-65	251.5	1155.5	230
		8-17-65	250.5	1156.5	
		9-28-65	251.2	1155.8	
		10-11-65	258.8(1)	1148.2	
		10-11-65	251.1	1155.9	
		11-23-65	250.9	1156.1	
		12-21-65	250.9	1156.1	
		1-25-66	254.9	1152.1	
		3-10-66	252.9	1154.1	
		4-13-66	255.9	1151.1	
		5-11-66	256.3	1150.7	
		6-21-66	257.9	1149.1	
		7-14-66	255.9	1151.1	
		9-14-66	259.2	1147.8	
01N/04W-20N01S	1330.9	11-12-65	327.6	1003.3	230
		11-23-65	327.0	1003.9	
		2-10-66	328.2	1002.7	
		4-12-66	331.6	999.3	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/04W-20N01S (CONT.)	1330.9	7-13-66	331.4	999.5	230
		9-27-66	332.6	998.3	
01N/04W-21B02S	1322.4	11-09-65	214.2	1108.2	230
		11-24-65	213.9	1108.5	
		2-10-66	214.7	1107.7	
		4-13-66	215.4	1107.0	
		7-12-66	220.0	1102.4	
		9-23-66	220.9	1101.5	
01N/04W-23K01S	1294.4	8-26-65	(1)		230
		8-26-65	(1)		
		11-12-65	329.6	964.8	
		11-12-65	329.6	964.8	
		11-24-65	328.0	966.4	
		11-24-65	328.0	966.4	
		2-11-66	321.8	972.6	
		2-11-66	321.8	972.6	
		4-13-66	326.1	968.3	
		4-13-66	326.1	968.3	
		7-12-66	(3)		
		7-12-66	(4)		
01N/04W-23M01S	1294.8	11-12-65	322.1	972.7	230
		11-24-65	321.2	973.6	
		2-11-66	314.6	980.2	
		3-13-66	320.6	974.2	
		7-12-66	(1)		
		9-23-66	(1)		
01N/04W-24G01S	1450.0	7-01-65	(2)		104
		8-30-66	(2)		
01N/04W-25A01S	1295.6	7-16-65	255.4(1)	1040.2	104
		8-05-65	264.5(1)	1031.1	
		9-20-65	265.0(1)	1030.6	
		2-09-66	244.1	1051.5	
		3-25-66	247.6(1)	1048.0	
		4-20-66	243.0	1052.6	
		5-26-66	246.2	1049.4	
		6-27-66	250.1	1045.5	
		7-27-66	260.3(1)	1035.3	
		8-29-66	262.5(1)	1033.1	
01N/04W-25C02S	1246.3	7-16-65	307.2(1)	939.1	104
		8-05-65	299.6(1)	946.7	
		8-26-65	(1)		230
		9-22-65	317.2(1)	929.1	104
		11-19-65	(1)		230
		2-07-66	284.6	961.7	104
		3-25-66	290.6(1)	955.7	
		4-12-66	(1)		230
		4-25-66	309.6(1)	936.7	104
		5-26-66	299.4	946.9	
		6-27-66	300.8	945.5	
		7-27-66	306.1(1)	940.2	
		8-29-66	307.7(1)	938.6	
		9-23-66	(1)		230
01N/04W-25K01S	1206.6	8-26-65	243.1	963.5	230
		11-12-65	249.5	957.1	
		11-23-65	250.0	956.6	
		2-09-66	236.2	970.4	
		4-12-66	243.5	963.1	
		7-12-66	252.7	953.9	
		9-23-66	256.1	950.5	
01N/04W-25M03S	1208.0	7-02-65	214.2	993.8	104
		8-05-65	215.6	992.4	
		9-20-65	215.9	992.1	
		3-25-66	211.0	997.0	
		4-20-66	215.0	993.0	
		5-25-66	215.1	992.9	
		6-27-66	217.4	990.6	
		7-27-66	218.2	989.8	
		8-29-66	219.9	988.1	
01N/04W-25P04S	1190.4	7-02-65	185.8	1004.6	104
		8-05-65	190.3	1000.1	
		9-22-65	186.4	1004.0	
		2-24-66	192.8	997.6	
		3-24-66	179.8	1010.6	
		4-19-66	200.0	990.4	
		5-27-66	201.4	989.0	
		6-27-66	203.1	987.3	
		7-27-66	206.5	983.9	
		8-29-66	218.1	972.3	
01N/04W-26A01S	1243.5	7-01-65	299.4(1)	944.1	104
		8-05-65	267.0	976.5	
		9-22-65	269.3	974.2	
		2-24-66	282.4	961.1	
		3-25-66	278.4	965.1	
		4-25-66	281.2	962.3	
		5-26-66	283.0	960.5	
		6-27-66	285.2	958.3	
		7-27-66	287.5	956.0	
		8-29-66	291.3	952.2	
01N/04W-26A01S (CONT.)	1243.5	9-28-66	291.5	952.0	104
01N/04W-26A02S	1241.0	7-16-65	308.0(1)	933.0	104
		8-05-65	310.2(1)	930.8	
		9-22-65	311.6(1)	929.4	
		2-07-66	281.3	959.7	
		3-25-66	280.0	961.0	
		4-25-66	284.0(1)	957.0	
		5-26-66	280.0(1)	961.0	
		6-27-66	282.5(1)	958.5	
		7-27-66	284.1(1)	956.9	
		8-29-66	287.8(1)	953.2	
01N/04W-26E02S	1236.2	8-17-65	296.0(1)	940.2	230
		9-28-65	297.0(1)	939.2	
		11-24-65	284.4	951.8	
		12-21-65	283.0	953.2	
		1-25-66	284.5	951.7	
		3-10-66	292.6(1)	943.6	
		4-12-66	280.2	956.0	
		5-12-66	281.0	955.2	
		6-17-66	284.2	952.0	
		7-13-66	293.5	942.7	
		9-14-66	296.0	940.2	
01N/04W-26H01S	1227.0	7-01-65	204.2	1022.8	104
		8-05-65	210.6(2)	1016.4	
		9-22-65	218.0	1009.0	
		3-25-66	218.4	1008.6	
		4-18-66	229.4(2)	997.6	
		5-24-66	219.0(2)	1008.0	
		6-27-66	221.4	1005.6	
		7-27-66	228.5(2)	998.5	
		8-29-66	235.3(2)	991.7	
01N/04W-26H04S	1227.0	7-01-65	266.6	960.4	104
		8-05-65	289.2(1)	937.8	
		9-22-65	272.8	954.2	
		2-10-66	264.2	962.8	
		3-25-66	256.4	970.6	
		4-26-66	270.2(1)	956.8	
		5-24-66	261.2	965.8	
		6-27-66	260.4	966.6	
		7-27-66	260.7(1)	966.3	
		8-29-66	266.9(1)	960.1	
01N/04W-26N04S	1193.6	8-27-65	(1)		230
		11-10-65	254.9	938.7	
		11-24-65	254.2	939.4	
		2-10-66	249.2	944.4	
		4-12-66	246.9	946.7	
		7-12-66	(1)		
		9-23-66	(1)		
01N/04W-26P03S	1171.0	7-20-65	228.9	942.1	230
		8-13-65	231.5	939.5	
		9-24-65	239.0	932.0	
		11-12-65	240.5	930.5	
		11-22-65	240.3	930.7	
		12-21-65	228.7	942.3	
		1-27-66	225.0	946.0	
		3-10-66	253.5(1)	917.5	
		4-12-66	221.8	949.2	
		5-11-66	223.0	948.0	
		6-17-66	258.3(1)	912.7	
		7-12-66	261.5(1)	909.5	
		9-14-66	265.3(1)	905.7	
01N/04W-27A01S	1244.4	8-13-65	295.1	949.3	230
		8-18-65	304.6(1)	939.8	
		9-24-65	306.8(1)	937.6	
		10-21-65	308.2(1)	936.2	
		10-21-65	300.4	944.0	
		11-18-65	298.2	946.2	
		11-22-65	297.8	946.6	
		12-22-65	295.9	948.5	
		1-27-66	291.2	953.2	
		3-10-66	302.6(1)	941.8	
		4-14-66	291.6	952.8	
		5-12-66	292.4	952.0	
		6-17-66	296.1	948.3	
		7-12-66	300.9	943.5	
		9-14-66	306.4	938.0	
01N/04W-27B01S	1233.0	8-13-65	288.3	944.7	230
		9-24-65	290.8	942.2	
		10-13-65	301.7(1)	931.3	
		10-13-65	292.4	940.6	
		11-18-65	290.6	942.4	
		11-22-65	290.0	943.0	
		12-21-65	286.8	946.2	
		1-28-66	283.5	949.5	
		3-08-66	284.0	949.0	
		4-14-66	286.0	947.0	
		5-12-66	286.0	947.0	
		6-16-66	292.2	940.8	
		7-13-66	293.4	939.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0					
BUNKER HILL HYDRO SUBAREA Y-01.E2					
01N/04W-27B01S (CONT.)	1233.0	9-14-66	310.6(1)	922.4	230
01N/04W-27G01S	1226.4	10-13-65	291.8(1)	934.6	230
		10-13-65	285.6	940.8	
		11-18-65	283.8	942.6	
		11-22-65	284.2	942.2	
		12-21-65	280.6	945.8	
		1-28-66	277.8	948.6	
		3-08-66	278.1	948.3	
		3-31-66	281.2	945.2	
		3-31-66	288.8(1)	937.6	
		4-14-66	282.3	944.1	
		5-12-66	282.1	944.3	
		6-16-66	288.2	938.2	
		7-13-66	290.2	936.2	
		9-14-66	305.1(1)	921.3	
01N/04W-27H01S	1189.1	1-20-66	243.5	945.6	230
		3-08-66	240.0	949.1	
		3-08-66	241.3	947.8	
		4-14-66	248.0	941.1	
		4-14-66	250.3	938.8	
		5-11-66	251.6	937.5	
		5-11-66	253.9	935.2	
		6-17-66	259.6	929.5	
		6-17-66	261.9(1)	927.2	
		7-14-66	262.0	927.1	
		7-14-66	264.3(1)	924.8	
		9-13-66	259.6	929.5	
		9-13-66	261.9	927.2	
01N/04W-27M02S	1184.1	7-20-65	242.6	941.5	230
		8-24-65	244.0	940.1	
		9-28-65	246.3	937.8	
		11-22-65	247.8	936.3	
		12-21-65	248.4	935.7	
		1-20-66	243.0	941.1	
		3-08-66	241.3	942.8	
		4-14-66	244.0	940.1	
		5-11-66	247.3	936.8	
		6-17-66	248.0	936.1	
		7-14-66	251.6	932.5	
		9-13-66	255.0	929.1	
01N/04W-27N01S	1174.9	8-24-65	238.2	936.7	230
		8-24-65	238.1	936.8	
		10-21-65	254.7	920.2	
		10-21-65	238.6	936.3	
		10-21-65	238.5	936.4	
		11-22-65	240.2	934.7	
		11-22-65	240.1	934.8	
		12-21-65	233.2	941.7	
		12-21-65	233.1	941.8	
		1-20-66	227.8	947.1	
		1-20-66	227.7	947.2	
		3-08-66	226.0	948.9	
		3-08-66	225.9	949.0	
		4-14-66	233.7	941.2	
		4-14-66	233.6	941.3	
		5-11-66	237.0	937.9	
		5-11-66	236.9	938.0	
		6-17-66	258.6	916.3	
		6-17-66	258.5(1)	916.4	
		7-14-66	261.3	913.6	
		7-14-66	261.2(1)	913.7	
		9-13-66	244.5	930.4	
		9-13-66	244.4	930.5	
01N/04W-29F01S	1278.0	7-13-66	(1)		230
01N/04W-31A01S	1258.4	8-25-65	292.4(1)	966.0	230
		8-30-65	292.0(1)	966.4	
		9-03-65	292.3(1)	966.1	
		9-15-65	294.2(1)	964.2	
		9-28-65	274.0(1)	984.4	
		11-23-65	275.0	983.4	
		12-21-65	274.6	983.8	
		1-27-66	274.0	984.4	
		3-10-66	275.8	982.6	
		4-14-66	292.8(1)	965.6	
		5-12-66	293.6(1)	964.8	
		6-16-66	295.0(1)	963.4	
		7-13-66	297.3(1)	961.1	
		9-15-66	303.0(1)	955.4	
01N/04W-31E01S	1269.0	12-15-65	384.4	884.6	718
		4-26-66	(1)		
01N/04W-32D03S	1231.0	8-24-65	266.0(1)	965.0	230
		8-30-65	263.0(1)	968.0	
		9-03-65	263.2(1)	967.8	
		9-15-65	263.0(1)	968.0	
		9-28-65	262.6(1)	968.4	
		10-19-65	261.7(1)	969.3	
		10-19-65	249.1	981.9	
		11-23-65	248.4	982.6	
		12-21-65	248.0	983.0	
UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0					
BUNKER HILL HYDRO SUBAREA Y-01.E2					
01N/04W-32D03S (CONT.)	1231.0	1-27-66	247.3	983.7	230
		3-10-66	249.4	981.6	
		4-14-66	253.4(2)	977.6	
		5-12-66	253.0	978.0	
		6-16-66	253.8(2)	977.2	
		7-14-66	252.6	978.4	
		9-15-66	269.0(1)	962.0	
01N/04W-32D04S	1236.0	8-25-65	263.3(1)	972.7	230
		8-30-65	262.7(1)	973.3	
		9-28-65	254.7	981.3	
		10-19-65	258.9(1)	977.1	
		10-19-65	252.9	983.1	
		11-23-65	251.7	984.3	
		12-21-65	251.3	984.7	
		1-27-66	250.7	985.3	
		3-10-66	253.1	982.9	
		4-14-66	262.7(1)	973.3	
		5-12-66	256.9	979.1	
		7-14-66	257.3	978.7	
		9-15-66	266.7	969.3	
01N/04W-32N01S	1184.0	8-26-65	210.1	973.9	230
		11-12-65	211.6	972.4	
		11-24-65	211.1	972.9	
		2-09-66	212.4	971.6	010
		2-09-66	209.5	974.5	230
		4-12-66	213.8	970.2	010
		4-12-66	210.9	973.1	230
		7-12-66	217.5	966.5	010
		7-12-66	214.6	969.4	230
		9-27-66	220.0	964.0	010
		9-27-66	217.1	966.9	230
01N/04W-33M01S	1161.0	8-26-65	178.6	982.4	230
		11-12-65	180.8	980.2	
		11-24-65	180.6	980.4	
		2-11-66	180.8	980.2	
		4-12-66	181.6	979.4	
		7-12-66	183.9	977.1	
		9-27-66	187.1	973.9	
01N/04W-34G01S	1141.9	8-24-65	216.3	925.6	230
		8-24-65	215.6(1)	926.3	
		9-28-65	223.3	918.6	
		9-28-65	222.6(1)	919.3	
		10-13-65	209.1	932.8	
		10-13-65	218.1	923.8	
		10-13-65	208.4	933.5	
		11-24-65	203.6	938.3	
		11-24-65	202.9	939.0	
		12-22-65	202.9	939.0	
		12-22-65	202.2	939.7	
		1-27-66	198.9	943.0	
		1-27-66	198.2	943.7	
		3-11-66	200.4	941.5	
		3-11-66	199.7	942.2	
		4-12-66	203.1	938.8	
		4-12-66	202.4	939.5	
		5-11-66	203.3	938.6	
		5-11-66	202.6	939.3	
		6-16-66	213.5	928.4	
		6-16-66	212.8	929.1	
		7-14-66	227.5	914.4	
		7-14-66	226.8(1)	915.1	
		9-14-66	231.2	910.7	
		9-14-66	230.5(1)	911.4	
01N/04W-34G03S	1136.2	8-24-65	219.2(1)	917.0	230
		9-28-65	224.6(1)	911.6	
		11-24-65	199.0	937.2	
		12-22-65	198.4	937.8	
		1-27-66	193.6	942.6	
		3-11-66	195.3	940.9	
		4-12-66	199.1	937.1	
		5-11-66	198.6	937.6	
		6-16-66	208.1	928.1	
		7-14-66	223.8(1)	912.4	
		9-14-66	227.8(1)	908.4	
01N/04W-35C02S	1164.5	7-20-65	216.1	948.4	230
		8-13-65	218.9	945.6	
		11-12-65	(3)		
		1-25-66	218.6	945.9	
		3-10-66	216.4(2)	948.1	
		4-12-66	217.1	947.4	
		5-11-66	217.9	946.6	
		7-12-66	(3)		
01N/04W-35C03S	1168.0	7-20-65	232.1	935.9	230
		8-13-65	234.4	933.6	
		9-24-65	238.2	929.8	
		11-12-65	239.9	928.1	
		11-22-65	239.5	928.5	
		12-21-65	231.1	936.9	
		1-25-66	226.7	941.3	
		3-10-66	224.2(2)	943.8	
		4-12-66	224.7	943.3	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
01N/04W-35C03S (CONT.)	1168.0	5-11-66	225.7	942.3	230
		6-17-66	233.7(2)	934.3	
		7-12-66	237.5(2)	930.5	
		9-14-66	243.2	924.8	
01N/04W-35J02S	1122.4	8-27-65	170.6	951.8	230
		8-27-65	169.0	953.4	
		11-12-65	170.1	952.3	
		11-12-65	168.5	953.9	
		11-23-65	168.6	953.8	
		11-23-65	167.0	955.4	
		4-12-66	170.6	951.8	
		4-12-66	169.0	953.4	
		7-13-66	172.9	949.5	
		7-13-66	171.3	951.1	
		9-27-66	(3)		
		9-27-66	(3)		
01N/04W-35L01S	1130.3	7-08-65	202.9	927.4	230
		7-18-65	201.3	929.0	720
		7-18-65	201.3	929.0	230
		7-22-65	202.7	927.6	
		7-29-65	201.0	929.3	
		8-05-65	203.7	926.6	
		8-19-65	204.9	925.4	720
		8-19-65	204.9	925.4	230
		8-24-65	204.4	925.9	
		8-26-65	204.9	925.4	
		9-02-65	206.5	923.8	
		9-10-65	203.9	926.4	
		9-16-65	205.9	924.4	720
		9-23-65	202.7	927.6	230
		9-30-65	204.0	926.3	
		10-07-65	205.5	924.8	
		10-14-65	201.4	928.9	720
		10-14-65	201.8	928.5	230
		10-21-65	202.2	928.1	
		10-28-65	203.7	926.6	
		11-04-65	202.5	927.8	
		11-12-65	199.5	930.8	
		11-12-65	200.4	929.9	
		11-18-65	193.2	937.1	720
		11-18-65	193.6	936.7	230
		11-24-65	188.8	941.5	
		11-26-65	189.7	940.6	
		12-03-65	190.5	939.8	
		12-07-65	193.2	937.1	
		12-10-65	190.9	939.4	
		12-17-65	189.2	941.1	720
		12-17-65	189.6	940.7	230
		12-23-65	189.7	940.6	
		12-31-65	187.7	942.6	
		1-06-66	189.2	941.1	
		1-17-66	178.9	951.4	
		1-24-66	188.2	942.1	720
		1-24-66	188.6	941.7	230
		1-28-66	186.4	943.9	
		2-07-66	185.9	944.4	
		2-10-66	184.9	945.4	720
		2-10-66	185.8	944.5	230
		3-03-66	187.6	942.7	
		3-21-66	190.8	939.5	720
		3-21-66	191.2	939.1	230
		3-25-66	190.5	939.8	
		3-31-66	190.7	939.6	
		4-07-66	193.9	936.4	
		4-12-66	194.4	935.9	
		4-14-66	194.2	936.1	720
		4-14-66	194.6	935.7	230
		4-21-66	194.7	935.6	
		5-03-66	197.2	933.1	
		5-05-66	198.4	931.9	
		5-13-66	194.9	935.4	
		5-20-66	195.0	935.3	720
		5-20-66	195.4	934.9	230
		5-26-66	201.2	929.1	
		6-03-66	203.2	927.1	
		6-09-66	205.1	925.2	
		6-16-66	206.1	924.2	720
		6-16-66	206.5	923.8	230
		6-24-66	205.4	924.9	
		6-30-66	207.1	923.2	
		7-07-66	208.4	921.9	
		7-12-66	209.6	920.7	
		7-15-66	211.0	919.3	720
		7-15-66	211.4	918.9	230
		7-21-66	212.5	917.8	
		8-18-66	214.0	916.3	720
		9-15-66	213.1	917.2	
		9-23-66	211.8	918.5	230
01N/04W-35L06S	1127.0	11-12-65	205.0	922.0	230
		11-24-65	193.4	933.6	
		2-10-66	186.5	940.5	
		4-12-66	195.3	931.7	
		7-12-66	(1)		
		9-23-66	(1)		

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01N/04W-35M03S	1122.7	8-13-65	221.8	900.9	230
		9-28-65	199.5	923.2	
		10-19-65	216.9	905.8	
		10-19-65	198.1	924.6	
		11-18-65	194.6	928.1	
		12-21-65	185.0	937.7	
		1-20-66	184.8	937.9	
		3-08-66	186.8	935.9	
		4-12-66	190.0	932.7	
		5-11-66	191.7	931.0	
		6-16-66	201.5	921.2	
		7-13-66	225.0(1)	897.7	
		9-13-66	227.0(1)	895.7	
01N/04W-36H07S	1165.4	8-26-65	190.0	975.4	230
		11-10-65	192.4	973.0	
		11-23-65	193.6	971.8	
		2-09-66	195.0	970.4	
		4-12-66	(9)		
01N/04W-36K07S	1120.0	7-02-65	168.9	951.1	104
		8-05-65	170.0	950.0	
		9-20-65	169.5	950.5	
		2-23-66	158.7	961.3	
		3-24-66	152.3	967.7	
		4-18-66	164.7	955.3	
		5-24-66	158.5	961.5	
		6-24-66	173.6	946.4	
		8-29-66	190.7	929.3	
		9-28-66	190.9	929.1	
01N/04W-36Q01S	1098.0	7-02-65	149.9	948.1	104
		7-19-65	126.5	971.5	400
		8-02-65	150.0	948.0	104
		8-24-65	(9)		400
		9-20-65	151.3	946.7	104
		9-27-65	(3)		400
		10-27-65	(3)		
		11-29-65	(2)		
		12-27-65	(2)		
		1-17-66	(2)		
		2-09-66	140.9	957.1	104
		2-23-66	(2)		400
		3-23-66	150.1	947.9	104
		3-28-66	(2)		400
		4-19-66	148.1	949.9	104
		5-14-66	(2)		400
		5-27-66	150.0	948.0	104
		6-24-66	152.1	945.9	
		6-28-66	(2)		400
		7-27-66	159.3	938.7	104
		8-03-66	(2)		400
		8-31-66	164.2	933.8	104
		9-30-66	164.1	933.9	
01N/04W-36R01S	1100.0	7-02-65	130.6	969.4	104
		8-02-65	132.2	967.8	
		9-20-65	133.2	966.8	
		2-24-66	132.5	967.5	
		3-24-66	143.8	956.2	
		4-18-66	135.0	965.0	
		5-27-66	141.0	959.0	
		6-24-66	145.8	954.2	
		7-27-66	(5)		
		9-28-66	(5)		
02N/05W-19K01S	2343.0	7-15-65	32.7	2310.3	230
		8-13-65	DRY		
		9-22-65	DRY		
		11-30-65	24.3	2318.7	
		12-17-65	18.8	2324.2	
		1-06-66	4.6	2338.4	
		2-08-66	4.1	2338.9	
		3-11-66	6.5	2336.5	
		4-14-66	12.7	2330.3	
		6-09-66	18.3	2324.7	
		7-14-66	23.3	2319.7	
		9-15-66	33.8	2309.2	
02N/05W-19K02S	2327.5	7-15-65	66.6(1)	2260.9	230
		8-02-65	75.7(1)	2251.8	
		8-13-65	85.6(1)	2241.9	
		8-31-65	87.6(1)	2239.9	
		9-22-65	93.0(1)	2234.5	
		10-19-65	99.2(1)	2228.3	
		11-09-65	101.8(1)	2225.7	
		11-30-65	17.6	2309.9	
		12-03-65	16.4	2311.1	
		12-13-65	16.3	2311.2	
		12-17-65	16.1	2311.4	
		12-29-65	(9)		
		1-07-66	7.4	2320.1	
		1-26-66	7.1	2320.4	
		2-08-66	9.1	2318.4	
		3-11-66	11.1	2316.4	
		4-14-66	14.6	2312.9	
		5-06-66	15.8	2311.7	
		6-09-66	16.1	2311.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
BUNKER HILL HYDRO SUBAREA Y-01.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02N/05W-19K02S	2327.5	7-07-66	(9)		230
(CONT.)		7-14-66	57.1(1)	2270.4	
		9-01-66	89.6(1)	2237.9	
02N/05W-19R01S	2307.0	7-15-65	20.0	2287.0	230
		8-13-65	28.5	2278.5	
		11-22-65	DRY		
		11-30-65	19.9	2287.1	
		12-17-65	16.3	2290.7	
		1-06-66	11.7	2295.3	
		2-08-66	10.8	2296.2	
		3-11-66	11.5	2295.5	
		4-14-66	13.0	2294.0	
		6-09-66	14.9	2292.1	
		7-14-66	16.3	2290.7	
		9-15-66	21.3	2285.7	
02N/05W-20P01S	2293.4	7-15-65	17.0	2276.4	230
		8-13-65	19.8	2273.6	
		9-22-65	23.0	2270.4	
		10-19-65	24.1	2269.3	
		11-09-65	25.0	2268.4	
		11-30-65	17.8	2275.6	
		12-17-65	14.7	2278.7	
		1-06-66	8.2	2285.2	
		2-08-66	6.4	2287.0	
		3-11-66	6.8	2286.6	
		4-14-66	8.2	2285.2	
		6-09-66	11.0	2282.4	
		7-14-66	12.5	2280.9	
		9-15-66	16.7	2276.7	
02N/06W-13M01S	2537.6	7-15-65	34.2	2503.4	230
		8-13-65	33.7	2503.9	
		9-22-65	38.0	2499.6	
		10-19-65	38.4	2499.2	
		11-09-65	37.0	2500.6	
		11-30-65	18.0	2519.6	
		12-17-65	17.2	2520.4	
		1-06-66	16.6	2521.0	
		2-08-66	17.5	2520.1	
		3-11-66	20.2	2517.4	
		4-14-66	27.0	2510.6	
		6-09-66	29.0	2508.6	
		7-14-66	29.5	2508.1	
		9-15-66	34.0	2503.6	
02N/06W-13Q02S	2450.0	7-15-65	77.8	2372.2	230
		8-13-65	78.4	2371.6	
		9-22-65	82.0	2368.0	
		10-19-65	82.8	2367.2	
		11-09-65	82.6	2367.4	
		11-30-65	64.8	2385.2	
		12-17-65	63.2	2386.8	
		1-06-66	61.0	2389.0	
		2-08-66	62.0	2388.0	
		3-11-66	64.9	2385.1	
		4-14-66	72.5	2377.5	
		6-09-66	74.5	2375.5	
		7-14-66	75.2	2374.8	
		9-15-66	79.3	2370.7	
02N/06W-13Q03S	2484.6	7-15-65	24.7	2459.9	230
		8-13-65	25.9	2458.7	
		9-22-65	28.5	2456.1	
		10-19-65	28.7	2455.9	
		11-09-65	28.5	2456.1	
		11-30-65	15.5	2469.1	
		12-17-65	14.2	2470.4	
		1-06-66	12.5	2472.1	
		2-08-66	12.5	2472.1	
		3-11-66	15.3	2469.3	
		4-14-66	20.3	2464.3	
		6-09-66	22.2	2462.4	
		7-14-66	22.5	2462.1	
		9-15-66	24.9	2459.7	

REDLANDS HYDRO SUBAREA Y-01.E3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-19D01S	1608.4	7-09-65	378.9	1229.5	400
		10-28-65	(3)		
		12-02-65	(3)		
		12-28-65	(3)		
		1-18-66	(3)		
		2-24-66	378.1	1230.3	
		4-06-66	374.1	1234.3	
		5-21-66	371.7	1236.7	
		6-29-66	371.3	1237.1	
		8-04-66	371.3	1237.1	
01S/03W-13P01S	1520.3	7-20-65	361.7(1)	1158.6	400
		8-25-65	(1)		
		9-28-65	360.6(1)	1159.7	
		10-28-65	(1)		
		12-02-65	326.1	1194.2	
		12-28-65	320.3	1200.0	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
REDLANDS HYDRO SUBAREA Y-01.E3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/03W-13P01S	1520.3	1-18-66	316.7	1203.6	400
(CONT.)		2-24-66	309.4	1210.9	
		4-06-66	304.5	1215.8	
		6-04-66	(8)		
		6-30-66	(8)		
		8-04-66	(8)		
		9-08-66	(8)		
		9-28-66	(1)		
01S/03W-13P02S	1534.5	7-20-65	368.9(1)	1165.6	400
		8-25-65	(1)		
		9-28-65	367.3(1)	1167.2	
		10-28-65	(1)		
		12-02-65	342.3	1192.2	
		12-28-65	346.7	1187.8	
		1-18-66	333.2	1201.3	
		2-24-66	327.4	1207.1	
		4-06-66	322.3	1212.2	
		5-21-66	325.3	1209.2	
		6-29-66	(7)		
		8-04-66	(7)		
		9-08-66	(7)		
		9-28-66	(7)		
01S/03W-24C01S	1519.7	7-20-65	394.8(1)	1124.9	400
		8-25-65	(1)		
		9-28-65	393.2(1)	1126.5	
		10-28-65	(1)		
		12-02-65	340.7	1179.0	
		12-28-65	334.7	1185.0	
		1-18-66	332.0	1187.7	
		2-24-66	327.4	1192.3	
		4-06-66	320.3	1199.4	
		6-04-66	322.2	1197.5	
		6-30-66	358.4(1)	1161.3	
		8-04-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/03W-24R01S	1583.0	9-08-66	(3)		400
		9-28-66	(3)		
01S/03W-25N02S	1590.0	7-21-65	377.4	1212.6	400
		8-25-65	379.2	1210.8	
		9-28-65	380.4	1209.6	
		10-29-65	404.6(2)	1185.4	
		12-03-65	367.4	1222.6	
		12-30-65	387.5	1202.5	
		1-19-66	358.3	1231.7	
		2-25-66	337.3	1252.7	
		4-07-66	336.2	1253.8	
		6-11-66	324.1	1265.9	
		8-04-66	395.5(2)	1194.5	
01S/03W-26C01S	1440.0	7-19-65	335.4(1)	1104.6	400
		7-27-65	(1)		203
		8-24-65	(1)		400
		8-26-65	(1)		203
		9-27-65	(1)		
		10-28-65	(1)		400
		10-28-65	(1)		203
		11-23-65	(9)		
		12-03-65	(3)		400
		12-28-65	(9)		203
		12-30-65	(3)		400
		1-18-66	(3)		
		1-27-66	(9)		203
		2-24-66	(3)		400
		2-24-66	(9)		203
		3-25-66	(9)		
		4-06-66	(3)		400
		4-12-66	(9)		203
		5-25-66	(9)		
		6-30-66	329.3(1)	1110.7	
		7-01-66	(3)		400
		7-28-66	360.0(1)	1080.0	203
		8-04-66	(3)		400
		8-25-66	359.0(1)	1081.0	203
		9-08-66	(3)		400
		9-28-66	(3)		
		9-29-66	359.0(1)	1081.0	203
01S/03W-28P01S	1264.9	8-31-66	DRY		400
		9-27-66	DRY		
01S/03W-32A01S	1287.0	8-31-66	(8)		400
		9-27-66	206.0	1081.0	
01S/03W-32J01S	1263.3	7-21-65	(1)		400
		8-25-65	228.1(1)	1035.2	
		9-28-65	(1)		
		10-29-65	222.4(1)	1040.9	
		12-03-65	191.2	1072.1	
		12-30-65	188.9	1074.4	
		1-19-66	186.6	1076.7	
		2-25-66	184.0	1079.3	
		4-07-66	(1)		
		6-11-66	198.5(1)	1064.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
REDLANDS HYDRO SUBAREA Y-01.E3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/03W-32J01S (CONT.)	1263.3	7-01-66	(1)		400
		8-02-66	(1)		
		8-31-66	(1)		
		9-27-66	(1)		
01S/03W-32J02S	1368.6	7-21-65	(3)		400
01S/03W-33R01S	1465.0	4-07-66	294.0	1171.0	400
		6-11-66	295.9	1169.1	
		8-01-66	295.8	1169.2	
		9-27-66	297.0	1168.0	

MENTONE HYDRO SUBAREA Y-01.E4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-18R01S	1762.6	7-09-65	276.8(1)	1485.8	400
		7-20-65	(1)		
		8-24-65	278.4(1)	1484.2	
		9-27-65	(1)		
		10-28-65	276.2(1)	1486.4	
		12-01-65	254.7	1507.9	
		12-28-65	251.1	1511.5	
		1-18-66	248.9	1513.7	
		2-24-66	239.4	1523.2	
		4-06-66	220.2	1542.4	
		5-21-66	188.2	1574.4	
		6-29-66	187.3	1575.3	
		8-04-66	188.4	1574.2	
		9-08-66	192.0	1570.6	
		9-28-66	193.6	1569.0	
01S/02W-19G01S	1686.0	7-20-65	DRY		400
		8-24-65	DRY		
		9-27-65	DRY		
		10-27-65	DRY		
		12-02-65	(2)		
		12-28-65	(2)		
		1-18-66	(2)		
		2-24-66	(2)		
		4-06-66	(2)		
		5-21-66	(2)		
		6-11-66	156.8	1529.2	
		6-29-66	155.5	1530.5	
		8-04-66	151.1(8)	1534.9	
		9-08-66	(3)		
		9-28-66	(3)		
01S/02W-19J01S	1760.5	7-20-65	215.7	1544.8	400
		8-24-65	216.4	1544.1	
		9-27-65	214.6	1545.9	
		10-28-65	217.6	1542.9	
		12-01-65	215.0	1545.5	
		12-28-65	212.7	1547.8	
		1-18-66	211.5	1549.0	
		2-24-66	209.0	1551.5	
		4-06-66	198.6	1561.9	
		5-21-66	193.0	1567.5	
		6-29-66	187.8	1572.7	
		8-04-66	182.9	1577.6	
		9-08-66	181.1	1579.4	
		9-28-66	180.3	1580.2	
01S/02W-19K01S	1723.9	7-20-65	234.9(1)	1489.0	400
		8-24-65	229.4(1)	1494.5	
		9-27-65	(1)		
		10-28-65	235.1(1)	1488.8	
		12-01-65	193.7	1530.2	
		12-28-65	191.2	1532.7	
		1-18-66	189.3	1534.6	
		2-24-66	187.5	1536.4	
		4-06-66	206.7(1)	1517.2	
		5-21-66	193.2(1)	1530.7	
		6-29-66	174.1	1549.8	
		8-04-66	187.0(1)	1536.9	
		9-08-66	198.1(1)	1525.8	
01S/02W-20B01S	1880.3	7-20-65	DRY		400
		8-24-65	DRY		
		9-27-65	DRY		
		10-28-65	DRY		
		12-01-65	DRY		
		12-28-65	DRY		
		1-18-66	DRY		
		2-23-66	130.1	1750.2	
		4-06-66	100.7	1779.6	
		5-21-66	101.7	1778.6	
		6-29-66	110.8	1769.5	
		8-04-66	118.0	1762.3	
		9-08-66	117.8	1762.5	
		9-28-66	117.0	1763.3	
01S/02W-20K01S	1907.0	7-20-65	105.2	1801.8	400
		8-24-65	106.9	1800.1	
		9-27-65	105.1	1801.9	
		10-28-65	142.6(1)	1764.4	
		12-01-65	97.4	1809.6	
		12-28-65	96.7	1810.3	

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
MENTONE HYDRO SUBAREA Y-01.E4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-20K01S (CONT.)	1907.0	1-17-66	95.7	1811.3	400
		2-23-66	95.3	1811.7	
		4-06-66	89.0	1818.0	
		5-21-66	99.4(1)	1807.6	
		6-29-66	88.0	1819.0	
		8-04-66	88.0	1819.0	
		9-08-66	(3)		
01S/02W-21D01S	1965.0	8-24-65	(1)		400
		9-27-65	80.3(1)	1884.7	
		10-27-65	(1)		
		12-01-65	72.3	1892.7	
		12-28-65	69.3	1895.7	
		1-17-66	64.3	1900.7	
		2-23-66	49.5	1915.5	
		3-25-66	35.0	1930.0	203
		4-06-66	40.7	1924.3	400
		5-21-66	45.5	1919.5	
		6-29-66	48.0	1917.0	
		8-03-66	(1)		
		9-08-66	(1)		
		9-29-66	(1)		
01S/02W-30B03S	1709.4	7-20-65	142.7	1566.7	400
		8-25-65	(9)		
		9-27-65	(4)		
		10-28-65	(4)		
		12-02-65	(4)		
		12-28-65	(4)		
		1-18-66	(4)		
		2-24-66	(4)		
		4-06-66	(4)		
		5-21-66	(4)		
		6-29-66	(4)		
		8-04-66	135.7	1573.7	
		9-08-66	136.6	1572.8	
		9-28-66	133.9	1575.5	
01S/02W-30C01S	1650.2	7-20-65	154.0(1)	1496.2	400
		8-24-65	(1)		
		9-27-65	155.7(1)	1494.5	
		10-28-65	(1)		
		12-02-65	141.5	1508.7	
		12-28-65	135.6	1514.6	
		1-18-66	133.0	1517.2	
		2-24-66	130.3	1519.9	
		4-06-66	131.6	1518.6	
		5-21-66	131.8	1518.4	
		6-29-66	134.1	1516.1	
		8-04-66	(1)		
		9-08-66	(1)		
		9-28-66	(1)		
01S/02W-30E01S	1630.0	7-20-65	124.0	1506.0	400
		8-24-65	123.7	1506.3	
		9-27-65	122.1	1507.9	
		10-28-65	123.7	1506.3	
		12-02-65	123.5	1506.5	
		12-28-65	123.6	1506.4	
		1-18-66	123.8	1506.2	
		2-24-66	124.1	1505.9	
		4-06-66	123.4	1506.6	
		5-21-66	123.4	1506.6	
		6-29-66	118.4	1511.6	
		8-04-66	123.1	1506.9	
		9-08-66	123.2	1506.8	
		9-28-66	122.5	1507.5	

RESERVOIR HYDRO SUBAREA Y-01.E5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-29M01S	1851.8	7-20-65	(1)		400
		8-24-65	(1)		
		9-27-65	(2)		
		10-28-65	(1)		
		12-02-65	309.5	1542.3	
		12-28-65	294.2	1557.6	
		1-18-66	288.6	1563.2	
		2-24-66	281.1	1570.7	
		4-06-66	274.1	1577.7	
		5-21-66	269.0	1582.8	
		6-29-66	265.4	1586.4	
		8-04-66	263.7	1588.1	
		9-08-66	(3)		
		9-28-66	258.0	1593.8	
01S/02W-29N01S	1896.4	7-20-65	321.1	1575.3	400
		8-24-65	323.9	1572.5	
		9-27-65	322.2	1574.2	
		10-28-65	370.7	1525.7	
		12-02-65	352.3	1544.1	
		12-28-65	342.2	1554.2	
		1-18-66	(2)		
		2-24-66	(2)		
		4-06-66	(2)		
		5-21-66	(2)		
		6-29-66	(2)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYORO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
RESERVOIR HYDRO SUBAREA Y-01.E5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-29N01S (CONT.)	1896.4	8-04-66	(2)		400
		9-08-66	(2)		
01S/02W-31B01S	1880.7	7-20-65	305.1	1575.6	400
		8-24-65	305.6	1575.1	
		9-27-65	304.4	1576.3	
		10-28-65	323.9	1556.8	
		12-02-65	325.2	1555.5	
		1-18-66	307.2	1573.5	
		4-06-66	310.5	1570.2	
		5-21-66	312.2	1568.5	
		6-29-66	310.0	1570.7	
		8-04-66	306.2	1574.5	
		9-08-66	304.7	1576.0	
		9-28-66	(3)		
01S/03W-35G05S	1534.9	4-07-66	(2)		400
		6-11-66	(2)		
		7-01-66	(2)		
		8-01-66	(2)		
		8-31-66	(2)		
		9-27-66	(2)		
01S/03W-35G07S	1565.5	1-24-66	155.0	1410.5	203
		2-24-66	153.5	1412.0	
		3-25-66	152.5	1413.0	
		4-13-66	149.5	1416.0	
		5-24-66	173.5	1392.0	
		6-28-66	158.5	1407.0	
		7-28-66	(9)		
		8-25-66	173.5	1392.0	
		9-29-66	156.5	1409.0	
01S/03W-35G08S	1565.8	7-27-65	180.0	1385.8	203
		8-25-65	184.0	1381.8	
		9-30-65	175.0	1390.8	
		10-25-65	167.0	1398.8	
		11-27-65	165.5	1400.3	
		12-24-65	159.5	1406.3	
		1-24-66	155.5	1410.3	
		2-24-66	152.0	1413.8	
		3-25-66	153.0	1412.8	
		4-13-66	149.0	1416.8	
		5-24-66	151.0	1414.8	
		6-28-66	216.2(1)	1349.6	
		7-27-66	220.0	1345.8	
		8-25-66	225.0	1340.8	
		9-29-66	(8)		
01S/03W-35G11S	1560.0	7-27-65	161.0	1399.0	203
		8-25-65	157.0	1403.0	
		9-30-65	155.0	1405.0	
		10-28-65	149.0	1411.0	
		11-27-65	148.5	1411.5	
		12-23-65	144.5	1415.5	
		1-25-66	143.0	1417.0	
		2-24-66	142.0	1418.0	
		3-25-66	141.0	1419.0	
		4-13-66	132.0	1428.0	
		5-24-66	133.5	1426.5	
		6-28-66	139.8	1420.2	
		7-27-66	141.5	1418.5	
		8-25-66	149.0	1411.0	
		9-28-66	143.0	1417.0	
01S/03W-35H03S	1571.1	7-28-65	181.9	1389.2	203
		8-25-65	184.9	1386.2	
		9-30-65	201.9(1)	1369.2	
		10-25-65	177.5	1393.6	
		11-27-65	173.4	1397.7	
		12-24-65	169.9	1401.2	
		1-24-66	162.4	1408.7	
		2-24-66	156.4	1414.7	
		3-29-66	162.9	1408.2	
		4-11-66	155.4	1415.7	
		5-24-66	158.9	1412.2	
		6-20-66	160.9	1410.2	
		7-27-66	208.6(1)	1362.5	
		8-25-66	214.9(1)	1356.2	
		9-27-66	176.9	1394.2	
01S/03W-35H04S	1585.3	7-28-65	193.0	1392.3	203
		8-25-65	197.0	1388.3	
		9-27-65	187.0	1398.3	
		10-25-65	185.0	1400.3	
		11-27-65	184.0	1401.3	
		12-24-65	179.0	1406.3	
		1-24-66	174.0	1411.3	
		2-24-66	167.5	1417.8	
		3-25-66	173.0	1412.3	
		4-11-66	167.0	1418.3	
		5-24-66	168.5	1416.8	
		6-30-66	167.8	1417.5	
		7-27-66	185.7	1399.6	
		8-25-66	191.0	1394.3	
		9-27-66	183.0	1402.3	
01S/03W-35H08S	1580.0	7-21-65	(4)		400

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0
RESERVOIR HYDRO SUBAREA Y-01.E5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/03W-35H08S (CONT.)	1580.0	8-25-65	(4)		400
		9-23-65	198.0	1382.0	
01S/03W-35L02S	1614.9	7-21-65	(9)		400
		8-25-65	204.5	1410.4	
		9-28-65	204.8	1410.1	
		10-29-65	207.0	1407.9	
		12-03-65	205.6	1409.3	
		12-30-65	203.6	1411.3	
		1-19-66	201.4	1413.5	
		2-25-66	197.9	1417.0	
		4-07-66	196.5	1418.4	
		6-11-66	194.9	1420.0	
		7-01-66	198.0	1416.9	
		8-02-66	209.9	1405.0	
		8-31-66	200.2	1414.7	
		9-27-66	(3)		
02S/03W-03G01S	1680.0	7-21-65	402.0(1)	1278.0	203

CRAFTON HYDRO SUBAREA Y-01.E6

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-29K01S	1920.0	8-24-65	133.7	1786.3	400
		9-27-65	131.3	1788.7	
		10-28-65	269.5(1)	1650.5	
		12-02-65	144.0	1776.0	
		12-28-65	139.0	1781.0	
		1-18-66	137.3	1782.7	
		2-24-66	134.1	1785.9	
		4-06-66	132.0	1788.0	
		5-21-66	220.0(1)	1700.0	
		6-29-66	246.1(1)	1673.9	
		8-04-66	136.9	1783.1	
		9-08-66	(1)		
		9-29-66	(1)		
02S/03W-01D01S	1789.6	2-25-66	212.0	1577.6	400
		4-07-66	(1)		
		6-11-66	231.0(1)	1558.6	
		7-01-66	(8)		
		8-02-66	(1)		
		8-31-66	(1)		
		9-27-66	(1)		
02S/03W-01P01S	1980.0	7-21-65	262.8	1717.2	400
		8-25-65	261.7	1718.3	
		12-03-65	261.8	1718.2	
		12-30-65	261.9	1718.1	
		1-19-66	261.9	1718.1	
		2-25-66	261.7	1718.3	
		4-07-66	261.7	1718.3	
		6-04-66	263.1	1716.9	
		7-01-66	262.2	1717.8	
		8-02-66	261.1	1718.9	
		8-31-66	260.9	1719.1	
		9-29-66	260.2	1719.8	

SANTA ANA CANYON HYORO SUBAREA Y-01.E7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-08C01S	1811.0	7-19-65	(1)		400
		8-24-65	150.4(1)	1660.6	
		9-27-65	(1)		
		10-27-65	169.9(1)	1641.1	
		11-29-65	94.8	1716.2	
		12-27-65	63.7	1747.3	
		1-17-66	44.4	1766.6	
		2-23-66	33.4	1777.6	
		4-06-66	55.7	1755.3	
		5-14-66	61.9	1749.1	
		6-28-66	129.0(2)	1682.0	
		8-03-66	(1)		
		9-08-66	(1)		
		9-29-66	(1)		

MILL CREEK HYDRO SUBAREA Y-01.E8

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/01W-07N01S	2990.0	7-26-65	15.0	2975.0	203
		8-27-65	16.0	2974.0	
		9-27-65	18.8	2971.2	
		10-25-65	12.4	2977.6	
		11-15-65	83.0(1)	2907.0	
		11-19-65	18.5	2971.5	
		12-28-65	7.5	2982.5	
		1-27-66	8.0	2982.0	
		2-24-66	8.0	2982.0	
		3-22-66	5.7	2984.3	
		4-12-66	7.5	2982.5	
		5-24-66	7.0	2983.0	
		6-27-66	7.0	2983.0	
		7-29-66	7.6	2982.4	
		8-24-66	8.0	2982.0	
		9-30-66	97.0(1)	2893.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

MILL CREEK HYDRO SUBAREA Y-01.E8

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/01W-08G01S	3570.0	7-26-65	71.0(1)	3499.0	203
		8-27-65	78.0(1)	3492.0	
		9-24-65	77.0(1)	3493.0	
		10-25-65	78.2(1)	3491.8	
		11-29-65	14.0	3556.0	
		12-23-65	14.0	3556.0	
		1-27-66	14.0	3556.0	
		2-24-66	14.0	3556.0	
		3-22-66	10.0	3560.0	
		4-12-66	13.0	3557.0	
		5-24-66	12.0	3558.0	
		6-27-66	12.0	3558.0	
		7-29-66	9.9	3560.1	
		8-24-66	40.5(1)	3529.5	
		9-30-66	66.0(1)	3504.0	
01S/01W-10L01S	4140.0	7-26-65	162.0(1)	3978.0	203
		8-27-65	176.0(1)	3964.0	
		9-27-65	(1)		
		10-25-65	(1)		
		11-29-65	(1)		
		12-23-65	129.0	4011.0	
		1-27-66	59.0	4081.0	
		2-24-66	35.5	4104.5	
		3-22-66	41.0(1)	4099.0	
		4-12-66	40.5	4099.5	
		5-24-66	41.0	4099.0	
		6-27-66	49.5	4090.5	
		7-29-66	111.4(1)	4028.6	
		8-24-66	69.5(1)	4070.5	
		9-30-66	86.0(1)	4054.0	
01S/01W-11Q01S	4575.0	7-26-65	110.0(1)	4465.0	203
		8-27-65	125.5(1)	4449.5	
		9-27-65	136.0(1)	4439.0	
		10-25-65	139.0(1)	4436.0	
		11-27-65	78.0	4497.0	
		12-23-65	23.5	4551.5	
		1-27-66	8.0	4567.0	
		2-24-66	14.0	4561.0	
		3-22-66	23.5	4551.5	
		4-12-66	21.5	4553.5	
		5-24-66	20.0	4555.0	
		6-27-66	44.0	4531.0	
		7-29-66	63.0	4512.0	
		8-24-66	70.0	4505.0	
		9-30-66	96.0(1)	4479.0	
01S/02W-09Q01S	2150.8	7-19-65	(3)		400
		8-24-65	(3)		
01S/02W-15P02S	2249.9	7-19-65	(1)		400
		8-24-65	(1)		
		9-27-65	(2)		
		10-27-65	(2)		
		12-01-65	(2)		
		12-28-65	(2)		
		1-17-66	(2)		
		2-23-66	(2)		
		4-06-66	(2)		
		5-21-66	(2)		
		6-29-66	(2)		
		8-03-66	(2)		
		9-08-66	(2)		
01S/02W-16C01S	2065.0	7-19-65	156.1(1)	1908.9	400
		8-24-65	(1)		
		9-27-65	220.3(1)	1844.7	
		10-27-65	(1)		
		12-01-65	(2)		
		12-28-65	(2)		
		1-17-66	(2)		
		2-23-66	(2)		
		4-06-66	(2)		
		5-21-66	(2)		
		6-29-66	(2)		
		8-03-66	(2)		
		9-08-66	(2)		
01S/02W-21B02S	2090.0	7-19-65	80.0(1)	2010.0	400
		8-24-65	(1)		
		9-27-65	78.4(1)	2011.6	
		10-27-65	(1)		
		12-01-65	82.3(1)	2007.7	
		12-28-65	(1)		
		1-17-66	51.6(1)	2038.4	
		2-23-66	16.0	2074.0	
		4-06-66	27.5(1)	2062.5	
		5-21-66	27.2	2062.8	
		5-24-66	30.7(1)	2059.3	203
		6-29-66	32.8(1)	2057.2	
		6-29-66	32.9(1)	2057.1	400
		7-29-66	82.2(1)	2007.8	203
		8-03-66	29.3(1)	2060.7	400
		8-24-66	36.2(1)	2053.8	203
		9-08-66	(1)		400
		9-28-66	38.2(1)	2051.8	203

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

MILL CREEK HYDRO SUBAREA Y-01.E8

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-21B02S (CONT.)	2090.0	9-29-66	(1)		400
01S/02W-21E01S	2016.0	7-09-65	87.8(1)	1928.2	400
		7-19-65	(1)		
		8-24-65	82.3	1933.7	
		9-27-65	(1)		
		10-27-65	71.8	1944.2	
		12-01-65	70.5	1945.5	
		12-28-65	66.6	1949.4	
		1-17-66	61.5	1954.5	
		2-23-66	43.2	1972.8	
		4-06-66	35.0	1981.0	
		5-21-66	37.8	1978.2	
		6-29-66	52.6(1)	1963.4	
		7-29-66	59.9(1)	1956.1	203
		8-03-66	60.7(1)	1955.3	400
		8-24-66	49.6	1966.4	203
		9-08-66	(1)		400
		9-28-66	67.1(1)	1948.9	203
		9-29-66	(1)		400
01S/02W-21H02S	2126.8	8-24-65	42.8	2084.0	400
		9-27-65	41.4	2085.4	
		10-27-65	45.4	2081.4	
		12-01-65	45.8	2081.0	
		12-28-65	35.1	2091.7	
		1-17-66	25.4	2101.4	
		2-23-66	16.5	2110.3	
		4-06-66	13.6	2113.2	
		5-21-66	15.9	2110.9	
		6-29-66	18.0	2108.8	
		8-03-66	21.0	2105.8	
		9-08-66	24.8	2102.0	
		9-29-66	27.5	2099.3	
01S/02W-21L01S	2014.8	7-20-65	37.6	1977.2	400
		8-24-65	39.5	1975.3	
		9-27-65	38.1	1976.7	
		10-28-65	41.9	1972.9	
		12-01-65	43.4	1971.4	
		12-28-65	46.4	1968.4	
		1-17-66	48.1	1966.7	
		2-23-66	45.9	1968.9	
		4-06-66	22.7	1992.1	
		5-21-66	17.1	1997.7	
		6-29-66	19.6	1995.2	
		8-04-66	21.8	1993.0	
		9-08-66	25.4	1989.4	
01S/02W-21M01S	1955.7	7-20-65	66.2(1)	1889.5	400
		8-24-65	(1)		
		9-27-65	64.8(1)	1890.9	
		10-28-65	49.5	1906.2	
		12-01-65	48.6	1907.1	
		12-28-65	43.9	1911.8	
		1-17-66	40.8	1914.9	
		2-23-66	37.5	1918.2	
		4-06-66	32.0	1923.7	
		5-21-66	17.3	1938.4	
		6-29-66	25.1	1930.6	
		7-29-66	30.0(1)	1925.7	203
		8-04-66	28.8(1)	1926.9	400
		8-24-66	22.0	1933.7	203
		9-08-66	(1)		400
		9-28-66	32.0(1)	1923.7	203
01S/02W-22C02S	2260.0	7-26-65	65.0	2195.0	203
		8-24-65	63.8	2196.2	400
		8-27-65	68.0	2192.0	203
		9-24-65	68.5	2191.5	
		9-27-65	60.4	2199.6	400
		10-25-65	71.3	2188.7	203
		10-27-65	70.6	2189.4	400
		11-30-65	64.0	2196.0	203
		12-01-65	59.4	2200.6	400
		12-28-65	42.6	2217.4	203
		12-28-65	42.6	2217.4	400
		1-17-66	42.0	2218.0	
		1-27-66	42.5	2217.5	203
		2-23-66	41.8	2218.2	400
		2-24-66	42.5	2217.5	203
		3-25-66	43.0	2217.0	
		4-06-66	41.5	2218.5	400
		4-12-66	42.5	2217.5	203
		5-21-66	41.5	2218.5	400
		5-24-66	44.5	2215.5	203
		6-29-66	42.5	2217.5	
		6-29-66	42.1	2217.9	400
		7-29-66	43.0	2217.0	203
		8-03-66	44.9	2215.1	400
		8-24-66	43.5	2216.5	203
		9-08-66	(9)		400
		9-28-66	71.0	2189.0	203
		9-29-66	(9)		400

TABLE C-I
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

UPPER SANTA ANA HYDRO SUBUNIT Y-01.E0

SYCAMORE HYDRO SUBAREA Y-01.E9

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/04W-06C03S	1184.9	8-26-65	209.6	975.3	230
		8-26-65	209.6	975.3	
		11-12-65	214.3	970.6	
		11-12-65	214.3	970.6	
		11-23-65	212.9	972.0	
		11-23-65	212.9	972.0	
		12-17-65	211.1	973.8	
		12-17-65	211.1	973.8	
		2-09-66	204.1	980.8	
		2-09-66	204.1	980.8	
		4-12-66	200.1	984.8	
		4-12-66	200.1	984.8	
		7-12-66	198.3	986.6	
		7-12-66	198.3	986.6	
		9-27-66	206.3	978.6	
		9-27-66	206.3	978.6	
01N/04W-31P03S	1206.4	7-01-65	311.5	894.9	124
		8-03-65	322.5	883.9	
		12-01-65	326.5	879.9	
		1-03-66	318.5	887.9	
		2-01-66	315.5	890.9	
		3-01-66	311.5	894.9	
		4-06-66	302.5	903.9	
		8-01-66	310.5	895.9	
		9-06-66	316.5	889.9	
01N/05W-23R03S	1412.0	8-03-65	386.0(1)	1026.0	124
		9-02-65	345.0	1067.0	
		10-01-65	342.0	1070.0	
		11-01-65	417.0(1)	995.0	
		12-01-65	322.0	1090.0	
		1-03-66	315.0	1097.0	
		2-01-66	297.0	1115.0	
		3-01-66	287.0	1125.0	
		4-06-66	303.0	1109.0	
		5-01-66	303.0	1109.0	
		6-07-66	371.0(1)	1041.0	
		7-07-66	378.0(1)	1034.0	
		8-01-66	382.0(1)	1030.0	
		9-06-66	386.0(1)	1026.0	
01N/05W-25E01S	1383.4	7-01-65	336.0	1047.4	124
		8-03-65	334.0	1049.4	
		9-02-65	334.0	1049.4	
		10-01-65	338.0	1045.4	
		11-01-65	344.0	1039.4	
		12-01-65	339.0	1044.4	
		1-03-66	386.0(1)	997.4	
		2-01-66	312.0	1071.4	
		3-01-66	307.0	1076.4	
		4-06-66	304.0	1079.4	
		4-22-66	298.0	1085.4	
		5-14-66	317.0(1)	1066.4	
		6-07-66	295.0	1088.4	
		7-07-66	297.0	1086.4	
		8-01-66	300.0	1083.4	
		9-06-66	301.0	1082.4	
01N/05W-25E02S	1378.2	8-03-65	317.8	1060.4	124
		12-01-65	320.8	1057.4	
		4-06-66	292.8	1085.4	
01N/05W-26A03S	1398.0	8-03-65	348.0(1)	1050.0	124
		9-02-65	357.0(1)	1041.0	
		4-06-66	337.0(1)	1061.0	
		4-22-66	319.0	1079.0	
		9-06-66	332.0(1)	1066.0	
01N/05W-36J03S	1261.5	7-01-65	352.1	909.4	124
		8-03-65	399.1(1)	862.4	
		9-02-65	408.1(1)	853.4	
		10-01-65	419.1(1)	842.4	
		11-01-65	424.1(1)	837.4	
		12-01-65	341.1	920.4	
		1-03-66	383.1	878.4	
		2-01-66	383.1	878.4	
		3-01-66	373.1	888.4	
		4-06-66	370.1	891.4	
		5-02-66	374.1	887.4	
		6-07-66	374.1	887.4	
		7-07-66	373.1	888.4	
		8-01-66	399.1(1)	862.4	
		9-06-66	390.1(1)	871.4	
01N/05W-36R01S	1248.2	8-25-65	373.0	875.2	230
		9-28-65	373.3	874.9	
		11-12-65	374.0	874.2	
		11-23-65	372.6	875.6	
		12-22-65	363.0	885.2	
		1-20-66	357.0	891.2	
		3-10-66	348.0	900.2	
		4-12-66	346.2	902.0	
		5-12-66	346.0	902.2	
		6-16-66	348.3	899.9	
		7-13-66	350.8	897.4	
		9-14-66	361.6	886.6	

SAN TIMOTEO HYDRO SUBUNIT Y-01.F0

YUCAIPA HYDRO SUBAREA Y-01.F1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-34N02S	2162.4	08-04-65	266.1(4)	1896.3	100
		09-01-65	(1)		
		10-04-65	(1)		
		11-03-65	(1)		
		12-08-65	267.8	1894.6	
		01-04-66	265.9	1896.5	
		01-31-66	260.0	1902.4	
		03-03-66	255.9	1906.5	
		05-05-66	(1)		
		06-08-66	(1)		
		07-01-66	(1)		
		08-05-66	(1)		
		08-31-66	(1)		
		09-30-66	(1)		
02S/03W-03N01S	1390.0	07-21-65	66.3	1323.7	400
		08-25-65	66.8	1323.2	
		09-28-65	DRY		
		10-29-65	67.4	1322.6	
		12-03-65	65.8	1324.2	
		12-30-65	64.6	1325.4	
		01-19-66	64.0	1326.0	
		02-25-66	63.6	1326.4	
		04-07-66	63.7	1326.3	
		06-11-66	64.9	1325.1	
		07-01-66	65.4	1324.6	
		08-02-66	66.1	1323.9	
		08-31-66	66.9	1323.1	
		09-27-66	67.1	1322.9	

SAN TIMOTEO HYDRO SUBAREA Y-01.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/01W-34M01S	2656.8	9-17-65	382.1	2274.7	713
		9-17-65	382.1	2274.7	103
		11-19-65	384.0	2272.8	
		1-07-66	383.3	2273.5	713
		1-07-66	383.3	2273.5	103
		4-22-66	384.4	2272.4	
		5-06-66	384.0	2272.8	713
		5-06-66	384.0	2272.8	103
		8-26-66	385.9	2270.9	713
02S/02W-15R01S	2286.3	11-19-65	130.5	2155.8	103
		4-22-66	131.8	2154.5	
02S/02W-20K01S	1877.7	11-18-65	34.1	1843.6	103
		4-22-66	30.6	1847.1	
02S/02W-25B01S	2299.1	11-18-65	77.8	2221.3	103
		4-21-66	78.1(2)	2221.0	
02S/02W-25Q01S	2247.8	11-18-65	(9)		103
		4-21-66	66.7	2181.1	
02S/02W-25D05S	2236.5	11-18-65	(9)		103
		4-21-66	41.0	2195.5	
02S/03W-10B01S	1491.8	8-25-65	92.0	1399.8	400
		9-28-65	92.3	1399.5	
		10-29-65	156.4(1)	1335.4	
		12-03-65	90.7	1401.1	
		12-30-65	89.4	1402.4	
		1-19-66	89.1	1402.7	
		2-25-66	88.3	1403.5	
		4-07-66	99.3	1392.5	
		6-11-66	90.5	1401.3	
		7-01-66	90.1	1401.7	
		8-02-66	91.3	1400.5	
		8-31-66	92.0	1399.8	
		9-27-66	93.0	1398.8	
02S/03W-10F01S	1478.2	4-07-66	146.6	1331.6	400
		6-11-66	167.0(1)	1311.2	
		7-01-66	(3)		
		8-02-66	(1)		
		8-31-66	(1)		
		9-27-66	(1)		
02S/03W-24B01S	1692.8	11-18-65	61.9	1630.9	103
		4-21-66	43.0	1649.8	
03S/01W-04K01S	2580.0	9-17-65	322.7	2257.3	713
		1-07-66	320.2	2259.8	
		5-06-66	(1)		
		8-26-66	(1)		
03S/01W-04Q02S	2571.3	9-17-65	316.3	2255.0	713
		1-07-66	316.5	2254.8	
		5-06-66	316.3	2255.0	
		8-26-66	319.1	2252.2	
03S/01W-05Q01S	2532.7	11-19-65	121.0	2411.7	103
		4-22-66	120.2	2412.5	
03S/01W-06F01S	2333.0	11-18-65	117.3	2215.7	103

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

SAN TIMOTEO HYDRO SUBUNIT Y-01.F0

SAN TIMOTEO HYDRO SUBAREA Y-01.F2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/01W-06F01S (CONT.)	2333.0	4-21-66	116.7	2216.3	103
03S/01W-06L01S	2334.8	11-18-65	47.0	2287.8	103
		4-21-66	47.1	2287.7	
03S/01W-07C01S	2333.9	11-19-65	48.3	2285.6	103
		4-21-66	46.7	2287.2	
03S/01W-09Q01S	2560.0	7-16-65	90.2	2469.8	103
		8-09-65	92.3	2467.7	
		9-17-65	90.9	2469.1	
		11-19-65	90.9	2469.1	
		12-22-65	90.3	2469.7	
		1-13-66	88.1	2471.9	
		2-04-66	88.9	2471.1	
		3-08-66	87.0	2473.0	
		4-22-66	87.6	2472.4	
		5-31-66	89.5	2470.5	
		7-11-66	91.6	2468.4	
		8-01-66	92.4	2467.6	
		9-08-66	93.7	2466.3	

CHERRY VALLEY HYDRO SUBAREA Y-01.F3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/02W-14J02S	2419.0	11-19-65	(9)		103
		4-22-66	225.2	2193.8	
02S/02W-23H01S	2387.1	11-18-65	212.5	2174.6	103
		4-21-66	211.4	2175.7	

CHICKEN HILL HYDRO SUBAREA Y-01.F4

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/02W-02M01S	2386.0	8-04-65	415.4(1)	1970.6	100
		9-01-65	(1)		
		10-04-65	304.3(3)	2081.7	
		11-03-65	(1)		
		12-08-65	312.6	2073.4	
		1-04-66	312.4	2073.6	
		1-31-66	299.1	2086.9	
		3-03-66	(1)		
		3-31-66	296.7	2089.3	
		5-05-66	(1)		
		6-08-66	360.9(1)	2025.1	
		7-01-66	299.0	2087.0	
		8-05-66	305.2	2080.8	
		8-31-66	301.5	2084.5	
		9-30-66	303.3	2082.7	
02S/02W-11D01S	2320.0	8-04-65	328.3(1)	1991.7	100
		9-01-65	(1)		
		10-04-65	(1)		
		11-03-65	(1)		
		12-08-65	236.0	2084.0	
		1-04-66	216.0	2104.0	
		1-31-66	214.0	2106.0	
		3-03-66	212.0	2108.0	
		3-31-66	210.0	2110.0	
		5-05-66	210.7	2109.3	
		6-08-66	212.1	2107.9	
		7-01-66	(1)		
		8-05-66	(1)		
		8-31-66	(1)		
		9-30-66	224.2	2095.8	
02S/02W-15A04S	2366.0	8-04-65	269.7(3)	2096.3	100
		9-01-65	(4)		
		10-04-65	(7)		
		11-03-65	(1)		
		12-08-65	(1)		
		1-04-66	(1)		
		1-31-66	(1)		
		3-03-66	(1)		
		3-31-66	(1)		
		5-05-66	(1)		
		6-08-66	(1)		
		7-01-66	(1)		
		8-05-66	(1)		
		8-31-66	(1)		
		9-30-66	(1)		

GATEWAY HYDRO SUBAREA Y-01.F5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/01W-30E01S	2816.9	8-04-65	331.0(4)	2485.9	100
		9-01-65	(1)		
		10-04-65	(1)		
		11-03-65	(1)		
		12-08-65	(1)		
		1-04-66	(1)		
		1-31-66	(1)		
		3-03-66	(1)		
		3-31-66	(1)		

SAN TIMOTEO HYDRO SUBUNIT Y-01.F0

GATEWAY HYDRO SUBAREA Y-01.F5

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/01W-30E01S (CONT.)	2816.9	5-05-66	(1)		100
		6-08-66	351.6(1)	2465.3	
		7-01-66	347.2(1)	2469.7	
		8-05-66	317.6	2499.3	
		8-31-66	326.2	2490.7	
		9-30-66	324.9	2492.0	

OAK GLEN HYDRO SUBAREA Y-01.F6

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
01S/02W-36C03S	2640.0	8-04-65	313.2	2326.8	100
		9-01-65	(1)		
		10-04-65	(1)		
		11-03-65	(1)		
		12-08-65	318.9	2321.1	
		1-04-66	315.8	2324.2	
		1-31-66	313.5	2326.5	
		3-03-66	(1)		
		3-31-66	(1)		
		5-05-66	(1)		
		6-08-66	330.1	2309.9	
		7-01-66	329.0	2311.0	
		8-05-66	332.1	2307.9	
		8-31-66	(1)		
		9-30-66	(1)		
01S/02W-36R01S	2710.0	8-04-65	503.2(1)	2206.8	100
		9-01-65	(1)		
		10-04-65	(1)		
		11-03-65	(1)		
		12-08-65	381.6	2328.4	
		1-04-66	380.3	2329.7	
		1-31-66	382.2	2327.8	
		3-03-66	(1)		
		3-31-66	394.2	2315.8	
		5-05-66	(1)		
		6-08-66	396.2	2313.8	
		7-01-66	396.5	2313.5	
		8-05-66	(1)		
		8-31-66	391.6	2318.4	
		9-30-66	389.8	2320.2	
02S/02W-01F01S	2560.0	8-04-65	251.0	2309.0	100
		9-01-65	251.5	2308.5	
		10-04-65	252.2	2307.8	
		11-03-65	251.9	2308.1	
		12-08-65	251.0	2309.0	
		1-04-66	251.6	2308.4	
		1-31-66	251.0	2309.0	
		3-03-66	250.0	2310.0	
		3-31-66	249.1	2310.9	
		5-05-66	250.3	2309.7	
		6-08-66	250.4	2309.6	
		7-01-66	250.4	2309.6	
		8-05-66	251.8	2308.2	
		8-31-66	252.0	2308.0	
		9-30-66	252.3	2307.7	

SOUTH MESA HYDRO SUBAREA Y-01.F7

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/01W-08E02S	2860.0	8-04-65	(4)		100
		9-01-65	171.9	2688.1	
		10-04-65	169.5	2690.5	
		11-03-65	169.0	2691.0	
		12-08-65	174.0(3)	2686.0	
		1-04-66	(3)		
		1-31-66	(9)		
		3-03-66	167.0	2693.0	
		3-31-66	166.1	2693.9	
		5-05-66	166.5	2693.5	
		6-08-66	150.5	2709.5	
		7-01-66	150.7	2709.3	
		8-05-66	156.4	2703.6	
		8-31-66	156.0	2704.0	
		9-30-66	158.6	2701.4	
02S/02W-13E02S	2453.0	8-04-65	300.5	2152.5	100
		9-01-65	301.0	2152.0	
		10-04-65	301.3	2151.7	
		11-03-65	301.1	2151.9	
		12-08-65	300.4	2152.6	
		1-04-66	299.3	2153.7	
		1-31-66	300.8	2152.2	
		3-03-66	299.7	2153.3	
		3-31-66	298.9	2154.1	
		5-05-66	302.0	2151.0	
		6-08-66	301.3	2151.7	
		7-01-66	301.2	2151.8	
		8-05-66	303.0	2150.0	
		8-31-66	302.8	2150.2	
		9-30-66	302.4	2150.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA ANA RIVER HYDRO UNIT Y-01.00

SAN TIMOTEO HYDRO SUBUNIT Y-01.F0
NOBIE CREEK HYDRO SUBAREA Y-01.F9

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/01W-01E01S	4355.0	7-01-65	28.0(1)	4327.0	401
		8-05-65	33.0(1)	4322.0	
		9-01-65	67.0(2)	4288.0	
		10-02-65	64.0(2)	4291.0	
		11-05-65	55.0(1)	4300.0	
		12-02-65	44.0(1)	4311.0	
		12-31-65	30.0(1)	4325.0	
		1-25-66	33.0(1)	4322.0	
		2-21-66	32.0(1)	4323.0	
		3-22-66	12.0(1)	4343.0	
		4-18-66	13.0(1)	4342.0	
		5-01-66	13.0(1)	4342.0	
		5-17-66	12.0(1)	4343.0	
		6-01-66	15.0(1)	4340.0	
		6-13-66	16.0(1)	4339.0	
		7-12-66	16.0(1)	4339.0	
		7-28-66	21.0(1)	4334.0	
		8-15-66	22.0(1)	4333.0	
		9-06-66	25.0(1)	4330.0	
		9-17-66	23.0(1)	4332.0	
02S/01W-02G01S	4400.0	7-01-65	107.0(1)	4293.0	401
		8-03-65	108.0(1)	4292.0	
		9-01-65	109.0(1)	4291.0	
		10-02-65	29.0(5)	4371.0	
		11-04-65	107.0(1)	4293.0	
		12-02-65	27.0(5)	4373.0	
		12-31-65	17.0(5)	4383.0	
		1-25-66	12.0(5)	4388.0	
		2-21-66	15.0(5)	4385.0	
		3-22-66	1.0(5)	4399.0	
		4-18-66	3.0(5)	4397.0	
		5-01-66	98.0(1)	4302.0	
		5-17-66	3.0(5)	4397.0	
		6-01-66	3.0(5)	4397.0	
		6-13-66	99.0(1)	4301.0	
		7-12-66	100.0(1)	4300.0	
		7-28-66	103.0(1)	4297.0	
		8-15-66	97.0(1)	4303.0	
		9-06-66	105.0(1)	4295.0	
02S/01W-02H01S	4350.0	7-01-65	26.0(5)	4324.0	401
		8-05-65	31.0(5)	4319.0	
		9-01-65	145.0(1)	4205.0	
		10-02-65	169.0(1)	4181.0	
		11-05-65	53.0(5)	4297.0	
		12-02-65	46.0(5)	4304.0	
		12-31-65	23.0(5)	4327.0	
		1-25-66	25.0(5)	4325.0	
		2-21-66	24.0(5)	4326.0	
		3-22-66	20.0(5)	4330.0	
		4-18-66	11.0(5)	4339.0	
		5-01-66	9.0(5)	4341.0	
		5-17-66	10.0(5)	4340.0	
		6-01-66	12.0(5)	4338.0	
		6-13-66	12.0(5)	4338.0	
		7-12-66	15.0(5)	4335.0	
		7-28-66	18.0(5)	4332.0	
		8-15-66	19.0(2)	4331.0	
		9-06-66	22.0(2)	4328.0	
		9-17-66	23.0(2)	4327.0	
02S/01W-02J01S	4234.5	7-01-65	22.0(5)	4212.5	401
		8-03-65	26.0(5)	4208.5	
		9-01-65	27.0(5)	4207.5	
		10-02-65	32.0(5)	4202.5	
		11-04-65	39.0(5)	4195.5	
		12-31-65	17.0(5)	4217.5	
		1-25-66	20.0(5)	4214.5	
		2-21-66	20.0(5)	4214.5	
		3-22-66	16.0(5)	4218.5	
		4-18-66	58.0(1)	4176.5	
		5-01-66	62.0(1)	4172.5	
		5-17-66	8.0(5)	4226.5	
		6-01-66	64.0(1)	4170.5	
		6-13-66	66.0(1)	4168.5	
		7-12-66	77.0(1)	4157.5	
		7-28-66	83.0(1)	4151.5	
		8-15-66	90.0(1)	4144.5	
		9-06-66	99.0(1)	4135.5	
		9-17-66	100.0(1)	4134.5	
02S/01W-02K01S	4235.0	7-01-65	58.0(5)	4177.0	401
		8-03-65	66.0(5)	4169.0	
		9-01-65	67.0(5)	4168.0	
		10-02-65	69.0(5)	4166.0	
		11-04-65	70.0(5)	4165.0	
		12-02-65	70.0(5)	4165.0	
		12-31-65	63.0(5)	4172.0	
		1-25-66	57.0(5)	4178.0	
		2-21-66	61.0(5)	4174.0	
		3-22-66	40.0(5)	4195.0	
		4-18-66	24.0(5)	4211.0	
		5-01-66	31.0(5)	4204.0	
		5-16-66	25.0(5)	4210.0	
		6-01-66	33.0(1)	4202.0	
		6-13-66	31.0(5)	4204.0	

SAN TIMOTEO HYDRO SUBUNIT Y-01.F0
NOBIE CREEK HYDRO SUBAREA Y-01.F9

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/01W-02K01S (CONT.)	4235.0	7-12-66	47.0(1)	4188.0	401
		7-28-66	42.0(1)	4193.0	
		8-15-66	46.0(1)	4189.0	
		9-06-66	52.0(1)	4183.0	
02S/01W-02K02S	4080.0	7-01-65	150.0(5)	3930.0	401
		8-03-65	287.0(5)	3793.0	
		9-01-65	240.0(5)	3840.0	
		10-02-65	258.0(5)	3822.0	
		11-04-65	339.0(1)	3741.0	
		1-06-66	189.0(5)	3891.0	
		1-25-66	261.0(1)	3819.0	
		2-21-66	249.0(1)	3831.0	
		3-22-66	181.0(5)	3899.0	
		4-18-66	118.0(5)	3962.0	
		5-01-66	112.0(5)	3968.0	
		5-17-66	255.0(1)	3825.0	
		6-01-66	115.0(5)	3965.0	
		6-13-66	189.0(1)	3891.0	
		7-12-66	338.0(5)	3742.0	
		7-28-66	264.0(1)	3816.0	
		8-15-66	426.0(1)	3654.0	
		9-06-66	441.0(1)	3639.0	
		9-17-66	496.0(1)	3584.0	
02S/01W-02P01S	4160.0	7-01-65	26.0(5)	4134.0	401
		8-04-65	30.0(5)	4130.0	
		9-01-65	37.0(5)	4123.0	
		10-02-65	46.0(5)	4114.0	
		11-04-65	47.0(5)	4113.0	
		12-02-65	43.0(5)	4117.0	
		12-31-65	43.0(5)	4117.0	
		1-25-66	31.0(5)	4129.0	
		2-21-66	34.0(5)	4126.0	
		3-22-66	36.0(5)	4124.0	
		4-18-66	14.0(5)	4146.0	
		5-01-66	12.0(5)	4148.0	
		5-17-66	14.0(5)	4146.0	
		6-01-66	15.0(5)	4145.0	
		6-13-66	14.0(5)	4146.0	
		7-12-66	16.0(5)	4144.0	
		7-28-66	17.0(5)	4143.0	
		8-15-66	26.0(1)	4134.0	
		9-06-66	25.0(1)	4135.0	
		9-17-66	29.0(1)	4131.0	
02S/01W-10J01S	3660.3	7-02-65	127.0(5)	3533.3	401
		8-03-65	160.0(1)	3500.3	
		9-01-65	136.0(5)	3524.3	
		10-02-65	156.0(1)	3504.3	
		11-04-65	168.0(1)	3492.3	
		12-01-65	142.0(5)	3518.3	
		12-31-65	157.0(1)	3503.3	
		1-25-66	143.0(5)	3517.3	
		2-21-66	138.0(5)	3522.3	
		3-22-66	156.0(1)	3504.3	
		4-18-66	145.0(5)	3515.3	
		5-01-66	147.0(5)	3513.3	
		5-16-66	148.0(5)	3512.3	
		6-01-66	154.0(5)	3506.3	
		6-13-66	160.0(5)	3500.3	
		7-28-66	188.0(1)	3472.3	
		8-15-66	197.0(1)	3463.3	
		9-06-66	205.0(1)	3455.3	
		9-17-66	205.0(1)	3455.3	
02S/01W-22H01S	3160.0	7-01-65	209.0(2)	2951.0	401
		8-01-65	206.0(2)	2954.0	
		9-07-65	206.0(2)	2954.0	
		10-04-65	206.0(2)	2954.0	
		11-05-65	208.0(2)	2952.0	
		1-25-66	157.0(5)	3003.0	
		2-21-66	189.0(1)	2971.0	
		3-22-66	186.0(1)	2974.0	
		4-18-66	205.0(1)	2955.0	
		5-01-66	162.0(5)	2998.0	
		5-16-66	210.0(2)	2950.0	
		6-01-66	215.0(2)	2945.0	
		6-13-66	215.0(2)	2945.0	
		7-12-66	217.0(2)	2943.0	
		7-27-66	219.0(2)	2941.0	
		8-14-66	216.0(5)	2944.0	
		9-05-66	216.0(2)	2944.0	
		9-16-66	220.0(2)	2940.0	
02S/01W-22H02S	3120.0	7-01-65	316.0(1)	2804.0	401
		8-05-65	343.0(1)	2777.0	
		9-07-65	338.0(1)	2782.0	
		10-06-65	365.0(1)	2755.0	
		11-05-65	338.0(1)	2782.0	
		12-04-65	200.0(5)	2920.0	
		12-31-65	315.0(1)	2805.0	
		1-25-66	180.0(5)	2940.0	
		2-21-66	205.0(1)	2915.0	
		3-22-66	316.0(1)	2804.0	
		4-18-66	321.0(1)	2799.0	
		5-01-66	147.0(5)	2973.0	
		5-16-66	332.0(1)	2788.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
SANTA ANA RIVER HYDRO UNIT Y-01.00					
SAN TIMOTEO HYDRO SUBUNIT Y-01.F0					
NOBIE CREEK HYDRO SUBAREA Y-01.F9					
02S/01W-22H02S	3120.0	6-01-66	337.0(1)	2783.0	401
(CONT.)		6-13-66	341.0(1)	2779.0	
		7-12-66	343.0(1)	2777.0	
		7-27-66	349.0(1)	2771.0	
		8-14-66	342.0(1)	2778.0	
		9-05-66	346.0(1)	2774.0	
		9-16-66	349.0(1)	2771.0	
02S/01W-22M01S	2953.0	7-16-65	(1)		103
		8-09-65	(1)		
		9-17-65	(1)		
		11-19-65	138.2	2814.8	
		12-22-65	(1)		
		1-13-66	136.5	2816.5	
		2-04-66	(1)		
		3-08-66	(1)		
		4-22-66	(1)		
		5-31-66	(1)		
		7-11-66	(1)		
		8-01-66	(1)		
		9-08-66	(1)		
02S/01W-22M02S	2942.8	11-19-65	122.3	2820.5	103
		4-22-66	(1)		
02S/01W-23D01S	3200.0	7-01-65	197.0(1)	3003.0	401
		8-04-65	206.0(1)	2994.0	
		9-07-65	201.0(5)	2999.0	
		10-04-65	208.0(5)	2992.0	
		11-05-65	209.0(5)	2991.0	
		12-04-65	203.0(5)	2997.0	
		12-31-65	198.0(5)	3002.0	
		1-25-66	197.0(5)	3003.0	
		2-21-66	198.0(5)	3002.0	
		3-22-66	194.0(5)	3006.0	
		4-18-66	196.0(5)	3004.0	
		5-01-66	201.0(5)	2999.0	
		5-16-66	202.0(5)	2998.0	
		6-01-66	206.0(5)	2994.0	
		6-13-66	209.0(5)	2991.0	
		7-12-66	218.0(1)	2982.0	
		7-27-66	221.0(1)	2979.0	
		8-14-66	215.0(5)	2985.0	
		9-05-66	216.0(5)	2984.0	
		9-16-66	217.0(5)	2983.0	
02S/01W-27B02S	2875.0	7-01-65	675.0(1)	2200.0	401
		8-05-65	670.0(1)	2205.0	
		9-07-65	645.0(5)	2230.0	
		10-07-65	670.0(1)	2205.0	
		11-08-65	680.0(1)	2195.0	
		12-04-65	662.0(5)	2213.0	
		1-03-66	601.0(5)	2274.0	
		1-25-66	603.0(5)	2272.0	
		2-21-66	600.0(5)	2275.0	
		3-22-66	603.0(5)	2272.0	
		4-18-66	622.0(5)	2253.0	
		5-01-66	638.0(1)	2237.0	
		5-16-66	644.0(1)	2231.0	
		6-01-66	645.0(1)	2230.0	
		6-13-66	647.0(1)	2228.0	
		7-12-66	653.0(1)	2222.0	
		7-28-66	653.0(1)	2222.0	
		8-14-66	652.0(1)	2223.0	
		9-05-66	605.0(5)	2270.0	
		9-16-66	654.0(1)	2221.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT					Y-02.00
PERRIS HYDRO SUBUNIT					Y-02.A0
PERRIS VALLEY HYDRO SUBAREA					Y-02.A1
03S/03W-06D01S	1649.5	11-03-65	198.3	1451.2	103
		4-20-66	199.8(2)	1449.7	
03S/03W-13D01S	1595.4	7-14-65	141.4	1454.0	103
		8-05-65	141.5	1453.9	
		9-14-65	151.6	1443.8	
		11-19-65	141.9	1453.5	
		12-22-65	141.0	1454.4	
		1-13-66	141.1	1454.3	
		2-04-66	140.9	1454.5	
		3-10-66	140.8	1454.6	
		4-26-66	140.8	1454.6	
		5-31-66	140.9	1454.5	
		7-11-66	141.7	1453.7	
		8-01-66	141.4	1454.0	
		9-06-66	142.0	1453.4	
03S/03W-15F01S	1538.2	11-09-65	148.1	1390.1	103
		4-26-66	147.1	1391.1	
04S/03W-19F01S	1477.9	4-20-66	81.8	1396.1	103
04S/03W-32E01S	1433.0	8-05-65	75.6	1357.4	103
		9-16-65	75.6	1357.4	
		11-03-65	75.7	1357.3	
		12-20-65	75.7	1357.3	
		1-12-66	75.7	1357.3	
		2-03-66	76.0	1357.0	
		3-07-66	75.6	1357.4	
		4-20-66	(9)		
		5-25-66	75.7	1357.3	
		7-07-66	76.1	1356.9	
		8-05-66	75.9	1357.1	
		9-06-66	76.0	1357.0	
04S/03W-35F01S	1431.9	4-20-66	211.6(2)	1220.3	103
05S/03W-08J01S	1411.7	4-22-66	166.0	1245.7	103
MENIFEE HYDRO SUBAREA					Y-02.A2
05S/03W-29H01S	1457.0	4-22-66	(5)		103
06S/03W-03H02S	1430.0	7-12-65	(1)		103
		8-06-65	(1)		
		9-15-65	(1)		
		11-03-65	(1)		
		12-20-65	162.9	1267.1	
		1-11-66	160.6	1269.4	
		2-02-66	149.8(3)	1280.2	
		3-09-66	158.1(3)	1271.9	
		3-09-66	158.7	1271.3	
		4-22-66	(1)		
		5-26-66	(1)		
		7-07-66	(1)		
		8-05-66	(1)		
		9-07-66	(1)		
06S/03W-14N01S	1485.0	7-14-65	17.5	1467.5	103
		8-06-65	17.5	1467.5	
		9-15-65	18.2	1466.8	
		10-29-65	18.9	1466.1	
		12-21-65	13.0	1472.0	
		1-11-66	8.8	1476.2	
		2-02-66	9.2	1475.8	
		3-09-66	9.3	1475.7	
		4-27-66	9.7	1475.3	
		5-26-66	10.2	1474.8	
		7-08-66	10.8	1474.2	
		8-05-66	11.4	1473.6	
		9-07-66	12.0	1473.0	
WINCHESTER HYDRO SUBAREA					Y-02.A3
05S/02W-19N01S	1458.0	8-05-65	45.1	1412.9	103
		9-16-65	45.2	1412.8	
		11-05-65	45.6	1412.4	
		12-20-65	45.3	1412.7	
		1-12-66	45.3	1412.7	
		2-03-66	46.8	1411.2	
		3-07-66	46.2	1411.8	
		4-22-66	46.2(1)	1411.8	
		5-27-66	49.8(1)	1408.2	
		7-07-66	55.3(2)	1402.7	
		8-06-66	45.9	1412.1	
		9-06-66	44.8	1413.2	
05S/02W-27E02S	1477.1	7-14-65	62.3	1414.8	103
		8-05-65	62.4	1414.7	
		9-16-65	61.6	1415.5	
		11-04-65	62.3	1414.8	
		12-20-65	62.3	1414.8	
		1-12-66	62.3	1414.8	
PERRIS HYDRO SUBUNIT					Y-02.A0
WINCHESTER HYDRO SUBAREA					Y-02.A3
05S/02W-27E02S (CONT.)	1477.1	2-03-66	61.8	1415.3	103
		3-07-66	61.5	1415.6	
		4-22-66	62.3	1414.8	
		5-27-66	62.4	1414.7	
		7-07-66	62.6	1414.5	
		8-06-66	62.9	1414.2	
		9-06-66	62.9	1414.2	
05S/02W-28K01S	1462.0	7-10-65	68.7	1393.3	713
		8-07-65	69.9	1392.1	
		9-04-65	71.1	1390.9	
		10-09-65	72.3	1389.7	
		11-06-65	72.8	1389.2	
		12-11-65	68.2	1393.8	
		1-08-66	60.1	1401.9	
		2-12-66	53.8	1408.2	
		3-05-66	49.2	1412.8	
		4-16-66	49.9	1412.1	
		5-07-66	50.6	1411.4	
		6-04-66	52.3	1409.7	
		7-16-66	56.0	1406.0	
		8-06-66	58.5	1403.5	
		9-10-66	61.6	1400.4	
05S/02W-35C01S	1474.5	4-22-66	106.8	1367.7	103
05S/03W-25K01S	1446.0	11-03-65	39.0	1407.0	103
		4-22-66	37.7	1408.3	
LAKEVIEW HYDRO SUBAREA					Y-02.A4
04S/02W-03P01S	1436.3	8-05-65	132.3	1304.0	103
		9-17-65	132.1	1304.2	
		11-09-65	134.0	1302.3	
		12-22-65	132.7	1303.6	
		1-13-66	133.0	1303.3	
		2-04-66	132.9	1303.4	
		3-11-66	134.5	1301.8	
		4-25-66	135.6	1300.7	
		5-31-66	135.6	1300.7	
		7-11-66	136.8(1)	1299.5	
		8-01-66	137.8(4)	1298.5	
		9-06-66	137.5(4)	1298.8	
04S/02W-08E01S	1452.0	11-09-65	224.0	1228.0	103
		4-25-66	242.3	1209.7	
04S/02W-19J01S	1579.0	11-08-65	22.5	1556.5	103
		4-25-66	21.1	1557.9	
HEMET HYDRO SUBAREA					Y-02.A5
05S/01E-20G03S	1877.4	7-13-65	(1)		103
		8-05-65	(1)		
		9-16-65	(1)		
		11-04-65	(1)		
		12-20-65	280.5	1596.9	
		1-02-66	279.5	1597.9	
		2-03-66	278.7	1598.7	
		3-11-66	(9)		
		4-25-66	(1)		
		5-31-66	282.8	1594.6	
		7-07-66	(1)		
		8-06-66	284.3(1)	1593.1	
		9-06-66	284.3	1593.1	
04S/01W-31D01S	1494.0	4-25-66	115.2(1)	1378.8	103
05S/01W-09L02S	1549.0	7-13-65	178.1	1370.9	103
		8-05-65	178.5	1370.5	
		9-16-65	180.3	1368.7	
		11-04-65	175.4	1373.6	
		12-20-65	175.4	1373.6	
		1-12-66	166.9	1382.1	
		2-04-66	172.1	1376.9	
		3-11-66	167.8	1381.2	
		4-25-66	177.3	1371.7	
		5-27-66	176.9	1372.1	
		7-07-66	182.3	1366.7	
		8-06-66	181.9	1367.1	
		9-06-66	179.9	1369.1	
05S/01W-10B01S	1583.4	7-13-65	(1)		103
		8-05-65	(1)		
		9-16-65	(1)		
		11-04-65	197.8	1385.6	
		12-20-65	193.0	1390.4	
		1-12-66	194.2	1389.2	
		2-04-66	195.2	1388.2	
		3-11-66	191.8	1391.6	
		4-25-66	195.9	1387.5	
		5-27-66	(1)		
		7-07-66	(1)		
		8-06-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYORO UNIT Y-02.00					
PERRIS HYORO SUBUNIT Y-02.A0					
HEMET HYORO SUBAREA Y-02.A5					
05S/01W-10R01S (CONT.)	1583.4	9-06-66	(1)		103
05S/01W-13C01S	1688.0	11-05-65	264.2	1423.8	103
		4-25-66	(1)		
05S/02W-12Q02S	1498.5	11-04-65	70.9	1427.6	103
		4-22-66	67.6	1430.9	
06S/01W-02D01S	1684.0	8-05-65	91.3	1592.7	103
		9-16-65	91.3	1592.7	
		11-05-65	91.3	1592.7	
		12-20-65	91.3	1592.7	
		1-12-66	91.5	1592.5	
		2-03-66	91.5	1592.5	
		3-07-66	91.4	1592.6	
		4-25-66	91.3	1592.7	
		5-27-66	92.1	1591.9	
		7-11-66	91.4	1592.6	
		8-06-66	91.4	1592.6	
		9-06-66	91.4	1592.6	
06S/01W-10A01S	1708.0	11-05-65	103.3	1604.7	103
		4-25-66	102.9	1605.1	
SAN JACINTO HYDRO SUBUNIT Y-02.B0					
SAN JACINTO HYDRO SUBAREA Y-02.B1					
05S/01E-06P01S	1676.0	8-05-65	198.3	1477.7	103
		9-07-65	198.7	1477.3	
		10-05-65	198.8	1477.2	
		11-04-65	199.1	1476.9	
		12-03-65	199.4	1476.6	
		1-05-66	199.6	1476.4	
		2-03-66	199.9	1476.1	
		3-07-66	200.0	1476.0	
		4-04-66	200.2	1475.8	
		5-02-66	200.1	1475.9	
		5-31-66	200.4	1475.6	
		7-07-66	200.5	1475.5	
		8-01-66	200.8	1475.2	
		9-13-66	200.9	1475.1	
05S/01E-07K01S	1725.2	7-13-65	331.8	1393.4	103
		8-09-65	332.4	1392.8	
		9-16-65	333.4	1391.8	
		11-05-65	334.7	1390.5	
		12-21-65	335.5	1389.7	
		1-12-66	336.0	1389.2	
		2-03-66	336.3	1388.9	
		3-11-66	336.7	1388.5	
		4-25-66	337.2	1388.0	
		5-31-66	337.9	1387.3	
		7-07-66	338.1	1387.1	
		8-06-66	338.7	1386.5	
		9-06-66	339.5	1385.7	
05S/01E-09J02S	1784.2	7-06-65	109.7	1674.5	103
		8-05-65	111.2	1673.0	
		9-07-65	113.3	1670.9	
		10-05-65	114.8	1669.4	
		11-04-65	116.4	1667.8	
		12-03-65	117.5	1666.7	
		1-05-66	108.6	1675.6	
		2-03-66	97.3	1686.9	
		3-07-66	88.8	1695.4	
		4-04-66	84.2	1700.0	
		5-02-66	82.8	1701.4	
		5-31-66	85.3	1698.9	
		7-07-66	89.6	1694.6	
		8-01-66	92.5	1691.7	
		9-13-66	98.0	1686.2	
05S/01E-09M01S	1759.7	11-05-65	80.1	1679.6	103
		4-25-66	85.4(4)	1674.3	
05S/01E-14G01S	1870.0	7-13-65	66.0	1804.0	103
		8-05-65	64.8	1805.2	
		9-16-65	64.8	1805.2	
		11-04-65	59.4	1810.6	
		12-20-65	53.7	1816.3	
		1-12-66	51.2	1818.8	
		2-03-66	48.6	1821.4	
		3-11-66	45.1	1824.9	
		4-25-66	40.2	1829.8	
		5-31-66	39.4	1830.6	
		7-07-66	39.2	1830.8	
		8-06-66	41.5	1828.5	
		9-06-66	44.2	1825.8	
05S/01E-17D01S	1762.0	8-05-65	345.1	1416.9	103
		9-16-65	347.3	1414.7	
		11-04-65	350.0	1412.0	
		12-20-65	350.5	1411.5	
		1-12-66	350.6	1411.4	
		2-03-66	350.4	1411.6	
		3-11-66	349.9	1412.1	
		4-25-66	351.4	1410.6	
		5-27-66	352.7	1409.3	
		7-07-66	354.6	1407.4	
		8-06-66	356.2	1405.8	
		9-06-66	355.4	1406.6	
05S/01E-18F01S	1726.8	4-25-66	244.0	1482.8	103
05S/01E-21F01S	1918.6	11-04-65	296.4	1622.2	103
		4-25-66	296.0	1622.6	
02S/01W-34Q01S	2666.3	7-01-65	427.0(1)	2239.3	401
		8-05-65	428.0(1)	2238.3	
		9-07-65	428.0(1)	2238.3	
		9-17-65	(1)		713
		10-05-65	430.0(1)	2236.3	401
		11-04-65	408.0(5)	2258.3	
		12-31-65	410.0(5)	2256.3	
		1-07-66	404.3	2262.0	713
		1-25-66	401.0(5)	2265.3	401
		2-21-66	402.0(5)	2264.3	
		3-22-66	394.0(5)	2272.3	
		4-18-66	415.0(1)	2251.3	
		5-01-66	425.0(1)	2241.3	
		5-06-66	(1)		713
		5-16-66	427.0(1)	2239.3	401
		6-01-66	422.0(1)	2244.3	
		6-13-66	425.0(1)	2241.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SAN JACINTO VALLEY HYDRO UNIT Y-02.00

SAN JACINTO HYDRO SUBUNIT Y-02.80

SAN JACINTO HYDRO SUBAREA Y-02.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
02S/01W-34Q01S (CONT.)	2666.3	7-12-66	427.0(1)	2239.3	401
		7-27-66	427.0(1)	2239.3	
		8-14-66	425.0(1)	2241.3	
		8-26-66	(1)		713
		9-05-66	427.0(1)	2239.3	401
03S/01W-03K01S	2642.8	7-01-65	388.0(5)	2254.8	401
		8-01-65	393.0(5)	2249.8	
		9-07-65	390.0(5)	2252.8	
		10-06-65	400.0(5)	2242.8	
		11-04-65	425.0(1)	2217.8	
		12-02-65	385.0(5)	2257.8	
		12-31-65	385.0(5)	2257.8	
		1-25-66	390.0(5)	2252.8	
		2-21-66	387.0(5)	2255.8	
		3-22-66	386.0(5)	2256.8	
		4-18-66	417.0(1)	2225.8	
		5-01-66	433.0(1)	2209.8	
		5-16-66	431.0(1)	2211.8	
		6-01-66	426.0(1)	2216.8	
		6-13-66	410.0(5)	2232.8	
		7-12-66	428.0(1)	2214.8	
		7-27-66	432.0(1)	2210.8	
		8-14-66	390.0(5)	2252.8	
		9-05-66	407.0(1)	2235.8	
		9-16-66	433.0(1)	2209.8	
03S/01W-03K02S	2642.8	7-01-65	388.4(5)	2254.4	401
		8-04-65	394.4(5)	2248.4	
		9-07-65	392.4(5)	2250.4	
		9-17-65	390.2	2252.6	713
		10-07-65	399.4(5)	2243.4	401
		12-31-65	384.4(5)	2258.4	
		1-25-66	390.4(5)	2252.4	
		2-21-66	391.4(5)	2251.4	
		3-22-66	387.4(5)	2255.4	
		4-18-66	381.4(5)	2261.4	
		5-01-66	380.4(5)	2262.4	
		5-16-66	390.4(5)	2252.4	
		6-01-66	383.4(5)	2259.4	
		6-13-66	422.4(1)	2220.4	
		7-12-66	418.4(1)	2224.4	
		7-27-66	385.4(5)	2257.4	
		8-14-66	388.4(5)	2254.4	
		8-26-66	399.2	2243.6	713
		9-05-66	408.4(1)	2234.4	401
		9-16-66	385.4(5)	2257.4	
03S/01W-03K03S	2633.7	7-03-65	377.5(5)	2256.2	401
		8-04-65	382.5(5)	2251.2	
		9-07-65	380.5(5)	2253.2	
		9-17-65	380.7	2253.0	713
		10-07-65	379.5(5)	2254.2	401
		11-04-65	417.0(1)	2216.7	
		12-02-65	374.5(5)	2259.2	
		12-31-65	374.5(5)	2259.2	
		1-07-66	(1)		713
		1-25-66	405.5(1)	2228.2	401
		2-21-66	398.0(1)	2235.7	
		3-22-66	400.6(1)	2233.1	
		4-18-66	410.5(1)	2223.2	
		5-01-66	417.5(1)	2216.2	
		5-16-66	412.5(1)	2221.2	
		6-01-66	395.5(5)	2238.2	
		6-13-66	419.5(1)	2214.2	
		7-12-66	422.5(1)	2211.2	
		7-27-66	419.5(1)	2214.2	
		8-14-66	422.5(1)	2211.2	
		9-05-66	394.5(1)	2239.2	
		9-16-66	419.5(1)	2214.2	
03S/01W-10R01S	2584.5	11-19-65	31.2	2553.3	103
		4-22-66	31.3	2553.2	
03S/01W-12E01S	2578.0	7-01-65	315.0(5)	2263.0	401
		8-04-65	315.0(5)	2263.0	
		9-07-65	315.0(5)	2263.0	
		10-05-65	316.0(5)	2262.0	
		11-08-65	316.0(5)	2262.0	
		12-01-65	312.0(5)	2266.0	
		12-31-65	316.0(5)	2262.0	
		1-07-66	318.4	2259.6	713
		1-25-66	319.0(5)	2259.0	401
		2-21-66	314.0(5)	2264.0	
		3-22-66	310.0(5)	2268.0	
		4-18-66	320.0(5)	2258.0	
		5-01-66	307.0(5)	2271.0	
		5-06-66	318.8	2259.2	713
		5-16-66	312.0(5)	2266.0	401
		6-01-66	314.0(5)	2264.0	
		6-13-66	312.0(5)	2266.0	
		7-12-66	315.0(5)	2263.0	
		7-28-66	311.0(5)	2267.0	
		8-14-66	316.0(1)	2262.0	
		8-26-66	319.9	2258.1	713
		9-05-66	312.0(1)	2266.0	401
		9-11-66	316.0(5)	2262.0	

SAN JACINTO HYDRO SUBUNIT Y-02.80

SAN JACINTO HYDRO SUBAREA Y-02.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
03S/01W-12N01S	2544.2	9-17-65	252.7	2291.5	713
		1-07-66	252.1	2292.1	
		5-06-66	253.4	2290.8	
		8-26-66	254.2	2290.0	
03S/02W-07P01S	1588.0	11-09-65	139.6(1)	1448.4	103
		11-09-65	144.6(1)	1443.4	
		4-26-66	113.1	1474.9	
03S/02W-08E01S	1675.0	11-09-65	136.3	1538.7	103
		4-26-66	(8)		
03S/02W-21C01S	1440.0	11-09-65	11.4	1428.6	103
		4-26-66	10.4	1429.6	
03S/02W-26E01S	1458.0	11-09-65	51.7	1406.3	103
		4-26-66	51.2	1406.8	
03S/02W-29D01S	1426.5	7-14-65	33.4	1393.1	103
		8-05-65	33.5	1393.0	
		9-17-65	33.6	1392.9	
		11-09-65	33.8	1392.7	
		12-22-65	(9)		
		1-13-66	33.8	1392.7	
		2-04-66	(9)		
		3-10-66	33.6	1392.9	
		4-26-66	34.1	1392.4	
		5-31-66	34.2	1392.3	
		7-11-66	34.2	1392.3	
		8-01-66	34.3	1392.2	
		9-06-66	34.5	1392.0	
04S/01W-09Q02S	1476.0	8-09-65	(1)		103
		9-17-65	(1)		
		11-05-65	65.5(3)	1410.5	
		12-22-65	(9)		
		1-13-66	59.8	1416.2	
		2-04-66	57.4	1418.6	
		3-11-66	(1)		
		4-25-66	(1)		
		5-31-66	(1)		
		7-11-66	(1)		
		8-06-66	(1)		
		9-06-66	(1)		
04S/01W-15Q01S	1500.0	11-08-65	165.9	1334.1	103
		4-25-66	168.2	1331.8	
04S/01W-21P01S	1494.0	11-08-65	77.5(1)	1416.5	103
		12-22-65	69.8	1424.2	
		1-12-66	(3)		
		1-12-66	96.4(6)	1397.6	
		2-04-66	(9)		
		3-11-66	(1)		
		4-26-66	(1)		
		5-31-66	(3)		
		7-11-66	98.4(6)	1395.6	
		8-06-66	80.4	1413.6	
		9-06-66	80.6(2)	1413.4	
04S/01W-28F01S	1498.7	11-08-65	129.3	1369.4	103
		4-25-66	133.9	1364.8	
04S/02W-01M01S	1437.0	11-09-65	133.4	1303.6	103
		4-26-66	130.9	1306.1	
05S/01W-01H01S	1643.1	11-05-65	DRY		103
		4-26-66	DRY		

TABLE C-1

GROUND WATER LEVELS AT WELLS

SAN JACINTO VALLEY HYDRO UNIT Y-02.00

ELSINORE HYDRO SUBUNIT Y-02.C0

ELSINORE HYDRO SUBAREA Y-02.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/05W-34Q02S	1385.0	8-06-65	323.8	1061.2	103
		9-15-65	330.4	1054.6	
		10-26-65	328.1	1056.9	
		12-21-65	321.7	1063.3	
		1-11-66	319.2	1065.8	
		2-02-66	314.1	1070.9	
		3-09-66	303.9	1081.1	
		4-27-66	299.8	1085.2	
		5-27-66	304.3	1080.7	
		7-08-66	310.8	1074.2	
		8-05-66	315.6	1069.4	
		9-07-66	320.7	1064.3	
05S/05W-35P01S	1321.0	10-26-65	197.7	1123.3	103
		4-27-66	195.4	1125.6	
06S/04W-05N01S	1280.0	7-15-65	63.5	1216.5	103
		8-06-65	63.1	1216.9	
		9-15-65	64.7	1215.3	
		10-28-65	65.2	1214.8	
		12-21-65	61.9	1218.1	
		1-11-66	60.9	1219.1	
		2-02-66	62.0	1218.0	
		3-09-66	60.5	1219.5	
		4-29-66	61.7	1218.3	
		5-26-66	62.7	1217.3	
		7-08-66	63.6	1216.4	
		8-05-66	65.0	1215.0	
		9-07-66	65.3	1214.7	
06S/04W-05Q01S	1395.0	10-28-65	25.4	1369.6	103
		4-29-66	19.2	1375.8	
06S/04W-06J01S	1280.0	4-29-66	63.3	1216.7	103
06S/04W-07J03S	1238.0	3-10-66	50.8	1187.2	103
		4-29-66	51.1	1186.9	
		7-08-66	49.9	1188.1	
		8-05-66	49.2	1188.8	
		9-07-66	49.9	1188.1	
06S/04W-08L01S	1272.6	10-28-65	78.6	1194.0	103
		4-29-66	76.6	1196.0	
06S/04W-16Q01S	1260.0	10-28-65	94.6	1165.4	103
		4-29-66	89.3	1170.7	
06S/04W-16H01S	1272.0	7-15-65	57.4	1214.6	103
		8-06-65	57.4	1214.6	
		9-15-65	57.4	1214.6	
		10-28-65	57.5	1214.5	
		12-21-65	57.5	1214.5	
		1-11-66	57.4	1214.6	
		2-02-66	57.4	1214.6	
		3-09-66	57.4	1214.6	
		4-28-66	57.3	1214.7	
		5-26-66	57.2	1214.8	
		7-08-66	57.2	1214.8	
		8-05-66	57.2	1214.8	
		9-07-66	57.2	1214.8	
06S/04W-19G01S	1257.9	10-27-65	26.0	1231.9	103
		4-27-66	21.6	1236.3	
06S/04W-19K01S	1283.7	10-27-65	39.3	1244.4	103
		4-27-66	35.4	1248.3	
06S/04W-20Q01S	1290.0	10-27-65	24.4	1265.6	103
		4-28-66	21.5	1268.5	
06S/04W-20Q02S	1290.0	4-29-66	27.5(4)	1262.5	103
06S/04W-20R01S	1279.0	11-02-65	34.1	1244.9	103
		3-10-66	15.3	1247.7	
		4-29-66	15.5	1247.5	
06S/04W-21R01S	1266.0	11-01-65	114.3	1151.7	103
		3-10-66	117.9	1148.1	
		4-28-66	133.6	1132.4	
		4-29-66	134.2	1131.8	
		7-08-66	148.0	1118.0	
		8-05-66	155.2	1110.8	
		9-07-66	153.4	1112.6	
06S/04W-22M01S	1273.0	10-28-65	186.0(2)	1087.0	103
		4-29-66	174.6	1098.4	
06S/04W-22M02S	1278.2	7-12-65	195.0(2)	1083.2	716
		8-03-65	196.5(1)	1081.7	
		9-20-65	192.0	1086.2	
		10-19-65	198.3	1079.9	
		11-05-65	197.8	1080.4	
		12-16-65	190.5	1087.7	
		1-06-66	187.6	1090.6	
		2-07-66	183.5	1094.7	
		3-07-66	181.9	1096.3	
		3-30-66	181.6	1096.6	
		5-09-66	192.3(2)	1085.9	
		6-13-66	192.5(2)	1085.7	
		7-11-66	194.9(2)	1083.3	
		8-15-66	200.0(2)	1078.2	
		9-12-66	204.0(2)	1074.2	
06S/04W-22M04S	1285.0	8-02-65	204.0	1081.0	704
		9-21-65	203.0	1082.0	
		11-08-65	205.0	1080.0	
		12-13-65	193.0	1092.0	
		1-26-66	188.0	1097.0	
		3-01-66	179.0	1106.0	
		3-14-66	184.0	1101.0	
		6-01-66	195.0	1090.0	
		7-01-66	205.0	1080.0	
		7-29-66	205.0	1080.0	
		9-17-66	202.0	1083.0	
06S/04W-23N01S	1409.0	4-28-66	38.4	1370.6	103
06S/04W-26E01S	1362.0	4-28-66	(1)		103
06S/04W-29C01S	1330.0	10-27-65	82.0	1248.0	103
		4-28-66	47.7	1282.3	
06S/04W-29H04S	1325.0	10-27-65	48.2	1276.8	103
		4-28-66	44.0	1281.0	
06S/05W-02G01S	1277.7	10-26-65	82.4	1195.3	103
		4-27-66	81.5	1196.2	
06S/05W-02L01S	1278.1	10-26-65	84.4	1193.7	103
		4-27-66	84.6	1193.4	
06S/05W-02L03S	1267.0	7-15-65	75.8	1191.2	103
		8-06-65	75.7	1191.3	
		9-15-65	75.8	1191.2	
		10-25-65	75.4	1191.6	
		12-21-65	74.9	1192.1	
		1-11-66	74.6	1192.4	
		2-02-66	74.6	1192.4	
		3-09-66	74.7	1192.3	
		4-27-66	74.1	1192.9	
		5-27-66	73.8	1193.2	
		7-08-66	73.4	1193.6	
		8-05-66	73.1	1193.9	
		9-07-66	73.0	1194.0	
06S/05W-03K02S	1337.0	10-26-65	273.3	1063.7	103
		4-27-66	(7)		
06S/05W-03N01S	1375.0	8-06-65	(1)		103
		9-15-65	(1)		
		10-27-65	79.5	1295.5	
		12-21-65	76.6	1298.4	
		1-11-66	75.4	1299.6	
		2-02-66	76.5	1298.5	
		3-09-66	67.9	1307.1	
		4-27-66	(1)		
		5-27-66	(1)		
		7-08-66	(1)		
		8-05-66	(1)		
		9-07-66	(1)		
06S/05W-03P01S	1327.0	10-27-65	109.7	1217.3	103
		4-27-66	96.5	1230.5	
06S/05W-03Q01S	1324.0	4-27-66	223.8(2)	1100.2	103
06S/05W-10A01S	1265.0	10-27-65	133.0	1132.0	103
		4-27-66	120.6	1144.4	
06S/05W-10B01S	1285.0	10-27-65	31.6	1253.4	103
		4-27-66	26.6	1258.4	
06S/05W-10C01S	1331.1	4-27-66	52.4	1278.7	103
06S/05W-11M02S	1290.0	4-27-66	44.3	1245.7	103
06S/05W-11P02S	1313.0	10-27-65	(1)		103
		4-27-66	(1)		
06S/05W-11Q02S	1268.3	7-15-65	34.4	1233.9	103
		8-06-65	34.4	1233.9	
		9-15-65	34.4	1233.9	
		10-27-65	34.6	1233.7	
		12-21-65	33.7	1234.6	
		1-11-66	33.5	1234.8	
		2-02-66	33.3	1235.0	
		3-09-66	32.4	1235.9	
		4-27-66	31.2	1237.1	
		5-26-66	30.9	1237.4	
		7-08-66	30.7	1237.6	
		8-05-66	30.6	1237.7	
		9-07-66	30.7	1237.6	
06S/05W-13P01S	1337.0	10-27-65	109.2	1227.8	103
		4-27-66	107.3	1229.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT Y-02.00					
ELSINORE HYDRO SUBUNIT Y-02.C0					
ELSINORE HYDRO SUBAREA Y-02.C1					
06S/05W-13Q02S	1270.0	10-27-65	69.3	1200.7	103
		4-27-66	65.7	1204.3	
06S/05W-14A01S	1271.3	10-27-65	(1)		103
		4-27-66	(1)		
06S/05W-14E01S	1506.6	10-27-65	51.7	1454.9	103
		4-27-66	51.2	1455.4	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

LAGUNA HYDRO SUBUNIT Z-01.A0

ALISO HYDRO SUBAREA Z-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
05S/07W-32J01S	1235.0	7-01-65	44.2	1190.8	102
		9-08-65	45.7	1189.3	
		10-07-65	46.7	1188.3	
		11-04-65	47.6	1187.4	
		12-22-65	47.2	1187.8	
		1-27-66	46.8	1188.2	
		2-24-66	46.0	1189.0	
		3-24-66	45.2	1189.8	
		4-21-66	44.3	1190.7	
		5-19-66	43.9	1191.1	
		6-16-66	43.8	1191.2	
		7-21-66	44.3	1190.7	
		8-25-66	45.0	1190.0	
		9-22-66	45.9	1189.1	
05S/07W-33Q01S	1160.0	7-01-65	23.0	1137.0	102
		8-04-65	23.0	1137.0	
		9-08-65	23.0	1137.0	
		10-07-65	22.8	1137.2	
		11-04-65	22.8	1137.2	
		12-22-65	20.9	1139.1	
		1-27-66	18.1	1141.9	
		2-24-66	16.7	1143.3	
		3-24-66	15.9	1144.1	
		4-21-66	15.5	1144.5	
		5-19-66	15.2	1144.8	
		6-16-66	15.0	1145.0	
		7-21-66	15.1	1144.9	
		8-25-66	15.3	1144.7	
		9-22-66	16.2	1143.8	
06S/07W-04C01S	1118.0	7-01-65	31.0	1087.0	102
		8-09-65	31.6	1086.4	
		9-08-65	32.2	1085.8	
		10-07-65	32.6	1085.4	
		11-04-65	33.0	1085.0	
		12-22-65	31.7	1086.3	
		1-27-66	20.5	1097.5	
		2-24-66	18.5	1099.5	
		3-24-66	11.1	1106.9	
		4-21-66	10.7	1107.3	
		5-19-66	11.2	1106.8	
		6-16-66	11.9	1106.1	
		7-21-66	12.9	1105.1	
		8-25-66	13.9	1104.1	
		9-22-66	14.6	1103.4	
06S/07W-04E01S	1070.0	7-01-65	25.8	1044.2	102
		8-04-65	26.6	1043.4	
		9-08-65	27.2	1042.8	
		10-07-65	27.4	1042.6	
		11-04-65	27.4	1042.6	
		12-22-65	(4)		
		1-27-66	(4)		
		2-24-66	16.4	1053.6	
		3-24-66	15.6	1054.4	
		4-21-66	14.6	1055.4	
		5-19-66	15.1	1054.9	
		6-16-66	15.0	1055.0	
		7-21-66	15.4	1054.6	
		8-25-66	(4)		
06S/07W-04N01S	998.0	8-04-65	26.1	971.9	102
		9-08-65	25.9	972.1	
		10-06-65	26.8	971.2	
		11-04-65	25.8	972.2	
		12-22-65	24.4	973.6	
		1-27-66	23.9	974.1	
		2-24-66	23.6	974.4	
		3-24-66	23.4	974.6	
		4-21-66	23.4	974.6	
		5-19-66	23.4	974.6	
		6-16-66	23.6	974.4	
		7-21-66	23.8	974.2	
		8-25-66	24.5	973.5	
		9-22-66	23.9	974.1	
06S/08W-23J01S	507.5	7-15-65	23.9	483.6	102
		8-18-65	23.5	484.0	
		9-22-65	23.4	484.1	
		10-21-65	23.3	484.2	
		12-02-65	22.5	485.0	
		1-13-66	20.8	486.7	
		2-10-66	20.4	487.1	
		3-10-66	20.5	487.0	
		4-07-66	20.8	486.7	
		5-05-66	20.8	486.7	
		6-02-66	21.2	486.3	
		7-07-66	22.2	485.3	
		8-11-66	22.3	485.2	
		9-08-66	22.7	484.8	
06S/08W-23Q01S	457.9	7-15-65	(1)		102
		8-18-65	(1)		
		9-22-65	31.7	426.2	
		10-21-65	23.6	434.3	
		12-02-65	21.7	436.2	

LAGUNA HYDRO SUBUNIT Z-01.A0

ALISO HYDRO SUBAREA Z-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/08W-23Q01S	457.9	1-13-66	19.2	438.7	102
(CONT.)		2-10-66	19.3	438.6	
		3-10-66	19.8	438.1	
		4-07-66	20.2	437.7	
		5-05-66	20.6	437.3	
		6-02-66	20.6	437.3	
		7-07-66	20.9	437.0	
		8-11-66	20.1	437.8	
		9-08-66	23.5	434.4	
06S/08W-23Q02S	451.2	7-15-65	22.3	428.9	102
		8-18-65	22.7	428.5	
		9-22-65	21.4	429.8	
		10-21-65	16.3	434.9	
		12-02-65	14.5	436.7	
		1-13-66	12.3	438.9	
		2-10-66	12.4	438.8	
		3-10-66	12.9	438.3	
		4-07-66	13.3	437.9	
		5-05-66	13.4	437.8	
		6-02-66	13.6	437.6	
		7-07-66	13.9	437.3	
		8-11-66	14.3	436.9	
		9-08-66	14.8	436.4	
06S/08W-23R01S	461.0	7-15-65	6.8	454.2	102
		8-18-65	7.1	453.9	
		9-22-65	7.0	454.0	
		10-21-65	7.2	453.8	
		12-02-65	5.3	455.7	
		1-13-66	4.6	456.4	
		2-10-66	4.7	456.3	
		3-10-66	5.0	456.0	
		4-07-66	4.9	456.1	
		5-05-66	4.9	456.1	
		6-02-66	4.9	456.1	
		7-07-66	5.1	455.9	
		8-11-66	5.5	455.5	
		9-08-66	6.0	455.0	
06S/08W-24M01S	507.8	7-15-65	10.1	497.7	102
		8-18-65	13.9	493.9	
		9-22-65	12.0	495.8	
		10-21-65	12.4	495.4	
		12-02-65	8.7	499.1	
		1-13-66	8.5	499.3	
		2-10-66	8.5	499.3	
		3-10-66	8.5	499.3	
		4-07-66	9.8	498.0	
		5-05-66	8.7	499.1	
		6-02-66	10.8	497.0	
		7-07-66	9.2	498.6	
		8-11-66	11.5	496.3	
		9-08-66	11.7	496.1	
06S/08W-26B01S	440.0	7-15-65	14.7	425.3	102
		8-18-65	14.9	425.1	
		9-22-65	15.4	424.6	
		10-21-65	14.9	425.1	
		12-02-65	13.7	426.3	
		1-13-66	11.7	428.3	
		2-10-66	10.2	429.8	
		3-10-66	9.3	430.7	
		4-07-66	10.0	430.0	
		5-05-66	9.6	430.4	
		6-02-66	10.3	429.7	
		7-07-66	10.9	429.1	
		8-11-66	11.1	428.9	
		9-08-66	11.5	428.5	
06S/08W-26B02S	453.8	7-15-65	15.4	438.4	102
		8-18-65	16.0	437.8	
		9-22-65	16.4	437.4	
		10-21-65	16.0	437.8	
		12-02-65	14.5	439.3	
		1-13-66	13.0	440.8	
		2-10-66	12.1	441.7	
		3-10-66	12.2	441.6	
		4-07-66	12.4	441.4	
		5-05-66	12.6	441.2	
		6-02-66	12.8	441.0	
		7-07-66	13.6	440.2	
		8-11-66	14.3	439.5	
		9-08-66	14.7	439.1	
06S/08W-26B03S	443.0	7-15-65	30.7	412.3	102
		8-18-65	30.5	412.5	
		9-22-65	29.7	413.3	
		10-21-65	29.2	413.8	
		12-02-65	28.5	414.5	
		1-13-66	26.2	416.8	
		2-10-66	24.9	418.1	
		3-10-66	24.2	418.8	
		4-07-66	27.6	415.4	
		5-05-66	25.5	417.5	
		6-02-66	25.4	417.6	
		7-07-66	26.2	416.8	
		8-11-66	26.8	416.2	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

LAGUNA HYDRO SUBUNIT Z-01.A0

ALISO HYDRO SUBAREA Z-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/08W-26H03S (CONT.)	443.0	9-08-66	26.5	416.5	102
06S/08W-26C01S	438.0	7-15-65	(1)		102
		8-18-65	(1)		
		9-22-65	(1)		
		10-21-65	(1)		
		12-02-65	19.8	418.2	
		1-13-66	17.5	420.5	
		2-10-66	16.4	421.6	
		3-10-66	16.2	421.8	
		4-07-66	(1)		
		5-05-66	(1)		
		6-02-66	17.6	420.4	
		7-07-66	17.4	420.6	
		8-11-66	(1)		
		9-08-66	(1)		
06S/08W-26F01S	422.0	8-18-65	37.4	384.6	102
		9-22-65	36.6	385.4	
		10-21-65	35.5	386.5	
		12-02-65	34.2	387.8	
		1-13-66	32.2	389.8	
		2-10-66	31.4	390.6	
		3-10-66	30.9	391.1	
		4-07-66	30.8	391.2	
		5-05-66	31.0	391.0	
		6-02-66	30.7	391.3	
		7-07-66	30.5	391.5	
		8-11-66	30.7	391.3	
		9-08-66	32.0	390.0	
06S/08W-26F03S	421.9	7-15-65	33.6	388.3	102
		8-18-65	37.0	384.9	
		9-22-65	29.9	392.0	
		10-21-65	24.7	397.2	
		12-02-65	20.1	401.8	
		1-13-66	17.3	404.6	
		2-10-66	18.1	403.8	
		3-10-66	18.5	403.4	
		4-07-66	19.1	402.8	
		5-05-66	30.5	391.4	
		6-02-66	19.0	402.9	
		7-07-66	22.3	399.6	
		8-11-66	28.6	393.3	
		9-08-66	17.5	404.4	
06S/08W-26F04S	420.2	7-15-65	34.1	386.1	102
		8-18-65	(1)		
		9-22-65	30.3	389.9	
		10-21-65	25.4	394.8	
		12-02-65	20.4	399.8	
		1-13-66	17.8	402.4	
		2-09-66	17.8	402.4	
		3-10-66	19.0	401.2	
		4-07-66	19.6	400.6	
		5-05-66	25.5	394.7	
		6-02-66	19.4	400.8	
		7-07-66	23.0	397.2	
		8-11-66	24.2	396.0	
		9-08-66	17.8	402.4	
06S/08W-26F05S	431.3	7-15-65	38.8	392.5	102
		8-18-65	38.2	393.1	
		9-22-65	(1)		
		10-21-65	34.1	397.2	
		12-02-65	31.4	399.9	
		1-13-66	28.8	402.5	
		2-10-66	28.0	403.3	
		3-10-66	28.1	403.2	
		4-07-66	28.5	402.8	
		5-05-66	29.5	401.8	
		6-02-66	28.8	402.5	
		7-07-66	29.1	402.2	
		8-11-66	29.2	402.1	
		9-08-66	28.7	402.6	
06S/08W-26G01S	438.8	7-15-65	29.2	409.6	102
		8-18-65	29.0	409.8	
		9-21-65	28.1	410.7	
		10-21-65	27.5	411.3	
		12-02-65	26.9	411.9	
		1-13-66	24.8	414.0	
		2-10-66	23.5	415.3	
		3-10-66	23.2	415.6	
		4-07-66	23.8	415.0	
		5-05-66	24.1	414.7	
		6-02-66	24.0	414.8	
		7-07-66	24.1	414.7	
		8-11-66	24.5	414.3	
		9-08-66	26.0	412.8	
06S/08W-26M03S	414.0	8-18-65	41.1	372.9	102
		9-22-65	39.3	374.7	
		10-21-65	36.4	377.6	
		12-02-65	35.4	378.6	
		1-13-66	33.8	380.2	
		2-10-66	33.5	380.5	

Z-01.00

LAGUNA HYDRO SUBUNIT Z-01.A0

ALISO HYDRO SUBAREA Z-01.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
06S/08W-26H03S (CONT.)	414.0	3-10-66	33.1	380.9	102
		4-07-66	33.1	380.9	
		5-05-66	32.2	381.8	
		6-02-66	32.0	382.0	
		7-07-66	32.0	382.0	
		8-11-66	31.3	382.7	
		9-08-66	32.3	381.7	
06S/08W-27J01S	396.0	7-15-65	23.1	372.9	102
		8-18-65	23.5	372.5	
		9-22-65	23.8	372.2	
		10-21-65	23.4	372.6	
		12-02-65	20.8	375.2	
		1-13-66	14.7	381.3	
		2-10-66	15.6	380.4	
		3-10-66	16.5	379.5	
		4-07-66	17.7	378.3	
		5-05-66	18.4	377.6	
		6-02-66	19.0	377.0	
		7-07-66	19.6	376.4	
		8-11-66	20.2	375.8	
		9-08-66	20.5	375.5	
06S/08W-27J02S	402.5	7-15-65	28.6	373.9	102
		8-18-65	29.0	373.5	
		9-22-65	27.9	374.6	
		10-21-65	28.0	374.5	
		12-02-65	27.4	375.1	
		1-13-66	26.5	376.0	
		2-10-66	26.2	376.3	
		3-10-66	25.6	376.9	
		4-07-66	25.6	376.9	
		5-05-66	25.8	376.7	
		6-02-66	26.2	376.3	
		7-07-66	26.5	376.0	
		8-11-66	27.4	375.1	
		9-08-66	27.0	375.5	
06S/08W-27Q01S	377.7	1-13-66	27.6	350.1	102
		2-10-66	26.8	350.9	
		3-10-66	26.5	351.2	
		4-07-66	26.2	351.5	
		5-05-66	26.3	351.4	
		6-02-66	25.8	351.9	
		7-07-66	25.5	352.2	
		8-11-66	25.9	351.8	
		9-08-66	27.2	350.5	
06S/08W-27Q02S	383.0	7-15-65	(1)		102
		8-18-65	(1)		
		9-22-65	(1)		
		10-21-65	31.3	351.7	
		12-02-65	29.0	354.0	
		1-13-66	27.5	355.5	
		2-10-66	26.9	356.1	
		3-10-66	26.5	356.5	
		4-07-66	26.4	356.6	
		5-05-66	26.6	356.4	
		6-02-66	26.2	356.8	
		7-07-66	26.4	356.6	
		8-11-66	26.8	356.2	
		9-08-66	25.4	357.6	
06S/08W-34A02S	381.0	7-15-65	39.2	341.8	102
		8-18-65	39.5	341.5	
		9-22-65	39.7	341.3	
		10-21-65	39.7	341.3	
		12-02-65	38.5	342.5	
		1-13-66	37.1	343.9	
		2-10-66	36.9	344.1	
		3-10-66	36.9	344.1	
		4-07-66	37.1	343.9	
		5-05-66	37.3	343.7	
		6-02-66	37.1	343.9	
		7-07-66	37.1	343.9	
		8-11-66	37.1	343.9	
		9-08-66	37.2	343.8	
06S/08W-34C01S	367.0	7-15-65	30.1	336.9	102
		8-18-65	29.6	337.4	
		9-22-65	29.2	337.8	
		10-21-65	29.2	337.8	
		12-02-65	28.7	338.3	
		1-13-66	27.8	339.2	
		2-10-66	27.1	339.9	
		3-10-66	26.7	340.3	
		4-07-66	26.4	340.6	
		5-05-66	26.1	340.9	
		6-02-66	25.8	341.2	
		7-07-66	25.4	341.6	
		8-11-66	25.1	341.9	
		9-08-66	25.7	341.3	
07S/08W-04G01S	320.0	7-15-65	81.0	239.0	102
		8-18-65	94.2	225.8	
		9-22-65	(1)		
		10-21-65	136.1	183.9	
		12-02-65	87.1	232.9	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
			SAN JUAN HYDRO UNIT		
LAGUNA HYDRO SUBUNIT				Z-01.40	
ALISO HYDRO SUBAREA					Z-01.43
07S/08W-04G01S (CONT.)	320.0	1-13-66	65.1	254.9	102
		2-10-66	49.1	270.9	
		3-10-66	91.8	228.2	
		4-07-66	93.4	226.6	
		5-03-66	(1)		
		6-02-66	96.5	223.5	
		7-07-66	80.6	239.4	
		8-11-66	76.8	243.2	
		9-08-66	93.5	226.5	
07S/08W-05R01S	500.0	7-15-65	(9)		102
		8-18-65	(9)		
		9-22-65	(9)		
		10-21-65	(9)		
		12-02-65	115.3	384.7	
		1-13-66	114.2	385.8	
		2-10-66	114.6	385.4	
		3-10-66	120.2	379.8	
		4-07-66	114.4	385.6	
		5-05-66	114.3	385.7	
		6-02-66	114.3	385.7	
		7-07-66	114.1	385.9	
		8-11-66	114.1	385.9	
		9-08-66	128.2	371.8	
07S/08W-16Q03S	200.0	7-15-65	8.6(1)	191.4	102
		8-18-65	8.7(1)	191.3	
		9-22-65	8.1	191.9	
		10-21-65	8.0(1)	192.0	
		12-02-65	7.4	192.6	
		1-13-66	6.1	193.9	
		2-10-66	(9)		
		3-10-66	5.9	194.1	
		4-07-66	5.7	194.3	
		5-05-66	5.2	194.8	
		6-02-66	5.4	194.6	
		7-07-66	8.2	191.8	
		8-11-66	8.2	191.8	
		9-08-66	8.6	191.4	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
	Z-01.00				
SAN JUAN HYDRO SUBUNIT				Z-01.80	
06S/07W-11J01S	1082.8	7-01-65	28.1	1054.7	102
		8-04-65	(1)		
		9-08-65	(1)		
		10-07-65	38.6	1044.2	
		11-04-65	40.7	1042.1	
		12-22-65	5.9	1076.9	
		1-27-66	5.8	1077.0	
		2-24-66	7.1	1075.7	
		3-24-66	12.4	1070.4	
		4-21-66	(9)		
		5-19-66	(1)		
		6-16-66	(1)		
		7-21-66	(1)		
		8-25-66	(1)		
		9-22-66	(1)		
06S/07W-11N01S	980.0	8-04-65	21.8	958.2	102
		9-08-65	26.8	953.2	
		10-07-65	29.5	950.5	
		11-04-65	28.0	952.0	
		12-22-65	3.1	976.9	
		1-27-66	(1)		
		2-24-66	8.3	971.7	
		3-24-66	9.0	971.0	
		4-21-66	9.1	970.9	
		5-19-66	11.3	968.7	
		6-16-66	16.8	963.2	
		7-21-66	22.7	957.3	
		8-25-66	24.9	955.1	
		9-22-66	(1)		
06S/07W-11N02S	994.0	7-01-65	14.8	979.2	102
		8-04-65	24.9	969.1	
		9-08-65	31.8	962.2	
		10-07-65	31.5	962.5	
		11-04-65	32.8	961.2	
		12-22-65	7.2	986.8	
		1-27-66	8.1	985.9	
		2-24-66	7.5	986.5	
		3-24-66	8.0	986.0	
		4-21-66	9.7	984.3	
		5-19-66	12.6	981.4	
		6-16-66	19.6	974.4	
		7-21-66	27.0	967.0	
		8-25-66	30.3	963.7	
		9-22-66	31.8	962.2	
06S/07W-12B02S	1190.6	7-01-65	30.2	1160.4	102
		8-09-65	43.8	1146.8	
		9-08-65	48.7	1141.9	
		10-06-65	48.4	1142.2	
		11-04-65	DRY		
		12-22-65	12.0	1178.6	
		1-27-66	12.2	1178.4	
		2-24-66	14.0	1176.6	
		3-24-66	20.6	1170.0	
		4-20-66	26.2	1164.4	
		5-19-66	29.5	1161.1	
		6-16-66	33.3	1157.3	
		7-21-66	40.5	1150.1	
		8-25-66	46.7	1143.9	
		9-22-66	47.3	1143.3	
06S/07W-12C01S	1168.5	8-04-65	23.3	1145.2	102
		9-08-65	23.7	1144.8	
		10-06-65	24.2	1144.3	
		11-04-65	23.5	1145.0	
		12-22-65	5.0	1163.5	
		1-27-66	5.3	1163.2	
		2-24-66	7.0	1161.5	
		3-24-66	13.3	1155.2	
		4-21-66	18.6	1149.9	
		5-19-66	22.3	1146.2	
		6-16-66	23.7	1144.8	
		7-21-66	23.4	1145.1	
		8-25-66	24.2	1144.3	
		9-22-66	24.8	1143.7	
06S/07W-12F01S	1200.0	7-01-65	27.2	1172.8	102
		8-04-65	28.3	1171.7	
		9-08-65	(1)		
		10-07-65	37.2	1162.8	
		11-04-65	40.1	1159.9	
		12-22-65	12.7	1187.3	
		1-27-66	13.3	1186.7	
		2-24-66	14.6	1185.4	
		3-24-66	19.6	1180.4	
		4-21-66	23.8	1176.2	
		5-19-66	26.1	1173.9	
		6-16-66	27.5	1172.5	
		7-21-66	28.5	1171.5	
		8-25-66	29.3	1170.7	
		9-22-66	30.5	1169.5	
06S/07W-12M01S	1100.6	7-01-65	26.7	1073.9	102
		8-04-65	33.1	1067.5	
		9-08-65	(9)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT			Z-01.00		
SAN JUAN HYDRO SUBUNIT				Z-01.B0	
06S/07W-12M01S (CONT.)	1100.6	10-07-65	36.3	1064.3	102
		11-14-65	36.7	1063.9	
		12-22-65	6.0	1094.6	
		1-27-66	5.8	1094.8	
		2-24-66	7.5	1093.1	
		3-24-66	12.7	1087.9	
		4-21-66	17.3	1083.3	
		5-19-66	21.9	1078.7	
		6-16-66	25.3	1075.3	
		7-21-66	30.9	1069.7	
		8-25-66	34.8	1065.8	
		9-22-66	36.4	1064.2	
06S/07W-12M02S	1105.9	7-01-65	30.4	1075.5	102
		8-04-65	33.9	1072.0	
		9-08-65	DRY		
		10-07-65	DRY		
		11-04-65	DRY		
		12-22-65	9.4	1096.5	
		1-27-66	9.2	1096.7	
		2-24-66	10.8	1095.1	
		3-24-66	15.9	1090.0	
		4-21-66	20.6	1085.3	
		5-19-66	25.0	1080.9	
		6-16-66	29.9	1076.0	
		7-21-66	DRY		
		8-25-66	DRY		
		9-22-66	DRY		
06S/07W-15A04S	960.0	8-04-65	19.4	940.6	102
		9-08-65	23.8	936.2	
		10-06-65	25.0	935.0	
		11-04-65	25.4	934.6	
		12-22-65	6.9	953.1	
		1-27-66	7.8	952.2	
		2-24-66	7.1	952.9	
		3-24-66	7.5	952.5	
		4-21-66	7.9	952.1	
		5-19-66	10.0	950.0	
		6-16-66	15.1	944.9	
		7-21-66	20.5	939.5	
		8-25-66	22.8	937.2	
		9-22-66	23.9	936.1	
06S/07W-15F03S	900.0	8-04-65	14.9	885.1	102
		9-08-65	18.8	881.2	
		10-07-65	(9)		
		11-04-65	22.8	877.2	
		12-22-65	7.2	892.8	
		1-27-66	6.9	893.1	
		2-24-66	6.8	893.2	
		3-24-66	7.7	892.3	
		4-20-66	(1)		
		5-19-66	(1)		
		6-16-66	10.4	889.6	
		7-21-66	15.4	884.6	
		8-25-66	(1)		
		9-22-66	20.3	879.7	
07S/07W-19D01S	307.0	7-22-65	23.7	283.3	102
		8-19-65	23.8	283.2	
		9-16-65	24.7	282.3	
		10-14-65	25.5	281.5	
		12-01-65	22.5	284.5	
		1-21-66	23.9	283.1	
		2-17-66	24.2	282.8	
		3-17-66	24.4	282.6	
		4-20-66	24.1	282.9	
		5-26-66	24.0	283.0	
		6-30-66	24.1	282.9	
		7-28-66	24.2	282.8	
		8-30-66	23.8	283.2	
		9-29-66	23.8	283.2	
07S/07W-19D02S	307.0	7-22-65	22.8	284.2	102
		8-19-65	19.6	287.4	
		9-16-65	21.0	286.0	
		10-14-65	22.0	285.0	
		12-01-65	19.4	287.6	
		1-21-66	15.2	291.8	
		2-17-66	20.8	286.2	
		3-17-66	21.0	286.0	
		4-20-66	21.1	285.9	
		5-26-66	20.6	286.4	
		6-30-66	20.8	286.2	
		7-28-66	20.9	286.1	
		8-30-66	20.9	286.1	
		9-29-66	20.5	286.5	
07S/07W-32R01S	148.5	7-23-65	15.4	133.1	102
		8-19-65	(1)		
		9-20-65	(1)		
		10-15-65	18.8	129.7	
		12-02-65	6.2	142.3	
		1-21-66	5.6	142.9	
		2-18-66	5.5	143.0	
		3-18-66	5.6	142.9	
		4-21-66	(1)		
SAN JUAN HYDRO SUBUNIT				Z-01.B0	
07S/07W-32R01S (CONT.)	148.5	7-01-66	5.9	142.6	102
		7-29-66	6.1	142.4	
		8-30-66	(1)		
		9-30-66	7.5	141.0	
07S/07W-33B01S	200.0	7-23-65	(1)		102
		8-19-65	(1)		
		9-20-65	18.2	181.8	
		10-15-65	17.2	182.8	
		12-02-65	9.6	190.4	
		1-21-66	9.7	190.3	
		2-18-66	8.9	191.1	
		3-18-66	(1)		
		4-21-66	10.2	189.8	
		5-27-66	(9)		
		7-01-66	(9)		
		7-29-66	(9)		
		8-30-66	(9)		
		9-30-66	19.6	180.4	
07S/07W-33M01S	157.0	7-23-65	18.2	138.8	102
		8-19-65	10.1	146.9	
		9-20-65	11.0	146.0	
		10-15-65	11.3	145.7	
		12-02-65	7.7	149.3	
		2-18-66	7.2	149.8	
		3-18-66	7.2	149.8	
		4-21-66	16.8(2)	140.2	
		5-27-66	7.3	149.7	
		7-01-66	7.2	149.8	
		7-29-66	7.0	150.0	
		8-30-66	7.9	149.1	
		9-30-66	6.1	150.9	
07S/08W-14H01S	280.0	8-19-65	15.7	264.3	102
		9-16-65	16.2	263.8	
		10-14-65	16.4	263.6	
		12-01-65	15.2	264.8	
		1-20-66	11.9	268.1	
		2-17-66	11.1	268.9	
		3-17-66	11.8	268.2	
		4-20-66	12.3	267.7	
		5-26-66	12.7	267.3	
		6-30-66	13.1	266.9	
		7-28-66	13.5	266.5	
		8-30-66	14.0	266.0	
		9-29-66	14.3	265.7	
07S/08W-24N01S	230.0	8-19-65	DRY		102
		9-16-65	DRY		
		10-14-65	DRY		
		12-01-65	14.1	215.9	
		1-20-66	13.4	216.6	
		3-17-66	13.1	216.9	
		4-20-66	13.8	216.2	
		5-26-66	14.9	215.1	
		8-30-66	DRY		
		9-29-66	DRY		
07S/08W-25B01S	239.0	1-21-66	41.5	197.5	102
		2-17-66	37.2	201.8	
		3-17-66	32.0	207.0	
		4-20-66	35.0	204.0	
		5-26-66	34.2	204.8	
		6-30-66	40.1	198.9	
		7-28-66	39.0	200.0	
		8-30-66	43.6	195.4	
		9-29-66	42.7	196.3	
07S/08W-25B02S	239.5	7-22-65	(1)		102
		8-19-65	(1)		
		9-16-65	(1)		
		10-14-65	(1)		
		12-01-65	69.3	170.2	
		1-21-66	42.3	197.2	
		2-16-66	37.9	201.6	
		3-17-66	32.6	206.9	
		4-20-66	36.5	203.0	
		5-26-66	35.1	204.4	
		6-30-66	(1)		
		7-28-66	39.9	199.6	
		8-29-66	(1)		
		9-29-66	44.7	194.8	
07S/08W-25B03S	240.0	5-26-66	37.0	203.0	102
		6-30-66	43.3	196.7	
		7-28-66	41.8	198.2	
		8-30-66	47.0	193.0	
		9-29-66	45.4	194.6	
07S/08W-25N01S	204.0	7-22-65	65.7	138.3	102
		12-01-65	65.6	138.4	
		1-20-66	65.6	138.4	
		2-17-66	54.4	149.6	
		3-17-66	36.3	167.7	
		4-20-66	31.5	172.5	
		5-26-66	35.3	168.7	
		6-30-66	36.4	167.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

SAN JUAN HYDRO SUBUNIT Z-01.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
07S/08W-25N01S (CONT.)	204.0	7-28-66	41.6	162.4	102
		8-30-66	39.8	164.2	
		9-29-66	42.0	162.0	
07S/08W-25N02S	204.0	5-26-66	33.6	170.4	102
		6-30-66	34.2	169.8	
		7-28-66	37.7	166.3	
		8-30-66	38.0	166.0	
		9-29-66	40.9	163.1	
07S/08W-25P02S	213.0	5-26-66	(1)		102
		6-30-66	39.7	173.3	
		7-01-66	(1)		
		7-29-66	42.4	170.6	
		8-30-66	(1)		
		9-30-66	(1)		
07S/08W-36C03S	200.4	8-19-65	(1)		102
		9-16-65	(2)		
		10-14-65	107.4	93.0	
		12-01-65	101.0	99.4	
		1-21-66	76.9	123.5	
		2-17-66	59.8	140.6	
		3-17-66	39.4	161.0	
		4-20-66	32.5	167.9	
		5-26-66	(1)		
		6-30-66	(1)		
		7-28-66	(1)		
		8-30-66	39.1	161.3	
		9-30-66	(1)		
07S/08W-36L01S	171.3	7-22-65	82.8	88.5	102
		8-19-65	89.2	82.1	
		9-16-65	93.2	78.1	
		12-01-65	94.4	76.9	
		1-20-66	82.2	89.1	
		2-17-66	57.1	114.2	
		3-17-66	41.6	129.7	
		4-20-66	29.2	142.1	
		5-26-66	32.4	138.9	
		7-28-66	30.8	140.5	
		8-30-66	34.2	137.1	
		9-29-66	34.0	137.3	
07S/08W-36L02S	158.5	7-22-65	72.5	86.0	102
		8-19-65	(1)		
		9-16-65	(1)		
		10-14-65	(1)		
		12-01-65	81.5	77.0	
		1-21-66	67.1	91.4	
		2-15-66	44.9	113.6	
		3-17-66	28.6	129.9	
		4-20-66	16.2	142.3	
		5-26-66	19.8	138.7	
		6-30-66	17.6	140.9	
		7-28-66	18.0	140.5	
		8-30-66	(1)		
		9-30-66	(1)		
07S/08W-36P02S	145.0	8-19-65	DRY		102
		9-16-65	DRY		
		10-14-65	DRY		
		12-01-65	DRY		
		2-17-66	37.1	107.9	
		3-17-66	27.1	117.9	
		4-20-66	15.1	129.9	
		5-03-66	16.8	128.2	
		5-17-66	18.3	126.7	
		5-24-66	21.3	123.7	
		5-31-66	19.6	125.4	
		6-07-66	18.1	126.9	
		6-14-66	17.4	127.6	
		6-30-66	18.5	126.5	
		7-28-66	15.3	129.7	
		8-30-66	16.9	128.1	
		9-29-66	14.4	130.6	
07S/08W-36P03S	140.0	9-16-65	86.0	54.0	102
		10-14-65	83.7	56.3	
		12-01-65	83.0	57.0	
		1-21-66	66.8	73.2	
		2-17-66	42.3	97.7	
		3-17-66	34.1	105.9	
		4-20-66	27.3	112.7	
		5-27-66	46.7	93.3	
		6-30-66	43.1	96.9	
		7-28-66	36.7	103.3	
		8-30-66	43.4	96.6	
		9-29-66	39.4	100.6	
07S/08W-36P04S	138.1	7-22-65	63.5	74.6	102
		8-19-65	67.8	70.3	
		9-16-65	70.6	67.5	
		10-14-65	73.9	64.2	
		12-01-65	76.8	61.3	
		1-20-66	70.6	67.5	
		2-17-66	36.9	101.2	
		3-17-66	28.1	110.0	
SAN JUAN HYDRO SUBUNIT				Z-01.80	
07S/08W-36P04S (CONT.)	138.1	4-20-66	20.8	117.3	102
		5-26-66	37.3	100.8	
		6-20-66	23.6	114.5	
		6-27-66	29.9	108.2	
		6-30-66	32.9	105.2	
		7-05-66	33.7	104.4	
		7-11-66	35.8	102.3	
		7-18-66	35.9	102.2	
		7-25-66	36.2	101.9	
		8-01-66	25.3	112.8	
		8-08-66	23.8	114.3	
		8-15-66	(9)		
		8-22-66	30.5	107.6	
		8-29-66	32.4	105.7	
		9-06-66	29.9	108.2	
		9-13-66	24.2	113.9	
		9-20-66	23.6	114.5	
		9-27-66	22.7	115.4	
08S/07W-05B01S	130.0	7-23-65	(1)		102
		8-19-65	60.7	69.3	
		9-20-65	(1)		
		10-15-65	63.4	66.6	
		12-02-65	41.9	88.1	
		1-21-66	(9)		
		2-18-66	11.5	118.5	
		3-18-66	11.2	118.8	
		4-21-66	11.3	118.7	
		5-27-66	12.2	117.8	
		7-01-66	18.3	111.7	
		7-29-66	23.1	106.9	
		8-30-66	20.8	109.2	
		9-30-66	27.1	102.9	
08S/07W-05C01S	132.0	8-19-65	58.7(2)	73.3	102
		1-21-66	14.9	117.1	
		2-18-66	9.6	122.4	
		3-18-66	8.2	123.8	
		4-21-66	7.8	124.2	
		5-27-66	7.8	124.2	
		7-01-66	8.9(2)	123.1	
		7-29-66	11.7(2)	120.3	
		8-31-66	14.1	117.9	
		9-30-66	16.6(2)	115.4	
08S/07W-05C02S	128.7	7-23-65	(1)		102
		8-19-65	(1)		
		9-20-65	(1)		
		12-02-65	43.6	85.1	
		1-21-66	12.8	115.9	
		2-18-66	7.7	121.0	
		3-18-66	6.7	122.0	
		4-21-66	6.3	122.4	
		5-27-66	6.2	122.5	
		7-01-66	15.3	113.4	
		7-29-66	19.8	108.9	
		8-30-66	14.4	114.3	
		9-30-66	23.7	105.0	
08S/07W-06H01S	115.0	7-23-65	(8)		102
		8-19-65	(1)		
		9-20-65	48.4	66.6	
		10-15-65	48.5	66.5	
		12-02-65	(8)		
		1-21-66	12.2	102.8	
		2-18-66	9.6	105.4	
		3-18-66	8.8	106.2	
		4-21-66	8.4	106.6	
		5-27-66	8.3	106.7	
		7-01-66	8.4	106.6	
		7-29-66	10.1	104.9	
		8-30-66	11.2	103.8	
		9-30-66	11.5	103.5	
08S/07W-06H02S	113.0	7-23-65	42.1	70.9	102
		8-19-65	45.3	67.7	
		9-20-65	47.2	65.8	
		10-15-65	45.0	68.0	
		12-02-65	35.8	77.2	
		1-21-66	14.3	98.7	
		2-18-66	11.0	102.0	
		3-18-66	10.2	102.8	
		4-21-66	9.8	103.2	
		5-27-66	10.1	102.9	
		7-01-66	10.2	102.8	
		7-29-66	11.1	101.9	
		8-30-66	13.7	99.3	
		9-30-66	14.8	98.2	
08S/07W-06K02S	100.0	7-23-65	36.0	64.0	102
		8-19-65	40.7	59.3	
		9-20-65	40.4	59.6	
		10-15-65	42.4	57.6	
		12-02-65	31.1	68.9	
		3-18-66	8.2	91.8	
		4-21-66	(1)		
		5-27-66	(1)		
		7-01-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

SAN JUAN HYDRO SUBUNIT Z-01.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
08S/07W-06K02S	100.0	7-29-66	(1)		102
(CONT.)		8-30-66	12.3	87.7	
		9-30-66	(1)		
08S/07W-06K03S	106.0	7-23-65	(1)		102
		8-19-65	(1)		
		9-20-65	48.6	57.4	
		10-15-65	(1)		
		12-02-65	45.9	60.1	
		1-21-66	23.5	82.5	
		2-18-66	18.2	87.8	
		3-18-66	17.0	89.0	
		4-21-66	16.6	89.4	
		5-27-66	18.2	87.8	
		7-01-66	18.5	87.5	
		7-29-66	(1)		
		8-30-66	23.3	82.7	
		9-30-66	23.7	82.3	
08S/07W-06P02S	88.0	8-19-65	29.9	58.1	102
		9-20-65	(9)		
		10-15-65	30.9(2)	57.1	
		12-02-65	15.4	72.6	
		1-18-66	5.2	82.8	
		1-21-66	6.8	81.2	
		3-18-66	4.9	83.1	
		4-21-66	4.9	83.1	
		5-27-66	10.8	77.2	
		7-01-66	7.8	80.2	
		8-31-66	10.9	77.1	
		9-30-66	12.7	75.3	
08S/07W-07C03S	86.0	7-05-65	28.1	57.9	102
		7-12-65	27.8	58.2	
		7-19-65	29.3	56.7	
		7-23-65	27.6	58.4	
		7-26-65	27.5	58.5	
		8-02-65	28.6	57.4	
		8-09-65	31.6	54.4	
		8-16-65	32.2	53.8	
		8-23-65	29.2	56.8	
		8-30-65	30.4	55.6	
		9-07-65	28.9	57.1	
		9-14-65	32.1	53.9	
		9-20-65	29.8	56.2	
		9-28-65	29.3	56.7	
		10-05-65	30.5	55.5	
		10-12-65	30.1	55.9	
		10-19-65	29.4	56.6	
		10-26-65	29.1	56.9	
		11-02-65	29.0	57.0	
		11-09-65	29.1	56.9	
		11-24-65	19.9	66.1	
		11-30-65	17.7	68.3	
		12-02-65	17.9	68.1	
		12-07-65	18.4	67.6	
		12-21-65	16.1	69.9	
		12-28-65	16.4	69.6	
		1-04-66	10.9	75.1	
		1-11-66	9.9	76.1	
		1-18-66	8.9	77.1	
		1-25-66	8.4	77.6	
		2-01-66	8.0	78.0	
		2-08-66	7.4	78.6	
		2-15-66	7.2	78.8	
		2-23-66	6.9	79.1	
		3-01-66	6.8	79.2	
		3-08-66	6.6	79.4	
		3-15-66	6.5	79.5	
		3-22-66	6.4	79.6	
		3-29-66	6.4	79.6	
		4-05-66	6.4	79.6	
		4-12-66	6.3	79.7	
		4-19-66	6.4	79.6	
		4-26-66	6.3	79.7	
		5-03-66	6.7	79.3	
		5-10-66	8.2	77.8	
		5-17-66	8.1	77.9	
		5-24-66	8.3	77.7	
		5-31-66	9.1	76.9	
		6-07-66	9.6	76.4	
		6-14-66	8.9	77.1	
		6-20-66	8.6	77.4	
		6-27-66	8.7	77.3	
		7-05-66	8.8	77.2	
		7-11-66	9.0	77.0	
		7-18-66	12.4	73.6	
		7-25-66	13.5	72.5	
		8-01-66	10.8	75.2	
		8-08-66	10.4	75.6	
		8-15-66	10.2	75.8	
		8-22-66	10.3	75.7	
		8-29-66	11.8	74.2	
		9-06-66	13.0	73.0	
		9-13-66	13.1	72.9	
		9-20-66	12.0	74.0	
		9-27-66	13.5	72.5	

SAN JUAN HYDRO SUBUNIT Z-01.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
08S/08W-01F01S	137.0	7-22-65	84.8	52.2	102
		8-19-65	(1)		
		9-16-65	(1)		
		10-14-65	(1)		
		12-01-65	79.6	57.4	
		1-20-66	56.5	80.5	
		2-17-66	40.7	96.3	
		3-17-66	35.6	101.4	
		4-20-66	32.5	104.5	
		5-26-66	(1)		
		7-01-66	(1)		
		7-28-66	46.2	90.8	
		8-30-66	(1)		
		9-29-66	40.1	96.9	
08S/08W-01K01S	110.0	7-22-65	58.6	51.4	102
		8-19-65	57.7	52.3	
		9-16-65	61.1	48.9	
		10-14-65	65.9	44.1	
		12-02-65	50.9	59.1	
		1-20-66	29.9	80.1	
		2-17-66	22.3	87.7	
		3-17-66	21.1	88.9	
		4-20-66	25.2	84.8	
		5-26-66	(1)		
		7-01-66	(1)		
		8-30-66	48.9	61.1	
		9-29-66	37.8	72.2	
08S/08W-01K02S	105.0	7-22-65	57.9	47.1	102
		8-19-65	56.3	48.7	
		9-16-65	60.7	44.3	
		10-14-65	63.0	42.0	
		12-02-65	49.4	55.6	
		1-20-66	27.1	77.9	
		2-17-66	19.0	86.0	
		3-17-66	17.5	87.5	
		4-20-66	20.6	84.4	
		5-27-66	41.3	63.7	
		7-01-66	43.2	61.8	
		8-30-66	47.4	57.6	
		9-29-66	35.3	69.7	
08S/08W-01L01S	100.0	7-22-65	(1)		102
		8-19-65	55.4	44.6	
		9-16-65	(1)		
		10-14-65	61.2	38.8	
		12-02-65	48.8	51.2	
		1-20-66	27.0	73.0	
		2-17-66	16.8	83.2	
		3-17-66	15.3	84.7	
		4-20-66	17.3	82.7	
		5-26-66	39.3	60.7	
		7-01-66	42.7	57.3	
		7-28-66	(1)		
		8-30-66	(1)		
		9-29-66	32.6	67.4	
08S/08W-01Q01S	90.4	7-22-65	29.9	60.5	102
		8-19-65	30.8	59.6	
		9-16-65	31.5	58.9	
		10-14-65	35.1	55.3	
		12-02-65	25.5	64.9	
		1-20-66	15.3	75.1	
		2-17-66	11.8	78.6	
		3-17-66	11.3	79.1	
		4-20-66	13.8	76.6	
		5-26-66	20.6	69.8	
		6-30-66	21.6	68.8	
		7-28-66	20.6	69.8	
		8-30-66	22.3	68.1	
		9-30-66	21.2	69.2	
08S/08W-01Q04S	104.0	7-23-65	44.7	59.3	102
		8-19-65	47.6	56.4	
		9-16-65	49.4	54.6	
		10-14-65	52.7	51.3	
		12-02-65	41.5	62.5	
		1-20-66	28.3	75.7	
		2-17-66	24.2	79.8	
		3-17-66	23.6	80.4	
		4-20-66	25.1	78.9	
		5-26-66	35.8	68.2	
		6-30-66	38.5	65.5	
		7-28-66	35.8	68.2	
		8-30-66	38.7	65.3	
		9-29-66	33.9	70.1	
08S/08W-01Q07S	95.0	8-19-65	42.0	53.0	102
		9-21-65	42.0	53.0	
		10-14-65	46.1	48.9	
		12-02-65	37.2	57.8	
		1-20-66	25.8	69.2	
		2-17-66	21.8	73.2	
		3-17-66	21.2	73.8	
		4-20-66	22.2	72.8	
		5-26-66	29.8	65.2	
		6-30-66	31.5	63.5	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

SAN JUAN HYDRO SUBUNIT Z-01.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
08S/08W-01Q07S (CONT.)	95.0	7-28-66	31.0	64.0	102
		8-30-66	34.0	61.0	
		9-29-66	29.9	65.1	
08S/08W-12B01S	85.5	7-06-65	31.7	53.8	102
		7-12-65	30.4	55.1	
		7-19-65	30.2	55.3	
		7-23-65	32.5	53.0	
		7-26-65	32.1	53.4	
		8-09-65	32.8	52.7	
		8-16-65	39.1	46.4	
		8-30-65	33.8	51.7	
		9-28-65	33.4	52.1	
		10-14-65	38.3	47.2	
		11-09-65	36.8	48.7	
		12-02-65	27.0	58.5	
		1-20-66	17.0	68.5	
		2-17-66	13.9	71.6	
		3-17-66	13.5	72.0	
		4-20-66	14.5	71.0	
		5-26-66	21.8	63.7	
		6-30-66	22.4	63.1	
		7-28-66	22.0	63.5	
		8-30-66	23.6	61.9	
		9-29-66	20.8	64.7	
08S/08W-12B03S	85.0	7-23-65	35.8	49.2	102
		8-19-65	41.7	43.3	
		9-16-65	41.7	43.3	
		10-14-65	39.9	45.1	
		10-19-65	37.6	47.4	
		10-26-65	39.0	46.0	
		11-02-65	39.0	46.0	
		11-24-65	32.8	52.2	
		11-30-65	31.1	53.9	
		12-02-65	29.5	55.5	
		12-07-65	29.2	55.8	
		12-21-65	26.5	58.5	
		12-28-65	26.2	58.8	
		1-04-66	22.9	62.1	
		1-11-66	21.2	63.8	
		1-18-66	19.9	65.1	
		1-24-66	19.1	65.9	
		2-01-66	18.1	66.9	
		2-08-66	17.3	67.7	
		2-15-66	16.8	68.2	
		2-23-66	16.4	68.6	
		3-01-66	17.1	67.9	
		3-08-66	16.3	68.7	
		3-15-66	16.6	68.4	
		3-22-66	16.6	68.4	
		3-29-66	16.7	68.3	
		4-05-66	17.1	67.9	
		4-12-66	16.0	69.0	
		4-19-66	17.1	67.9	
		4-26-66	17.9	67.1	
		5-03-66	22.8	62.2	
		5-10-66	22.5	62.5	
		5-17-66	25.2	59.8	
		5-24-66	24.3	60.7	
		5-31-66	20.9	64.1	
		6-07-66	20.6	64.4	
		6-14-66	16.8	68.2	
		6-20-66	22.6	62.4	
		6-27-66	23.9	61.1	
		7-05-66	23.2	61.8	
		7-11-66	26.5	58.5	
		7-18-66	26.8	58.2	
		7-25-66	24.9	60.1	
		8-01-66	21.2	63.8	
		8-08-66	(1)		
		8-15-66	21.9	63.1	
		8-22-66	23.9	61.1	
		8-29-66	24.6	60.4	
		9-06-66	22.3	62.7	
		9-13-66	21.4	63.6	
		9-20-66	(1)		
		9-27-66	24.6	60.4	
08S/08W-12L01S	62.0	7-23-65	(1)		102
		8-19-65	(1)		
		9-20-65	22.5	39.5	
		10-14-65	26.1	35.9	
		12-02-65	15.3	46.7	
		1-20-66	11.7	50.3	
		2-17-66	11.1	50.9	
		3-17-66	11.2	50.8	
		4-21-66	14.4	47.6	
		5-26-66	(1)		
		6-30-66	19.8	42.2	
		7-28-66	(1)		
		8-30-66	19.9	42.1	
		9-30-66	(1)		
08S/08W-12P02S	50.0	8-19-65	(9)		102
		9-20-65	(9)		
		10-15-65	(9)		
		12-02-65	11.7	38.3	

SAN JUAN HYDRO SUBUNIT Z-01.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
08S/08W-12P02S (CONT.)	50.0	1-21-66	(9)		102
		2-18-66	(9)		
		3-18-66	12.9	37.1	
		4-21-66	11.1	38.9	
		5-27-66	12.1	37.9	
08S/08W-12P03S	54.4	7-23-65	22.5	31.9	102
		8-19-65	27.4	27.0	
		9-20-65	25.2	29.2	
		10-14-65	26.9	27.5	
		12-02-65	11.2	43.2	
		1-20-66	8.5	45.9	
		2-17-66	8.2	46.2	
		3-17-66	8.4	46.0	
		4-21-66	10.8	43.6	
		5-26-66	23.4	31.0	
		6-30-66	23.4	31.0	
		7-28-66	25.6	28.8	
		8-30-66	26.2	28.2	
		9-29-66	13.9	40.5	
08S/08W-13D01S	46.4	7-23-65	17.7	28.7	102
		8-19-65	18.5	27.9	
		9-20-65	16.1	30.3	
		10-14-65	15.7	30.7	
		12-02-65	11.4	35.0	
		1-21-66	9.5	36.9	
		2-18-66	9.5	36.9	
		3-18-66	10.9	35.5	
		4-21-66	11.0	35.4	
		5-27-66	12.1	34.3	
		7-01-66	12.8	33.6	
		7-29-66	15.1	31.3	
		8-30-66	14.3	32.1	
		9-30-66	14.4	32.0	
08S/08W-13E01S	49.0	7-23-65	10.3	38.7	102
		8-19-65	11.2	37.8	
		9-20-65	11.2	37.8	
		10-15-65	11.1	37.9	
		12-02-65	8.7	40.3	
		1-21-66	7.1	41.9	
		2-18-66	6.8	42.2	
		3-18-66	7.5	41.5	
		4-21-66	8.1	40.9	
		5-27-66	8.6	40.4	
		7-01-66	8.9	40.1	
		7-29-66	9.1	39.9	
		8-30-66	9.6	39.4	
		9-29-66	9.5	39.5	
08S/08W-14H02S	36.5	8-19-65	13.2	23.3	102
		9-17-65	(1)		
		10-14-65	12.7	23.8	
		12-02-65	10.6	25.9	
		1-20-66	10.9	25.6	
		3-17-66	10.9	25.6	
		3-17-66	13.2	23.3	
		4-21-66	11.6	24.9	
		5-27-66	11.3	25.2	
		6-30-66	12.8	23.7	
		7-29-66	12.0	24.5	
		8-30-66	12.8	23.7	
		9-29-66	15.2	21.3	
08S/08W-14H04S	40.0	7-23-65	16.7	23.3	102
		8-19-65	(1)		
		9-17-65	17.2	22.8	
		10-14-65	17.3	22.7	
		12-02-65	16.3	23.7	
		1-20-66	16.7	23.3	
		2-17-66	16.5	23.5	
		3-17-66	(1)		
		4-21-66	16.9	23.1	
		5-27-66	17.1	22.9	
		6-30-66	17.7	22.3	
		7-29-66	17.4	22.6	
		8-31-66	18.2	21.8	
		9-29-66	(1)		
08S/08W-14Q01S	19.0	7-23-65	15.6	3.4	102
		8-19-65	15.5	3.5	
		9-17-65	15.2	3.8	
		10-14-65	15.5	3.5	
		12-02-65	13.4	5.6	
		1-20-66	12.6	6.4	
		2-17-66	11.8	7.2	
		3-17-66	12.9	6.1	
		4-21-66	13.1	5.9	
		5-27-66	13.3	5.7	
		6-30-66	13.5	5.5	
		7-29-66	(1)		
		8-30-66	13.6	5.4	
		9-29-66	13.7	5.3	
08S/08W-14Q02S	21.0	7-23-65	8.7	12.3	102
		8-19-65	8.9	12.1	
		9-17-65	9.0	12.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

SAN JUAN HYDRO SUBUNIT Z-01.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
08S/08W-14Q02S (CONT.)	21.0	10-14-65	9.1	11.9	102
		12-02-65	7.5	13.5	
		1-20-66	6.8	14.2	
		2-17-66	6.7	14.3	
		3-17-66	7.0	14.0	
		4-21-66	7.3	13.7	
		5-27-66	7.7	13.3	
		6-30-66	8.8	12.2	
		7-29-66	7.9	13.1	
		8-30-66	8.7	12.3	
		9-29-66	8.0	13.0	
08S/08W-23A04S	25.0	8-19-65	17.1	7.9	102
		9-20-65	17.2	7.8	
		10-14-65	17.3	7.7	
		12-02-65	16.5	8.5	
		1-20-66	15.2	9.8	
		2-17-66	16.2	8.8	
		3-17-66	16.3	8.7	
		4-21-66	16.4	8.6	
		5-27-66	16.2	8.8	
		7-01-66	16.1	8.9	
		7-29-66	16.0	9.0	
		8-30-66	16.6	8.4	
		9-29-66	15.9	9.1	
08S/08W-23A05S	19.3	7-23-65	13.0	6.3	102
		8-19-65	13.1	6.2	
		9-20-65	13.3	6.0	
		10-15-65	13.3	6.0	
		12-02-65	12.5	6.8	
		1-20-66	12.1	7.2	
		2-17-66	12.1	7.2	
		3-17-66	12.3	7.0	
		4-21-66	12.1	7.2	
		5-27-66	12.2	7.1	
		7-01-66	12.2	7.1	
		7-29-66	12.1	7.2	
		8-30-66	12.5	6.8	
		9-29-66	12.0	7.3	

SAN MATEO HYDRO SUBUNIT Z-01.D0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
08S/07W-36D01S	130.0	11-08-65	55.1	74.9	010
		1-31-66	19.4	110.6	
		4-30-66	13.1	116.9	
		5-31-66	15.8	114.2	
		6-30-66	(7)		
08S/07W-36E01S	121.3	8-05-65	44.7	76.6	010
		8-31-65	44.9	76.4	
		9-30-65	44.3	77.0	
		10-29-65	43.9	77.4	
		11-08-65	44.0	77.3	
		11-30-65	37.7	83.6	
		1-31-66	20.2	101.1	
		2-28-66	9.1	112.2	
		3-31-66	7.6	113.7	
		4-29-66	8.2	113.1	
		4-30-66	8.4	112.9	
		5-31-66	10.1	111.2	
		6-30-66	14.9	106.4	
		8-01-66	13.6	107.7	
		8-31-66	15.6	105.7	
		9-30-66	17.3	104.0	
09S/06W-05N01S	142.1	8-05-65	29.9	112.2	010
		8-31-65	31.5	110.6	
		9-30-65	32.2	109.9	
		10-29-65	32.6	109.5	
		11-08-65	31.3	110.8	
		11-30-65	17.0	125.1	
		1-31-66	3.1	139.0	
		2-28-66	3.5	138.6	
		3-31-66	4.2	137.9	
		4-29-66	4.6	137.5	
		4-30-66	3.3	138.8	
		5-31-66	5.6	136.5	
		6-30-66	6.5	135.6	
		8-01-66	7.4	134.7	
		8-31-66	8.2	133.9	
		9-30-66	9.2	132.9	
09S/06W-06P01S	120.3	8-05-65	26.0	94.3	010
		8-31-65	27.6	92.7	
		9-30-65	29.0	91.3	
		10-29-65	30.5	89.8	
		11-08-65	31.2	89.1	
		11-30-65	15.8	104.5	
		1-31-66	8.9	111.4	
		2-28-66	6.1	114.2	
		3-31-66	6.4	113.9	
		4-29-66	8.0	112.3	
		4-30-66	8.2	112.1	
		5-31-66	8.4	111.9	
		6-30-66	8.6	111.7	
09S/07W-01E01S	76.8	8-05-65	37.0	39.8	010
		8-31-65	37.9	38.9	
		9-30-65	38.8	38.0	
		10-29-65	39.6	37.2	
		11-08-65	39.5	37.3	
		11-30-65	30.8	46.0	
		1-31-66	12.6	64.2	
		2-28-66	9.0	67.8	
		3-31-66	9.0	67.8	
		4-29-66	9.2	67.6	
		4-30-66	10.0	66.8	
		5-31-66	11.3	65.5	
		6-30-66	12.8	64.0	
		8-01-66	12.9	63.9	
		8-31-66	14.4	62.4	
		9-30-66	15.1	61.7	
09S/07W-01F02S	88.0	11-08-65	DRY		010
		4-30-66	6.1	81.9	
09S/07W-01J01S	100.9	8-05-65	20.8	80.1	010
		8-31-65	22.2	78.7	
		9-30-65	23.6	77.3	
		10-29-65	25.0	75.9	
		11-30-65	13.7	87.2	
		1-31-66	5.3	95.6	
		2-28-66	2.3	98.6	
		3-31-66	3.0	97.9	
		4-29-66	5.2	95.7	
		4-30-66	5.8	95.1	
		5-31-66	5.6	95.3	
		6-30-66	5.2	95.7	
09S/07W-01J02S	105.0	4-30-66	9.8	95.2	010
09S/07W-01N01S	68.0	11-08-65	36.2	31.8	010
		4-30-66	10.3	57.7	
09S/07W-02H02S	59.1	8-05-65	31.9	27.2	010
		8-31-65	32.9	26.2	
		9-30-65	33.8	25.3	
		10-29-65	34.4	24.7	
		11-08-65	30.6	28.5	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

SAN MATEO HYDRO SUBUNIT Z-01.D0

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09S/07w-02R02S (CONT.)	59.1	11-30-65	28.9	30.2	010
		1-31-66	13.0	46.1	
		2-28-66	11.1	48.0	
		3-31-66	10.3	48.8	
		4-29-66	10.6	48.5	
		4-30-66	9.6	49.5	
		5-31-66	10.6	48.5	
		6-30-66	12.9	46.2	
09S/07w-11A01S	57.0	11-08-65	42.6(1)	14.4	010
		4-30-66	11.5	45.5	
09S/07w-11A03S	56.2	8-05-65	33.3	22.9	010
		8-31-65	34.0(2)	22.2	
		9-30-65	35.0	21.2	
		10-29-65	34.8	21.4	
		11-08-65	32.7(2)	23.5	
		11-30-65	32.6	23.6	
		1-31-66	18.3	37.9	
		2-28-66	15.7	40.5	
		3-31-66	13.6	42.6	
		4-29-66	14.2	42.0	
		4-30-66	11.5	44.7	
		5-31-66	14.6	41.6	
		6-30-66	15.3	40.9	
09S/07w-11B01S	54.0	4-30-66	6.5	47.5	010
09S/07w-11D04S	177.7	8-05-65	172.4	5.3	010
		8-31-65	173.7	4.0	
		9-30-65	173.2	4.5	
		10-29-65	173.9	3.8	
		11-30-65	173.9	3.8	
		1-31-66	173.9	3.8	
		2-28-66	170.8	6.9	
		3-31-66	170.9	6.8	
		4-29-66	169.2	8.5	
		5-31-66	169.6	8.1	
		6-30-66	169.6	8.1	
09S/07w-11F01S	102.1	8-05-65	84.3	17.8	010
		8-31-65	84.8	17.3	
		9-30-65	84.9	17.2	
		10-29-65	85.2	16.9	
		11-02-65	85.2	16.9	
		11-30-65	82.0	20.1	
		1-31-66	72.5	29.6	
		2-28-66	71.6	30.5	
		3-31-66	71.0	31.1	
		4-29-66	71.2	30.9	
		4-30-66	71.3	30.8	
		5-31-66	71.9	30.2	
		6-30-66	72.3	29.8	
09S/07w-11G01S	51.0	8-05-65	30.9	20.1	010
		8-31-65	31.4	19.6	
		9-30-65	31.8	19.2	
		10-29-65	32.1	18.9	
		11-08-65	31.7	19.3	
		11-30-65	29.5	21.5	
		1-31-66	19.6	31.4	
		2-28-66	17.8	33.2	
		3-31-66	16.3	34.7	
		4-29-66	15.9	35.1	
		4-30-66	15.5	35.5	
		5-31-66	16.4	34.6	
		6-30-66	17.0	34.0	
09S/07w-11H02S	51.0	11-08-65	31.5	19.5	010
		4-30-66	16.0	35.0	
09S/07w-11H03S	54.9	8-05-65	30.7	24.2	010
		8-31-65	31.2	23.7	
		9-30-65	31.9	23.0	
		5-31-66	16.1	38.8	
09S/07w-11K01S	44.0	11-08-65	26.1	17.9	010
		4-30-66	15.2	28.8	
09S/07w-11P01S	38.0	8-05-65	22.6	15.4	010
		8-31-65	47.5	-9.5	
		9-30-65	22.4	15.6	
		10-29-65	41.7(1)	-3.7	
		11-08-65	22.7	15.3	
		11-30-65	17.2	20.8	
		1-31-66	14.4	23.6	
		2-28-66	13.6	24.4	
		3-31-66	12.8	25.2	
		4-29-66	13.3	24.7	
		4-30-66	18.7	19.3	
		5-31-66	13.2	24.8	
		6-30-66	12.8	25.2	
09S/07w-11P03S	42.6	8-05-65	27.1	15.5	010
		8-31-65	27.2	15.4	
		9-30-65	27.2	15.4	
		10-29-65	26.5	16.1	
		11-08-65	27.4	15.2	
Z-01.00					
SAN MATEO HYDRO SUBUNIT				Z-01.D0	
09S/07W-11P03S (CONT.)	42.6	11-30-65	23.8	18.8	010
		1-31-66	18.0	24.6	
		2-28-66	17.8	24.8	
		3-31-66	17.3	25.3	
		4-29-66	18.5	24.1	
		4-30-66	18.3	24.3	
		5-31-66	17.9	24.7	
		6-30-66	18.0	24.6	
09S/07W-11P04S	37.4	8-31-65	22.4	15.0	010
		9-30-65	23.1	14.3	
		10-29-65	25.1	12.3	
		11-08-65	22.8	14.6	
		11-30-65	20.7	16.7	
		1-31-66	16.0	21.4	
		2-28-66	16.2	21.2	
		3-31-66	15.4	22.0	
		4-29-66	15.5	21.9	
		4-30-66	16.6	20.8	
		5-31-66	15.2	22.2	
		6-30-66	15.0	22.4	
09S/07W-13E01S	315.2	10-29-65	297.5	17.7	010
		1-31-66	297.6	17.6	
		2-28-66	297.5	17.7	
		3-31-66	295.4	19.8	
		4-29-66	293.9	21.3	
		5-31-66	294.6	20.6	
		6-30-66	293.6	21.6	
09S/07W-14B01S	36.0	4-30-66	11.5	24.5	010
09S/07W-14E01S	23.4	8-31-65	15.1	8.3	010
		9-30-65	15.3	8.1	
		10-29-65	15.4	8.0	
		11-08-65	14.7	8.7	
		11-30-65	14.6	8.8	
		1-31-66	9.7	13.7	
		2-28-66	9.6	13.8	
		3-31-66	9.7	13.7	
		4-29-66	9.7	13.7	
		4-30-66	9.0	14.4	
		5-31-66	10.1	13.3	
		6-30-66	10.3	13.1	
		8-01-66	8.4	15.0	
		8-31-66	10.3	13.1	
		9-30-66	10.3	13.1	
09S/07W-14F01S	18.0	11-08-65	8.5	9.5	010
		4-30-66	5.6	12.4	
09S/07W-14L01S	15.1	8-05-65	9.2	5.9	010
		8-31-65	9.2	5.9	
		9-30-65	9.3	5.8	
		10-29-65	9.4	5.7	
		11-08-65	7.5	7.6	
		11-30-65	7.1	8.0	
		1-31-66	6.8	8.3	
		2-28-66	6.6	8.5	
		3-31-66	6.3	8.8	
		4-29-66	6.5	8.6	
		4-30-66	4.6	10.5	
		5-31-66	6.3	8.8	
		6-30-66	(7)		
09S/07W-14L02S	14.0	11-08-65	8.2	5.8	010
		4-30-66	5.0	9.0	
09S/07W-14M01S	11.9	8-05-65	(7)		010
		8-31-65	4.9	7.0	
		9-30-65	5.0	6.9	
		10-29-65	5.0	6.9	
		11-30-65	2.9	9.0	
		1-31-66	2.8	9.1	
		2-28-66	2.7	9.2	
		3-31-66	2.4	9.5	
		4-29-66	5.6	6.3	
		4-30-66	2.2	9.7	
		5-31-66	5.2	6.7	
		6-30-66	2.3	9.6	
		8-01-66	5.1	6.8	
		8-31-66	4.7	7.2	
		9-30-66	4.6	7.3	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

SAN ONOFRE HYDRO SUBUNIT Z-01.E0

SAN ONOFRE HYDRO SUBAREA Z-01.E1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09S/06W-16J01S	200.0	11-08-65	34.7	165.3	010
		4-30-66	6.3	193.7	
09S/06W-17M01S	149.2	8-05-65	31.5	117.7	010
		8-31-65	32.4	116.8	
		9-30-65	33.1	116.1	
		10-29-65	34.2	115.0	
		11-08-65	34.5	114.7	
		11-30-65	16.6	132.6	
		1-31-66	8.4	140.8	
		2-28-66	8.8	140.4	
		3-31-66	8.9	140.3	
		4-29-66	9.1	140.1	
		4-30-66	8.7	140.5	
		5-31-66	8.9	140.3	
		6-30-66	9.0	140.2	
		8-01-66	10.0	139.2	
		8-31-66	11.1	138.1	
		9-30-66	12.5	136.7	
09S/06W-18N01S	62.2	8-05-65	46.8	15.4	010
		8-31-65	46.5	15.7	
		9-30-65	46.5	15.7	
		10-29-65	46.1	16.1	
		11-08-65	45.6	16.6	
		11-30-65	43.9	18.3	
		1-31-66	36.5	25.7	
		2-28-66	32.6	29.6	
		3-31-66	33.7	28.5	
		4-29-66	34.6	27.6	
		4-30-66	34.2	28.0	
		5-31-66	34.9	27.3	
		6-30-66	35.0	27.2	
		8-01-66	35.5	26.7	
		8-31-66	35.7	26.5	
		9-30-66	35.6	26.6	
09S/06W-18Q01S	84.6	8-05-65	38.0	46.6	010
		8-31-65	36.9	47.7	
		9-30-65	36.4	48.2	
		10-29-65	36.7	47.9	
		11-08-65	36.6	48.0	
		11-30-65	25.3	59.3	
		1-31-66	6.2	78.4	
		2-28-66	6.5	78.1	
		3-31-66	8.5	76.1	
		4-29-66	10.8	73.8	
		4-30-66	11.0	73.6	
		5-31-66	12.2	72.4	
		6-30-66	12.9	71.7	
		8-01-66	14.0	70.6	
		8-31-66	14.4	70.2	
		9-30-66	14.3	70.3	
09S/06W-19C01S	68.0	11-08-65	50.6	17.4	010
		4-30-66	35.3	32.7	
		5-31-66	36.0	32.0	
		6-29-66	36.6	31.4	
09S/06W-19D01S	58.0	4-30-66	29.6	28.4	010
09S/06W-19D02S	62.4	1-31-66	(7)		010
		2-28-66	(7)		
		3-31-66	(7)		
		4-29-66	(7)		
		4-30-66	35.2	27.2	
		5-31-66	(7)		
		6-30-66	(7)		
09S/06W-19D03S	60.0	11-08-65	42.6	17.4	010
		4-30-66	32.6	27.4	
09S/07W-13P01S	35.3	8-05-65	24.1	11.2	010
		8-31-65	24.0	11.3	
		9-30-65	24.0	11.3	
		10-29-65	24.1	11.2	
		11-30-65	21.2	14.1	
		1-31-66	19.1	16.2	
		2-28-66	17.8	17.5	
		3-31-66	18.6	16.7	
		4-29-66	19.3	16.0	
		4-30-66	19.0	16.3	
		5-31-66	19.0	16.3	
		6-30-66	19.4	15.9	
		8-01-66	19.8	15.5	
		8-31-66	18.8	16.5	
		9-30-66	18.9	16.4	
09S/07W-13R01S	51.0	8-05-65	36.8	14.2	010
		8-31-65	36.7	14.3	
		9-30-65	36.7	14.3	
		10-29-65	36.5	14.5	
		11-08-65	36.7	14.3	
		11-30-65	35.1	15.9	
		1-31-66	30.6	20.4	
		2-28-66	27.8	23.2	
		3-31-66	28.2	22.8	
09S/07W-13R01S (CONT.)	51.0	4-29-66	28.5	22.5	010
		4-30-66	28.7	22.3	
		5-31-66	28.5	22.5	
		6-30-66	28.7	22.3	
		8-01-66	28.7	22.3	
		8-31-66	28.8	22.2	
		9-30-66	28.7	22.3	
09S/07W-14R02S	21.7	1-31-66	(7)		010
		2-28-66	(7)		
		3-31-66	(7)		
		4-29-66	(7)		
		4-30-66	11.4	10.3	
		5-31-66	(7)		
		6-30-66	(7)		
09S/07W-14R03S	18.5	8-31-65	9.9	8.6	010
		9-30-65	10.1	8.4	
		10-29-65	10.1	8.4	
		11-02-65	10.0	8.5	
		11-30-65	9.3	9.2	
		1-31-66	9.1	9.4	
		2-28-66	8.7	9.8	
		3-31-66	8.9	9.6	
		4-29-66	8.8	9.7	
		4-30-66	8.6	9.9	
		5-31-66	8.5	10.0	
		6-30-66	8.2	10.3	
		8-01-66	8.1	10.4	
		8-31-66	8.1	10.4	
		9-30-66	7.7	10.8	
09S/07W-23A01S	27.0	11-09-65	18.6	8.4	010
		4-30-66	16.8	10.2	
09S/07W-24C01S	34.7	8-31-65	25.0	9.7	010
		9-30-65	26.0	8.7	
		10-29-65	25.9	8.8	
		11-08-65	28.6	6.1	
		11-30-65	25.0	9.7	
		1-31-66	23.5	11.2	
		2-28-66	22.6	12.1	
		3-31-66	22.9	11.8	
		4-29-66	23.1	11.6	
		4-30-66	22.7	12.0	
		5-31-66	23.2	11.5	
		6-30-66	23.1	11.6	
		8-01-66	24.2	10.5	
		8-31-66	24.2	10.5	
		9-30-66	24.2	10.5	
09S/07W-24D01S	37.2	8-05-65	30.3	6.9	010
		8-31-65	29.8	7.4	
		9-30-65	30.1	7.1	
		10-29-65	30.1	7.1	
		11-03-65	30.4	6.8	
		11-30-65	29.7	7.5	
		1-01-66	29.3	7.9	
		2-28-66	29.0	8.2	
		3-31-66	29.2	8.0	
		4-29-66	29.3	7.9	
		4-30-66	29.3	7.9	
		5-31-66	29.1	8.1	
		6-30-66	28.7	8.5	
09S/07W-24H01S	92.1	8-31-65	86.7	5.4	010
		9-30-65	85.9	6.2	
		10-29-65	85.6	6.5	
		11-09-65	85.2	6.9	
		11-30-65	85.0	7.1	
		1-01-66	85.3	6.8	
		2-28-66	85.3	6.8	
		3-31-66	85.4	6.7	
		4-29-66	85.1	7.0	
		4-30-66	85.0	7.1	
		5-31-66	85.3	6.8	
		6-30-66	85.0	7.1	
10S/06W-03P01S	179.0	11-09-65	122.6	56.4	010
		4-30-66	122.4	56.6	
10S/06W-13Q01S	74.6	8-31-65	34.0	40.6	010
		9-30-65	33.9	40.7	
		10-29-65	33.9	40.7	
		11-09-65	31.6	43.0	
		11-30-65	33.7	40.9	
		1-31-66	32.8	41.8	
		2-28-66	32.8	41.8	
		3-31-66	33.0	41.6	
		4-29-66	33.1	41.5	
		4-29-66	25.8	48.8	
		5-31-66	33.2	41.4	
		6-30-66	33.5	41.1	
10S/06W-13Q02S	65.2	11-02-65	24.0	41.2	010
		4-29-66	23.3(1)	41.9	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SAN JUAN HYDRO UNIT Z-01.00

SAN ONOFRE HYDRO SUBUNIT Z-01.E0

LAS PULGAS HYDRO SUBAREA Z-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/05W-18E01S	111.9	8-05-65	70.3	41.6	010
		8-31-65	70.1	41.8	
		9-30-65	70.1	41.8	
		10-29-65	70.3	41.6	
		11-09-65	69.9	42.0	
		11-30-65	69.8	42.1	
		1-31-66	70.3	41.6	
		2-28-66	69.5	42.4	
		3-31-66	69.6	42.3	
		4-29-66	69.5	42.4	
		4-29-66	69.5	42.4	
		5-31-66	70.0	41.9	
		6-29-66	71.5	40.4	
10S/05W-18E02S	100.0	11-09-65	60.1	39.9	010
		4-29-66	62.7	37.3	
10S/05W-18G01S	84.1	8-05-65	34.6	49.5	010
		8-31-65	34.9	49.2	
		9-30-65	35.3	48.8	
		10-29-65	35.0	49.1	
		11-09-65	36.7	47.4	
		11-30-65	35.6	48.5	
		1-31-66	34.9	49.2	
		2-28-66	34.5	49.6	
		3-31-66	34.1	50.0	
		4-29-66	33.8	50.3	
		4-29-66	34.2	49.9	
		5-31-66	33.7	50.4	
		6-30-66	38.8	45.3	
10S/05W-18L01S	73.2	8-05-65	29.1	44.1	010
		8-31-65	29.2	44.0	
		9-30-65	29.3	43.9	
		10-29-65	29.3	43.9	
		11-09-65	29.2	44.0	
		11-30-65	28.8	44.4	
		1-31-66	28.1	45.1	
		2-28-66	28.5	44.7	
		3-31-66	28.4	44.8	
		4-29-66	28.3	44.9	
		4-29-66	28.3	44.9	
		5-31-66	28.4	44.8	
		6-30-66	28.5	44.7	
		8-01-66	28.7	44.5	
		8-31-66	28.9	44.3	
		9-30-66	29.0	44.2	
10S/05W-18M01S	73.3	8-05-65	31.4	41.9	010
		8-31-65	32.6	40.7	
		9-30-65	32.7	40.6	
		10-29-65	30.9	42.4	
		11-09-65	(1)		
		11-30-65	31.0	42.3	
		1-31-66	30.5	42.8	
		2-28-66	30.4	42.9	
		3-31-66	30.3	43.0	
		4-29-66	30.7	42.6	
		4-29-66	30.6	42.7	
		5-31-66	30.5	42.8	
		6-30-66	30.7	42.6	
10S/05W-18M02S	92.5	8-05-65	54.6	37.9	010
		8-31-65	51.4	41.1	
		9-30-65	54.6(1)	37.9	
		10-29-65	51.3	41.2	
		11-09-65	50.9	41.6	
		11-30-65	51.0	41.5	
		1-31-66	50.2	42.3	
		2-28-66	50.1	42.4	
		3-31-66	50.2	42.3	
		4-29-66	53.3	39.2	
		4-29-66	50.5	42.0	
		5-31-66	50.4	42.1	
		6-30-66	50.8	41.7	
10S/05W-18M04S	71.7	11-09-65	29.9	41.8	010
		11-30-65	30.9	40.8	
		1-31-66	30.4	41.3	
		2-28-66	30.3	41.4	
		3-31-66	30.3	41.4	
		4-29-66	30.6	41.1	
		4-29-66	29.3	42.4	
10S/05W-19E01S	49.0	11-09-65	8.7	40.3	010
		4-29-66	7.4	41.6	
10S/05W-19E02S	47.8	8-05-65	9.0	38.8	010
		8-31-65	9.0	38.8	
		9-30-65	9.0	38.8	
		10-29-65	9.0	38.8	
		11-30-65	9.4	38.4	
		1-31-66	7.2	40.6	
		2-28-66	7.2	40.6	
		3-31-66	7.4	40.4	
		4-29-66	7.6	40.2	
		5-31-66	7.8	40.0	

Z-01.00

SAN ONOFRE HYDRO SUBUNIT Z-01.E0

LAS PULGAS HYDRO SUBAREA Z-01.E2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/05W-19E02S (CONT.)	47.8	6-30-66	8.0	39.8	010
10S/06W-24B01S	47.1	8-31-65	5.8	41.3	010
		9-30-65	5.8	41.3	
		10-29-65	5.7	41.4	
		11-09-65	3.7	43.4	
		11-30-65	5.5	41.6	
		1-31-66	2.9	44.2	
		2-28-66	3.7	43.4	
		3-31-66	3.7	43.4	
		4-29-66	5.0	42.1	
		4-29-66	2.9	44.2	
		5-31-66	5.0	42.1	
		6-30-66	5.1	42.0	
10S/06W-24G02S	32.4	8-05-65	1.8	30.6	010
		8-31-65	1.7	30.7	
		9-30-65	1.7	30.7	
		10-29-65	1.6	30.8	
		11-04-65	1.5	30.9	
		11-09-65	2.6	29.8	
		11-30-65	2.0	30.4	
		1-31-66	1.3	31.1	
		2-28-66	.7	31.7	
		3-31-66	.5	31.9	
		4-29-66	.6	31.8	
		4-29-66	.5	31.9	
		5-31-66	.7	31.7	
		6-30-66	(7)		
10S/06W-24G03S	32.4	8-05-65	7.0	25.4	010
		8-31-65	7.1	25.3	
		9-30-65	7.3	25.1	
		10-29-65	7.4	25.0	
		11-09-65	6.8	25.6	
		11-30-65	6.6	25.8	
		1-31-66	5.9	26.5	
		2-28-66	5.7	26.7	
		3-31-66	5.8	26.6	
		4-29-66	6.3	26.1	
		4-29-66	6.0	26.4	
		5-31-66	6.1	26.3	
		6-30-66	(7)		

STUART HYDRO SUBAREA Z-01.E3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/05W-29L01S	54.6	8-31-65	16.2	38.4	010
		9-30-65	16.0	38.6	
		10-29-65	16.0	38.6	
		11-09-65	16.3	38.3	
		11-30-65	15.9	38.7	
		1-31-66	15.3	39.3	
		2-28-66	15.1	39.5	
		3-31-66	15.1	39.5	
		4-29-66	15.1	39.5	
		4-29-66	15.4	39.2	
		5-31-66	15.3	39.3	
		6-30-66	15.3	39.3	
		8-01-66	15.4	39.2	
		8-31-66	15.6	39.0	
		9-30-66	15.6	39.0	
10S/05W-31A01S	21.0	8-05-65	13.0	8.0	010
		8-31-65	13.1	7.9	
		9-30-65	13.3	7.7	
		10-29-65	13.5	7.5	
		11-03-65	12.7	8.3	
		11-30-65	11.3	9.7	
		1-31-66	8.6	12.4	
		2-28-66	7.5	13.5	
		3-31-66	7.6	13.4	
		4-28-66	7.1	13.9	
		4-29-66	7.9	13.1	
		5-31-66	8.3	12.7	
		6-30-66	8.7	12.3	
11S/05W-04N01S	53.1	8-05-65	9.0	44.1	010
		8-31-65	8.8	44.3	
		9-30-65	8.7	44.4	
		10-29-65	8.8	44.3	
		11-10-65	8.2	44.9	
		11-30-65	8.5	44.6	
		1-31-66	7.0	46.1	
		2-28-66	6.8	46.3	
		3-31-66	6.6	46.5	
		4-28-66	5.9	47.2	
		4-29-66	6.6	46.5	
		5-31-66	6.7	46.4	
		6-30-66	(7)		

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA MARGARITA HYDRO UNIT Z-02.00

YSIDORA HYDRO SUBUNIT Z-02.A0

YSIDORA HYDRO SUBAREA Z-02.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/05W-35K01S	27.4	8-31-65	11.9	15.5	010
		9-30-65	12.2	15.2	
		10-29-65	12.3	15.1	
		11-09-65	11.9	15.5	
		11-30-65	7.0	20.4	
		1-31-66	4.3	23.1	
		2-28-66	6.5	20.9	
		3-31-66	7.0	20.4	
		4-28-66	6.6	20.8	
		4-29-66	7.6	19.8	
		5-31-66	7.8	19.6	
		6-30-66	8.2	19.2	
10S/05W-35K04S	27.0	11-09-65	11.7	15.3	010
		4-28-66	6.6	20.4	
10S/05W-35K05S	27.2	8-05-65	10.4	16.8	010
		8-31-65	11.0	16.2	
		9-30-65	11.4	15.8	
		10-29-65	11.6	15.6	
		11-03-65	10.9	16.3	
		11-30-65	6.4	20.8	
		1-31-66	4.6	22.6	
		2-28-66	5.3	21.9	
		3-31-66	5.9	21.3	
		4-28-66	5.8	21.4	
		4-29-66	6.6	20.6	
		5-31-66	7.1	20.1	
		6-30-66	7.4	19.8	
		8-01-66	8.3	18.9	
		8-31-66	8.9	18.3	
		9-30-66	9.4	17.8	
10S/05W-35R01S	24.0	8-05-65	8.3	15.7	010
		8-31-65	9.0	15.0	
		9-30-65	9.4	14.6	
		10-29-65	9.4	14.6	
		11-09-65	9.5	14.5	
		11-30-65	4.8	19.2	
		1-31-66	3.6	20.4	
		2-28-66	3.6	20.4	
		3-31-66	4.4	19.6	
		4-28-66	5.0	19.0	
		4-29-66	5.0	19.0	
		5-31-66	5.5	18.5	
		6-30-66	6.0	18.0	
10S/05W-35R03S	23.0	11-09-65	10.5	12.5	010
		4-28-66	7.4	15.6	
11S/05W-01E01S	21.0	11-03-65	6.0(1)	15.0	010
		4-29-66	2.9	18.1	
11S/05W-02A01S	23.1	8-05-65	8.6	14.5	010
		8-31-65	9.3	13.8	
		9-30-65	9.5	13.6	
		10-29-65	9.5	13.6	
		11-09-65	7.4	15.7	
		11-30-65	5.1	18.0	
		1-31-66	4.0	19.1	
		2-28-66	4.5	18.6	
		3-31-66	4.8	18.3	
		4-28-66	3.1	20.0	
		4-29-66	5.4	17.7	
		5-31-66	5.7	17.4	
		6-30-66	6.3	16.8	
11S/05W-02A05S	22.0	11-09-65	10.1	11.9	010
		4-28-66	7.8	14.2	
11S/05W-02B01S	22.9	8-05-65	7.9	15.0	010
		8-31-65	8.4	14.5	
		9-30-65	8.7	14.2	
		10-29-65	8.9	14.0	
		11-09-65	9.0	13.9	
		11-30-65	4.5	18.4	
		1-31-66	3.4	19.5	
		2-28-66	3.6	19.3	
		3-31-66	4.2	18.7	
		4-28-66	4.8	18.1	
		4-29-66	4.8	18.1	
		5-31-66	5.2	17.7	
		6-30-66	5.7	17.2	
11S/05W-02B02S	22.7	8-05-65	7.7	15.0	010
		8-31-65	8.9	13.8	
		9-30-65	8.7	14.0	
		10-29-65	8.9	13.8	
		11-09-65	8.9	13.8	
		11-30-65	5.6	17.1	
		1-31-66	4.8	17.9	
		2-28-66	5.1	17.6	
		3-31-66	5.2	17.5	
		4-28-66	5.4	17.3	
		4-29-66	5.5	17.2	
		5-31-66	5.7	17.0	
		6-30-66	6.0	16.7	

YSIDORA HYDRO SUBUNIT Z-02.A0

YSIDORA HYDRO SUBAREA Z-02.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
11S/05W-02D01S	23.4	8-05-65	9.4	14.0	010
		8-31-65	9.8	13.6	
		9-30-65	10.1	13.3	
		10-29-65	10.3	13.1	
		11-09-65	9.6	13.8	
		11-30-65	6.4	17.0	
		1-31-66	5.6	17.8	
		2-28-66	5.8	17.6	
		3-31-66	6.2	17.2	
		4-28-66	6.1	17.3	
		4-29-66	7.1	16.3	
		5-31-66	7.2	16.2	
		6-30-66	7.6	15.8	
11S/05W-02E01S	19.3	8-05-65	6.9	12.4	010
		8-31-65	7.3	12.0	
		9-30-65	7.6	11.7	
		10-29-65	7.8	11.5	
		11-09-65	8.4	10.9	
		11-30-65	4.1	15.2	
		1-31-66	3.4	15.9	
		2-28-66	3.8	15.5	
		3-31-66	4.1	15.2	
		4-28-66	5.3	14.0	
		4-29-66	4.7	14.6	
		5-31-66	5.0	14.3	
		6-30-66	5.4	13.9	
11S/05W-02F03S	19.0	11-09-65	7.7	11.3	010
		4-28-66	3.5	15.5	
11S/05W-02K01S	16.5	8-31-65	3.2	13.3	010
		9-30-65	3.5	13.0	
		10-29-65	3.7	12.8	
		11-04-65	4.1	12.4	
		11-30-65	FLOW		
		1-31-66	(7)		
		2-28-66	(7)		
		3-31-66	(7)		
		4-28-66	.7	15.8	
		4-29-66	.0	16.5	
		5-31-66	.5	16.0	
		6-30-66	.6	15.9	
11S/05W-02K02S	24.1	8-05-65	8.0	16.1	010
		8-31-65	8.2	15.9	
		9-30-65	8.3	15.8	
		10-29-65	8.5	15.6	
		11-09-65	10.9	13.2	
		11-30-65	8.4	15.7	
		1-31-66	(7)		
		2-28-66	(7)		
		3-31-66	6.6	17.5	
		4-28-66	6.8	17.3	
		4-29-66	7.1	17.0	
		5-31-66	7.4	16.7	
		6-30-66	7.7	16.4	
11S/05W-02N04S	16.2	8-05-65	6.0	10.2	010
		8-31-65	6.6	9.6	
		9-30-65	6.7	9.5	
		10-29-65	6.8	9.4	
		11-03-65	6.7	9.5	
		11-30-65	4.0	12.2	
		1-31-66	3.5	12.7	
		2-28-66	3.8	12.4	
		3-25-66	4.0	12.2	
		3-31-66	4.1	12.1	
		4-08-66	4.1	12.1	
		4-12-66	4.1	12.1	
		4-28-66	4.4	11.8	
		5-12-66	4.6	11.6	
		5-31-66	4.8	11.4	
		6-15-66	4.9	11.3	
		6-30-66	5.1	11.1	
		7-08-66	5.1	11.1	
		7-27-66	5.3	10.9	
		8-01-66	5.5	10.7	
		8-30-66	5.7	10.5	
		8-31-66	5.8	10.4	
		9-30-66	5.9	10.3	
11S/05W-02N05S	14.3	8-05-65	5.6	8.7	010
		8-31-65	6.0	8.3	
		9-30-65	6.7	7.6	
		10-29-65	6.3	8.0	
		11-09-65	7.3	7.0	
		11-30-65	3.0	11.3	
		1-31-66	2.9	11.4	
		2-28-66	3.2	11.1	
		3-31-66	3.3	11.0	
		4-28-66	3.4	10.9	
		4-29-66	3.4	10.9	
		5-31-66	3.4	10.9	
		6-30-66	3.9	10.4	
11S/05W-02P01S	42.0	4-28-66	29.7	12.3	010

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT					Z-02.00
YSIDORA HYDRO SUBUNIT					Z-02.A0
YSIDORA HYDRO SUBAREA					Z-02.A1
11S/05W-09J01S	6.3	11-10-65	1.8	4.5	010
		4-28-66	1.7	4.6	
11S/05W-09J02S	6.3	11-10-65	4.5	1.8	010
		4-28-66	3.4	2.9	
11S/05W-10A01S	9.0	11-09-65	3.6	5.4	010
11S/05W-10B01S	9.6	8-05-65	4.3	5.3	010
		8-31-65	4.3	5.3	
		9-30-65	4.3	5.3	
		10-29-65	4.5	5.1	
		11-03-65	4.4	5.2	
		11-30-65	2.7	6.9	
		1-31-66	2.2	7.4	
		2-28-66	2.6	7.0	
		3-31-66	2.7	6.9	
		4-28-66	3.2	6.4	
		4-29-66	2.9	6.7	
		5-31-66	3.5	6.1	
		6-30-66	3.6	6.0	
11S/05W-10G01S	8.8	11-09-65	3.8	5.0	010
		4-28-66	1.1	7.7	
CHAPPO HYDRO SUBAREA					Z-02.A2
10S/04W-18E01S	75.0	11-10-65	30.8	44.2	010
		4-29-66	10.4	64.6	
10S/04W-18L01S	72.9	8-05-65	25.7	47.2	010
		8-31-65	26.7	46.2	
		9-30-65	27.5	45.4	
		10-29-65	27.9	45.0	
		11-10-65	27.9	45.0	
		11-30-65	28.2	44.7	
		1-31-66	17.4	55.5	
		2-28-66	13.9	59.0	
		3-31-66	12.2	60.7	
		4-29-66	11.3	61.6	
		4-29-66	11.3	61.6	
		5-31-66	11.6	61.3	
		6-30-66	12.0	60.9	
		8-01-66	12.7	60.2	
		8-31-66	13.8	59.1	
		9-30-66	15.1	57.8	
10S/04W-18M02S	72.0	11-10-65	30.9	41.1	010
		4-29-66	13.6	58.4	
10S/05W-13G01S	121.0	8-05-65	70.9	50.1	010
		8-31-65	70.9	50.1	
		9-30-65	71.2	49.8	
		10-29-65	71.5	49.5	
		11-10-65	72.7	48.3	
		11-30-65	70.9	50.1	
		1-31-66	61.6	59.4	
		2-28-66	57.4	63.6	
		3-31-66	55.8	65.2	
		4-29-66	57.0	64.0	
		4-29-66	56.7	64.3	
		5-31-66	58.3	62.7	
		6-30-66	59.7	61.3	
10S/05W-13J01S	67.1	8-05-65	22.8	44.3	010
		8-31-65	23.7	43.4	
		9-30-65	24.5	42.6	
		10-29-65	24.5	42.6	
		11-10-65	24.0	43.1	
		11-30-65	21.0	46.1	
		1-31-66	7.3	59.8	
		2-28-66	5.2	61.9	
		3-31-66	4.7	62.4	
		4-29-66	6.1	61.0	
		4-29-66	5.6	61.5	
		5-31-66	8.1	59.0	
		6-30-66	9.4	57.7	
10S/05W-13R01S	66.0	11-10-65	24.8	41.2	010
		4-29-66	11.1	54.9	
10S/05W-14P01S	54.5	8-05-65	11.8	42.7	010
		8-31-65	12.0	42.5	
		9-30-65	12.2	42.3	
		10-29-65	12.5	42.0	
		11-09-65	12.6	41.9	
		11-30-65	10.8	43.7	
		1-31-66	6.1	48.4	
		2-28-66	4.6	49.9	
		3-31-66	3.8	50.7	
		4-29-66	3.7	50.8	
		4-29-66	3.8	50.7	
		5-31-66	3.9	50.6	
		6-30-66	4.2	50.3	
YSIDORA HYDRO SUBUNIT					Z-02.40
CHAPPO HYDRO SUBAREA					Z-02.A2
10S/05W-23J03S	52.3	8-05-65	17.5	34.8	010
		8-31-65	20.2	32.1	
		9-30-65	19.0	33.3	
		10-29-65	20.9	31.4	
		11-09-65	20.1	32.2	
		11-30-65	13.6	38.7	
		1-31-66	7.6	44.7	
		2-28-66	6.8	45.5	
		3-31-66	8.8	43.5	
		4-29-66	9.6	42.7	
		4-29-66	8.5	43.8	
		5-31-66	7.4	44.9	
		6-30-66	10.8	41.5	
10S/05W-23L01S	49.2	8-05-65	17.7	31.5	010
		8-31-65	18.1	31.1	
		9-30-65	18.4	30.8	
		10-29-65	19.7	29.5	
		11-09-65	19.8	29.4	
		11-30-65	10.9	38.3	
		1-31-66	6.7	42.5	
		2-28-66	6.3	42.9	
		3-31-66	7.6	41.6	
		4-29-66	8.4	40.8	
		4-29-66	8.7	40.5	
		5-31-66	7.8	41.4	
		6-30-66	10.3	38.9	
10S/05W-23Q01S	50.5	8-31-65	10.3	40.2	010
		9-30-65	10.1	40.4	
		10-29-65	10.2	40.3	
		11-10-65	9.6	40.9	
		11-30-65	8.1	42.4	
		1-31-66	6.7	43.8	
		2-28-66	6.9	43.6	
		3-31-66	6.8	43.7	
		4-29-66	6.9	43.6	
		4-29-66	6.2	44.3	
		5-31-66	6.9	43.6	
		6-30-66	7.1	43.4	
10S/05W-24H01S	64.9	8-05-65	23.8	41.1	010
		8-31-65	24.7	40.2	
		9-30-65	25.6	39.3	
		10-29-65	25.4	39.5	
		11-10-65	23.5	41.4	
		11-30-65	23.2	41.7	
		1-31-66	15.9	49.0	
		2-28-66	13.0	51.9	
		3-31-66	11.8	53.1	
		4-29-66	11.6	53.3	
		4-29-66	10.1	54.8	
		5-31-66	13.1	51.8	
		6-20-66	13.2	51.7	
10S/05W-24N01S	56.8	8-05-65	20.7	36.1	010
		8-31-65	22.5	34.3	
		9-30-65	22.2	34.6	
		10-29-65	23.2	33.6	
		11-10-65	17.8	39.0	
		11-30-65	17.4	39.4	
		1-31-66	11.2	45.6	
		2-28-66	9.8	47.0	
		3-31-66	11.3	45.5	
		4-29-66	10.6	46.2	
		4-29-66	6.3	50.5	
		5-31-66	10.4	46.4	
		6-30-66	13.1	43.7	
10S/05W-26L01S	41.0	8-05-65	18.6	22.4	010
		8-31-65	18.3	22.7	
		9-30-65	19.6	21.4	
		10-29-65	17.0	24.0	
		11-09-65	16.9	24.1	
		11-30-65	7.3	33.7	
		1-31-66	4.8	36.2	
		2-28-66	8.0	33.0	
		3-31-66	10.0	31.0	
		4-29-66	9.9	31.1	
		4-29-66	8.5	32.5	
		5-31-66	11.3	29.7	
		6-30-66	12.5	28.5	
10S/05W-26L02S	34.0	4-29-66	7.8	26.2	010
UPPER HYDRO SUBAREA					Z-02.A3
10S/04W-05D01S	110.0	4-29-66	12.1(1)	97.9	010
10S/04W-06R01S	105.4	8-31-65	17.9	87.5	010
		9-30-65	18.2	87.2	
		10-29-65	20.9	84.5	
		11-30-65	8.5	96.9	
		1-31-66	7.0	98.4	
		2-28-66	7.0	98.4	
		3-31-66	7.5	97.9	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SANTA MARGARITA HYDRO UNIT Z-02.00

YSIDORA HYDRO SUBUNIT Z-02.A0
UPPER HYDRO SUBAREA Z-02.A3

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
10S/04W-06R01S	105.4	4-29-66	7.9	97.5	010
(CONT.)		5-31-66	9.2	96.2	
		6-30-66	10.9	94.5	
10S/04W-07A02S	102.0	4-29-66	12.7	89.3	010
10S/04W-07H01S	98.0	11-10-65	16.2	81.8	010
		4-29-66	7.8	90.2	
10S/04W-07H02S	98.0	4-29-66	5.1	92.9	010
10S/04W-07J01S	91.8	8-31-65	9.9	81.9	010
		9-30-65	10.1	81.7	
		10-29-65	10.3	81.5	
		11-30-65	6.4	85.4	
		1-31-66	3.2	88.6	
		2-28-66	3.3	88.5	
		3-31-66	1.5	90.3	
		4-29-66	3.7	88.1	
		4-29-66	3.6	88.2	
		5-31-66	4.1	87.7	
		6-30-66	4.5	87.3	
		8-01-66	5.0	86.8	
		8-31-66	5.4	86.4	
		9-30-66	5.9	85.9	
10S/04W-07R01S	89.5	11-10-65	11.0	78.5	010
		4-29-66	5.2	84.3	
10S/04W-07R02S	90.0	4-29-66	3.6	86.4	010

DE LUZ HYDRO SUBUNIT Z-02.B0
DE LUZ HYDRO SUBAREA Z-02.B1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09S/04W-29L01S	142.0	8-31-65	8.8	133.2	010
		9-30-65	8.8	133.2	
		10-29-65	9.0	133.0	
		11-30-65	3.7	138.3	
		1-31-66	3.3	138.7	
		2-28-66	3.9	138.1	
		3-31-66	4.3	137.7	
		4-29-66	4.9	137.1	
		4-29-66	3.2	138.8	
		5-31-66	4.9	137.1	
		6-30-66	5.5	136.5	
		8-01-66	6.0	136.0	
		8-31-66	6.8	135.2	
		9-30-66	(1)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT Z-02.00					
MURRIETA HYDRO SUBUNIT Z-02.C0					
WILDOMAR HYDRO SUBAREA Z-02.C1					
06S/04W-26M01S	1351.0	8-06-65	(1)		103
		9-15-65	49.3	1301.7	
		10-28-65	48.2	1302.8	
		12-21-65	44.5	1306.5	
		1-11-66	43.4	1307.6	
		2-02-66	42.5	1308.5	
		3-09-66	41.9	1309.1	
		4-28-66	44.9	1306.1	
		5-26-66	45.9	1305.1	
		7-08-66	48.4	1302.6	
		8-05-66	(1)		
		7-15-65	(1)		
		9-07-66	(1)		
06S/04W-27N01S	1290.0	4-02-66	125.2	1164.8	010
06S/04W-27N02S	1290.9	10-28-65	(2)		103
		10-28-65	77.7	1213.2	
		4-28-66	77.2	1213.7	
06S/04W-33B01S	1310.0	10-28-65	61.6	1248.4	103
		4-28-66	60.4	1249.6	
06S/04W-35C01S	1299.0	4-02-66	92.7	1206.3	010
06S/04W-35F02S	1279.6	8-06-65	79.3	1200.3	103
		9-15-65	76.4	1203.2	
		10-28-65	75.6	1204.0	
		12-21-65	75.4	1204.2	
		1-11-66	75.4	1204.2	
		2-02-66	74.9	1204.7	
		3-09-66	75.2	1204.4	
		4-27-66	(1)		
		5-26-66	86.3	1193.3	
		7-08-66	(1)		
		8-05-66	(3)		
		9-07-66	(8)		
06S/04W-35M04S	1255.5	7-07-65	49.0	1206.5	010
		8-19-65	49.0	1206.5	
		10-15-65	49.3	1206.2	
		12-27-65	48.8	1206.7	
		1-24-66	48.8	1206.7	
		2-24-66	48.7	1206.8	
		3-24-66	48.6	1206.9	
		9-30-66	48.6	1206.9	
07S/04W-01A01S	1298.0	4-02-66	77.8	1220.2	010
07S/04W-02F03S	1237.0	4-02-66	39.4	1197.6	010
07S/04W-02H02S	1205.0	7-07-65	38.4	1166.6	010
		8-19-65	38.5	1166.5	
		10-15-65	38.2	1166.8	
		12-27-65	35.3	1169.7	
		1-24-66	36.6(2)	1168.4	
		2-24-66	36.3	1168.7	
		3-24-66	36.5	1168.5	
		9-30-66	(7)		
MURRIETA HYDRO SUBAREA Z-02.C2					
07S/03W-05L02S	1275.0	4-02-66	18.1	1256.9	010
07S/03W-07L01S	1148.0	4-01-66	186.2	961.8	010
		9-30-66	189.1	958.9	
07S/03W-07R01S	1165.8	4-01-66	206.4	959.4	010
07S/03W-08J01S	1175.0	4-02-66	42.6	1132.4	010
07S/03W-08M01S	1190.0	4-02-66	31.4	1158.6	010
07S/03W-09M01S	1260.0	4-02-66	73.4	1186.6	010
07S/03W-10H03S	1278.0	4-02-66	37.6	1240.4	010
07S/03W-15Q01S	1278.0	4-02-66	120.4(4)	1157.6	010
		9-29-66	129.5	1035.6	
07S/03W-16G01S	1150.0	4-02-66	38.9	1111.1	010
07S/03W-17E04S	1128.0	4-01-66	89.0	1039.0	010
		9-30-66	91.8	1036.2	
07S/03W-17G02S	1125.0	3-29-66	65.1	1059.9	010
		9-30-66	65.1	1059.9	
07S/03W-17P08S	1093.8	7-15-65	81.5(4)	1012.3	103
		8-06-65	81.3	1012.5	
		9-15-65	81.5	1012.3	
		10-29-65	82.9	1010.9	
		12-21-65	82.4	1011.4	
		1-11-66	81.4	1012.4	
		2-02-66	79.7	1014.1	
SANTA MARGARITA HYDRO UNIT Z-02.00					
MURRIETA HYDRO SUBUNIT Z-02.C0					
MURRIETA HYDRO SUBAREA Z-02.C2					
07S/03W-17P08S (CONT.)	1093.8	3-09-66	79.8	1014.0	103
		4-28-66	77.8	1016.0	
		5-26-66	77.9	1015.9	
		7-08-66	78.5	1015.3	
		8-05-66	78.9	1014.9	
		9-07-66	79.2	1014.6	
07S/03W-18B01S	1150.0	4-01-66	191.5	958.5	010
		9-30-66	197.6	952.4	
07S/03W-18Q02S	1100.0	8-19-65	66.1(4)	1033.9	010
		10-15-65	68.7	1031.3	
		12-27-65	51.1	1048.9	
		1-24-66	41.4	1058.6	
		2-24-66	37.3	1062.7	
		3-24-66	37.8	1062.2	
		9-30-66	(7)		
07S/03W-18Q05S	1108.0	2-24-66	60.2	1047.8	010
		4-01-66	61.8	1046.2	
		9-30-66	114.3(2)	993.7	
07S/03W-20A09S	1090.0	7-07-65	51.4	1038.6	010
		8-19-65	54.4	1035.6	
		10-15-65	57.7	1032.3	
		12-27-65	59.7	1030.3	
		3-24-66	53.6	1036.4	
		9-30-66	50.8	1039.2	
07S/03W-20L03S	1100.0	3-29-66	71.0	1029.0	010
		9-30-66	142.6	957.4	
07S/03W-20N01S	1160.0	3-29-66	118.4	1041.6	010
		9-30-66	150.2(2)	1009.8	
07S/03W-21K04S	1051.0	4-01-66	65.1	985.9	010
07S/03W-21P01S	1054.4	7-07-65	56.2	998.2	010
		8-19-65	58.0(2)	996.4	
		10-15-65	61.7(2)	992.7	
		12-27-65	58.5	995.9	
		1-24-66	51.9	1002.5	
		2-24-66	42.2	1012.2	
		3-24-66	39.3(2)	1015.1	
		9-30-66	46.6(2)	1007.8	
07S/03W-27L02S	1080.0	7-07-65	13.5	1066.5	010
		8-19-65	12.8	1067.2	
		10-15-65	12.1	1067.9	
		12-27-65	7.2	1072.8	
		1-24-66	6.2	1073.8	
		2-24-66	6.8	1073.2	
		3-24-66	7.1	1072.9	
		9-30-66	10.0	1070.0	
07S/03W-27M01S	1080.0	9-30-66	45.9	1034.1	010
07S/03W-34B01S	1028.0	3-29-66	20.8	1007.2	010
		9-30-66	32.8	995.2	
07S/03W-34G01S	1025.0	3-29-66	20.1	1004.9	010
07S/03W-35P01S	1016.8	8-19-65	21.3	995.5	010
		10-15-65	21.2	995.6	
		12-27-65	16.0	1000.8	
		1-24-66	13.5	1003.3	
		2-24-66	12.5	1004.3	
		3-24-66	12.5	1004.3	
		9-27-66	19.2	997.6	
07S/03W-35P02S	1011.0	3-29-66	22.9	988.1	010
		9-27-66	27.0	984.0	
07S/04W-12H03S	1176.0	7-07-65	65.1(4)	1110.9	010
		8-19-65	62.0	1114.0	
		10-15-65	51.9	1124.1	
		12-27-65	40.9	1135.1	
		1-24-66	38.9	1137.1	
		2-24-66	38.3	1137.7	
		3-24-66	37.4	1138.6	
		9-30-66	37.7	1138.3	
08S/02W-07A01S	1143.0	8-19-65	101.6(1)	1041.4	010
		10-15-65	99.1	1043.9	
		12-27-65	98.8	1044.2	
		1-24-66	100.9(1)	1042.1	
		2-24-66	93.4(1)	1049.6	
		3-24-66	94.4(1)	1048.6	
		9-28-66	99.5	1043.5	
08S/03W-01P02S	1066.0	3-27-66	34.7	1031.3	010
		9-29-66	(1)		
08S/03W-12C01S	1060.0	3-27-66	38.1	1021.9	010
		9-29-66	43.0	1017.0	
08S/03W-12M06S	1020.8	7-15-65	24.1	996.7	103
		8-06-65	24.2	996.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SANTA MARGARITA HYDRO UNIT Z-02.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MURRIETA HYDRO SUBUNIT				Z-02.C0	
MURRIETA HYDRO SUBAREA					Z-02.C2
08S/03W-12M06S (CONT.)	1020.8	9-15-65	24.3	996.5	103
		10-29-65	23.7	997.1	
		12-21-65	22.5	998.3	
		1-11-66	22.2	998.6	
		2-02-66	22.3	998.5	
		3-09-66	23.8	997.0	
		4-27-66	23.0	997.8	
		5-26-66	23.0	997.8	
		7-08-66	23.6	997.2	
		8-05-66	23.9	996.9	
		9-07-66	23.9	996.9	
08S/03W-12P08S	1002.7	7-15-65	20.2	982.5	103
		8-06-65	20.3	982.4	
		9-15-65	21.6	981.1	
		10-29-65	18.9	983.8	
		12-21-65	17.7	985.0	
		1-11-66	17.8	984.9	
		2-02-66	19.1	983.6	
		3-09-66	18.0	984.7	
		4-27-66	18.9	983.8	
		5-26-66	18.3	984.4	
		7-08-66	20.2	982.5	
		8-05-66	19.5	983.2	
		9-07-66	20.4	982.3	
08S/03W-13K01S	993.2	7-15-65	(1)		103
		8-06-65	14.6	978.6	
		9-15-65	14.7	978.5	
		10-29-65	14.5	978.7	
		12-21-65	13.9	979.3	
		1-11-66	13.8	979.4	
		2-02-66	13.9	979.3	
		3-09-66	13.9	979.3	
		4-27-66	14.2	979.0	
		5-26-66	14.2	979.0	
		7-08-66	14.4	978.8	
		8-05-66	14.5(2)	978.7	
		9-07-66	14.4	978.8	
08S/03W-13K02S	992.0	10-29-65	15.2	976.8	103
		12-21-65	13.3	978.7	
		1-11-66	13.2	978.8	
		2-02-66	13.2	978.8	
		3-09-66	13.5	978.5	
		3-27-66	13.4	978.6	010
		4-27-66	13.5	978.5	103
		5-26-66	13.7	978.3	
		7-08-66	13.8	978.2	
		8-05-66	13.9(1)	978.1	
		9-07-66	13.9	978.1	
		9-27-66	13.7	978.3	010
FRENCH HYDRO SUBAREA					Z-02.C3
07S/03W-15Q03S	1170.0	4-02-66	24.2	1145.8	010
		9-29-66	20.3	1149.7	
07S/03W-22K01S	1095.0	4-02-66	47.6	1047.4	010
07S/03W-23A03S	1135.0	8-19-65	98.0	1037.0	010
		10-15-65	96.2	1038.8	
		12-27-65	83.7	1051.3	
		1-24-66	79.7	1055.3	
		2-24-66	78.9	1056.1	
		3-24-66	82.6	1052.4	
		9-27-66	92.3	1042.7	
07S/03W-23D04S	1086.0	4-02-66	45.7	1040.3	010
		9-29-66	59.3	1026.7	
07S/03W-23K01S	1117.6	7-07-65	112.5	1005.1	010
		8-19-65	117.9	999.7	
		10-15-65	110.3	1007.3	
		12-27-65	85.5	1032.1	
		1-24-66	82.6	1035.0	
		2-24-66	80.3	1037.3	
		3-24-66	87.2	1030.4	
		9-29-66	102.8	1014.8	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
AULD HYDRO SUBUNIT				Z-02.D0	
GERTRUDIS HYDRO SUBAREA					Z-02.D2
07S/01W-30N01S	1440.0	3-26-66	18.6(1)	1421.4	010
		3-28-66	17.6(4)	1422.4	
07S/02W-20L01S	1160.0	3-29-66	79.5	1080.5	010
		9-27-66	76.9	1083.1	
07S/02W-21E01S	1215.0	3-29-66	61.7	1153.3	010
		9-29-66	81.6(1)	1133.4	
07S/02W-21E02S	1200.0	3-29-66	55.1	1144.9	010
		9-29-66	55.0	1145.0	
07S/02W-24F01S	1435.0	3-27-66	(7)		010
		9-28-66	3.9	1431.1	
07S/02W-25C01S	1478.0	3-27-66	69.1	1408.9	010
		9-28-66	68.2	1409.8	
07S/02W-26G01S	1440.0	9-28-66	(1)		010
07S/02W-26N01S	1308.0	7-06-65	167.6(1)	1140.4	010
		8-19-65	164.2(1)	1143.8	
		10-15-65	164.0	1144.0	
		12-27-65	164.0	1144.0	
		1-24-66	(7)		
		2-24-66	(7)		
		3-24-66	(7)		
		9-28-66	(7)		
07S/02W-27J01S	1300.0	3-27-66	160.6	1139.4	010
		9-28-66	187.9	1112.1	
07S/02W-27R01S	1298.0	7-06-65	168.6(1)	1129.4	010
		8-19-65	164.7	1133.3	
		10-15-65	164.9	1133.1	
		12-27-65	164.9	1133.1	
		1-24-66	164.8(1)	1133.2	
		2-24-66	164.7(1)	1133.3	
		3-24-66	164.4(1)	1133.6	
		9-28-66	167.9	1130.1	
07S/02W-28J01S	1370.0	9-29-66	248.4	1121.6	010
07S/02W-30D02S	1108.0	3-29-66	56.8	1051.2	010
		9-29-66	60.5	1047.5	
07S/02W-30D03S	1108.0	3-29-66	63.7	1044.3	010
07S/02W-33E01S	1229.0	7-06-65	85.4	1143.6	010
		8-19-65	86.8(1)	1142.2	
		10-15-65	85.8	1143.2	
		12-27-65	85.4	1143.6	
		1-24-66	88.0(1)	1141.0	
		2-24-66	86.0(1)	1143.0	
		3-24-66	85.2	1143.8	
		9-28-66	89.1	1139.9	
07S/03W-24A01S	1105.0	7-07-65	68.8	1036.2	010
		8-19-65	72.0	1033.0	
		10-15-65	69.5	1035.5	
		12-27-65	59.6	1045.4	
		1-24-66	55.9	1049.1	
		2-24-66	53.8	1051.2	
		3-24-66	56.2	1048.8	
		9-29-66	78.5	1026.5	
07S/03W-24A02S	1100.0	9-29-66	76.1(1)	1023.9	010
07S/03W-24R01S	1100.0	7-07-65	69.6	1030.4	010
		8-19-65	74.2	1025.8	
		10-15-65	74.4	1025.6	
		12-27-65	68.6	1031.4	
		1-24-66	58.8	1041.2	
		2-24-66	56.4	1043.6	
		3-24-66	57.3	1042.7	
		9-29-66	67.9	1032.1	
07S/03W-25E01S	1072.0	9-29-66	81.1(1)	990.9	010
07S/03W-25M01S	1104.6	7-07-65	74.3	1030.3	010
		10-15-65	69.1	1035.5	
		12-27-65	65.9	1038.7	
		2-24-66	65.7	1038.9	
		3-24-66	65.9	1038.7	
		9-29-66	67.2	1037.4	
07S/03W-25R01S	1105.0	9-29-66	76.1	1028.9	010
07S/03W-26Q01S	1050.0	3-29-66	21.2	1028.8	010
		9-29-66	38.1(2)	1011.9	
07S/03W-35A01S	1060.0	4-02-66	30.5	1029.5	010
		9-29-66	48.5	1011.5	
07S/03W-35C01S	1048.0	3-29-66	16.9	1031.1	010
		9-29-66	(7)		

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT					Z-02.00
PECHANGA HYDRO SUBUNIT					Z-02.E0
PAUBA HYDRO SUBAREA					Z-02.E1
07S/02W-34N01S	1280.0	3-27-66	162.9	1117.1	010
		9-28-66	163.1(4)	1116.9	
07S/02W-36J01S	1490.0	3-26-66	345.3	1144.7	010
		9-28-66	(7)		
08S/01W-06P01S	1237.0	9-27-66	188.9	1048.1	010
08S/02W-11J02S	1182.3	1-00-66	61.5	1120.8	708
		3-00-66	60.9	1121.4	
		3-26-66	60.8	1121.5	010
		9-27-66	65.0	1117.3	
08S/02W-11L01S	1163.0	10-00-65	54.7	1108.3	708
		1-00-66	49.9	1113.1	
		3-26-66	47.6	1115.4	010
		9-27-66	53.1	1109.9	
08S/02W-12H01S	1216.0	10-00-65	88.0	1128.0	708
		1-00-66	87.0	1129.0	
		3-26-66	85.6(1)	1130.4	010
		9-27-66	94.4(1)	1121.6	
08S/02W-15C01S	1117.0	9-27-66	5.5	1111.5	010
08S/02W-15D01S	1092.0	9-27-66	14.8	1077.2	010
08S/02W-17H01S	1050.0	8-19-65	54.2(1)	995.8	010
		10-15-65	3.3	1046.7	
		12-27-65	FLOW		
		1-24-66	FLOW		
		2-24-66	(7)		
		3-24-66	40.9(1)	1009.1	
		9-27-66	11.3	1038.7	
08S/02W-20B02S	1035.0	7-07-65	18.7(2)	1016.3	010
		8-19-65	8.9	1026.1	
		10-15-65	8.7	1026.3	
		12-27-65	5.0	1030.0	
		1-24-66	3.4	1031.6	
		2-24-66	3.8	1031.2	
		3-24-66	3.8	1031.2	
		9-27-66	9.9	1025.1	
PECHANGA HYDRD SUBAREA					Z-02.E2
08S/02W-19J02S	1030.0	7-07-65	(1)		010
		8-19-65	24.7	1005.3	
		10-15-65	26.9	1003.1	
		12-27-65	23.7	1006.3	
		1-24-66	23.5	1006.5	
		2-24-66	(7)		
		3-24-66	24.3	1005.7	
		9-27-66	24.4	1005.6	
08S/02W-20L01S	1052.0	8-19-65	40.7	1011.3	010
		10-15-65	41.1	1010.9	
		12-27-65	39.5	1012.5	
		1-24-66	39.1	1012.9	
		2-24-66	38.9	1013.1	
		3-24-66	39.6	1012.4	
		9-27-66	40.5	1011.5	
08S/02W-28C01S	1129.0	7-07-65	102.9	1026.1	010
		8-19-65	103.5	1025.5	
		10-15-65	103.9	1025.1	
		12-27-65	104.2	1024.8	
		1-24-66	104.2	1024.8	
		2-24-66	103.6	1025.4	
		3-24-66	103.4	1025.6	
		9-27-66	103.0	1026.0	
08S/02W-28H01S	1126.0	7-07-65	91.6	1034.4	010
		8-19-65	93.4	1032.6	
		10-15-65	85.1	1040.9	
		12-27-65	73.2	1052.8	
		1-24-66	76.5(1)	1049.5	
		2-24-66	85.5(1)	1040.5	
		3-24-66	80.7	1045.3	
		9-27-66	93.7	1032.3	
08S/02W-29C01S	1070.8	8-19-65	10.3	1060.5	010
		10-15-65	10.6	1060.2	
		12-27-65	8.5	1062.3	
		1-24-66	8.0	1062.8	
		2-24-66	6.3	1064.5	
		3-24-66	5.9	1064.9	
		9-27-66	6.8	1064.0	
08S/02W-29G01S	1091.1	8-19-65	46.0	1045.1	010
		10-15-65	46.7	1044.4	
		12-27-65	45.8	1045.3	
		1-24-66	44.6	1046.5	
		2-24-66	43.8	1047.3	
		3-24-66	43.4	1047.7	
PECHANGA HYDRO SUBUNIT					Z-02.E0
PECHANGA HYDRO SUBAREA					Z-02.E2
08S/02W-29G01S	1091.1	9-27-66	43.8	1047.3	010

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN LUIS REY HYDRO UNIT Z-03.00

BONSALL HYDRO SUBUNIT Z-03.A0

MISSION HYDRO SUBAREA Z-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
11S/04W-09E01S	64.6	7-06-65	63.2	1.4	202
		8-02-65	63.4	1.2	
		9-07-65	63.8	.8	
		10-04-65	63.6	1.0	
		11-01-65	63.0	1.6	
		12-06-65	62.0	2.6	
		1-03-66	59.7	4.9	
		2-07-66	57.8	6.8	
		3-07-66	57.9	6.7	
		4-04-66	57.2	7.4	
		5-02-66	57.5	7.1	
		6-06-66	57.1	7.5	
		7-05-66	56.4	8.2	
		8-01-66	56.8	7.8	
		9-06-66	57.7	6.9	
11S/04W-09F01S	63.0	8-02-65	63.0	.0	010
		9-07-65	63.4	-.4	
		10-04-65	63.2	-.2	
		11-01-65	62.6	.4	
		12-06-65	61.6	1.4	
		1-03-66	59.4	3.6	
		2-07-66	57.4	5.6	
		3-07-66	57.5	5.5	
		4-04-66	56.9	6.1	
		5-02-66	57.1	5.9	
		6-06-66	56.7	6.3	
		7-05-66	56.0	7.0	
		8-01-66	56.4	6.6	
		9-06-66	57.4	5.6	
11S/04W-18C04S	35.0	7-07-65	30.9	4.1	205
		8-07-65	32.8	2.2	
		9-05-65	32.1	2.9	
		10-05-65	30.1	4.9	
		11-08-65	31.4	3.6	
		12-06-65	24.8	10.2	
		1-04-66	23.8	11.2	
		2-07-66	23.5	11.5	
		3-19-66	23.4	11.6	
		4-12-66	27.2	7.8	
		5-03-66	25.4	9.6	
		6-14-66	26.5	8.5	
		7-21-66	25.9	9.1	
		8-08-66	25.9	9.1	
11S/04W-18C05S	36.0	7-07-65	30.3	5.7	205
		8-07-65	30.1	5.9	
		9-05-65	31.3	4.7	
		10-05-65	29.3	6.7	
		11-08-65	27.6	8.4	
		12-06-65	24.1	11.9	
		1-04-66	23.5	12.5	
		2-07-66	22.6	13.4	
		3-19-66	23.0	13.0	
		4-12-66	26.2	9.8	
		5-03-66	24.5	11.5	
		6-14-66	25.4	10.6	
		7-21-66	24.9	11.1	
		8-08-66	25.1	10.9	
11S/04W-18C06S	30.0	7-07-65	36.6	-6.6	205
		8-07-65	33.7	-3.7	
		9-05-65	32.5	-2.5	
		10-05-65	30.7	-.7	
11S/04W-18C08S	37.0	8-07-65	36.8	.2	205
		9-05-65	33.2	3.8	
		10-05-65	32.2	4.8	
		11-08-65	31.5	5.5	
		12-06-65	25.1	11.9	
		1-04-66	24.4	12.6	
		2-07-66	24.2	12.8	
		3-19-66	24.7	12.3	
		4-12-66	29.5	7.5	
		5-03-66	26.1	10.9	
		6-14-66	27.0	10.0	
		7-21-66	26.2	10.8	
		8-08-66	26.1	10.9	
11S/04W-18C09S	32.0	7-07-65	29.4	2.6	205
		8-07-65	33.6	-1.6	
		9-05-65	30.7	1.3	
		10-05-65	28.8	3.2	
		11-08-65	30.9	1.1	
		12-06-65	22.3	9.7	
		1-04-66	22.4	9.6	
		2-07-66	22.1	9.9	
		3-19-66	22.3	9.7	
		4-12-66	26.1	5.9	
		5-03-66	24.1	7.9	
		6-14-66	25.2	6.8	
		7-21-66	23.6	8.4	
		8-08-66	24.3	7.7	
11S/04W-18E01S	33.0	7-07-65	26.3	6.7	205
		8-07-65	28.8	4.2	

BONSALL HYDRO SUBUNIT Z-03.A0

MISSION HYDRO SUBAREA Z-03.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
11S/04W-18E01S	33.0	9-05-65	28.5	4.5	205
(CONT.)		10-05-65	26.7	6.3	
		11-08-65	25.8	7.2	
		12-06-65	19.2	13.8	
		1-04-66	18.0	15.0	
		2-07-66	18.5	14.5	
		3-19-66	18.7	14.3	
		4-12-66	20.1	12.9	
		5-03-66	18.8	14.2	
		6-14-66	19.5	13.5	
		7-21-66	19.7	13.3	
		8-08-66	20.0	13.0	
11S/04W-18F01S	30.0	8-07-65	36.1	-6.1	205
		9-05-65	35.5	-5.5	
		10-05-65	35.9	-5.9	
		11-08-65	25.3	4.7	
		12-06-65	23.6	6.4	
		1-04-66	20.1	9.9	
		2-07-66	25.9	4.1	
		3-19-66	24.0	6.0	
		4-12-66	27.4	2.6	
		5-03-66	19.6	10.4	
		6-14-66	27.2	2.8	
		7-21-66	20.8	9.2	
		8-08-66	22.4	7.6	
11S/04W-18G02S	38.8	8-02-65	80.5(1)	-41.7	202
		9-07-65	32.4	6.4	
		10-04-65	31.0	7.8	
		11-01-65	29.6	9.2	
		12-06-65	25.7	13.1	
		1-03-66	24.2	14.6	
		2-07-66	23.7	15.1	
		3-07-66	23.7	15.1	
		4-04-66	24.1	14.7	
		5-02-66	28.8	10.0	
		6-06-66	24.4	14.4	
		7-05-66	24.8	14.0	
		8-01-66	25.6	13.2	
		9-06-66	25.3	13.5	
11S/04W-18L03S	38.0	7-06-65	38.4	-.4	202
		8-02-65	36.0	2.0	
		9-07-65	32.1	5.9	
		10-04-65	30.6	7.4	
		11-01-65	29.2	8.8	
		12-06-65	25.3	12.7	
		1-03-66	23.7	14.3	
		2-07-66	23.3	14.7	
		3-07-66	23.3	14.7	
		4-04-66	23.5	14.5	
		5-02-66	28.3	9.7	
		6-06-66	24.0	14.0	
		7-05-66	24.2	13.8	
		8-01-66	25.0	13.0	
		9-06-66	25.4	12.6	
11S/04W-18L19S	31.0	7-07-65	31.3	-.3	205
		8-07-65	32.4	-1.4	
		9-05-65	31.5	-.5	
		10-05-65	29.9	1.1	
		11-08-65	28.3	2.7	
		12-06-65	25.5	5.5	
		1-04-66	24.4	6.6	
		2-07-66	23.7	7.3	
		3-19-66	24.2	6.8	
		4-12-66	24.5	6.5	
		5-03-66	24.2	6.8	
		6-14-66	24.4	6.6	
		7-21-66	23.6	7.4	
		8-08-66	21.5	9.5	
11S/05W-13N01S	16.3	7-06-65	10.6	5.7	010
		8-02-65	9.5	6.8	
		9-07-65	8.9	7.4	
		10-04-65	9.4	6.9	
		11-01-65	9.6	6.7	
		12-06-65	6.4	9.9	
		1-03-66	5.1	11.2	
		2-07-66	4.8	11.5	
		3-07-66	5.3	11.0	
		4-04-66	4.5	11.8	
		5-02-66	5.3	11.0	
		6-06-66	5.7	10.6	
		7-05-66	5.8	10.5	
		8-01-66	6.2	10.1	
		9-06-66	6.6	9.7	
11S/05W-13N02S	17.7	7-06-65	12.1	5.6	202
		8-02-65	11.0	6.7	
		9-07-65	10.4	7.3	
		10-04-65	10.9	6.8	
		11-01-65	11.1	6.6	
		12-06-65	7.9	9.8	
		1-03-66	6.6	11.1	
		2-07-66	6.3	11.4	
		3-07-66	6.7	11.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT					Z-03.00
BONSALL HYDRO SUBUNIT					Z-03.40
MISSION HYDRO SUBAREA					Z-03.41
11S/05W-13N02S (CONT.)	17.7	4-04-66	6.0	11.7	202
		5-02-66	6.7	11.0	
		6-06-66	7.2	10.5	
		7-05-66	7.3	10.4	
		8-01-66	7.8	9.9	
		9-06-66	8.1	9.6	
11S/05W-13P02S	21.5	7-06-65	15.5	6.0	202
		8-02-65	15.8	5.7	
		9-07-65	15.5	6.0	
		10-04-65	15.8	5.7	
		11-01-65	15.2	6.3	
		12-06-65	12.3	9.2	
		1-03-66	11.5	10.0	
		2-07-66	11.2	10.3	
		3-07-66	10.2	11.3	
		4-04-66	9.7	11.8	
		5-02-66	10.0	11.5	
		6-06-66	10.7	10.8	
		7-05-66	10.8	10.7	
		8-01-66	11.1	10.4	
		9-06-66	11.2	10.3	
11S/05W-24B01S	23.6	7-06-65	19.6	4.0	202
		8-02-65	19.2	4.4	
		9-07-65	18.5	5.1	
		10-04-65	18.2	5.4	
		11-01-65	17.4	6.2	
		12-06-65	15.2	8.4	
		1-03-66	13.2	10.4	
		2-07-66	12.5	11.1	
		3-07-66	12.3	11.3	
		4-04-66	11.7	11.9	
		5-02-66	12.3	11.3	
		6-06-66	12.6	11.0	
		7-05-66	12.5	11.1	
		8-01-66	13.0	10.6	
		9-06-66	13.3	10.3	
BONSALL HYDRO SUBAREA					Z-03.A2
10S/03W-11G01S	237.1	10-29-65	57.5	179.6	050
		3-16-66	49.1	188.0	408
		4-08-66	55.8	181.3	050
		4-25-66	49.3	187.8	408
		5-15-66	49.9	187.2	
		6-17-66	51.0	186.1	
		7-18-66	52.3	184.8	
		8-15-66	53.2	183.9	
10S/03W-11N01S	222.0	7-19-65	45.8	176.2	408
		8-17-65	46.0	176.0	
		9-20-65	47.4	174.6	
		10-18-65	47.5	174.5	
		10-29-65	50.0	172.0	050
		11-20-65	44.5	177.5	408
		3-16-66	44.2	177.8	
		4-08-66	46.0	176.0	050
		4-25-66	43.8	178.2	408
		5-20-66	43.7	178.3	
		6-17-66	43.7	178.3	
		7-18-66	43.7	178.3	
		8-15-66	44.2	177.8	
10S/03W-11N04S	222.0	7-19-65	49.6	172.4	408
		8-17-65	48.9	173.1	
		9-20-65	51.2	170.8	
		10-18-65	51.3	170.7	
		11-20-65	45.7	176.3	
10S/03W-15A01S	224.0	10-29-65	46.0	178.0	050
		4-08-66	47.2	176.8	
10S/03W-15B01S	211.0	10-29-65	48.5	162.5	050
		4-08-66	43.0	168.0	
10S/03W-15B02S	215.0	10-29-65	50.0	165.0	050
		4-08-66	53.0	162.0	
10S/03W-15C02S	209.9	3-16-66	DRY		408
		8-15-66	DRY		
10S/03W-15C03S	210.0	3-16-66	DRY		408
		8-15-66	DRY		
10S/03W-15E01S	206.0	10-29-65	51.0	155.0	050
		4-08-66	(1)		
10S/03W-15F01S	210.0	10-29-65	49.4	160.6	050
		4-08-66	45.2	164.8	
10S/03W-15F02S	207.5	8-17-65	49.4	158.1	408
		9-20-65	49.4	158.1	
		10-18-65	49.4	158.1	
		11-20-65	44.9	162.6	
		3-16-66	43.1	164.4	
10S/03W-15F02S (CONT.)	207.5	4-25-66	48.8(1)	158.7	408
		5-15-66	48.6(1)	158.9	
		6-17-66	50.6	156.9	
		7-18-66	47.0(1)	160.5	
		8-15-66	48.4	159.1	
10S/03W-16C01S	198.0	4-01-66	57.7	140.3	750
10S/03W-16E01S	188.0	7-14-65	34.0	154.0	750
		8-17-65	35.1	152.9	
		8-30-65	35.6	152.4	
		9-14-65	35.2	152.8	
		10-13-65	35.3	152.7	
		11-15-65	35.4	152.6	
		12-10-65	33.4	154.6	
		1-15-66	26.8	161.2	
		2-14-66	25.7	162.3	
		3-06-66	25.3	162.7	
		4-18-66	27.2	160.8	
		5-16-66	29.0	159.0	
		6-13-66	28.5	159.5	
		7-12-66	28.7	159.3	
		8-15-66	30.6	157.4	
		9-13-66	26.8	161.2	
10S/03W-16E02S	188.0	4-01-66	57.4	130.6	750
10S/03W-16E03S	189.0	4-01-66	55.8	133.2	750
10S/03W-16F01S	190.0	8-17-65	38.7	151.3	750
		8-30-65	38.8	151.2	
		9-14-65	38.2	151.8	
		10-06-65	39.0	151.0	
		10-13-65	38.8	151.2	
		10-29-65	39.6(2)	150.4	050
		11-15-65	38.0	152.0	750
		12-10-65	31.5	158.5	
		1-15-66	28.8	161.2	
		2-14-66	27.5	162.5	
		3-06-66	26.9	163.1	
		4-08-66	29.4(2)	160.6	050
		4-18-66	28.7	161.3	750
		5-16-66	29.5	160.5	
		6-13-66	30.5	159.5	
		7-12-66	30.5	159.5	
		8-15-66	26.0	164.0	
		9-13-66	29.0	161.0	
10S/03W-16F03S	193.0	8-30-65	62.2	130.8	750
		10-06-65	50.2	142.8	
		4-01-66	36.3	156.7	
10S/03W-16F04S	192.0	8-30-65	50.3	141.7	750
		10-06-65	48.8	143.2	
		4-01-66	29.0(9)	163.0	
10S/03W-16F05S	190.0	7-14-65	36.9	153.1	750
		8-17-65	37.9	152.1	
		8-30-65	38.5	151.5	
		9-14-65	38.2	151.8	
		10-13-65	38.4	151.6	
		11-15-65	38.1	151.9	
		12-10-65	32.6	157.4	
		1-15-66	28.5	161.5	
		2-14-66	28.2	161.8	
		3-06-66	27.5	162.5	
		4-18-66	28.6	161.4	
		5-16-66	29.3	160.7	
		6-13-66	31.6	158.4	
		7-12-66	30.0	160.0	
		8-15-66	28.8	161.2	
		9-13-66	28.3	161.7	
10S/03W-16F07S	189.0	8-30-65	42.8	146.2	750
		10-06-65	44.1	144.9	
10S/03W-16F08S	190.0	7-14-65	37.3	152.7	750
		8-17-65	38.4	151.6	
		8-30-65	38.7	151.3	
		9-14-65	38.3	151.7	
		10-13-65	38.7	151.3	
		11-15-65	38.2	151.8	
		12-10-65	32.9	157.1	
		1-15-66	29.1	160.9	
		2-14-66	27.5	162.5	
		3-06-66	27.2	162.8	
		4-18-66	28.8	161.2	
		5-16-66	29.6	160.4	
		6-13-66	31.7	158.3	
		7-12-66	29.0	161.0	
		8-15-66	29.6	160.4	
		9-13-66	28.9	161.1	
10S/03W-16F09S	190.0	8-30-65	53.0	137.0	750
		10-06-65	51.8	138.2	
		4-01-66	45.2	144.8	
10S/03W-16G01S	191.0	10-06-65	46.3	144.7	750

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN LUIS REY HYDRO UNIT Z-03.00

BONSALL HYDRO SUBUNIT Z-03.A0
BONSALL HYDRO SUBAREA Z-03.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/03W-16G01S (CONT.)	191.0	4-01-66	30.0	161.0	750
10S/03W-16G02S	191.0	8-30-65	63.5	127.5	750
		10-06-65	52.1	138.9	
		4-01-66	45.2	145.8	
10S/03W-16J01S	200.0	10-29-65	45.0	155.0	050
		4-08-66	(1)		
10S/03W-16L01S	190.0	10-29-65	35.4	154.6	050
		4-08-66	32.0	158.0	
10S/03W-20H01S	176.2	8-17-65	12.6	163.6	408
		9-20-65	12.7	163.5	
		10-18-65	12.8	163.4	
		10-29-65	13.8	162.4	050
		11-20-65	10.7	165.5	408
		3-16-66	8.7	167.5	
		4-08-66	10.7	165.5	050
		4-25-66	8.7	167.5	408
		5-15-66	8.7	167.5	
		6-17-66	8.8	167.4	
		7-18-66	9.1	167.1	
		8-15-66	9.1	167.1	
10S/03W-20E01S	170.0	10-29-65	7.9	162.1	050
		4-08-66	3.0	167.0	
10S/03W-29E01S	156.7	8-17-65	18.1	138.6	408
		9-20-65	18.7	138.0	
		10-18-65	18.9	137.8	
		10-29-65	22.0	134.7	050
		11-20-65	12.1	144.6	408
		3-16-66	12.2	144.5	
		4-08-66	15.0	141.7	050
		4-25-66	12.3	144.4	408
		5-16-66	12.6	144.1	
		6-17-66	13.4	143.3	
		7-18-66	14.9	141.8	
		8-15-66	15.4	141.3	
10S/03W-30J01S	150.1	8-17-65	14.5	135.6	408
		9-20-65	14.7	135.4	
		10-18-65	15.0	135.1	
		10-29-65	15.5	134.6	050
		2-15-66	9.9	140.2	408
		4-08-66	10.5	139.6	050
10S/03W-30K01S	149.8	8-10-65	14.6	135.2	010
		9-13-65	14.8	135.0	
		10-11-65	15.1	134.7	
		11-08-65	15.3	134.5	
		12-13-65	11.1	138.7	
		1-12-66	10.2	139.6	
		2-07-66	10.0	139.8	
		3-07-66	10.2	139.6	
		3-15-66	13.2	136.6	408
		4-12-66	10.0	139.8	010
		4-25-66	13.3	136.5	408
		5-11-66	10.5	139.3	010
		5-16-66	13.5	136.3	408
		6-17-66	13.9	135.9	
		7-18-66	9.7	140.1	
		8-11-66	12.0	137.8	010
		8-15-66	15.0	134.8	408

MONSERATE HYDRO SUBUNIT Z-03.B0
PALA HYDRO SUBAREA Z-03.B1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09S/02W-25Q01S	495.0	8-10-65	24.6	470.4	010
		9-13-65	25.8	469.2	
		10-11-65	25.6	469.4	
		11-08-65	27.1	467.9	
		12-13-65	21.7	473.3	
		1-12-66	18.8	476.2	
		2-07-66	18.6	476.4	
		3-07-66	18.2	476.8	
		4-12-66	20.1	474.9	
		5-11-66	20.8	474.2	
		8-11-66	34.4(1)	460.6	
		9-29-66	26.2	468.8	
09S/02W-26M01S	425.0	8-10-65	63.9	361.1	010
		9-13-65	64.0	361.0	
		10-11-65	63.2	361.8	
		11-08-65	63.3	361.7	
		12-13-65	60.8	364.2	
		1-12-66	58.8	366.2	
		2-07-66	58.2	366.8	
		3-07-66	57.1	367.9	
		4-12-66	57.4	367.6	
		5-11-66	58.8	366.2	
		8-11-66	60.1	364.9	
		9-29-66	60.2	364.8	
09S/02W-28K01S	357.0	7-06-65	20.3(2)	336.7	010
		8-10-65	23.6(2)	333.4	
		9-13-65	21.8	335.2	
		10-11-65	22.4(2)	334.6	
		11-08-65	22.8(2)	334.2	
		12-13-65	16.7	340.3	
		1-12-66	15.9	341.1	
		2-07-66	15.3	341.7	
		3-07-66	14.8(2)	342.2	
		4-12-66	16.7(2)	340.3	
		5-11-66	17.6(2)	339.4	
		8-11-66	21.4(2)	335.6	
		9-29-66	20.4(2)	336.6	
10S/02W-06F02S	282.4	7-06-65	57.9(1)	224.5	010
		8-10-65	(1)		
		9-13-65	(1)		
		10-11-65	(1)		
		11-08-65	(1)		
		12-13-65	43.4	239.0	
		1-12-66	38.8	243.6	
		2-07-66	36.4	246.0	
		3-07-66	34.2	248.2	
		4-12-66	31.8	250.6	
		5-11-66	45.8(1)	236.6	
		8-11-66	(7)		

PAUMA HYDRO SUBAREA Z-03.B2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
09S/02W-36H01S	520.0	8-10-65	30.9(1)	489.1	010
		9-13-65	31.2(1)	488.8	
		10-11-65	25.9	494.1	
		11-08-65	33.5(1)	486.5	
		12-13-65	18.2	501.8	
		1-12-66	16.6	503.4	
		2-07-66	(7)		
		3-07-66	17.1	502.9	
		4-12-66	(7)		
		5-11-66	(7)		
10S/01W-05L01S	706.0	7-06-65	67.0(1)	639.0	010
		8-10-65	67.1(1)	638.9	
		9-13-65	87.6(1)	618.4	
		10-11-65	89.4(1)	616.6	
		11-08-65	89.4(1)	616.6	
		12-13-65	63.0	643.0	
		1-12-66	55.8	650.2	
		2-07-66	52.7	653.3	
		3-07-66	48.0	658.0	
		4-12-66	51.8	654.2	
		5-11-66	61.3(1)	644.7	
		8-11-66	72.9	633.1	
		9-29-66	(1)		
10S/01W-08P01S	725.0	8-10-65	50.5(2)	674.5	010
		9-13-65	50.9(2)	674.1	
		10-11-65	51.1(2)	673.9	
		11-08-65	51.4(2)	673.6	
		12-13-65	48.5	676.5	
		1-12-66	43.5	681.5	
		2-07-66	41.6	683.4	
		3-07-66	39.9	685.1	
		4-12-66	(1)		
		5-11-66	50.8(1)	674.2	
		8-11-66	(1)		
		9-29-66	62.0	663.0	
10S/01W-09A01S	1070.0	7-06-65	99.4	970.6	010
		8-10-65	102.9	967.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT			Z-03.00		
MONSERATE HYDRO SUBUNIT				Z-03.80	
PAUMA HYDRO SUBAREA					Z-03.82
10S/01W-09A01S	1070.0	9-13-65	108.3	961.7	010
(CONT.)		10-11-65	113.5	956.5	
		11-08-65	118.5	951.5	
		12-13-65	111.1	958.9	
		1-12-66	94.5	975.5	
		2-07-66	89.6	980.4	
		3-07-66	86.8	983.2	
		4-12-66	88.2	981.8	
		5-11-66	87.7	982.3	
		8-11-66	101.2	968.8	
		9-30-66	113.4	956.6	
10S/01W-09B01S	970.0	8-10-65	68.9(2)	901.1	010
		9-13-65	71.9(2)	898.1	
		10-11-65	70.1	899.9	
		11-08-65	76.5(2)	893.5	
		12-13-65	65.8	904.2	
		1-12-66	52.4	917.6	
		2-07-66	41.8	928.2	
		3-07-66	36.0	934.0	
		4-12-66	54.0(2)	916.0	
		5-11-66	59.0(2)	911.0	
		8-11-66	68.4(2)	901.6	
		9-29-66	(7)		
10S/01W-15P01S	835.0	8-10-65	139.4	695.6	010
		9-13-65	140.7	694.3	
		10-11-65	140.7	694.3	
		11-08-65	141.7	693.3	
		12-13-65	141.5	693.5	
		1-12-66	138.8	696.2	
		2-07-66	136.9	698.1	
		3-07-66	135.8	699.2	
		4-12-66	135.4	699.6	
		5-11-66	136.9	698.1	
		8-11-66	139.0	696.0	
		9-30-66	140.8	694.2	
10S/01W-16B02S	899.0	8-10-65	266.4(2)	632.6	010
		9-13-65	268.0(2)	631.0	
		10-11-65	271.1(2)	627.9	
		11-08-65	272.1(2)	626.9	
		12-13-65	246.4	652.6	
		1-12-66	240.3	658.7	
		2-07-66	235.2	663.8	
		3-07-66	239.6(2)	659.4	
		4-12-66	261.1(2)	637.9	
		5-11-66	258.9(2)	640.1	
		8-11-66	267.3(2)	631.7	
		9-30-66	266.8(2)	632.2	
10S/01W-22K01S	835.0	7-06-65	97.4	737.6	010
		8-10-65	98.9	736.1	
		9-13-65	100.5	734.5	
		10-11-65	102.6	732.4	
		11-08-65	(7)		
		12-13-65	91.8	743.2	
		1-12-66	88.5	746.5	
		2-07-66	86.7	748.3	
		3-07-66	87.0	748.0	
		4-12-66	89.1	745.9	
		5-11-66	91.6	743.4	
		8-11-66	103.5	731.5	
		9-30-66	108.3	726.7	
10S/01W-22Q01S	*853.0	7-06-65	104.3	748.7	010
		8-10-65	105.4	747.6	
		9-13-65	110.7	742.3	
		10-11-65	106.9	746.1	
		12-13-65	98.0	755.0	
		1-12-66	95.9	757.1	
		2-07-66	95.5	757.5	
		3-07-66	96.6	756.4	
		4-12-66	98.8	754.2	
		5-11-66	100.6	752.4	
		8-11-66	105.6	747.4	
		9-30-66	107.1	745.9	
10S/01W-23N04S	1015.0	7-06-65	213.3	801.7	010
		8-10-65	213.7	801.3	
		9-13-65	214.2	800.8	
		10-11-65	214.5	800.5	
		11-08-65	215.0	800.0	
		12-13-65	215.3	799.7	
		1-12-66	215.7	799.3	
		2-07-66	215.9	799.1	
		3-07-66	216.3	798.7	
		4-12-66	216.5	798.5	
		5-11-66	216.7	798.3	
		8-11-66	217.6	797.4	
		9-30-66	218.8	796.2	
10S/01W-35B01S	858.0	7-06-65	57.0	801.0	010
		8-10-65	57.6	800.4	
		9-13-65	60.7	797.3	
		10-11-65	61.1	796.9	
		11-08-65	61.9	796.1	
		12-13-65	59.7	798.3	
			Z-03.00		
MONSERATE HYDRO SUBUNIT				Z-03.80	
PAUMA HYDRO SUBAREA					Z-03.82
10S/01W-35B01S	858.0	1-12-66	59.4	798.6	010
(CONT.)		2-07-66	59.2	798.8	
		3-07-66	57.9	800.1	
		4-12-66	56.1	801.9	
		5-11-66	55.2	802.8	
		8-11-66	52.2	805.8	
		9-30-66	51.3	806.7	

TABLE C-I
GROUND WATER LEVELS AT WELLS

SAN LUIS REY HYDRO UNIT Z-03.00

WARNER HYDRO SUBUNIT Z-03.C0

WARNER HYDRO SUBAREA Z-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/02E-24J01S	2770.0	8-28-65	79.0(5)	2691.0	405
		9-26-65	79.0(5)	2691.0	
		10-30-65	79.0(5)	2691.0	
		11-27-65	78.0(5)	2692.0	
		12-31-65	79.0(5)	2691.0	
		1-31-66	78.0(5)	2692.0	
		2-28-66	78.0(5)	2692.0	
		3-31-66	79.0(5)	2691.0	
		4-29-66	79.0(5)	2691.0	
		5-31-66	79.0(5)	2691.0	
		6-29-66	79.0(5)	2691.0	
		7-30-66	78.0(5)	2692.0	
		8-31-66	77.0(5)	2693.0	
		9-30-66	77.0(5)	2693.0	
10S/02E-24R01S	2763.6	7-31-65	68.8(5)	2694.8	405
		8-28-65	68.8(5)	2694.8	
		9-26-65	68.8(5)	2694.8	
		10-30-65	68.8(5)	2694.8	
		11-27-65	68.8(5)	2694.8	
		12-31-65	68.8(5)	2694.8	
		1-31-66	68.8(5)	2694.8	
		2-28-66	68.8(5)	2694.8	
		3-31-66	68.8(5)	2694.8	
		4-29-66	67.8(5)	2695.8	
		5-31-66	67.8(5)	2695.8	
		6-29-66	67.8(5)	2695.8	
		7-30-66	67.8(5)	2695.8	
		8-31-66	66.8(5)	2696.8	
		9-30-66	67.8(5)	2695.8	
10S/02E-25A01S	2741.2	8-28-65	71.4(5)	2669.8	405
		9-26-65	71.4(5)	2669.8	
		10-30-65	71.4(5)	2669.8	
		11-27-65	71.4(5)	2669.8	
		12-31-65	67.4(5)	2673.8	
		1-31-66	65.4(5)	2675.8	
		2-28-66	64.4(5)	2676.8	
		3-31-66	62.4(5)	2678.8	
		4-29-66	61.4(5)	2679.8	
		5-31-66	61.4(5)	2679.8	
		6-29-66	61.4(5)	2679.8	
		7-30-66	59.4(5)	2681.8	
		8-31-66	58.4(5)	2682.8	
		9-30-66	58.4(5)	2682.8	
10S/02E-25C01S	2733.2	7-31-65	69.6(5)	2663.6	405
		8-28-65	69.6(5)	2663.6	
		9-26-65	69.6(5)	2663.6	
		10-30-65	69.6(5)	2663.6	
		11-27-65	68.6(5)	2664.6	
		12-31-65	66.6(5)	2666.6	
		1-31-66	62.6(5)	2670.6	
		2-28-66	62.6(5)	2670.6	
		3-31-66	61.6(5)	2671.6	
		4-31-66	59.6(5)	2673.6	
		5-29-66	57.6(5)	2675.6	
		6-31-66	55.6(5)	2677.6	
		7-31-66	54.6(5)	2678.6	
		8-31-66	53.6(5)	2679.6	
		9-30-66	52.6(5)	2680.6	
10S/02E-25E01S	2730.0	7-31-65	31.0(5)	2699.0	405
		8-28-65	32.0(5)	2698.0	
		9-26-65	33.0(5)	2697.0	
		10-30-65	33.0(5)	2697.0	
		11-27-65	36.0(5)	2694.0	
		12-31-65	25.0(5)	2705.0	
		1-31-66	24.0(5)	2706.0	
		2-28-66	23.0(5)	2707.0	
		3-30-66	23.0(5)	2707.0	
		4-29-66	23.0(5)	2707.0	
		5-31-66	23.0(5)	2707.0	
		6-29-66	23.0(5)	2707.0	
		7-30-66	24.0(5)	2706.0	
		8-31-66	24.0(5)	2706.0	
		9-30-66	25.0(5)	2705.0	
10S/02E-25G01S	2732.0	8-28-65	48.0(5)	2684.0	405
		9-26-65	49.0(5)	2683.0	
		10-30-65	49.0(5)	2683.0	
		11-27-65	48.0(5)	2684.0	
		12-31-65	45.0(5)	2687.0	
		1-31-66	43.0(5)	2689.0	
		2-28-66	43.0(5)	2689.0	
		3-31-66	40.0(5)	2692.0	
		4-29-66	40.0(5)	2692.0	
		5-31-66	41.0(5)	2691.0	
		6-29-66	41.0(5)	2691.0	
		7-30-66	40.0(5)	2692.0	
		8-30-66	41.0(5)	2691.0	
		9-30-66	41.0(5)	2691.0	
10S/02E-25H01S	2755.0	8-28-65	47.0(5)	2708.0	405
		9-26-65	48.0(5)	2707.0	
		10-30-65	48.0(5)	2707.0	
		11-27-65	48.0(5)	2707.0	
Z-03.00					
WARNER HYDRO SUBUNIT				Z-03.C0	
WARNER HYORD SUBAREA					Z-03.C1
10S/02E-25H01S	2755.0	12-31-65	48.0(5)	2707.0	405
(CONT.)		1-31-66	47.0(5)	2708.0	
		2-28-66	47.0(5)	2708.0	
		3-31-66	46.0(5)	2709.0	
		4-29-66	46.0(5)	2709.0	
		5-31-66	46.0(5)	2709.0	
		6-29-66	45.0(5)	2710.0	
		7-30-66	45.0(5)	2710.0	
		8-31-66	44.0(5)	2711.0	
		9-30-66	45.0(5)	2710.0	
10S/03E-17H01S	2920.0	7-31-65	96.0(5)	2824.0	405
		8-28-65	97.0(5)	2823.0	
		9-26-65	97.0(5)	2823.0	
		10-30-65	100.0(5)	2820.0	
		11-27-65	100.0(5)	2820.0	
		12-31-65	97.0(5)	2823.0	
		1-31-66	98.0(5)	2822.0	
		2-28-66	98.0(5)	2822.0	
		3-31-66	95.0(5)	2825.0	
		4-29-66	92.0(5)	2828.0	
		5-31-66	90.0(5)	2830.0	
		6-29-66	88.0(5)	2832.0	
		7-30-66	87.0(5)	2833.0	
		8-30-66	89.0(5)	2831.0	
		9-30-66	90.0(5)	2830.0	
10S/03E-19N01S	2769.9	7-31-65	74.6(5)	2695.3	405
		8-28-65	74.6(5)	2695.3	
		9-26-65	74.6(5)	2695.3	
		10-30-65	74.6(5)	2695.3	
		11-27-65	74.6(5)	2695.3	
		12-31-65	74.6(5)	2695.3	
		1-31-66	74.6(5)	2695.3	
		2-28-66	73.6(5)	2696.3	
		3-31-66	74.6(5)	2695.3	
		4-29-66	73.6(5)	2696.3	
		5-31-66	73.6(5)	2696.3	
		6-29-66	73.6(5)	2696.3	
		7-30-66	73.6(5)	2696.3	
		8-30-66	72.6(5)	2697.3	
		9-30-66	72.6(5)	2697.3	
10S/03E-19P01S	2777.7	7-31-65	82.2(5)	2695.5	405
		8-28-65	81.2(5)	2696.5	
		9-26-65	81.2(5)	2696.5	
		10-30-65	81.2(5)	2696.5	
		11-27-65	81.2(5)	2696.5	
		12-31-65	80.2(5)	2697.5	
		1-31-66	79.2(5)	2698.5	
		2-28-66	79.2(5)	2698.5	
		3-31-66	80.2(5)	2697.5	
		4-29-66	80.2(5)	2697.5	
		5-31-66	80.2(5)	2697.5	
		6-29-66	80.2(5)	2697.5	
		7-30-66	79.2(5)	2698.5	
		8-30-66	79.2(5)	2698.5	
		9-30-66	79.2(5)	2698.5	
10S/03E-19Q01S	2781.0	7-31-65	78.0(5)	2703.0	405
		8-28-65	79.0(5)	2702.0	
		9-26-65	79.0(5)	2702.0	
		10-30-65	79.0(5)	2702.0	
		11-27-65	79.0(5)	2702.0	
		12-31-65	79.0(5)	2702.0	
		1-31-66	79.0(5)	2702.0	
		2-28-66	78.0(5)	2703.0	
		3-31-66	77.0(5)	2704.0	
		4-29-66	77.0(5)	2704.0	
		5-31-66	77.0(5)	2704.0	
		6-29-66	76.0(5)	2705.0	
		7-30-66	76.0(5)	2705.0	
		8-30-66	79.0(5)	2702.0	
		9-30-66	79.0(5)	2702.0	
10S/03E-20P01S	2800.0	7-31-65	77.2(5)	2722.8	405
		8-28-65	77.2(5)	2722.8	
		9-26-65	78.2(5)	2721.8	
		10-30-65	78.2(5)	2721.8	
		11-27-65	78.2(5)	2721.8	
		12-31-65	77.2(5)	2722.8	
		1-31-66	78.2(5)	2721.8	
		2-28-66	77.2(5)	2722.8	
		3-31-66	77.2(5)	2722.8	
		4-29-66	77.2(5)	2722.8	
		5-31-66	77.2(5)	2722.8	
		6-29-66	77.2(5)	2722.8	
		7-30-66	77.2(5)	2722.8	
		8-30-66	76.2(5)	2723.8	
		9-30-66	76.2(5)	2723.8	
10S/03E-20Q01S	2816.6	7-31-65	65.0(5)	2751.6	405
		8-28-65	64.0(5)	2752.6	
		9-26-65	64.0(5)	2752.6	
		10-30-65	64.0(5)	2752.6	
		11-27-65	68.0(5)	2748.6	
		12-31-65	62.0(5)	2754.6	
		1-31-66	65.0(5)	2751.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN LUIS REY HYDRO UNIT Z-03.00

WARNER HYDRO SUBUNIT Z-03.C0
WARNER HYDRO SUBAREA Z-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/03E-20Q01S (CONT.)	2816.6	2-28-66	61.0(5)	2755.6	405
		3-31-66	61.0(5)	2755.6	
		4-29-66	62.0(5)	2754.6	
		5-31-66	61.0(5)	2755.6	
		6-29-66	61.0(5)	2755.6	
		7-30-66	61.0(5)	2755.6	
		8-30-66	61.0(5)	2755.6	
		9-30-66	61.0(5)	2755.6	
10S/03E-28P01S	2885.8	7-31-65	114.2(5)	2771.6	405
		8-28-65	114.2(5)	2771.6	
		9-26-65	114.2(5)	2771.6	
		10-30-65	113.2(5)	2772.6	
		11-27-65	113.2(5)	2772.6	
		12-31-65	113.2(5)	2772.6	
		1-31-66	112.2(5)	2773.6	
		2-28-66	113.2(5)	2772.6	
		3-31-66	110.2(5)	2775.6	
		4-29-66	109.2(5)	2776.6	
		5-30-66	110.2(5)	2775.6	
		6-29-66	110.2(5)	2775.6	
		7-30-66	109.2(5)	2776.6	
		8-30-66	108.2(5)	2777.6	
		9-30-66	110.2(5)	2775.6	
10S/03E-29E01S	2794.0	7-31-65	70.7(5)	2723.3	405
		8-28-65	69.7(5)	2724.3	
		9-26-65	69.7(5)	2724.3	
		10-30-65	69.7(5)	2724.3	
		11-27-65	70.7(5)	2723.3	
		12-31-65	71.7(5)	2722.3	
		1-31-66	70.7(5)	2723.3	
		2-28-66	71.7(5)	2722.3	
		3-31-66	70.7(5)	2723.3	
		4-29-66	71.7(5)	2722.3	
		5-31-66	71.7(5)	2722.3	
		6-29-66	71.7(5)	2722.3	
		7-30-66	70.7(5)	2723.3	
		8-30-66	70.7(5)	2723.3	
		9-30-66	70.7(5)	2723.3	
10S/03E-29J01S	2810.7	7-31-65	50.4(5)	2760.3	405
		8-28-65	50.4(5)	2760.3	
		9-26-65	51.4(5)	2759.3	
		10-30-65	51.4(5)	2759.3	
		11-27-65	53.4(5)	2757.3	
		12-31-65	50.4(5)	2760.3	
		1-31-66	49.4(5)	2761.3	
		2-28-66	48.4(5)	2762.3	
		3-30-66	47.4(5)	2763.3	
		4-29-66	46.4(5)	2764.3	
		5-31-66	45.4(5)	2765.3	
		6-29-66	44.4(5)	2766.3	
		7-30-66	43.4(5)	2767.3	
		8-30-66	41.4(5)	2769.3	
		9-30-66	40.4(5)	2770.3	
10S/03E-29M01S	2766.0	7-31-65	75.0(5)	2691.0	405
		8-28-65	75.0(5)	2691.0	
		9-26-65	76.0(5)	2690.0	
		10-30-65	78.0(5)	2688.0	
		11-27-65	76.0(5)	2690.0	
		1-31-66	76.0(5)	2690.0	
		2-28-66	77.0(5)	2689.0	
		3-30-66	75.0(5)	2691.0	
		4-29-66	74.0(5)	2692.0	
		5-31-66	74.0(5)	2692.0	
		6-29-66	74.0(5)	2692.0	
		7-30-66	74.0(5)	2692.0	
		8-30-66	74.0(5)	2692.0	
		9-30-66	75.0(5)	2691.0	
10S/03E-30A01S	2779.7	8-28-65	73.1(5)	2706.6	405
		9-26-65	73.1(5)	2706.6	
		10-30-65	76.1(5)	2703.6	
		11-27-65	77.1(5)	2702.6	
		12-31-65	75.1(5)	2704.6	
		1-31-66	76.1(5)	2703.6	
		2-28-66	75.1(5)	2704.6	
		3-30-66	74.1(5)	2705.6	
		4-29-66	73.1(5)	2706.6	
		5-31-66	73.1(5)	2706.6	
		6-29-66	73.1(5)	2706.6	
		7-30-66	73.1(5)	2706.6	
		8-30-66	74.1(5)	2705.6	
		9-30-66	74.1(5)	2705.6	
10S/03E-30B01S	2775.0	7-31-65	77.0(5)	2698.0	405
		8-28-65	76.0(5)	2699.0	
		9-26-65	76.0(5)	2699.0	
		10-30-65	77.0(5)	2698.0	
		11-27-65	77.0(5)	2698.0	
		12-31-65	77.0(5)	2698.0	
		1-31-66	76.0(5)	2699.0	
		2-28-66	77.0(5)	2698.0	
		3-30-66	76.0(5)	2699.0	
		4-29-66	75.0(5)	2700.0	
		5-31-66	76.0(5)	2699.0	

WARNER HYDRO SUBUNIT Z-03.C0
WARNER HYDRO SUBAREA Z-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/03E-30B01S (CONT.)	2775.0	6-29-66	75.0(5)	2700.0	405
		7-30-66	76.0(5)	2699.0	
		8-30-66	76.0(5)	2699.0	
		9-30-66	75.0(5)	2700.0	
10S/03E-30C01S	2750.0	7-31-65	73.0(5)	2677.0	405
		8-28-65	72.0(5)	2678.0	
		9-26-65	71.0(5)	2679.0	
		10-30-65	71.0(5)	2679.0	
		11-27-65	71.0(5)	2679.0	
		12-31-65	70.0(5)	2680.0	
		1-31-66	72.0(5)	2678.0	
		2-28-66	71.0(5)	2679.0	
		3-30-66	71.0(5)	2679.0	
		4-29-66	71.0(5)	2679.0	
		5-31-66	71.0(5)	2679.0	
		6-29-66	71.0(5)	2679.0	
		7-30-66	70.0(5)	2680.0	
		8-30-66	70.0(5)	2680.0	
		9-30-66	70.0(5)	2680.0	
10S/03E-30H01S	2779.6	8-28-65	72.0(5)	2707.6	405
		9-26-65	73.0(5)	2706.6	
		10-30-65	73.0(5)	2706.6	
		11-27-65	73.0(5)	2706.6	
		1-31-66	76.0(5)	2703.6	
		2-28-66	73.0(5)	2706.6	
		3-30-66	72.0(5)	2707.6	
		4-29-66	73.0(5)	2706.6	
		5-31-66	73.0(5)	2706.6	
		6-29-66	74.0(5)	2705.6	
		7-30-66	72.0(5)	2707.6	
		8-30-66	72.0(5)	2707.6	
		9-30-66	73.0(5)	2706.6	
10S/03E-31C01S	2760.0	7-31-65	84.0(5)	2676.0	405
		8-28-65	81.0(5)	2679.0	
		9-26-65	108.0(5)	2652.0	
		10-30-65	113.0(5)	2647.0	
		11-27-65	104.0(5)	2656.0	
		12-31-65	85.0(5)	2675.0	
		1-31-66	85.0(5)	2675.0	
		2-28-66	89.0(5)	2671.0	
		3-30-66	87.0(5)	2673.0	
		4-29-66	88.0(5)	2672.0	
		5-31-66	80.0(5)	2680.0	
		6-29-66	77.0(5)	2683.0	
		7-30-66	77.0(5)	2683.0	
		8-30-66	71.0(5)	2689.0	
		9-30-66	77.0(5)	2683.0	
10S/03E-31C02S	2760.0	7-31-65	49.0(5)	2711.0	405
		8-28-65	49.0(5)	2711.0	
		9-26-65	50.0(5)	2710.0	
		10-30-65	50.0(5)	2710.0	
		11-27-65	50.0(5)	2710.0	
		12-31-65	48.0(5)	2712.0	
		1-31-66	49.0(5)	2711.0	
		2-28-66	49.0(5)	2711.0	
		3-31-66	50.0(5)	2710.0	
		4-29-66	50.0(5)	2710.0	
		5-31-66	50.0(5)	2710.0	
		6-29-66	50.0(5)	2710.0	
		7-30-66	50.0(5)	2710.0	
		8-30-66	50.0(5)	2710.0	
		9-30-66	51.0(5)	2709.0	
10S/03E-31C05S	2780.0	7-31-65	51.0(5)	2729.0	405
		8-28-65	51.0(5)	2729.0	
		9-26-65	52.0(5)	2728.0	
		10-30-65	52.0(5)	2728.0	
		11-27-65	52.0(5)	2728.0	
		12-31-65	51.0(5)	2729.0	
		1-31-66	52.0(5)	2728.0	
		2-28-66	52.0(5)	2728.0	
		3-31-66	52.0(5)	2728.0	
		4-29-66	52.0(5)	2728.0	
		5-31-66	52.0(5)	2728.0	
		6-29-66	57.0(5)	2723.0	
		7-30-66	52.0(5)	2728.0	
		8-30-66	51.0(5)	2729.0	
		9-30-66	53.0(5)	2727.0	
10S/03E-32C01S	2784.6	8-28-65	41.0(5)	2743.6	405
		9-26-65	41.0(5)	2743.6	
		10-30-65	42.0(5)	2742.6	
		11-27-65	41.0(5)	2743.6	
		12-31-65	40.0(5)	2744.6	
		1-31-66	36.0(5)	2748.6	
		2-28-66	35.0(5)	2749.6	
		3-30-66	34.0(5)	2750.6	
		4-29-66	34.0(5)	2750.6	
		5-31-66	34.0(5)	2750.6	
		6-29-66	34.0(5)	2750.6	
		7-30-66	40.0(5)	2744.6	
		8-30-66	35.0(5)	2749.6	
		9-30-66	34.0(5)	2750.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN LUIS REY HYDRO UNIT Z-03.00

WARNER HYDRO SUBUNIT Z-03.C0

WARNER HYDRO SUBAREA Z-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/03E-32H01S	2810.7	8-28-65	42.0(5)	2768.7	405
(CONT.)		9-26-65	42.0(5)	2768.7	
		10-30-65	42.0(5)	2768.7	
		11-27-65	42.0(5)	2768.7	
		12-31-65	43.0(5)	2767.7	
		1-31-66	42.0(5)	2768.7	
		2-28-66	42.0(5)	2768.7	
		3-30-66	41.0(5)	2769.7	
		4-29-66	41.0(5)	2769.7	
		5-31-66	41.0(5)	2769.7	
		6-29-66	41.0(5)	2769.7	
		7-30-66	41.0(5)	2769.7	
		8-30-66	40.0(5)	2770.7	
		9-30-66	41.0(5)	2769.7	
10S/03E-33B01S	2927.4	7-31-65	147.3(5)	2780.1	405
		8-28-65	145.3(5)	2782.1	
		9-26-65	145.3(5)	2782.1	
		10-30-65	145.3(5)	2782.1	
		11-27-65	145.3(5)	2782.1	
		12-31-65	144.3(5)	2783.1	
		1-31-66	136.3(5)	2791.1	
		2-28-66	144.3(5)	2783.1	
		3-30-66	142.3(5)	2785.1	
		4-29-66	141.3(5)	2786.1	
		5-31-66	140.3(5)	2787.1	
		6-29-66	140.3(5)	2787.1	
		7-30-66	139.3(5)	2788.1	
		8-30-66	139.3(5)	2788.1	
		9-30-66	140.3(5)	2787.1	
10S/03E-33C01S	2872.9	7-31-65	102.2(5)	2770.7	405
		8-28-65	102.2(5)	2770.7	
		9-26-65	102.2(5)	2770.7	
		10-30-65	102.2(5)	2770.7	
		11-27-65	101.2(5)	2771.7	
		12-31-65	101.2(5)	2771.7	
		1-31-66	101.2(5)	2771.7	
		2-28-66	102.2(5)	2770.7	
		3-30-66	100.2(5)	2772.7	
		4-29-66	99.2(5)	2773.7	
		5-31-66	99.2(5)	2773.7	
		6-29-66	99.2(5)	2773.7	
		7-30-66	98.2(5)	2774.7	
		8-30-66	97.2(5)	2775.7	
		9-30-66	97.2(5)	2775.7	
10S/03E-33D01S	2865.9	7-31-65	96.2(5)	2769.7	405
		8-28-65	96.2(5)	2769.7	
		9-26-65	96.2(5)	2769.7	
		10-30-65	95.2(5)	2770.7	
		11-27-65	95.2(5)	2770.7	
		12-31-65	97.2(5)	2768.7	
		1-31-66	94.2(5)	2771.7	
		2-28-66	96.2(5)	2769.7	
		3-30-66	94.2(5)	2771.7	
		4-29-66	94.2(5)	2771.7	
		5-31-66	94.2(5)	2771.7	
		6-29-66	93.2(5)	2772.7	
		7-30-66	93.2(5)	2772.7	
		8-30-66	93.2(5)	2772.7	
		9-30-66	92.2(5)	2773.7	
10S/03E-33D02S	2848.3	7-31-65	80.6(5)	2767.7	405
		8-28-65	80.6(5)	2767.7	
		9-26-65	80.6(5)	2767.7	
		10-30-65	79.6(5)	2768.7	
		11-27-65	78.6(5)	2769.7	
		12-31-65	79.6(5)	2768.7	
		1-31-66	78.6(5)	2769.7	
		2-28-66	78.6(5)	2769.7	
		3-30-66	78.6(5)	2769.7	
		4-29-66	77.6(5)	2770.7	
		5-31-66	77.6(5)	2770.7	
		6-29-66	76.6(5)	2771.7	
		7-30-66	76.6(5)	2771.7	
		8-30-66	76.6(5)	2771.7	
		9-30-66	76.6(5)	2771.7	
10S/03E-33F01S	2883.4	7-31-65	192.7(5)	2690.7	405
		8-28-65	192.7(5)	2690.7	
		9-26-65	193.7(5)	2689.7	
		10-30-65	197.7(5)	2685.7	
		11-27-65	192.7(5)	2690.7	
		12-31-65	186.7(5)	2696.7	
		1-31-66	186.7(5)	2696.7	
		2-28-66	182.7(5)	2700.7	
		3-30-66	179.7(5)	2703.7	
		4-29-66	177.7(5)	2705.7	
		5-31-66	172.7(5)	2710.7	
		6-29-66	168.7(5)	2714.7	
		7-30-66	164.7(5)	2718.7	
		8-30-66	162.7(5)	2720.7	
		9-30-66	175.7(5)	2707.7	
10S/03F-33H01S	2902.2	8-28-65	130.9(5)	2771.3	405
		9-26-65	130.9(5)	2771.3	
		10-30-65	129.9(5)	2772.3	

WARNER HYDRO SUBUNIT Z-03.C0

WARNER HYDRO SUBAREA Z-03.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
10S/03F-33H01S	2902.2	11-27-65	129.9(5)	2772.3	405
(CONT.)		12-31-65	127.9(5)	2774.3	
		1-31-66	127.9(5)	2774.3	
		2-28-66	125.9(5)	2776.3	
		3-30-66	125.9(5)	2776.3	
		4-29-66	124.9(5)	2777.3	
		5-31-66	124.9(5)	2777.3	
		6-29-66	122.9(5)	2779.3	
		7-30-66	122.9(5)	2779.3	
		8-30-66	126.9(5)	2775.3	
		9-30-66	121.9(5)	2780.3	
11S/03F-04A01S	2856.4	7-31-65	167.3(5)	2689.1	405
		8-28-65	167.3(5)	2689.1	
		9-26-65	167.3(5)	2689.1	
		10-30-65	168.3(5)	2688.1	
		11-27-65	167.3(5)	2689.1	
		12-31-65	164.3(5)	2692.1	
		1-31-66	165.3(5)	2691.1	
		2-28-66	167.3(5)	2689.1	
		3-30-66	166.3(5)	2690.1	
		4-29-66	156.3(5)	2700.1	
		5-31-66	156.3(5)	2700.1	
		6-29-66	155.3(5)	2701.1	
		7-30-66	153.3(5)	2703.1	
		8-30-66	152.3(5)	2704.1	
		9-30-66	153.3(5)	2703.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN DIEGUITO HYDRO UNIT Z-05.00

SAN DIEGUITO HYDRO SUBUNIT Z-05.A0
SAN DIEGUITO HYDRO SUBAREA Z-05.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
13S/03W-32J01S	36.0	10-06-65	77.8	-41.8	229
		3-30-66	73.7	-37.7	
13S/03W-32Q01S	30.5	10-06-65	27.4	3.1	229
13S/03W-32R01S	32.3	10-06-65	86.2	-53.9	229
		3-30-66	70.8	-38.5	
		9-13-66	93.6	-61.3	
13S/03W-32R02S	34.0	10-06-65	78.3	-44.3	229
		3-30-66	76.1	-42.1	
		9-14-66	80.5(1)	-46.5	
13S/03W-32H03S	34.0	3-30-66	72.6	-38.6	229
		9-13-66	78.7(1)	-44.7	
13S/03W-33H01S	41.4	4-06-66	51.8	-10.4	229
		9-14-66	53.8(1)	-12.4	
13S/03W-33C01S	43.1	3-30-66	50.8	-7.7	229
		9-14-66	48.3	-5.2	
13S/03W-33C03S	40.8	10-06-65	74.1	-33.3	229
		3-30-66	59.8	-19.0	
		9-14-66	60.6	-19.8	
13S/03W-33C05S	40.2	10-06-65	DRY		229
		3-30-66	57.8	-17.6	
		9-14-66	58.1	-17.9	
13S/03W-33C06S	42.0	10-06-65	74.6	-32.6	229
		3-30-66	61.0	-19.0	
		9-14-66	75.0	-33.0	
13S/03W-33D01S	41.2	10-06-65	74.1	-32.9	229
		3-30-66	62.8	-21.6	
		9-14-66	63.1	-21.9	
13S/03W-33D02S	40.0	10-06-65	73.4	-33.4	229
		3-30-66	62.3	-22.3	
		9-14-66	62.7	-22.7	
13S/03W-33E01S	35.2	10-06-65	81.3	-46.1	229
		4-06-66	77.7	-42.5	
		9-14-66	84.2	-49.0	
13S/03W-33F01S	41.3	10-06-65	72.8	-31.5	229
		4-06-66	57.0	-15.7	
		9-14-66	57.4	-16.1	
13S/03W-33F02S	42.1	4-06-66	55.2	-13.1	229
		9-14-66	62.0	-19.9	
13S/03W-33F03S	41.8	10-06-65	70.7	-28.9	229
		4-06-66	53.9	-12.1	
		9-14-66	54.7	-12.9	
13S/03W-33F04S	42.0	10-06-65	71.5	-29.5	229
13S/03W-33G01S	43.2	10-06-65	69.8	-26.6	229
		4-06-66	51.8	-8.6	
		9-14-66	51.5	-8.3	
13S/03W-33L03S	33.6	10-06-65	82.8	-49.2	229
		4-06-66	74.8	-41.2	
		9-14-66	78.2	-44.6	
13S/03W-33L06S	32.0	10-06-65	82.3(1)	-50.3	229
		4-06-66	74.2(1)	-42.2	
		9-14-66	75.6	-43.6	
13S/03W-33M01S	37.2	8-12-65	80.4	-43.2	010
		10-06-65	81.0	-43.8	229
		11-12-65	80.4	-43.2	010
		3-07-66	79.3	-42.1	
		4-06-66	80.4	-43.2	229
		5-11-66	79.4	-42.2	010
		8-12-66	79.3	-42.1	
		9-14-66	79.4	-42.2	229
13S/03W-33Q01S	30.5	10-06-65	77.9	-47.4	229
		4-06-66	70.8	-40.3	
		9-14-66	73.4	-42.9	
14S/03W-04P01S	41.5	10-05-65	43.1	-1.6	229
		4-06-66	33.1	8.4	
14S/03W-05F01S	23.4	10-05-65	35.3	-11.9	229
		3-30-66	32.9	-9.5	
		9-14-66	32.0	-8.6	
14S/03W-05K02S	26.4	10-06-65	60.6	-34.2	229
		3-30-66	44.8	-18.4	
14S/03W-05N01S	20.1	10-05-65	45.3	-25.2	229
		3-30-66	34.6	-14.5	
		9-13-66	41.4	-21.3	

SAN DIEGUITO HYDRO SUBUNIT Z-05.A0
SAN DIEGUITO HYDRO SUBAREA Z-05.A1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
14S/03W-06P03S	14.5	10-05-65	23.5	-9.0	229
14S/03W-06Q01S	14.5	10-05-65	31.9	-17.4	229
		3-29-66	22.6	-8.1	
		9-13-66	27.8	-13.3	
14S/03W-07A01S	18.8	3-29-66	18.0	.8	229
		9-13-66	20.0	-1.2	
14S/03W-07C02S	8.0	10-05-65	7.0	1.0	229
		3-29-66	5.1	2.9	
		9-13-66	6.0	2.0	
14S/03W-07C05S	14.0	10-05-65	27.3	-13.3	229
		3-29-66	25.8	-11.8	
		9-13-66	31.5	-17.5	
14S/03W-07C06S	15.0	10-05-65	20.6	-5.6	229
		3-29-66	14.6	.4	
		9-13-66	20.8	-5.8	
14S/03W-07C07S	14.6	10-05-65	29.8	-15.2	229
		3-29-66	17.2	-2.6	
		9-13-66	24.5	-9.9	
14S/03W-07E02S	14.0	10-05-65	17.9	-3.9	229
		3-30-66	15.0	-1.0	
		9-14-66	13.9	.1	
14S/03W-07K01S	50.0	10-05-65	53.0	-3.0	229
		3-29-66	47.2	2.8	
		9-13-66	49.7	.3	
14S/03W-07L01S	52.7	10-05-65	54.5	-1.8	229
		3-30-66	43.9	8.8	
		9-14-66	45.1	7.6	
14S/03W-07L02S	34.2	10-05-65	DRY		229
		3-30-66	DRY		
		9-15-66	DRY		
14S/03W-07M01S	19.3	3-30-66	20.0	-.7	229
		9-14-66	19.4	-.1	
14S/03W-08M01S	77.0	10-05-65	17.6	59.4	229
		3-29-66	15.4	61.6	
		9-13-66	16.3	60.7	
14S/04W-01K01S	100.5	10-05-65	DRY		229
		3-29-66	DRY		
		9-13-66	DRY		
14S/04W-01P01S	43.0	10-05-65	DRY		229
		3-29-66	42.1	.9	
		9-13-66	40.8	2.2	
14S/04W-01Q01S	10.0	3-29-66	10.8	-.8	229
		9-13-66	9.9	.1	
14S/04W-01R01S	26.0	10-05-65	35.2	-9.2	229
		3-29-66	29.6	-3.6	
		9-15-66	31.5	-5.5	
14S/04W-01R02S	20.7	10-05-65	29.7	-9.0	229
		3-29-66	23.4	-2.7	
		9-13-66	24.9	-4.2	
14S/04W-01R04S	11.9	10-05-65	25.3	-13.4	229
		3-29-66	15.0	-3.1	
		9-14-66	19.1	-7.2	
14S/04W-11J02S	5.0	10-05-65	4.3	.7	229
		3-28-66	1.5	3.5	
		9-13-66	1.9	3.1	
14S/04W-12H01S	13.7	3-30-66	13.1	.6	229
		9-14-66	14.3	-.6	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SAN DIEGUITO HYDRO UNIT Z-05.00

HODGES HYDRO SUBUNIT Z-05.80

HODGES HYDRO SUBAREA Z-05.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/02W-35K01S	420.0	7-07-65	38.5(1)	381.5	710
		8-12-65	30.6	389.4	
		9-09-65	45.1(1)	374.9	
		10-12-65	46.6(1)	373.4	
		11-03-65	43.6(1)	376.4	
		12-07-65	18.7	401.3	
		1-13-66	14.7	405.3	
		2-08-66	12.5	407.5	
		3-03-66	14.1	405.9	
		4-08-66	15.1	404.9	
		5-13-66	23.3(1)	396.7	
		6-03-66	32.6(1)	387.4	
		7-04-66	33.1(1)	386.9	
		8-11-66	33.1(1)	386.9	
		9-07-66	34.8(1)	385.2	
12S/02W-35P01S	395.0	7-07-65	35.1(1)	359.9	710
		8-12-65	24.9(1)	370.1	
		9-09-65	39.9(1)	355.1	
		10-12-65	41.3(1)	353.7	
		11-03-65	44.4(1)	350.6	
		12-07-65	11.1	383.9	
		1-13-66	3.7	391.3	
		2-08-66	3.4	391.6	
		3-03-66	3.9	391.1	
		4-08-66	26.3(1)	368.7	
		5-13-66	28.0(1)	367.0	
		6-03-66	17.0(1)	378.0	
		7-14-66	31.3(1)	363.7	
		8-10-66	32.6(1)	362.4	
		9-07-66	34.8(1)	360.2	
12S/02W-35Q01S	410.0	4-05-66	(6)		050
12S/02W-35Q02S	410.0	10-27-65	22.6	387.4	050
		4-05-66	(6)		
12S/02W-35Q04S	395.0	7-07-65	12.9	382.1	710
		8-12-65	22.6	372.4	
		9-09-65	15.4	379.6	
		10-12-65	41.8(1)	353.2	
		11-03-65	49.7(1)	345.3	
		12-07-65	9.6	385.4	
		1-13-66	3.4	391.6	
		2-08-66	2.3	392.7	
		3-03-66	3.1	391.9	
		4-08-66	8.2	386.8	
		5-13-66	1.2	393.8	
		6-03-66	26.5(1)	368.5	
		7-14-66	20.8	374.2	
		8-10-66	11.4	383.6	
		9-07-66	37.9(1)	357.1	
13S/01W-07E01S	330.8	7-20-65	34.1	296.7	229
		8-19-65	34.7	296.1	
		9-24-65	34.9	295.9	
		10-22-65	35.1	295.7	
		12-20-65	28.4	302.4	
		1-24-66	27.0	303.8	
		2-24-66	27.1	303.7	
		3-24-66	28.9	301.9	
		4-22-66	29.4	301.4	
		5-20-66	25.5	305.3	
		6-23-66	24.6	306.2	
		7-20-66	24.0	306.8	
		8-21-66	22.5	308.3	
		9-20-66	22.5	308.3	
13S/01W-07E02S	330.8	10-27-65	32.0	298.8	050
		4-05-66	22.0	308.8	
13S/02W-02H02S	390.0	10-26-65	29.5	360.5	050
		4-05-66	19.8	370.2	
13S/02W-02C02S	371.8	7-07-65	16.9	354.9	710
		8-12-65	46.6(1)	325.2	
		9-09-65	22.9	348.9	
		10-12-65	24.5	347.3	
		10-27-65	17.5	354.3	050
		11-03-65	40.7(1)	331.1	710
		12-07-65	15.1	356.7	
		1-13-66	9.0	362.8	
		2-08-66	7.6	364.2	
		3-03-66	7.1	364.7	
		4-05-66	.8	371.0	050
		4-08-66	6.9	364.9	710
		5-13-66	26.7	345.1	
		6-03-66	31.0(1)	340.8	
		7-14-66	34.0(1)	337.8	
		8-10-66	40.1(1)	331.7	
		9-07-66	44.0(1)	327.8	
13S/02W-02C03S	383.0	7-07-65	9.8	373.2	710
		8-12-65	14.8	368.2	
		9-09-65	16.8	366.2	
		10-12-65	18.8	364.2	
		11-03-65	20.8	362.2	
13S/02W-02C03S (CONT.)	383.0	12-07-65	6.5	376.5	710
		1-13-66	5.1	377.9	
		2-08-66	4.6	378.4	
		3-03-66	4.9	378.1	
		4-08-66	4.7	378.3	
		5-13-66	4.7	378.3	
		6-13-66	6.3	376.7	
		7-14-66	8.2	374.8	
		8-10-66	11.5	371.5	
		9-07-66	13.3	369.7	
13S/02W-02C04S	390.0	7-07-65	20.8(1)	369.2	710
		8-12-65	24.1(1)	365.9	
		9-09-65	25.3(1)	364.7	
		10-12-65	27.3(1)	362.7	
		8-10-66	20.2	369.8	
		9-07-66	21.4	368.6	
13S/02W-02D01S	390.0	7-07-65	27.3(1)	362.7	710
		8-12-65	22.2	367.8	
		9-09-65	27.8(1)	362.2	
		10-12-65	24.5	365.5	
		11-03-65	22.9	367.1	
		12-06-65	14.2	375.8	
		1-13-66	9.0	381.0	
		2-08-66	8.8	381.2	
		3-03-66	9.2	380.8	
		4-08-66	15.8(1)	374.2	
		5-13-66	20.9(1)	369.1	
		6-03-66	24.7(1)	365.3	
		7-14-66	18.0(1)	372.0	
		8-10-66	14.0	376.0	
		9-07-66	14.7(1)	375.3	
13S/02W-02D03S	390.0	7-07-65	28.2(1)	361.8	710
		8-12-65	22.4(1)	367.6	
		9-09-65	18.7	371.3	
		10-12-65	24.9	365.1	
		11-03-65	22.9	367.1	
		12-06-65	15.3	374.7	
		1-13-66	13.1	376.9	
		2-08-66	13.5	376.5	
		4-08-66	14.5	375.5	
		5-13-66	23.9(1)	366.1	
		6-03-66	14.6	375.4	
		7-14-66	25.8(1)	364.2	
		8-10-66	18.9(1)	371.1	
		9-07-66	24.8(1)	365.2	
13S/02W-02F01S	375.0	7-07-65	33.9	341.1	710
		8-12-65	52.8(1)	322.2	
		9-09-65	56.3(1)	318.7	
		10-12-65	56.6(1)	318.4	
		11-03-65	58.7(1)	316.3	
		12-07-65	36.4	338.6	
		1-13-66	30.3	344.7	
		2-08-66	26.8	348.2	
		3-03-66	24.0	351.0	
		4-08-66	21.0	354.0	
		5-13-66	20.6	354.4	
		6-03-66	20.7	354.3	
		7-14-66	41.3(1)	333.7	
		8-10-66	28.2	346.8	
		9-07-66	46.3(1)	328.7	
13S/02W-02F02S	365.0	7-07-65	16.7	348.3	710
		8-12-65	54.0(1)	311.0	
		8-19-65	21.7	343.3	
		9-09-65	41.7	323.3	
		10-12-65	54.0(1)	311.0	
		11-03-65	42.7	322.3	
		12-07-65	12.1	352.9	
		1-13-66	7.0	358.0	
		2-08-66	4.9	360.1	
		3-03-66	4.0	361.0	
		4-08-66	24.7(1)	340.3	
		5-13-66	8.8	356.2	
		6-03-66	9.0	356.0	
		7-14-66	39.0(1)	326.0	
		8-10-66	16.0	349.0	
		9-07-66	48.7(1)	316.3	
13S/02W-02J01S	430.0	10-27-65	34.7(1)	395.3	050
		4-05-66	30.7	399.3	
13S/02W-02L01S	345.0	8-12-65	39.3	305.7	710
		9-09-65	51.8(1)	293.2	
		10-12-65	38.4	306.6	
		11-03-65	31.3	313.7	
		12-07-65	26.6	318.4	
		1-13-66	19.5	325.5	
		2-08-66	18.0	327.0	
		3-03-66	16.5	328.5	
		4-08-66	14.1	330.9	
		5-13-66	12.5	332.5	
		6-03-66	12.0	333.0	
		7-14-66	12.1	332.9	
		8-10-66	12.0	333.0	

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT					Z-05.00
HODGES HYDRO SUBUNIT					Z-05.80
HODGES HYDRO SUBAREA					Z-05.81
13S/02W-02L01S (CONT.)	345.0	9-07-66	12.4	332.6	710
13S/02W-02M01S	358.4	7-07-65	34.8	323.6	710
		8-12-65	68.7(1)	289.7	
		9-09-65	53.5(1)	304.9	
		10-12-65	72.1(1)	286.3	
		10-27-65	75.3(1)	283.1	050
		11-03-65	75.7(1)	282.7	710
		12-07-65	33.0	325.4	
		1-13-66	20.7	337.7	
		2-08-66	11.6	346.8	
		3-03-66	10.7	347.7	
		4-06-66	(1)		050
		4-08-66	54.6(1)	303.8	710
		5-13-66	58.2(1)	300.2	
		6-03-66	62.6(1)	295.8	
		7-14-66	64.2(1)	294.2	
		8-10-66	67.0(1)	291.4	
		9-07-66	67.2(1)	291.2	
13S/02W-03R03S	335.0	10-27-65	22.2	312.8	050
		4-05-66	10.5	324.5	
13S/02W-11R01S	315.6	7-20-65	35.4	280.2	229
		8-23-65	33.9	281.7	
		9-24-65	34.1	281.5	
		10-22-65	34.0	281.6	
		12-21-65	31.1	284.5	
		1-24-66	24.7	290.9	
		2-24-66	31.2	284.4	
		3-24-66	30.8	284.8	
		4-22-66	32.4	283.2	
		5-20-66	33.4	282.2	
		6-25-66	33.6	282.0	
		7-21-66	30.5	285.1	
		8-21-66	27.9	287.7	
		9-20-66	27.6	288.0	
13S/02W-12G01S	326.0	7-20-65	46.0(2)	280.0	229
		8-23-65	45.8(2)	280.2	
		9-23-65	44.2	281.8	
		10-22-65	43.2	282.8	
		12-21-65	38.3	287.7	
		1-24-66	36.5	289.5	
		2-24-66	41.5	284.5	
		3-24-66	40.9	285.1	
		4-22-66	40.5	285.5	
		5-20-66	44.0(2)	282.0	
		7-21-66	37.6(2)	288.4	
		8-21-66	41.5	284.5	
		9-21-66	44.8(2)	281.2	
13S/02W-12L01S	317.4	10-27-65	46.4	271.0	050
13S/02W-12N01S	316.8	7-20-65	36.5	280.3	229
		8-23-65	35.4	281.4	
		9-24-65	35.5	281.3	
		10-22-65	36.7	280.1	
		10-27-65	34.8	282.0	050
		12-21-65	33.6	283.2	229
		1-24-66	26.5	290.3	
		2-24-66	36.4	280.4	
		3-24-66	31.7	285.1	
		4-05-66	31.4	285.4	050
		4-22-66	34.2	282.6	229
		5-20-66	33.1	283.7	
		6-25-66	31.1	285.7	
		7-21-66	32.1	284.7	
		8-21-66	28.9	287.9	
		9-20-66	29.6	287.2	
13S/02W-12N02S	318.0	7-20-65	37.5	280.5	229
		8-23-65	37.8	280.2	
		9-24-65	36.7	281.3	
		10-22-65	36.9	281.1	
		12-21-65	34.2	283.8	
		1-24-66	31.8	286.2	
		2-24-66	33.4	284.6	
		3-24-66	33.4	284.6	
		4-22-66	34.4	283.6	
		5-20-66	33.6	284.4	
		6-25-66	33.0	285.0	
		7-20-66	32.6	285.4	
		8-21-66	30.6	287.4	
		9-20-66	30.2	287.8	
13S/02W-13C01S	331.6	7-20-65	34.2	297.4	229
		8-19-65	31.2	300.4	
		9-24-65	31.5	300.1	
		10-22-65	32.5	299.1	
		12-21-65	29.7	301.9	
		1-24-66	27.6	304.0	
		2-24-66	27.5	304.1	
		3-24-66	26.8	304.8	
		4-22-66	27.2	304.4	
		5-20-66	30.0	301.6	
		6-25-66	27.0	304.6	
HODGES HYDRO SUBUNIT					Z-05.80
HODGES HYDRO SUBAREA					Z-05.81
13S/02W-13C01S (CONT.)	331.6	7-20-66	27.7	303.9	229
		8-21-66	27.9	303.7	
		9-20-66	28.1	303.5	
GREEN HYDRO SUBAREA					Z-05.82
13S/02W-23G01S	500.0	10-27-65	62.8	437.2	050
		4-04-66	46.3	453.7	
FELICITA HYDRO SUBAREA					Z-05.83
12S/02W-27F01S	670.0	10-26-65	43.6	626.4	050
		4-04-66	38.2	631.8	
12S/02W-27K01S	622.0	10-26-65	14.9	607.1	050
		4-04-66	9.8	612.2	
12S/02W-27L01S	665.0	10-26-65	40.7	624.3	050
12S/02W-27P02S	650.0	10-26-65	29.3	620.7	050
		4-04-66	19.7	630.3	
12S/02W-28P01S	700.0	10-26-65	114.3	585.7	050
		4-04-66	94.2	605.8	
12S/02W-33A01S	635.0	10-26-65	59.5	575.5	050
12S/02W-33G03S	635.0	4-04-66	37.8	597.2	050
12S/02W-33R01S	596.0	10-26-65	34.8	561.2	050
		4-04-66	17.1	578.9	
12S/02W-34B01S	609.0	10-26-65	(1)		050
		4-06-66	(1)		
12S/02W-34M02S	610.0	10-27-65	40.2	569.8	050
		4-04-66	27.8	582.2	
13S/02W-03E01S	520.0	10-27-65	47.6	472.4	050
		4-04-66	36.9	483.1	
BEAR HYDRO SUBAREA					Z-05.84
12S/02W-23K02S	710.0	10-27-65	40.1	669.9	050
		4-05-66	27.4	682.6	
12S/02W-24D01S	728.0	10-27-65	39.5	688.5	050
		4-05-66	24.3	703.7	
12S/02W-24E01S	701.0	4-05-66	(1)		050
12S/02W-24F02S	694.0	10-26-65	(1)		050
		4-05-66	1.5	692.5	
12S/02W-24F03S	698.0	10-26-65	44.5(1)	653.5	050
12S/02W-24M02S	675.0	10-26-65	32.7(4)	642.3	050
		4-05-66	(1)		
12S/02W-24M03S	655.0	10-26-65	(1)		050
		4-05-66	(1)		
12S/02W-24N01S	660.0	10-26-65	11.0	649.0	050
		4-05-66	6.9	653.1	
12S/02W-24R01S	720.0	10-26-65	.6	719.4	050
		4-05-66	1.5	718.5	
12S/02W-24R03S	765.0	10-26-65	.9	764.1	050
		4-05-66	FLOW		
12S/02W-25F01S	660.0	10-26-65	11.1(1)	648.9	050
		4-06-66	9.5	650.5	
12S/02W-26C01S	698.0	10-27-65	13.7	684.3	050
		4-05-66	2.8	695.2	
12S/02W-26H01S	622.0	10-27-65	18.8	603.2	050
		4-05-66	13.5	608.5	
12S/02W-26L01S	610.0	10-26-65	40.9	569.1	050
		4-05-66	13.6	596.4	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN DIEGUITO HYDRO UNIT Z-05.00

SAN PASQUAL HYDRO SUBUNIT Z-05.C0

HIGHLAND HYDRO SUBAREA Z-05.C1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
13S/01W-05L01S	780.0	10-27-65	45.4	734.6	050
		4-05-66	20.2	759.8	
13S/01W-05M01S	758.0	10-27-65	41.0	717.0	050
		4-05-66	23.7	734.3	

SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
12S/01W-18R01S	434.8	4-06-66	11.4	423.4	050
12S/01W-20D01S	418.4	10-26-65	26.0	392.4	050
		4-06-66	(1)		
12S/01W-20L01S	403.6	10-26-65	31.6	372.0	050
		4-06-66	13.8	389.8	
12S/01W-20L02S	406.9	10-26-65	(1)		050
		4-06-66	(1)		
12S/01W-25N01S	445.4	7-14-65	DRY		229
		8-17-65	DRY		
		9-22-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-17-65	DRY		
		1-19-66	DRY		
		2-23-66	DRY		
		3-22-66	DRY		
		4-21-66	DRY		
		5-18-66	DRY		
		6-22-66	DRY		
		7-19-66	DRY		
		8-16-66	DRY		
		9-16-66	DRY		
12S/01W-25N02S	441.1	7-14-65	77.3	363.8	229
		8-18-65	84.0	357.1	
		9-22-65	77.1	364.0	
		10-21-65	77.2	363.9	
		11-21-65	77.1	364.0	
		12-17-65	71.0	370.1	
		1-19-66	73.6(1)	367.5	
		2-23-66	57.0	384.1	
		3-22-66	63.3(1)	377.8	
		4-21-66	55.0	386.1	
		5-18-66	52.9	388.2	
		6-22-66	62.7(1)	378.4	
		7-19-66	64.2(1)	376.9	
		8-16-66	66.7(1)	374.4	
		9-16-66	63.1	378.0	
12S/01W-26C01S	451.8	4-06-66	(1)		050
12S/01W-26Q01S	436.6	8-18-65	DRY		229
		9-22-65	DRY		
		10-21-65	DRY		
		11-21-65	DRY		
		12-17-65	DRY		
		1-19-66	DRY		
		2-23-66	DRY		
		3-23-66	DRY		
		4-21-66	DRY		
		5-18-66	DRY		
		6-22-66	DRY		
		7-19-66	DRY		
		8-17-66	DRY		
		9-16-66	DRY		
12S/01W-29D01S	378.5	7-20-65	21.0	357.5	229
		8-19-65	21.9	356.6	
		9-23-65	22.0	356.5	
		10-22-65	21.7	356.8	
		12-20-65	15.7	362.8	
		1-24-66	14.0	364.5	
		2-24-66	13.5	365.0	
		3-24-66	13.5	365.0	
		4-22-66	14.5	364.0	
		5-19-66	13.9	364.6	
		6-23-66	14.5	364.0	
		7-20-66	18.9	359.6	
		8-21-66	14.8	363.7	
		9-20-66	14.5	364.0	
12S/01W-29N01S	347.0	7-18-65	35.1(1)	311.9	229
		8-19-65	72.6(1)	274.4	
		9-23-65	74.0(1)	273.0	
		2-24-66	12.3	334.7	
		5-18-66	29.9	317.1	
		6-22-66	57.5(1)	289.5	
		7-21-66	60.0(1)	287.0	
		8-21-66	59.7(1)	287.3	
		9-21-66	71.9(1)	275.1	
12S/01W-30A01S	375.5	7-20-65	18.8	356.7	229
		8-19-65	19.0	356.5	

Z-05.00

SAN PASQUAL HYDRO SUBUNIT Z-05.C0

SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01W-30A01S	375.5	9-23-65	19.1	356.4	229
(CONT.)		10-22-65	19.4	356.1	
		12-20-65	14.2	361.3	
		1-24-66	11.8	363.7	
		2-24-66	11.0	364.5	
		3-24-66	10.9	364.6	
		4-22-66	11.7	363.8	
		5-18-66	11.5	364.0	
		6-23-66	12.0	363.5	
		7-20-66	13.4	362.1	
		8-21-66	12.8	362.7	
		9-20-66	13.0	362.5	
12S/01W-30A05S	398.1	7-20-65	49.8	348.3	229
		8-19-65	52.0	346.1	
		9-23-65	48.1	350.0	
		10-22-65	51.1	347.0	
		12-20-65	43.0	355.1	
		1-24-66	37.6	360.5	
		2-24-66	37.3	360.8	
		3-24-66	36.5	361.6	
		4-22-66	38.3	359.8	
		5-19-66	36.9	361.2	
		6-23-66	39.7	358.4	
		7-20-66	38.1	360.0	
		8-21-66	39.6	358.5	
12S/01W-30J01S	366.3	8-19-65	16.5	349.8	229
		9-23-65	16.8	349.5	
		10-22-65	17.3	349.0	
		12-20-65	11.2	355.1	
		1-24-66	20.0(1)	346.3	
		2-24-66	9.0(1)	357.3	
		3-24-66	13.8	352.5	
		4-22-66	10.2	356.1	
		5-19-66	17.3(1)	349.0	
		6-23-66	17.4(1)	348.9	
		7-20-66	20.9(1)	345.4	
		8-21-66	17.6(1)	348.7	
		9-20-66	17.9(1)	348.4	
12S/01W-30Q01S	383.9	10-26-65	38.4	345.5	050
		4-05-66	19.1	364.8	
12S/01W-30R01S	358.8	7-18-65	21.6	337.2	229
		8-19-65	22.3	336.5	
		9-23-65	23.6	335.2	
		10-22-65	22.6	336.2	
		1-24-66	11.0	347.8	
		2-24-66	9.7	349.1	
		3-23-66	8.1	350.7	
		4-21-66	10.5	348.3	
		5-19-66	12.7	346.1	
		6-22-66	14.5	344.3	
		7-21-66	16.1	342.7	
		8-21-66	28.7(1)	330.1	
		9-21-66	19.9	338.9	
12S/01W-31B02S	382.9	4-06-66	24.9	358.0	050
12S/01W-31G01S	355.8	7-18-65	DRY		229
		8-19-65	DRY		
		9-23-65	DRY		
		10-22-65	DRY		
		12-20-65	DRY		
		1-24-66	DRY		
		2-24-66	DRY		
		3-23-66	DRY		
		4-21-66	DRY		
		5-19-66	DRY		
		6-22-66	DRY		
		7-20-66	DRY		
		8-17-66	DRY		
		9-21-66	DRY		
12S/01W-31H01S	358.5	8-19-65	46.8	311.7	229
		9-23-65	48.2(1)	310.3	
		10-22-65	49.2(1)	309.3	
		12-20-65	45.6	312.9	
		1-19-66	37.6	320.9	
		2-23-66	34.7	323.8	
		3-23-66	34.4	324.1	
		4-21-66	37.1	321.4	
		5-19-66	38.8(1)	319.7	
		6-22-66	40.7(1)	317.8	
		7-20-66	40.3(1)	318.2	
		8-21-66	43.9	314.6	
		9-21-66	44.4(1)	314.1	
12S/01W-31H02S	357.4	8-12-65	45.6	311.8	010
		11-10-65	49.3	308.1	
		3-07-66	34.6	322.8	
		5-11-66	38.0	319.4	
		8-12-66	44.7	312.7	
		10-27-66	48.6(1)	308.8	
12S/01W-31J01S	353.0	7-19-65	61.5(1)	291.5	229
		8-19-65	64.9(1)	288.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN DIEGUITO HYDRO UNIT Z-05.00

SAN PASQUAL HYDRO SUBUNIT Z-05.C0

SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01W-31J01S (CONT.)	353.0	9-22-65	66.1(1)	286.9	229
		10-17-65	64.4	288.6	
		12-20-65	51.2	301.8	
		1-24-66	44.7	308.3	
		3-23-66	49.5(1)	303.5	
		4-22-66	48.7	304.3	
12S/01W-31L03S	353.0	7-19-65	54.4	298.6	229
		8-19-65	57.5	295.5	
		9-22-65	59.8	293.2	
		10-22-65	60.1	292.9	
		12-15-65	53.2	299.8	
		1-24-66	47.2	305.8	
		2-23-66	45.8	307.2	
		3-23-66	45.4	307.6	
		4-22-66	46.2	306.8	
		5-18-66	47.7	305.3	
		6-23-66	50.0	303.0	
		7-20-66	52.5	300.5	
		8-21-66	56.5	296.5	
		9-20-66	56.7	296.3	
12S/01W-31P01S	345.3	7-20-65	DRY		229
		8-19-65	DRY		
		9-23-65	DRY		
		10-22-65	DRY		
		12-20-65	DRY		
		1-24-66	DRY		
		2-24-66	41.5	303.8	
		3-23-66	40.5	304.8	
		4-22-66	41.2	304.1	
		5-19-66	41.7	303.6	
		6-23-66	DRY		
		7-20-66	DRY		
		8-21-66	DRY		
		9-20-66	DRY		
12S/01W-32B01S	372.9	7-18-65	26.2	346.7	229
		8-19-65	26.3	346.6	
		9-23-65	26.7	346.2	
		10-21-65	27.0	345.9	
		12-15-65	24.4	348.5	
		1-19-66	21.5	351.4	
		2-24-66	21.1	351.8	
		3-23-66	21.2	351.7	
		4-21-66	21.7	351.2	
		5-19-66	22.7	350.2	
		6-22-66	23.3	349.6	
		7-20-66	22.4	350.5	
		8-21-66	26.1	346.8	
		9-19-66	23.9	349.0	
12S/01W-32D03S	347.0	7-18-65	38.8(1)	308.2	229
		8-19-65	58.0(1)	289.0	
		9-23-65	46.6	300.4	
		10-22-65	46.3	300.7	
		2-24-66	10.4	336.6	
		3-23-66	25.2	321.8	
		4-21-66	28.4	318.6	
		5-19-66	44.8(1)	302.2	
		6-22-66	35.9	311.1	
		7-21-66	52.5(1)	294.5	
		8-21-66	41.8	305.2	
		9-21-66	52.8(1)	294.2	
12S/01W-32M03S	357.0	7-19-65	62.5(1)	294.5	229
		8-19-65	61.0(1)	296.0	
		9-22-65	61.3(1)	295.7	
		10-17-65	58.2	298.8	
		12-20-65	51.1	305.9	
		1-24-66	51.8(1)	305.2	
		2-23-66	43.9	313.1	
		3-23-66	44.3	312.7	
		4-22-66	49.4(1)	307.6	
		5-19-66	53.2(1)	303.8	
		6-23-66	53.7(1)	303.3	
		7-20-66	54.1(1)	302.9	
		8-17-66	53.3(1)	303.7	
		9-20-66	52.7(1)	304.3	
12S/01W-32Q01S	366.4	7-18-65	52.3	314.1	229
		8-19-65	53.5(1)	312.9	
		9-22-65	49.8	316.6	
		10-21-65	50.1	316.3	
		12-14-65	40.5	325.9	
		1-19-66	40.8	325.6	
		2-23-66	43.7(1)	322.7	
		3-23-66	37.9	328.5	
		4-21-66	40.9	325.5	
		5-19-66	38.2	328.2	
		6-23-66	39.8	326.6	
		7-19-66	39.0	327.4	
		8-17-66	48.8(1)	317.6	
		9-19-66	48.3(1)	318.1	
12S/01W-32Q02S	367.0	7-14-65	54.5(1)	312.5	229
		8-16-65	55.0(1)	312.0	
		9-21-65	49.2	317.8	

SAN PASQUAL HYDRO SUBUNIT Z-05.C0

SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01W-32Q02S (CONT.)	367.0	10-20-65	48.9	318.1	229
		11-21-65	48.6	318.4	
		12-18-65	37.0	330.0	
		1-18-66	37.8	329.2	
		2-22-66	35.4	331.6	
		3-22-66	35.9	331.1	
		4-19-66	37.8	329.2	
		5-18-66	40.3	326.7	
		6-15-66	(1)		
		7-18-66	(1)		
		8-16-66	(1)		
		9-15-66	44.5	322.5	
12S/01W-32Q03S	367.0	7-18-65	51.3	315.7	229
		8-19-65	52.6(1)	314.4	
		9-22-65	51.1	315.9	
		10-21-65	58.1(1)	308.9	
		12-14-65	43.8	323.2	
		1-19-66	38.6	328.4	
		2-23-66	35.4	331.6	
		3-23-66	36.3	330.7	
		4-21-66	36.3	330.7	
		5-19-66	36.7	330.3	
		6-23-66	38.2	328.8	
		7-19-66	38.8	328.2	
		8-17-66	37.9(1)	329.1	
		9-19-66	43.3(1)	323.7	
12S/01W-32R01S	373.0	7-18-65	62.0(1)	311.0	229
		8-19-65	63.2(1)	309.8	
		9-22-65	48.0	325.0	
		10-21-65	46.5	326.5	
		12-14-65	40.3	332.7	
		1-19-66	33.0	340.0	
		2-23-66	46.6(1)	326.4	
		3-23-66	32.8	340.2	
		4-21-66	31.2	341.8	
		5-19-66	34.8	338.2	
		6-22-66	36.9	336.1	
		7-18-66	38.1	334.9	
		8-17-66	49.8(1)	323.2	
		9-19-66	45.4	327.6	
12S/01W-33H02S	396.2	7-15-65	DRY		229
		8-16-65	DRY		
		9-22-65	DRY		
		10-21-65	DRY		
		12-14-65	DRY		
		1-19-66	DRY		
		2-23-66	DRY		
		3-23-66	DRY		
		4-21-66	DRY		
		5-18-66	DRY		
		6-22-66	DRY		
		7-19-66	DRY		
		8-17-66	DRY		
		9-16-66	DRY		
12S/01W-33N01S	378.0	7-13-65	57.4(1)	320.6	229
		8-16-65	58.1(1)	319.9	
		9-21-65	55.3(1)	322.7	
		10-20-65	50.7	327.3	
		11-21-65	48.0	330.0	
		12-18-65	39.1	338.9	
		1-18-66	31.8	346.2	
		2-23-66	30.1	347.9	
		3-22-66	32.1	345.9	
		4-19-66	32.7	345.3	
		5-18-66	53.9(1)	324.1	
		6-15-66	53.6(1)	324.4	
		7-18-66	57.0	321.0	
		8-16-66	45.5	332.5	
		9-15-66	45.9	332.1	
12S/01W-34A03S	417.3	8-16-65	35.3	382.0	229
		9-22-65	36.9	380.4	
		10-21-65	35.1	382.2	
		11-18-65	30.7	386.6	
		12-14-65	31.5	385.8	
		1-21-66	31.5	385.8	
		2-15-66	28.3	389.0	
		3-26-66	12.8	404.5	
		4-17-66	3.7	413.6	
		5-28-66	6.3	411.0	
		6-28-66	9.2	408.1	
		7-29-66	10.4	406.9	
		8-28-66	13.0	404.3	
		9-25-66	13.8	403.5	
12S/01W-34B01S	412.7	7-15-65	DRY		229
		8-16-65	DRY		
		9-22-65	DRY		
		10-21-65	DRY		
		12-14-65	DRY		
		1-19-66	DRY		
		2-23-66	DRY		
		3-23-66	DRY		
		4-21-66	DRY		

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN DIEGUITO HYDRO UNIT Z-05.00

SAN PASQUAL HYDRO SUBUNIT Z-05.C0
SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01W-34B01S (CONT.)	412.7	5-18-66	DRY		229
		6-22-66	DRY		
		7-19-66	DRY		
		8-17-66	DRY		
		9-16-66	DRY		
12S/01W-34F01S	400.6	8-16-65	DRY		229
		9-22-65	DRY		
		10-21-65	DRY		
		12-14-65	DRY		
		1-19-66	DRY		
		2-23-66	DRY		
		3-23-66	DRY		
		4-21-66	DRY		
		5-18-66	DRY		
		6-22-66	DRY		
		7-19-66	DRY		
		8-17-66	DRY		
		9-16-66	DRY		
12S/01W-34J01S	414.0	7-14-65	55.1	358.9	229
		8-16-65	56.7	357.3	
		9-21-65	56.5	357.5	
		10-20-65	61.1	352.9	
		11-21-65	58.6	355.4	
		12-18-65	56.4	357.6	
		1-18-66	52.3	361.7	
		2-22-66	50.5	363.5	
		3-22-66	51.4	362.6	
		4-19-66	51.1	362.9	
		5-18-66	50.5	363.5	
		6-15-66	48.5	365.5	
		7-18-66	48.7	365.3	
		8-16-66	49.6	364.4	
		9-15-66	49.2	364.8	
12S/01W-34K02S	408.8	7-14-65	52.4	356.4	229
		8-16-65	55.6	353.2	
		9-21-65	54.8	354.0	
		10-20-65	55.8	353.0	
		11-21-65	55.6	353.2	
		12-18-65	53.6	355.2	
		1-18-66	50.0	358.8	
		2-22-66	47.7	361.1	
		3-22-66	59.2(1)	349.6	
		4-19-66	48.6	360.2	
		5-18-66	58.7(1)	350.1	
		6-15-66	58.5(1)	350.3	
		7-18-66	59.0(1)	349.8	
		8-16-66	59.6(1)	349.2	
		9-15-66	58.5(1)	350.3	
12S/01W-34Q02S	404.3	7-14-65	37.5	366.8	229
		8-16-65	31.5	372.8	
		9-21-65	38.4	365.9	
		10-20-65	31.1	373.2	
		11-21-65	38.1	366.2	
		12-18-65	30.3	374.0	
		1-18-66	36.3	368.0	
		2-22-66	37.1	367.2	
		4-19-66	35.1	369.2	
		6-15-66	35.8	368.5	
		7-18-66	39.9	364.4	
		8-16-66	39.0	365.3	
		9-15-66	38.1	366.2	
12S/01W-34R01S	411.2	7-14-65	DRY		229
		9-21-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-18-65	DRY		
		1-18-66	DRY		
		2-22-66	DRY		
		3-22-66	DRY		
		4-19-66	DRY		
		5-18-66	DRY		
		6-15-66	DRY		
		7-18-66	DRY		
		8-16-66	DRY		
		9-15-66	DRY		
12S/01W-35A01S	443.4	7-14-65	80.9(1)	362.5	229
		8-17-65	88.2(1)	355.2	
		9-22-65	80.2	363.2	
		10-21-65	82.4	361.0	
		11-21-65	80.5	362.9	
		12-17-65	74.7	368.7	
		1-19-66	66.7	376.7	
		2-23-66	58.7	384.7	
		3-22-66	55.3	388.1	
		4-21-66	63.7(1)	379.7	
		5-18-66	54.4	389.0	
		6-22-66	61.6(1)	381.8	
		7-19-66	61.2	382.2	
		8-16-66	61.6	381.8	
		9-16-66	63.1	380.3	
12S/01W-35B02S	437.0	8-18-65	74.1(2)	362.9	229

Z-05.00

SAN PASQUAL HYDRO SUBUNIT Z-05.C0
SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01W-35B02S (CONT.)	437.0	9-22-65	(1)		229
		10-21-65	(1)		
		11-21-65	72.8(2)	364.2	
		12-18-65	72.5	364.5	
		1-19-66	(1)		
		2-23-66	(4)		
		3-22-66	(4)		
		4-21-66	(4)		
		5-18-66	(4)		
		6-22-66	(4)		
		7-19-66	(4)		
		8-17-66	(4)		
		9-16-66	(4)		
12S/01W-35C01S	426.0	9-22-65	DRY		229
		10-21-65	DRY		
		12-14-65	DRY		
		1-19-66	DRY		
		2-23-66	DRY		
		3-23-66	DRY		
		4-21-66	DRY		
		5-18-66	DRY		
		6-22-66	DRY		
		7-19-66	DRY		
		8-17-66	DRY		
		9-16-66	DRY		
12S/01W-35C05S	429.0	7-15-65	DRY		229
		8-18-65	DRY		
		9-22-65	DRY		
		10-21-65	DRY		
		12-15-65	DRY		
		1-18-66	DRY		
		2-23-66	DRY		
		3-22-66	DRY		
		4-21-66	DRY		
		5-18-66	DRY		
		6-22-66	DRY		
		7-19-66	DRY		
		8-17-66	DRY		
		9-16-66	DRY		
12S/01W-35D02S	419.3	7-15-65	53.8(1)	365.5	229
		8-18-65	55.5(1)	363.8	
		9-22-65	53.3(1)	366.0	
		10-21-65	68.3(1)	351.0	
		12-14-65	61.4(1)	357.9	
		1-19-66	59.7(1)	359.6	
		2-23-66	53.1(1)	366.2	
		3-23-66	54.4(1)	364.9	
		4-21-66	58.0(1)	361.3	
		5-18-66	59.7(1)	359.6	
		6-22-66	56.2(1)	363.1	
		7-19-66	58.7(1)	360.6	
		8-17-66	59.5(1)	359.8	
		9-16-66	57.4(1)	361.9	
12S/01W-35F01S	430.7	7-14-65	(1)		229
		8-16-65	(1)		
		9-22-65	(1)		
		10-20-65	92.6(1)	338.1	
		11-21-65	69.3	361.4	
		12-17-65	66.5	364.2	
		1-18-66	63.4	367.3	
		2-22-66	59.9	370.8	
		3-22-66	(7)		
		4-19-66	61.5(1)	369.2	
		5-18-66	58.1	372.6	
		6-15-66	58.0	372.7	
		7-19-66	58.5	372.2	
		8-16-66	58.0	372.7	
		9-15-66	53.7	377.0	
12S/01W-35F02S	430.0	7-14-65	73.1	356.9	229
		8-17-65	74.1	355.9	
		9-22-65	72.3	357.7	
		10-20-65	76.3	353.7	
		11-21-65	68.1	361.9	
		12-17-65	65.3	364.7	
		1-18-66	62.9	367.1	
		2-22-66	59.4	370.6	
		3-22-66	62.2	367.8	
		4-19-66	60.8	369.2	
		5-18-66	57.8	372.2	
		6-15-66	57.7	372.3	
		7-19-66	58.4	371.6	
		8-16-66	57.9	372.1	
		9-15-66	58.0	372.0	
12S/01W-35G02S	434.7	7-14-65	65.2	369.5	229
		8-18-65	71.8	362.9	
		9-22-65	68.5	366.2	
		10-21-65	68.9	365.8	
		11-21-65	68.7	366.0	
		12-17-65	65.3	369.4	
		1-19-66	62.8	371.9	
		2-23-66	60.5	374.2	
		3-22-66	57.3	377.4	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SAN DIEGUITO HYDRO UNIT Z-05.00

SAN PASQUAL HYDRO SUBUNIT Z-05.C0

SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01W-35G02S	434.7	4-21-66	56.3	378.4	229
(CONT.)		5-18-66	55.4	379.3	
		6-22-66	54.6	380.1	
		7-19-66	59.2	375.5	
		8-17-66	54.0	380.7	
		9-16-66	58.3	376.4	
12S/01W-35H02S	444.3	7-14-65	82.0	362.3	229
		8-18-65	80.7	363.6	
		9-22-65	80.6	363.7	
		10-20-65	81.0	363.3	
		11-21-65	81.3	363.0	
		12-17-65	76.9	367.4	
		1-18-66	71.1	373.2	
		2-22-66	64.7	379.6	
		3-22-66	59.7	384.6	
		4-19-66	58.5	385.8	
		5-18-66	57.4	386.9	
		6-22-66	57.7	386.6	
		7-19-66	58.0	386.3	
		8-16-66	59.2	385.1	
		9-15-66	59.6	384.7	
12S/01W-35L04S	429.7	7-14-65	65.6	364.1	229
		8-17-65	69.1	360.6	
		9-22-65	66.9	362.8	
		10-20-65	68.4	361.3	
		11-21-65	68.3	361.4	
		12-17-65	65.5	364.2	
		1-18-66	61.7	368.0	
		2-22-66	60.1	369.6	
		3-22-66	61.7	368.0	
		4-19-66	59.6	370.1	
		5-18-66	61.4	368.3	
		6-15-66	60.7	369.0	
		7-19-66	66.8	362.9	
		8-16-66	58.4	371.3	
		9-15-66	60.8	368.9	
12S/01W-35R01S	419.0	7-14-65	34.4	384.6	229
		8-17-65	39.3	379.7	
		9-21-65	39.3	379.7	
		10-20-65	27.2	391.8	
		11-21-65	27.9	391.1	
		12-18-65	35.7	383.3	
		1-18-66	40.6	378.4	
		2-22-66	42.7	376.3	
		3-22-66	43.4	375.6	
		4-19-66	43.8	375.2	
		5-18-66	44.1	374.9	
		6-15-66	44.1	374.9	
		7-19-66	44.1	374.9	
		8-16-66	43.9	375.1	
		9-15-66	44.5	374.5	
12S/01W-35R02S	419.6	7-14-65	DRY		229
		8-17-65	DRY		
		9-21-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-18-65	DRY		
		1-18-66	DRY		
		2-22-66	DRY		
		3-22-66	DRY		
		4-19-66	DRY		
		5-18-66	DRY		
		6-15-66	DRY		
		7-19-66	DRY		
		8-16-66	DRY		
		9-15-66	DRY		
12S/01W-36C03S	452.7	7-14-65	DRY		229
		8-17-65	DRY		
		9-22-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-17-65	DRY		
		1-18-66	DRY		
		2-23-66	DRY		
		3-22-66	DRY		
		4-19-66	DRY		
		5-18-66	DRY		
		6-16-66	DRY		
		7-14-66	DRY		
		8-17-66	DRY		
		9-22-66	DRY		
12S/01W-36D01S	448.1	8-17-65	DRY		229
		9-22-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-17-65	DRY		
		1-19-66	DRY		
		2-23-66	55.2	392.9	
		3-22-66	51.9	396.2	
		4-21-66	52.1	396.0	
		5-18-66	54.2	393.9	
		6-22-66	53.0	395.1	

SAN PASQUAL HYDRO SUBUNIT Z-05.C0

SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01W-36D01S	448.1	7-19-66	54.3	393.8	229
(CONT.)		8-16-66	55.4	392.7	
		9-15-66	56.7	391.4	
12S/01W-36D02S	445.9	7-14-65	DRY		229
		8-17-65	DRY		
		9-22-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-17-65	DRY		
		1-19-66	DRY		
		2-23-66	DRY		
		3-22-66	DRY		
		4-21-66	DRY		
		5-18-66	DRY		
		6-22-66	DRY		
		7-19-66	DRY		
		8-16-66	DRY		
		9-16-66	DRY		
12S/01W-36D03S	444.5	7-14-65	79.5	365.0	229
		8-17-65	77.7	366.8	
		9-22-65	81.1	363.4	
		10-21-65	87.4(1)	357.1	
		11-21-65	85.4	359.1	
		12-17-65	73.5	371.0	
		1-19-66	67.3	377.2	
		2-23-66	61.7	382.8	
		3-22-66	55.6	388.9	
		4-21-66	55.6	388.9	
		5-18-66	57.0	387.5	
		6-22-66	56.1	388.4	
		7-19-66	54.5	390.0	
		8-16-66	56.4	388.1	
		9-16-66	59.2	385.3	
12S/01W-36F01S	458.5	7-14-65	DRY		229
		8-17-65	DRY		
		9-22-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-17-65	DRY		
		1-18-66	45.8	412.7	
		2-22-66	29.2	429.3	
		3-22-66	26.7	431.8	
		4-19-66	29.5	429.0	
		5-18-66	32.7	425.8	
		6-22-66	36.2	422.3	
		7-19-66	38.8	419.7	
		8-16-66	42.0	416.5	
		9-15-66	42.8	415.7	
12S/01W-36H01S	467.1	7-14-65	70.1	397.0	229
		8-17-65	69.9	397.2	
		9-22-65	71.5	395.6	
		10-20-65	73.2	393.9	
		11-21-65	74.3	392.8	
		12-17-65	59.7	407.4	
		1-18-66	23.7	443.4	
		2-22-66	17.6	449.5	
		3-22-66	17.1	450.0	
		4-19-66	18.3	448.8	
		5-18-66	21.2	445.9	
		6-22-66	24.9	442.2	
		7-19-66	25.3	441.8	
		8-16-66	31.3	435.8	
		9-15-66	32.0	435.1	
13S/01W-03D01S	401.4	7-14-65	DRY		229
		8-16-65	DRY		
		9-21-65	DRY		
		10-21-65	DRY		
		12-18-65	DRY		
		1-18-66	DRY		
		2-22-66	DRY		
		3-22-66	DRY		
		4-19-66	DRY		
		5-18-66	DRY		
		6-15-66	DRY		
		7-18-66	DRY		
		8-16-66	DRY		
		9-15-66	DRY		
13S/01W-03E01S	399.2	7-14-65	(7)		229
		8-16-65	(7)		
		9-21-65	54.8(1)	344.4	
		10-20-65	46.5	352.7	
		10-26-65	45.6	353.6	050
		11-21-65	45.4	353.8	229
		12-18-65	33.8	365.4	
		1-18-66	22.5	376.7	
		2-22-66	18.3	380.9	
		3-22-66	33.1(1)	366.1	
		4-05-66	20.2	379.0	050
		4-19-66	23.8	375.4	229
		5-18-66	33.2(1)	366.0	
		6-15-66	32.7(1)	366.5	
		7-18-66	35.5(1)	363.7	

TABLE C-1

GROUND WATER LEVELS AT WELLS

SAN DIEGUITO HYDRO UNIT Z-05.00

SAN PASQUAL HYDRO SUBUNIT Z-05.C0

SAN PASQUAL HYDRO SUBAREA Z-05.C2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
13S/01W-03E01S	399.2	8-16-66	37.0(1)	362.2	229
(CONT.)		9-15-66	41.5(1)	357.7	
13S/01W-03E02S	400.1	7-14-65	DRY		229
		8-16-65	DRY		
		9-21-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-18-65	DRY		
		1-18-66	DRY		
		2-22-66	DRY		
		3-22-66	DRY		
		4-19-66	DRY		
		5-18-66	DRY		
		6-15-66	DRY		
		7-18-66	DRY		
		8-16-66	DRY		
		9-15-66	DRY		
13S/01W-04C01S	382.1	7-13-65	35.9	346.2	229
		8-16-65	36.4	345.7	
		9-21-65	36.7	345.4	
		10-20-65	37.0	345.1	
		11-21-65	36.3	345.8	
		12-18-65	32.1	350.0	
		1-18-66	20.1	362.0	
		2-22-66	23.6	358.5	
		3-22-66	24.3	357.8	
		4-19-66	26.0	356.1	
		5-18-66	28.5	353.6	
		6-15-66	31.0	351.1	
		7-15-66	36.5	345.6	
		7-18-66	33.6	348.5	
		8-16-66	35.2	346.9	
13S/01W-05A01S	373.8	7-13-65	DRY		229
		8-16-65	DRY		
		9-21-65	DRY		
		10-20-65	DRY		
		11-21-65	DRY		
		12-18-65	DRY		
		1-18-66	DRY		
		2-22-66	DRY		
		3-22-66	DRY		
		4-19-66	DRY		
		5-18-66	DRY		
		6-15-66	DRY		
		7-18-66	DRY		
		8-16-66	DRY		
		9-15-66	DRY		
13S/01W-05A02S	372.6	7-13-65	67.8(1)	304.8	229
		8-16-65	68.4(1)	304.2	
		9-21-65	53.0	319.6	
		10-20-65	52.3	320.3	
		11-21-65	52.1	320.5	
		12-18-65	48.4	324.2	
		1-18-66	43.0	329.6	
		2-22-66	39.5	333.1	
		3-22-66	38.2	334.4	
		4-19-66	38.8	333.8	
		5-18-66	49.3(1)	323.3	
		6-15-66	60.3(1)	312.3	
		7-18-66	49.6	323.0	
		8-16-66	51.5	321.1	
		9-15-66	55.4	317.2	
13S/01W-06M01S	335.0	7-19-65	57.6	277.4	229
		8-12-65	46.2	288.8	010
		8-19-65	57.1	277.9	229
		9-23-65	58.0	277.0	
		10-22-65	56.2	278.8	
		11-10-65	55.4	279.6	010
		12-21-65	50.3	284.7	229
		1-24-66	43.4	291.6	
		2-24-66	41.9	293.1	
		3-07-66	41.8	293.2	010
		3-24-66	41.1	293.9	229
		4-22-66	38.4	296.6	
		5-11-66	42.2	292.8	010
		5-20-66	43.8	291.2	229
		7-20-66	53.0	282.0	
		8-12-66	53.1	281.9	010
		8-21-66	54.1	280.9	229
		9-20-66	54.2	280.8	
13S/01W-06M02S	336.0	4-05-66	39.5	296.5	050
13S/02W-01J01S	332.7	4-05-66	39.1	293.6	050

SANTA MARIA VALLEY HYDRO SUBUNIT Z-05.D0

RAMONA HYDRO SUBAREA Z-05.D1

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
12S/01E-34R01S	1570.0	10-28-65	39.5	1530.5	050
		4-06-66	30.5	1539.5	
13S/01E-02R02S	1518.0	10-28-65	28.7	1489.3	050
		4-06-66	26.2	1491.8	
13S/01E-03K01S	1515.0	10-28-65	41.7	1473.3	050
		4-06-66	44.5	1470.5	
13S/01E-10J01S	1465.0	7-23-65	25.1	1439.9	402
		8-23-65	25.1	1439.9	
		9-24-65	25.2	1439.8	
		10-22-65	25.2	1439.8	
		11-23-65	25.2	1439.8	
		12-22-65	23.4	1441.6	
		1-24-66	20.3	1444.7	
		2-23-66	19.1	1445.9	
		3-24-66	18.6	1446.4	
		4-25-66	18.1	1446.9	
		5-24-66	17.8	1447.2	
		6-23-66	17.8	1447.2	
		7-25-66	18.3	1446.7	
		8-23-66	18.8	1446.2	
		9-23-66	19.5	1445.5	
13S/01E-10J02S	1465.0	10-28-65	21.9	1443.1	050
13S/01E-10R01S	1450.0	7-23-65	23.2	1426.8	402
		8-23-65	23.7	1426.3	
		9-24-65	23.4	1426.6	
		10-22-65	23.5	1426.5	
		11-23-65	23.6	1426.4	
		12-22-65	19.5	1430.5	
		1-24-66	18.7	1431.3	
		2-23-66	14.6	1435.4	
		3-24-66	14.3	1435.7	
		4-25-66	14.2	1435.8	
		5-24-66	14.4	1435.6	
		6-23-66	15.0	1435.0	
		7-25-66	15.7	1434.3	
		8-23-66	17.1	1432.9	
		9-23-66	17.9	1432.1	
13S/01E-11M01S	1465.0	7-23-65	25.2	1439.8	402
		8-23-65	25.3	1439.7	
		9-24-65	25.2	1439.8	
		10-22-65	25.2	1439.8	
		11-23-65	24.6	1440.4	
		12-22-65	23.0	1442.0	
		1-24-66	22.0	1443.0	
		2-23-66	21.4	1443.6	
		3-24-66	20.9	1444.1	
		4-25-66	20.5	1444.5	
		5-24-66	20.1	1444.9	
		6-23-66	19.8	1445.2	
		7-25-66	22.8	1442.2	
		8-23-66	21.2	1443.8	
		9-23-66	21.1	1443.9	
13S/01E-11M02S	1455.5	7-23-65	25.3	1430.2	402
		8-23-65	25.4	1430.1	
		9-24-65	25.3	1430.2	
		10-22-65	25.5	1430.0	
		11-23-65	25.2	1430.3	
		12-22-65	24.6	1430.9	
		1-24-66	22.7	1432.8	
		2-23-66	21.5	1434.0	
		3-24-66	20.6	1434.9	
		4-25-66	19.9	1435.6	
		5-24-66	19.5	1436.0	
		6-23-66	19.2	1436.3	
		7-25-66	19.6	1435.9	
		8-23-66	19.7	1435.8	
		9-23-66	20.3	1435.2	
13S/01E-11M03S	1465.0	7-23-65	25.2	1439.8	402
		8-23-65	25.2	1439.8	
		9-24-65	25.2	1439.8	
		10-22-65	25.4	1439.6	
		11-23-65	25.1	1439.9	
		12-22-65	23.7	1441.3	
		1-24-66	22.6	1442.4	
		2-23-66	21.7	1443.3	
		3-24-66	20.7	1444.3	
		4-25-66	20.1	1444.9	
		5-24-66	19.7	1445.3	
		6-23-66	19.4	1445.6	
		7-25-66	19.8	1445.2	
		8-23-66	20.2	1444.8	
		9-23-66	20.3	1444.7	
13S/01E-11Q02S	1480.0	10-28-65	20.7	1459.3	050
		4-06-66	15.9	1464.1	
13S/01E-14A02S	1500.0	10-28-65	12.9	1487.1	050
		4-06-66	4.3	1495.7	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT					Z-05.00
SANTA MARIA VALLEY HYDRO SUBUNIT				Z-05.D0	
RAMONA HYDRO SUBAREA					Z-05.D1
13S/01E-15H01S (CONT.)	1425.0	8-23-65	22.0	1403.0	402
		11-23-65	20.9	1404.1	
		12-22-65	11.7	1413.3	
		1-24-66	11.4	1413.6	
		2-23-66	10.8	1414.2	
		3-24-66	12.6	1412.4	
		4-25-66	13.3	1411.7	
		5-24-66	18.2	1406.8	
		6-23-66	19.1	1405.9	
		7-25-66	19.1	1405.9	
		8-23-66	19.7	1405.3	
		9-23-66	22.0	1403.0	
13S/01E-15B02S	1435.0	7-23-65	21.6	1413.4	402
		8-23-65	21.8	1413.2	
		9-24-65	21.9	1413.1	
		10-22-65	22.0	1413.0	
		11-23-65	22.0	1413.0	
		12-22-65	13.9	1421.1	
		1-24-66	11.6	1423.4	
		2-23-66	11.9	1423.1	
		3-24-66	10.8	1424.2	
		4-25-66	11.0	1424.0	
		5-24-66	11.6	1423.4	
		6-23-66	12.4	1422.6	
		7-25-66	14.1	1420.9	
		8-23-66	15.5	1419.5	
		9-23-66	16.8	1418.2	
13S/01E-15E02S	1421.0	10-28-65	15.6	1405.4	050
		4-06-66	7.8	1413.2	
13S/01E-15M01S	1410.0	7-23-65	19.1	1390.9	402
		8-23-65	18.9	1391.1	
		9-24-65	24.6	1385.4	
		10-22-65	18.3	1391.7	
		11-23-65	15.5	1394.5	
		12-22-65	11.0	1399.0	
		1-24-66	11.5	1398.5	
		2-23-66	11.3	1398.7	
		3-24-66	12.5	1397.5	
		4-25-66	14.6	1395.4	
		5-24-66	16.3	1393.7	
		6-23-66	17.9	1392.1	
		7-25-66	18.0	1392.0	
		8-23-66	18.1	1391.9	
		9-23-66	19.5	1390.5	
13S/01E-16P03S	1399.0	11-01-65	21.2	1377.8	050
		4-06-66	12.4(4)	1386.6	
13S/01E-17Q02S	1390.0	11-01-65	20.4	1369.6	050
		4-06-66	16.3	1373.7	
13S/01E-19J01S	1360.0	10-28-65	9.9	1350.1	050
		4-06-66	4.1	1355.9	
13S/01E-22001S	1423.0	11-01-65	41.6(1)	1381.4	050
		4-06-66	26.6	1396.4	
13S/01E-23E01S	1500.0	11-01-65	42.5	1457.5	050
13S/01E-23K01S	1520.0	11-01-65	78.6(1)	1441.4	050
		4-06-66	70.1	1449.9	
13S/01E-27B01S	1455.0	11-01-65	35.2	1419.8	050
		4-06-66	25.4	1429.6	
13S/01E-28C01S	1420.0	11-01-65	23.4	1396.6	050
		4-06-66	15.4	1404.6	
13S/01E-29P01S	1435.0	11-01-65	73.8	1361.2	050
		4-06-66	70.2	1364.8	
13S/01W-13H01S	1370.0	4-06-66	16.7	1353.3	050
13S/01W-24K01S	1360.0	10-28-65	13.0	1347.0	050
		4-06-66	4.2	1355.8	
LOWER HATFIELD HYDRO SUBAREA					Z-05.D2
13S/02E-17C01S	1820.0	11-01-65	29.5	1790.5	050
		4-06-66	21.2	1798.8	
WASH HOLLOW HYDRO SUBAREA					Z-05.D3
13S/02E-15E01S	2070.0	11-01-65	24.4	2045.6	050
		4-06-66	20.5	2049.5	
UPPER HATFIELD HYDRO SUBAREA					Z-05.D4
13S/02E-09H01S	2318.0	11-01-65	17.8	2300.2	050
Z-05.00					
SANTA MARIA VALLEY HYDRO SUBUNIT				Z-05.D0	
UPPER HATFIELD HYDRO SUBAREA					Z-05.D4
13S/02E-09H01S	2318.0	4-06-66	10.6	2307.4	050
BALLENA HYDRO SUBAREA					Z-05.D5
13S/02E-10K01S	2460.0	11-01-65	23.9(4)	2436.1	050
		4-06-66	11.5	2448.5	
13S/02E-11C01S	2490.0	11-01-65	16.3	2473.7	050
		4-06-66	12.6	2477.4	
EAST SANTA TERESA HYDRO SUBAREA					Z-05.D6
13S/02E-03E01S	2520.0	11-01-65	35.4	2484.6	050
		4-06-66	30.6	2489.4	
WEST SANTA TERESA HYDRO SUBAREA					Z-05.D7
12S/02E-32H01S	2345.0	11-01-65	32.4	2312.6	050
		4-06-66	17.4	2327.6	

TABLE C-I

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
			SAN DIEGUITO HYDRO UNIT			Z-05.00					
SANTA YSABEL HYDRO SUBUNIT				Z-05.E0							
	RODEN HYDRO SUBAREA				Z-05.E1						
12S/01E-34Q01S	1595.0	10-28-65	6R.6	1526.4	050						
		4-06-66	66.9	1528.1							
13S/01E-03P01S	1497.0	10-28-65	42.3	1454.7	050						
		4-06-66	40.6	1456.4							
	PAMO HYDRO SUBAREA				Z-05.E2						
11S/01E-35P02S	1060.0	10-28-65	25.1	1034.9	050						
		4-06-66	12.1	1047.9							
11S/01E-35P03S	1058.0	10-28-65	22.7	1035.3	050						
12S/01E-02L01S	1040.0	10-28-65	30.3(1)	1009.7	050						
		4-06-66	19.4	1020.6							
12S/01E-02P01S	1030.0	10-28-65	15.1	1014.9	050						
		4-06-66	9.3	1020.7							
12S/01E-02P02S	1030.0	10-26-66	12.0	1018.0	050						
12S/01E-11L02S	1002.0	10-28-65	21.1	980.9	050						
		4-06-66	11.5	990.5							
	SANTA YSABEL HYDRO SUBAREA				Z-05.E4						
12S/03E-16C01S	2960.0	11-01-65	9.2	2950.8	050						
		4-07-66	8.1(1)	2951.9							
12S/03E-21N01S	2870.0	11-01-65	5.8	2864.2	050						
		4-07-66	1.0	2869.0							
12S/03E-2RC01S	2960.0	11-01-65	19.0(1)	2941.0	050						
		4-07-66	7.9	2952.1							

TABLE C-1

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PENASQUITO HYDRO UNIT Z-06.00					
POWAY HYDRO SUBUNIT Z-06.80					
13S/02W-35Q01S	625.0	10-27-65	13.8	611.2	050
		4-04-66	12.2	612.8	

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGO HYDRO UNIT					Z-07.00
LOWER SAN DIEGO HYDRO SUBUNIT					Z-07.40
MISSION SAN DIEGO HYDRO SUBAREA					Z-07.41
16S/02W-19D01S	47.2	7-31-65	17.0	30.2	010
		8-12-65	17.0	30.2	
		11-10-65	17.9	29.3	
		3-07-66	15.2	32.0	
		5-10-66	15.8	31.4	
		8-12-66	17.5	29.7	
SANTEE HYDRO SUBAREA					Z-07.42
15S/01E-17B01S	430.0	7-01-65	52.4	377.6	420
		8-01-65	52.4	377.6	
		9-01-65	52.4	377.6	
		10-01-65	52.5	377.5	
		11-01-65	53.0	377.0	
		12-03-65	52.4	377.6	
		1-01-66	52.4	377.6	
		2-01-66	52.4	377.6	
		3-01-66	52.4	377.6	
		4-01-66	52.2	377.8	
		5-01-66	52.2	377.8	
		6-01-66	52.2	377.8	
		7-01-66	52.3	377.7	
		8-01-66	52.4	377.6	
		9-01-66	52.4	377.6	
15S/01E-17B02S	425.0	7-01-65	50.3	374.7	420
		8-01-65	50.0	375.0	
		9-01-65	50.0	375.0	
		10-01-65	50.0	375.0	
		11-01-65	50.5	374.5	
		12-03-65	49.9	375.1	
		1-01-66	49.8	375.2	
		2-01-66	49.8	375.2	
		3-01-66	49.6	375.4	
		4-01-66	49.4	375.6	
		5-01-66	49.4	375.6	
		6-01-66	49.6	375.4	
		7-01-66	49.7	375.3	
		8-01-66	49.8	375.2	
		9-01-66	49.8	375.2	
15S/01E-17H02S	430.0	7-01-65	57.4	372.6	420
		8-01-65	56.9	373.1	
		9-01-65	56.9	373.1	
		10-01-65	57.0	373.0	
		11-01-65	57.7	372.3	
		12-03-65	57.1	372.9	
		1-01-66	57.2	372.8	
		2-01-66	57.2	372.8	
		3-01-66	57.3	372.7	
		4-01-66	56.9	373.1	
		5-01-66	56.9	373.1	
		6-01-66	59.9(9)	370.1	
		7-01-66	57.0	373.0	
		8-01-66	57.0	373.0	
		9-01-66	57.1	372.9	
15S/01E-17H07S	435.0	7-01-65	55.5	379.5	420
		8-01-65	55.0	380.0	
		9-01-65	55.0	380.0	
		10-01-65	55.1	379.9	
		11-01-65	55.8	379.2	
		12-03-65	55.2	379.8	
		1-01-66	55.2	379.8	
		2-01-66	55.2	379.8	
		3-01-66	55.2	379.8	
		4-01-66	54.9	380.1	
		5-01-66	54.9	380.1	
		6-01-66	54.9	380.1	
		7-01-66	55.0	380.0	
		8-01-66	55.1	379.9	
		9-01-66	55.1	379.9	
15S/01E-20B04S	476.6	7-01-65	28.3(1)	448.3	420
		8-01-65	29.2	447.4	
		9-01-65	34.2(9)	442.4	
		10-01-65	43.1(9)	433.5	
		11-01-65	29.5	447.1	
		12-03-65	29.2	447.4	
		1-01-66	24.6	452.0	
		2-01-66	27.6	449.0	
		3-01-66	29.5(1)	447.1	
		4-01-66	27.6(1)	449.0	
		5-01-66	29.3(9)	447.3	
		6-01-66	25.6	451.0	
		8-01-66	27.4	449.2	
		9-01-66	23.0(1)	453.6	
EL MONTE HYDRO SUBAREA					Z-07.45
15S/01E-09P01S	445.0	7-01-65	61.0	384.0	420
		8-01-65	60.3	384.7	
		9-01-65	60.2	384.8	
LOWER SAN DIEGO HYDRO SUBUNIT					Z-07.40
EL MONTE HYDRO SUBAREA					Z-07.45
15S/01E-09P01S (CONT.)	445.0	10-01-65	60.4	384.6	420
		11-01-65	61.1	383.9	
		12-03-65	61.5	383.5	
		1-01-66	61.1	383.9	
		2-01-66	61.1	383.9	
		3-01-66	61.2	383.8	
		4-01-66	49.4(9)	395.6	
		5-01-66	61.2	383.8	
		6-01-66	61.2	383.8	
		7-01-66	61.3	383.7	
		8-01-66	61.3	383.7	
		9-01-66	61.3	383.7	
15S/01E-09Q02S	460.0	7-01-65	62.9	397.1	420
		8-01-65	62.4	397.6	
		9-01-65	62.6	397.4	
		10-01-65	62.8	397.2	
		11-01-65	63.6	396.4	
		12-03-65	63.2	396.8	
		1-01-66	63.3	396.7	
		2-01-66	63.4	396.6	
		3-01-66	63.5	396.5	
		4-01-66	63.5	396.5	
		5-01-66	63.5	396.5	
		6-01-66	63.6	396.4	
		7-01-66	63.7	396.3	
		8-01-66	63.9	396.1	
		9-01-66	63.9	396.1	
15S/01E-09R01S	450.0	7-01-65	59.4	390.6	420
		8-01-65	59.1	390.9	
		9-01-65	59.3	390.7	
		10-01-65	59.6	390.4	
		11-01-65	60.2	389.8	
		12-03-65	60.0	390.0	
		1-01-66	60.1	389.9	
		2-01-66	60.2	389.8	
		3-01-66	60.2	389.8	
		4-01-66	60.3	389.7	
		5-01-66	60.4	389.6	
		6-01-66	60.5	389.5	
		7-01-66	60.6	389.4	
		8-01-66	60.8	389.2	
		9-01-66	60.9	389.1	
15S/01E-10N01S	450.0	7-01-65	59.8	390.2	420
		8-01-65	60.0	390.0	
		9-01-65	60.2	389.8	
		10-01-65	60.2	389.8	
		11-01-65	61.5	388.5	
		12-03-65	61.3	388.7	
		1-01-66	61.5	388.5	
		2-01-66	61.8	388.2	
		3-01-66	61.4	388.6	
		4-01-66	61.4	388.6	
		5-01-66	61.4	388.6	
		6-01-66	61.5	388.5	
		7-01-66	61.5	388.5	
		8-01-66	61.6	388.4	
		9-01-66	61.6	388.4	
15S/01E-16B01S	451.5	7-01-65	61.8	389.7	420
		8-01-65	61.3	390.2	
		9-01-65	61.4	390.1	
		10-01-65	61.6	389.9	
		11-01-65	62.2	389.3	
		12-03-65	61.8	389.7	
		1-01-66	61.8	389.7	
		2-01-66	61.8	389.7	
		3-01-66	62.0	389.5	
		4-01-66	61.9	389.6	
		5-01-66	62.0	389.5	
		6-01-66	62.5	389.0	
		7-01-66	62.1	389.4	
		8-01-66	62.3	389.2	
		9-01-66	62.3	389.2	
15S/01E-16C02S	440.0	7-01-65	55.4	384.6	420
		8-01-65	55.0	385.0	
		9-01-65	55.1	384.9	
		10-01-65	55.2	384.8	
		11-01-65	55.8	384.2	
		12-03-65	55.3	384.7	
		1-01-66	55.4	384.6	
		2-01-66	55.4	384.6	
		3-01-66	55.4	384.6	
		4-01-66	55.3	384.7	
		5-01-66	55.4	384.6	
		6-01-66	55.4	384.6	
		7-01-66	55.4	384.6	
		8-01-66	55.4	384.6	
		9-01-66	55.5	384.5	
15S/01E-16C03S	448.5	7-01-65	61.0	387.5	420
		8-01-65	60.7	387.8	
		9-01-65	60.7	387.8	
		10-01-65	60.7	387.8	
		11-01-65	61.4	387.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SAN DIEGO HYDRO UNIT Z-07.00

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA
LOWER SAN DIEGO HYDRO SUBUNIT			Z-07.A0		
EL MONTE HYDRO SUBAREA					Z-07.A5
15S/01E-16C03S (CONT.)	448.5	12-03-65	60.1	388.4	420
		1-01-66	61.2	387.3	
		2-01-66	61.2	387.3	
		3-01-66	61.2	387.3	
		4-01-66	61.2	387.3	
		5-01-66	61.2	387.3	
		6-01-66	61.2	387.3	
		7-01-66	61.3	387.2	
		8-01-66	61.3	387.2	
		9-01-66	61.4	387.1	
15S/01E-16C04S	445.0	7-01-65	60.6	384.4	420
		8-01-65	60.6	384.4	
		9-01-65	60.7	384.3	
		10-01-65	60.8	384.2	
		11-01-65	61.1	383.9	
		12-03-65	61.0	384.0	
		1-01-66	60.6	384.4	
		2-01-66	60.6	384.4	
		3-01-66	60.8	384.2	
		4-01-66	52.2(9)	392.8	
		5-01-66	60.7	384.3	
		6-01-66	60.7	384.3	
		7-01-66	60.8	384.2	
		8-01-66	60.8	384.2	
		9-01-66	60.8	384.2	
15S/01E-16E01S	435.0	7-01-65	55.8	379.2	420
		8-01-65	55.2	379.8	
		9-01-65	55.3	379.7	
		10-01-65	55.3	379.7	
		11-01-65	56.0	379.0	
		12-03-65	55.5	379.5	
		1-01-66	55.6	379.4	
		2-01-66	55.4	379.6	
		3-01-66	55.5	379.5	
		4-01-66	55.4	379.6	
		5-01-66	55.4	379.6	
		6-01-66	55.4	379.6	
		7-01-66	55.5	379.5	
		8-01-66	55.5	379.5	
		9-01-66	55.6	379.4	
15S/01E-17H06S	434.4	8-12-65	53.6	380.8	010
		11-10-65	53.8	380.6	
		3-07-66	53.7	380.7	
		5-10-66	53.6	380.8	
		8-12-66	53.8	380.6	

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CUYAMACA HYDRO SUBUNIT				Z-07.D0	
SPENCER HYDRO SUBAREA					Z-07.D2
13S/04E-06A01S	4280.0	7-24-65	169.0	4111.0	727
		8-30-65	161.0	4119.0	
		9-29-65	165.0	4115.0	
		10-26-65	164.0	4116.0	
		11-25-65	165.0	4115.0	
		12-29-65	153.0	4127.0	
		1-30-66	155.0	4125.0	
		2-28-66	142.0	4138.0	
		3-31-66	123.0	4157.0	
		4-28-66	112.0	4168.0	
		5-26-66	118.0	4162.0	
		6-30-66	138.0	4142.0	
		7-27-66	155.0	4125.0	
		8-28-66	168.0	4112.0	
		9-26-66	184.0	4096.0	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SWEETWATER HYDRO UNIT Z-09.00

LOWER SWEETWATER HYDRO SUBUNIT Z-09.A0
SWEETWATER HYDRO SUBAREA 7-09.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
17S/01W-19J01S	96.4	7-14-65	12.7	83.7	703
		8-17-65	12.9	83.5	
		9-16-65	14.0	82.4	
		10-14-65	14.4	82.0	
		11-09-65	DRY		
		12-07-65	9.4	87.0	
		1-06-66	9.0	87.4	
		2-07-66	8.1	88.3	
		3-14-66	9.1	87.3	
		4-07-66	10.0	86.4	
		5-09-66	11.0	85.4	
		6-07-66	11.7	84.7	
		7-07-66	12.6	83.8	
		8-09-66	13.6	82.8	
		9-07-66	14.1	82.3	
17S/01W-19K01S	91.0	7-14-65	11.2	79.8	703
		8-17-65	11.8	79.2	
		9-16-65	12.5	78.5	
		10-14-65	DRY		
		11-09-65	DRY		
		12-07-65	8.8	82.2	
		1-06-66	8.0	83.0	
		2-07-66	7.5	83.5	
		3-14-66	9.5	81.5	
		4-07-66	9.3	81.7	
		5-09-66	10.0	81.0	
		6-07-66	10.4	80.6	
		7-07-66	11.0	80.0	
		8-09-66	11.9	79.1	
		9-07-66	12.7	78.3	
17S/01W-19Q01S	86.8	7-14-65	8.0	78.8	703
		8-17-65	8.8	78.0	
		9-16-65	9.2	77.6	
		10-14-65	DRY		
		11-09-65	DRY		
		12-07-65	6.1	80.7	
		1-06-66	5.7	81.1	
		2-07-66	(9)		
		3-14-66	6.0	80.8	
		4-07-66	6.3	80.5	
		5-09-66	6.7	80.1	
		6-07-66	7.5	79.3	
		7-07-66	8.1	78.7	
		8-09-66	8.7	78.1	
		9-07-66	9.2	77.6	
17S/01W-20E01S	99.7	7-14-65	13.1	86.6	703
		8-17-65	13.7	86.0	
		9-16-65	14.5	85.2	
		10-14-65	14.5	85.2	
		11-09-65	DRY		
		12-07-65	8.9	90.8	
		1-06-66	8.4	91.3	
		2-07-66	7.9	91.8	
		3-14-66	9.3	90.4	
		4-07-66	9.7	90.0	
		5-09-66	10.7	89.0	
		6-07-66	11.6	88.1	
		7-07-66	12.7	87.0	
		8-09-66	13.7	86.0	
		9-07-66	14.3	85.4	
17S/01W-30E01S	71.6	7-14-65	5.2	66.4	703
		8-17-65	6.5	65.1	
		9-16-65	6.8	64.8	
		10-14-65	6.6	65.0	
		11-09-65	6.9	64.7	
		12-07-65	3.8	67.8	
		1-06-66	3.8	67.8	
		2-07-66	3.2	68.4	
		3-14-66	4.1	67.5	
		4-07-66	4.0	67.6	
		5-09-66	4.0	67.6	
		6-07-66	4.5	67.1	
		7-07-66	5.4	66.2	
		8-09-66	6.4	65.2	
		9-07-66	DRY		
17S/01W-30F01S	80.1	7-14-65	DRY		703
		8-17-65	DRY		
		9-16-65	DRY		
		10-14-65	DRY		
		11-09-65	DRY		
		12-07-65	6.2	73.9	
		1-06-66	7.4	72.7	
		2-07-66	6.2	73.9	
		3-14-66	7.8	72.3	
		4-07-66	8.1	72.0	
		5-09-66	8.3	71.8	
		6-07-66	8.5	71.6	
		7-07-66	9.1	71.0	
		8-09-66	DRY		
		9-07-66	DRY		
17S/01W-30M01S	70.9	7-14-65	10.1	60.8	703

LOWER SWEETWATER HYDRO SUBUNIT Z-09.A0
SWEETWATER HYDRO SUBAREA Z-09.A2

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
17S/01W-30M01S	70.9	8-17-65	9.9	61.0	703
(CONT.)		9-16-65	DRY		
		10-14-65	DRY		
		11-09-65	DRY		
		12-07-65	7.8	63.1	
		1-06-66	7.1	63.8	
		2-07-66	7.8	63.1	
		3-14-66	9.3	61.6	
		4-07-66	9.3	61.6	
		5-09-66	9.8	61.1	
		6-07-66	10.6	60.3	
		7-07-66	DRY		
		8-09-66	DRY		
		9-07-66	DRY		
17S/01W-30M02S	71.3	7-14-65	5.5	65.8	703
		8-17-65	6.7	64.6	
		9-16-65	7.4	63.9	
		10-14-65	7.5	63.8	
		11-09-65	8.0	63.3	
		12-07-65	4.4	66.9	
		1-06-66	2.9	68.4	
		2-07-66	4.4	66.9	
		3-14-66	4.8	66.5	
		4-07-66	4.9	66.4	
		5-09-66	5.5	65.8	
		6-07-66	6.0	65.3	
		7-07-66	6.6	64.7	
		8-09-66	6.9	64.4	
		9-07-66	7.9	63.4	
17S/02W-25J01S	67.0	7-14-65	6.1	60.9	703
		8-17-65	6.4	60.6	
		9-16-65	6.4	60.6	
		10-14-65	6.7	60.3	
		11-09-65	6.4	60.6	
		12-07-65	4.5	62.5	
		1-06-66	4.9	62.1	
		2-07-66	4.8	62.2	
		3-14-66	5.9	61.1	
		4-07-66	6.0	61.0	
		5-09-66	(9)		
		6-07-66	(9)		
		7-07-66	(9)		
17S/02W-25P03S	55.0	7-14-65	3.9	51.1	703
		8-17-65	DRY		
		9-16-65	DRY		
		10-14-65	DRY		
		11-09-65	DRY		
		12-07-65	1.9	53.1	
		1-06-66	1.4	53.6	
		2-07-66	(9)		
		3-14-66	2.0	53.0	
		4-07-66	2.4	52.6	
		5-09-66	2.5	52.5	
		6-07-66	3.1	51.9	
		7-07-66	2.7	52.3	
		8-09-66	3.1	51.9	
		9-07-66	3.3	51.7	
17S/02W-25P04S	55.0	8-17-65	5.9	49.1	703
		9-16-65	6.2	48.8	
		10-14-65	DRY		
		11-09-65	DRY		
		12-07-65	3.6	51.4	
		1-06-66	2.9	52.1	
		2-07-66	(9)		
		3-14-66	3.5	51.5	
		4-07-66	3.9	51.1	
		5-09-66	4.2	50.8	
		6-07-66	4.6	50.4	
		7-07-66	5.1	49.9	
		8-09-66	5.3	49.7	
		9-07-66	5.4	49.6	

TABLE C-1
GROUND WATER LEVELS AT WELLS

SWEETWATER HYDRO UNIT Z-09.00

MIDDLE SWEETWATER HYDRO SUBUNIT Z-09.80
JAMACHA HYDRO SUBAREA Z-09.81

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
16S/01E-21H01S	414.3	7-14-65	DRY		703
		8-17-65	DRY		
		9-16-65	DRY		
		10-14-65	DRY		
		11-09-65	(5)		
		12-07-65	(5)		
		1-06-66	DRY		
		2-07-66	DRY		
		3-14-66	DRY		
		4-07-66	DRY		
		5-09-66	4.7	409.6	
		6-07-66	6.6	407.7	
		7-07-66	7.9	406.4	
		8-09-66	8.2	406.1	
		9-07-66	8.9	405.4	
16S/01E-31C03S	335.9	7-14-65	21.1	314.8	703
		8-17-65	21.2	314.7	
		9-16-65	21.1	314.8	
		10-14-65	21.0	314.9	
		11-09-65	21.0	314.9	
		12-07-65	19.5	316.4	
		1-06-66	18.7	317.2	
		2-07-66	18.5	317.4	
		3-14-66	17.7	318.2	
		4-07-66	17.7	318.2	
		5-09-66	8.3	327.6	
		6-07-66	10.6	325.3	
		7-07-66	11.3	324.6	
		8-09-66	12.2	323.7	
		9-07-66	13.1	322.8	
16S/01F-31D01S	329.0	8-17-65	DRY		703
		9-16-65	DRY		
		10-14-65	DRY		
		12-07-65	DRY		
16S/01E-31D02S	326.0	7-14-65	15.2	310.8	703
		8-17-65	15.2	310.8	
		9-16-65	17.2	308.8	
		10-14-65	15.3	310.7	
		11-09-65	16.1	309.9	
		12-07-65	12.8	313.2	
		1-06-66	12.0	314.0	
		2-07-66	12.2	313.8	
		3-14-66	10.8	315.2	
		4-07-66	10.8	315.2	
		5-09-66	5.5	320.5	
		6-07-66	6.4	319.6	
		7-07-66	7.1	318.9	
		8-09-66	7.8	318.2	
		9-07-66	(9)		
16S/01E-31D03S	325.8	7-14-65	14.5	311.3	703
		8-17-65	14.8	311.0	
		9-16-65	14.9	310.9	
		10-14-65	14.9	310.9	
		11-09-65	15.1	310.7	
		12-07-65	12.8	313.0	
		1-06-66	11.6	314.2	
		2-07-66	10.9	314.9	
		3-14-66	10.5	315.3	
		4-07-66	11.9	313.9	
		5-09-66	4.8	321.0	
		6-07-66	5.2	320.6	
		7-07-66	6.2	319.6	
		8-09-66	6.8	319.0	
		9-07-66	(9)		
17S/01W-01D01S	295.2	7-14-65	5.4	289.8	703
		8-17-65	(4)		
17S/01W-01D02S	295.6	7-14-65	5.7	289.9	703
		8-17-65	6.7	288.9	
		9-16-65	6.0	289.6	
		10-14-65	5.8	289.8	
		11-09-65	4.8	290.8	
		12-07-65	4.9	290.7	
		1-06-66	4.7	290.9	
		2-07-66	4.7	290.9	
		3-14-66	.1	295.5	
		4-07-66	5.0	290.6	
		5-09-66	4.8	290.8	
		6-07-66	5.3	290.3	
		7-07-66	5.4	290.2	
		8-09-66	-.6	296.2	
		9-07-66	5.5	290.1	

TABLE C-1
GROUND WATER LEVELS AT WELLS

OTAY HYDRO UNIT Z-10.00

OTAY HYDRO SUBUNIT Z-10.80

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
18S/02W-22F01S	40.0	8-12-65	31.8	8.2	010
		11-10-65	32.7	7.3	
		3-07-66	30.2	9.8	
		5-10-66	30.4	9.6	
		8-12-66	30.3	9.7	

TABLE C-I

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
		TIA JUANA HYDRO UNIT			Z-11.00
TIA JUANA HYDRO SURUNIT			Z-11.A0		
	TIA JUANA HYDRO SUBAREA				Z-11.A1
17S/02W-35E01S	35.0	8-12-65	14.2	20.8	010
		11-10-65	15.2	19.8	
		3-07-66	9.8	25.2	
		5-10-66	10.7	24.3	
		8-12-66	13.3	21.7	
18S/02W-32H01S	12.6	10-27-65	12.8	-.2	050
		4-07-66	11.0	1.6	
19S/02W-01E01S	45.5	10-27-65	38.9	6.6	050
		4-07-66	31.6	13.9	
19S/02W-01N01S	50.0	8-12-65	53.6	-3.6	010
		11-10-65	53.5	-3.5	
		3-07-66	44.2	5.8	
		5-10-66	41.2	8.8	
		8-12-66	43.7	6.3	
19S/02W-01N02S	50.2	9-20-65	54.4	-4.2	015
		10-05-65	54.4	-4.2	
		10-19-65	54.2	-4.0	
		10-28-65	51.4	-1.2	
		11-10-65	54.0	-3.R	
		11-30-65	54.2	-4.0	
		1-27-66	46.9	3.3	
		4-08-66	43.3	6.9	
		5-11-66	43.8	6.4	
		7-06-66	44.0	6.2	
		9-08-66	44.9	5.3	
19S/02W-01P03S	53.5	9-20-65	43.6	9.9	015
		10-28-65	43.7	9.8	
		11-10-65	43.7	9.8	
		11-30-65	42.5	11.0	
		1-27-66	41.5	12.0	
		4-0R-66	40.6	12.9	
		5-11-66	40.8	12.7	
		7-06-66	40.9	12.6	
		9-08-66	41.4	12.1	
19S/02W-02D01S	39.5	10-27-65	47.0	-7.5	050
		4-07-66	36.4	3.1	
19S/02W-02K01S	44.9	9-20-65	45.3	-.4	015
		10-05-65	45.1	-.2	
		10-19-65	44.5	.4	
		10-28-65	43.9	1.0	
		11-10-65	44.0	.9	
		11-30-65	43.0	1.9	
		1-27-66	38.4	6.5	
		4-08-66	37.8	7.1	
		5-11-66	36.8	8.1	
		7-06-66	37.2	7.7	
		9-08-66	37.2	7.7	
19S/02W-04A06S	25.0	8-12-65	33.7(2)	-8.7	010
		11-10-65	32.7	-7.7	
		3-07-66	24.2	.8	
		5-10-66	24.6	.4	
		8-12-66	26.3	-1.3	
19S/02W-05J01S	13.0	10-27-65	16.2	-3.2	050
		4-07-66	11.4	1.6	

TABLE C - 2

GROUND WATER REPLENISHMENT
IN SOUTHERN CALIFORNIA
DURING THE 1965-66 WATER YEAR

Areal Designation Code No.	PROJECT	Agency* conducting spreading operation	Source of recharge water	Amount spread, in acre-feet												
				Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Total
U–03.A1	El Rio	UWCD	Local	0	1,965	3,913	9,462	5,487	2,488	0	0	0	0	0	0	23,315
U–03.A1	Saticoy	UWCD	Local	0	1,983	5,236	5,520	6,322	2,892	1,038	81	114	176	194	0	23,556
U–03.D1	Piru	UWCD	Local	134	80	605	2,029	1,957	1,954	2,472	2,161	1,697	656	115	75	13,935
U–05.A2	Dominguez	LACFCD	Local	1	136	63	49	56	60	46	2	106	90	91	103	803
U–05.A2	West Coast Basin Barrier	LACFCD	Local	3,520	3,415	3,689	3,724	3,366	3,654	4,421	3,821	3,366	3,767	3,977	3,669	44,389
U–05.A5	Rio Hondo Combined	LACFCD	Local	0	5,610	4,244	10,387	2,492	493	499	227	131	0	49	193	24,325
			Imported	5,742	4,195	4,070	880	5,506	7,813	10,807	6,973	5,548	507	8,810	9,450	70,301
U–05.A5	San Gabriel River	LACFCD	Local	22	2,094	3,472	5,116	292	381	296	335	301	221	235	378	13,143
			Imported	3,309	1,285	1,180	0	3,151	2,706	784	3,464	4,202	558	663	5,918	27,720
U–05.A5	San Gabriel Spreading Ground	LACFCD	Imported	418	366	0	147	2,377	2,275	838	1,426	871	0	0	381	9,099
U–05.B1	Branford	LACFCD	Local	+	164	127	48	39	5	+	1	+	+	+	7	391
U–05.B1	Crystal Springs, Los Angeles River	LADW&P	Imported	2,116	516	270	363	16	1,574	2,045	1,040	791	982	1,051	1,019	11,783
U–05.B1	Big Tujunga	LADW&P	Imported	0	0	4,448	0	0	0	0	0	0	0	0	0	4,448
U–05.B1	Pacoima	LACFCD	Local	0	2,446	3,148	3,898	88	0	1,956	0	0	165	0	0	11,701
U–05.B3	Hansen	LACFCD	Local	0	3,382	5,212	7,609	2,281	799	0	523	0	0	0	0	19,806
U–05.B3	Lopez	LACFCD	Local	0	156	170	273	0	26	226	0	0	103	66	0	1,020
U–05.C1	Eaton Wash	LACFCD	Local	0	1,366	597	819	218	0	0	0	0	0	0	0	2,000
U–05.C1	Arroyo Seco	LACFCD	Local	0	290	353	318	75	0	0	0	0	0	0	0	1,036
U–05.C3	Santa Anita	LACFCD	Local	0	213	344	304	192	215	137	9	84	88	55	0	1,641
U–05.C3	Sierra Madre	CSMWD	Local	0	325	801	963	849	471	437	91	185	277	62	0	4,461
U–05.D1	Ben Lomond	LACFCD	Local	259	61	20	231	877	1,136	284	624	197	61	38	11	3,799
U–05.D1	Big Dalton	LACFCD	Local	0	171	533	529	329	174	47	36	16	228	+	+	2,063
U–05.D1	Buena Vista	LACFCD	Local	+	313	207	143	33	16	20	62	38	22	+	+	854
U–05.D1	Citrus	LACFCD	Local	297	97	28	121	389	525	169	341	184	579	657	623	4,010
U–05.D1	Eaton Basin	LACFCD	Local	43	159	107	61	46	105	320	31	22	20	31	62	1,007
U–05.D1	Irwindale	LACFCD	Local	3	0	210	994	591	60	826	0	633	0	0	+	3,317
U–05.D1	Little Dalton	LACFCD	Local	0	2	167	399	162	105	60	47	24	18	3	+	987
U–05.D1	Peck Road	LACFCD	Local	9	5,635	3,501	3,220	304	145	28	18	36	16	32	74	13,009
U–05.D1	San Dimas	LACFCD	Local	0	0	0	0	0	0	0	0	0	0	0	0	0
U–05.D1	Santa Fe	LACFCD	Local	4	2,066	5,944	9,756	3,833	1,820	18	14	9	19	8	11	23,502
U–05.D1	Sawpit	LACFCD	Local	0	117	323	408	262	118	59	46	34	0	0	0	1,367
U–05.D1	Walnut	LACFCD	Local	0	0	0	0	0	170	231	214	171	197	202	227	1,412
U–05.D3	Eastside Mouth Canyon Basin	SGRSC	Local	9	1,093	888	1,083	13	11	0	0	0	0	0	0	3,088
U–05.D3	San Gabriel Canyon Westside**	CAWC	Local	1,768		157		1,271		2,292		1,680		1,476		8,644
U–05.E3	Live Oak	LACFCD	Local	0	0	14	63	1	11	0	0	0	0	0	0	89
U–05.F1	Alamitos Barrier	LACFCD	Imported	420	326	325	331	280	275	266	274	258	287	315	360	3,717
U–05.F1	Carbon Creek System	OCFCD	Local	0	945	345	55	120	0	0	0	0	0	0	0	1,465
			Imported	6,920	0	0	0	0	2,100	9,000	5,700	4,650	0	4,300	5,480	38,150
U–05.F1	Crill Memorial Pit	OCWD	Imported	7,421	0	0	22	0	2,522	9,587	6,405	6,217	0	4,357	5,420	41,951
Y–01.A1	East Peters Canyon	OCWD	Imported	37	17	0	13	7	0	0	0	0	0	0	9	83
Y–01.A1	Little Joaquin	OCWD	Imported	37	17	0	13	7	0	0	0	0	0	0	9	83
Y–01.A1	San Diego Creek	OCWD	Imported	310	144	0	55	51	0	0	0	0	0	0	89	649
Y–01.A1	Santa Ana River	OCWD	Imported	3,995	33	0	0	0	55	7,761	15,855	6,681	0	2,404	5,710	42,494
Y–01.A3	Gardner–Batavia	SAVIC	Local	0	10	9	85	221	48	0	0	0	0	0	0	373
Y–01.B1	Day Canyon	EWC	Local	0	67	267	282	313	349	174	100	19	0	0	0	1,571
Y–01.B3	City of Pomona	CPWD	Local	0	184	186	40	14	39	45	0	0	0	0	0	508
Y–01.B4	Nineteenth Street and Cucamonga	SAWC	Imported	0	358	1,684	857	1,223	964	506	126	15	0	0	0	5,733
Y–01.C1	Mayhew Wash	TWC	Local	0	423	434	107	55	24	5	0	0	0	0	0	1,048
Y–01.C4	Indian Creek	TWC	Local	0	275	396	83	37	15	0	0	0	0	0	0	1,806
Y–01.C4	Horsethief Creek	TWC	Local	0	17	11	18	12	6	7	0	0	0	0	0	71
Y–01.C4	Cow Creek	TWC	Local	0	17	11	19	11	11	7	0	0	0	0	0	76
Y–01.E9	Lytle Creek	FUWC	Local	0	160	1,652	5,092	2,759	1,962	2,007	556	0	0	0	0	14,188

---

*Abbreviation of agencies conducting spreading operations are presented in alphabetical order:
CAWC, California-American Water Company; CPWD, City of Pomona Water Department; CSMWD, City of Sierra Madre Water Department;
EWC, Etiwanda Water Company; FUWC, Fontana Union Water Company; LACFCD, Los Angeles County Flood Control District;
LADW&P, Los Angeles Department of Water and Power; OCFCD, Orange County Flood Control District; OCWD, Orange County Water District;
SAVIC, Santa Ana Valley Irrigation Company; SAWC, San Antonio Water Company; SGRSC, San Gabriel River Spreading Corporation;
TWC, Temescal Water Company
UWCD, United Water Conservation District

**Bimonthly amounts.

ATTACHMENT 1

MAPS OF LOCATIONS OF WELLS AT WHICH WATER LEVEL FLUCTUATIONS ARE SHOWN



LOCATION OF WELLS AT WHICH WATER LEVEL FLUCTUATIONS ARE SHOWN
CENTRAL COASTAL DRAINAGE PROVINCE (T)



LOCATION OF WELLS AT WHICH WATER LEVEL FLUCTUATIONS ARE SHOWN

LOS ANGELES DRAINAGE PROVINCE (U)

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

Sheet 3 of 6



LOCATION OF WELLS AT WHICH WATER LEVEL FLUCTUATIONS ARE SHOWN

LAHONTAN DRAINAGE PROVINCE (W)

RTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968



LOCATION OF WELLS AT WHICH WATER LEVEL FLUCTUATIONS ARE SHOWN

COLORADO RIVER BASIN DRAINAGE PROVINCE (X)

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968



LOCATION OF WELLS AT WHICH WATER LEVEL FLUCTUATIONS ARE SHOWN
SANTA ANA DRAINAGE PROVINCE (Y)

PARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968



LOCATION OF WELLS AT WHICH WATER LEVEL FLUCTUATIONS ARE SHOWN SAN DIEGO DRAINAGE PROVINCE (Z)

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1968

137049

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE
RECALL

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-55m-10,'68(J4048s8)458—A-31/5

UNIVERSITY OF CALIFORNIA DAVIS
3 1175 02468 6753

№ 601028

California. Department of Water Resources.
Bulletin.

PHYSICAL
SCIENCES
LIBRARY

TC824
C2
A2
no.5
appx.A-C
c.2

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS

601028
California. Department of Water Resources.
Bulletin.

Call Number:
TC824
C2
A2
no.5
appx.A-C
c.2